

PRIAMUS

Serial Publication of the Centre for
Entomological Studies Ankara
Supplement

Number 14

15 8 2008

ISSN 1015-8243

Reports on the Temporary Results of the
Lepidopteran List of the Asian Continent
based upon the Info-system of the Cesa
I- Russia

stand 13.8.2008

Ahmet Ömer Koçak Muhabbet Kemal

related Cesa Projects

Diversity of the Lepidoptera in the World (DLW)
Lepidoptera of Asia (LAS)
Lepidoptera of Old World (LOW)

Abstract: Reports on the Temporary Results of the Lepidopteran Lists of the Asian Continent based upon the Info-system of the Cesa-I Russia. *Cent. ent. Stud., Priamus Suppl.* 14: 1-466.

In the first part of the faunal report on the Asian Continent, the preliminary list of the Lepidoptera of Russia is presented, based upon the information system of the Cesa within the Project of Lepidoptera Asia (LAS), and Lepidoptera of Old World (LOW). The comprehensive but preliminary results on the Lepidoptera of the whole Russian Federation are reported here for the first time as the valid scientific names of the species group taxa recorded in the database of the Cesa so far. Totally 5951 species (7668 taxa, together with the subspecies) are listed for this purpose. To each taxon, synonym and homonym names are added in chronological order. For more than 2000 taxa, the larval foodplants are mentioned. Totally 657 patronym names at specific or subspecific level are the selected examples among the valid Russian taxa of the Lepidoptera. Number of the species group taxa and their lists among the Russian Lepidoptera proposed by the authors of various nationalities are given. Totally 1262 species group names established by Russian lepidopterists, are listed. Similarly, 682 species group names proposed by British, 2600 species group names proposed by German, and 423 species group names proposed by French lepidopterists are listed separately.

A replacement name *Alsophila beljaevi* **nom. nov.** is proposed for *Alsophila murinaria* Beljaev, 1996 not *Phalaena murinaria* Borkhausen, 1794 (synonym of *Alsophila aescularia* [Denis & Schiffermüller], 1775) in the family Geometridae.

Keywords: *Lepidoptera*, Asia, Russia, fauna, list of species, subspecies, patronymic names, new name.

Within the frame of the Cesa Projects¹, entitled the *Lepidoptera of Asia* (LAS), and the *Lepidoptera of Old World* (LOW) synonymous list of the species and subspecies of Russia, based upon the Info-system of the Cesa is reported below. This temporary list is a preliminary one on this subject and still incomplete, namely a checklist of the Lepidoptera of Russia, the authors believe that it will be useful for the beginners to some extent, as there is no such complete, modern publication on this subject.

This first report submitted below, comprises 5951 species, 7668 species group taxa in various families of the Lepidoptera known in the Russian territories. Valid scientific names for each taxon together with the chronologically ordered synonymous names are given. Nomenclaturally unavailable names marked with #. Among these names, patronymic 657 names are listed separately. The Lepidoptera fauna of Russia is composed of the scientific names proposed by especially German lepidopterists (2600 names), by Russian (1262 names), by British (682 names), and by French lepidopterists (423 names). The rest of the names (more than 2000) were proposed by the lepidopterists of other nations.

During the studies on these projects of the Cesa, the authors published several complementary articles on the nomenclature of some species- and genus group taxa of the Lepidoptera of Russia or adjacent countries. Consequently, the following new taxa were proposed previously:

Muhabbeta Koçak, 2007 (Oecophoridae)

¹ Cesa Projects: <http://www.cesa-tr.org/Cesaprojects.htm>

Osmanosizikia Koçak & Kemal, 2007 (Noctuidae)
Sinevina Koçak & Kemal, 2007 (Blastobasidae)
Lycaena (Alciphronia) alciphron ssp. peride Koçak & Kemal, 2007 (Lycaenidae)
Pelochrista muhabbet Koçak, 2006 (Tortricidae)
Polyommatus (s.str.) boisduvalii ssp. krziwitskyi Koçak & Kemal, 2001 (Lycaenidae)

***Alsophila beljaevi* nom. nov. (Geometridae)** see also page 162.

Alsophila beljaevi nom. nov., replacement name, is proposed for *Alsophila murinaria* Beljaev, 1996, as it is junior secondary homonym of *Phalaena murinaria* Borkhausen, 1794 within the same genus *Alsophila* Hbn. (Geometridae). This species is known from Far East Region of Russia, Vladivostok, Sad-Gorod.

Valid patronymic names among the Russian Lepidoptera

Below, more than 650 specific or subspecific scientific names among the Russian Lepidoptera proposed by various authors to the persons.

1. *Abrepagoge osmangazii* (Koçak, 1986) (Tortricidae)
2. *Acanthopsyche ecksteini* (Lederer, 1855) (Psychidae)
3. *Acleris filipjevi* Obraztsov, 1956 (Tortricidae)
4. *Acleris kochiella* (Goeze, 1783) (Tortricidae)
5. *Acleris lacordairana* (Duponchel, 1836) (Tortricidae)
6. *Acleris schalleriana* (Linnaeus, 1761) (Tortricidae)
7. *Acrodontis kotshubeji* (Sheljuzhko, 1944) (Geometridae)
8. *Adela reaumurella* (Linnaeus, 1758) (Adelidae)
9. *Aegle kaekeritziana* (Hübner, [1799]) (Noctuidae)
10. *Aethes hartmanniana* (Clerck, 1759) (Tortricidae)
11. *Aethes kindermanniana* (Treitschke, 1830) (Tortricidae)
12. *Aethes smeathmanniana* (Fabricius, 1781) (Tortricidae)
13. *Aethes williana* (Brahm, 1791) (Tortricidae)
14. *Agdistis (Adenistis) caradjai* Arenberger, 1975 (Pterophoridae)
15. *Agdistis (Adenistis) falkovitshi* Zagulyaev, 1986 (Pterophoridae)
16. *Agdistis (Frankistis) frankeniae* (Zeller, 1847) (Pterophoridae)
17. *Agdistis rjabovi* Zagulyaev & Filippova, 1976 (Pterophoridae)
18. *Agonopterix dubatolovi* Lvovsky, 1995 (Oecophoridae)
19. *Agonopterix kaekeritziana* (Linnaeus, 1767) (Oecophoridae)
20. *Agriphila tolli* (Bleszynski, 1952) (Pylalidae)
21. *Agrochola (Alpichola) egorovi* (O. Bang-Haas, 1934) (Noctuidae)
22. *Agrochola (Alpichola) egorovi egorovi* (O. Bang-Haas, 1934) (Noctuidae)
23. *Alabonia staintoniella* (Zeller, 1850) (Oecophoridae)
24. *Albocosta stentzi* (Lederer, 1853) (Noctuidae)
25. *Alcis bastelbergeri* (Hirschke, 1908) (Geometridae)
26. *Aldania deliquata tshetverikovi* (Kurentzov, 1936) (Argynnididae)
27. *Aldania raddei* (Bremer, 1861) (Argynnididae)
28. *Aldania raddei raddei* (Bremer, 1861) (Argynnididae)
29. *Alsophila beljaevi* (nom. nov.) Koçak & Kemal, 2008 (Geometridae)
30. *Alsophila vladimiri Viidalepp*, 1986 (Geometridae)
31. *Alsophiloides kurentzovi Viidalepp*, 1986 (Geometridae)
32. *Alucita huebneri* Wallengren, 1859 (Alucitidae)
33. *Amata kruegeri* (Ragusa, 1904) (Ctenuchidae)
34. *Ammonoconia senex rjabovi* Ronkay & Varga, 1984 (Noctuidae)
35. *Amphipyra berbera svenssoni* D.S. Fletcher, 1968 (Noctuidae)
36. *Ampittia virgata myakei* Matsumura, 1909 (Hesperiidae)

37. *Amurilla subpurpurea dieckmanni* (Graeser,1888) (Lasiocampidae)
38. *Anarta richardsoni* Curtis,1834 (Noctuidae)
39. *Ancylis mitterbacheriana* ([Denis & Schiffermüller],1775) (Tortricidae)
40. *Anthocharis cardamines sheldoni* (Hemming,1934) (Pieridae)
41. *Anthophila fabriciana* (Linnaeus,1767) (Choreutidae)
42. *Anthophila filipjevi* Danilevsky,1969 (Choreutidae)
43. *Anthophilopsis moeschleri* (Christoph,1862) (Pyralidae)
44. *Antigius attilia* (Bremer,1861) (Lycaenidae)
45. *Antigius attilia attilia* (Bremer,1861) (Lycaenidae)
46. *Antigius butleri* (Fenton,1881) (Lycaenidae)
47. *Antigius butleri butleri* (Fenton,1881) (Lycaenidae)
48. *Antispila treitschkiella* (Fischer v. Röslerstamm,1843) (Heliozelidae)
49. *Anumeta henkei* (Staudinger,1877) (Noctuidae)
50. *Apamea maillardi schildei* (Staudinger,1901) (Noctuidae)
51. *Apamea rjaboviana* Mikkola, Varga & Lafontaine, (Noctuidae)
52. *Aphelia (Zelothereses) tschetverikovi* Danilevsky,1963 (Tortricidae)
53. *Aphomia zelleri* (Joannis,1932) (Pyralidae)
54. *Apocolotois arnoldiaria* (Oberthür,1912) (Geometridae)
55. *Archinemapogon yildizae* Koçak,1981 (Tineidae)
56. *Arctia (s.str.) olschwangi* Dubatolov,1990 (Arctiidae)
57. *Arctia (s.str.) olschwangi olschwangi* Dubatolov,1990 (Arctiidae)
58. *Artopoetes pryeri* (Murray,1873) (Lycaenidae)
59. *Artopoetes pryeri pryeri* (Murray,1873) (Lycaenidae)
60. *Athrips patockai* (Povolny,1979) (Gelechiidae)
61. *Auchmis (s.str.) peterseni* (Christoph,1887) (Noctuidae)
62. *Autophila (s.str.) einsleri* Amsel,1935 (Noctuidae)
63. *Barbara herrichiana* Obraztsov,1960 (Tortricidae)
64. *Bazaria sieversi* (Christoph,1877) (Pyralidae)
65. *Behouneka freyeri* (Frivaldsky,1835) (Noctuidae)
66. *Bembecia bohatschi* (Püngeler,1904) (Sesiidae)
67. *Boloria (Clossiana) angarensis herzi* (Wnukowsky,1927) (Argynnidae)
68. *Boloria (Clossiana) angarensis shelkovnikovi* Korb & Yakovlev, 1997 (Argynnidae)
69. *Boloria (Clossiana) astarte erschovi* (Korshunov & Gorbunov,1995) (Argynnidae)
70. *Boloria (Clossiana) distincta machati* Korshunov,1987 (Argynnidae)
71. *Boloria (Clossiana) matveevi* (Gorbunov & Korshunov,1995) (Argynnidae)
72. *Boloria (Clossiana) matveevi matveevi* (Gorbunov & Korshunov,1995) (Argynnidae)
73. *Boloria (Clossiana) titania staudingeri* (Wnukowsky,1929) (Argynnidae)
74. *Boloria (s.str.) alaskensis sedykhi* Cormier,1977 (Argynnidae)
75. *Boloria (s.str.) napaea pustagi* Korshunov & Ivonin,1995 (Argynnidae)
76. *Boloria (s.str.) pales banghaasi* Seitz,1909 (Argynnidae)
77. *Borearctia menetriesi* (Eversmann,1846) (Arctiidae)
78. *Borearctia menetriesi menetriesi* (Eversmann,1846) (Arctiidae)
79. *Brenthis hecate warreni* Kudrna,1974 (Argynnidae)
80. *Bucculatrix bechsteinella* (Bechstein & Scharfenberg,1805) (Bucculatricidae)
81. *Calamia staudingeri* Warnecke,1941 (Noctuidae)
82. *Calophrys butleri butleri* Migranov,1992 (Lycaenidae)
83. *Calophrys butleri butleri* Migranov,1992 (Lycaenidae)
84. *Calophrys chalybeitincta eitschbergeri* Dantchenko,2000 (Lycaenidae)
85. *Calophrys frivaldskyi* (Lederer,1855) (Lycaenidae)
86. *Calophrys frivaldskyi frivaldskyi* (Lederer,1855) (Lycaenidae)
87. *Calopistria latreillei* (Duponchel,1827) (Noctuidae)
88. *Caloplistia hohenwarthi* (Hochenwarth,1785) (Noctuidae)
89. *Caloplistia hohenwarthi hohenwarthi* (Hochenwarth,1785) (Noctuidae)
90. *Caloptilia (s.str.) alpherakiella* (Krulikowsky,1909) (Gracillariidae)
91. *Caloptilia (s.str.) heringi* Kumata,1966 (Gracillariidae)
92. *Caloptilia (s.str.) issikii* Kumata,1982 (Gracillariidae)
93. *Caloptilia (s.str.) korbiella* (Caradja,1920) (Gracillariidae)
94. *Capricornia boisduvaliana* (Duponchel,1836) (Tortricidae)
95. *Caradrina (Eremodrina) zernyi* (Boursin,1936) (Noctuidae)
96. *Caradrina (Eremodrina) zernyi zernyi* (Boursin,1936) (Noctuidae)
97. *Caradrina (Platyperigea) kadenii* (Freyer,1836) (Noctuidae)

98. *Caradrina (Platyperigea) montana rougemonti* Spuler, 1908 (Noctuidae)
99. *Carcharodus (Lavatheria) stauderi* Reverdin, 1913 (Hesperiidae)
100. *Carposina sasakii* Matsumura, 1898 (Carposinidae)
101. *Carterocephalus dieckmanni dieckmanni* Graeser, 1888 (Hesperiidae)
102. *Carterocephalus dieckmanni* Graeser, 1888 (Hesperiidae)
103. *Caryocolum huebneri* (Haworth, 1828) (Gelechiidae)
104. *Caryocolum kroesmanniellum* (Herrich-Schäffer, 1854) (Gelechiidae)
105. *Caryocolum petryi* (Hofmann, 1899) (Gelechiidae)
106. *Caryocolum schleichi* (Christoph, 1872) (Gelechiidae)
107. *Catastia kistrandella* Opheim, 1963 (Pyrilidae)
108. *Catocala* (s.str.) *moltrechti* O. Bang-Haas, 1927 (Noctuidae)
109. *Catopta perunovi* Yakovlev, 2007 (Cossidae)
110. *Celaena haworthii* (Curtis, 1829) (Noctuidae)
111. *Celastrina argiolus ladonides* (De l'Orza, 1869) (Lycaenidae)
112. *Celastrina fedoseevi fedoseevi* Korshunov & Ivonin, 1990 (Lycaenidae)
113. *Celastrina fedoseevi* Korshunov & Ivonin, 1990 (Lycaenidae)
114. *Celastrina filipjevi* (Riley, 1934) (Lycaenidae)
115. *Celastrina filipjevi filipjevi* (Riley, 1934) (Lycaenidae)
116. *Celypha tiedemanniana* (Zeller, 1845) (Tortricidae)
117. *Celypha woodiana* (Barrett, 1882) (Tortricidae)
118. *Cephalispheira denisella* ([Denis & Schiffermüller], 1775) (Oecophoridae)
119. *Chamaesphecia dumonti* Le Cerf, 1922 (Sesiidae)
120. *Chamaesphecia schmidtiformis* (Freyer, 1836) (Sesiidae)
121. *Chazara (Neochazara) heydenreichi* (Lederer, 1853) (Satyridae)
122. *Chelis maculosa honesta* (Tauscher, 1806) (Arctiidae)
123. *Chersotis* (s.str.) *fimbriola raddei* (Christoph, 1877) (Noctuidae)
124. *Chilo christophi* Bleszynski, 1965 (Pyrilidae)
125. *Choristoneura hebenstreitella* (Müller, 1764) (Tortricidae)
126. *Choristoneura irina* Dubatolov & Syachina, 2007 (Tortricidae)
127. *Chrysoclista lathamella* (Fletcher, 1936) (Agonoxenidae)
128. *Chrysoclista linneella* (Clerck, 1759) (Agonoxenidae)
129. *Chrysoesthia drurella* (Fabricius, 1775) (Gelechiidae)
130. *Cifuna jankowskii* (Oberthür, 1884) (Lymantriidae)
131. *Cilix filipjevi* Kardakoff, 1928 (Drepanidae)
132. *Clepsis moeschleriana* (Wocke, 1862) (Tortricidae)
133. *Cnephasia* (s.str.) *heinemanni* Obratzsov, 1957 (Tortricidae)
134. *Cnephasia* (s.str.) *heringi* Razowski, 1958 (Tortricidae)
135. *Cnephasia* (s.str.) *stephensiana* (Doubleday, 1849) (Tortricidae)
136. *Cnephasia* (s.str.) *stephensiana stephensiana* (Doubleday, 1849) (Tortricidae)
137. *Cnephasia* (s.str.) *zelleri* (Christoph, 1877) (Tortricidae)
138. *Coccidiphila gerasimovi* Danilevsky, 1950 (Mompidae)
139. *Cochylidia heydeniana* (Herrich-Schäffer, [1851]) (Tortricidae)
140. *Cochylimorpha hedemanniana* (Snellen, 1883) (Tortricidae)
141. *Coenonympha* (s.str.) *amaryllis borisovi* Korshunov & Ivonine, 1996 (Satyridae)
142. *Coenonympha* (s.str.) *tullia fridolini* Kuznetsov, 1941 (Satyridae)
143. *Coleophora burmanni* Toll, 1952 (Coleophoridae)
144. *Coleophora calligoni* Falkovitsh, 1972 (Coleophoridae)
145. *Coleophora eichleri* Patzak, 1977 (Coleophoridae)
146. *Coleophora glitzella* Hofmann, 1869 (Coleophoridae)
147. *Coleophora kautzi* Rebel, 1933 (Coleophoridae)
148. *Coleophora klimeschiella* Toll, 1952 (Coleophoridae)
149. *Coleophora kuehnella* (Goeze, 1783) (Coleophoridae)
150. *Coleophora peribenanderi* Toll, 1943 (Coleophoridae)
151. *Coleophora preisseckeri* Toll, 1942 (Coleophoridae)
152. *Coleophora zelleriella* Heinemann, 1854 (Coleophoridae)
153. *Colias (Eriocolias) chrysotheme schugorowi* Krulikowsky, 1906 (Pieridae)
154. *Colias (Eriocolias) elena elena* Gorbunov, 1995 (Pieridae)
155. *Colias (Eriocolias) elena* Gorbunov, 1995 (Pieridae)
156. *Colias (Eriocolias) thisoa nikolaevi* Korshunov, 1998 (Pieridae)
157. *Colias (Eucolias) nastes dezhnevi* Korshunov, 1995 (Pieridae)
158. *Colias (Eucolias) nastes werdandi* Zetterstedt, 1840 (Pieridae)

159. *Colias (Eucolias) tyche herzi* Staudinger,1901 (Pieridae)
160. *Colias (Eucolias) tyche kolosovae* Churkin et al.,2001 (Pieridae)
161. *Coptotriche heinemanni* (Wocke,1871) (Tischeriidae)
162. *Coreana raphaelis* (Oberthür,1880) (Lycaenidae)
163. *Coreana raphaelis raphaelis* (Oberthür,1880) (Lycaenidae)
164. *Cosmiotes freyerella* (Hübner,[1825]) (Elachistidae)
165. *Cosmopterix scribaiella* Zeller,1850 (Cosmopterigidae)
166. *Cosmopterix zieglerella* (Hübner,[1810]) (Cosmopterigidae)
167. *Cossus siniae* Yakovlev,2005 (Cossidae)
168. *Crambus heringiellus* Herrich-Schäffer,[1848] (Pyrilidae)
169. *Crambus isshiki* Matsumura,1925 (Pyrilidae)
170. *Crambus sakayehammanus* Matsumura,1925 (Pyrilidae)
171. *Cremnophila sedakovella* (Eversmann,1851) (Pyrilidae)
172. *Croesia bergmanniana* (Linnaeus,1758) (Tortricidae)
173. *Croesia forsskalleana* (Linnaeus,1758) (Tortricidae)
174. *Crombruggia kollari* (Stainton,1851) (Pterophoridae)
175. *Cucullia* (s.str.) *behouneki* Hacker & Ronkay,1988 (Noctuidae)
176. *Cucullia* (s.str.) *fuchsiana* Eversmann,1842 (Noctuidae)
177. *Cupido* (Everes) *argiades seitzi* (Wnukowsky,1928) (Lycaenidae)
178. *Cupido* (s.str.) *minimus tuzovi* Zhdanko,1994 (Lycaenidae)
179. *Cyclophora punctaria fritzae* Hausmann,2003 (Geometridae)
180. *Cydia larseni* (Rebel,1903) (Tortricidae)
181. *Cydia lobarzewskii* (Nowicki,1860) (Tortricidae)
182. *Cydia maackiana* (Danilevsky,1963) (Tortricidae)
183. *Decantha borkhausenii* (Zeller,1839) (Oecophoridae)
184. *Depressaria djakonovi* Lvovsky,1981 (Oecophoridae)
185. *Depressaria filipjevi* Lvovsky,1981 (Oecophoridae)
186. *Depressaria hannemanniana* Lvovsky,1990 (Oecophoridae)
187. *Depressaria hofmanni* Stainton,1861 (Oecophoridae)
188. *Diachrysia tutti* (Kostrowicki,1961) (Noctuidae)
189. *Dichomeris bulawskii* Ponomarenko & Park,1996 (Gelechiidae)
190. *Dichomeris okadai* (Moriuti,1982) (Gelechiidae)
191. *Dichonia* (Griposia) *pinker* Kobes,1973 (Noctuidae)
192. *Dichrorampha gruneriana* (Herrich-Schäffer,1851) (Tortricidae)
193. *Dichrorampha klimeschiana* Toll,1955 (Tortricidae)
194. *Dichrorampha petiverella* (Linnaeus,1758) (Tortricidae)
195. *Dichrorampha rjabovi* (Danilevsky,1948) (Tortricidae)
196. *Dichrorampha sheljuzhko* (Obraztsov,1949) (Tortricidae)
197. *Dichrorampha tshetverikovi* (Danilevsky,1960) (Tortricidae)
198. *Digitivalva falkneri* Amsel,1974 (Yponomeutidae)
199. *Digrammia rippertaria* (Duponchel,1830) (Geometridae)
200. *Digrammia rippertaria rippertaria* (Duponchel,1830) (Geometridae)
201. *Diplodoma laichartingella* (Goeze,1783) (Psychidae)
202. *Dodia kononenkoi kononenkoi* Tshistjakov & Lanfontaine,1984 (Arctiidae)
203. *Dodia kononenkoi* Tshistjakov & Lanfontaine,1984 (Arctiidae)
204. *Dodia sazanovi* Dubatolov,1990 (Arctiidae)
205. *Dodia sazanovi sazanovi* Dubatolov,1990 (Arctiidae)
206. *Drasteria herzi* (Alpheraky,1895) (Noctuidae)
207. *Drasteria herzi herzi* (Alpheraky,1895) (Noctuidae)
208. *Dysgnophos mcguffini* (Smiles,1980) (Geometridae)
209. *Dyspessa kostjuki* Yakovlev,2005 (Cossidae)
210. *Ectoedemia* (s.str.) *caradjai* (M.Hering,1932) (Nepticulidae)
211. *Ectoedemia* (s.str.) *heringi* (Toll,1934) (Nepticulidae)
212. *Eilicrinia wehrlii* Djakonov,1933 (Geometridae)
213. *Elachista coeneni* Traugott-Olsen,1985 (Elachistidae)
214. *Elachista herrichii* Frey,1859 (Elachistidae)
215. *Elachista irenae* Buszko,1989 (Elachistidae)
216. *Elachista jaskai* Kaila,1988 (Elachistidae)
217. *Elachista krogeri* Svensson,1976 (Elachistidae)
218. *Elachista leifi* Kaila & Kerppola,1992 (Elachistidae)
219. *Elachista nielswolffi* Svensson,1976 (Elachistidae)

220. *Elachista zernyi* Hartig, 1941 (Elachistidae)
221. *Elcysma westwoodii* (Vollenhoven, 1863) (Zygaenidae)
222. *Entephria kuznetsovi* Viidalepp, 1975 (Geometridae)
223. *Epatolmis caesarea* (Goeze, 1781) (Arctiidae)
224. *Epatolmis caesarea caesarea* (Goeze, 1781) (Arctiidae)
225. *Ephestia (Anagasta) kuehniella* Zeller, 1879 (Pyralidae)
226. *Epichnopterix sieboldi* (Reutti, 1853) (Psychidae)
227. *Epinotia kochiana* Herrich-Schäffer, [1851] (Tortricidae)
228. *Epirrita christyi* (Allen, 1906) (Geometridae)
229. *Episema korsakovi* (Christoph, 1885) (Noctuidae)
230. *Episema korsakovi korsakovi* (Christoph, 1885) (Noctuidae)
231. *Episema lederi* Christoph, 1885 (Noctuidae)
232. *Erebia ajanensis arsenjevi* Kurentsov, 1950 (Satyridae)
233. *Erebia ajanensis kosterini* Gorbunov, Korshunov & Dubatolov, 1995 (Satyridae)
234. *Erebia brimo elwesi* Staudinger, 1901 (Satyridae)
235. *Erebia fletcheri* Elwes, 1899 (Satyridae)
236. *Erebia fletcheri fletcheri* Elwes, 1899 (Satyridae)
237. *Erebia iranica sheljuzhkoi* B.C.S. Warren, 1935 (Satyridae)
238. *Erebia kefersteinii* (Eversmann, 1851) (Satyridae)
239. *Erebia kefersteinii kefersteinii* (Eversmann, 1851) (Satyridae)
240. *Erebia kindermanni kindermanni* Staudinger, 1881 (Satyridae)
241. *Erebia kindermanni* Staudinger, 1881 (Satyridae)
242. *Erebia neriene* (Boeber, 1809) (Satyridae)
243. *Erebia neriene neriene* (Boeber, 1809) (Satyridae)
244. *Erebia pawlowskyi Ménétriés*, 1858 (Satyridae)
245. *Erebia pawlowskyi pawlowskyi Ménétriés*, 1858 (Satyridae)
246. *Erebia rossii* (Curtis, 1834) (Satyridae)
247. *Erebia rossii rossii* (Curtis, 1834) (Satyridae)
248. *Erebia stubbendorffii Ménétriés*, 1846 (Satyridae)
249. *Erebia stubbendorffii stubbendorffii Ménétriés*, 1846 (Satyridae)
250. *Erebia theano tshungunovi* Korshunov & Ivonin, 1995 (Satyridae)
251. *Eremobia deccerti* Hampson, 1908 (Noctuidae)
252. *Eriocrania sparrmannella* (Bosc, 1791) (Eriocraniidae)
253. *Eriogaster henkei* (Staudinger, 1879) (Lasiocampidae)
254. *Eriogaster henkei henkei* (Staudinger, 1879) (Lasiocampidae)
255. *Eriopsela falkovitshi* Kostyuk, 1979 (Tortricidae)
256. *Erynnis (Hesperopegasus) marloyi* (Boisduval, [1834]) (Hesperiidae)
257. *Erynnis (Hesperopegasus) marloyi marloyi* (Boisduval, [1834]) (Hesperiidae)
258. *Erynnis (s.str.) popoviana* (Nordmann, 1851) (Hesperiidae)
259. *Erynnis (s.str.) popoviana popoviana* (Nordmann, 1851) (Hesperiidae)
260. *Ethmia soljanikovi* Danilevsky & Zagulyaev, 1975 (Ethmiidae)
261. *Ethmia zagulyaevi* Kostjuk, 1980 (Ethmiidae)
262. *Etiella zinckenella* (Treitschke, 1832) (Pyralidae)
263. *Euchalcia (s.str.) biezankoi* (Alberti, 1965) (Noctuidae)
264. *Euchloe (s.str.) ausonia dubatolovi* Korshunov, 1995 (Pieridae)
265. *Euchloe (s.str.) creusa kurentzovi* Beljaev, 1986 (Pieridae)
266. *Euchloe (s.str.) naina kusnezovi* Korshunov, 1995 (Pieridae)
267. *Euchromius bleszynskiellus* Popescu-Gorj, 1964 (Pyralidae)
268. *Euchromius ramburiellus* (Duponchel, 1836) (Pyralidae)
269. *Eucosma brigittana* (Kennel, 1919) (Tortricidae)
270. *Eucosma gorodkovi* Kuznetsov, 1979 (Tortricidae)
271. *Eucosma hohenwartiana* ([Denis & Schiffermüller], 1775) (Tortricidae)
272. *Eucosma metzneriana* (Treitschke, 1830) (Tortricidae)
273. *Eucosma victoriana* (Kennel, 1919) (Tortricidae)
274. *Eugnorisma (s.str.) puengeleri* Varga & Ronkay, 1987 (Noctuidae)
275. *Eulamprotes wilkella* (Linnaeus, 1758) (Gelechiidae)
276. *Euphydryas (Eurodryas) banghaasi* (Seitz, 1908) (Argynnididae)
277. *Euphydryas (Eurodryas) banghaasi banghaasi* (Seitz, 1908) (Argynnididae)
278. *Euphydryas (Eurodryas) davidi* (Oberthür, 1881) (Argynnididae)
279. *Euphydryas (Eurodryas) davidi davidi* (Oberthür, 1881) (Argynnididae)
280. *Euphydryas (Hypodryas) iduna alferakyi* Korshunov, 1996 (Argynnididae)

281. *Euphydryas* (*Hypodryas*) *iduna semenovi* Korshunov & Ivonine, 1996 (Argynnidæ)
282. *Euphydryas* (*Hypodryas*) *matura staudingeri* (Wnukowsky, 1929) (Argynnidæ)
283. *Eupithecia barteli* Dietze, 1908 (Geometridæ)
284. *Eupithecia bohatschi* Staudinger, 1897 (Geometridæ)
285. *Eupithecia schiefereri* Dietze, 1904 (Geometridæ)
286. *Eupithecia scribai* L.B. Prout, 1938 (Geometridæ)
287. *Eupithecia viidaleppi* Vojnits, 1981 (Geometridæ)
288. *Eutelia geyeri* (R. Felder & Rogenhofer, 1874) (Noctuidæ)
289. *Euxoa* (*Pleonectopoda*) *rjabovi* Kozhantshikov, 1929 (Noctuidæ)
290. *Euxoa* (s.str.) *christophi* (Staudinger, 1870) (Noctuidæ)
291. *Euxoa* (s.str.) *christophi christophi* (Staudinger, 1870) (Noctuidæ)
292. *Euxoa* (s.str.) *heringi* Christoph, 1877 (Noctuidæ)
293. *Euxoa* (s.str.) *heringi heringi* (Christoph, 1877) (Noctuidæ)
294. *Euxoa* (s.str.) *zernyi* Boursin, 1944 (Noctuidæ)
295. *Favonius korshunovi* Dubatolov & Sergeev, 1982 (Lycaenidæ)
296. *Favonius korshunovi korshunovi* Dubatolov & Sergeev, 1982 (Lycaenidæ)
297. *Feralia sauberi* (Graeser, 1892) (Noctuidæ)
298. *Filatima zagulajevi* Anikin & Piskunov, 1996 (Gelechiidæ)
299. *Fulvoclysia albertii* Razowski, 1983 (Tortricidæ)
300. *Furcula petri petri* (Alpheraky, 1882) (Notodontidæ)
301. *Glaucopsyche* (s.str.) *lycormas lederi* (A. Bang-Haas, 1907) (Lycaenidæ)
302. *Glyphipterix forsterella* (Fabricius, 1781) (Glyphipterygidæ)
303. *Gnorimoschema herbichii* (Nowicki, 1864) (Gelechiidæ)
304. *Gymnancyla* (*Spermatophthora*) *hornigii* (Lederer, 1852) (Pyrilidæ)
305. *Gypsonoma obraztsovi* Amsel, 1959 (Tortricidæ)
306. *Habrosyne dieckmanni* Graeser, 1888 (Thyatrindæ)
307. *Hadena* (*Anepia*) *christophi* (Möschler, 1862) (Noctuidæ)
308. *Hadena* (*Enterpia*) *laudeti* (Boisduval, 1840) (Noctuidæ)
309. *Hadena* (s.str. (*Albimaculia*)) *defreinai defreinai* Hacker, Kuhna & Gross, 1986 (Noctuidæ)
310. *Hadena* (s.str. (*Albimaculia*)) *defreinai* Hacker, Kuhna & Gross, 1986 (Noctuidæ)
311. *Hadena* (s.str. (*Anatolidena*)) *staudingeri* (F. Wagner, 1931) (Noctuidæ)
312. *Hadena* (s.str. (*Clarhadena*)) *clara weissi* (Draudt, 1934) (Noctuidæ)
313. *Hadena* (s.str. (*Hadenobilis*)) *albertii* Hacker, 1996 (Noctuidæ)
314. *Hadena* (s.str. (*Hadenobilis*)) *vulcanica urumovi* (Drenowski, 1931) (Noctuidæ)
315. *Hadena* (s.str. (*Zeteolyga*)) *confusa herczigi* Hacker, 1996 (Noctuidæ)
316. *Hadula* (*Calocestra* (*Hadufurca*)) *colletti* (Schneider, 1876) (Noctuidæ)
317. *Hadula* (*Calocestra* (*Hadupugnax*)) *odontites boisduvali* Hacker, 1998 (Noctuidæ)
318. *Hadula* (*Cardiestra*) *vassilini* (O. Bang-Haas, 1927) (Noctuidæ)
319. *Harpyia milhauseri* (Fabricius, 1775) (Notodontidæ)
320. *Heinemannia laspeyrella* (Hübner, 1796) (Agonoxenidæ)
321. *Heliodines roesella* (Linnaeus, 1758) (Heliodinidæ)
322. *Heliophobus kitti* (Schawerda, 1914) (Noctuidæ)
323. *Hellinsia lienigiana* (Zeller, 1852) (Pterophoridæ)
324. *Hemaris* (*Eitschbergera*) *saldaitisi* Eitschberger, Danner & Surholt, 1998 (Sphingidæ)
325. *Hemaris* (*Jilinga*) *beresowskii* (Alpheraky, 1897) (Sphingidæ)
326. *Hemaris* (*Jilinga*) *staudingeri* Leech, 1900 (Sphingidæ)
327. *Hesperia comma shushkini* Korshunov, 1995 (Hesperiidæ)
328. *Holoarctia marinae* Dubatolov, 1985 (Arctiidæ)
329. *Holoarctia marinae marinae* Dubatolov, 1985 (Arctiidæ)
330. *Holoarctia puengeleri* (O. Bang-Haas, 1927) (Arctiidæ)
331. *Holoarctia puengeleri fridolini* (Torstenius, 1971) (Arctiidæ)
332. *Holoarctia puengeleri perunovi* Dubatolov, 1990 (Arctiidæ)
333. *Holoarctia puengeleri puengeleri* (O. Bang-Haas, 1927) (Arctiidæ)
334. *Holoscolia huebneri* Koçak, 1980 (Oecophoridæ)
335. *Hoplodrina pfeifferi* (Boursin, 1932) (Noctuidæ)
336. *Hyles hippophaes bienerti* (Staudinger, 1874) (Sphingidæ)
337. *Hyponephele* (s.str. (*Ereminephele*)) *huebneri* Koçak, 1980 (Satyridæ)
338. *Hyponephele* (s.str. (*Tengrinephele*)) *cadusina gurkini* Korshunov, 1995 (Satyridæ)
339. *Hyponephele* (s.str.) *lycaon alpherakyi* (Sheljuzhko, 1937) (Satyridæ)

340. *Hyponephele* (s.str.) *lycaon jakovlevi* Korolev, 2001 (Satyridae)
341. *Hyposcotis* (Kemtrognophos) *sheljuzhko* (Schawerda, 1924) (Geometridae)
342. *Hyssia cavernosa gozmanyi* Kovacs, 1968 (Noctuidae)
343. *Idaea falckii* (Hedemann, 1879) (Geometridae)
344. *Idaea nielsenii* (Hedemann, 1879) (Geometridae)
345. *Incurvaria oehlmanniella* (Hübner, 1796) (Incurvariidae)
346. *Inurois fletcheri* Inoue, 1954 (Geometridae)
347. *Janthinea friwaldskii* (Duponchel, 1835) (Noctuidae)
348. *Japonichilo bleszynskii* Okano, 1962 (Pyralidae)
349. *Kotchevnik durrelli* Yakovlev, 2005 (Cossidae)
350. *Lampronia koernerella* (Zeller, 1839) (Prodoxidae)
351. *Lampronia standfussiella* Zeller, 1852 (Prodoxidae)
352. *Lasiocampa quercus vassilini* Sheljuzhko, 1943 (Lasiocampidae)
353. *Lasiommata maera jachontovi* (Sheljuzhko, 1937) (Satyridae)
354. *Lasionycta draudti* (F. Wagner, 1936) (Noctuidae)
355. *Lemonia ballioni* (Christoph, 1888) (Lemoniidae)
356. *Lemyra jankowskii* (Oberthür, 1881) (Arctiidae)
357. *Lemyra jankowskii jankowskii* (Oberthür, 1881) (Arctiidae)
358. *Lepteucosma huebneriana* (Koçak, 1980) (Tortricidae)
359. *Leptidea morsei* (Fenton, 1881) (Pieridae)
360. *Leptidea reali reali* Reissinger, 1989 (Pieridae)
361. *Leptidea reali* Reissinger, 1989 (Pieridae)
362. *Leptomiza bilinearia hedemanni* (Staudinger, 1897) (Geometridae)
363. *Lethe maackii* (Bremer, 1861) (Satyridae)
364. *Lethe maackii maackii* (Bremer, 1861) (Satyridae)
365. *Leucania herrichi* Herrich-Schäffer, [1849] (Noctuidae)
366. *Leucoptera heringiella* Toll, 1938 (Lyonetiidae)
367. *Limenitis* (s.str.) *doerriesi doerriesi* Staudinger, 1892 (Argynnididae)
368. *Limenitis* (s.str.) *doerriesi* Staudinger, 1892 (Argynnididae)
369. *Limenitis* (s.str.) *helmanni helmanni* Lederer, 1853 (Argynnididae)
370. *Limenitis* (s.str.) *helmanni* Lederer, 1853 (Argynnididae)
371. *Limenitis* (s.str.) *homeyeri homeyeri* Tancré, 1881 (Argynnididae)
372. *Limenitis* (s.str.) *homeyeri* Tancré, 1881 (Argynnididae)
373. *Limenitis* (s.str.) *moltrechti* Kardakov, 1928 (Argynnididae)
374. *Limenitis* (s.str.) *moltrechti moltrechti* Kardakov, 1928 (Argynnididae)
375. *Limenitis* (s.str.) *populi enapius* Fruhstorfer, 1908 (Argynnididae)
376. *Limenitis* (s.str.) *sydyi* Lederer, 1853 (Argynnididae)
377. *Limenitis* (s.str.) *sydyi sydyi* Lederer, 1853 (Argynnididae)
378. *Lista ficki* Christoph, 1881 (Pyralidae)
379. *Lithacodia wiskotti* (Staudinger, 1888) (Noctuidae)
380. *Lozotaenia djakonovi* Danilevsky, 1963 (Tortricidae)
381. *Lozotaenia forsterana* (Fabricius, 1781) (Tortricidae)
382. *Luperina dumerilii* (Duponchel, 1826) (Noctuidae)
383. *Luperina rjabovi* (Kljutschko, 1967) (Noctuidae)
384. *Lycaena* (Alciphronia) *alciphron peride* Koçak & Kemal, 2007 (Lycaenidae)
385. *Lycaena* (Heodes) *virgaureae alexandrae* (Fruhstorfer, 1909) (Lycaenidae)
386. *Lygephila ichinosawana* (Matsumura, 1925) (Noctuidae)
387. *Lyonetia clerkella* (Linnaeus, 1758) (Lyonetiidae)
388. *Maculinea arion rueli* (Krulikovsky, 1882) (Lycaenidae)
389. *Maculinea kurentzovi kurentzovi* Sibatani, Saigusa & Hirowatari, 1994 (Lycaenidae)
390. *Maculinea kurentzovi* Sibatani, Saigusa & Hirowatari, 1994 (Lycaenidae)
391. *Maculinea rebeli* (Hirschke, 1904) (Lycaenidae)
392. *Maculinea telejus ogumae* (Matsumura, 1910) (Lycaenidae)
393. *Megasis rippertella* (Zeller, 1839) (Pyralidae)
394. *Megasis rippertella rippertella* (Zeller, 1839) (Pyralidae)
395. *Melanargia* (s.str.) *galathea njurdzhan* Sheljuzhko, 1937 (Satyridae)
396. *Melitaea* (Cinclidia) *scotosia butleri* Higgins, 1940 (Argynnididae)
397. *Melitaea* (Didymaeformis) *fascelis uvarovi* Gorbunov, 1995 (Argynnididae)
398. *Melitaea* (Didymaeformis) *romanovi* Groum-Grshimailo, 1890 (Argynnididae)
399. *Melitaea* (Didymaeformis) *romanovi romanovi* Groum-Grshimailo, 1890 (Argynnididae)

400. *Melitaea (Didymaeformis) sutschana graeseri* Gorbunov,1995 (Argynnidae)
401. *Melitaea (Didymaeformis) sutschana graeseri* Gorbunov,1995 (Argynnidae)
402. *Melitaea (Mellicta) menetriesi* (Caradja,1895) (Argynnidae)
403. *Melitaea (Mellicta) menetriesi menetriesi* (Caradja,1895) (Argynnidae)
404. *Melitaea (Mellicta) rebeli* (Wnukowsky,1929) (Argynnidae)
405. *Melitaea (Mellicta) rebeli rebeli* (Wnukowsky,1929) (Argynnidae)
406. *Metzneria metzneriella* Stainton,1851 (Gelechiidae)
407. *Micrurapteryx kollariella* (Zeller,1839) (Gracillariidae)
408. *Minetia adamczewskii* (Toll,1956) (Oecophoridae)
409. *Mirina christophi* Staudinger,1887 (Mirinidae)
410. *Monopis christophi* G.Petersen,1957 (Tineidae)
411. *Montescardia kurensovi* (Zagulyaev,1966) (Tineidae)
412. *Myrmecozela (Flavida) rjabovi* Zagulyaev,1968 (Tineidae)
413. *Mythimna (Aletia) anderreggii* (Boisduval,1840) (Noctuidae)
414. *Mythimna (Aletia) anderreggii anderreggii* (Boisduval,1840) (Noctuidae)
415. *Nascia ciliaris christophi* Munroe & Mutuura,1968 (Pyrilidae)
416. *Nematopogon adansoniella* (Villers,1789) (Adelidae)
417. *Nematopogon robertella* (Clerck,1759) (Adelidae)
418. *Nematopogon schwarziella* Zeller,1839 (Adelidae)
419. *Nematopogon swammerdamella* (Linnaeus,1758) (Adelidae)
420. *Nemophora chrysochraon* (Razowski,1978) (Adelidae)
421. *Nemophora degerella* (Linnaeus,1758) (Adelidae)
422. *Nemophora dumerilella* (Duponchel,1839) (Adelidae)
423. *Nemophora ochsenheimerella* (Hübner,[1813]) (Adelidae)
424. *Nemophora raddella* (Hübner,1793) (Adelidae)
425. *Neognopharmia stevenaria* (Boisduval,1840) (Geometridae)
426. *Neolycaena (Rhymnaria) davidi* (Oberthür,1881) (Lycaenidae)
427. *Neolycaena (Rhymnaria) davidi davidi* (Oberthür,1881) (Lycaenidae)
428. *Neolycaena (Rhymnaria) falkovitshi falkovitshi* Zhdanko & Korshunov,1985 (Lycaenidae)
429. *Neolycaena (Rhymnaria) falkovitshi* Zhdanko & Korshunov,1985 (Lycaenidae)
430. *Neptis (s.str.) alwina* (Bremer & Grey,1853) (Argynnidae)
431. *Neptis (s.str.) alwina alwina* (Bremer & Grey,1853) (Argynnidae)
432. *Neptis (s.str.) pratti* (Leech,1890) (Argynnidae)
433. *Neptis (s.str.) pryleri* Butler,1871 (Argynnidae)
434. *Neptis (s.str.) pryleri pryleri* Butler,1871 (Argynnidae)
435. *Neptis (s.str.) rivularis ludmilla* (Boisduval,1848) (Argynnidae)
436. *Neptis (s.str.) speyeri speyeri* Staudinger,1887 (Argynnidae)
437. *Neptis (s.str.) speyeri* Staudinger,1887 (Argynnidae)
438. *Neptis (s.str.) tshetverikovi* Kurenzov,1936 (Argynnidae)
439. *Neptis (s.str.) tshetverikovi tshetverikovi* Kurenzov,1936 (Argynnidae)
440. *Ninguta schrenckii* (Ménétriés,1859) (Satyridae)
441. *Ninguta schrenckii schrenckii* (Ménétriés,1859) (Satyridae)
442. *Nonagria puengeleri* (Schawerda,1924) (Noctuidae)
443. *Nonagria puengeleri puengeleri* (Schawerda,1924) (Noctuidae)
444. *Notocelia uddmanniana* (Linnaeus,1758) (Tortricidae)
445. *Nyssocnemis eversmanni* (Lederer,1853) (Noctuidae)
446. *Ochromolopis zagulajevi* Budashkin & Satschkov,1991 (Epermeniidae)
447. *Ocnogyna (Somatotrichia) parasita rothschildi* A.Bang-Haas,1912 (Arctiidae)
448. *Odontognophos zacharius* (Staudinger,1879) (Geometridae)
449. *Oegoconia caradjai* Popescu-Gorj & Capuse,1965 (Autostichidae)
450. *Oeneis ammon tatarinovi* Korb,1998 (Satyridae)
451. *Oeneis ammosovi ammosovi* Dubatolov & Korshunov,1988 (Satyridae)
452. *Oeneis ammosovi* Dubatolov & Korshunov,1988 (Satyridae)
453. *Oeneis anna* Austaut,1911 (Satyridae)
454. *Oeneis bore mackinliensis* dos Passos,1949 (Satyridae)
455. *Oeneis elwesi elwesi* Staudinger,1901 (Satyridae)
456. *Oeneis elwesi* Staudinger,1901 (Satyridae)
457. *Oeneis jutta lukhtanovi* Korshunov,2000 (Satyridae)
458. *Oeneis magna pupavkini* Korshunov,1995 (Satyridae)
459. *Oeneis patrushevae* Korshunov,1985 (Satyridae)

460. *Oeneis patrushevae patrushevae* Korshunov, 1985 (Satyridae)
461. *Oeneis polixenes antonovae* Lukhtanov, 1989 (Satyridae)
462. *Oeneis sapozhnikovi* Korshunov, 1982 (Satyridae)
463. *Oeneis sapozhnikovi sapozhnikovi* Korshunov, 1982 (Satyridae)
464. *Oeneis sculda vadimi* Korshunov, 1995 (Satyridae)
465. *Oeneis tarpeia grossi* Eitschberger & Lukhtanov, 1994 (Satyridae)
466. *Oeneis tarpeia rozhdestvenskyi* Korb & Yakovlev, 1997 (Satyridae)
467. *Oeneis urda trybomi* Bryk, 1946 (Satyridae)
468. *Oidaematophorus constanti* (Ragonot, 1876) (Pterophoridae)
469. *Olethreutes* (s.str.) *doubledayana* (Barrett, 1872) (Tortricidae)
470. *Olethreutes* (s.str.) *irina* Falkovitsh, 1966 (Tortricidae)
471. *Olindia schumacherana* (Fabricius, 1787) (Tortricidae)
472. *Olivenebula oberthueri* (Staudinger, 1892) (Noctuidae)
473. *Orgyia antiqua zimmermanni* Graeser, 1888 (Lymantriidae)
474. *Ornathalia sieversi* (Staudinger, 1871) (Gelechiidae)
475. *Ostrinia kurentzovi* Mutuura & Munroe, 1970 (Pyralidae)
476. *Ostrinia palustralis eversmanni* (Caradja, 1916) (Pyralidae)
477. *Ostrinia zaguliaevi* Mutuura & Munroe, 1970 (Pyralidae)
478. *Oxypteron wertheimsteini* (Rebel, 1913) (Tortricidae)
479. *Pammene christophana* (Möschler, 1862) (Tortricidae)
480. *Pammene mariana* (Zerny, 1920) (Tortricidae)
481. *Pammene oxsenheimeriana* (Lienig & Zeller, 1846) (Tortricidae)
482. *Pancalia leuwenhoekella* (Linnaeus, 1761) (Cosmopterigidae)
483. *Paranephopterix barteli* (Caradja, 1910) (Pyralidae)
484. *Paraplatyptilia metzneri* (Zeller, 1841) (Pterophoridae)
485. *Parnassius* (Driopa) *eversmanni* [Ménétriés], 1850 (Papilionidae)
486. *Parnassius* (Driopa) *eversmanni eversmanni* [Ménétriés], 1850 (Papilionidae)
487. *Parnassius* (Driopa) *eversmanni felderi* Bremer, 1861 (Papilionidae)
488. *Parnassius* (Driopa) *hoenei* (Schweitzer, 1912) (Papilionidae)
489. *Parnassius* (Driopa) *hoenei hoenei* (Schweitzer, 1912) (Papilionidae)
490. *Parnassius* (Driopa) *nordmanni* [Ménétriés], [1850] (Papilionidae)
491. *Parnassius* (Driopa) *nordmanni nordmanni* [Ménétriés], [1850] (Papilionidae)
492. *Parnassius* (Driopa) *stubbendorffii* Ménétriés, 1849 (Papilionidae)
493. *Parnassius* (Driopa) *stubbendorffii stubbendorffii* Ménétriés, 1849 (Papilionidae)
494. *Parnassius* (s.str.) *apollo alpherakyi* Krulikowsky, 1906 (Papilionidae)
495. *Parnassius* (s.str.) *apollo meinhardi* Sheljuzhko, 1924 (Papilionidae)
496. *Parnassius* (s.str.) *bremeri graeseri* Honrath, 1885 (Papilionidae)
497. *Parnassius* (s.str.) *nomion korshunovi* Kreuzberg & Pljustsh, 1992 (Papilionidae)
498. *Parnassius* (s.str.) *phoebus zamolodtschikovi* Belik, 1996 (Papilionidae)
499. *Parornix ermolaevi* Kuznetsov, 1979 (Gracillariidae)
500. *Parornix kumatai* Ermolaev, 1993 (Gracillariidae)
501. *Parornix szoecsi* (Gozmany, 1952) (Gracillariidae)
502. *Parornix traugotti* Svensson, 1976 (Gracillariidae)
503. *Pediasia aridella caradjaella* (Rebel, 1907) (Pyralidae)
504. *Pediasia huebneri* Bleszynski, 1954 (Pyralidae)
505. *Pediasia ledereri* Bleszynski, 1954 (Pyralidae)
506. *Pediasia zellerella* (Staudinger, 1899) (Pyralidae)
507. *Pelatea klugiana* (Freyer, [1834]) (Tortricidae)
508. *Pelochrista danilevskyi* Kostyuk, 1975 (Tortricidae)
509. *Pelochrista huebneriana* (Lienig & Zeller, 1846) (Tortricidae)
510. *Pelochrista kuznetsovi* Kostyuk, 1975 (Tortricidae)
511. *Pelochrista muhabbet* Koçak, 2006 (Tortricidae)
512. *Perigrapha* (Harutaeographa) *hoenei Püngeler*, 1914 (Noctuidae)
513. *Perinephela lancealis bergmanni* Munroe & Mutuura, 1968 (Pyralidae)
514. *Perizoma haasi* (Hedemann, 1881) (Geometridae)
515. *Phalonidia manniana* (Fischer v. Röslerstamm, 1839) (Tortricidae)
516. *Phtheochroa schreibersiana* (Frölich, 1828) (Tortricidae)
517. *Phyllonorycter esperella* (Goeze, 1783) (Gracillariidae)
518. *Phyllonorycter froelichiella* (Zeller, 1839) (Gracillariidae)
519. *Phyllonorycter harrisella* (Linnaeus, 1761) (Gracillariidae)
520. *Phyllonorycter heegeriella* (Zeller, 1846) (Gracillariidae)


521. *Phyllonorycter issikii* (Kumata,1963) (Gracillariidae)
522. *Phyllonorycter kleemannella* (Fabricius,1781) (Gracillariidae)
523. *Phyllonorycter kuhlweiniella* (Zeller,1839) (Gracillariidae)
524. *Phyllonorycter mannii* (Zeller,1846) (Gracillariidae)
525. *Phyllonorycter millierella* (Staudinger,1871) (Gracillariidae)
526. *Phyllonorycter muelleriella* (Zeller,1839) (Gracillariidae)
527. *Phyllonorycter nicellii* (Stainton,1851) (Gracillariidae)
528. *Phyllonorycter rolandi* (Svensson,1966) (Gracillariidae)
529. *Phyllonorycter schreberella* (Fabricius,1781) (Gracillariidae)
530. *Pieris* (Artogeia) *bryoniae sheljuzhkoi* Eitschberger,1984 (Pieridae)
531. *Pieris* (Artogeia) *mannii* (Mayer,1851) (Pieridae)
532. *Pieris* (Artogeia) *mannii mannii* (Mayer,1851) (Pieridae)
533. *Pima boisduvaliella* (Guenée,1845) (Pyrilidae)
534. *Platarctia atropurpurea sotavaltai* Dubatolov,1996 (Arctiidae)
535. *Plebejus* (Kretania) *carmon zamotajlovi* (Shchurov & Lukhtanov,2001) (Lycaenidae)
536. *Plebejus* (Plebejides) *zephyrinus albertii* Nekrutenko,1975 (Lycaenidae)
537. *Plutella* (s.str.) *haasi* Staudinger,1883 (Yponomeutidae)
538. *Polychrysia esmeralda* (Oberthür,1880) (Noctuidae)
539. *Polyommatus* (Albulina (Plebejidea)) *cyane kozhantschikovi* (Sheljuzhko,1928) (Lycaenidae)
540. *Polyommatus* (Albulina (Plebejidea)) *loewii* (Zeller,1847) (Lycaenidae)
541. *Polyommatus* (Albulina (Plebejidea)) *loewii loewii* (Zeller,1847) (Lycaenidae)
542. *Polyommatus* (Aricia (Pseudoaricia)) *nicias kolosovi* (Korshunov,1995) (Lycaenidae)
543. *Polyommatus* (Aricia (s.str.)) *artaxerxes* (Fabricius,1793) (Lycaenidae)
544. *Polyommatus* (Aricia (s.str.)) *artaxerxes sheljuzhkoi* (Obraztsov,1935) (Lycaenidae)
545. *Polyommatus* (Aricia (s.str.)) *artaxerxes strandi* (Obraztsov,1935) (Lycaenidae)
546. *Polyommatus* (s.str. (Agrodiaetus (Admetusia))) *ripartii* (Freyer,[1830]) (Lycaenidae)
547. *Polyommatus* (s.str. (Agrodiaetus (s.str.))) *damon zhicharevi* (Sovinsky,[1916]) (Lycaenidae)
548. *Polyommatus* (s.str. (Agrodiaetus (s.str.))) *damone irinae* Dantchenko,1997 (Lycaenidae)
549. *Polyommatus* (s.str. (Agrodiaetus (Transcaspian))) *shamil* (Dantchenko,2000) (Lycaenidae)
550. *Polyommatus* (s.str. (Agrodiaetus (Transcaspian))) *shamil shamil* (Dantchenko,2000) (Lycaenidae)
551. *Polyommatus* (s.str. (Agrodiaetus (Transcaspian))) *yurinekrutenko* Koçak,1996 (Lycaenidae)
552. *Polyommatus* (s.str. (Agrodiaetus (Transcaspian))) *yurinekrutenko yurinekrutenko* Koçak,1996 (Lycaenidae)
553. *Polyommatus* (s.str. (Plebicula)) *escheri* (Hübner,[1823]) (Lycaenidae)
554. *Polyommatus* (s.str. (Thersitesia)) *thersites rjabovi* (Obraztsov,1936) (Lycaenidae)
555. *Polyommatus* (s.str. (Thersitesia)) *thersites zhicharevi* (Obraztsov,1936) (Lycaenidae)
556. *Polyommatus* (s.str.) *boisduvalii* (Herrich-Schäffer,[1844]) (Lycaenidae)
557. *Polyommatus* (s.str.) *boisduvalii krziwitzkyi* Koçak & Kemal,2001 (Lycaenidae)
558. *Polyommatus* (s.str.) *icarus korshunovi* Gorbunov,1995 (Lycaenidae)
559. *Polyommatus* (s.str.) *icarus omelkoi* Dubatolov & Korshunov,1995 (Lycaenidae)
560. *Polyommatus* (s.str.) *kaabaki kaabaki* Korb,2000 (Lycaenidae)
561. *Polyommatus* (s.str.) *kaabaki* Korb,2000 (Lycaenidae)
562. *Polyommatus* (s.str.) *persicus szabokyi* (Balint,1990) (Lycaenidae)
563. *Polyommatus* (s.str.) *tshetverikovi* Nekrutenko,1977 (Lycaenidae)
564. *Polyommatus* (s.str.) *tshetverikovi tshetverikovi* Nekrutenko,1977 (Lycaenidae)
565. *Polyommatus* (s.str.) *tsvetaevi* (Kurenzov,1970) (Lycaenidae)
566. *Polypogon zelleralis* (Wocke,1850) (Noctuidae)
567. *Princeps* (s.str. (Achillides)) *bianor nakaharae* (Matsumura,1929) (Papilionidae)
568. *Prochoreutis myllerana* (Fabricius,1794) (Choreutidae)
569. *Pselnophorus poggei* (Mann,1862) (Pterophoridae)
570. *Pseudochazara* (s.str.) *guriensis rjabovi* (Sheljuzhko,1935) (Satyridae)
571. *Pseudochazara* (s.str.) *guriensis tshetverikovi* (Sheljuzhko,1935) (Satyridae)

572. *Pseudochazara* (s.str.) *mercuria esperi* Koçak,1981 (Satyridae)
573. *Pseudophilotes vicrama schiffermuelleri* (Hemming,1929) (Lycaenidae)
574. *Pterodecta felderi* (Bremer,1864) (Callidulidae)
575. *Ptilocephala* (Deuterohyalina) *kahri* (Lederer,1857) (Psychidae)
576. *Ptycholoma erschoffi* (Christoph,1877) (Tortricidae)
577. *Ptygmatophora staudingeri* (Christoph,1881) (Geometridae)
578. *Pyrgus alveus speyeri* (Staudinger,1887) (Hesperiidae)
579. *Pyrgus carthami moeschleri* (Herrich-Schäffer,[1854]) (Hesperiidae)
580. *Pyrgus centaureae kurenzovi* Korshunov,1995 (Hesperiidae)
581. *Pyrgus jupei* (Alberti,1967) (Hesperiidae)
582. *Pyrgus jupei jupei* (Alberti,1967) (Hesperiidae)
583. *Pyrgus malvae kauffmanni* Alberti,1955 (Hesperiidae)
584. *Pyrgus serratulae sukhshini* Korshunov & Ivonine,1996 (Hesperiidae)
585. *Pyrgus sibiricus chapmani* B.C.S.Warren,1926 (Hesperiidae)
586. *Pyrrhia treitschkii* (Frivaldszky,1835) (Noctuidae)
587. *Reisseronia staudingeri* (Heylaerts,1879) (Psychidae)
588. *Rethera komarovi* (Christoph,1885) (Sphingidae)
589. *Rethera komarovi komarovi* (Christoph,1885) (Sphingidae)
590. *Rheumaptera hedemannaria* (Oberthür,1880) (Geometridae)
591. *Rhyacia* (s.str.) *helvetina rjabovi* Boursin,1940 (Noctuidae)
592. *Rhyacia* (s.str.) *ledereri* (Erschoff,1870) (Noctuidae)
593. *Saturnia* (Rinaca) *boisduvali* Eversmann,1846 (Saturniidae)
594. *Satyrium* (Nordmannia) *herzi* (Fixsen,1887) (Lycaenidae)
595. *Satyrium* (Nordmannia) *herzi herzi* (Fixsen,1887) (Lycaenidae)
596. *Satyrus* (Asatyrus (s.str.)) *ferulus medvedevi* Korshunov,1996 (Satyridae)
597. *Satyrus* (Asatyrus (s.str.)) *ferulus sergeevi* Dubatolov & Streltsov,1999 (Satyridae)
598. *Sauterina hofmanniella* (Schleich,1867) (Gracillariidae)
599. *Schiffermuelleria schaefferella* (Linnaeus,1758) (Oecophoridae)
600. *Scoparia ichinosawana* Matsumura,1925 (Pylalidae)
601. *Scopula beckeraria* (Lederer,1853) (Geometridae)
602. *Scopula beckeraria beckeraria* (Lederer,1853) (Geometridae)
603. *Scopula elwesi* L.B.Prout,1922 (Geometridae)
604. *Scopula prouti* Djakonov,1935 (Geometridae)
605. *Scotopteryx kuznecovi* Herbulot,1996 (Geometridae)
606. *Scotopteryx langi* (Christoph,1885) (Geometridae)
607. *Scrobipalpa* (Ilseopsis) *clintoni* Povolny,1968 (Gelechiidae)
608. *Scrobipalpa* (Ilseopsis) *erichi* Povolny,1964 (Gelechiidae)
609. *Scythris* (empetrella-gr.) *gozmanyi* Passerin d'Entrèves,1986 (Scythridae)
610. *Scythris* (punctivittella-gr.) *emichi* (Anker,1870) (Scythridae)
611. *Scythris eversmanni* K.Nupponen & T.Nupponen,2000 (Scythridae)
612. *Scythris gorbunovi* Nupponen,2003 (Scythridae)
613. *Selagia zernyi* Toll,1942 (Pylalidae)
614. *Shirozua jonasi* (Janson,1887) (Lycaenidae)
615. *Shirozua jonasi jonasi* (Janson,1887) (Lycaenidae)
616. *Sibirarctia kindermanni* (Staudinger,1867) (Arctiidae)
617. *Sibirarctia kindermanni kindermanni* (Staudinger,1867) (Arctiidae)
618. *Sparargania luctuata ichinosawana* (Matsumura,1925) (Geometridae)
619. *Spartopteryx kindermannaria* (Staudinger,1871) (Geometridae)
620. *Spatialistis christophana* (Walsingham,1900) (Tortricidae)
621. *Spilosoma urticae mandli* Schawerda,1922 (Arctiidae)
622. *Standfussiana nictymera osmana* (F.Wagner,1929) (Noctuidae)
623. *Stenoptilia mannii* (Zeller,1852) (Pterophoridae)
624. *Sterrhopterix standfussi* (Wocke,1851) (Psychidae)
625. *Stigmella magdalenae* (Klimesch,1950) (Nepticulidae)
626. *Stigmella rolandi* Nieukerken,1990 (Nepticulidae)
627. *Stigmella szoeciella* (Borkowski,1972) (Nepticulidae)
628. *Synaphe bombycalis eversmanni* (Obraztsov,1952) (Pylalidae)
629. *Syncopacma karvoneni* (Hackman,1950) (Gelechiidae)
630. *Syncopacma larseniella* Gozmany,1957 (Gelechiidae)
631. *Talis menetriesi* Hampson,1900 (Pylalidae)
632. *Talis wockei* Filipjev,1929 (Pylalidae)

633. *Tebenna bjerkanrella* (Borgström,1784) (Choreutidae)
634. *Thera* (s.str.) *djakonovi* (Kurentzov,1950) (Geometridae)
635. *Tomares* (nogelii) *nogelii* (Freyer,[1851]) (Lycaenidae)
636. *Tongeia fischeri* (Eversmann,1843) (Lycaenidae)
637. *Tongeia fischeri fischeri* (Eversmann,1843) (Lycaenidae)
638. *Trichodezia kindermanni* (Bremer,1864) (Geometridae)
639. *Trichodezia kindermanni kindermanni* (Bremer,1864) (Geometridae)
640. *Trichodezia kindermanni leechi* Inoue,1946 (Geometridae)
641. *Trifurcula* (s.str.) *josefklimeschi* Van Nieukerken,1990 (Nepticulidae)
642. *Trifurcula* (s.str.) *puplesisi* Van Nieukerken,1990 (Nepticulidae)
643. *Trifurcula* (s.str.) *silviae* Van Nieukerken,1990 (Nepticulidae)
644. *Triphysa dohrnii dohrnii* Zeller,1850 (Satyridae)
645. *Triphysa dohrnii tscherskii* Groum-Grshimailo,1899 (Satyridae)
646. *Triphysa dohrnii* Zeller,1850 (Satyridae)
647. *Triphysa nervosa sacha* Korshunov,1996 (Satyridae)
648. *Tubuliferodes josephinae* (Toll,1956) (Oecophoridae)
649. *Venusia blomeri* (Curtis,1832) (Geometridae)
650. *Venusia blomeri blomeri* (Curtis,1832) (Geometridae)
651. *Xestia* (Megasema) *ashworthii* (Doubleday,1855) (Noctuidae)
652. *Xestia* (s.str.) *kollari* (Lederer,1853) (Noctuidae)
653. *Zygaena* (Agrumenia) *carniolica zhicharevi* Holik & Sheljuzhko,1956 (Zygaenidae)
654. *Zygaena* (Mesembrynus) *purpuralis strandiana* Sheljuzhko,1936 (Zygaenidae)
655. *Zygaena* (Mesembrynus) *purpuralis strandiana* Sheljuzhko,1936 (Zygaenidae)
656. *Zygaena* (s.str.) *loniceriae kindermanni* Oberthür,1910 (Zygaenidae)
657. *Zygaena* (s.str.) *osterodensis filipjevi* Holik,1939 (Zygaenidae)

Number of the Species Group Taxa among the Russian Lepidoptera Proposed by the Authors of various nationalities

Among the species group names of the Lepidoptera of Russia, the scientific names proposed by the lepidopterists of various nations. The number of the valid names proposed by the Russian and foreign lepidopterists are shown graphically below.



Below, the full list of the scientific names are listed separately.

1262 Species Group Taxa among the Russian Lepidoptera Proposed by the Russian Lepidopterists

The scientific names are arranged alphabetically.

1. *Acanthopsyche incana* Kozhantshikov, 1956 (Psychidae)
2. *Acasis appensata* (Eversmann, 1842) (Geometridae)
3. *Achyra ochrofascialis* (Christoph, 1882) (Pyalidae)
4. *Acleris albiscapulana* (Christoph, 1881) (Tortricidae)
5. *Acleris askoldana* (Christoph, 1881) (Tortricidae)
6. *Acleris aurichalcana* (Bremer, 1865) (Tortricidae)
7. *Acleris crataegi* (Kuznetsov, 1964) (Tortricidae)
8. *Acleris cribellata* (Falkovitsh, 1965) (Tortricidae)
9. *Acleris delicatana* (Christoph, 1881) (Tortricidae)
10. *Acleris expressa* (Filipjev, 1931) (Tortricidae)
11. *Acleris filipjevi* Obraztsov, 1956 (Tortricidae)
12. *Acleris hispidana* (Christoph, 1881) (Tortricidae)
13. *Acleris indignana* (Christoph, 1881) (Tortricidae)
14. *Acleris nigriradix* (Filipjev, 1931) (Tortricidae)
15. *Acleris obtusana* (Eversmann, 1844) (Tortricidae)
16. *Acleris perfundana* Kuznetsov, 1962 (Tortricidae)
17. *Acleris pulchella mundana* Kuznetsov, 1979 (Tortricidae)
18. *Acleris salicicola* Kuznetsov, 1970 (Tortricidae)
19. *Acleris similis* (Filipjev, 1931) (Tortricidae)
20. *Acleris strigifera* (Filipjev, 1931) (Tortricidae)
21. *Acleris submaccana* (Filipjev, 1962) (Tortricidae)
22. *Acleris uniformis* (Filipjev, 1931) (Tortricidae)
23. *Acrobasis obrutella* (Christoph, 1881) (Pyalidae)
24. *Acrocercops amurensis* Kuznetsov, 1960 (Gracillariidae)
25. *Acrolepiopsis caucasica* Zagulyaev, 1980 (Yponomeutidae)
26. *Actinotia intermediata* (Bremer, 1861) (Noctuidae)
27. *Aedophron rhodites* (Eversmann, 1851) (Noctuidae)
28. *Aeromachus inachus* (Ménétriés, 1858) (Hesperiidae)
29. *Aeromachus inachus inachus* (Ménétriés, 1858) (Hesperiidae)
30. *Aeschremon conchylialis* (Christoph, 1872) (Pyalidae)
31. *Aethes citreoflava* Kuznetsov, 1966 (Tortricidae)
32. *Aethes margaritifera* Falkovitsh, 1963 (Tortricidae)
33. *Agdistis (Adenistis) falkovitshi* Zagulyaev, 1986 (Pterophoridae)
34. *Agdistis (Adenistis) rubasiensis* Zagulyaev, 1985 (Pterophoridae)
35. *Agdistis (Tamaristis) ingens* Christoph, 1887 (Pterophoridae)
36. *Agdistis rjabovi* Zagulyaev & Filippova, 1976 (Pterophoridae)
37. *Agonopterix costaemaculella* (Christoph, 1882) (Oecophoridae)
38. *Agonopterix multiplicella* (Erschoff, 1877) (Oecophoridae)
39. *Agrapha albostrata* (Bremer & Grey, 1853) (Noctuidae)
40. *Agriphila aeneociliella* (Eversmann, 1844) (Pyalidae)
41. *Agrotis (Crassagrotis) obesa scytha* Alpheraky, 1889 (Noctuidae)
42. *Agrotis (s.str.) characteristic* Alpheraky, 1892 (Noctuidae)
43. *Agrotis (s.str.) characteristic characteristic* Alpheraky, 1892 (Noctuidae)
44. *Agrotis (s.str.) ruta* (Eversmann, 1851) (Noctuidae)
45. *Agrotis (s.str.) scotacra* (Filipjev, 1927) (Noctuidae)
46. *Agrotis (s.str.) trifurca* Eversmann, 1837 (Noctuidae)
47. *Aldania deliquata tshetverikovi* (Kurentzov, 1936) (Argynnidae)
48. *Aldania raddei* (Bremer, 1861) (Argynnidae)
49. *Aldania raddei raddei* (Bremer, 1861) (Argynnidae)
50. *Aldania thisbe* (Ménétriés, 1859) (Argynnidae)
51. *Aldania thisbe thisbe* (Ménétriés, 1859) (Argynnidae)
52. *Amata caspia* (Staudinger, 1877) (Ctenuchidae)
53. *Ambia colonalis* (Bremer, 1864) (Pyalidae)
54. *Ampelophaga rubiginosa* Bremer & Grey, [1852] (Sphingidae)
55. *Ampelophaga rubiginosa rubiginosa* Bremer & Grey, [1852] (Sphingidae)
56. *Amphipyra molybdea* Christoph, 1867 (Noctuidae)
57. *Amphipyra submicans* Kuznetsov, 1958 (Noctuidae)
58. *Amuriana schreckii* (Ménétriés, 1858) (Argynnidae)
59. *Amuriana schreckii schreckii* (Ménétriés, 1858) (Argynnidae)

60. *Anacamptis fuscella* (Eversmann,1844) (Gelechiidae)
61. *Anarsia* (Ananarsia) *eleagnella* Kuznetsov,1957 (Gelechiidae)
62. *Anarsia* (s.str.) *bimaculata* Ponomarenko,1989 (Gelechiidae)
63. *Ancylis kenneli* Kuznetsov,1962 (Tortricidae)
64. *Ancylis loktini* Kuznetsov,1969 (Tortricidae)
65. *Ancylis nemorana* Kuznetsov,1969 (Tortricidae)
66. *Ancylis partitana* (Christoph,1882) (Tortricidae)
67. *Ancylis transientana* Filipjev,1926 (Tortricidae)
68. *Ancylodes staminella* (Christoph,1877) (Pyralidae)
69. *Ancylosis* (Heterographis) *roscidella* (Eversmann,1844) (Pyralidae)
70. *Ancylusoma substratellum* (Christoph,1877) (Pyralidae)
71. *Anerastia dubia* Gerasimov,1929 (Pyralidae)
72. *Anthophila abhasica* Danilevsky,1969 (Choreutidae)
73. *Anthophila armata* Danilevsky,1969 (Choreutidae)
74. *Anthophila filipjevi* Danilevsky,1969 (Choreutidae)
75. *Anthophilopsis moeschleri* (Christoph,1862) (Pyralidae)
76. *Antigius attilia* (Bremer,1861) (Lycaenidae)
77. *Antigius attilia attilia* (Bremer,1861) (Lycaenidae)
78. *Anumeta cestis* (Ménétriés,1848) (Noctuidae)
79. *Anumeta spilota* (Erschoff,1874) (Noctuidae)
80. *Anumeta spilota spilota* (Erschoff,1874) (Noctuidae)
81. *Apamea altijuga* (Kozhantschikov,1925) (Noctuidae)
82. *Apamea ferrago* (Eversmann,1837) (Noctuidae)
83. *Apamea ferrago ferrago* (Eversmann,1837) (Noctuidae)
84. *Apamea leucodon* (Eversmann,1837) (Noctuidae)
85. *Apamea leucodon leucodon* (Eversmann,1837) (Noctuidae)
86. *Apatura metis irtyschika* Korshunov,1982 (Argynnididae)
87. *Aphelia* (Zelotherses) *caucasica* Kostyuk,1975 (Tortricidae)
88. *Aphelia* (Zelotherses) *disjuncta* (Filipjev,1924) (Tortricidae)
89. *Aphelia* (Zelotherses) *euxina* (Djakonov,1929) (Tortricidae)
90. *Aphelia* (Zelotherses) *stigmatana* (Eversmann,1844) (Tortricidae)
91. *Aphelia* (Zelotherses) *tschetverikovi* Danilevsky,1963 (Tortricidae)
92. *Aphelia inumbratana* (Christoph,1881) (Tortricidae)
93. *Apocheima cinerarium* (Erschoff,1874) (Geometridae)
94. *Apocheima cinerarium cinerarium* (Erschoff,1874) (Geometridae)
95. *Apopestes phantasma* (Eversmann,1843) (Noctuidae)
96. *Aporia* (s.str.) *hippia* Bremer,1861 (Pieridae)
97. *Aporia* (s.str.) *hippia hippia* Bremer,1861 (Pieridae)
98. *Apotomis kazarmana* Falkovitsh,1966 (Tortricidae)
99. *Apotomis monotona* (Kuznetsov,1962) (Tortricidae)
100. *Apotomis stagnana* Kuznetsov,1962 (Tortricidae)
101. *Apotomis vaccinii* Kuznetsov,1969 (Tortricidae)
102. *Apotomis vigena* Falkovitsh,1966 (Tortricidae)
103. *Araschnia burejana* Bremer,1861 (Argynnididae)
104. *Araschnia burejana burejana* Bremer,1861 (Argynnididae)
105. *Archinemapogon ussuriensis* Zagulyaev,1964 (Tineidae)
106. *Archinemapogon schuriensis* Zagulyaev,1962 (Tineidae)
107. *Archips viola* Falkovitsh,1965 (Tortricidae)
108. *Arctia* (Epicallia) *villica transuralica* Dubatolov,2007 (Arctiidae)
109. *Arctia* (Eucharia) *festiva collaris* (Groum-Grshimailo,1899) (Arctiidae)
110. *Arctia* (s.str.) *caja ossetica* Dubatolov,1996 (Arctiidae)
111. *Arctia* (s.str.) *olschwangi* Dubatolov,1990 (Arctiidae)
112. *Arctia* (s.str.) *olschwangi olschwangi* Dubatolov,1990 (Arctiidae)
113. *Argynnis* (Argyronome) *laodice* (Pallas,1771) (Argynnididae)
114. *Argynnis* (Argyronome) *laodice laodice* (Pallas,1771) (Argynnididae)
115. *Argynnis* (Argyronome) *ruslana* Motschulsky,1866 (Argynnididae)
116. *Argynnis* (Argyronome) *ruslana ruslana* Motschulsky,1866 (Argynnididae)
117. *Argynnis* (Damora) *sagana relictata* Korshunov,1984 (Argynnididae)
118. *Aristotelia calastomella* (Christoph,1872) (Gelechiidae)
119. *Armada panaceorum* (Ménétriés,1849) (Noctuidae)
120. *Armada panaceorum panaceorum* (Ménétriés,1849) (Noctuidae)

121. *Arytrura musculus* (Ménétriés,1859) (Noctuidae)
122. *Asovia maeoticaria* (Alpheraky,1876) (Geometridae)
123. *Aspitates acuminaria* (Eversmann,1851) (Geometridae)
124. *Aspitates curvaria* (Eversmann,1852) (Geometridae)
125. *Aterpia chalybeia* Falkovitsh,1966 (Tortricidae)
126. *Aterpia circumfluxana* (Christoph,1881) (Tortricidae)
127. *Aterpia flavens* Falkovitsh,1966 (Tortricidae)
128. *Aterpia flavipunctana* (Christoph,1882) (Tortricidae)
129. *Atethmia centrargo borjomensis* (Romanoff,1885) (Noctuidae)
130. *Athaumasta siderigera* (Christoph,1893) (Noctuidae)
131. *Athrips kerzhneri* Piskunov,1990 (Gelechiidae)
132. *Athymodes nycteis* (Ménétriés,1858) (Argynnidae)
133. *Athymodes nycteis nycteis* (Ménétriés,1858) (Argynnidae)
134. *Auchmis* (s.str.) *peterseni* (Christoph,1887) (Noctuidae)
135. *Autographa macrogamma* (Eversmann,1842) (Noctuidae)
136. *Autophila* (Cheirophanes) *ligaminosa* (Eversmann,1851) (Noctuidae)
137. *Autophila* (Cheirophanes) *ligaminosa ligaminosa* (Eversmann,1851) (Noctuidae)
138. *Autophila* (s.str.) *glebicolor* (Erschoff,1874) (Noctuidae)
139. *Autotrichia karanguica* (Vasilenko,2001) (Geometridae)
140. *Autotrichia pellucida impellucida* (Djakonov,1926) (Geometridae)
141. *Bactra* (s.str.) *robustana* (Christoph,1872) (Tortricidae)
142. *Balataea octomaculata* (Bremer,1861) (Zygaenidae)
143. *Barbara herrichiana* Obraztsov,1960 (Tortricidae)
144. *Bazaria sieversi* (Christoph,1877) (Pyrilidae)
145. *Bembecia daghestanica* Gorbunov,1991 (Sesiidae)
146. *Bijugis subgrisea* Kozhantshikov,1956 (Psychidae)
147. *Biston hypoleucos* Kuznetsov,1901 (Geometridae)
148. *Blastobasis parki* Sinev,1993 (Blastobasidae)
149. *Blastobasis ponticella* Sinev,2007 (Blastobasidae)
150. *Boloria* (Clossiana) *angarensis* (Erschoff,1870) (Argynnidae)
151. *Boloria* (Clossiana) *angarensis angarensis* (Erschoff,1870) (Argynnidae)
152. *Boloria* (Clossiana) *angarensis herzi* (Wnukowsky,1927) (Argynnidae)
153. *Boloria* (Clossiana) *angarensis shelkovnikovi* Korb & Yakovlev, 1997 (Argynnidae)
154. *Boloria* (Clossiana) *astarte erschovi* (Korshunov & Gorbunov,1995) (Argynnidae)
155. *Boloria* (Clossiana) *distincta machati* Korshunov,1987 (Argynnidae)
156. *Boloria* (Clossiana) *erda* (Christoph,1893) (Argynnidae)
157. *Boloria* (Clossiana) *erda erda* (Christoph,1893) (Argynnidae)
158. *Boloria* (Clossiana) *freiija jakutensis* (Wnukowsky,1927) (Argynnidae)
159. *Boloria* (Clossiana) *matveevi* (Gorbunov & Korshunov,1995) (Argynnidae)
160. *Boloria* (Clossiana) *matveevi matveevi* (Gorbunov & Korshunov,1995) (Argynnidae)
161. *Boloria* (Clossiana) *oscarus* (Eversmann,1844) (Argynnidae)
162. *Boloria* (Clossiana) *oscarus oscarus* (Eversmann,1844) (Argynnidae)
163. *Boloria* (Clossiana) *selenis* (Eversmann,1837) (Argynnidae)
164. *Boloria* (Clossiana) *selenis selenis* (Eversmann,1837) (Argynnidae)
165. *Boloria* (Clossiana) *selenis sibirica* (Erschoff,1870) (Argynnidae)
166. *Boloria* (Clossiana) *titania staudingeri* (Wnukowsky,1929) (Argynnidae)
167. *Boloria* (Clossiana) *triton* (Boeber,1812) (Argynnidae)
168. *Boloria* (Clossiana) *triton triton* (Boeber,1812) (Argynnidae)
169. *Boloria* (s.str.) *napaea altaica* (Groum-Grshimailo,1893) (Argynnidae)
170. *Boloria* (s.str.) *napaea pustagi* Korshunov & Ivonin,1995 (Argynnidae)
171. *Borearctia menetriesi* (Eversmann,1846) (Arctiidae)
172. *Borearctia menetriesi menetriesi* (Eversmann,1846) (Arctiidae)
173. *Brachodes pusillus* (Eversmann,1844) (Brachodidae)
174. *Brenthis ino vitimensis* Wnukowsky,1929 (Argynnidae)
175. *Bryotropha rossica* Anikin & Piskunov,1996 (Gelechiidae)
176. *Bucculatrix ulmicola* Kuznetsov,1962 (Bucculatricidae)
177. *Calamochrous acutellus* (Eversmann,1842) (Pyrilidae)
178. *Calicha nooraria* (Bremer,1864) (Geometridae)
179. *Callambulyx tatarinovii* (Bremer & Grey,1853) (Sphingidae)
180. *Callambulyx tatarinovii tatarinovii* (Bremer & Grey,1853) (Sphingidae)
181. *Callisto albicinctella* Kuznetsov,1979 (Gracillariidae)

182. *Callisto elegantella* Kuznetsov, 1979 (Gracillariidae)
183. *Callophrys chalybeitincta eitschbergeri* Dantchenko, 2000 (Lycaenidae)
184. *Callophrys chalybeitincta nigra* Stradomsky, 2005 (Lycaenidae)
185. *Caloptilia* (s.str.) *alpherakiella* (Krulikowsky, 1909) (Gracillariidae)
186. *Caloptilia* (s.str.) *orientalis* Ermolaev, 1979 (Gracillariidae)
187. *Caloptilia* (s.str.) *sachalinella* Ermolaev, 1984 (Gracillariidae)
188. *Calybites securinella* (Ermolaev, 1986) (Gracillariidae)
189. *Calyciphora nephelodactyla* (Eversmann, 1844) (Pterophoridae)
190. *Calycobathra calligoni* Sinev, 1979 (Cosmopterigidae)
191. *Calycobathra variapenella* Sinev, 1984 (Cosmopterigidae)
192. *Canephora borealis* (Kozhantshikov, 1956) (Psychidae)
193. *Canephora simulans* (Kozhantshikov, 1956) (Psychidae)
194. *Capidentalia gnomia* Ponomarenko, 1995 (Gelechiidae)
195. *Capperia taurica* Zagulyaev, 1987 (Pterophoridae)
196. *Caradrina* (Eremodrina) *expansa* (Alpheraky, 1887) (Noctuidae)
197. *Caradrina* (Eremodrina) *melanura* (Alpheraky, 1897) (Noctuidae)
198. *Caradrina* (Platyperigea) *albina* (Eversmann, 1848) (Noctuidae)
199. *Caradrina* (Platyperigea) *albina albina* (Eversmann, 1848) (Noctuidae)
200. *Caradrina* (Platyperigea) *montana* (Bremer, 1861) (Noctuidae)
201. *Caradrina* (Platyperigea) *montana montana* (Bremer, 1861) (Noctuidae)
202. *Cardepiia irrisor* (Erschoff, 1874) (Noctuidae)
203. *Carterocephalus argyrostigmus* (Eversmann, 1851) (Hesperiidae)
204. *Carterocephalus argyrostigmus argyrostigmus* (Eversmann, 1851) (Hesperiidae)
205. *Carterocephalus palaemon* (Pallas, 1771) (Hesperiidae)
206. *Carterocephalus palaemon albiguttatus* Christoph, 1893 (Hesperiidae)
207. *Carterocephalus palaemon palaemon* (Pallas, 1771) (Hesperiidae)
208. *Caryocolum schleichi* (Christoph, 1872) (Gelechiidae)
209. *Catarhoe rubidata fumata* (Eversmann, 1844) (Geometridae)
210. *Catocala* (s.str.) *adultera Ménétriés*, 1856 (Noctuidae)
211. *Catocala* (s.str.) *deducta* Eversmann, 1843 (Noctuidae)
212. *Catocala* (s.str.) *nupta centralasiae* Kuznezov, 1903 (Noctuidae)
213. *Catopta albonubilis argunicus* Yakovlev, 2007 (Cossidae)
214. *Catopta perunovi* Yakovlev, 2007 (Cossidae)
215. *Catoptria caucasica* (Alpheraky, 1878) (Pyralidae)
216. *Catoptria profluxella* (Christoph, 1887) (Pyralidae)
217. *Catoptria trichostoma* (Christoph, 1858) (Pyralidae)
218. *Celastrina fedoseevi fedoseevi* Korshunov & Ivonin, 1990 (Lycaenidae)
219. *Celastrina fedoseevi* Korshunov & Ivonin, 1990 (Lycaenidae)
220. *Celypha hydrangeana* (Kuznetsov, 1969) (Tortricidae)
221. *Centrarctia mongolica* (Alpheraky, 1888) (Arctiidae)
222. *Centrarctia mongolica mongolica* (Alpheraky, 1888) (Arctiidae)
223. *Cephimallota praetoriella* (Christoph, 1872) (Tineidae)
224. *Cephimallota tunesiella* (Zagulyaev, 1966) (Tineidae)
225. *Cephitinea colonella* (Erschoff, 1874) (Tineidae)
226. *Cerapteryx megala* (Alpheraky, 1882) (Noctuidae)
227. *Ceratoxanthus externana* (Eversmann, 1844) (Tortricidae)
228. *Ceratuncus dzhungaricus* Zagulyaev, 1971 (Tineidae)
229. *Chariaspilates formosaria* (Eversmann, 1837) (Geometridae)
230. *Chasminodes albonitens* (Bremer, 1861) (Noctuidae)
231. *Chasminodes sugii* Kononenko, 1981 (Noctuidae)
232. *Chasminodes ussurica* Kononenko, 1982 (Noctuidae)
233. *Chazara* (s.str.) *briseis ianthe* (Pallas, 1771) (Satyridae)
234. *Chelis reticulata* (Christoph, 1887) (Arctiidae)
235. *Chelis reticulata transcaucasica* Dubatolov, 1988 (Arctiidae)
236. *Chersotis* (s.str.) *andereggii exclamans* (Eversmann, 1841) (Noctuidae)
237. *Chersotis* (s.str.) *deplanata* (Eversmann, 1843) (Noctuidae)
238. *Chersotis* (s.str.) *elegans* (Eversmann, 1837) (Noctuidae)
239. *Chersotis* (s.str.) *fimbriola raddei* (Christoph, 1877) (Noctuidae)
240. *Chiasmia pumila* (Kuznetsov, 1929) (Geometridae)
241. *Chiasmia saburraria* (Eversmann, 1851) (Geometridae)
242. *Chilo luteellus* (Motschulsky, 1866) (Pyralidae)

243. *Chilodes distracta* (Eversmann,1848) (Noctuidae)
244. *Chionarctia nivea* (Ménétriés,1859) (Arctiidae)
245. *Chionarctia nivea nivea* (Ménétriés,1859) (Arctiidae)
246. *Chionodes mongolica* Piskunov,1979 (Gelechiidae)
247. *Choreutis atosignata* (Christoph,1888) (Choreutidae)
248. *Choreutis atosignata atosignata* (Christoph,1888) (Choreutidae)
249. *Choreutis chadzhaeri* Gerasimov,1930 (Choreutidae)
250. *Choristoneura irina* Dubatolov & Syachina,2007 (Tortricidae)
251. *Choristoneura luticostana* (Christoph,1888) (Tortricidae)
252. *Chortodes abrupta* (Eversmann,1854) (Noctuidae)
253. *Chortodes stigmatica* (Eversmann,1855) (Noctuidae)
254. *Christophia ectypella* (Ragonot,1888) (Pyrilidae)
255. *Chrysoteuchia mandschurica* (Christoph,1881) (Pyrilidae)
256. *Chrysoteuchia porcelanella* (Motschulsky,1860) (Pyrilidae)
257. *Chrysoteuchia pyraustoides* (Erschoff,1877) (Pyrilidae)
258. *Chrysozephyrus smaragdinus* (Bremer,1861) (Lycaenidae)
259. *Chrysozephyrus smaragdinus smaragdinus* (Bremer,1861) (Lycaenidae)
260. *Cifuna locuples confusa* (Bremer,1861) (Lymantriidae)
261. *Cinglis humifusaria* (Eversmann,1837) (Geometridae)
262. *Clepsia altitudinarius* (Filipjev,1962) (Tortricidae)
263. *Cleta perpusillaria* (Eversmann,1847) (Geometridae)
264. *Clytie* (s.str.) *terrulenta* (Christoph,1893) (Noctuidae)
265. *Clytie* (s.str.) *terrulenta terrulenta* (Christoph,1893) (Noctuidae)
266. *Cnephasia* (s.str.) *alticola* Kuznetsov,1966 (Tortricidae)
267. *Cnephasia* (s.str.) *heinemanni* Obratzov,1957 (Tortricidae)
268. *Cnephasia* (s.str.) *helenica* Obratzov,1950 (Tortricidae)
269. *Cnephasia* (s.str.) *orientana* (Alpheraky,1877) (Tortricidae)
270. *Cnephasia* (s.str.) *tianshanica* Filipjev,1934 (Tortricidae)
271. *Cnephasia* (s.str.) *zelleri* (Christoph,1877) (Tortricidae)
272. *Coccidiphila gerasimovi* Danilevsky,1950 (Mompidae)
273. *Cochylimorpha blandana* (Eversmann,1844) (Tortricidae)
274. *Cochylimorpha discopunctana* (Eversmann,1844) (Tortricidae)
275. *Cochylimorpha fuscimacula* (Falkovitsh,1963) (Tortricidae)
276. *Cochylimorpha halophilana* (Christoph,1882) (Tortricidae)
277. *Cochylimorpha nomadana* (Erschoff,1874) (Tortricidae)
278. *Cochylimorpha obliquana* (Eversmann,1844) (Tortricidae)
279. *Cochylimorpha pallens* (Kuznetsov,1966) (Tortricidae)
280. *Cochylimorpha triangulifera* (Kuznetsov,1966) (Tortricidae)
281. *Coenonympha* (s.str.) *amaryllis borisovi* Korshunov & Ivonine,1996 (Satyridae)
282. *Coenonympha* (s.str.) *tullia fridolini* Kuznetsov,1941 (Satyridae)
283. *Coenonympha* (s.str.) *tullia viluensis* Ménétriés,1859 (Satyridae)
284. *Coleophora acerosa* (Falkovitsh,1989) (Coleophoridae)
285. *Coleophora aequallella* Christoph,1872 (Coleophoridae)
286. *Coleophora amarchana* Falkovitsh,1972 (Coleophoridae)
287. *Coleophora anabaseos* Falkovitsh,1978 (Coleophoridae)
288. *Coleophora asperginella* Christoph,1862 (Coleophoridae)
289. *Coleophora bagorella* (Falkovitsh,1977) (Coleophoridae)
290. *Coleophora calligoni* Falkovitsh,1972 (Coleophoridae)
291. *Coleophora cartilaginella* Christoph,1872 (Coleophoridae)
292. *Coleophora ceratoidis* (Falkovitsh,1979) (Coleophoridae)
293. *Coleophora delibutella* Christoph,1872 (Coleophoridae)
294. *Coleophora dilabens* (Falkovitsh,1982) (Coleophoridae)
295. *Coleophora diogenes* Falkovitsh,1970 (Coleophoridae)
296. *Coleophora dissecta* (Falkovitsh,1989) (Coleophoridae)
297. *Coleophora eremosparti* (Falkovitsh,1974) (Coleophoridae)
298. *Coleophora exul* (Falkovitsh,1992) (Coleophoridae)
299. *Coleophora falcigerella* Christoph,1872 (Coleophoridae)
300. *Coleophora halocnemin* (Falkovitsh,1994) (Coleophoridae)
301. *Coleophora hypoxantha* (Falkovitsh,1982) (Coleophoridae)
302. *Coleophora kargani* (Falkovitsh,1989) (Coleophoridae)
303. *Coleophora katunella* (Falkovitsh,1991) (Coleophoridae)

304. *Coleophora kolymella* (Falkovitsh,1992) (Coleophoridae)
305. *Coleophora lacera* (Falkovitsh,1993) (Coleophoridae)
306. *Coleophora lebedella* (Falkovitsh,1982) (Coleophoridae)
307. *Coleophora lonchodes* (Falkovitsh,1994) (Coleophoridae)
308. *Coleophora lunensis* Falkovitsh,1975 (Coleophoridae)
309. *Coleophora macilenta* Falkovitsh,1972 (Coleophoridae)
310. *Coleophora nanophyti* Falkovitsh,1972 (Coleophoridae)
311. *Coleophora nomgona* Falkovitsh,1975 (Coleophoridae)
312. *Coleophora phlomidella* Christoph,1862 (Coleophoridae)
313. *Coleophora physophorae* (Falkovitsh,1994) (Coleophoridae)
314. *Coleophora pilion* (Falkovitsh,1992) (Coleophoridae)
315. *Coleophora serinipennella* Christoph,1872 (Coleophoridae)
316. *Coleophora sibiricella* Falkovitsh,1965 (Coleophoridae)
317. *Coleophora singreni* Falkovitsh,1973 (Coleophoridae)
318. *Coleophora stepposa* Falkovitsh,1975 (Coleophoridae)
319. *Coleophora subula* (Falkovitsh,1993) (Coleophoridae)
320. *Coleophora superlonga* (Falkovitsh,1989) (Coleophoridae)
321. *Coleophora teredo* (Falkovitsh,1994) (Coleophoridae)
322. *Coleophora tornata* (Falkovitsh,1989) (Coleophoridae)
323. *Coleophora tremulae* (Falkovitsh,1989) (Coleophoridae)
324. *Coleophora trientella* Christoph,1872 (Coleophoridae)
325. *Coleophora tundrosa* (Falkovitsh,1991) (Coleophoridae)
326. *Coleophora zhusguni* Falkovitsh,1972 (Coleophoridae)
327. *Colias* (Eriocolias) *elena elena* Gorbunov,1995 (Pieridae)
328. *Colias* (Eriocolias) *elena* Gorbunov,1995 (Pieridae)
329. *Colias* (Eriocolias) *thisoa* Ménéttriés,1832 (Pieridae)
330. *Colias* (Eriocolias) *thisoa nikolaevi* Korshunov,1998 (Pieridae)
331. *Colias* (Eriocolias) *thisoa thisoa* Ménéttriés,1832 (Pieridae)
332. *Colias* (Eriocolias) *viluensis* Ménéttriés,1858 (Pieridae)
333. *Colias* (Eriocolias) *viluensis viluensis* Ménéttriés,1858 (Pieridae)
334. *Colias* (Eucolias) *hyperborea* Groum-Grshimailo,1899 (Pieridae)
335. *Colias* (Eucolias) *hyperborea hyperborea* Groum-Grshimailo,1899 (Pieridae)
336. *Colias* (Eucolias) *nastes dezhnevi* Korshunov,1995 (Pieridae)
337. *Colias* (Eucolias) *nastes flinti* Churkin, Grieshuber et al.,2001 (Pieridae)
338. *Colias* (Eucolias) *nastes magadanica* Churkin, Grieshuber et al.,2001 (Pieridae)
339. *Colias* (Eucolias) *palaeno gomojunovae* Korshunov,1996 (Pieridae)
340. *Colias* (Eucolias) *tyche kolosovae* Churkin et al.,2001 (Pieridae)
341. *Colias* (Neocolias) *myrmidone ermak* Groum-Grshimailo,1890 (Pieridae)
342. *Colias aquilonaris aquilonaris* Groum-Grshimailo,1899 (Pieridae)
343. *Colias aquilonaris* Groum-Grshimailo,1899 (Pieridae)
344. *Colias mongola* Alpheraky,1897 (Pieridae)
345. *Colias mongola mongola* Alpheraky,1897 (Pieridae)
346. *Colias mongola ukokana* Korb & Yakovlev,2000 (Pieridae)
347. *Colias poliographus inversa* Alpheraky,1881 (Pieridae)
348. *Colias poliographus* Motschulsky,1860 (Pieridae)
349. *Colias poliographus poliographus* Motschulsky,1860 (Pieridae)
350. *Colostygia turbata altaicata* (Djakonov,1926) (Geometridae)
351. *Comostola subtiliaria* (Bremer,1864) (Geometridae)
352. *Cosmopterix rhynchognathosella* Sinev (Cosmopterigidae)
353. *Cosmopterix sibirica* Sinev,1985 (Cosmopterigidae)
354. *Cosmopterix singularis* Sinev,1979 (Cosmopterigidae)
355. *Cossus cossus dauricus* Yakovlev,2007 (Cossidae)
356. *Cossus siniaevi* Yakovlev,2005 (Cossidae)
357. *Crambus sibiricus* Alpheraky,1897 (Pyralidae)
358. *Crebeta deidamia* (Eversmann,1851) (Satyridae)
359. *Crebeta deidamia deidamia* (Eversmann,1851) (Satyridae)
360. *Cremnophila sedakovella* (Eversmann,1851) (Pyralidae)
361. *Croesia askoldana* (Christoph,1881) (Tortricidae)
362. *Croesia aurichalcana* (Bremer,1864) (Tortricidae)
363. *Croesia bicolor* Kuznetsov,1964 (Tortricidae)
364. *Croesia crataegi* (Kuznetsov,1964) (Tortricidae)

365. *Croesia indignana* (Christoph,1881) (Tortricidae)
366. *Croesia phalera* Kuznetsov,1964 (Tortricidae)
367. *Cryphia* (Bryoleuca) *seladona* (Christoph,1885) (Noctuidae)
368. *Cryphia* (Bryoleuca) *seladona seladona* (Christoph,1885) (Noctuidae)
369. *Cucullia* (s.str.) *anifurca pustulata* Eversmann,1842 (Noctuidae)
370. *Cucullia* (s.str.) *biornata* Fischer v. *Waldheim*,1840 (Noctuidae)
371. *Cucullia* (s.str.) *boryphora* Fischer v. *Waldheim*,1840 (Noctuidae)
372. *Cucullia* (s.str.) *fraudatrix* Eversmann,1837 (Noctuidae)
373. *Cucullia* (s.str.) *fuchsiana* Eversmann,1842 (Noctuidae)
374. *Cucullia* (s.str.) *praecana* Eversmann,1843 (Noctuidae)
375. *Cucullia* (s.str.) *propinqua* Eversmann,1842 (Noctuidae)
376. *Cucullia* (s.str.) *tiefi* Tshetverikov,1956 (Noctuidae)
377. *Cupido* (Everes) *argiades* (Pallas,1771) (Lycaenidae)
378. *Cupido* (Everes) *argiades argiades* (Pallas,1771) (Lycaenidae)
379. *Cydia cotoneastri* (Danilevsky,1968) (Tortricidae)
380. *Cydia glycyrrhizana* (Kuznetsov,1962) (Tortricidae)
381. *Cydia indivisa* (Danilevsky,1963) (Tortricidae)
382. *Cydia intexta* (Kuznetsov,1962) (Tortricidae)
383. *Cydia kurilana* (Kuznetsov,1976) (Tortricidae)
384. *Cydia maackiana* (Danilevsky,1963) (Tortricidae)
385. *Cydia medicaginis* (Kuznetsov,1962) (Tortricidae)
386. *Cydia patens* (Kuznetsov,1971) (Tortricidae)
387. *Cydia perelegans* (Kuznetsov,1962) (Tortricidae)
388. *Cydia pyrivora* Danilevsky,1947 (Tortricidae)
389. *Cydia scintillana* (Christoph,1882) (Tortricidae)
390. *Cydia semifusca* (Kuznetsov,1968) (Tortricidae)
391. *Cymatophoropsis trimaculata* (Bremer,1861) (Noctuidae)
392. *Cymbalophora rivularis* (Ménétriés,1832) (Arctiidae)
393. *Cymbalophora rivularis rivularis* (Ménétriés,1832) (Arctiidae)
394. *Cymolomia taigana* Falkovitsh,1966 (Tortricidae)
395. *Daimio tethys* (Ménétriés,1857) (Hesperiidae)
396. *Daimio tethys tethys* (Ménétriés,1857) (Hesperiidae)
397. *Deltote delicatula* (Christoph,1882) (Noctuidae)
398. *Dendrophilia* (s.str.) *caraganella* Ponomarenko,1993 (Gelechiidae)
399. *Dendrophilia* (s.str.) *leguminella* Ponomarenko,1993 (Gelechiidae)
400. *Dendrophilia* (s.str.) *neotaphronoma* Ponomarenko,1993 (Gelechiidae)
401. *Dendrophilia* (s.str.) *solitaria* Ponomarenko,1993 (Gelechiidae)
402. *Dendrophilia* (s.str.) *unicolorella* Ponomarenko,1993 (Gelechiidae)
403. *Denisia luticiliella* (Erschoff,1877) (Oecophoridae)
404. *Depressaria hannemanniana* Lvovsky,1990 (Oecophoridae)
405. *Deuterotinea casanella* (Eversmann,1844) (Eriocottidae)
406. *Diacrisia sannio caucasica* Schaposchnikoff,1904 (Arctiidae)
407. *Diaprepesilla flavomarginaria* (Bremer,1864) (Geometridae)
408. *Diaprepesilla flavomarginaria flavomarginaria* (Bremer,1864) (Geometridae)
409. *Diceratura rhodograptia* Djakonov,1929 (Tortricidae)
410. *Dichagyris* (s.str.) *celebrata* (Alpheraky,1897) (Noctuidae)
411. *Dichagyris* (s.str.) *celebrata celebrata* (Alpheraky,1897) (Noctuidae)
412. *Dichagyris* (s.str.) *forficula* (Eversmann,1851) (Noctuidae)
413. *Dichagyris* (s.str.) *multicuspis* (Eversmann,1852) (Noctuidae)
414. *Dichagyris* (s.str.) *squalorum* (Eversmann,1856) (Noctuidae)
415. *Dichagyris* (s.str.) *squalorum squalorum* (Eversmann,1856) (Noctuidae)
416. *Dichagyris* (s.str.) *vallesiaca subsqualorum* Kozhantshikov,1929 (Noctuidae)
417. *Dichagyris* (Yigoga) *lutescens* (Eversmann,1844) (Noctuidae)
418. *Dichagyris* (Yigoga) *orientis* (Alpheraky,1882) (Noctuidae)
419. *Dichagyris* (Yigoga) *orientis orientis* (Alpheraky,1882) (Noctuidae)
420. *Dichomeris bulawskii* Ponomarenko & Park,1996 (Gelechiidae)
421. *Dichomeris chinganella* (Christoph,1882) (Gelechiidae)
422. *Dichomeris consertella* (Christoph,1882) (Gelechiidae)
423. *Dichomeris sparsella* (Christoph,1882) (Gelechiidae)
424. *Dichrorampha albimacula* (Danilevsky,1948) (Tortricidae)
425. *Dichrorampha altaica* Danilevsky,1968 (Tortricidae)

- 426. *Dichrorampha caucasica* (Danilevsky,1948) (Tortricidae)
- 427. *Dichrorampha cinerascens* (Danilevsky,1948) (Tortricidae)
- 428. *Dichrorampha danilevskyi* Obraztsov,1958 (Tortricidae)
- 429. *Dichrorampha eximia* (Danilevsky,1948) (Tortricidae)
- 430. *Dichrorampha fusca* (Danilevsky,1948) (Tortricidae)
- 431. *Dichrorampha gracilis* (Danilevsky,1948) (Tortricidae)
- 432. *Dichrorampha immaculata* (Danilevsky,1948) (Tortricidae)
- 433. *Dichrorampha infusca* (Danilevsky,1960) (Tortricidae)
- 434. *Dichrorampha insperata* (Danilevsky,1960) (Tortricidae)
- 435. *Dichrorampha interponana* (Danilevsky,1960) (Tortricidae)
- 436. *Dichrorampha larsana* (Danilevsky,1960) (Tortricidae)
- 437. *Dichrorampha proxima* (Danilevsky,1948) (Tortricidae)
- 438. *Dichrorampha rjabovi* (Danilevsky,1948) (Tortricidae)
- 439. *Dichrorampha sheljuzhkoii* (Obraztsov,1949) (Tortricidae)
- 440. *Dichrorampha tshetverikovi* (Danilevsky,1960) (Tortricidae)
- 441. *Dichrorampha unicolor* (Danilevsky,1948) (Tortricidae)
- 442. *Dichrorampha uralensis* (Danilevsky,1948) (Tortricidae)
- 443. *Dipchaspecia altaica* Gorbunov,1991 (Sesiidae)
- 444. *Dipchaspecia rhodocnemis* Gorbunov,1991 (Sesiidae)
- 445. *Diplodoma caucasica* Zagulyaev,1985 (Psychidae)
- 446. *Diplodoma taurica* Zagulyaev,1985 (Psychidae)
- 447. *Dirrhinosia cervinella* (Eversmann,1844) (Gelechiidae)
- 448. *Dodia sazanovi* Dubatolov,1990 (Arctiidae)
- 449. *Dodia sazanovi sazanovi* Dubatolov,1990 (Arctiidae)
- 450. *Drasteria flexuosa* (Ménétriés,1848) (Noctuidae)
- 451. *Drasteria flexuosa flexuosa* (Ménétriés,1848) (Noctuidae)
- 452. *Drasteria herzi* (Alpheraky,1895) (Noctuidae)
- 453. *Drasteria herzi herzi* (Alpheraky,1895) (Noctuidae)
- 454. *Drasteria picta* (Christoph,1877) (Noctuidae)
- 455. *Drasteria sesquistria* (Eversmann,1854) (Noctuidae)
- 456. *Dysaethria erasaria* (Christoph,1881) (Uraniidae)
- 457. *Dyscia* (Calodyscia) *innocentaria* (Christoph,1885) (Geometridae)
- 458. *Dyscia* (Calodyscia) *innocentaria innocentaria* (Christoph,1885) (Geometridae)
- 459. *Dyspessa kostjuki* Yakovlev,2005 (Cossidae)
- 460. *Dyspessa salicicola* (Eversmann,1848) (Cossidae)
- 461. *Dyspessa salicicola salicicola* (Eversmann,1848) (Cossidae)
- 462. *Eana* (s.str.) *vetulana* (Christoph,1881) (Tortricidae)
- 463. *Ecliptopera umbrosaria* (Motschulsky,1861) (Geometridae)
- 464. *Ectoedemia* (Fomoria) *permira* (Puplesis,1984) (Nepticulidae)
- 465. *Eilicrinia nuptaria* Bremer,1864 (Geometridae)
- 466. *Elachista latipenella* Sinev & Budashkin,1991 (Elachistidae)
- 467. *Elcysma westwoodii caudata* (Bremer,1864) (Zygaenidae)
- 468. *Ellida viridimixta* (Bremer,1861) (Notodontidae)
- 469. *Enarmonia flammeata* Kuznetsov,1971 (Tortricidae)
- 470. *Enarmonia minuscula* Kuznetsov,1981 (Tortricidae)
- 471. *Enarmonodes aino* Kuznetsov,1968 (Tortricidae)
- 472. *Enarmonodes kunashirica* Kuznetsov,1969 (Tortricidae)
- 473. *Endothenia furvida* Falkovitsh,1970 (Tortricidae)
- 474. *Endothenia ingrata* Falkovitsh,1970 (Tortricidae)
- 475. *Endothenia limata* Falkovitsh,1962 (Tortricidae)
- 476. *Endothenia remigera* Falkovitsh,1970 (Tortricidae)
- 477. *Endothenia villosula* Falkovitsh,1966 (Tortricidae)
- 478. *Endotricha costaemaculalis* Christoph,1881 (Pyralidae)
- 479. *Endotricha costaemaculalis costaemaculalis* Christoph,1881 (Pyralidae)
- 480. *Endotricha olivacealis* (Bremer,1864) (Pyralidae)
- 481. *Entephria calcephala* Tikhonov,1994 (Geometridae)
- 482. *Entephria flavicinctata elbrusensis* Tikhonov,1994 (Geometridae)
- 483. *Entephria muscosaria* (Christoph,1893) (Geometridae)
- 484. *Entephria polata transsibirica* Vasilenko,1990 (Geometridae)
- 485. *Entephria sachaensis* Vasilenko,1990 (Geometridae)
- 486. *Entephria tejmurovi* Tikhonov,1994 (Geometridae)

487. *Eogena contaminei* (Eversmann,1847) (Noctuidae)
488. *Eogystia sibirica* (Alpheraky,1895) (Cossidae)
489. *Eosolenobia grisea* Filipjev,1924 (Psychidae)
490. *Eosolenobia suifunella* (Christoph,1881) (Psychidae)
491. *Epichnopteryx moskvensis* Solyanikov,2001 (Psychidae)
492. *Epinotia aquila* Kuznetsov,1968 (Tortricidae)
493. *Epinotia autonoma* Falkovitsh,1965 (Tortricidae)
494. *Epinotia contrariana* (Christoph,1881) (Tortricidae)
495. *Epinotia exquisitana* (Christoph,1881) (Tortricidae)
496. *Epinotia pinicola* Kuznetsov,1969 (Tortricidae)
497. *Epinotia rasdolnyana* (Christoph,1882) (Tortricidae)
498. *Epinotia rubiginosana koraiensis* Falkovitsh,1965 (Tortricidae)
499. *Epinotia rubricana* Kuznetsov,1968 (Tortricidae)
500. *Epinotia ulmi* Kuznetsov,1966 (Tortricidae)
501. *Epinotia ulmicola* Kuznetsov,1966 (Tortricidae)
502. *Epinotia unisignana* Kuznetsov,1966 (Tortricidae)
503. *Epipsammia accurata* (Christoph,1882) (Noctuidae)
504. *Epirrhoe galiata eophanata* (Krulikowski,1906) (Geometridae)
505. *Episema korsakovi* (Christoph,1885) (Noctuidae)
506. *Episema korsakovi korsakovi* (Christoph,1885) (Noctuidae)
507. *Episema lederi* Christoph,1885 (Noctuidae)
508. *Erebia ajanensis ajanensis* Ménéttriés,1857 (Satyridae)
509. *Erebia ajanensis kosterini* Gorbunov, Korshunov & Dubatolov,1995 (Satyridae)
510. *Erebia ajanensis* Ménéttriés,1857 (Satyridae)
511. *Erebia cyclopius* (Eversmann,1844) (Satyridae)
512. *Erebia cyclopius cyclopius* (Eversmann,1844) (Satyridae)
513. *Erebia dabanensis dabanensis* Erschoff,1871 (Satyridae)
514. *Erebia dabanensis* Erschoff,1871 (Satyridae)
515. *Erebia dabanensis olshvangi* Gorbunov,1995 (Satyridae)
516. *Erebia discoidalis lena* Christoph,1889 (Satyridae)
517. *Erebia edda edda* Ménéttriés,1851 (Satyridae)
518. *Erebia edda* Ménéttriés,1851 (Satyridae)
519. *Erebia embla succulenta* Alpheraky,1897 (Satyridae)
520. *Erebia euryale flaveoides* Korshunov & Tatarinov,1996 (Satyridae)
521. *Erebia euryale iremelica* Korshunov,1995 (Satyridae)
522. *Erebia fasciata semo* Groum-Grshimailo,1899 (Satyridae)
523. *Erebia fletcheri chorymensis* Korshunov,1995 (Satyridae)
524. *Erebia graucasica* Jachontov,1909 (Satyridae)
525. *Erebia kefersteinii* (Eversmann,1851) (Satyridae)
526. *Erebia kefersteinii kefersteinii* (Eversmann,1851) (Satyridae)
527. *Erebia ligea eumonia* Ménéttriés,1858 (Satyridae)
528. *Erebia mackinleyensis ola* Korshunov,1995 (Satyridae)
529. *Erebia occulta sokhondinka* Dubatolov & Zintshenko,1995 (Satyridae)
530. *Erebia pandrose yernikensis* Korshunov,1995 (Satyridae)
531. *Erebia pawlowskyi* Ménéttriés,1858 (Satyridae)
532. *Erebia pawlowskyi pawlowskyi* Ménéttriés,1858 (Satyridae)
533. *Erebia rossii ero* Bremer,1861 (Satyridae)
534. *Erebia rossii subarctica* Korshunov,1996 (Satyridae)
535. *Erebia stubbendorffii* Ménéttriés,1846 (Satyridae)
536. *Erebia stubbendorffii stubbendorffii* Ménéttriés,1846 (Satyridae)
537. *Erebia theano shoria* Korshunov & Ivonin,1995 (Satyridae)
538. *Erebia theano tshungunovi* Korshunov & Ivonin,1995 (Satyridae)
539. *Erebia wanga* Bremer,1864 (Satyridae)
540. *Erebia wanga wanga* Bremer,1864 (Satyridae)
541. *Eremobia decipiens* (Alpheraky,1895) (Noctuidae)
542. *Eriogaster neogena* (Fischer de Waldheim,1824) (Lasiocampidae)
543. *Eriogaster neogena neogena* (Fischer de Waldheim,1824) (Lasiocampidae)
544. *Eriopsela falkovitshi* Kostyuk,1979 (Tortricidae)
545. *Eriopsela mongunana* Kostyuk,1973 (Tortricidae)
546. *Erynnis* (s.str.) *montanus* (Bremer,1861) (Hesperiidae)
547. *Erynnis* (s.str.) *montanus montanus* (Bremer,1861) (Hesperiidae)

548. *Estimata magadanica* Kononenko,1981 (Noctuidae)
549. *Estimata oschi* (Kozhantshikov,1937) (Noctuidae)
550. *Ethmia candidella* (Alpheraky,1908) (Ethmiidae)
551. *Ethmia candidella candidella* (Alpheraky,1908) (Ethmiidae)
552. *Ethmia comitella steppella* Dubatolov & Ustjuzhanin,1997 (Ethmiidae)
553. *Ethmia haemorrhoidella* (Eversmann,1844) (Ethmiidae)
554. *Ethmia nigripedella* (Erschoff,1877) (Ethmiidae)
555. *Ethmia pyrausta* (Pallas,1771) (Ethmiidae)
556. *Ethmia quadripunctella* Eversmann,1844 (Ethmiidae)
557. *Ethmia septempunctella* (Christoph,1882) (Ethmiidae)
558. *Ethmia sibirica* Danilevsky,1975 (Ethmiidae)
559. *Ethmia soljanikovi* Danilevsky & Zagulyaev,1975 (Ethmiidae)
560. *Ethmia usbensis* Zagulyaev,1975 (Ethmiidae)
561. *Ethmia vidua flavilaterella* Danilevsky,1975 (Ethmiidae)
562. *Ethmiopsis catarina* (Ponomarenko,1994) (Gelechiidae)
563. *Eublemma (debilis-gr.) debilis* (Christoph,1884) (Noctuidae)
564. *Eublemma (Glossodice) gratiosa* (Eversmann,1854) (Noctuidae)
565. *Eublemma (rosina-gr.) panonica lenis* (Eversmann,1844) (Noctuidae)
566. *Eublemma (rosina-gr.) pusilla* (Eversmann,1834) (Noctuidae)
567. *Eublemma amasina* (Eversmann,1842) (Noctuidae)
568. *Eucampyla dealbatella* (Erschoff,1874) (Pyrilidae)
569. *Euchalcia (s.str.) siderifera* (Eversmann,1846) (Noctuidae)
570. *Euchalcia (s.str.) uralensis* (Eversmann,1842) (Noctuidae)
571. *Euchloe (s.str.) ausonia dubatolovi* Korshunov,1995 (Pieridae)
572. *Euchloe (s.str.) creusa orientalis* (Bremer,1864) (Pieridae)
573. *Euchloe (s.str.) naina* Kozhantshikov,1923 (Pieridae)
574. *Euchloe (s.str.) naina kusnezovi* Korshunov,1995 (Pieridae)
575. *Euchloe (s.str.) naina naina* Kozhantshikov,1923 (Pieridae)
576. *Eucoenogenes teliferana* (Christoph,1882) (Tortricidae)
577. *Eucosma abacana* (Erschoff,1877) (Tortricidae)
578. *Eucosma agnatana* (Christoph,1872) (Tortricidae)
579. *Eucosma apocrypha* Falkovitsh,1964 (Tortricidae)
580. *Eucosma certana* Kuznetsov,1967 (Tortricidae)
581. *Eucosma clarescens* Kuznetsov,1964 (Tortricidae)
582. *Eucosma confunda* Kuznetsov,1966 (Tortricidae)
583. *Eucosma flavispeculana* Kuznetsov,1964 (Tortricidae)
584. *Eucosma fuscida* Kuznetsov,1966 (Tortricidae)
585. *Eucosma gorodkovi* Kuznetsov,1979 (Tortricidae)
586. *Eucosmomorpha multicolor* Kuznetsov,1964 (Tortricidae)
587. *Eudonia delunella orientalis* (Alpheraky,1878) (Pyrilidae)
588. *Eugnosta hydrargyrana* (Eversmann,1842) (Tortricidae)
589. *Eugnosta hydrargyrana hydrargyrana* (Eversmann,1842) (Tortricidae)
590. *Eumelasina ardua* Kozhantshikov,1956 (Psychidae)
591. *Eumelasina multivenosa* (Kozhantshikov,1956) (Psychidae)
592. *Euphydryas (Eurodryas) aurinia laeta* (Christoph,1893) (Argynnidae)
593. *Euphydryas (Hypodryas) iduna alferaki* Korshunov,1996 (Argynnidae)
594. *Euphydryas (Hypodryas) iduna semenovi* Korshunov & Ivonine,1996 (Argynnidae)
595. *Euphydryas (Hypodryas) intermedia* (Ménétriés,1859) (Argynnidae)
596. *Euphydryas (Hypodryas) intermedia intermedia* (Ménétriés,1859) (Argynnidae)
597. *Euphydryas (Hypodryas) maturna staudingeri* (Wnukowsky,1929) (Argynnidae)
598. *Eupithecia amplexata* Christoph,1881 (Geometridae)
599. *Eupithecia biornata* Christoph,1867 (Geometridae)
600. *Eupithecia caliginea zibellinata* Christoph,1881 (Geometridae)
601. *Eupithecia fuscicostata* Christoph,1887 (Geometridae)
602. *Eupithecia minusculata* (Alpheraky,1883) (Geometridae)
603. *Eupithecia scalptata* Christoph,1885 (Geometridae)
604. *Eupithecia sinuosaria* (Eversmann,1848) (Geometridae)
605. *Eupithecia sinuosaria sinuosaria* (Eversmann,1848) (Geometridae)
606. *Eupithecia sutiliata* Christoph,1877 (Geometridae)
607. *Eupithecia variostrigata* Alpheraky,1876 (Geometridae)
608. *Eupithecia variostrigata variostrigata* Alpheraky,1878 (Geometridae)

609. *Euproctis subflava* (Bremer,1864) (Lymantriidae)
610. *Eurrhysis cacuminalis* (Eversmann,1843) (Pyralidae)
611. *Euthrix albomaculata* (Bremer,1861) (Lasiocampidae)
612. *Euthrix potatoria barabaensis* Dubatolov,1992 (Lasiocampidae)
613. *Euxoa* (*Chorisagrotis*) *adumbrata* (Eversmann,1842) (Noctuidae)
614. *Euxoa* (*Chorisagrotis*) *adumbrata adumbrata* (Eversmann,1842) (Noctuidae)
615. *Euxoa* (*Orosagrotis*) *acuminifera* (Eversmann,1854) (Noctuidae)
616. *Euxoa* (*Pleonectopoda*) *rjabovi* Kozhantshikov,1929 (Noctuidae)
617. *Euxoa* (s.str.) *aquilina actinea* Kozhantshikov,1929 (Noctuidae)
618. *Euxoa* (s.str.) *conifera* (Christoph,1877) (Noctuidae)
619. *Euxoa* (s.str.) *fallax* (Eversmann,1854) (Noctuidae)
620. *Euxoa* (s.str.) *heringi* Christoph,1877 (Noctuidae)
621. *Euxoa* (s.str.) *heringi heringi* (Christoph,1877) (Noctuidae)
622. *Euxoa* (s.str.) *inexpectata* Alpheraky,1897 (Noctuidae)
623. *Euxoa* (s.str.) *mustelina* (Christoph,1877) (Noctuidae)
624. *Euxoa* (s.str.) *triaena* Kozhantshikov,1929 (Noctuidae)
625. *Euxoa* (s.str.) *uncarpa* Kozhantshikov,1929 (Noctuidae)
626. *Euzophera* (s.str.) *colon* (Christoph,1881) (Pyralidae)
627. *Evergestis orientalis* (Eversmann,1851) (Pyralidae)
628. *Evippe pseudolella* (Christoph,1888) (Gelechiidae)
629. *Exaeretia lepidella* (Christoph,1872) (Oecophoridae)
630. *Exaeretia mongolicella* (Christoph,1882) (Oecophoridae)
631. *Exaeretia niviferella* (Christoph,1872) (Oecophoridae)
632. *Faristenia acerella* Ponomarenko,1991 (Gelechiidae)
633. *Faristenia furtumella* Ponomarenko,1991 (Gelechiidae)
634. *Faristenia geminisignella* Ponomarenko,1991 (Gelechiidae)
635. *Faristenia maritimella* Ponomarenko,1991 (Gelechiidae)
636. *Faristenia omelkoi* Ponomarenko,1991 (Gelechiidae)
637. *Faristenia quercivora* Ponomarenko,1991 (Gelechiidae)
638. *Faristenia ussuriella* Ponomarenko,1991 (Gelechiidae)
639. *Favonius aquamarinus aquamarinus* Dubatolov & Sergeev,1987 (Lycaenidae)
640. *Favonius aquamarinus* Dubatolov & Sergeev,1987 (Lycaenidae)
641. *Favonius korshunovi* Dubatolov & Sergeev,1982 (Lycaenidae)
642. *Favonius korshunovi korshunovi* Dubatolov & Sergeev,1982 (Lycaenidae)
643. *Filatima djakovica* Anikin & Piskunov,1996 (Gelechiidae)
644. *Filatima zagulajevi* Anikin & Piskunov,1996 (Gelechiidae)
645. *Fulcrifera orientis* (Kuznetsov,1966) (Tortricidae)
646. *Furcula aeruginosa* (Christoph,1873) (Notodontidae)
647. *Furcula aeruginosa aeruginosa* (Christoph,1873) (Notodontidae)
648. *Furcula interrupta* Christoph,1867 (Notodontidae)
649. *Furcula interrupta interrupta* Christoph,1867 (Notodontidae)
650. *Furcula interrupta syra* Groum-Grshimailo,1899 (Notodontidae)
651. *Furcula petri petri* (Alpheraky,1882) (Notodontidae)
652. *Glaucobaris exsectella* (Christoph,1881) (Pyralidae)
653. *Glyphipterix magnatella* Erschoff,1877 (Glyphipterygidae)
654. *Glyphipterix simplicella* Christoph,1882 (Glyphipterygidae)
655. *Glyphipterix speculiferella* Christoph,1882 (Glyphipterygidae)
656. *Gnophos* (*Dysgnophos*) *difficilis* Alpheraky,1883 (Geometridae)
657. *Gnophos* (*Dysgnophos*) *difficilis difficilis* Alpheraky,1883 (Geometridae)
658. *Gnophos* (s.str.) *ciscaucasius* Rjabov,1964 (Geometridae)
659. *Gnophos pallescens* Rjabov,1964 (Geometridae)
660. *Gnorismoneura orientis* (Filipjev,1962) (Tortricidae)
661. *Goldia pacifica* (Dubatolov & Korshunov,1984) (Lycaenidae)
662. *Goldia pacifica pacifica* (Dubatolov & Korshunov,1984) (Lycaenidae)
663. *Gonepteryx* (s.str.) *aspasia* (Ménétriés,1859) (Pieridae)
664. *Gonepteryx* (s.str.) *aspasia aspasia* (Ménétriés,1859) (Pieridae)
665. *Gortyna cervago* Eversmann,1844 (Noctuidae)
666. *Grammia* (*Holarctia*) *turbans* (Christoph,1892) (Arctiidae)
667. *Grammia* (*Holarctia*) *turbans turbans* (Christoph,1892) (Arctiidae)
668. *Gravitar mata osmana* Obraztsov,1952 (Tortricidae)
669. *Gypsonoma attrita* Falkovitsh,1965 (Tortricidae)

670. *Gypsonoma bifasciata* Kuznetsov, 1966 (Tortricidae)
671. *Gypsonoma monotonica* Kuznetsov, 1991 (Tortricidae)
672. *Gypsonoma mutabilana* Kuznetsov, 1985 (Tortricidae)
673. *Hada persa* (Alpheraky, 1897) (Noctuidae)
674. *Hadena* (*Anepia*) *aberrans* (Eversmann, 1856) (Noctuidae)
675. *Hadena* (*Enterpia*) *picturata* (Alpheraky, 1882) (Noctuidae)
676. *Hadena* (s.str. (*Albimaculia*)) *humilis* (Christoph, 1893) (Noctuidae)
677. *Hadula* (*Caloestra* (*Dianthus*)) *dianthi* (Tauscher, 1809) (Noctuidae)
678. *Hadula* (*Caloestra* (*Dianthus*)) *dianthi dianthi* (Tauscher, 1809) (Noctuidae)
679. *Hadula* (*Caloestra* (*Hadufurca*)) *furca* (Eversmann, 1852) (Noctuidae)
680. *Hadula* (*Caloestra* (*Hadufurca*)) *furca furca* (Eversmann, 1852) (Noctuidae)
681. *Hadula* (*Caloestra* (*Hadumelanopa*)) *militiae* (Kozhantshikov, 1947) (Noctuidae)
682. *Hadula* (*Caloestra* (*Stigmose*)) *stigmose* (Christoph, 1887) (Noctuidae)
683. *Hadula* (*Caloestra* (*Stigmose*)) *stigmose stigmose* (Christoph, 1887) (Noctuidae)
684. *Hapsifera barbata* (Christoph, 1882) (Tineidae)
685. *Helcystogramma albinervis* (Gerasimov, 1929) (Gelechiidae)
686. *Helcystogramma compositae pictum* (N.Omelko & M.Omelko, 1993) (Gelechiidae)
687. *Helcystogramma perelegans* (N.Omelko & M.Omelko, 1993) (Gelechiidae)
688. *Hellinsia mongolica* (Zagulyaev & Pentschukowskaja, 1972) (Pterophoridae)
689. *Hellinsia wrangeliensis* (Zagulyaev, 1985) (Pterophoridae)
690. *Hemaris* (*Jilinga*) *beresowskii* (Alpheraky, 1897) (Sphingidae)
691. *Herbulotia agitata* (Christoph, 1881) (Geometridae)
692. *Hermonassa albifurca* (Erschoff, 1877) (Noctuidae)
693. *Hermonassa difficilis* (Erschoff, 1887) (Noctuidae)
694. *Hermonassa ononensis* (Bremer, 1861) (Noctuidae)
695. *Hesperia comma lena* Korshunov & Gorbunov, 1995 (Hesperiidae)
696. *Hesperia comma planula* Korshunov, 1995 (Hesperiidae)
697. *Hesperia comma shushkini* Korshunov, 1995 (Hesperiidae)
698. *Heteropterus morpheus* (Pallas, 1771) (Hesperiidae)
699. *Heteropterus morpheus morpheus* (Pallas, 1771) (Hesperiidae)
700. *Holcocerus volgensis* Christoph, 1893 (Cossidae)
701. *Holoarctia marinae* Dubatolov, 1985 (Arctiidae)
702. *Holoarctia marinae marinae* Dubatolov, 1985 (Arctiidae)
703. *Holoarctia puengeleri iremelica* Dubatolov, 2007 (Arctiidae)
704. *Holoarctia puengeleri perunovi* Dubatolov, 1990 (Arctiidae)
705. *Holoarctia puengeleri sibirica* Dubatolov, 2007 (Arctiidae)
706. *Hydrelia nisaria* (Christoph, 1881) (Geometridae)
707. *Hypatima excellentella* Ponomarenko, 1991 (Gelechiidae)
708. *Hypatima venefica* Ponomarenko, 1991 (Gelechiidae)
709. *Hypatopa silvestrella* Kuznetsov, 1984 (Blastobasidae)
710. *Hypena opulenta* (Christoph, 1877) (Noctuidae)
711. *Hyperborea czekanowskii czekanowskii* Groum-Grshimailo, [1900] (Arctiidae)
712. *Hyperborea czekanowskii* Groum-Grshimailo, [1900] (Arctiidae)
713. *Hyphoraia aulica testudinarioides* (Sovinsky, 1905) (Arctiidae)
714. *Hypobarathra icterias* (Eversmann, 1843) (Noctuidae)
715. *Hypochalcia propinquella* (Eversmann, 1842) (Pyralidae)
716. *Hyponephele* (s.str. (*Tengrinephele*)) *cadusina gorkini* Korshunov, 1995 (Satyridae)
717. *Hyssia cavernosa* (Eversmann, 1852) (Noctuidae)
718. *Hyssia cavernosa cavernosa* (Eversmann, 1842) (Noctuidae)
719. *Idaea descitaria* (Christoph, 1893) (Geometridae)
720. *Idaea effusaria* (Christoph, 1881) (Geometridae)
721. *Idaea nudaria* (Christoph, 1881) (Geometridae)
722. *Idaea salutaris* (Christoph, 1881) (Geometridae)
723. *Idiochlora ussuriaria* (Bremer, 1864) (Geometridae)
724. *Infurcitinea karadaghica* Zagulyaev, 1979 (Tineidae)
725. *Inurois membranaria* (Christoph, 1881) (Geometridae)
726. *Isoceras sibiricum* (Alpheraky, 1895) (Cossidae)
727. *Issoria eugenia* (Eversmann, 1847) (Argynniidae)
728. *Issoria eugenia eugenia* (Eversmann, 1847) (Argynniidae)
729. *Itame loricaria* (Eversmann, 1837) (Geometridae)
730. *Kasania arundinalis* (Eversmann, 1842) (Pyralidae)

731. *Keradere tengstroemiella* (Erschoff,1874) (Pyrilidae)
732. *Kirinia* (s.str.) *epimenides* (Ménétriés,1859) (Satyridae)
733. *Kirinia* (s.str.) *epimenides epimenides* (Ménétriés,1859) (Satyridae)
734. *Kotchevnik durrelli* Yakovlev,2005 (Cossidae)
735. *Lacanobia* (Dianobia) *obvia* (Eversmann,1856) (Noctuidae)
736. *Lacydes spectabilis* (Tauscher,1806) (Arctiidae)
737. *Lampronia altaica* Zagulyaev,1992 (Prodoxidae)
738. *Lamprosema tristrialis* (Bremer,1864) (Pyrilidae)
739. *Lecithocera luridella* Christoph,1882 (Tineidae)
740. *Lemonia ballioni* (Christoph,1888) (Lemoniidae)
741. *Lepidotarphius perornatellus fulgens* Erschoff,1877 (Glyphipterygidae)
742. *Leptalina unicolor* (Bremer & Grey,[1852]) (Hesperiidae)
743. *Leptalina unicolor unicolor* (Bremer & Grey,[1852]) (Hesperiidae)
744. *Leptidea amurensis* (Ménétriés,1858) (Pieridae)
745. *Leptidea amurensis amurensis* (Ménétriés,1858) (Pieridae)
746. *Leptidea amurensis jacutia* Gorbunov & Korshunov,1995 (Pieridae)
747. *Lethe maackii* (Bremer,1861) (Satyridae)
748. *Lethe maackii maackii* (Bremer,1861) (Satyridae)
749. *Lethe marginalis* (Motschulsky,1860) (Satyridae)
750. *Lethe marginalis marginalis* (Motschulsky,1860) (Satyridae)
751. *Leucobrephos middendorffii* (Ménétriés,1858) (Geometridae)
752. *Leucobrephos middendorffii middendorffii* (Ménétriés,1858) (Geometridae)
753. *Leucobrephos middendorffii nivea* Kozhantshikov,1924 (Geometridae)
754. *Leucobrephos middendorffii ussuriensis* Moltrecht,1914 (Geometridae)
755. *Leucoma ochropoda* (Eversmann,1847) (Lymantriidae)
756. *Limenitis* (Ladoga) *camilla japonica* Ménétriés,1857 (Argynnididae)
757. *Limenitis* (s.str.) *amphyssa amphyssa* Ménétriés,1858 (Argynnididae)
758. *Limenitis* (s.str.) *amphyssa* Ménétriés,1858 (Argynnididae)
759. *Limenitis* (s.str.) *moltrechti* Kardakov,1928 (Argynnididae)
760. *Limenitis* (s.str.) *moltrechti moltrechti* Kardakov,1928 (Argynnididae)
761. *Limenitis* (s.str.) *sydyi lataefasciata* Ménétriés,1859 (Argynnididae)
762. *Lista ficki* Christoph,1881 (Pyrilidae)
763. *Lithostege infusata* Eversmann,1837 (Geometridae)
764. *Lobesia* (s.str.) *crimea* Falkovitsh,1970 (Tortricidae)
765. *Lobesia* (s.str.) *subherculeana* (Filipjev,1925) (Tortricidae)
766. *Lobesia coccophaga* Falkovitsh,1970 (Tortricidae)
767. *Lobesia duplicata* Falkovitsh,1970 (Tortricidae)
768. *Lobesia subherculeana* (Filipjev,1924) (Tortricidae)
769. *Lobesiodes occidentis* Falkovitsh,1970 (Tortricidae)
770. *Lobocla bifasciata* (Bremer & Grey,1853) (Hesperiidae)
771. *Lobocla bifasciata bifasciata* (Bremer & Grey,1853) (Hesperiidae)
772. *Loxostege peltalis* (Eversmann,1842) (Pyrilidae)
773. *Lozotaenia djakonovi* Danilevsky,1963 (Tortricidae)
774. *Luehdorfia puziloi* (Erschoff,1872) (Papilionidae)
775. *Luehdorfia puziloi puziloi* (Erschoff,1872) (Papilionidae)
776. *Lutilabria volgensis* Anikin & Piskunov,1996 (Gelechiidae)
777. *Lycaena* (Palaeochrysophanus) *hippotoe sajana* (Kozhantshikov,1923) (Lycaenidae)
778. *Lycaena* (s.str.) *phlaeas ganalicus* Gorbunov,1995 (Lycaenidae)
779. *Lycia pomonaria nigricans* Beljaev,1996 (Geometridae)
780. *Lycophorus villosus* (Alpheraky,1887) (Noctuidae)
781. *Lycophotia cissigma* (Ménétriés,1859) (Noctuidae)
782. *Lymphia chalybella* (Eversmann,1844) (Pyrilidae)
783. *Macaria saburraria* (Eversmann,1851) (Geometridae)
784. *Macaria saburraria saburraria* (Eversmann,1851) (Geometridae)
785. *Maculinea cyanecula* (Eversmann,1848) (Lycaenidae)
786. *Maculinea cyanecula cyanecula* (Eversmann,1848) (Lycaenidae)
787. *Maculinea telejus splendens* (Kozhantshikov,1924) (Lycaenidae)
788. *Malacosoma squalorum* Zolotuhin,1994 (Lasiocampidae)
789. *Marumba sperchius* (Ménétriés,1857) (Sphingidae)
790. *Marumba sperchius sperchius* (Ménétriés,1857) (Sphingidae)

791. *Megametopon grisolaria* (Eversmann,1848) (Geometridae)
792. *Meharia scythica* D.Komarov & Zolotuhin,2005 (Cossidae)
793. *Melanargia* (Parce) *halimede* (Ménétriés,1859) (Satyridae)
794. *Melanargia* (Parce) *halimede halimede* (Ménétriés,1859) (Satyridae)
795. *Melitaea* (Cinclidia) (*phoebe*) *phoebe ornata* Christoph,1893 (Argynnidae)
796. *Melitaea* (Didymaeformis) *didymoides didymoides* Eversmann,1847 (Argynnidae)
797. *Melitaea* (Didymaeformis) *didymoides* Eversmann,1847 (Argynnidae)
798. *Melitaea* (Didymaeformis) *fascelis uvarovi* Gorbunov,1995 (Argynnidae)
799. *Melitaea* (Didymaeformis) *latonigena* Eversmann,1847 (Argynnidae)
800. *Melitaea* (Didymaeformis) *latonigena latonigena* Eversmann,1847 (Argynnidae)
801. *Melitaea* (Didymaeformis) *romanovi* Groum-Grshimailo,1890 (Argynnidae)
802. *Melitaea* (Didymaeformis) *romanovi romanovi* Groum-Grshimailo,1890 (Argynnidae)
803. *Melitaea* (Didymaeformis) *sutschana graeseri* Gorbunov,1995 (Argynnidae)
804. *Melitaea* (Didymaeformis) *sutschana graeseri* Gorbunov,1995 (Argynnidae)
805. *Melitaea* (Melicta) *rhea* (Churkin & Devyatkin,2005) (Argynnidae)
806. *Melitaea* (s.str.) *arcesia arcesia* Bremer,1864 (Argynnidae)
807. *Melitaea* (s.str.) *arcesia* Bremer,1864 (Argynnidae)
808. *Mesapamea* (s.str.) *moderata* (Eversmann,1843) (Noctuidae)
809. *Mesoleuca mandschuricata* (Bremer,1864) (Geometridae)
810. *Mesoleuca mandschuricata mandschuricata* (Bremer,1864) (Geometridae)
811. *Metacosma impolitana* Kuznetsov,1985 (Tortricidae)
812. *Metopoplus excelsa* (Christoph,1885) (Noctuidae)
813. *Microbiston lanaria* (Eversmann,1852) (Geometridae)
814. *Micropterix maschukella* Alpheraky,1876 (Micropterigidae)
815. *Micropterix montosiella* Zagulyaev,1983 (Micropterigidae)
816. *Microzegrus pyrothoe* (Eversmann,1832) (Pieridae)
817. *Microzegrus pyrothoe pyrothoe* (Eversmann,1832) (Pieridae)
818. *Micrurapteryx gerasimovi* Ermolaev,1982 (Gracillariidae)
819. *Micrurapteryx sophorella* Kuznetsov,1979 (Gracillariidae)
820. *Minois dryas bipunctatus* (Motschulsky,1860) (Satyridae)
821. *Mompha* (s.str.) *meridionella* Koster & Sinev,2003 (Momphidae)
822. *Monopis pallidella* Zagulyaev,1955 (Tineidae)
823. *Montescardia kurensovi* (Zagulyaev,1966) (Tineidae)
824. *Muschampia cribrellum* (Eversmann,1841) (Hesperiidae)
825. *Muschampia cribrellum cribrellum* (Eversmann,1841) (Hesperiidae)
826. *Muschampia cribrellum heilong* (Streltsov & Dubatolov,1997) (Hesperiidae)
827. *Muschampia gigas* (Bremer,1864) (Hesperiidae)
828. *Muschampia gigas gigas* (Bremer,1864) (Hesperiidae)
829. *Myrlaea marmorata* (Alpheraky,1877) (Pyralidae)
830. *Myrmecozela* (Flavida) *lutosella* (Eversmann,1844) (Tineidae)
831. *Myrmecozela* (Flavida) *rjabovi* Zagulyaev,1968 (Tineidae)
832. *Myrmecozela* (s.str.) *samurensis* Zagulyaev,1997 (Tineidae)
833. *Mythimna* (Aletia) *albiradiosa* (Eversmann,1852) (Noctuidae)
834. *Mythimna* (Aletia) *albiradiosa albiradiosa* (Eversmann,1852) (Noctuidae)
835. *Mythimna* (Aletia) *anderreggii lineata* (Eversmann,1842) (Noctuidae)
836. *Mythimna* (Aletia) *flavostigma* (Bremer,1861) (Noctuidae)
837. *Mythimna* (Aletia) *velutina* (Eversmann,1856) (Noctuidae)
838. *Mythimna* (Aletia) *velutina velutina* (Eversmann,1846) (Noctuidae)
839. *Mythimna* (Aletia) *vulpecula* (Eversmann,1852) (Noctuidae)
840. *Mythimna* (Hyphilare) *radiata* (Bremer,1861) (Noctuidae)
841. *Nemapogon caucasica* Zagulyaev,1964 (Tineidae)
842. *Nemophora basella* (Eversmann,1844) (Adelidae)
843. *Nemophora canalella* (Eversmann,1844) (Adelidae)
844. *Neoblastobasis spiniharpella* Kuznetsov & Sinev,1985 (Blastobasidae)
845. *Neolycaena* (Rhymnaria) *rhymnus* (Eversmann,1832) (Lycaenidae)
846. *Neolycaena* (Rhymnaria) *rhymnus rhymnus* (Eversmann,1832) (Lycaenidae)
847. *Neope goschkewitschii* (Ménétriés,1857) (Satyridae)
848. *Neope goschkewitschii goschkewitschii* (Ménétriés,1857) (Satyridae)
849. *Neozephyrus taxilus* (Bremer,1861) (Lycaenidae)
850. *Neozephyrus taxilus taxilus* (Bremer,1861) (Lycaenidae)

851. *Nephoterix gregella* Eversmann,1844 (Pyalidae)
852. *Neptis* (s.str.) *alwina* (Bremer & Grey,1853) (Argynnidae)
853. *Neptis* (s.str.) *alwina alwina* (Bremer & Grey,1853) (Argynnidae)
854. *Neptis* (s.str.) *philyra* Ménétériés,1858 (Argynnidae)
855. *Neptis* (s.str.) *philyra philyra* Ménétériés,1858 (Argynnidae)
856. *Neptis* (s.str.) *sappho* (Pallas,1771) (Argynnidae)
857. *Neptis* (s.str.) *sappho sappho* (Pallas,1771) (Argynnidae)
858. *Neptis* (s.str.) *thisbe* Ménétériés,1858 (Argynnidae)
859. *Neptis* (s.str.) *thisbe thisbe* Ménétériés,1858 (Argynnidae)
860. *Neptis* (s.str.) *tshetverikovi* Kurenzov,1936 (Argynnidae)
861. *Neptis* (s.str.) *tshetverikovi tshetverikovi* Kurenzov,1936 (Argynnidae)
862. *Ninguta schrenckii* (Ménétériés,1859) (Satyridae)
863. *Ninguta schrenckii schrenckii* (Ménétériés,1859) (Satyridae)
864. *Niphanda fusca* (Bremer & Grey,1852) (Lycaenidae)
865. *Niphanda fusca fusca* (Bremer & Grey,1852) (Lycaenidae)
866. *Notocelia circumfluxana* (Christoph,1881) (Tortricidae)
867. *Notocelia nimia* Falkovitsh,1965 (Tortricidae)
868. *Nycteola asiatica* (Krulikovsky,1904) (Noctuidae)
869. *Nycteola kuldzhana* Obratzov,1954 (Noctuidae)
870. *Nymphula orientalis* Filipjev,1934 (Pyalidae)
871. *Nymphula vittal* (Bremer,1864) (Pyalidae)
872. *Nyssiodes lefuarius* (Erschoff,1872) (Geometridae)
873. *Ochlodes ochraceus* (Bremer,1861) (Hesperiidae)
874. *Ochlodes ochraceus ochraceus* (Bremer,1861) (Hesperiidae)
875. *Ochlodes subhyalinus* (Bremer & Grey,1853) (Hesperiidae)
876. *Ochlodes subhyalinus subhyalinus* (Bremer & Grey,1853) (Hesperiidae)
877. *Ochlodes venatus* (Bremer & Grey,[1852]) (Hesperiidae)
878. *Ochlodes venatus venatus* (Bremer & Grey,[1852]) (Hesperiidae)
879. *Ochodontia adustaria* Fischer de Waldheim,1840 (Geometridae)
880. *Ochroleptura arctica* Kononenko,1981 (Noctuidae)
881. *Ocnogyna* (s.str.) *armena daghestana* Dubatolov,1996 (Arctiidae)
882. *Odontosia sieversii* (Ménétériés,1856) (Notodontidae)
883. *Oeneis actaeoides actaeoides* Lukhtanov,1989 (Satyridae)
884. *Oeneis actaeoides* Lukhtanov,1989 (Satyridae)
885. *Oeneis aktashi aktashi* Lukhtanov,1984 (Satyridae)
886. *Oeneis aktashi* Lukhtanov,1984 (Satyridae)
887. *Oeneis aktashi ona* Korshunov,1996 (Satyridae)
888. *Oeneis aktashi sarala* Korshunov,1988 (Satyridae)
889. *Oeneis ammosovi ammosovi* Dubatolov & Korshunov,1988 (Satyridae)
890. *Oeneis ammosovi* Dubatolov & Korshunov,1988 (Satyridae)
891. *Oeneis anna dzhulukuli* Korshunov,1998 (Satyridae)
892. *Oeneis chione tshukota* Korshunov,1998 (Satyridae)
893. *Oeneis diluta diluta* Lukhtanov,1994 (Satyridae)
894. *Oeneis diluta* Lukhtanov,1994 (Satyridae)
895. *Oeneis elwesi ulugchemi* Korshunov,1995 (Satyridae)
896. *Oeneis hora Groum-Grshimailo*,1888 (Satyridae)
897. *Oeneis hora hora* Groum-Grshimailo,1888 (Satyridae)
898. *Oeneis jakutski jakutski* Korshunov,1998 (Satyridae)
899. *Oeneis jakutski* Korshunov,1998 (Satyridae)
900. *Oeneis jutta akoene* Belik & Yakovlev,1998 (Satyridae)
901. *Oeneis jutta lukhtanovi* Korshunov,2000 (Satyridae)
902. *Oeneis magna pupavkini* Korshunov,1995 (Satyridae)
903. *Oeneis nanna* (Ménétériés,1859) (Satyridae)
904. *Oeneis nanna nanna* (Ménétériés,1859) (Satyridae)
905. *Oeneis pansa* Christoph,1893 (Satyridae)
906. *Oeneis pansa pansa* Christoph,1893 (Satyridae)
907. *Oeneis patrushevae* Korshunov,1985 (Satyridae)
908. *Oeneis patrushevae patrushevae* Korshunov,1985 (Satyridae)
909. *Oeneis polixenes antonovae* Lukhtanov,1989 (Satyridae)
910. *Oeneis polixenes paor* Lukhtanov,1989 (Satyridae)
911. *Oeneis pseudosculda* Korshunov,1977 (Satyridae)

912. *Oeneis pseudosculda pseudosculda* Korshunov, 1977 (Satyridae)
913. *Oeneis sapozhnikovi* Korshunov, 1982 (Satyridae)
914. *Oeneis sapozhnikovi sapozhnikovi* Korshunov, 1982 (Satyridae)
915. *Oeneis sculda* (Eversmann, 1851) (Satyridae)
916. *Oeneis sculda sculda* (Eversmann, 1851) (Satyridae)
917. *Oeneis sculda vadimi* Korshunov, 1995 (Satyridae)
918. *Oeneis tarpeia* (Pallas, 1771) (Satyridae)
919. *Oeneis tarpeia grossi* Eitschberger & Lukhtanov, 1994 (Satyridae)
920. *Oeneis tarpeia rozhdestvenskyi* Korb & Yakovlev, 1997 (Satyridae)
921. *Oeneis tarpeia tarpeia* (Pallas, 1771) (Satyridae)
922. *Oeneis urda* (Eversmann, 1847) (Satyridae)
923. *Oeneis urda urda* (Eversmann, 1847) (Satyridae)
924. *Olethreutes* (s.str.) *agatha* Falkovitsh, 1966 (Tortricidae)
925. *Olethreutes* (s.str.) *captiosana* (Falkovitsh, 1960) (Tortricidae)
926. *Olethreutes* (s.str.) *examinatus* Falkovitsh, 1966 (Tortricidae)
927. *Olethreutes* (s.str.) *exilis* Falkovitsh, 1966 (Tortricidae)
928. *Olethreutes* (s.str.) *irina* Falkovitsh, 1966 (Tortricidae)
929. *Olethreutes* (s.str.) *madagana* (Falkovitsh, 1965) (Tortricidae)
930. *Olethreutes* (s.str.) *moderata* Falkovitsh, 1962 (Tortricidae)
931. *Olethreutes* (s.str.) *nigricrista* Kuznetsov, 1976 (Tortricidae)
932. *Olethreutes* (s.str.) *subtilana* (Falkovitsh, 1959) (Tortricidae)
933. *Olethreutes* (s.str.) *tephrea* Falkovitsh, 1966 (Tortricidae)
934. *Olethreutes* (s.str.) *transversana* (Christoph, 1881) (Tortricidae)
935. *Oligia rufata* Kardakoff, 1928 (Noctuidae)
936. *Oncocnemis nigricula* (Eversmann, 1847) (Noctuidae)
937. *Oncocnemis senica* (Eversmann, 1856) (Noctuidae)
938. *Ophthalmitis albosignaria* (Bremer & Grey, 1853) (Geometridae)
939. *Ophthalmitis albosignaria albosignaria* (Bremer & Grey, 1853) (Geometridae)
940. *Opigena albifurca* (Erschoff, 1877) (Noctuidae)
941. *Orgyia dubia* (Tauscher, 1806) (Lymantriidae)
942. *Orthotaenia secunda* Falkovitsh, 1962 (Tortricidae)
943. *Ostrinia peregrinalis* (Eversmann, 1852) (Pyralidae)
944. *Ostrinia zealis varialis* (Bremer, 1864) (Pyralidae)
945. *Palearctia mira* Dubatolov & Tshistjakov, 1989 (Arctiidae)
946. *Palearctia mira mira* Dubatolov & Tshistjakov, 1989 (Arctiidae)
947. *Palpita nigropunctalis* (Bremer, 1864) (Pyralidae)
948. *Pammene aceris* Kuznetsov, 1968 (Tortricidae)
949. *Pammene ainorum* Kuznetsov, 1968 (Tortricidae)
950. *Pammene exscribana* Kuznetsov, 1986 (Tortricidae)
951. *Pammene flavicellula* Kuznetsov, 1971 (Tortricidae)
952. *Pammene griseomaculana* Kuznetsov, 1960 (Tortricidae)
953. *Pammene grunini* Kuznetsov, 1960 (Tortricidae)
954. *Pammene ignorata* Kuznetsov, 1968 (Tortricidae)
955. *Pammene insolentana* Kuznetsov, 1964 (Tortricidae)
956. *Pammene instructana* Kuznetsov, 1964 (Tortricidae)
957. *Pammene japonica* Kuznetsov, 1968 (Tortricidae)
958. *Pammene monotincta* Kuznetsov, 1976 (Tortricidae)
959. *Pammene nemorosa* Kuznetsov, 1968 (Tortricidae)
960. *Pammene orientana* Kuznetsov, 1960 (Tortricidae)
961. *Pammene seminotata* Filipjev, 1926 (Tortricidae)
962. *Pammene shicotanica* Kuznetsov, 1968 (Tortricidae)
963. *Pammene subsalvana* Kuznetsov, 1960 (Tortricidae)
964. *Pammene tauriana* Kuznetsov, 1960 (Tortricidae)
965. *Panchrysia v-argenteum dives* (Eversmann, 1844) (Noctuidae)
966. *Pandemis ignescana* (Kuznetsov, 1976) (Tortricidae)
967. *Papilio* (s.str.) *machaon kamtschadalus* Alpheraky, 1897 (Papilionidae)
968. *Parahypopta caestrum desertum* (Fischer Waldheim, 1832) (Cossidae)
969. *Paralebeda femorata* (Ménétriés, 1858) (Lasiocampidae)
970. *Paralebeda femorata femorata* (Ménétriés, 1858) (Lasiocampidae)
971. *Paraplatyptilia carelica* (Zagulyaev, 1983) (Pterophoridae)
972. *Parasemia plantaginis nictitans* (Ménétriés, 1859) (Arctiidae)

973. *Parasemia plantaginis sifanica* (Groum-Grshimailo,1891) (Arctiidae)
974. *Paratalanta ussuralis* (Bremer,1864) (Pyrilidae)
975. *Paratorna catenuella* (Christoph,1882) (Tortricidae)
976. *Paratorna cuprescens* Falkovitsh,1965 (Tortricidae)
977. *Parnara guttatus* (Bremer & Grey,[1852]) (Hesperiidae)
978. *Parnara guttatus guttatus* (Bremer & Grey,[1852]) (Hesperiidae)
979. *Parnassius* (Driopa) *eversmanni* [Ménétriés],1850 (Papilionidae)
980. *Parnassius* (Driopa) *eversmanni eversmanni* [Ménétriés],1850 (Papilionidae)
981. *Parnassius* (Driopa) *eversmanni felderi* Bremer,1861 (Papilionidae)
982. *Parnassius* (Driopa) *stubbendorffii* Ménétriés,1849 (Papilionidae)
983. *Parnassius* (Driopa) *stubbendorffii stubbendorffii* Ménétriés,1849 (Papilionidae)
984. *Parnassius* (s.str.) *bremeri* Bremer,1864 (Papilionidae)
985. *Parnassius* (s.str.) *bremeri bremeri* Bremer,1864 (Papilionidae)
986. *Parnassius* (s.str.) *phoebus intermedius* [Ménétriés],1850 (Papilionidae)
987. *Parnassius* (Sachaia) *tenedius* Eversmann,1851 (Papilionidae)
988. *Parnassius* (Sachaia) *tenedius tenedius* Eversmann,1851 (Papilionidae)
989. *Parornix ermolaevi* Kuznetsov,1979 (Gracillariidae)
990. *Parornix kumatai* Ermolaev,1993 (Gracillariidae)
991. *Parornix maliphaga* Kuznetsov,1979 (Gracillariidae)
992. *Pediasia radicivitta* (Filipjev,1927) (Pyrilidae)
993. *Pelochrista arabescana* (Eversmann,1844) (Tortricidae)
994. *Pelochrista caementana* (Christoph,1872) (Tortricidae)
995. *Pelochrista dagestana* Obraztsov,1949 (Tortricidae)
996. *Pelochrista danilevskyi* Kostyuk,1975 (Tortricidae)
997. *Pelochrista kuznetsovi* Kostyuk,1975 (Tortricidae)
998. *Pelochrista labyrinthica* (Christoph,1872) (Tortricidae)
999. *Pelochrista lineolana* Kuznetsov,1964 (Tortricidae)
1000. *Pelochrista metria* Falkovitsh,1964 (Tortricidae)
1001. *Pelochrista obscura* Kuznetsov,1978 (Tortricidae)
1002. *Pelochrista ornata* Kuznetsov,1967 (Tortricidae)
1003. *Pelochrista tholera* Falkovitsh,1964 (Tortricidae)
1004. *Pelochrista umbraculana* (Eversmann,1844) (Tortricidae)
1005. *Pempelia geminella* (Eversmann,1844) (Pyrilidae)
1006. *Pempeliella aurorella* (Christoph,1867) (Pyrilidae)
1007. *Periphanes victorina* (Sodoffsky,1849) (Noctuidae)
1008. *Perittia karadaghella* Sinev & Budashkin,1991 (Elachistidae)
1009. *Phalonidia aliena* Kuznetsov,1966 (Tortricidae)
1010. *Phalonidia fulvimixta* (Filipjev,1940) (Tortricidae)
1011. *Phalonidia lydiae* (Filipjev,1940) (Tortricidae)
1012. *Phalonidia silvestris* Kuznetsov,1966 (Tortricidae)
1013. *Phaselia serrularia* (Eversmann,1847) (Geometridae)
1014. *Phaselia serrularia serrularia* (Eversmann,1847) (Geometridae)
1015. *Photodes stigmatica* (Eversmann,1855) (Noctuidae)
1016. *Photoscotosia atrostrigata* (Bremer,1864) (Geometridae)
1017. *Photoscotosia strostrigata* (Bremer,1864) (Geometridae)
1018. *Phragmataecia pacifica* Yakovlev,2007 (Cossidae)
1019. *Phtheochroa exasperantana* (Christoph,1872) (Tortricidae)
1020. *Phtheochroa kenneli* (Obraztsov,1944) (Tortricidae)
1021. *Phtheochroa krulikowskii* (Obraztsov,1944) (Tortricidae)
1022. *Phtheochroa pistrinana* (Erschoff,1877) (Tortricidae)
1023. *Phtheochroa retextana* (Erschoff,1874) (Tortricidae)
1024. *Phthonandria emaria* (Bremer,1861) (Geometridae)
1025. *Phthonandria emaria emaria* (Bremer,1861) (Geometridae)
1026. *Phyllocnistis extrematrix* Martynova,1955 (Gracillariidae)
1027. *Phyllometra culminaria* (Eversmann,1843) (Geometridae)
1028. *Phyllonorycter laurocerasi* (Kuznetsov,1979) (Gracillariidae)
1029. *Phyllonorycter macrantherella* (Kuznetsov,1961) (Gracillariidae)
1030. *Phyllonorycter malella* (Gerasimov,1931) (Gracillariidae)
1031. *Phyllonorycter medicaginella* (Gerasimov,1930) (Gracillariidae)
1032. *Phyllonorycter pomiella* (Gerasimov,1933) (Gracillariidae)
1033. *Phyllonorycter populialbae* (Kuznetsov,1961) (Gracillariidae)

- 1034. Phyllonorycter pyrifoliella (Gerasimov,1933) (Gracillariidae)**
- 1035. Phyllonorycter trifoliella (Gerasimov,1933) (Gracillariidae)**
- 1036. Phyllonorycter turanica (Gerasimov,1931) (Gracillariidae)**
- 1037. Phyllosphingia dissimilis (Bremer,1861) (Sphingidae)**
- 1038. Phyllosphingia dissimilis dissimilis (Bremer,1861) (Sphingidae)**
- 1039. Pieris (Artogeia) melete Ménéttriés,1857 (Pieridae)**
- 1040. Platarctia atropurpurea sotavaltai Dubatolov,1996 (Arctiidae)**
- 1041. Platyptilia diversicilia Filipjev,1931 (Pterophoridae)**
- 1042. Plebejus (Kretania) carmon zamotajlovi (Shchurov & Lukhtanov,2001)**
(Lycaenidae)
- 1043. Plebejus (Lycaeides) cleobis Bremer,1861 (Lycaenidae)**
- 1044. Plebejus (Lycaeides) cleobis cleobis Bremer,1861 (Lycaenidae)**
- 1045. Plebejus (Lycaeides) maracandicus (Erschoff,1874) (Lycaenidae)**
- 1046. Plebejus (Lycaeides) maracandicus chalcha (Korshunov,1982) (Lycaenidae)**
- 1047. Plebejus (Lycaeides) subsolanus (Eversmann,1851) (Lycaenidae)**
- 1048. Plebejus (Lycaeides) subsolanus ida (Groum-Grshimailo,1890) (Lycaenidae)**
- 1049. Plebejus (Lycaeides) subsolanus subsolanus (Eversmann,1851) (Lycaenidae)**
- 1050. Plebejus (Plebejides) zephyrinus (Christoph,1884) (Lycaenidae)**
- 1051. Plebejus (s.str.) argus caeruleus Gorbunov,1995 (Lycaenidae)**
- 1052. Plesioscotosia pulchrata (Alpheraky,1883) (Geometridae)**
- 1053. Pleurota aorsella Christoph,1872 (Oecophoridae)**
- 1054. Pleurota contignatella Christoph,1872 (Oecophoridae)**
- 1055. Pleurota monotonia Filipjev,1930 (Oecophoridae)**
- 1056. Pleurota neurograpta Filipjev,1930 (Oecophoridae)**
- 1057. Polia serratilinea spalax (Alpheraky,1897) (Noctuidae)**
- 1058. Polymixis (Parabrachionycha) trisignata (Ménéttriés,1847) (Noctuidae)**
- 1059. Polyommatus (Agriades (s.str.)) aquilo vosnesenskyi (Ménéttriés,1855)**
(Lycaenidae)
- 1060. Polyommatus (Agriades (s.str.)) diodorus (Bremer,1861) (Lycaenidae)**
- 1061. Polyommatus (Agriades (s.str.)) diodorus diodorus (Bremer,1861) (Lycaenidae)**
- 1062. Polyommatus (Albulina (Plebejidea)) cyane (Eversmann,1837) (Lycaenidae)**
- 1063. Polyommatus (Albulina (Plebejidea)) cyane cyane (Eversmann,1837) (Lycaenidae)**
- 1064. Polyommatus (Aricia (Eumedonia)) eumedon fylgides (Gorbunov,1995)**
(Lycaenidae)
- 1065. Polyommatus (Aricia (Pseudoaricia)) nicias kolosovi (Korshunov,1995)**
(Lycaenidae)
- 1066. Polyommatus (Aricia (s.str.)) artaxerxes sarmatis (Groum-Grshimailo,1890)**
(Lycaenidae)
- 1067. Polyommatus (Aricia (s.str.)) artaxerxes sheljuzhkoii (Obraztsov,1935)**
(Lycaenidae)
- 1068. Polyommatus (Aricia (s.str.)) artaxerxes strandi (Obraztsov,1935) (Lycaenidae)**
- 1069. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) phyllis (Christoph,1877)**
(Lycaenidae)
- 1070. Polyommatus (s.str. (Agrodiaetus (s.str.))) damocles rossicus Dantchenko & Lukhtanov,1993 (Lycaenidae)**
- 1071. Polyommatus (s.str. (Agrodiaetus (s.str.))) damone (Eversmann,1841)**
(Lycaenidae)
- 1072. Polyommatus (s.str. (Agrodiaetus (s.str.))) damone damone (Eversmann,1841)**
(Lycaenidae)
- 1073. Polyommatus (s.str. (Neolysandra)) coelestinus (Eversmann,1843) (Lycaenidae)**
- 1074. Polyommatus (s.str. (Neolysandra)) coelestinus coelestinus (Eversmann,1843)**
(Lycaenidae)
- 1075. Polyommatus (s.str. (Thersitesia)) thersites hypanicus (Obraztsov,1936)**
(Lycaenidae)
- 1076. Polyommatus (s.str. (Thersitesia)) thersites karatshaicus (Obraztsov,1936)**
(Lycaenidae)
- 1077. Polyommatus (s.str. (Thersitesia)) thersites narzanus (Obraztsov,1936)**
(Lycaenidae)
- 1078. Polyommatus (s.str. (Thersitesia)) thersites rjabovi (Obraztsov,1936) (Lycaenidae)**
- 1079. Polyommatus (s.str. (Thersitesia)) thersites zhicharevi (Obraztsov,1936)**
(Lycaenidae)

1080. *Polyommatus* (s.str.) *eros taimyrensis* Korshunov,1982 (Lycaenidae)
1081. *Polyommatus* (s.str.) *icadius* (Groum-Grshimailo,1890) (Lycaenidae)
1082. *Polyommatus* (s.str.) *icarus korshunovi* Gorbunov,1995 (Lycaenidae)
1083. *Polyommatus* (s.str.) *icarus omelkoi* Dubatolov & Korshunov,1995 (Lycaenidae)
1084. *Polyommatus* (s.str.) *kamtschadalus taimyrensis* Korshunov,1982 (Lycaenidae)
1085. *Princeps* (s.str. (Achillides)) *maacki* (Ménétriés,1858) (Papilionidae)
1086. *Princeps* (s.str. (Achillides)) *maacki maacki* (Ménétriés,1858) (Papilionidae)
1087. *Proceratia fulvostrigella* (Eversmann,1844) (Pyrilidae)
1088. *Prochoreutis sachalinensis* (Danilevsky,1969) (Choreutidae)
1089. *Prochoreutis solaris* (Erschoff,1877) (Choreutidae)
1090. *Prochoreutis ussurica* (Danilevsky,1969) (Choreutidae)
1091. *Promalactis venustella* (Christoph,1882) (Oecophoridae)
1092. *Proserpinus proserpinus* (Pallas,1772) (Sphingidae)
1093. *Proserpinus proserpinus proserpinus* (Pallas,1772) (Sphingidae)
1094. *Pseudacroclita luteispecula* (Kuznetsov,1979) (Tortricidae)
1095. *Pseudocadra cuprotaeniella* (Christoph,1881) (Pyrilidae)
1096. *Pseudochazara* (s.str.) *nukatli* Bogdanov,2000 (Satyridae)
1097. *Pseudochazara* (s.str.) *nukatli nukatli* Bogdanov,2000 (Satyridae)
1098. *Pseudohadena* (s.str.) *immunda* (Eversmann,1842) (Noctuidae)
1099. *Pseudohadena* (s.str.) *indigna* (Christoph,1887) (Noctuidae)
1100. *Pseudohedya cinnina* Falkovitsh,1962 (Tortricidae)
1101. *Pseudohedya gradana* (Christoph,1881) (Tortricidae)
1102. *Pseudophilotes jacuticus jacuticus* Korshunov & Viidalepp,1980 (Lycaenidae)
1103. *Pseudophilotes jacuticus* Korshunov & Viidalepp,1980 (Lycaenidae)
1104. *Pseudostegania defectata* (Christoph,1881) (Geometridae)
1105. *Psyche casta* (Pallas,1767) (Psychidae)
1106. *Psyche caucasica* (Solyanikov,1991) (Psychidae)
1107. *Psyche ghilarovi* (Solyanikov,1991) (Psychidae)
1108. *Pterodecta felderi* (Bremer,1864) (Callidulidae)
1109. *Ptycholoma erschoffi* (Christoph,1877) (Tortricidae)
1110. *Ptygmatophora staudingeri* (Christoph,1881) (Geometridae)
1111. *Pyrgus alpinus* (Erschoff,1874) (Hesperiidae)
1112. *Pyrgus alpinus alpinus* (Erschoff,1874) (Hesperiidae)
1113. *Pyrgus centaureae kurenzovi* Korshunov,1995 (Hesperiidae)
1114. *Pyrgus maculatus* (Bremer & Grey,1852) (Hesperiidae)
1115. *Pyrgus maculatus maculatus* (Bremer & Grey,1852) (Hesperiidae)
1116. *Pyrgus serratulae sukhshini* Korshunov & Ivonine,1996 (Hesperiidae)
1117. *Pyrocleptria cora* (Eversmann,1837) (Noctuidae)
1118. *Rapala arata* (Bremer,1861) (Lycaenidae)
1119. *Rapala arata arata* (Bremer,1861) (Lycaenidae)
1120. *Ratasa alienalis* (Eversmann,1844) (Pyrilidae)
1121. *Rebelia nocturnella* (Alpheraky,1876) (Psychidae)
1122. *Reskovitsia alborivulalis* (Eversmann,1843) (Pyrilidae)
1123. *Rethera komarovi* (Christoph,1885) (Sphingidae)
1124. *Rethera komarovi komarovi* (Christoph,1885) (Sphingidae)
1125. *Retinia immanitana* (Kuznetsov,1969) (Tortricidae)
1126. *Retinia lemniscata* (Kuznetsov,1973) (Tortricidae)
1127. *Rheumaptera flavipes* (Ménétriés,1858) (Geometridae)
1128. *Rheumaptera inanata* (Christoph,1881) (Geometridae)
1129. *Rheumaptera inanata* (Christoph,1881) (Geometridae)
1130. *Rheumaptera veterinata* (Christoph,1881) (Geometridae)
1131. *Rhodoneura guttata* Christoph,1880 (Thyridae)
1132. *Rhyacia* (s.str.) *ledereri* (Erschoff,1870) (Noctuidae)
1133. *Rhyacia* (s.str.) *reticulata* Kozhantshikov,1923 (Noctuidae)
1134. *Rhyarioides amurensis* (Bremer,1861) (Arctiidae)
1135. *Rhyarioides flavida* (Bremer,1861) (Arctiidae)
1136. *Rubrapterus bavius* (Eversmann,1832) (Lycaenidae)
1137. *Rubrapterus bavius bavius* (Eversmann,1832) (Lycaenidae)
1138. *Salinaria diffusella* (Christoph,1872) (Pyrilidae)
1139. *Salsolicola stshetkini* Kuznetsov,1960 (Tortricidae)
1140. *Saragossa porosa* (Eversmann,1854) (Noctuidae)

1141. *Saturnia (Rinaca) boisduvali* Eversmann, 1846 (Saturniidae)
1142. *Satyrus (Asatyrus (s.str.)) ferulus altaicus* Groum-Grshimailo, 1893 (Satyridae)
1143. *Satyrus (Asatyrus (s.str.)) ferulus medvedevi* Korshunov, 1996 (Satyridae)
1144. *Satyrus (Asatyrus (s.str.)) ferulus sergeevi* Dubatolov & Streltsov, 1999 (Satyridae)
1145. *Scardamia aurantiacaria* Bremer, 1864 (Geometridae)
1146. *Scardia amurensis* Zagulyaev, 1965 (Tineidae)
1147. *Sciota (Clasperopsis) fumella* (Eversmann, 1844) (Pylalidae)
1148. *Sclerocona acutella* (Eversmann, 1842) (Pylalidae)
1149. *Scolitantides orion* (Pallas, 1771) (Lycaenidae)
1150. *Scolitantides orion orion* (Pallas, 1771) (Lycaenidae)
1151. *Scolitantides orion orithya* (Groum-Grshimailo, 1892) (Lycaenidae)
1152. *Scoparia mandschurica* Christoph, 1881 (Pylalidae)
1153. *Scoparia x-signata* Filipjev, 1927 (Pylalidae)
1154. *Scopula aequifasciata* (Christoph, 1881) (Geometridae)
1155. *Scopula apicipunctata* (Christoph, 1881) (Geometridae)
1156. *Scopula divisaria* (Christoph, 1893) (Geometridae)
1157. *Scopula orientalis* (Alpheraky, 1876) (Geometridae)
1158. *Scopula prouti* Djakonov, 1935 (Geometridae)
1159. *Scopula pudicaria* (Motschulsky, 1861) (Geometridae)
1160. *Scopula subtilata* (Christoph, 1867) (Geometridae)
1161. *Scotopteryx burgaria* (Eversmann, 1843) (Geometridae)
1162. *Scotopteryx langi* (Christoph, 1885) (Geometridae)
1163. *Scotopteryx pinnaria* (Christoph, 1888) (Geometridae)
1164. *Scotopteryx pinnaria pinnaria* (Christoph, 1888) (Geometridae)
1165. *Scythocentropus scripturosa* (Eversmann, 1854) (Noctuidae)
1166. *Scythris capitalis* (Erschoff, 1874) (Scythridae)
1167. *Scythris complexa* Sinev, 2001 (Scythridae)
1168. *Scythris dahurica* Sinev, 2001 (Scythridae)
1169. *Scythris incospicua* Sinev, 2001 (Scythridae)
1170. *Scythris jakutica* Sinev, 2001 (Scythridae)
1171. *Scythris jalavai* Sinev, 1993 (Scythridae)
1172. *Scythris mikkolai* Sinev, 1993 (Scythridae)
1173. *Scythris orientella* Sinev, 2001 (Scythridae)
1174. *Scythris ustjuzhanini* Sachkov & Sinev, 2001 (Scythridae)
1175. *Sena sordida* (Erschoff, 1874) (Lasiocampidae)
1176. *Sideridis (Conisania) leineri furcata* (Eversmann, 1837) (Noctuidae)
1177. *Sideridis (Luteohadena) literata* (Fischer v. Waldheim, 1840) (Noctuidae)
1178. *Sideridis (Luteohadena) literata literata* (Fischer de Waldheim, 1840) (Noctuidae)
1179. *Simplicia rectalis* (Eversmann, 1842) (Noctuidae)
1180. *Sinevina scythrella* (Sinev, 1986) (Blastobasidae)
1181. *Smerinthus caecus* Ménétriés, 1857 (Sphingidae)
1182. *Spargania luctuata albidior* (Alpheraky, 1897) (Geometridae)
1183. *Sphecodina caudata* (Bremer & Grey, [1852]) (Sphingidae)
1184. *Sphecodina caudata caudata* (Bremer & Grey, [1852]) (Sphingidae)
1185. *Spialia (Neospialia) orbifer pseudolugens* Gorbunov, 1995 (Hesperiidae)
1186. *Spilonota semirufana* (Christoph, 1882) (Tortricidae)
1187. *Stamnoda danilovi* Erschoff, 1877 (Geometridae)
1188. *Stamnoda danilovi* Erschoff, 1877 (Geometridae)
1189. *Stamnoda depeculata narzanica* Alpheraky, 1877 (Geometridae)
1190. *Stamnoda pauperaria* (Eversmann, 1848) (Geometridae)
1191. *Stamnoda pauperaria pauperaria* (Eversmann, 1848) (Geometridae)
1192. *Statherotmantis peregrina* (Falkovitsh, 1966) (Tortricidae)
1193. *Statherotmantis pictana* (Kuznetsov, 1969) (Tortricidae)
1194. *Statherotmantis shicotana* (Kuznetsov, 1969) (Tortricidae)
1195. *Stenoptilia eborinodactyla* Zagulyaev, 1986 (Pterophoridae)
1196. *Stomopteryx lineolella* (Eversmann, 1844) (Gelechiidae)
1197. *Stomopteryx lineolella lineolella* (Eversmann, 1844) (Gelechiidae)
1198. *Sympistis nigrita sibirica* (Alpheraky, 1895) (Noctuidae)
1199. *Synanthedon herzi* K. Spatenka & Gorbunov, 1992 (Sesiidae)
1200. *Synaphe bombycalis eversmanni* (Obraztsov, 1952) (Pylalidae)
1201. *Tabulaephorus marptys* (Christoph, 1872) (Pterophoridae)

1202. *Taleporia euxina* Zagulyaev,1997 (Psychidae)
1203. *Taleporia pallidella* (Zagulyaev,1997) (Psychidae)
1204. *Talis wockei* Filipjev,1929 (Pyrilidae)
1205. *Tebenna chingana* Danilevsky,1969 (Choreutidae)
1206. *Tebenna submicalis* Danilevsky,1969 (Choreutidae)
1207. *Teleiodes vovkella* (Piskunov,1973) (Gelechiidae)
1208. *Tethea albicostata* (Bremer,1861) (Thyatridae)
1209. *Tethea albuncula* (Eversmann,1851) (Thyatridae)
1210. *Tethea trifolium* (Alpheraky,1895) (Thyatridae)
1211. *Thetidia prasinaria* (Eversmann,1837) (Geometridae)
1212. *Thiodia sulphurana* (Christoph,1888) (Tortricidae)
1213. *Thyatira trimaculata* Bremer,1861 (Thyatridae)
1214. *Thymelicus sylvaticus* (Bremer,1861) (Hesperiidae)
1215. *Thymelicus sylvaticus sylvaticus* (Bremer,1861) (Hesperiidae)
1216. *Tia enervana* (Erschoff,1877) (Tortricidae)
1217. *Timandra rectistrigaria* (Eversmann,1851) (Geometridae)
1218. *Tinea nonimella* (Zagulyaev,1955) (Tineidae)
1219. *Tomares callimachus* (Eversmann,1848) (Lycaenidae)
1220. *Tomares callimachus callimachus* (Eversmann,1848) (Lycaenidae)
1221. *Tongeia fischeri* (Eversmann,1843) (Lycaenidae)
1222. *Tongeia fischeri fischeri* (Eversmann,1843) (Lycaenidae)
1223. *Trachycera injunctella* (Christoph,1881) (Pyrilidae)
1224. *Trichodezia kindermanni* (Bremer,1864) (Geometridae)
1225. *Trichodezia kindermanni kindermanni* (Bremer,1864) (Geometridae)
1226. *Trichophaga scandinaviella* Zagulyaev,1960 (Tineidae)
1227. *Trichosilia plumbea* (Alpheraky,1887) (Noctuidae)
1228. *Triphysa dohrnii tscherskii* Groum-Grshimailo,1899 (Satyridae)
1229. *Triphysa nervosa* Motschulsky,1866 (Satyridae)
1230. *Triphysa nervosa nervosa* Motschulsky,1866 (Satyridae)
1231. *Triphysa nervosa sacha* Korshunov,1996 (Satyridae)
1232. *Triphysa phryne* (Pallas,1771) (Satyridae)
1233. *Triphysa phryne phryne* (Pallas,1771) (Satyridae)
1234. *Udea costalis* (Eversmann,1852) (Pyrilidae)
1235. *Venusia semistrigata* (Christoph,1881) (Geometridae)
1236. *Venusia semistrigata semistrigata* (Christoph,1881) (Geometridae)
1237. *Victrix (Poliobrya) umovii* (Eversmann,1846) (Noctuidae)
1238. *Vietteia terstrigella* (Christoph,1877) (Pyrilidae)
1239. *Vulcaniella grandiferella* Sinev,1986 (Cosmopterigidae)
1240. *Xanthorhoe deflorata* (Erschoff,1877) (Geometridae)
1241. *Xanthorhoe derzhavini* (Djakonov,1931) (Geometridae)
1242. *Xanthorhoe ferrugata malaisei* (Djakonov,1929) (Geometridae)
1243. *Xanthorhoe muscicapata* (Christoph,1881) (Geometridae)
1244. *Xanthorhoe stupida* (Alpheraky,1897) (Geometridae)
1245. *Xenortholitha propinguata suavata* (Christoph,1881) (Geometridae)
1246. *Xerodes albonotaria* (Bremer,1864) (Geometridae)
1247. *Xestia (s.str.) albuncula* (Eversmann,1851) (Noctuidae)
1248. *Xestia (s.str.) brachiptera* (Kononenko,1981) (Noctuidae)
1249. *Xestia (s.str.) distensa* (Eversmann,1851) (Noctuidae)
1250. *Xestia (s.str.) liquidaria* (Eversmann,1844) (Noctuidae)
1251. *Ypthima amphithea amphithea* Ménéttriés,1859 (Satyridae)
1252. *Ypthima amphithea* Ménéttriés,1859 (Satyridae)
1253. *Zaranga tukuringra* Streltsov & Yakovlev,2007 (Notodontidae)
1254. *Zeiraphera argutana* (Christoph,1881) (Tortricidae)
1255. *Zeiraphera atra* Falkovitsh,1965 (Tortricidae)
1256. *Zeiraphera funesta* Filipjev,1931 (Tortricidae)
1257. *Zeiraphera virinea* Falkovitsh,1965 (Tortricidae)
1258. *Zygaena (Agrumenia) armena* Eversmann,1851 (Zygaenidae)
1259. *Zygaena (Agrumenia) fraxini* Ménéttriés,1832 (Zygaenidae)
1260. *Zygaena (Mesembrynus) centaureae centaureae* Fischer v. Waldheim,1832 (Zygaenidae)
1261. *Zygaena (Mesembrynus) centaureae* Fischer v. Waldheim,1832 (Zygaenidae)

1262. *Zygaena* (s.str.) *ephialtes medusa* (Pallas,1771) (Zygaenidae)

Species Group Taxa among the Russian Lepidoptera Proposed by British Lepidopterists

The scientific names are arranged alphabetically.

1. *Acleris caerulescens* (Walsingham,1900) (Tortricidae)
2. *Acleris conchyloides* (Walsingham,1900) (Tortricidae)
3. *Acleris enitescens* (Meyrick,1912) (Tortricidae)
4. *Acleris fuscotogata* (Walsingham,1900) (Tortricidae)
5. *Acleris hyemana* (Haworth,1811) (Tortricidae)
6. *Acleris implexana* (Walker,1863) (Tortricidae)
7. *Acleris napaea* (Meyrick,1912) (Tortricidae)
8. *Acleris paradiseana* (Walsingham,1900) (Tortricidae)
9. *Acleris platynotana* (Walsingham,1900) (Tortricidae)
10. *Acleris shepherdana* (Stephens,1852) (Tortricidae)
11. *Acleris ulmicola* (Meyrick,1930) (Tortricidae)
12. *Acleris undulana* (Walsingham,1900) (Tortricidae)
13. *Acontia olivacea* (Hampson,1891) (Noctuidae)
14. *Acrocercops transecta* Meyrick,1931 (Gracillariidae)
15. *Acrolepia autumnitella* Curtis,1838 (Yponomeutidae)
16. *Acrolepiopsis betulella* (Curtis,1850) (Yponomeutidae)
17. *Acronicta* (*Triaena*) *intermedia* (W.Warren,1909) (Noctuidae)
18. *Acropentias aureus* (Butler,1890) (Pyalidae)
19. *Aethes cnicana* (Westwood,1854) (Tortricidae)
20. *Aethes dilucidana* (Stephens,1852) (Tortricidae)
21. *Aethes margaritana* (Haworth,[1811]) (Tortricidae)
22. *Aethes mesomelana* (Walker,1863) (Tortricidae)
23. *Aethes tornella* (Walsingham,1898) (Tortricidae)
24. *Agathia carissima* Butler,1878 (Geometridae)
25. *Agathia carissima carissima* Butler,1878 (Geometridae)
26. *Agonochaetia intermedia* Sattler,1968 (Gelechiidae)
27. *Agonopterix ciliella* (Stainton,1849) (Oecophoridae)
28. *Agonopterix curvipunctosa* (Haworth,[1811]) (Oecophoridae)
29. *Agonopterix liturosa* (Haworth,1811) (Oecophoridae)
30. *Agonopterix nanatella* (Stainton,1849) (Oecophoridae)
31. *Agonopterix nervosa* (Haworth,[1811]) (Oecophoridae)
32. *Agonopterix purpurea* (Haworth,[1811]) (Oecophoridae)
33. *Agonopterix subpropinquella* (Stainton,1849) (Oecophoridae)
34. *Agriphila geniculea* (Haworth,[1811]) (Pyralidae)
35. *Agriphila geniculea geniculea* (Haworth,[1811]) (Pyralidae)
36. *Agriphila latistria* (Haworth,[1811]) (Pyralidae)
37. *Agrochola* (*Anchoscelis*) *luteogrisea* (W.Warren,1911) (Noctuidae)
38. *Aldania themis* (Leech,1890) (Argynnididae)
39. *Aldania themis themis* (Leech,1890) (Argynnididae)
40. *Alsophila japonensis* W.Warren,1894 (Geometridae)
41. *Alucita cancellata* (Meyrick,1908) (Alucitidae)
42. *Amblyptilia punctidactyla* (Haworth,1811) (Pterophoridae)
43. *Amphipyra berbera svenssoni* D.S.Fletcher,1968 (Noctuidae)
44. *Amphisbatis incongruella* (Stainton,1849) (Oecophoridae)
45. *Ampittia virgata* Leech,1890 (Hesperiidae)
46. *Amraica superans* (Butler,1878) (Geometridae)
47. *Amurilla subpurpurea* (Butler,1881) (Lasiocampidae)
48. *Anacronycta nitida* (Butler,1878) (Noctuidae)
49. *Anadevidia hebetata* (Butler,1889) (Noctuidae)
50. *Anarsia* (*Ananarsia*) *bipinnata* (Meyrick,1932) (Gelechiidae)

51. *Anarta richardsoni* Curtis,1834 (Noctuidae)
52. *Anartomima secedens* (Walker,1858) (Noctuidae)
53. *Ancylis diminutana* (Haworth,[1811]) (Tortricidae)
54. *Ancylis obtusana* (Haworth,[1811]) (Tortricidae)
55. *Ancylis subacurana* (Douglas,1847) (Tortricidae)
56. *Ancylis unculana* (Haworth,[1811]) (Tortricidae)
57. *Anomis involuta* (Walker,[1858]) (Noctuidae)
58. *Anomis mesogona* (Walker,1858) (Noctuidae)
59. *Anomis privata* (Walker,1865) (Noctuidae)
60. *Anthocharis cardamines sheldoni* (Hemming,1934) (Pieridae)
61. *Anticlea correlata* (W.Warren,1901) (Geometridae)
62. *Anumeta atosignata* Walker,1858 (Noctuidae)
63. *Apamea epomidion* (Haworth,1809) (Noctuidae)
64. *Apamea oblonga* (Haworth,[1809]) (Noctuidae)
65. *Aplota palpella* (Haworth,1828) (Oecophoridae)
66. *Aporophyla nigra* (Haworth,[1809]) (Noctuidae)
67. *Aporophyla nigra nigra* (Haworth,1809) (Noctuidae)
68. *Apotomis betuletana* (Haworth,1811) (Tortricidae)
69. *Apotomis semifasciana* (Haworth,[1811]) (Tortricidae)
70. *Archanara geminipuncta* (Haworth,1809) (Noctuidae)
71. *Archanara geminipuncta geminipuncta* (Haworth,1809) (Noctuidae)
72. *Archicaris parthenias sajana* L.B.Prout,1912 (Geometridae)
73. *Archips pulchra* (Butler,1879) (Tortricidae)
74. *Arctia* (s.str.) *caja phaeosoma* (Butler,1877) (Arctiidae)
75. *Argynnis* (Damora) *sagana* Doubleday,1847 (Argynnididae)
76. *Argynnis* (Damora) *sagana sagana* Doubleday,1847 (Argynnididae)
77. *Argynnis* (Fabriciana) *adippe pallescens* Butler,1873 (Argynnididae)
78. *Argynnis* (Fabriciana) *adippe vorax* Butler,1871 (Argynnididae)
79. *Argynnis* (Fabriciana) *nerippe coreana* Butler,1882 (Argynnididae)
80. *Argynnis* (s.str.) *zenobia* Leech,1890 (Argynnididae)
81. *Argyresthia* (s.str.) *albistria* (Haworth,1828) (Yponomeutidae)
82. *Argyresthia* (s.str.) *aurulentella* Stainton,1849 (Yponomeutidae)
83. *Argyresthia* (s.str.) *ivella* (Haworth,1828) (Yponomeutidae)
84. *Argyresthia* (s.str.) *semifusca* (Haworth,1828) (Yponomeutidae)
85. *Argyresthia* (s.str.) *semitestacella* (Curtis,1833) (Yponomeutidae)
86. *Argyresthia* (s.str.) *spinosella* Stainton,1849 (Yponomeutidae)
87. *Aristotelia subdecurtella* (Stainton,1859) (Gelechiidae)
88. *Artopoetes pryeri* (Murray,1873) (Lycaenidae)
89. *Artopoetes pryeri pryeri* (Murray,1873) (Lycaenidae)
90. *Aspitates taylori* (Butler,1893) (Geometridae)
91. *Ateliotum cypellias* (Meyrick,1937) (Tineidae)
92. *Atethmia centrargo* (Haworth,[1809]) (Noctuidae)
93. *Autographa pulchrina* (Haworth,1809) (Noctuidae)
94. *Autophila* (s.str.) *inconspicua* (Butler,1881) (Noctuidae)
95. *Autotrichia lysimeles* (L.B.Prout,1924) (Geometridae)
96. *Bactra* (s.str.) *furfurana* (Haworth,[1811]) (Tortricidae)
97. *Balataea gracilis* (Walker,1864) (Zygaenidae)
98. *Bastilla maturata* (Walker,1858) (Noctuidae)
99. *Batia lunaris* (Haworth,[1828]) (Oecophoridae)
100. *Batrachedra praeangusta* (Haworth,1828) (Batrachedridae)
101. *Biston regalis* Moore,1888 (Geometridae)
102. *Biston robustum* Butler,1879 (Geometridae)
103. *Blastodacna atra* (Haworth,[1828]) (Agonoxenidae)
104. *Bohemannia pulverosella* (Stainton,1849) (Nepticulidae)
105. *Boloria* (Clossiana) *astarte* (Doubleday & Hewitson,[1847]) (Argynnididae)
106. *Boloria* (Clossiana) *dia alpina* (Elwes,1899) (Argynnididae)
107. *Boloria* (Clossiana) *freija pallida* (Elwes,1899) (Argynnididae)
108. *Boloria* (Clossiana) *frigga alpestris* (Elwes,1899) (Argynnididae)
109. *Boloria* (Clossiana) *improba* (Butler,1877) (Argynnididae)
110. *Boloria* (Clossiana) *improba improba* (Butler,1877) (Argynnididae)
111. *Borkhausenia fuscescens* (Haworth,1828) (Oecophoridae)

112. *Brachmia inornatella* (Douglas,1850) (Gelechiidae)
113. *Brachylomia uralensis* (W.Warren,1910) (Noctuidae)
114. *Brachylomia uralensis uralensis* (W.Warren,1910) (Noctuidae)
115. *Bryotropha affinis* (Haworth,1828) (Gelechiidae)
116. *Bryotropha boreella* (Douglas,1851) (Gelechiidae)
117. *Bryotropha desertella* (Douglas,1850) (Gelechiidae)
118. *Bryotropha similis* (Stainton,1854) (Gelechiidae)
119. *Bucculatrix maritima* Stainton,1851 (Bucculatricidae)
120. *Bucculatrix ratisbonensis* Stainton,1861 (Bucculatricidae)
121. *Cadra cautella* (Walker,1863) (Pyrilidae)
122. *Cadra figulilella* (Gregson,1871) (Pyrilidae)
123. *Calamotropha fulvifusalis* (Hampson,1900) (Pyrilidae)
124. *Calliteara lunulata* (Butler,1877) (Lymantriidae)
125. *Callopistria argyrosticta* (Butler,1881) (Noctuidae)
126. *Caloptilia* (s.str.) *magnifica* (Stainton,1867) (Gracillariidae)
127. *Caloptilia* (s.str.) *pyrrhaspis* (Meyrick,1931) (Gracillariidae)
128. *Carige cruciplaga* (Walker,1861) (Geometridae)
129. *Carige cruciplaga duplicaria* Walker,[1863] (Geometridae)
130. *Carpatolechchia aenigma* Sattler,1983 (Gelechiidae)
131. *Caryocolum blandellum* (Douglas,1852) (Gelechiidae)
132. *Caryocolum cassellum* (Walker,1864) (Gelechiidae)
133. *Caryocolum huebneri* (Haworth,1828) (Gelechiidae)
134. *Caryocolum junctellum* (Douglas,1851) (Gelechiidae)
135. *Caryocolum proximum* (Haworth,[1828]) (Gelechiidae)
136. *Caryocolum tricolorellum* (Haworth,1812) (Gelechiidae)
137. *Caryocolum vicinellum* (Douglas,1851) (Gelechiidae)
138. *Cataclysta midas* Butler,1881 (Pyrilidae)
139. *Catarhoe yokohamae* (Butler,1881) (Geometridae)
140. *Catoptria furciferalis* (Hampson,1900) (Pyrilidae)
141. *Cauchas tridesma* (Meyrick,1912) (Adelidae)
142. *Cedestis subfasciella* (Stephens,1834) (Yponomeutidae)
143. *Celaena haworthii* (Curtis,1829) (Noctuidae)
144. *Celastrina filipjevi* (Riley,1934) (Lycaenidae)
145. *Celastrina filipjevi filipjevi* (Riley,1934) (Lycaenidae)
146. *Celastrina oreas* (Leech,1893) (Lycaenidae)
147. *Celypha aurofasciana* (Haworth,[1811]) (Tortricidae)
148. *Chandata bella* (Butler,1881) (Noctuidae)
149. *Chiasmia hebesata* (Walker,1861) (Geometridae)
150. *Chionodes fumatella* (Douglas,1850) (Gelechiidae)
151. *Chloroclysta latefasciata* (L.B.Prout,1914) (Geometridae)
152. *Chloroclystis v-ata* (Haworth,1809) (Geometridae)
153. *Choristoneura albaniana* (Walker,1863) (Tortricidae)
154. *Chortodes pygmina* (Haworth,1809) (Noctuidae)
155. *Chrysoclista lathamella* (Fletcher,1936) (Agonoxenidae)
156. *Chrysoteuchia distinctella* (Leech,1889) (Pyrilidae)
157. *Cifuna eurydice* (Butler,1885) (Lymantriidae)
158. *Cifuna locuples* Walker,1855 (Lymantriidae)
159. *Clavigesta sylvestrana* (Curtis,1850) (Tortricidae)
160. *Clelea fusca* (Leech,1887) (Zygaenidae)
161. *Cnephasia* (s.str.) *longana* (Haworth,[1811]) (Tortricidae)
162. *Cnephasia* (s.str.) *stephensiana* (Doubleday,1849) (Tortricidae)
163. *Cnephasia* (s.str.) *stephensiana stephensiana* (Doubleday,1849) (Tortricidae)
164. *Cnephasia* (s.str.) *stephensiana stolidana* (Walker,1863) (Tortricidae)
165. *Cochylidia rupicola* (Curtis,1834) (Tortricidae)
166. *Cochylidia subroseana* (Haworth,[1811]) (Tortricidae)
167. *Cochylimorpha alternana* (Stephens,1834) (Tortricidae)
168. *Cochylimorpha straminea* (Haworth,[1811]) (Tortricidae)
169. *Cochylis atricapitana* (Stephens,1852) (Tortricidae)
170. *Cochylis flaviciliana* (Westwood,1854) (Tortricidae)
171. *Cochylis nana* (Haworth,[1811]) (Tortricidae)
172. *Cochylis roseana* (Haworth,[1811]) (Tortricidae)

173. *Coenonympha* (s.str.) *oedippus annulifer* **Butler,1877** (Satyridae)
174. *Coleophora aestuariella* **Bradley,1984** (Coleophoridae)
175. *Coleophora argentula* (**Stephens,1834**) (Coleophoridae)
176. *Coleophora atriplicis* **Meyrick,1928** (Coleophoridae)
177. *Coleophora dubiella* **Baker,1888** (Coleophoridae)
178. *Coleophora glaucicolella* **Wood,1892** (Coleophoridae)
179. *Coleophora ledi* **Stainton,1860** (Coleophoridae)
180. *Coleophora lineolea* (**Haworth,1828**) (Coleophoridae)
181. *Coleophora ochrea* (**Haworth,[1828]**) (Coleophoridae)
182. *Coleophora parthenica* **Meyrick,1891** (Coleophoridae)
183. *Coleophora phlomidis* **Stainton,1867** (Coleophoridae)
184. *Coleophora ptarmica* **Walsingham,1910** (Coleophoridae)
185. *Coleophora salinella* **Stainton,1858** (Coleophoridae)
186. *Coleophora siccifolia* **Stainton,1856** (Coleophoridae)
187. *Coleophora squamosella* **Stainton,1856** (Coleophoridae)
188. *Coleophora trifolii* (**Curtis,1832**) (Coleophoridae)
189. *Colias* (*Eriocolias*) *chrysotheme audre* **Hemming,1933** (Pieridae)
190. *Coptotriche marginata* (**Haworth,[1828]**) (Tischeriidae)
191. *Cosmiotes consortella* (**Stainton,1851**) (Elachistidae)
192. *Cosmiotes stabilella* (**Stainton,1858**) (Elachistidae)
193. *Cosmopterix orichalcea* **Stainton,1861** (Cosmopterigidae)
194. *Crambus scoticus* **Westwood,1849** (Pyrilidae)
195. *Croesia conchyloides* (**Walsingham,1900**) (Tortricidae)
196. *Croesia leechi* (**Walsingham,1900**) (Tortricidae)
197. *Croesia tigricolor* (**Walsingham,1900**) (Tortricidae)
198. *Crombrughia kollari* (**Stainton,1851**) (Pterophoridae)
199. *Cryptolabes bistriga* (**Haworth,1811**) (Pyrilidae)
200. *Cucullia* (s.str.) *fraterna* **Butler,1878** (Noctuidae)
201. *Cydia delinea* (**Walker,1863**) (Tortricidae)
202. *Cydia difficilana* (**Walsingham,1900**) (Tortricidae)
203. *Cydia phalacris* (**Meyrick,1912**) (Tortricidae)
204. *Cydia ulicetana* (**Haworth,[1811]**) (Tortricidae)
205. *Daddala lucilla* (**Butler,1881**) (Noctuidae)
206. *Dendrophilia* (*Microdendrophilia*) *petrinopsis* (**Meyrick,1935**) (Gelechiidae)
207. *Depressaria douglasella* **Stainton,1849** (Oecophoridae)
208. *Depressaria emeritella* **Stainton,1849** (Oecophoridae)
209. *Depressaria hofmanni* **Stainton,1861** (Oecophoridae)
210. *Depressaria pulcherrimella* **Stainton,1849** (Oecophoridae)
211. *Depressaria ultimella* **Stainton,1849** (Oecophoridae)
212. *Devenilia corearia* (**Leech,1891**) (Geometridae)
213. *Devenilia corearia corearia* (**Leech,1891**) (Geometridae)
214. *Diacrisia irene* **Butler,1881** (Arctiidae)
215. *Diacrisia irene irene* **Butler,1881** (Arctiidae)
216. *Diarsia albipennis* (**Butler,1889**) (Noctuidae)
217. *Dichagyris* (*Yigoga*) *orientis pygmaea* (**Hampson,1903**) (Noctuidae)
218. *Dichomeris harmonias* **Meyrick,1922** (Gelechiidae)
219. *Dichomeris litoxya* **Meyrick,1937** (Gelechiidae)
220. *Dichomeris oceanis* **Meyrick,1920** (Gelechiidae)
221. *Dichomeris picrocarpa* (**Meyrick,1913**) (Gelechiidae)
222. *Dichomeris quercicola* **Meyrick,1921** (Gelechiidae)
223. *Dichrorampha aeratana* (**Pierce & Metcalfe,1915**) (Tortricidae)
224. *Dichrorampha consortana* (**Stephens,1852**) (Tortricidae)
225. *Dichrorampha simpliciana* (**Haworth,1811**) (Tortricidae)
226. *Dyseriocrania subpurpurella* (**Haworth,[1828]**) (Eriocraniidae)
227. *Eana* (s.str.) *incanana* (**Stephens,1852**) (Tortricidae)
228. *Ectoedemia* (*Fomoria*) *septembrella* (**Stainton,1849**) (Nepticulidae)
229. *Ectoedemia* (*Fomoria*) *weaveri* (**Stainton,1855**) (Nepticulidae)
230. *Ectoedemia* (s.str.) *angulifasciella* (**Stainton,1849**) (Nepticulidae)
231. *Ectoedemia* (s.str.) *atricollis* (**Stainton,1857**) (Nepticulidae)
232. *Ectoedemia* (s.str.) *subbimaculella* (**Haworth,1828**) (Nepticulidae)
233. *Ectoedemia* (*Zimmermannia*) *atrifrontella* (**Stainton,1851**) (Nepticulidae)

234. *Eilema pygmaeola* (Doubleday,1847) (Arctiidae)
235. *Elachista adscitella* Stainton,1851 (Elachistidae)
236. *Elachista alpinella* Stainton,1854 (Elachistidae)
237. *Elachista apicipunctella* Stainton,1849 (Elachistidae)
238. *Elachista atricomella* Stainton,1849 (Elachistidae)
239. *Elachista biatomella* (Stainton,1848) (Elachistidae)
240. *Elachista cinereopunctella* (Haworth,[1828]) (Elachistidae)
241. *Elachista eleochariella* Stainton,1851 (Elachistidae)
242. *Elachista kilmunella* Stainton,1849 (Elachistidae)
243. *Elachista poae* Stainton,1855 (Elachistidae)
244. *Elachista rudectella* Stainton,1851 (Elachistidae)
245. *Elachista scirpi* Stainton,1887 (Elachistidae)
246. *Elachista serricornis* Stainton,1854 (Elachistidae)
247. *Elachista subnigrella* Douglas,1853 (Elachistidae)
248. *Elachista triatomea* (Haworth,1828) (Elachistidae)
249. *Elachista triseriatella* Stainton,1854 (Elachistidae)
250. *Electrophaes corylata granitalis* (Butler,1881) (Geometridae)
251. *Endothenia ericetana* (Humphreys & Westwood,1845) (Tortricidae)
252. *Endothenia hebesana* (Walker,1863) (Tortricidae)
253. *Endothenia marginana* (Haworth,[1811]) (Tortricidae)
254. *Endothenia nigricostana* (Haworth,[1811]) (Tortricidae)
255. *Endothenia quadrimaculana* (Haworth,1811) (Tortricidae)
256. *Endothenia ustulana* (Haworth,1811) (Tortricidae)
257. *Endotricha kuznetsovi* Whalley,1963 (Pyrilidae)
258. *Ennomos (Deuteronomos) fuscantarius* (Haworth,1809) (Geometridae)
259. *Enteucha acetosae* (Stainton,1854) (Nepticulidae)
260. *Epermenia (Calotripis) insecurella* (Stainton,1849) (Epermeniidae)
261. *Epermenia (s.str.) farreni* (Walsingham,1894) (Epermeniidae)
262. *Epermenia (s.str.) profugella* (Stainton,1856) (Epermeniidae)
263. *Epiblema costipunctana* (Haworth,[1811]) (Tortricidae)
264. *Epinotia bilunana* (Haworth,[1811]) (Tortricidae)
265. *Epinotia fraternana* (Haworth,[1811]) (Tortricidae)
266. *Epinotia signatana* (Douglas,1845) (Tortricidae)
267. *Epinotia subocellana* (Donovan,[1806]) (Tortricidae)
268. *Epinotia subsequana* (Haworth,[1811]) (Tortricidae)
269. *Epinotia tetraquetra* (Haworth,1811) (Tortricidae)
270. *Epirrhoe supergressa* (Butler,1879) (Geometridae)
271. *Epirrhoe supergressa albigrassa* (L.B.Prout,1938) (Geometridae)
272. *Erebia discoidalis* (Kirby,1837) (Satyridae)
273. *Erebia embla dissimulata* B.C.S.Warren,1931 (Satyridae)
274. *Erebia fasciata* Butler,1868 (Satyridae)
275. *Erebia fasciata fasciata* Butler,1868 (Satyridae)
276. *Erebia fletcheri* Elwes,1899 (Satyridae)
277. *Erebia fletcheri fletcheri* Elwes,1899 (Satyridae)
278. *Erebia iranica sheljuzhkoi* B.C.S.Warren,1935 (Satyridae)
279. *Erebia rossii* (Curtis,1834) (Satyridae)
280. *Erebia rossii rossii* (Curtis,1834) (Satyridae)
281. *Erebia theano approximata* B.C.S.Warren,1936 (Satyridae)
282. *Eremobia deccerti* Hampson,1908 (Noctuidae)
283. *Eriocrania salopiella* (Stainton,1854) (Eriocraniidae)
284. *Eriocrania semipurpurella* (Stephens,1835) (Eriocraniidae)
285. *Erythroplusia pyropia* (Butler,1879) (Noctuidae)
286. *Eteoryctis deversa* (Meyrick,1932) (Gracillariidae)
287. *Ethmia dodecea* (Haworth,[1828]) (Ethmiidae)
288. *Ethmia nigrimaculata* Sattler,1967 (Ethmiidae)
289. *Ethmia terminella* T.B.Fletcher,1938 (Ethmiidae)
290. *Ethmia terminella terminella* T.B.Fletcher,1938 (Ethmiidae)
291. *Ethmia ultima* Sattler,1967 (Ethmiidae)
292. *Ethmia xanthopleura* Meyrick,1931 (Ethmiidae)
293. *Ethmiopsis subtegulifera* (Ponomarenko,1994) (Gelechiidae)
294. *Ethmiopsis tegulifera* (Meyrick,1932) (Gelechiidae)

295. *Euchloe* (s.str.) *creusa* (Doubleday & Hewitson,1847) (Pieridae)
296. *Euchromius ocellus* (Haworth,[1811]) (Pyrilidae)
297. *Eucosma cana* (Haworth,1811) (Tortricidae)
298. *Eucosma fulvana* (Stephens,1834) (Tortricidae)
299. *Eudonia alpina* (Curtis,1850) (Pyrilidae)
300. *Eudonia delunella* (Stainton,1849) (Pyrilidae)
301. *Eudonia delunella delunella* (Stainton,1849) (Pyrilidae)
302. *Eudonia murana* (Curtis,1827) (Pyrilidae)
303. *Eudonia murana murana* (Curtis,1827) (Pyrilidae)
304. *Eudonia truncicolella* (Stainton,1849) (Pyrilidae)
305. *Eugnosta dives* (Butler,1878) (Tortricidae)
306. *Euhampsonia cristata* (Butler,1877) (Notodontidae)
307. *Euphydryas* (Hypodryas) *iduna sajana* Higgins,1950 (Argynnidae)
308. *Euphyia biangulata* (Haworth,[1809]) (Geometridae)
309. *Euphyia cineraria* (Butler,1878) (Geometridae)
310. *Euphyia coangulata* (L.B.Prout,1938) (Geometridae)
311. *Euphyia unangulata* (Haworth,1809) (Geometridae)
312. *Eupithecia abbreviata* Stephens,1831 (Geometridae)
313. *Eupithecia assimilata* Doubleday,1856 (Geometridae)
314. *Eupithecia caliginea* Butler,1878 (Geometridae)
315. *Eupithecia expallidata* Doubleday,1856 (Geometridae)
316. *Eupithecia plumbeolata* (Haworth,[1809]) (Geometridae)
317. *Eupithecia scribai* L.B.Prout,1938 (Geometridae)
318. *Eupithecia simpliciatata* Haworth,[1809] (Geometridae)
319. *Eupithecia subfuscata* (Haworth,[1809]) (Geometridae)
320. *Eupithecia subfuscata subfuscata* (Haworth,[1809]) (Geometridae)
321. *Eupithecia virgaureata* Doubleday,1861 (Geometridae)
322. *Eupithecia vulgata* (Haworth,[1809]) (Geometridae)
323. *Eupithecia vulgata vulgata* (Haworth,[1809]) (Geometridae)
324. *Euproctis karghalica* Moore,1878 (Lymantriidae)
325. *Euproctis nipponis* (Butler,1881) (Lymantriidae)
326. *Eurrhyarodes contortalis* (Hampson,1900) (Pyrilidae)
327. *Euspilapteryx auroguttella* Stephens,1835 (Gracillariidae)
328. *Euthrix laeta* (Walker,1855) (Lasiocampidae)
329. *Euzophera* (s.str.) *albicostalis* Hampson,1903 (Pyrilidae)
330. *Euzophera* (s.str.) *pinguis* (Haworth,[1811]) (Pyrilidae)
331. *Euzophera* (s.str.) *pinguis pinguis* (Haworth,[1811]) (Pyrilidae)
332. *Exaeretia allisella* Stainton,1849 (Oecophoridae)
333. *Falseuncaria degreyana* (McLachlan,1869) (Tortricidae)
334. *Falseuncaria ruficiliana* (Haworth,[1811]) (Tortricidae)
335. *Favonius orientalis* (Murray,1875) (Lycaenidae)
336. *Favonius orientalis orientalis* (Murray,1875) (Lycaenidae)
337. *Furcula furcula sangaica* (Moore,1877) (Notodontidae)
338. *Furcula terminata* (Wiltshire,1958) (Notodontidae)
339. *Gelechia cuneatella* Douglas,1852 (Gelechiidae)
340. *Gelechia nigra* (Haworth,1828) (Gelechiidae)
341. *Glaucopsyche* (Bajluana) *argali* (Elwes,1899) (Lycaenidae)
342. *Glaucopsyche* (Bajluana) *argali argali* (Elwes,1899) (Lycaenidae)
343. *Glaucopsyche* (s.str.) *lycormas* (Butler,1868) (Lycaenidae)
344. *Glaucopsyche* (s.str.) *lygdamus* (Doubleday,1841) (Lycaenidae)
345. *Glaucopsyche* (s.str.) *lygdamus lygdamus* (Doubleday,1841) (Lycaenidae)
346. *Glyphipterix haworthana* (Stephens,1834) (Glyphipterygidae)
347. *Gonepteryx* (s.str.) *maxima* (Butler,1885) (Pieridae)
348. *Gymnoscelis rufifasciata* (Haworth,[1809]) (Geometridae)
349. *Gynnidomorpha vectisana* (Humphreys & Westwood,1845) (Tortricidae)
350. *Gypsonoma parryana* (Curtis,1835) (Tortricidae)
351. *Gypsonoma sociana* (Haworth,[1811]) (Tortricidae)
352. *Hadula* (Caloestra (Hadupugnax)) *latemarginata* (Wiltshire,1976) (Noctuidae)
353. *Hedya nubiferana* (Haworth,[1811]) (Tortricidae)
354. *Helcystogramma ineruditum* (Meyrick,1926) (Gelechiidae)
355. *Helcystogramma rufescens* (Haworth,1828) (Gelechiidae)

- 356. *Heliozela resplendella* (Stainton,1851) (Heliozelidae)
- 357. *Hellinsia excors* (Meyrick,1930) (Pterophoridae)
- 358. *Hemaris (Eitschbergera) radians* (Walker,1856) (Sphingidae)
- 359. *Hemaris (Jilinga) staudingeri* Leech,1900 (Sphingidae)
- 360. *Hermonassa arenosa* (Butler,1881) (Noctuidae)
- 361. *Hesperia florinda* Butler,1878 (Hesperiidae)
- 362. *Hesperia florinda florinda* Butler,1878 (Hesperiidae)
- 363. *Heterothera serrataria* (L.B.Prout,1914) (Geometridae)
- 364. *Hofmannophila pseudospretella* (Stainton,1849) (Oecophoridae)
- 365. *Holcocerus sareptensis* (Rothschild,1912) (Cossidae)
- 366. *Holcocerus vicarius* (Walker,1865) (Cossidae)
- 367. *Holocacista rivillei* (Stainton,1855) (Heliozelidae)
- 368. *Hupodonta corticalis* Butler,1877 (Notodontidae)
- 369. *Hydraecia petasitis* Doubleday,1847 (Noctuidae)
- 370. *Hypenodes humidalis* Doubleday,1850 (Noctuidae)
- 371. *Hyphantria cunea* (Drury,[1773]) (Arctiidae)
- 372. *Hyphantria cunea cunea* (Drury,[1773]) (Arctiidae)
- 373. *Hysterophora maculosana* (Haworth,[1811]) (Tortricidae)
- 374. *Idaea auricruda* (Butler,1879) (Geometridae)
- 375. *Idaea mancipiata repagulata* L.B.Prout,1934 (Geometridae)
- 376. *Idaea subsericeata* (Haworth,[1809]) (Geometridae)
- 377. *Idaea terpnaria* (L.B.Prout,1913) (Geometridae)
- 378. *Idaea trigeminata* (Haworth,[1809]) (Geometridae)
- 379. *Idiotephria amelia* (Butler,1878) (Geometridae)
- 380. *Idiotephria debilitata* (Leech,1891) (Geometridae)
- 381. *Illiberis tenuis* (Butler,1877) (Zygaenidae)
- 382. *Incurvaria pectinea* Haworth,[1828] (Incurvariidae)
- 383. *Infurcitinea albicomella* (Stainton,1851) (Tineidae)
- 384. *Infurcitinea argentimaculella* (Stainton,1849) (Tineidae)
- 385. *Jacutisia strigata* Hampson,1930 (Pyrilidae)
- 386. *Japonica adusta* (Riley,1930) (Lycaenidae)
- 387. *Japonica adusta adusta* (Riley,1930) (Lycaenidae)
- 388. *Japonica lutea* (Hewitson,[1865]) (Lycaenidae)
- 389. *Japonica lutea lutea* (Hewitson,[1865]) (Lycaenidae)
- 390. *Japonica saepestriata* (Hewitson,[1865]) (Lycaenidae)
- 391. *Japonica saepestriata saepestriata* (Hewitson,[1865]) (Lycaenidae)
- 392. *Jodis praerupta* (Butler,1878) (Geometridae)
- 393. *Kunugia undans* (Walker,1855) (Lasiocampidae)
- 394. *Laciniodes denigrata ussuriensis* L.B.Prout,1938 (Geometridae)
- 395. *Laciniodes denigrata* W.Warren,1896 (Geometridae)
- 396. *Lampropteryx jameza* (Butler,1898) (Geometridae)
- 397. *Larentia clavaria clavaria* Haworth,[1809] (Geometridae)
- 398. *Larentia clavaria* Haworth,[1809] (Geometridae)
- 399. *Lasionycta dovrensis altaica* (Hampson,1905) (Noctuidae)
- 400. *Lepidotarphius perornatellus* (Walker,1864) (Glyphipterygidae)
- 401. *Leptomiza bilinearia* (Leech,1897) (Geometridae)
- 402. *Lethe diana* (Butler,1866) (Satyridae)
- 403. *Letogenes festalis* Meyrick,1930 (Xyloryctidae)
- 404. *Leucoptera laburnella* (Stainton,1851) (Lyoniidae)
- 405. *Leucospilapteryx omissella* (Stainton,1848) (Gracillariidae)
- 406. *Limnaecia phragmitella* Stainton,1851 (Cosmopterigidae)
- 407. *Lithophane semibrunnea* (Haworth,1809) (Noctuidae)
- 408. *Lithophane semibrunnea semibrunnea* (Haworth,1809) (Noctuidae)
- 409. *Lobesia (s.str.) abscissana* (Doubleday,1849) (Tortricidae)
- 410. *Lomaspilis opis* (Butler,1878) (Geometridae)
- 411. *Loxostege commixtalis* (Walker,1865) (Pyrilidae)
- 412. *Lycaena (Thersamolycaena) dispar* ([Haworth],1802) (Lycaenidae)
- 413. *Lycaena (Thersamolycaena) dispar aurata* (Leech,1887) (Lycaenidae)
- 414. *Macdunnoughia confusa* (Stephens,1850) (Noctuidae)
- 415. *Maculinea telejus kasamoto* (Druce,1875) (Lycaenidae)
- 416. *Marasmarcha lunaedactyla* (Haworth,[1811]) (Pterophoridae)

417. *Martania taeniata* (Stephens,1831) (Geometridae)
418. *Melanaema venata* Butler,1877 (Arctiidae)
419. *Melitaea* (Cinclidia) *scotosia* Butler,1878 (Argynnidae)
420. *Melitaea* (Cinclidia) *scotosia butleri* Higgins,1940 (Argynnidae)
421. *Melitaea* (Cinclidia) *scotosia scotosia* Butler,1878 (Argynnidae)
422. *Melitaea* (s.str.) *arcesia minor* Elwes,1899 (Argynnidae)
423. *Meridarchis excisa* (Walsingham,1900) (Carposinidae)
424. *Mesoleuca albicillata casta* (Butler,1878) (Geometridae)
425. *Mesoligia literosa* (Haworth,[1809]) (Noctuidae)
426. *Mesoligia literosa literosa* (Haworth,[1809]) (Noctuidae)
427. *Metriotes lutarea* (Haworth,[1828]) (Coleophoridae)
428. *Metzneria littorella* (Douglas,1850) (Gelechiidae)
429. *Metzneria metzneriella* Stainton,1851 (Gelechiidae)
430. *Mimeusemia persimilis* Butler,1875 (Noctuidae)
431. *Miyakea expansa* (Butler,1881) (Pylalidae)
432. *Mompha* (Psacaphora) *terminella* (Humphreys & Westwood,1845) (Momphidae)
433. *Mompha* (s.str.) *fulvescens* (Haworth,[1828]) (Momphidae)
434. *Mompha* (s.str.) *lacteella* (Stephens,1834) (Momphidae)
435. *Mompha* (s.str.) *ochraceella* (Curtis,1839) (Momphidae)
436. *Mompha* (s.str.) *propinquella* (Stainton,1851) (Momphidae)
437. *Mompha* (s.str.) *subbistrigella* (Haworth,[1828]) (Momphidae)
438. *Monema flavescens* Walker,1855 (Limacodidae)
439. *Monochroa cytisella* (Curtis,1837) (Gelechiidae)
440. *Monochroa lucidella* (Stephens,1834) (Gelechiidae)
441. *Monochroa palustrella* (Douglas,1850) (Gelechiidae)
442. *Monochroa suffusella* (Douglas,1850) (Gelechiidae)
443. *Monochroa tetragonella* (Stainton,1885) (Gelechiidae)
444. *Mythimna* (Hyphilare) *litoralis* (Curtis,1827) (Noctuidae)
445. *Mythimna* (Pseudaletia) *unipuncta* (Haworth,[1809]) (Noctuidae)
446. *Mythimna flammea* (Curtis,1828) (Noctuidae)
447. *Nemapogon cloacella* (Haworth,[1828]) (Tineidae)
448. *Nemapogon ruricolella* (Stainton,1859) (Tineidae)
449. *Nemophora beleva* (Walker,1863) (Adelidae)
450. *Neope nipponica* Butler,1881 (Satyridae)
451. *Neope nipponica nipponica* Butler,1881 (Satyridae)
452. *Neopodiasia mixtalus* (Walker,1863) (Pylalidae)
453. *Neozephyrus japonicus* (Murray,1875) (Lycaenidae)
454. *Neozephyrus japonicus japonicus* (Murray,1875) (Lycaenidae)
455. *Neptis* (s.str.) *pratti* (Leech,1890) (Argynnidae)
456. *Neptis* (s.str.) *pryeri* Butler,1871 (Argynnidae)
457. *Neptis* (s.str.) *pryeri pryeri* Butler,1871 (Argynnidae)
458. *Neptis* (s.str.) *themis* Leech,1892 (Argynnidae)
459. *Neptis* (s.str.) *themis themis* Leech,1892 (Argynnidae)
460. *Niditinea piercella* (Bentick,1935) (Tineidae)
461. *Notocelia rosaecolana* (Doubleday,1850) (Tortricidae)
462. *Notocelia tetragonana* (Stephens,1834) (Tortricidae)
463. *Notocelia trimaculana* (Haworth,[1811]) (Tortricidae)
464. *Nymphula turbata* (Butler,1881) (Pylalidae)
465. *Ochlodes venatus similis* Leech,1894 (Hesperiidae)
466. *Oeneis ammon ammon* Elwes,1899 (Satyridae)
467. *Oeneis ammon* Elwes,1899 (Satyridae)
468. *Oeneis magna dubia* Elwes,1899 (Satyridae)
469. *Oeneis norna altaica* Elwes,1899 (Satyridae)
470. *Olethreutes* (Argyroproctus) *inquietana* (Walker,1863) (Tortricidae)
471. *Olethreutes* (s.str.) *doubledayana* (Barrett,1872) (Tortricidae)
472. *Oligia fasciuncula* (Haworth,1809) (Noctuidae)
473. *Oligia leuconephra* Hampson,1908 (Noctuidae)
474. *Opogona isorthota* Meyrick,1925 (Tineidae)
475. *Orientrix laeta* (Walker,1855) (Lasiocampidae)
476. *Ornatholva mixolitha* (Meyrick,1918) (Gelechiidae)
477. *Ornatholva ornatella* Sattler,1967 (Gelechiidae)

- 478. *Orthosia (Cororthosia) ella* (Butler,1878) (Noctuidae)
- 479. *Osmanosizikia vulnerata* (Butler,1878) (Noctuidae)
- 480. *Ostrinia kasmirica* (Moore,1888) (Pyralidae)
- 481. *Ostrinia latipennis* (W.Warren,1892) (Pyralidae)
- 482. *Ostrinia scapularis* (Walker,1859) (Pyralidae)
- 483. *Ovenna vicaria* (Walker,1854) (Arctiidae)
- 484. *Oxyptilus parvidactylus* (Haworth,[1811]) (Pterophoridae)
- 485. *Pammene obscurana* (Stephens,1834) (Tortricidae)
- 486. *Paramidea scolymus* (Butler,[1866]) (Pieridae)
- 487. *Parastenolechia argobathra* (Meyrick,1935) (Gelechiidae)
- 488. *Parasammerdamia lutarea* (Haworth,[1828]) (Yponomeutidae)
- 489. *Parectropis nigrosparsa* (Wileman & South,1917) (Geometridae)
- 490. *Parnassius (Driopa) eversmanni lacinia* Hemming,1934 (Papilionidae)
- 491. *Parnassius (s.str.) apollo finmarchicus* Rothschild,1909 (Papilionidae)
- 492. *Parnassius (s.str.) phoebus uralensis* Kirby,1871 (Papilionidae)
- 493. *Parornix anglicella* (Stainton,1850) (Gracillariidae)
- 494. *Parornix betulae* (Stainton,1854) (Gracillariidae)
- 495. *Parornix devoniella* (Stainton,1850) (Gracillariidae)
- 496. *Parornix loganella* (Stainton,1848) (Gracillariidae)
- 497. *Parornix scoticella* (Stainton,1850) (Gracillariidae)
- 498. *Pectinophora gossypiella* (Saunders,1844) (Gelechiidae)
- 499. *Pediasia epineura* (Meyrick,1883) (Pyralidae)
- 500. *Pempelia formosa* (Haworth,[1811]) (Pyralidae)
- 501. *Perittia obscurepunctella* (Stainton,1848) (Elachistidae)
- 502. *Perizoma affinitata* (Stephens,1831) (Geometridae)
- 503. *Perizoma bifaciata* (Haworth,1809) (Geometridae)
- 504. *Perizoma contrita* (L.B.Prout,1914) (Geometridae)
- 505. *Perizoma parvaria* (Leech,1891) (Geometridae)
- 506. *Phalonidia affinitana* (Douglas,1846) (Tortricidae)
- 507. *Phalonidia chlorolitha* (Meyrick,1931) (Tortricidae)
- 508. *Phalonidia curvistrigana* (Stainton,1859) (Tortricidae)
- 509. *Photedes minima* (Haworth,1809) (Noctuidae)
- 510. *Phrixolepia sericea* Butler,1877 (Limaecodidae)
- 511. *Phtheochroa chalcantia* (Meyrick,1912) (Tortricidae)
- 512. *Phtheochroa inopiana* (Haworth,1811) (Tortricidae)
- 513. *Phtheochroa sodaliana* (Haworth,1811) (Tortricidae)
- 514. *Phycitodes lacteella* (Rothschild,1915) (Pyralidae)
- 515. *Phycitodes saxicola* (Vaughan,1870) (Pyralidae)
- 516. *Phyllocnistis unipunctella* (Stephens,1834) (Gracillariidae)
- 517. *Phyllodesma (s.str.) japonicum* (Leech,1889) (Lasiocampidae)
- 518. *Phyllonorycter anderidae* (T.B.Fletcher,1875) (Gracillariidae)
- 519. *Phyllonorycter nicellii* (Stainton,1851) (Gracillariidae)
- 520. *Phyllonorycter quinqueguttella* (Stainton,1851) (Gracillariidae)
- 521. *Phyllonorycter tristrigella* (Haworth,[1828]) (Gracillariidae)
- 522. *Pieris (Artogeia) dulcinea* Butler,1882 (Pieridae)
- 523. *Pieris (Artogeia) dulcinea dulcinea* Butler,1882 (Pieridae)
- 524. *Piniphila bifasciana* (Haworth,1811) (Tortricidae)
- 525. *Platyedra subcinerea* (Haworth,[1828]) (Gelechiidae)
- 526. *Platyptilia macrornis* Meyrick,1930 (Pterophoridae)
- 527. *Platyptilia pallidactyla* (Haworth,1811) (Pterophoridae)
- 528. *Platytes ornatella* (Leech,1889) (Pyralidae)
- 529. *Platytes strigatalis* (Hampson,1900) (Pyralidae)
- 530. *Plebejus (Lycaeides) cleobis ongodai* Tutt,1908 (Lycaenidae)
- 531. *Plebejus (Lycaeides) pseudoaegon* (Butler,[1882]) (Lycaenidae)
- 532. *Plebejus (s.str.) argus micrargus* (Butler,1873) (Lycaenidae)
- 533. *Polia bombycina grisea* (Butler,1878) (Noctuidae)
- 534. *Polyommatus (Agriades (s.str.)) pyrenaicus ergane* (Higgins,1981) (Lycaenidae)
- 535. *Polyommatus (Albulina (Plebejidea)) cyane deserticola* (Elwes,1899) (Lycaenidae)
- 536. *Polyommatus (Aricia (Umpria)) chinensis* (Murray,1874) (Lycaenidae)
- 537. *Polyommatus (Aricia (Umpria)) chinensis chinensis* (Murray,1874) (Lycaenidae)

- 538. Polyommatus (s.str. (Agrodiaetus (s.str.))) damone altaicus (Elwes,1899)**
(Lycaenidae)
- 539. Polyommatus (s.str. (Cyaniris)) semiargus altaianus (Tutt,[1909])** (Lycaenidae)
- 540. Polyommatus (s.str. (Cyaniris)) semiargus uralensis (Tutt,[1909])** (Lycaenidae)
- 541. Polytrems pellucida (Murray,1875)** (Hesperiidae)
- 542. Polytrems pellucida pellucida (Murray,1875)** (Hesperiidae)
- 543. Polytrems zina (Evans,1932)** (Hesperiidae)
- 544. Polytrems zina zina (Evans,1932)** (Hesperiidae)
- 545. Potanthus flavum (Murray,1875)** (Hesperiidae)
- 546. Potanthus flavum flavum (Murray,1875)** (Hesperiidae)
- 547. Prochoreutis holotoxa (Meyrick,1903)** (Choreutidae)
- 548. Psamathocrita osseella (Stainton,1860)** (Gelechiidae)
- 549. Pselnophorus vilis (Butler,1881)** (Pterophoridae)
- 550. Pseudocatharylla inclaralis (Walker,1863)** (Pyralidae)
- 551. Pseudophilotes vicrama (Moore,1865)** (Lycaenidae)
- 552. Pseudophilotes vicrama astabene (Hemming,1932)** (Lycaenidae)
- 553. Pseudophilotes vicrama schiffermuelleri (Hemming,1929)** (Lycaenidae)
- 554. Pyla fusca (Haworth,[1811])** (Pyralidae)
- 555. Pyrgus serratulae uralensis (B.C.S.Warren,1926)** (Hesperiidae)
- 556. Pyrgus sibiricus chapmani B.C.S.Warren,1926** (Hesperiidae)
- 557. Retinia impropria (Meyrick,1932)** (Tortricidae)
- 558. Rhigognostis annulatella (Curtis,1832)** (Yponomeutidae)
- 559. Rhodostrophia calabra transcaucasica L.B.Prout,1920** (Geometridae)
- 560. Rhodostrophia xesta L.B.Prout,1935** (Geometridae)
- 561. Rhopobota myrtillana (Humphreys & Westwood,1845)** (Tortricidae)
- 562. Rhopobota ustomaculana (Curtis,1831)** (Tortricidae)
- 563. Rhyacia (s.str.) arenacea (Hampson,1907)** (Noctuidae)
- 564. Rhyacionia pinicolana (Doubleday,1849)** (Tortricidae)
- 565. Saliciphaga acharis (Butler,1879)** (Tortricidae)
- 566. Sarbanissa subflava Moore,1877** (Noctuidae)
- 567. Saturnia (Neoris) shadulla (Moore,1872)** (Saturniidae)
- 568. Saturnia (Neoris) shadulla shadulla (Moore,1872)** (Saturniidae)
- 569. Sclerogenia jessica (Butler,1878)** (Noctuidae)
- 570. Scoparia basistrigalis basistrigalis Knaggs,1866** (Pyralidae)
- 571. Scoparia basistrigalis Knaggs,1866** (Pyralidae)
- 572. Scoparia subfusca Haworth,[1811]** (Pyralidae)
- 573. Scoparia subfusca subfusca Haworth,[1811]** (Pyralidae)
- 574. Scopula contramutata L.B.Prout,1920** (Geometridae)
- 575. Scopula elwesi L.B.Prout,1922** (Geometridae)
- 576. Scopula floslactata (Haworth,1809)** (Geometridae)
- 577. Scopula floslactata floslactata (Haworth,1809)** (Geometridae)
- 578. Scopula fumosaria (L.B.Prout,1913)** (Geometridae)
- 579. Scopula impersonata (Walker,1861)** (Geometridae)
- 580. Scopula indicataria (Walker,1861)** (Geometridae)
- 581. Scopula superior (Butler,1878)** (Geometridae)
- 582. Scotopteryx aelptes (L.B.Prout,1937)** (Geometridae)
- 583. Scrobipalpa (Ilseopsis) instabilella (Douglas,1846)** (Gelechiidae)
- 584. Scythris (fuscoaenea-gr.) fuscoaenea (Haworth,1828)** (Scythridae)
- 585. Scythris (pascuella-gr.) subaerariella (Stainton,1867)** (Scythridae)
- 586. Scythris (picaepennis-gr.) picaepennis (Haworth,[1828])** (Scythridae)
- 587. Selania leplastriana (Curtis,1831)** (Tortricidae)
- 588. Seokia pratti (Leech,1890)** (Argynnidae)
- 589. Smerinthus planus planus Walker,1856** (Sphingidae)
- 590. Smerinthus planus Walker,1856** (Sphingidae)
- 591. Somatina indicataria (Walker,1861)** (Geometridae)
- 592. Sorhagenia lophyrella (Douglas,1846)** (Cosmopterigidae)
- 593. Spatalistis christophana (Walsingham,1900)** (Tortricidae)
- 594. Spilarctia subcarneum (Walker,1855)** (Arctiidae)
- 595. Spilarctia subcarneum subcarneum (Walker,1855)** (Arctiidae)
- 596. Stagmatophora beata (Walsingham,1907)** (Cosmopterigidae)
- 597. Stauropus basalis basalis Moore,1877** (Notodontidae)

- 598. *Stauropus basalis* Moore, 1877 (Notodontidae)
- 599. *Stenia charonialis* (Walker, [1866]) (Pylalidae)
- 600. *Stenoptilia coprodactyla* (Stainton, 1851) (Pterophoridae)
- 601. *Stericta haraldusalis* (Walker, 1850) (Pylalidae)
- 602. *Sterrhopterix fusca* (Haworth, 1809) (Psychidae)
- 603. *Stigmella alnetella* (Stainton, 1856) (Nepticulidae)
- 604. *Stigmella atricapitella* (Haworth, 1828) (Nepticulidae)
- 605. *Stigmella betulicola* (Stainton, 1856) (Nepticulidae)
- 606. *Stigmella catharticella* (Stainton, 1853) (Nepticulidae)
- 607. *Stigmella confusella* (Wood & Walsingham, 1894) (Nepticulidae)
- 608. *Stigmella continuella* (Stainton, 1856) (Nepticulidae)
- 609. *Stigmella floslactella* (Haworth, 1828) (Nepticulidae)
- 610. *Stigmella glutinosae* (Stainton, 1858) (Nepticulidae)
- 611. *Stigmella luteella* (Stainton, 1857) (Nepticulidae)
- 612. *Stigmella malella* (Stainton, 1854) (Nepticulidae)
- 613. *Stigmella microtheriella* (Stainton, 1854) (Nepticulidae)
- 614. *Stigmella myrtillella* (Stainton, 1857) (Nepticulidae)
- 615. *Stigmella oxyacanthella* (Stainton, 1854) (Nepticulidae)
- 616. *Stigmella perpygmaeella* (Doubleday, 1859) (Nepticulidae)
- 617. *Stigmella plagicolella* (Stainton, 1854) (Nepticulidae)
- 618. *Stigmella poterii* (Stainton, 1857) (Nepticulidae)
- 619. *Stigmella prunetorum* (Stainton, 1855) (Nepticulidae)
- 620. *Stigmella ruficapitella* (Haworth, [1828]) (Nepticulidae)
- 621. *Stigmella salicis* (Stainton, 1854) (Nepticulidae)
- 622. *Stigmella sorbi* (Stainton, 1861) (Nepticulidae)
- 623. *Stigmella tityrella* (Stainton, 1854) (Nepticulidae)
- 624. *Stigmella trimaculella* (Haworth, 1828) (Nepticulidae)
- 625. *Stigmella viscerella* (Stainton, 1853) (Nepticulidae)
- 626. *Stomphastis conflua* (Meyrick, 1914) (Gracillariidae)
- 627. *Stroglina scitaria* (Walker, 1862) (Thyridae)
- 628. *Strophedra weirana* (Douglas, 1850) (Tortricidae)
- 629. *Syncopacma sangiella* (Stainton, 1863) (Gelechiidae)
- 630. *Takanea excisa* (Wileman, 1910) (Lasiocampidae)
- 631. *Takanea excisa miyakei* (Wileman, 1915) (Lasiocampidae)
- 632. *Talis menetriesi* Hampson, 1900 (Pylalidae)
- 633. *Telechrysis tripuncta* (Haworth, [1828]) (Oecophoridae)
- 634. *Teleiodes sequax* (Haworth, 1828) (Gelechiidae)
- 635. *Teleiopsis diffinis* (Haworth, [1828]) (Gelechiidae)
- 636. *Tenaga nigripunctella* (Haworth, [1828]) (Tineidae)
- 637. *Tethea ampliata* (Butler, 1878) (Thyatridae)
- 638. *Tethea intensa* (Butler, 1881) (Thyatridae)
- 639. *Thiotricha subocellea* (Stephens, 1834) (Gelechiidae)
- 640. *Thoressa varia* (Murray, 1876) (Hesperiidae)
- 641. *Thoressa varia varia* (Murray, 1876) (Hesperiidae)
- 642. *Thymelicus leoninus* (Butler, 1878) (Hesperiidae)
- 643. *Thymelicus leoninus leoninus* (Butler, 1878) (Hesperiidae)
- 644. *Thysanoplusia* (s.str.) *intermixta* (W. Warren, 1913) (Noctuidae)
- 645. *Tinagma ocnerosomellum* (Stainton, 1850) (Douglassiidae)
- 646. *Tinea dubiella* Stainton, 1859 (Tineidae)
- 647. *Tinea pallescentella* Stainton, 1851 (Tineidae)
- 648. *Tinea semifulvella* Haworth, [1828] (Tineidae)
- 649. *Tinea translucens* Meyrick, 1917 (Tineidae)
- 650. *Tischeria dodonaea* Stainton, 1858 (Tischeriidae)
- 651. *Tortrix sinapina* (Butler, 1899) (Tortricidae)
- 652. *Trachycera legatea* (Haworth, [1811]) (Pylalidae)
- 653. *Trachycera marmorea* (Haworth, [1811]) (Pylalidae)
- 654. *Triaxomasia caprimulgella* (Stainton, 1851) (Tineidae)
- 655. *Trichosea champa* (Moore, 1879) (Noctuidae)
- 656. *Trifurcula* (Glaucolepis) *headleyella* (Stainton, 1854) (Nepticulidae)
- 657. *Tyloptera bella* (Butler, 1878) (Geometridae)
- 658. *Venusia blomeri* (Curtis, 1832) (Geometridae)

- 659. *Venusia blomeri blomeri* (Curtis,1832) (Geometridae)
- 660. *Venusia cambrica* Curtis,1839 (Geometridae)
- 661. *Wagimo signata* (Butler,1882) (Lycaenidae)
- 662. *Wagimo signata signata* (Butler,1882) (Lycaenidae)
- 663. *Watsonalla binaria* (Hufnagel,1767) (Drepanidae)
- 664. *Watsonalla cultraria* (Fabricius,1775) (Drepanidae)
- 665. *Watsonarctia deserta* (Bartel,1902) (Arctiidae)
- 666. *Watsonarctia deserta deserta* (Bartel,1902) (Arctiidae)
- 667. *Wheeleria spilodactyla* (Curtis,1827) (Pterophoridae)
- 668. *Witlesia pallida* (Curtis,1827) (Pyrilidae)
- 669. *Xanthorhoe abraxina* (Butler,1879) (Geometridae)
- 670. *Xanthorhoe aridela* (L.B.Prout,1936) (Geometridae)
- 671. *Xanthorhoe quadrifasciata ignobilis* (Butler,1880) (Geometridae)
- 672. *Xanthorhoe sajanaria* (L.B.Prout,1914) (Geometridae)
- 673. *Xenolechia aethiops* (Humphreys & Westwood,1845) (Gelechiidae)
- 674. *Xestia* (Megasema) *ashworthii* (Doubleday,1855) (Noctuidae)
- 675. *Xestia* (s.str.) *sexstrigata* (Haworth,1809) (Noctuidae)
- 676. *Ypthima argus* Butler,1866 (Satyridae)
- 677. *Zanclognatha reticulatis* (Leech,1900) (Noctuidae)
- 678. *Zeuzera multistrigata* Moore,1881 (Cossidae)
- 679. *Zola terranea* (Butler,1879) (Geometridae)
- 680. *Zophoessa callipteris* (Butler,1877) (Satyridae)
- 681. *Zophoessa callipteris callipteris* (Butler,1877) (Satyridae)
- 682. *Zygaena* (s.str.) *mana* Kirby,1892 (Zygaenidae)

Species Group Taxa among the Russian Lepidoptera Proposed by German Lepidopterists

The scientific names are arranged alphabetically.

- 1. *Abrostola clarissa* (Staudinger,1900) (Noctuidae)
- 2. *Abrostola tripartita* (Hufnagel,1766) (Noctuidae)
- 3. *Acantholipes regularis* (Hübner,[1813]) (Noctuidae)
- 4. *Acantholipes regularis regularis* (Hübner,[1813]) (Noctuidae)
- 5. *Acanthophila alacella* (Zeller,1839) (Gelechiidae)
- 6. *Acanthopsyche uralensis* (Freyer,1852) (Psychidae)
- 7. *Acasis viretata* (Hübner,[1799]) (Geometridae)
- 8. *Acentra vestalis* (Staudinger,1871) (Psychidae)
- 9. *Acerbia alpina sibirica* (O.Bang-Haas,1927) (Arctiidae)
- 10. *Achroia grisella* (Fabricius,1794) (Pyrilidae)
- 11. *Acleris abietana* (Hübner,1822) (Tortricidae)
- 12. *Acleris comariana* (Lienig & Zeller,1846) (Tortricidae)
- 13. *Acleris emargana* (Fabricius,1775) (Tortricidae)
- 14. *Acleris exsucana* (Kennel,1901) (Tortricidae)
- 15. *Acleris kochiella* (Goeze,1783) (Tortricidae)
- 16. *Acleris laterana* (Fabricius,1794) (Tortricidae)
- 17. *Acleris quercinana* (Zeller,1849) (Tortricidae)
- 18. *Acleris roscidana* (Hübner,[1799]) (Tortricidae)
- 19. *Acleris umbrana* (Hübner,[1799]) (Tortricidae)
- 20. *Acontia lucida* (Hufnagel,1766) (Noctuidae)
- 21. *Acontia olivacea umbrosa* (O.Bang-Haas,1927) (Noctuidae)

22. *Acontia titania* (Esper,[1798]) (Noctuidae)
23. *Acosmetia caliginosa* (Hübner,[1813]) (Noctuidae)
24. *Acrobasis consociella* (Hübner,[1813]) (Pyralidae)
25. *Acrobasis consociella consociella* (Hübner,[1813]) (Pyralidae)
26. *Acrobasis glaucella glaucella* Staudinger,1859 (Pyralidae)
27. *Acrobasis glaucella* Staudinger,1859 (Pyralidae)
28. *Acrobasis obtusella* (Hübner,1796) (Pyralidae)
29. *Acrobasis obtusella obtusella* (Hübner,1796) (Pyralidae)
30. *Acrobasis sodalella* Zeller,1848 (Pyralidae)
31. *Acrocercops brongniardella* (Fabricius,1798) (Gracillariidae)
32. *Acrolepiopsis assectella* (Zeller,1839) (Yponomeutidae)
33. *Acrolepiopsis tauricella* (Staudinger,1871) (Yponomeutidae)
34. *Acronicta* (Subacronicta) *megacephala* (Fabricius,1787) (Noctuidae)
35. *Acronicta* (Triaena) *cuspidis* (Hübner,[1813]) (Noctuidae)
36. *Acronicta* (Triaena) *cuspidis cuspidis* (Hübner,[1813]) (Noctuidae)
37. *Acronicta* (Viminia) *auricoma* (Fabricius,1787) (Noctuidae)
38. *Acronicta* (Viminia) *menyanthidis* (Esper,[1789]) (Noctuidae)
39. *Acronicta* (Viminia) *menyanthidis menyanthidis* (Esper,[1789]) (Noctuidae)
40. *Acronicta cinerea* (Hufnagel,1766) (Noctuidae)
41. *Actinotia radiosa* (Esper,[1804]) (Noctuidae)
42. *Adaina microdactyla* (Hübner,[1813]) (Pterophoridae)
43. *Adela associatella* (Zeller,1839) (Adelidae)
44. *Adoxophyes orana* (Fischer v. Röslerstamm,1834) (Tortricidae)
45. *Adscita* (s.str.) *geryon* (Hübner,[1813]) (Zygaenidae)
46. *Adscita* (s.str.) *obscura* (Zeller,1847) (Zygaenidae)
47. *Aedia funesta* (Esper,[1786]) (Noctuidae)
48. *Aegle kaekeritziana* (Hübner,[1799]) (Noctuidae)
49. *Aethalura nanaria* (Staudinger,1897) (Geometridae)
50. *Aethes bilbaensis* (Rössler,1877) (Tortricidae)
51. *Aethes caucasica* (Amsel,1959) (Tortricidae)
52. *Aethes francillana* (Fabricius,1794) (Tortricidae)
53. *Aethes moribundana* (Staudinger,1859) (Tortricidae)
54. *Aethes nefandana* (Kennel,1899) (Tortricidae)
55. *Aethes rutilana* (Hübner,[1817]) (Tortricidae)
56. *Aethes smeathmanniana* (Fabricius,1781) (Tortricidae)
57. *Agdistis* (Frankistis) *frankeniae* (Zeller,1847) (Pterophoridae)
58. *Agdistis* (s.str.) *adactyla* (Hübner,[1819]) (Pterophoridae)
59. *Agdistis* (Tamaristis) *tamaricis* (Zeller,1847) (Pterophoridae)
60. *Agonopterix adpersella* (Kollar,1832) (Oecophoridae)
61. *Agonopterix angelicella* (Hübner,[1813]) (Oecophoridae)
62. *Agonopterix astrantiae* (Heinemann,1870) (Oecophoridae)
63. *Agonopterix capreolella* (Zeller,1839) (Oecophoridae)
64. *Agonopterix carduella* (Hübner,[1817]) (Oecophoridae)
65. *Agonopterix conterminella* (Zeller,1839) (Oecophoridae)
66. *Agonopterix hypericella* (Hübner,1796) (Oecophoridae)
67. *Agonopterix irrorationata* (Staudinger,1870) (Oecophoridae)
68. *Agonopterix orcellana* (Fabricius,1775) (Oecophoridae)
69. *Agonopterix pallorella* (Zeller,1839) (Oecophoridae)
70. *Agonopterix petasitis* (Standfuss,1851) (Oecophoridae)
71. *Agonopterix scopariella* (Heinemann,1870) (Oecophoridae)
72. *Agonopterix selini* (Heinemann,1870) (Oecophoridae)
73. *Agonopterix yeatiana* (Fabricius,1781) (Oecophoridae)
74. *Agriopsis brumaria* (Borkhausen,1794) (Geometridae)
75. *Agriphila deliella* (Hübner,[1813]) (Pyralidae)
76. *Agriphila deliella deliella* (Hübner,[1813]) (Pyralidae)
77. *Agriphila selasella* (Hübner,[1813]) (Pyralidae)
78. *Agrochola* (Alpichola) *egorovi* (O.Bang-Haas,1934) (Noctuidae)
79. *Agrochola* (Alpichola) *egorovi egorovi* (O.Bang-Haas,1934) (Noctuidae)
80. *Agrochola* (Anchoscelis) *humilis* (Fabricius,1787) (Noctuidae)
81. *Agrochola* (Anchoscelis) *humilis humilis* (Fabricius,1787) (Noctuidae)
82. *Agrochola* (Anchoscelis) *macilenta* (Hübner,[1809]) (Noctuidae)

83. *Agrochola (Anchoscelis) macilenta macilenta* (Hübner,[1809]) (Noctuidae)
84. *Agrochola (Anchoscelis) nitida* (Fabricius,1787) (Noctuidae)
85. *Agrochola (Propenistra) laevis* (Hübner,[1803]) (Noctuidae)
86. *Agrochola (s.str.) pistacina* (Goeze,1781) (Noctuidae)
87. *Agrochola (s.str.) pistacina pistacina* (Goeze,1781) (Noctuidae)
88. *Agrochola (Sunira) circellaris* (Hufnagel,1766) (Noctuidae)
89. *Agrotis (Crassagrotis) bigramma* (Esper,[1790]) (Noctuidae)
90. *Agrotis (Putagrotis) puta* (Hübner,[1803]) (Noctuidae)
91. *Agrotis (s.str.) clavis* (Hufnagel,1766) (Noctuidae)
92. *Agrotis (s.str.) clavis amurensis* (Staudinger,1892) (Noctuidae)
93. *Agrotis (s.str.) clavis clavis* (Hufnagel,1766) (Noctuidae)
94. *Agrotis (s.str.) fatidica* (Hübner,[1824]) (Noctuidae)
95. *Agrotis (s.str.) ipsilon* (Hufnagel,1766) (Noctuidae)
96. *Agrotis (s.str.) ripae* (Hübner,[1823]) (Noctuidae)
97. *Agrotis (s.str.) ripae ripae* (Hübner,[1823]) (Noctuidae)
98. *Agrotis (s.str.) trux* (Hübner,[1824]) (Noctuidae)
99. *Agrotis (s.str.) trux trux* (Hübner,[1824]) (Noctuidae)
100. *Agrotis (s.str.) vestigialis* (Hufnagel,1766) (Noctuidae)
101. *Agrotis (s.str.) vestigialis vestigialis* (Hufnagel,1766) (Noctuidae)
102. *Alabonia staintoniella* (Zeller,1850) (Oecophoridae)
103. *Albocosta musiva* (Hübner,[1803]) (Noctuidae)
104. *Albocosta musiva musiva* (Hübner,[1803]) (Noctuidae)
105. *Aldania deliquata* (Stichel,[1909]) (Argynnidae)
106. *Aldania ilos* (Fruhstorfer,1909) (Argynnidae)
107. *Aldania ilos ilos* (Fruhstorfer,1909) (Argynnidae)
108. *Algedonia (s.str.) luctualis* (Hübner,1793) (Pylalidae)
109. *Alloclemensia mesospilella* (Herrich-Schäffer,1854) (Incurvariidae)
110. *Alophia combustella* (Herrich-Schäffer,[1855]) (Pylalidae)
111. *Alsophila hirsutaria* (Fabricius,1781) (Geometridae)
112. *Altenia scriptella* (Hübner,1796) (Gelechiidae)
113. *Alucita desmodactyla* Zeller,1847 (Alucitidae)
114. *Alucita palodactyla* Zeller,1847 (Alucitidae)
115. *Amata kruegeri marjana* (Stauder,1913) (Ctenuchidae)
116. *Amaurophanes stigmosalis* (Herrich-Schäffer,[1848]) (Pylalidae)
117. *Amblyptilia acanthadactyla* (Hübner,[1813]) (Pterophoridae)
118. *Ammoconia caecimacula* (Fabricius,1787) (Noctuidae)
119. *Ammoconia caecimacula caecimacula* (Fabricius,1787) (Noctuidae)
120. *Ammoconia caecimacula sibirica* Staudinger,1882 (Noctuidae)
121. *Ammoconia senex* (Geyer,[1828]) (Noctuidae)
122. *Amphicoecia adamana* (Kennel,1919) (Tortricidae)
123. *Amphipoea fucosa* (Freyer,1830) (Noctuidae)
124. *Amphipoea lucens* (Freyer,1845) (Noctuidae)
125. *Amphipoea oculatea pallescens* (Staudinger,[1900]) (Noctuidae)
126. *Amphipoea ussuriensis* (Petersen,1914) (Noctuidae)
127. *Amphipyra perflua* (Fabricius,1787) (Noctuidae)
128. *Amphipyra tetra* (Fabricius,1787) (Noctuidae)
129. *Amphipyra tetra pallida* Staudinger,1901 (Noctuidae)
130. *Amraica superans confusa* (Staudinger,1897) (Geometridae)
131. *Amselina cedeștiella* (Zeller,1868) (Autostichidae)
132. *Amurilla subpurpurea dieckmanni* (Graeser,1888) (Lasiocampidae)
133. *Amurilla subpurpurea flavopurpurea* (O.Bang-Haas,1927) (Lasiocampidae)
134. *Anacamptis blattariella* (Hübner,1796) (Gelechiidae)
135. *Anacamptis scintillella* (Fischer v. Röslerstamm,1841) (Gelechiidae)
136. *Anacamptis temerella* (Lienig & Zeller,1846) (Gelechiidae)
137. *Anacamptis timidella* (Wocke,1887) (Gelechiidae)
138. *Anadevidia peponis* (Fabricius,1775) (Noctuidae)
139. *Anaplectoides prasina* (Goeze,1781) (Noctuidae)
140. *Anarsia (Ananarsia) lineatella* Zeller,1839 (Gelechiidae)
141. *Anarsia (s.str.) spartiella* (Schränk,1802) (Gelechiidae)
142. *Anarta fumida* Graeser,1888 (Noctuidae)
143. *Anasphaltis renigerellus* (Zeller,1839) (Gelechiidae)

144. *Ancylis comptana* (Frölich,1828) (Tortricidae)
145. *Ancylis laetana* (Fabricius,1775) (Tortricidae)
146. *Ancylis repandana* Kennel,1901 (Tortricidae)
147. *Ancylis tineana* (Hübner,[1799]) (Tortricidae)
148. *Ancylolomia japonica* Zeller,1877 (Pyralidae)
149. *Ancylolomia tentaculella* (Hübner,1796) (Pyralidae)
150. *Ancylosis* (Cabotia) *leucocephala* (Staudinger,1879) (Pyralidae)
151. *Ancylosis* (Cabotia) *oblitella* (Zeller,1848) (Pyralidae)
152. *Ancylosis* (Heterographis) *albicosta* (Staudinger,1870) (Pyralidae)
153. *Ancylosis* (Heterographis) *faustinella* (Zeller,1867) (Pyralidae)
154. *Ancylosis* (Heterographis) *nigripunctella* (Staudinger,1879) (Pyralidae)
155. *Ancylosis* (Heterographis) *pallida* (Staudinger,1870) (Pyralidae)
156. *Ancylosis* (Heterographis) *pyrethrella* (Herrich-Schäffer,1860) (Pyralidae)
157. *Ancylosis* (Heterographis) *rhodochrella* (Herrich-Schäffer,1855) (Pyralidae)
158. *Ancylosis* (Heterographis) *sabulosella* (Staudinger,1879) (Pyralidae)
159. *Ancylosis* (Heterographis) *samaritanella* (Zeller,1867) (Pyralidae)
160. *Ancylosis* (Heterographis) *xylina* (Staudinger,1870) (Pyralidae)
161. *Ancylosis* (s.str.) *anguinosella* Zeller,1848 (Pyralidae)
162. *Ancylosis* (s.str.) *maculifera* *maculifera* Staudinger,1870 (Pyralidae)
163. *Ancylosis* (s.str.) *maculifera* Staudinger,1870 (Pyralidae)
164. *Ancylosis* (s.str.) *sareptella* (Herrich-Schäffer,1860) (Pyralidae)
165. *Anerastia* *lotella* (Hübner,[1813]) (Pyralidae)
166. *Anomis* *flava* (Fabricius,1775) (Noctuidae)
167. *Antarchaea* *conicephala* (Staudinger,1870) (Noctuidae)
168. *Antispila* *treitschkiella* (Fischer v. Röslerstamm,1843) (Heliozelidae)
169. *Anumeta* *henkei* (Staudinger,1877) (Noctuidae)
170. *Apamea* *crenata* (Hufnagel,1766) (Noctuidae)
171. *Apamea* *illyria* Freyer,1846 (Noctuidae)
172. *Apamea* *lateritia* (Hufnagel,1766) (Noctuidae)
173. *Apamea* *lateritia* *lateritia* (Hufnagel,1766) (Noctuidae)
174. *Apamea* *lithoxylaea* (Fabricius,1787) (Noctuidae)
175. *Apamea* *lithoxylaea* *lithoxylaea* (Fabricius,1787) (Noctuidae)
176. *Apamea* *maillardi* (Geyer,1834) (Noctuidae)
177. *Apamea* *maillardi* *schildei* (Staudinger,1901) (Noctuidae)
178. *Apamea* *monoglyphia* (Hufnagel,1766) (Noctuidae)
179. *Apamea* *ophiogramma* (Esper,1794) (Noctuidae)
180. *Apamea* *platinea* *montana* (Herrich-Schäffer,1852) (Noctuidae)
181. *Apamea* *pyxina* (A.Bang-Haas,1910) (Noctuidae)
182. *Apamea* *pyxina* *pyxina* (A.Bang-Haas,1910) (Noctuidae)
183. *Apamea* *remissa* (Hübner,[1809]) (Noctuidae)
184. *Apamea* *scolopacina* (Esper,1788) (Noctuidae)
185. *Apamea* *sordens* (Hufnagel,1766) (Noctuidae)
186. *Apamea* *sublustris* (Esper,[1788]) (Noctuidae)
187. *Apamea* *unanimis* (Hübner,[1813]) (Noctuidae)
188. *Apatura* *metis* *bunea* Herrich-Schäffer,[1845] (Argynnidae)
189. *Apatura* *metis* Freyer,1829 (Argynnidae)
190. *Aphelia* (Anaphelia) *aglossana* (Kennel,1899) (Tortricidae)
191. *Aphelia* (s.str.) *viburniana* (Fabricius,1787) (Tortricidae)
192. *Aphelia* (Zelotherses) *aglossana* (Kennel,1899) (Tortricidae)
193. *Aphelia* (Zelotherses) *albociliana* (Herrich-Schäffer,1851) (Tortricidae)
194. *Aphelia* (Zelotherses) *paleana* (Hübner,1793) (Tortricidae)
195. *Aphelia* (Zelotherses) *unitana* (Hübner,[1799]) (Tortricidae)
196. *Aphomia* *foedella* (Zeller,1839) (Pyralidae)
197. *Aphomia* *unicolor* (Staudinger,1880) (Pyralidae)
198. *Aplocera* *praeformata* (Hübner,1826) (Geometridae)
199. *Aplota* *kadeniella* (Herrich-Schäffer,1851) (Oecophoridae)
200. *Apoda* *limacodes* (Hufnagel,1766) (Limacodidae)
201. *Apomyelois* *ceratoniae* (Zeller,1839) (Pyralidae)
202. *Apomyelois* *cognata* (Staudinger,1871) (Pyralidae)
203. *Apopetes* *spectrum* (Esper,[1787]) (Noctuidae)
204. *Aporia* (s.str.) *hippia* *occidentalis* O.Bang-Haas,1927 (Pieridae)

205. *Apotomis capreana* (Hübner,[1817]) (Tortricidae)
206. *Apotomis demissana* (Kennel,1900) (Tortricidae)
207. *Apotomis lemniscatana* (Kennel,1901) (Tortricidae)
208. *Apotomis lutosana* (Kennel,1901) (Tortricidae)
209. *Apotomis sauciana* (Frölich,1828) (Tortricidae)
210. *Apotomis turbidana* (Hübner,[1825]) (Tortricidae)
211. *Aproaerema anthyllidella* (Hübner,[1813]) (Gelechiidae)
212. *Aprominta designatella* (Herrich-Schäffer,[1855]) (Autostichidae)
213. *Archanara algae* (Esper,[1789]) (Noctuidae)
214. *Archanara neurica* (Hübner,[1808]) (Noctuidae)
215. *Archanara sparganii* (Esper,[1790]) (Noctuidae)
216. *Archanara sparganii sparganii* (Esper,[1790]) (Noctuidae)
217. *Archicaris notha* (Hübner,[1803]) (Geometridae)
218. *Archicaris notha notha* (Hübner,[1803]) (Geometridae)
219. *Archicaris puella* (Esper,1787) (Geometridae)
220. *Archicaris puella puella* (Esper,1787) (Geometridae)
221. *Archips betulanus* (Hübner,1787) (Tortricidae)
222. *Archips crataeganus* (Hübner,[1799]) (Tortricidae)
223. *Arctia* (Eucharis) *festiva* (Hufnagel,1766) (Arctiidae)
224. *Arctia* (Eucharis) *festiva festiva* (Hufnagel,1766) (Arctiidae)
225. *Arctia* (s.str.) *caja kamtschadalis* Draudt,1934 (Arctiidae)
226. *Arctia* (s.str.) *caja sajana* O.Bang-Haas,1927 (Arctiidae)
227. *Arctornis l-nigrum* (Müller,1764) (Lymantriidae)
228. *Arenostola phragmitidis* (Hübner,[1803]) (Noctuidae)
229. *Arethusana arethusia heptapotamica* (Stauder,1924) (Satyridae)
230. *Argynnis* (Fabriciana) *adippe* (Rottemburg,1775) (Argynnidae)
231. *Argynnis* (Fabriciana) *adippe adippe* (Rottemburg,1775) (Argynnidae)
232. *Argynnis* (Fabriciana) *adippe zarewna* Fruhstorfer,1912 (Argynnidae)
233. *Argynnis* (s.str.) *zenobia penelope* Staudinger,1892 (Argynnidae)
234. *Argynnis* (Speyeria) *aglaja* (Linnaeus,1758) (Argynnidae)
235. *Argynnis* (Speyeria) *aglaja aglaja* (Linnaeus,1758) (Argynnidae)
236. *Argynnis* (Speyeria) *aglaja auxo* Jachontov,1909 (Argynnidae)
237. *Argyresthia* (Blastotere) *dilectella* Zeller,1847 (Yponomeutidae)
238. *Argyresthia* (Blastotere) *glabratella* (Zeller,1847) (Yponomeutidae)
239. *Argyresthia* (Blastotere) *illuminatella* Zeller,1839 (Yponomeutidae)
240. *Argyresthia* (Blastotere) *praecocella* Zeller,1839 (Yponomeutidae)
241. *Argyresthia* (s.str.) *abdominalis* Zeller,1839 (Yponomeutidae)
242. *Argyresthia* (s.str.) *brockeella* (Hübner,[1813]) (Yponomeutidae)
243. *Argyresthia* (s.str.) *conjugella* Zeller,1839 (Yponomeutidae)
244. *Argyresthia* (s.str.) *fundella* (Fischer v. Röslerstamm,1835) (Yponomeutidae)
245. *Argyresthia* (s.str.) *glaucinella* Zeller,1839 (Yponomeutidae)
246. *Argyresthia* (s.str.) *pulchella* Lienig & Zeller,1846 (Yponomeutidae)
247. *Argyresthia* (s.str.) *retinella* Zeller,1839 (Yponomeutidae)
248. *Argyrospila succinea* (Esper,[1798]) (Noctuidae)
249. *Aristaea pavoniella* (Zeller,1847) (Gracillariidae)
250. *Aristotelia decoratella* (Staudinger,1880) (Gelechiidae)
251. *Aristotelia ericinella* (Zeller,1839) (Gelechiidae)
252. *Aristotelia pancaliella* (Staudinger,1871) (Gelechiidae)
253. *Aroga flavicomella* (Zeller,1839) (Gelechiidae)
254. *Aroga velocella* (Zeller,1839) (Gelechiidae)
255. *Arsissa ramosella* (Herrich-Schäffer,[1855]) (Pyralidae)
256. *Artena dotata* (Fabricius,1794) (Noctuidae)
257. *Artiora evonymaria* (Hübner,[1799]) (Geometridae)
258. *Artona maerens* (Staudinger,1887) (Zygaenidae)
259. *Aspilapteryx* (s.str.) *tringipennella* (Zeller,1839) (Gracillariidae)
260. *Aspitates albaria* (Bartel,1903) (Geometridae)
261. *Aspitates conspersaria* (Staudinger,1901) (Geometridae)
262. *Aspitates quadripunctata* (Goeze,1781) (Geometridae)
263. *Aspitates quadripunctata quadripunctata* (Goeze,1781) (Geometridae)
264. *Assara terebrella* (Zincken,1818) (Pyralidae)
265. *Asteroscopus sphinx* (Hufnagel,1766) (Noctuidae)

266. *Asthena albulata* (Hufnagel,1767) (Geometridae)
267. *Asthena amurensis* (Staudinger,1897) (Geometridae)
268. *Asthena anseraria* (Herrich-Schäffer,1855) (Geometridae)
269. *Asthena anseraria anseraria* (Herrich-Schäffer,1855) (Geometridae)
270. *Ateliotum hungaricellum* Zeller,1839 (Tineidae)
271. *Atethmia ambusta* (Fabricius,1787) (Noctuidae)
272. *Atethmia ambusta ambusta* (Fabricius,1787) (Noctuidae)
273. *Athetis funesta* (Staudinger,1888) (Noctuidae)
274. *Athetis furvula* (Hübner,[1808]) (Noctuidae)
275. *Athetis pallustris* (Hübner,[1808]) (Noctuidae)
276. *Athrips pruinosa* (Lienig & Zeller,1846) (Gelechiidae)
277. *Athrips rancidella* (Herrich-Schäffer,[1854]) (Gelechiidae)
278. *Athrips spiraeae* (Staudinger,1871) (Gelechiidae)
279. *Atrophaneura* (s.str. (Byasa)) *alcinous* (Klug,1836) (Papilionidae)
280. *Atypha pulmonaris* (Esper,[1790]) (Noctuidae)
281. *Atypha pulmonaris pulmonaris* (Esper,[1790]) (Noctuidae)
282. *Auchmis* (s.str.) *detersa* (Esper,[1791]) (Noctuidae)
283. *Auchmis* (s.str.) *detersa detersa* (Esper,[1791]) (Noctuidae)
284. *Augasma aeratellum* (Zeller,1839) (Coleophoridae)
285. *Autographa buraetica* (Staudinger,1892) (Noctuidae)
286. *Autographa mandarina* (Freyer,1845) (Noctuidae)
287. *Autophila* (Cheirophanes) *cataphanes* (Hübner,[1813]) (Noctuidae)
288. *Autophila* (Cheirophanes) *cataphanes cataphanes* (Hübner,[1813]) (Noctuidae)
289. *Autophila* (s.str.) *asiatica* (Staudinger,1888) (Noctuidae)
290. *Autophila* (s.str.) *asiatica asiatica* (Staudinger,1888) (Noctuidae)
291. *Autophila* (s.str.) *dilucida* (Hübner,[1808]) (Noctuidae)
292. *Autophila* (s.str.) *einsleri* Amsel,1935 (Noctuidae)
293. *Autophila* (s.str.) *limbata* (Staudinger,1871) (Noctuidae)
294. *Autophila* (s.str.) *limbata limbata* (Staudinger,1871) (Noctuidae)
295. *Autotrichia pellucida* (Staudinger,1900) (Geometridae)
296. *Autotrichia pellucida pellucida* (Staudinger,1900) (Geometridae)
297. *Bactra* (s.str.) *bactrana* (Kennel,1901) (Tortricidae)
298. *Bactra* (s.str.) *lancealana* (Hübner,[1799]) (Tortricidae)
299. *Balataea cyclops* (Staudinger,1887) (Zygaenidae)
300. *Baptria tibiale* (Esper,1804) (Geometridae)
301. *Batrachedra pinicolella* (Zeller,1839) (Batrachedridae)
302. *Bedellia somnulentella* (Zeller,1847) (Lyonetiidae)
303. *Bembecia bohatschi* (Püngeler,1904) (Sesiidae)
304. *Bembecia megillaeformis* (Hübner,[1813]) (Sesiidae)
305. *Bembecia sareptana* (Bartel,1912) (Sesiidae)
306. *Bibasis aquilina* (Speyer,1879) (Hesperiidae)
307. *Bibasis aquilina aquilina* (Speyer,1879) (Hesperiidae)
308. *Biston stratarius* (Hufnagel,1767) (Geometridae)
309. *Blastobasis phycidella* (Zeller,1839) (Blastobasidae)
310. *Boloria* (Clossiana) *chariclea* (Schneider,1794) (Argynnididae)
311. *Boloria* (Clossiana) *chariclea chariclea* (Schneider,1794) (Argynnididae)
312. *Boloria* (Clossiana) *euphrosyne umbra* (Seitz,1908) (Argynnididae)
313. *Boloria* (Clossiana) *iphigenia* (Graeser,1888) (Argynnididae)
314. *Boloria* (Clossiana) *iphigenia iphigenia* (Graeser,1888) (Argynnididae)
315. *Boloria* (Clossiana) *thore* (Hübner,[1803]) (Argynnididae)
316. *Boloria* (Clossiana) *thore borealis* (Staudinger,1861) (Argynnididae)
317. *Boloria* (Clossiana) *thore thore* (Hübner,[1803]) (Argynnididae)
318. *Boloria* (Clossiana) *titania* (Esper,[1793]) (Argynnididae)
319. *Boloria* (Clossiana) *titania bivina* (Fruhstorfer,1908) (Argynnididae)
320. *Boloria* (Clossiana) *titania cypris* (Meigen,1828) (Argynnididae)
321. *Boloria* (Proclossiana) *eunomia* (Esper,[1799]) (Argynnididae)
322. *Boloria* (Proclossiana) *eunomia asiatica* (Staudinger,1901) (Argynnididae)
323. *Boloria* (Proclossiana) *eunomia eunomia* (Esper,[1799]) (Argynnididae)
324. *Boloria* (Proclossiana) *eunomia ossianus* (Herbst,1800) (Argynnididae)
325. *Boloria* (s.str.) *aquilonaris* (Stichel,1908) (Argynnididae)
326. *Boloria* (s.str.) *aquilonaris aquilonaris* (Stichel,1908) (Argynnididae)

- 327. *Boloria* (s.str.) *frigidalis* Forster,1968 (Argynnididae)
- 328. *Boloria* (s.str.) *frigidalis frigidalis* Forster,1968 (Argynnididae)
- 329. *Boloria* (s.str.) *napaea* (Hoffmannsegg,1804) (Argynnididae)
- 330. *Boloria* (s.str.) *pales banghaasi* Seitz,1909 (Argynnididae)
- 331. *Boreophila manualis* (Geyer,[1832]) (Pyalidae)
- 332. *Borkhausenia luridicomella* (Herrich-Schäffer,1856) (Oecophoridae)
- 333. *Brachionycha nubeculosa* (Esper,[1785]) (Noctuidae)
- 334. *Brachionycha nubeculosa nubeculosa* (Esper,[1785]) (Noctuidae)
- 335. *Brachionycha sajana* Draudt,1934 (Noctuidae)
- 336. *Brachmia blandella* (Fabricius,1798) (Gelechiidae)
- 337. *Brachodes appendiculata* (Esper,[1783]) (Brachodidae)
- 338. *Brachodes dispar* (Herrich-Schäffer,[1854]) (Brachodidae)
- 339. *Brachodes fallax* (Staudinger,1900) (Brachodidae)
- 340. *Brachylomia viminalis* (Fabricius,1777) (Noctuidae)
- 341. *Bradyrrhoa confiniella* Zeller,1848 (Pyalidae)
- 342. *Brahmaea* (s.str.) *certhia* (Fabricius,1779) (Brahmaeidae)
- 343. *Brenthis daphne* (Bergsträsser,1780) (Argynnididae)
- 344. *Brenthis daphne daphne* (Bergsträsser,1780) (Argynnididae)
- 345. *Brenthis ino* (Rottemburg,1775) (Argynnididae)
- 346. *Brenthis ino adalberti* (Fruhstorfer,1916) (Argynnididae)
- 347. *Brenthis ino amurensis* Staudinger,1887 (Argynnididae)
- 348. *Brenthis ino ino* (Rottemburg,1775) (Argynnididae)
- 349. *Brenthis ino paidicus* (Fruhstorfer,1907) (Argynnididae)
- 350. *Brenthis ino siopelus* Fruhstorfer,1907 (Argynnididae)
- 351. *Brenthis ino tarnis* (Fruhstorfer,1916) (Argynnididae)
- 352. *Brenthis ino tigroides* Fruhstorfer,1907 (Argynnididae)
- 353. *Brintesia circe* (Fabricius,1775) (Satyridae)
- 354. *Brintesia circe circe* (Fabricius,1775) (Satyridae)
- 355. *Bryotropha basaltinella* (Zeller,1839) (Gelechiidae)
- 356. *Bryotropha galbanella* (Zeller,1839) (Gelechiidae)
- 357. *Bryotropha senectella* (Zeller,1839) (Gelechiidae)
- 358. *Bryotropha umbrosella* (Zeller,1839) (Gelechiidae)
- 359. *Bucculatrix albedinella* (Zeller,1839) (Bucculatricidae)
- 360. *Bucculatrix argentisignella* Herrich-Schäffer,1855 (Bucculatricidae)
- 361. *Bucculatrix artemisiella* Herrich-Schäffer,1855 (Bucculatricidae)
- 362. *Bucculatrix bechsteinella* (Bechstein & Scharfenberg,1805) (Bucculatricidae)
- 363. *Bucculatrix cidarella* (Zeller,1839) (Bucculatricidae)
- 364. *Bucculatrix cristatella* (Zeller,1839) (Bucculatricidae)
- 365. *Bucculatrix frangutella* (Goeze,1783) (Bucculatricidae)
- 366. *Bucculatrix nigricomella* (Zeller,1839) (Bucculatricidae)
- 367. *Bucculatrix ulmella* Zeller,1848 (Bucculatricidae)
- 368. *Buckleria paludum* (Zeller,1839) (Pterophoridae)
- 369. *Buszkoiana capnodactyla* (Zeller,1841) (Pterophoridae)
- 370. *Buvatina stroemella* (Fabricius,1779) (Oecophoridae)
- 371. *Cadra furcatella* (Herrich-Schäffer,[1849]) (Pyalidae)
- 372. *Cadra furcatella furcatella* (Herrich-Schäffer,[1849]) (Pyalidae)
- 373. *Calamia staudingeri* Warnecke,1941 (Noctuidae)
- 374. *Calamia tridens* (Hufnagel,1766) (Noctuidae)
- 375. *Calamotropha aureliella* (Fischer v. Röslerstamm,[1841]) (Pyalidae)
- 376. *Calamotropha paludella* (Hübner,[1824]) (Pyalidae)
- 377. *Callophrys rubi sibirica* (Heyne,[1895]) (Lycaenidae)
- 378. *Calopistria albolineola* (Graeser,1889) (Noctuidae)
- 379. *Calophasia lunula* (Hufnagel,1766) (Noctuidae)
- 380. *Calophasia lunula lunula* (Hufnagel,1766) (Noctuidae)
- 381. *Calophasia opalina* (Esper,[1796]) (Noctuidae)
- 382. *Calophasia platyptera* (Esper,[1788]) (Noctuidae)
- 383. *Caloptilia* (s.str.) *betulicola* (Hering,1927) (Gracillariidae)
- 384. *Caloptilia* (s.str.) *braccatella* (Staudinger,1870) (Gracillariidae)
- 385. *Caloptilia* (s.str.) *cuculipennella* (Hübner,1796) (Gracillariidae)
- 386. *Caloptilia* (s.str.) *falconipennella* (Hübner,[1813]) (Gracillariidae)
- 387. *Caloptilia* (s.str.) *fidella* (Reutti,1853) (Gracillariidae)

388. *Caloptilia* (s.str.) *flava* (Staudinger,1871) (Gracillariidae)
389. *Caloptilia* (s.str.) *fribergensis* (Fritzsche,1871) (Gracillariidae)
390. *Caloptilia* (s.str.) *onustella* (Hübner,[1813]) (Gracillariidae)
391. *Caloptilia* (s.str.) *populetorum* (Zeller,1839) (Gracillariidae)
392. *Caloptilia* (s.str.) *robustella* Jäckh,1972 (Gracillariidae)
393. *Caloptilia* (s.str.) *roscipennella* (Hübner,1796) (Gracillariidae)
394. *Caloptilia* (s.str.) *stigmatella* (Fabricius,1781) (Gracillariidae)
395. *Calybites phasianipennella* (Hübner,[1813]) (Gracillariidae)
396. *Calybites quadrisignella* (Zeller,1839) (Gracillariidae)
397. *Calyciphora xerodactyla* (Zeller,1841) (Pterophoridae)
398. *Calyptra thalictri* (Borkhausen,1790) (Noctuidae)
399. *Canephora lutea* (Staudinger,1871) (Psychidae)
400. *Canephora senex* (Staudinger,1871) (Psychidae)
401. *Capperia fusca* (Hofmann,1898) (Pterophoridae)
402. *Capperia lorana* (Fuchs,1895) (Pterophoridae)
403. *Capua vulgana* (Frölich,1828) (Tortricidae)
404. *Caradrina* (Eremodrina) *ferghana* (Staudinger,1892) (Noctuidae)
405. *Caradrina* (Eremodrina) *inumbrata* (Staudinger,1900) (Noctuidae)
406. *Caradrina* (Eremodrina) *inumbrata obfuscata* Hacker,2004 (Noctuidae)
407. *Caradrina* (Eremodrina) *pertinax* (Staudinger,1879) (Noctuidae)
408. *Caradrina* (Eremodrina) *vicina* (Staudinger,1870) (Noctuidae)
409. *Caradrina* (Eremodrina) *vicina vicina* (Staudinger,1870) (Noctuidae)
410. *Caradrina* (Platyperigea) *kadenii* (Freyer,1836) (Noctuidae)
411. *Caradrina* (Platyperigea) *montana rougemonti* Spuler,1908 (Noctuidae)
412. *Caradrina* (Platyperigea) *terrea* (Freyer,[1840]) (Noctuidae)
413. *Caradrina* (s.str.) *amurensis* (Staudinger,1892) (Noctuidae)
414. *Caradrina* (s.str.) *morpheus* (Hufnagel,1766) (Noctuidae)
415. *Carcharodus* (Lavatheria) *lavatherae* (Esper,[1783]) (Hesperiidae)
416. *Carcharodus* (Lavatheria) *lavatherae lavatherae* (Esper,[1783]) (Hesperiidae)
417. *Carcharodus* (s.str.) *alceae* (Esper,[1780]) (Hesperiidae)
418. *Carcharodus* (s.str.) *alceae alceae* (Esper,[1780]) (Hesperiidae)
419. *Carcina quercana* (Fabricius,1775) (Oecophoridae)
420. *Cardepija sociabilis socialis* Hacker,1998 (Noctuidae)
421. *Carpatolechchia alburnella* (Zeller,1839) (Gelechiidae)
422. *Carpatolechchia fugitivella* (Zeller,1839) (Gelechiidae)
423. *Carpatolechchia humeralis* (Zeller,1839) (Gelechiidae)
424. *Carpatolechchia notatella* (Hübner,[1813]) (Gelechiidae)
425. *Carpatolechchia proximella* (Hübner,1796) (Gelechiidae)
426. *Carposina berberidella* Herrich-Schäffer,[1854] (Carposinidae)
427. *Carsia sororiata* (Hübner,[1813]) (Geometridae)
428. *Carsia sororiata sororiata* (Hübner,[1813]) (Geometridae)
429. *Carterocephalus dieckmanni dieckmanni* Graeser,1888 (Hesperiidae)
430. *Carterocephalus dieckmanni* Graeser,1888 (Hesperiidae)
431. *Caryocolum alsinellum* (Zeller,1868) (Gelechiidae)
432. *Caryocolum kroesmanniellum* (Herrich-Schäffer,1854) (Gelechiidae)
433. *Caryocolum leucomelanellum* (Zeller,1839) (Gelechiidae)
434. *Caryocolum petryi* (Hofmann,1899) (Gelechiidae)
435. *Caryocolum tischeriellum* (Zeller,1839) (Gelechiidae)
436. *Casilda antophilaria* (Hübner,[1813]) (Geometridae)
437. *Casilda antophilaria antophilaria* (Hübner,[1813]) (Geometridae)
438. *Cataclysme riguata* (Hübner,[1813]) (Geometridae)
439. *Cataclysme riguata festivata* (Staudinger,1893) (Geometridae)
440. *Cataclysme riguata riguata* (Hübner,[1813]) (Geometridae)
441. *Catarhoe cuculata* (Hufnagel,1767) (Geometridae)
442. *Catarhoe cuculata cuculata* (Hufnagel,1767) (Geometridae)
443. *Catocala* (Ephesia) *nymphaea* (Esper,[1787]) (Noctuidae)
444. *Catocala* (Ephesia) *nymphaea nymphaea* (Esper,[1787]) (Noctuidae)
445. *Catocala* (s.str.) *conversa* (Esper,1783) (Noctuidae)
446. *Catocala* (s.str.) *dilecta* (Hübner,[1808]) (Noctuidae)
447. *Catocala* (s.str.) *disjuncta* (Geyer,[1828]) (Noctuidae)
448. *Catocala* (s.str.) *diversa* (Geyer,[1828]) (Noctuidae)

449. *Catocala* (s.str.) *elocata* (Esper,[1787]) (Noctuidae)
450. *Catocala* (s.str.) *elocata elocata* (Esper,[1787]) (Noctuidae)
451. *Catocala* (s.str.) *lupina* Herrich-Schäffer,[1851] (Noctuidae)
452. *Catocala* (s.str.) *lupina lupina* Herrich-Schäffer,[1851] (Noctuidae)
453. *Catocala* (s.str.) *moltrechti* O.Bang-Haas,1927 (Noctuidae)
454. *Catocala* (s.str.) *neonympha* (Esper,[1805]) (Noctuidae)
455. *Catocala* (s.str.) *neonympha neonympha* (Esper,[1805]) (Noctuidae)
456. *Catocala* (s.str.) *nymphaeoides* Herrich-Schäffer,1852 (Noctuidae)
457. *Catocala* (s.str.) *nymphagoga* (Esper,[1787]) (Noctuidae)
458. *Catocala* (s.str.) *nymphagoga nymphagoga* (Esper,[1787]) (Noctuidae)
459. *Catocala* (s.str.) *orientalis* Staudinger,1877 (Noctuidae)
460. *Catopta albonubilus* (Graeser,1888) (Cossidae)
461. *Catopta albonubilus albonubilus* (Graeser,1888) (Cossidae)
462. *Catopta thrips* (Hübner,[1818]) (Cossidae)
463. *Catopta thrips thrips* (Hübner,[1818]) (Cossidae)
464. *Catoptria fulgidella* (Hübner,[1813]) (Pyralidae)
465. *Catoptria languidella* (Zeller,1863) (Pyralidae)
466. *Catoptria lithargyrella* (Hübner,1796) (Pyralidae)
467. *Catoptria mytilella* (Hübner,[1805]) (Pyralidae)
468. *Catoptria permiaca* (Petersen,1924) (Pyralidae)
469. *Catoptria permutatella* (Herrich-Schäffer,[1848]) (Pyralidae)
470. *Catoptria permutatella permutatella* (Herrich-Schäffer,[1848]) (Pyralidae)
471. *Catoptria verella* (Zincken,1817) (Pyralidae)
472. *Cauchas florella* (Staudinger,1871) (Adelidae)
473. *Caulastrocecis furfurella* (Staudinger,1871) (Gelechiidae)
474. *Cedestis gysseleniella* Zeller,1839 (Yponomeutidae)
475. *Celaena leucostigma* (Hübner,[1808]) (Noctuidae)
476. *Celastrina argiolus bieneri* Forster,1941 (Lycaenidae)
477. *Celastrina argiolus hypoleuca* (Kollar,[1849]) (Lycaenidae)
478. *Celypha capreolana* (Herrich-Schäffer,1851) (Tortricidae)
479. *Celypha cespitana* (Hübner,[1817]) (Tortricidae)
480. *Celypha flavipalpana* (Herrich-Schäffer,[1851]) (Tortricidae)
481. *Celypha tiedemanniana* (Zeller,1845) (Tortricidae)
482. *Cephalispheira sareptensis* Möschler,1862 (Oecophoridae)
483. *Cephalispheira sordidella* (Hübner,1796) (Oecophoridae)
484. *Cephimallota angusticostella* (Zeller,1839) (Tineidae)
485. *Cepphis advenaria* (Hübner,[1799]) (Geometridae)
486. *Cerastis rubricosa* (Fabricius,1787) (Noctuidae)
487. *Ceratoxanthia argentomixtana* (Staudinger,1870) (Tortricidae)
488. *Cerura* (s.str.) *erminea* (Esper,1783) (Notodontidae)
489. *Cerura* (s.str.) *erminea erminea* (Esper,1783) (Notodontidae)
490. *Chamaesphecia alysoniformis* (Herrich-Schäffer,1846) (Sesiidae)
491. *Chamaesphecia annellata* (Zeller,1847) (Sesiidae)
492. *Chamaesphecia astatifomis* (Herrich-Schäffer,1846) (Sesiidae)
493. *Chamaesphecia bibioniformis* (Esper,[1800]) (Sesiidae)
494. *Chamaesphecia chalciformis* (Esper,[1804]) (Sesiidae)
495. *Chamaesphecia colpiformis* (Staudinger,1856) (Sesiidae)
496. *Chamaesphecia crassicornis* Bartel,1913 (Sesiidae)
497. *Chamaesphecia empiformis* (Esper,[1783]) (Sesiidae)
498. *Chamaesphecia leucopsiformis* (Esper,1800) (Sesiidae)
499. *Chamaesphecia oxybeliformis* (Herrich-Schäffer,1846) (Sesiidae)
500. *Chamaesphecia schmidtiformis* (Freyer,1836) (Sesiidae)
501. *Charanyca trigrammica* (Hufnagel,1766) (Noctuidae)
502. *Chazara* (Neochazara) *anthe* (Hoffmannsegg,1804) (Satyridae)
503. *Chazara* (Neochazara) *anthe anthe* (Hoffmannsegg,1804) (Satyridae)
504. *Chazara* (s.str.) *briseis pirata* (Esper,[1789]) (Satyridae)
505. *Chazaria incarnata* (Freyer,1838) (Noctuidae)
506. *Chelis maculosa* (Gerning,1780) (Arctiidae)
507. *Chersotis* (Cyrebia) *anachoreta* (Herrich-Schäffer,[1851]) (Noctuidae)
508. *Chersotis* (Cyrebia) *anachoreta anachoreta* (Herrich-Schäffer,1851) (Noctuidae)
509. *Chersotis* (s.str.) *alpestris ponticola* (Draudt,1936) (Noctuidae)

- 510. *Chersotis* (s.str.) *anatolica* (Draudt,1936) (Noctuidae)
- 511. *Chersotis* (s.str.) *deplana* (Freyer,1831) (Noctuidae)
- 512. *Chersotis* (s.str.) *fimbriola* (Esper,[1798]) (Noctuidae)
- 513. *Chersotis* (s.str.) *multangula* (Hübner,[1803]) (Noctuidae)
- 514. *Chersotis* (s.str.) *multangula multangula* (Hübner,[1803]) (Noctuidae)
- 515. *Chersotis* (s.str.) *rectangula* (Fabricius,1787) (Noctuidae)
- 516. *Chersotis* (s.str.) *rectangula rectangula* (Fabricius,1787) (Noctuidae)
- 517. *Chersotis* (s.str.) *semna* (Püngeler,1906) (Noctuidae)
- 518. *Chersotis* (s.str.) *transiens* (Staudinger,1897) (Noctuidae)
- 519. *Chesias rufata* (Fabricius,1775) (Geometridae)
- 520. *Chiasmia* (Godonela) *aestimaria* (Hübner,[1809]) (Geometridae)
- 521. *Chiasmia* (Godonela) *aestimaria aestimaria* (Hübner,[1809]) (Geometridae)
- 522. *Chiasmia* (Godonela) *sareptanaria* (Staudinger,1871) (Geometridae)
- 523. *Chibiraga banghaasi* (M.Hering & Hopp,1927) (Limacodidae)
- 524. *Chilo phragmitellus* (Hübner,[1810]) (Pyralidae)
- 525. *Chionodes continuella* (Zeller,1839) (Gelechiidae)
- 526. *Chionodes distinctella* (Zeller,1839) (Gelechiidae)
- 527. *Chionodes electella* (Zeller,1839) (Gelechiidae)
- 528. *Chionodes luctuella* (Hübner,1793) (Gelechiidae)
- 529. *Chionodes lugubrella* (Fabricius,1794) (Gelechiidae)
- 530. *Chionodes praeclarella* (Herrich-Schäffer,1854) (Gelechiidae)
- 531. *Chionodes viduella* (Fabricius,1794) (Gelechiidae)
- 532. *Chloantha hypericii* (Fabricius,1787) (Noctuidae)
- 533. *Chloantha hypericii hypericii* (Fabricius,1787) (Noctuidae)
- 534. *Chlorissa cloraria* (Hübner,[1813]) (Geometridae)
- 535. *Chlorissa confusaria* (Staudinger,1892) (Geometridae)
- 536. *Chlorissa viridata melinaria* (Herrich-Schäffer,1852) (Geometridae)
- 537. *Chloroclysta pseudimmanata* Heydemann,1929 (Geometridae)
- 538. *Chloroclysta siterata* (Hufnagel,1767) (Geometridae)
- 539. *Chloroclysta truncata* (Hufnagel,1767) (Geometridae)
- 540. *Choreutis diana* (Hübner,1822) (Choreutidae)
- 541. *Choreutis nemorana* (Hübner,[1799]) (Choreutidae)
- 542. *Choristoneura diversana* (Hübner,[1817]) (Tortricidae)
- 543. *Choristoneura murinana* (Hübner,[1799]) (Tortricidae)
- 544. *Chrysodeixis chalcites* (Esper,[1789]) (Noctuidae)
- 545. *Chrysoesthia drurella* (Fabricius,1775) (Gelechiidae)
- 546. *Chrysoteuchia diplogramma* (Zeller,1863) (Pyralidae)
- 547. *Cidaria distinctata* Staudinger,1892 (Geometridae)
- 548. *Cidaria fulvata* (Forster,1771) (Geometridae)
- 549. *Clelea impellucida* (Graeser,1888) (Zygaenidae)
- 550. *Cleoceris scoriacea* (Esper,[1789]) (Noctuidae)
- 551. *Cleoceris scoriacea scoriacea* (Esper,[1789]) (Noctuidae)
- 552. *Cleorodes lichenarius* (Hufnagel,1767) (Geometridae)
- 553. *Clepsis consimilana* (Hübner,[1817]) (Tortricidae)
- 554. *Clepsis crispinana* (Kennel,1919) (Tortricidae)
- 555. *Clepsis neglectana* (Herrich-Schäffer,1851) (Tortricidae)
- 556. *Clepsis pallidana* (Fabricius,1776) (Tortricidae)
- 557. *Clepsis praeclarana* (Kennel,1899) (Tortricidae)
- 558. *Clepsis senecionana* (Hübner,[1819]) (Tortricidae)
- 559. *Cleta filacearia* (Herrich-Schäffer,[1847]) (Geometridae)
- 560. *Clostera anachoreta* (Fabricius,1787) (Notodontidae)
- 561. *Clostera anastomosis tristis* (Staudinger,1887) (Notodontidae)
- 562. *Clostera pigra* (Hufnagel,1766) (Notodontidae)
- 563. *Clostera pigra pigra* (Hufnagel,1766) (Notodontidae)
- 564. *Clytie* (s.str.) *delunaris* (Staudinger,1889) (Noctuidae)
- 565. *Clytie* (s.str.) *gracilis* (A.Bang-Haas,1907) (Noctuidae)
- 566. *Clytie* (s.str.) *gracilis gracilis* (A.Bang-Haas,1907) (Noctuidae)
- 567. *Cnaemidophorus rhododactylus* (Fabricius,1787) (Pterophoridae)
- 568. *Cnephasia* (s.str.) *alticolana* (Herrich-Schäffer,1851) (Tortricidae)
- 569. *Cnephasia* (s.str.) *communana* (Herrich-Schäffer,[1851]) (Tortricidae)
- 570. *Cnephasia* (s.str.) *grandis* (Osthelder,1938) (Tortricidae)

571. *Cnephasia* (s.str.) *pasiuana* (Hübner,[1799]) (Tortricidae)
572. *Cochylidia* *heydeniana* (Herrich-Schäffer,[1851]) (Tortricidae)
573. *Cochylidia* *richteriana* (Fischer v. Röslerstamm,1837) (Tortricidae)
574. *Cochylimorpha* *asiana* (Kennel,1899) (Tortricidae)
575. *Cochylimorpha* *clathrana* (Staudinger,1871) (Tortricidae)
576. *Cochylimorpha* *clathratana* (Staudinger,1880) (Tortricidae)
577. *Cochylimorpha* *declivana* (Kennel,1900) (Tortricidae)
578. *Cochylimorpha* *despectana* (Kennel,1899) (Tortricidae)
579. *Cochylimorpha* *diana* (Kennel,1899) (Tortricidae)
580. *Cochylimorpha* *discolorana* Kennel,1899 (Tortricidae)
581. *Cochylimorpha* *elongana* (Fischer v. Röslerstamm,1839) (Tortricidae)
582. *Cochylimorpha* *hilarana* (Herrich-Schäffer,[1851]) (Tortricidae)
583. *Cochylimorpha* *meridiana* (Staudinger,1859) (Tortricidae)
584. *Cochylimorpha* *nodulana* (Möschler,1862) (Tortricidae)
585. *Cochylimorpha* *perturbatana* (Kennel,1900) (Tortricidae)
586. *Cochylimorpha* *pyramidana* (Staudinger,1871) (Tortricidae)
587. *Cochylis* *dubitana* (Hübner,[1799]) (Tortricidae)
588. *Cochylis* *hybridella* (Hübner,[1813]) (Tortricidae)
589. *Cochylis* *pallidana pallidana* Zeller,1847 (Tortricidae)
590. *Cochylis* *pallidana* Zeller,1847 (Tortricidae)
591. *Cochylis* *posterana* Zeller,1847 (Tortricidae)
592. *Coenocalpe* *lapidata* (Hübner,[1809]) (Geometridae)
593. *Coenonympha* (s.str.) *glycerion* (Borkhausen,1788) (Satyridae)
594. *Coenonympha* (s.str.) *glycerion glycerion* (Borkhausen,1788) (Satyridae)
595. *Coenonympha* (s.str.) *glycerion iphicles* Staudinger,1892 (Satyridae)
596. *Coenonympha* (s.str.) *leander* (Fabricius,1787) (Satyridae)
597. *Coenonympha* (s.str.) *leander leander* (Fabricius,1787) (Satyridae)
598. *Coenonympha* (s.str.) *oedippus* (Fabricius,1787) (Satyridae)
599. *Coenonympha* (s.str.) *oedippus amurensis* Heyne,[1894] (Satyridae)
600. *Coenonympha* (s.str.) *oedippus oedippus* (Fabricius,1787) (Satyridae)
601. *Coenonympha* (s.str.) *tullia subcaeca* Heyne,[1895] (Satyridae)
602. *Coenonympha* (s.str.) *tullia tiphon* (Rottemburg,1775) (Satyridae)
603. *Coenophila* *miniago* (Freyer,[1839]) (Noctuidae)
604. *Coleophora* *adelogrammella* Zeller,1849 (Coleophoridae)
605. *Coleophora* *ahenella* Heinemann,1876 (Coleophoridae)
606. *Coleophora* *albicans* Zeller,1849 (Coleophoridae)
607. *Coleophora* *albitarsella* Zeller,1849 (Coleophoridae)
608. *Coleophora* *alcyonipennella* (Kollar,1832) (Coleophoridae)
609. *Coleophora* *alticolella* Zeller,1849 (Coleophoridae)
610. *Coleophora* *antennariella* Herrich-Schäffer,1861 (Coleophoridae)
611. *Coleophora* *argyrella* Herrich-Schäffer,1861 (Coleophoridae)
612. *Coleophora* *astragalella* Zeller,1849 (Coleophoridae)
613. *Coleophora* *attalicella* Zeller,1871 (Coleophoridae)
614. *Coleophora* *ballotella* (Fischer v. Röslerstamm,1839) (Coleophoridae)
615. *Coleophora* *bernoulliella* (Goeze,1783) (Coleophoridae)
616. *Coleophora* *betulella* Heinemann,1876 (Coleophoridae)
617. *Coleophora* *bindereella* (Kollar,1832) (Coleophoridae)
618. *Coleophora* *botaurella* Herrich-Schäffer,1861 (Coleophoridae)
619. *Coleophora* *caelebipennella* Zeller,1839 (Coleophoridae)
620. *Coleophora* *clypeiferella* Hofmann,1871 (Coleophoridae)
621. *Coleophora* *colutella* (Fabricius,1794) (Coleophoridae)
622. *Coleophora* *conspicuellla* Zeller,1849 (Coleophoridae)
623. *Coleophora* *coracipennella* (Hübner,1796) (Coleophoridae)
624. *Coleophora* *coronillae* Zeller,1849 (Coleophoridae)
625. *Coleophora* *currucipennella* Zeller,1839 (Coleophoridae)
626. *Coleophora* *deauratella* Lienig & Zeller,1846 (Coleophoridae)
627. *Coleophora* *dentatella* Toll & Amsel,1967 (Coleophoridae)
628. *Coleophora* *deviella* Zeller,1847 (Coleophoridae)
629. *Coleophora* *dianthi* Herrich-Schäffer,1855 (Coleophoridae)
630. *Coleophora* *discordella* Zeller,1849 (Coleophoridae)
631. *Coleophora* *ditella* Zeller,1849 (Coleophoridae)

632. *Coleophora erratella* Toll & Amsel, 1967 (Coleophoridae)
633. *Coleophora fuscociliella* Zeller, 1849 (Coleophoridae)
634. *Coleophora galbulipennella* Zeller, 1838 (Coleophoridae)
635. *Coleophora gallipennella* (Hübner, 1796) (Coleophoridae)
636. *Coleophora glitzella* Hofmann, 1869 (Coleophoridae)
637. *Coleophora gnaphalii* Zeller, 1839 (Coleophoridae)
638. *Coleophora graminicolella* Heinemann, 1876 (Coleophoridae)
639. *Coleophora granulatella* Zeller, 1849 (Coleophoridae)
640. *Coleophora gryhipennella* (Hübner, 1796) (Coleophoridae)
641. *Coleophora ibipennella* Zeller, 1849 (Coleophoridae)
642. *Coleophora kuehnella* (Goeze, 1783) (Coleophoridae)
643. *Coleophora laticella* (Hübner, [1817]) (Coleophoridae)
644. *Coleophora lassella* Staudinger, 1859 (Coleophoridae)
645. *Coleophora linosyris* Hering, 1937 (Coleophoridae)
646. *Coleophora lithargyriella* Zeller, 1849 (Coleophoridae)
647. *Coleophora lixella* Zeller, 1849 (Coleophoridae)
648. *Coleophora lutipennella* (Zeller, 1838) (Coleophoridae)
649. *Coleophora mayrella* (Hübner, [1813]) (Coleophoridae)
650. *Coleophora motacillella* Zeller, 1849 (Coleophoridae)
651. *Coleophora necessaria* Staudinger, 1880 (Coleophoridae)
652. *Coleophora niveistrigella* Heinemann & Wocke, [1877] (Coleophoridae)
653. *Coleophora obscenella* Herrich-Schäffer, 1855 (Coleophoridae)
654. *Coleophora occatella* Staudinger, 1880 (Coleophoridae)
655. *Coleophora onobrychiella* Zeller, 1849 (Coleophoridae)
656. *Coleophora orbitella* Zeller, 1849 (Coleophoridae)
657. *Coleophora oriolella* Zeller, 1849 (Coleophoridae)
658. *Coleophora ornatipennella* (Hübner, 1796) (Coleophoridae)
659. *Coleophora otidipennella* (Hübner, [1817]) (Coleophoridae)
660. *Coleophora paripennella* Zeller, 1839 (Coleophoridae)
661. *Coleophora partitella* Zeller, 1849 (Coleophoridae)
662. *Coleophora polonicella* Zeller, 1865 (Coleophoridae)
663. *Coleophora pratella* Zeller, 1871 (Coleophoridae)
664. *Coleophora pyrrhulipennella* Zeller, 1839 (Coleophoridae)
665. *Coleophora quadrifariella* Staudinger, 1880 (Coleophoridae)
666. *Coleophora ramosella* Zeller, 1849 (Coleophoridae)
667. *Coleophora salicorniae* Heinemann & Wocke, 1877 (Coleophoridae)
668. *Coleophora silenella* Herrich-Schäffer, 1855 (Coleophoridae)
669. *Coleophora solitariella* Zeller, 1849 (Coleophoridae)
670. *Coleophora spinella* (Schrank, 1802) (Coleophoridae)
671. *Coleophora squalorella* Zeller, 1849 (Coleophoridae)
672. *Coleophora stramentella* Zeller, 1849 (Coleophoridae)
673. *Coleophora taeniipennella* Herrich-Schäffer, 1855 (Coleophoridae)
674. *Coleophora tanaceti* Mühlig, 1865 (Coleophoridae)
675. *Coleophora trifariella* Zeller, 1849 (Coleophoridae)
676. *Coleophora tyrphaenica* Amsel, 1952 (Coleophoridae)
677. *Coleophora unipunctella* Zeller, 1849 (Coleophoridae)
678. *Coleophora vacciniella* Herrich-Schäffer, 1861 (Coleophoridae)
679. *Coleophora versurella* Zeller, 1849 (Coleophoridae)
680. *Coleophora vibicella* (Hübner, [1813]) (Coleophoridae)
681. *Coleophora vibicigerella* Zeller, 1839 (Coleophoridae)
682. *Coleophora vicinella* Zeller, 1849 (Coleophoridae)
683. *Coleophora vulnerariae* Zeller, 1839 (Coleophoridae)
684. *Coleophora zelleriella* Heinemann, 1854 (Coleophoridae)
685. *Colias* (*Eriocolias*) *chrysotheme* (Esper, [1781]) (Pieridae)
686. *Colias* (*Eriocolias*) *chrysotheme chrysotheme* (Esper, [1781]) (Pieridae)
687. *Colias* (*Eriocolias*) *heos* (Herbst, 1792) (Pieridae)
688. *Colias* (*Eriocolias*) *heos decolorata* Staudinger, 1897 (Pieridae)
689. *Colias* (*Eriocolias*) *heos heos* (Herbst, 1792) (Pieridae)
690. *Colias* (*Eucolias*) *palaeno orientalis* Staudinger, 1892 (Pieridae)
691. *Colias* (*Eucolias*) *tyche herzi* Staudinger, 1901 (Pieridae)
692. *Colias* (*Neocolias*) *aurorina anna* Gerhard, 1882 (Pieridae)

693. *Colias* (Neocolias) *aurorina* Herrich-Schäffer, [1850] (Pieridae)
694. *Colias* (Neocolias) *erate* (Esper, [1805]) (Pieridae)
695. *Colias* (Neocolias) *erate erate* (Esper, [1805]) (Pieridae)
696. *Colias* (Neocolias) *myrmidone* (Esper, [1781]) (Pieridae)
697. *Colias* (Neocolias) *myrmidone myrmidone* (Esper, [1781]) (Pieridae)
698. *Colias* (s.str.) *hyale irkutskana* Stauder, 1924 (Pieridae)
699. *Colias* (s.str.) *sareptensis sareptensis* Staudinger, 1881 (Pieridae)
700. *Colias* (s.str.) *sareptensis* Staudinger, 1881 (Pieridae)
701. *Colostygia aptata* (Hübner, [1813]) (Geometridae)
702. *Colostygia turbata* (Hübner, [1799]) (Geometridae)
703. *Colotois pennaria ussuriensis* O. Bang-Haas, 1927 (Geometridae)
704. *Commophila aeneana* (Hübner, [1800]) (Tortricidae)
705. *Conistra* (Dasyampa) *erythrocephala* (Fabricius, 1787) (Noctuidae)
706. *Conistra* (Dasyampa) *rubiginea* (Fabricius, 1787) (Noctuidae)
707. *Conistra* (s.str.) *ligula* (Esper, 1791) (Noctuidae)
708. *Conistra* (s.str.) *veronicae* (Hübner, [1813]) (Noctuidae)
709. *Conobathra repandana* (Fabricius, 1798) (Pyralidae)
710. *Cosmiotes exactella* (Herrich-Schäffer, 1855) (Elachistidae)
711. *Cosmiotes freyerella* (Hübner, [1825]) (Elachistidae)
712. *Cosmopterix lienigiella* Lienig & Zeller, 1846 (Cosmopterigidae)
713. *Cosmopterix scribaiella* Zeller, 1850 (Cosmopterigidae)
714. *Cosmopterix zieglerella* (Hübner, [1810]) (Cosmopterigidae)
715. *Cosmotriche lunigera* (Esper, 1784) (Lasiocampidae)
716. *Cosmotriche lunigera lunigera* (Esper, 1784) (Lasiocampidae)
717. *Cossus cossus orientalis* Gaede, 1929 (Cossidae)
718. *Cossus cossus uralicus* Seitz, 1912 (Cossidae)
719. *Crambus diplogrammus* Zeller, 1863 (Pyralidae)
720. *Crambus ericellus* (Hübner, [1813]) (Pyralidae)
721. *Crambus heringiellus* Herrich-Schäffer, [1848] (Pyralidae)
722. *Crambus humidellus* Zeller, 1877 (Pyralidae)
723. *Crambus lathoniellus* (Zincken, 1817) (Pyralidae)
724. *Crambus monochromellus* Herrich-Schäffer, [1852] (Pyralidae)
725. *Crambus silvellus* (Hübner, [1813]) (Pyralidae)
726. *Craniophora ligustri* (Fabricius, 1787) (Noctuidae)
727. *Craniophora ligustri ligustri* (Fabricius, 1787) (Noctuidae)
728. *Craniophora pontica* (Staudinger, 1879) (Noctuidae)
729. *Craniophora pontica pontica* (Staudinger, 1879) (Noctuidae)
730. *Crassa tinctella* (Hübner, 1796) (Oecophoridae)
731. *Crassa unitella* (Hübner, 1796) (Oecophoridae)
732. *Crocallis* (s.str.) *tusciaria* (Borkhausen, 1793) (Geometridae)
733. *Crocallis* (s.str.) *tusciaria tusciaria* (Borkhausen, 1793) (Geometridae)
734. *Crociosema plebejana* Zeller, 1847 (Tortricidae)
735. *Crombruggia distans* (Zeller, 1847) (Pterophoridae)
736. *Crombruggia tristis* (Zeller, 1839) (Pterophoridae)
737. *Crossobela trinotella* (Herrich-Schäffer, [1856]) (Gelechiidae)
738. *Cryphia* (Bryoleuca) *ravula* (Hübner, [1813]) (Noctuidae)
739. *Cryphia* (Bryoleuca) *domestica* (Hufnagel, 1766) (Noctuidae)
740. *Cryphia* (Bryopsis) *amasina* (Draudt, 1931) (Noctuidae)
741. *Cryphia* (Bryopsis) *muralis* (Forster, 1771) (Noctuidae)
742. *Cryphia* (Euthales) *algae* (Fabricius, 1775) (Noctuidae)
743. *Cryphia* (s.str.) *fraudatricula* (Hübner, [1803]) (Noctuidae)
744. *Cryphia* (s.str.) *receptricula* (Hübner, [1803]) (Noctuidae)
745. *Cucullia* (s.str.) *anifurca* (Goeze, 1781) (Noctuidae)
746. *Cucullia* (s.str.) *anifurca anifurca* (Goeze, 1781) (Noctuidae)
747. *Cucullia* (s.str.) *argentea* (Hufnagel, 1766) (Noctuidae)
748. *Cucullia* (s.str.) *argentea argentea* (Hufnagel, 1766) (Noctuidae)
749. *Cucullia* (s.str.) *argentina* (Fabricius, 1787) (Noctuidae)
750. *Cucullia* (s.str.) *artemisiae* (Hufnagel, 1766) (Noctuidae)
751. *Cucullia* (s.str.) *artemisiae artemisiae* (Hufnagel, 1766) (Noctuidae)
752. *Cucullia* (s.str.) *campanulae* Freyer, 1831 (Noctuidae)
753. *Cucullia* (s.str.) *cineracea cineracea* Freyer, 1841 (Noctuidae)

754. *Cucullia* (s.str.) *cineracea* Freyer,1841 (Noctuidae)
755. *Cucullia* (s.str.) *defecta* Staudinger,1897 (Noctuidae)
756. *Cucullia* (s.str.) *distinguenda* Staudinger,1892 (Noctuidae)
757. *Cucullia* (s.str.) *dracunculi* (Hübner,[1813]) (Noctuidae)
758. *Cucullia* (s.str.) *gnaphalii* (Hübner,[1813]) (Noctuidae)
759. *Cucullia* (s.str.) *inderiensis* Herrich-Schäffer,[1856] (Noctuidae)
760. *Cucullia* (s.str.) *lactea* (Fabricius,1787) (Noctuidae)
761. *Cucullia* (s.str.) *lindei* Heyne,1899 (Noctuidae)
762. *Cucullia* (s.str.) *lucifuga* (Hübner,[1803]) (Noctuidae)
763. *Cucullia* (s.str.) *magnifica* Freyer,1839 (Noctuidae)
764. *Cucullia* (s.str.) *mixta* Freyer,1841 (Noctuidae)
765. *Cucullia* (s.str.) *naruenensis* Staudinger,1879 (Noctuidae)
766. *Cucullia* (s.str.) *sabulosa* Staudinger,1879 (Noctuidae)
767. *Cucullia* (s.str.) *santonici* (Hübner,[1813]) (Noctuidae)
768. *Cucullia* (s.str.) *scopariae* Dorfmeister,1853 (Noctuidae)
769. *Cucullia* (s.str.) *tanaceti* (Goeze,1781) (Noctuidae)
770. *Cucullia* (Shargacucullia) *blattariae* (Esper,[1790]) (Noctuidae)
771. *Cupedia cupediella* (Herrich-Schäffer,1855) (Gracillariidae)
772. *Cupido* (Everes) *alcetas* (Hoffmannsegg,1804) (Lycaenidae)
773. *Cupido* (Everes) *alcetas alcetas* (Hoffmannsegg,1804) (Lycaenidae)
774. *Cupido* (Everes) *decoloratus* (Staudinger,1886) (Lycaenidae)
775. *Cupido* (Everes) *decoloratus decoloratus* (Staudinger,1886) (Lycaenidae)
776. *Cupido* (s.str.) *minimus magnus* (Staudinger,1892) (Lycaenidae)
777. *Cupido* (s.str.) *osiris* (Meigen,[1829]) (Lycaenidae)
778. *Cyclophora albiocellaria* (Hübner,1789) (Geometridae)
779. *Cyclophora albipunctata* (Hufnagel,1767) (Geometridae)
780. *Cyclophora annularia* (Fabricius,1775) (Geometridae)
781. *Cyclophora linearia* (Hübner,[1799]) (Geometridae)
782. *Cyclophora punctaria fritzae* Hausmann,2003 (Geometridae)
783. *Cyclophora puppillaria* (Hübner,[1799]) (Geometridae)
784. *Cyclophora quercimontaria* (Bastelberger,1897) (Geometridae)
785. *Cyclophora quercimontaria quercimontaria* (Bastelberger,1897) (Geometridae)
786. *Cyclophora ruficiliaria* (Herrich-Schäffer,[1855]) (Geometridae)
787. *Cydia amplana* (Hübner,[1799]) (Tortricidae)
788. *Cydia astragalana* (Staudinger,1871) (Tortricidae)
789. *Cydia compositella* (Fabricius,1775) (Tortricidae)
790. *Cydia corollana* (Hübner,[1823]) (Tortricidae)
791. *Cydia fissana* (Frölich,1828) (Tortricidae)
792. *Cydia illutana* (Herrich-Schäffer,1851) (Tortricidae)
793. *Cydia inquinatana* (Hübner,[1799]) (Tortricidae)
794. *Cydia leguminana* (Lienig & Zeller,1846) (Tortricidae)
795. *Cydia leucogrammana* (Hofmann,1898) (Tortricidae)
796. *Cydia nigricana* (Fabricius,1794) (Tortricidae)
797. *Cydia oxytropidis* (Martini,1912) (Tortricidae)
798. *Cydia pactolana* (Zeller,1840) (Tortricidae)
799. *Cydia pallifrontana* (Lienig & Zeller,1846) (Tortricidae)
800. *Cydia semicinctana* (Kennel,1901) (Tortricidae)
801. *Cydia triangulella* (Goeze,1783) (Tortricidae)
802. *Dahlica triquetrella* (Hübner,[1813]) (Psychidae)
803. *Dasypolia* (s.str.) *fani* Staudinger,1892 (Noctuidae)
804. *Dasytroma salicella* (Hübner,1796) (Oecophoridae)
805. *Decantha borkhausenii* (Zeller,1839) (Oecophoridae)
806. *Deilephila porcellus porca* (O.Bang-Haas,1927) (Sphingidae)
807. *Deilephila suellus* Staudinger,1878 (Sphingidae)
808. *Deilephila suellus suellus* Staudinger,1878 (Sphingidae)
809. *Deltote bankiana* (Fabricius,1775) (Noctuidae)
810. *Denisia similella* (Hübner,1796) (Oecophoridae)
811. *Depressaria absynthiella* Herrich-Schäffer,1865 (Oecophoridae)
812. *Depressaria altaica* Zeller,1854 (Oecophoridae)
813. *Depressaria badiella* (Hübner,1796) (Oecophoridae)
814. *Depressaria bupleurella* Heinemann,1870 (Oecophoridae)

815. *Depressaria cervicella* Herrich-Schäffer, 1854 (Oecophoridae)
816. *Depressaria chaerophylli* Zeller, 1839 (Oecophoridae)
817. *Depressaria depressana* (Fabricius, 1775) (Oecophoridae)
818. *Depressaria fuscovirgatella* Heinemann, 1967 (Oecophoridae)
819. *Depressaria olerella* Zeller, 1854 (Oecophoridae)
820. *Depressaria pimpinellae* Zeller, 1839 (Oecophoridae)
821. *Deroxena venosulella* (Möschler, 1862) (Autostichidae)
822. *Deserticossus arenicola* (Staudinger, 1879) (Cossidae)
823. *Deserticossus arenicola arenicola* (Staudinger, 1879) (Cossidae)
824. *Diachrysia chrysis generosa* (Staudinger, 1900) (Noctuidae)
825. *Diachrysia chryson* (Esper, [1789]) (Noctuidae)
826. *Diachrysia zosimi* (Hübner, [1822]) (Noctuidae)
827. *Diacrisia sannio mortua* (Staudinger, 1887) (Arctiidae)
828. *Dialectica imperialella* (Zeller, 1847) (Gracillariidae)
829. *Diarsia dahlia* (Hübner, [1813]) (Noctuidae)
830. *Diarsia mendica* (Fabricius, 1775) (Noctuidae)
831. *Diarsia mendica mendica* (Fabricius, 1775) (Noctuidae)
832. *Dichagyris* (s.str.) *eremicola* (Standfuss, 1888) (Noctuidae)
833. *Dichagyris* (s.str.) *melanura* (Kollar, 1846) (Noctuidae)
834. *Dichagyris* (s.str.) *melanura melanura* (Kollar, 1846) (Noctuidae)
835. *Dichagyris* (s.str.) *renigera* (Hübner, [1808]) (Noctuidae)
836. *Dichagyris* (s.str.) *renigera renigera* (Hübner, [1808]) (Noctuidae)
837. *Dichagyris* (s.str.) *squalidior* (Staudinger, 1901) (Noctuidae)
838. *Dichagyris* (s.str.) *squalidior squalidior* (Staudinger, 1901) (Noctuidae)
839. *Dichagyris* (s.str.) *tyrannus* (A. Bang-Haas, 1912) (Noctuidae)
840. *Dichagyris* (s.str.) *tyrannus tyrannus* (A. Bang-Haas, 1912) (Noctuidae)
841. *Dichagyris* (Yigoga) *flavina* (Herrich-Schäffer, [1852]) (Noctuidae)
842. *Dichagyris* (Yigoga) *flavina flavina* (Herrich-Schäffer, 1852) (Noctuidae)
843. *Dichelia histrionana* (Frölich, 1828) (Tortricidae)
844. *Dichomeris limosella* (Schläger, 1849) (Gelechiidae)
845. *Dichomeris marginella* (Fabricius, 1781) (Gelechiidae)
846. *Dichomeris ustalella* (Fabricius, 1794) (Gelechiidae)
847. *Dichonia* (Griposia) *pinker* Kobes, 1973 (Noctuidae)
848. *Dichrorampha acuminatana* (Lienig & Zeller, 1846) (Tortricidae)
849. *Dichrorampha cacaleana* (Herrich-Schäffer, 1851) (Tortricidae)
850. *Dichrorampha cancellatana* Kennel, 1901 (Tortricidae)
851. *Dichrorampha gruneriana* (Herrich-Schäffer, 1851) (Tortricidae)
852. *Dichrorampha incursana* (Herrich-Schäffer, 1851) (Tortricidae)
853. *Dichrorampha sequana* (Hübner, [1799]) (Tortricidae)
854. *Dichrorampha sylvicolana* (Heinemann, 1863) (Tortricidae)
855. *Digitivalva falkneri* Amsel, 1974 (Yponomeutidae)
856. *Digitivalva reticulella* (Hübner, 1796) (Yponomeutidae)
857. *Dioryctria abietella* (Fabricius, 1787) (Pyralidae)
858. *Dioryctria schuetzeella* Fuchs, 1899 (Pyralidae)
859. *Dioryctria simplicella* Heinemann, 1863 (Pyralidae)
860. *Dioryctria sylvestrella* (Ratzeburg, 1840) (Pyralidae)
861. *Dipleurina lacustrata* (Panzer, 1804) (Pyralidae)
862. *Diplodoma laichartingella* (Goeze, 1783) (Psychidae)
863. *Drasteria cailino obscura* (Staudinger, 1901) (Noctuidae)
864. *Drasteria saisani* (Staudinger, 1882) (Noctuidae)
865. *Drasteria tenera* (Staudinger, 1877) (Noctuidae)
866. *Drepana curvatula* (Borkhausen, 1790) (Drepanidae)
867. *Drymonia ruficornis* (Hufnagel, 1766) (Notodontidae)
868. *Drymonia ruficornis ruficornis* (Hufnagel, 1766) (Notodontidae)
869. *Dryobotodes* (s.str.) *eremita* (Fabricius, 1775) (Noctuidae)
870. *Dryobotodes* (s.str.) *monochroma* (Esper, 1790) (Noctuidae)
871. *Dysauxes famula* (Freyer, 1836) (Ctenuchidae)
872. *Dysauxes punctata* (Fabricius, 1781) (Ctenuchidae)
873. *Dysauxes punctata punctata* (Fabricius, 1781) (Ctenuchidae)
874. *Dyscia* (Warneckeella) *malatyana* (Wehrli, 1934) (Geometridae)
875. *Dyscia* (Warneckeella) *malatyana malatyana* (Wehrli, 1934) (Geometridae)

876. *Dyspessa infuscata* (Staudinger,1892) (Cossidae)
877. *Dyspessa pallidata* Staudinger,1901 (Cossidae)
878. *Dyspessa salicicola aschabadensis* Daniel,1953 (Cossidae)
879. *Dyspessa ulula* (Borkhausen,1790) (Cossidae)
880. *Dyspessa ulula ulula* (Borkhausen,1790) (Cossidae)
881. *Eana* (s.str.) *andreana* (Kennel,1919) (Tortricidae)
882. *Earias pudicana* Staudinger,1887 (Noctuidae)
883. *Earias vernana* (Fabricius,1787) (Noctuidae)
884. *Ebulea crocealis* (Hübner,1796) (Pyrilidae)
885. *Eccopisa effractella* Zeller,1848 (Pyrilidae)
886. *Ecliptopera capitata* (Herrich-Schäffer,1839) (Geometridae)
887. *Ecpyrrhorhoe rubiginalis* (Hübner,1796) (Pyrilidae)
888. *Ectoedemia* (*Etainia*) *decentella* (Herrich-Schäffer,1855) (Nepticulidae)
889. *Ectoedemia* (*Etainia*) *sericopeza* (Zeller,1839) (Nepticulidae)
890. *Ectoedemia* (s.str.) *albifasciella* (Heinemann,1871) (Nepticulidae)
891. *Ectoedemia* (s.str.) *arcuatella* (Herrich-Schäffer,1855) (Nepticulidae)
892. *Ectoedemia* (s.str.) *argyropeza* (Zeller,1839) (Nepticulidae)
893. *Ectoedemia* (s.str.) *caradjai* (M.Hering,1932) (Nepticulidae)
894. *Ectoedemia* (s.str.) *intimella* (Zeller,1848) (Nepticulidae)
895. *Ectoedemia* (s.str.) *turbidella* (Zeller,1848) (Nepticulidae)
896. *Ectropis bistortata* (Goeze,1781) (Geometridae)
897. *Egira anatolica* (Hering,1933) (Noctuidae)
898. *Eidophasia messingiella* (Fischer v. Röslerstamm,1840) (Yponomeutidae)
899. *Eilema caniola* (Hübner,[1808]) (Arctiidae)
900. *Eilema griseola* (Hübner,[1803]) (Arctiidae)
901. *Eilema lurideola* (Zincken,1817) (Arctiidae)
902. *Eilema sororcula* (Hufnagel,1766) (Arctiidae)
903. *Ellicrinia cordiaria* (Hübner,1790) (Geometridae)
904. *Ellicrinia subcordaria* (Herrich-Schäffer,[1852]) (Geometridae)
905. *Ellicrinia unimaculata* Püngeler,1914 (Geometridae)
906. *Elachista albifrontella* (Hübner,[1817]) (Elachistidae)
907. *Elachista anserinella* Zeller,1839 (Elachistidae)
908. *Elachista canapennella* (Hübner,[1813]) (Elachistidae)
909. *Elachista chrysodesmella* Zeller,1850 (Elachistidae)
910. *Elachista cingillella* (Herrich-Schäffer,[1855]) (Elachistidae)
911. *Elachista deceptricula* Staudinger,1880 (Elachistidae)
912. *Elachista diderichsiella* Hering,1889 (Elachistidae)
913. *Elachista dispilella* Zeller,1839 (Elachistidae)
914. *Elachista festucicolella* Zeller,1853 (Elachistidae)
915. *Elachista gangabella* Zeller,1850 (Elachistidae)
916. *Elachista gleichenella* (Fabricius,1781) (Elachistidae)
917. *Elachista humilis* Zeller,1850 (Elachistidae)
918. *Elachista luticomella* Zeller,1839 (Elachistidae)
919. *Elachista megerlella* (Hübner,[1810]) (Elachistidae)
920. *Elachista nobilella* Zeller,1839 (Elachistidae)
921. *Elachista pollinariella* Zeller,1839 (Elachistidae)
922. *Elachista pullicomella* Zeller,1839 (Elachistidae)
923. *Elachista quadripunctella* (Hübner,[1825]) (Elachistidae)
924. *Elaphria venustula* (Hübner,1790) (Noctuidae)
925. *Elatobia fuliginosella* (Lienig & Zeller,1846) (Tineidae)
926. *Electrophaea corylata albida* (Herz,1905) (Geometridae)
927. *Elegia similella* (Zincken,1818) (Pyrilidae)
928. *Elophos* (*Elophos*) *operaria* (Hübner,[1813]) (Geometridae)
929. *Ematurga atomaria krassnojarscenis* Fuchs,1899 (Geometridae)
930. *Enargia abluta* (Hübner,[1808]) (Noctuidae)
931. *Enargia abluta abluta* (Hübner,[1808]) (Noctuidae)
932. *Enargia abluta arenaria* (Bartel,1903) (Noctuidae)
933. *Enargia paleacea* (Esper,[1788]) (Noctuidae)
934. *Enarmonodes recreantana* (Kennel,1900) (Tortricidae)
935. *Endothenia gentianaeana* (Hübner,[1799]) (Tortricidae)
936. *Endothenia lapideana* (Herrich-Schäffer,[1851]) (Tortricidae)

937. *Endromis versicolora eichleri* Alberti,1975 (Endromidae)
938. *Ennomos (Deuteronomos) erosarius* (Hübner,1790) (Geometridae)
939. *Ennomos (Deuteronomos) quercarius* (Hübner,[1813]) (Geometridae)
940. *Ennomos (s.str.) autumnarius* (Werneburg,1859) (Geometridae)
941. *Ennomos (s.str.) effractarius* Freyer,[1842] (Geometridae)
942. *Ennomos (s.str.) quercinarius* (Hufnagel,1767) (Geometridae)
943. *Entephria cyanata* (Hübner,[1809]) (Geometridae)
944. *Entephria flavicinctata* (Hübner,[1813]) (Geometridae)
945. *Entephria ignorata* (Staudinger,1892) (Geometridae)
946. *Entephria ignorata ignorata* (Staudinger,1892) (Geometridae)
947. *Entephria polata occata* (Püngeler,1904) (Geometridae)
948. *Epagothe grotiana* (Fabricius,1781) (Tortricidae)
949. *Epascestria pustulalis* (Hübner,[1823]) (Pyrilidae)
950. *Epatolmis caesarea* (Goeze,1781) (Arctiidae)
951. *Epatolmis caesarea caesarea* (Goeze,1781) (Arctiidae)
952. *Epermenia (Calotripis) illigerella* (Hübner,[1813]) (Epermeniidae)
953. *Epermenia (Calotripis) strictella* (Wocke,1867) (Epermeniidae)
954. *Epermenia (Cataplectica) iniquella* (Wocke,1867) (Epermeniidae)
955. *Epermenia (s.str.) pontificella* (Hübner,1796) (Epermeniidae)
956. *Ephestia (Anagasta) kuehniella* Zeller,1879 (Pyrilidae)
957. *Ephestia (Anagasta) welseriella* (Zeller,1848) (Pyrilidae)
958. *Ephestia (s.str.) elutella* (Hübner,1796) (Pyrilidae)
959. *Ephestia (s.str.) parasitella* Staudinger,1859 (Pyrilidae)
960. *Ephestia (s.str.) parasitella unicolorella* Staudinger,1881 (Pyrilidae)
961. *Ephysteris (Microcraspedus) deserticolella* (Staudinger,1871) (Gelechiidae)
962. *Ephysteris (Microcraspedus) insulella* (Heinemann,1870) (Gelechiidae)
963. *Ephysteris (Microcraspedus) inustella* (Zeller,1847) (Gelechiidae)
964. *Epibactra sareptana* (Herrich-Schäffer,1861) (Tortricidae)
965. *Epiblema grandaevana* (Lienig & Zeller,1846) (Tortricidae)
966. *Epiblema junctana* (Herrich-Schäffer,1856) (Tortricidae)
967. *Epiblema sticticana* (Fabricius,1794) (Tortricidae)
968. *Epichnopteryx sieboldi* (Reutti,1853) (Psychidae)
969. *Epidauria strigosa* (Staudinger,1879) (Pyrilidae)
970. *Epimecia ustula* (Freyer,1835) (Noctuidae)
971. *Epimydia dialampra dialampra* Staudinger,1892 (Arctiidae)
972. *Epimydia dialampra* Staudinger,1892 (Arctiidae)
973. *Epinotia abbreviana* (Fabricius,1794) (Tortricidae)
974. *Epinotia caprana* (Fabricius,1798) (Tortricidae)
975. *Epinotia crenana* (Hübner,[1817]) (Tortricidae)
976. *Epinotia demarniana* (Fischer v. Röslerstamm,1840) (Tortricidae)
977. *Epinotia festivana* (Hübner,[1799]) (Tortricidae)
978. *Epinotia gimmerthaliana* (Lienig & Zeller,1846) (Tortricidae)
979. *Epinotia granitana* (Herrich-Schäffer,1851) (Tortricidae)
980. *Epinotia immundana* (Fischer v. Röslerstamm,1839) (Tortricidae)
981. *Epinotia kochiana* Herrich-Schäffer,[1851] (Tortricidae)
982. *Epinotia maculana* (Fabricius,1775) (Tortricidae)
983. *Epinotia mercuriana* (Frölich,1828) (Tortricidae)
984. *Epinotia nigricana* (Herrich-Schäffer,[1851]) (Tortricidae)
985. *Epinotia pentagonana* Kennel,1901 (Tortricidae)
986. *Epinotia pygmaeana* (Hübner,[1799]) (Tortricidae)
987. *Epinotia rubiginosana* (Herrich-Schäffer,1851) (Tortricidae)
988. *Epinotia sordidana* (Hübner,[1824]) (Tortricidae)
989. *Epinotia thapsiana* (Zeller,1847) (Tortricidae)
990. *Epione repandaria* (Hufnagel,1767) (Geometridae)
991. *Epiparasia incertella* (Herrich-Schäffer,1861) (Gelechiidae)
992. *Epipsammia deserticola* Staudinger,1879 (Noctuidae)
993. *Epirrhoe alternata* (Müller,1764) (Geometridae)
994. *Epirrhoe alternata alternata* (Müller,1764) (Geometridae)
995. *Epirrhoe alternata pseudotristata* (Heydemann,1936) (Geometridae)
996. *Epirrhoe hastulata* (Hübner,1790) (Geometridae)
997. *Epirrhoe hastulata hastulata* (Hübner,1790) (Geometridae)

998. *Epirrhoe molluginata* (Hübner,[1813]) (Geometridae)
999. *Epirrhoe rivata* (Hübner,[1813]) (Geometridae)
1000. *Epirrita autumnata* (Borkhausen,1794) (Geometridae)
1001. *Epischnia adultella* (Zeller,1848) (Pyrilidae)
1002. *Epischnia illotella* Zeller,1839 (Pyrilidae)
1003. *Epischnia leucoloma* (Herrich-Schäffer,[1849]) (Pyrilidae)
1004. *Epischnia prodromella* (Hübner,[1799]) (Pyrilidae)
1005. *Episema glaucina* (Esper,[1789]) (Noctuidae)
1006. *Erannis declinans* (Staudinger,1879) (Geometridae)
1007. *Erebia aethiops* (Esper,[1777]) (Satyridae)
1008. *Erebia aethiops aethiops* (Esper,[1777]) (Satyridae)
1009. *Erebia aethiops melusina* Herrich-Schäffer,[1847] (Satyridae)
1010. *Erebia aethiops uralensis* Goltz,1930 (Satyridae)
1011. *Erebia brimo elwesi* Staudinger,1901 (Satyridae)
1012. *Erebia callias altajana* Staudinger,1901 (Satyridae)
1013. *Erebia erinna erinna* Staudinger,1894 (Satyridae)
1014. *Erebia erinna* Staudinger,1894 (Satyridae)
1015. *Erebia euryale* (Esper,[1805]) (Satyridae)
1016. *Erebia euryale euryale* (Esper,[1805]) (Satyridae)
1017. *Erebia kindermanni kindermanni* Staudinger,1881 (Satyridae)
1018. *Erebia kindermanni* Staudinger,1881 (Satyridae)
1019. *Erebia medusa transiens* Heyne,[1895] (Satyridae)
1020. *Erebia pandrose* (Borkhausen,1788) (Satyridae)
1021. *Erebia pandrose lappona* (Thunberg & Becklin,1791) (Satyridae)
1022. *Erebia pandrose pandrose* (Borkhausen,1788) (Satyridae)
1023. *Erebia pawlowskyi sajana* Staudinger,1894 (Satyridae)
1024. *Erebia polaris polaris* Staudinger,1861 (Satyridae)
1025. *Erebia polaris* Staudinger,1861 (Satyridae)
1026. *Erebia polaris uralensis* Staudinger,1861 (Satyridae)
1027. *Erebia pronoe* (Esper,[1780]) (Satyridae)
1028. *Erebia pronoe pronoe* (Esper,[1780]) (Satyridae)
1029. *Eriogaster henkei* (Staudinger,1879) (Lasiocampidae)
1030. *Eriogaster henkei henkei* (Staudinger,1879) (Lasiocampidae)
1031. *Eriogaster neogena rueckbeili* (Graeser,1892) (Lasiocampidae)
1032. *Eriopsela quadrana* (Hübner,[1813]) (Tortricidae)
1033. *Eriopsela rosinana* (Kennel,1918) (Tortricidae)
1034. *Eriopygodes imbecilla* (Fabricius,1794) (Noctuidae)
1035. *Eriopygodes impar* (Staudinger,1870) (Noctuidae)
1036. *Esperarge* (s.str.) *clymene* (Fabricius,1787) (Satyridae)
1037. *Esperarge* (s.str.) *clymene clymene* (Fabricius,1787) (Satyridae)
1038. *Esperia oliviella* (Fabricius,1794) (Oecophoridae)
1039. *Ethmia aurifluella* (Hübner,[1810]) (Ethmiidae)
1040. *Ethmia bipunctella* (Fabricius,1775) (Ethmiidae)
1041. *Ethmia fumidella* (Wocke,1850) (Ethmiidae)
1042. *Ethmia fumidella fumidella* (Wocke,1850) (Ethmiidae)
1043. *Ethmia lugubris* (Staudinger,1879) (Ethmiidae)
1044. *Ethmia quadrillella* (Goeze,1783) (Ethmiidae)
1045. *Ethmia vidua* (Staudinger,1879) (Ethmiidae)
1046. *Eublemma* (albida-gr.) *hansa* (Herrich-Schäffer,[1851]) (Noctuidae)
1047. *Eublemma* (albida-gr.) *hansa hansa* (Herrich-Schäffer,1851) (Noctuidae)
1048. *Eublemma* (candidana-gr.) *minutata* (Fabricius,1794) (Noctuidae)
1049. *Eublemma* (candidana-gr.) *minutata minutata* (Fabricius,1794) (Noctuidae)
1050. *Eublemma* (ostrina-gr.) *ostrina* (Hübner,[1808]) (Noctuidae)
1051. *Eublemma* (pallidula-gr.) *pallidula* (Herrich-Schäffer,1856) (Noctuidae)
1052. *Eublemma* (pallidula-gr.) *pallidula pallidula* (Herrich-Schäffer,1856) (Noctuidae)
1053. *Eublemma* (parva-gr.) *parva* (Hübner,[1808]) (Noctuidae)
1054. *Eublemma* (rosina-gr.) *amoena* (Hübner,[1803]) (Noctuidae)
1055. *Eublemma* (rosina-gr.) *panonica* (Freyer,1840) (Noctuidae)
1056. *Eublemma* (rosina-gr.) *panonica panonica* (Freyer,1840) (Noctuidae)
1057. *Eublemma* (rosina-gr.) *parallela* (Freyer,1842) (Noctuidae)
1058. *Eublemma* (rosina-gr.) *rosina* (Hübner,[1803]) (Noctuidae)

1059. *Eublemma (rosina-gr.) rosina rosina* (Hübner,[1803]) (Noctuidae)
1060. *Eublemma porphyria* (Freyer,1845) (Noctuidae)
1061. *Eucarpia vinetella* (Fabricius,1787) (Pyralidae)
1062. *Eucarpia vinetella vinetella* (Fabricius,1787) (Pyralidae)
1063. *Eucarta amethystina* (Hübner,[1803]) (Noctuidae)
1064. *Euchalcia* (s.str.) *biezankoi* (Alberti,1965) (Noctuidae)
1065. *Euchalcia* (s.str.) *biezankoi biezankoi* (Alberti,1965) (Noctuidae)
1066. *Euchalcia* (s.str.) *consona* (Fabricius,1787) (Noctuidae)
1067. *Euchalcia* (s.str.) *variabilis obscurior* (Alberti,1965) (Noctuidae)
1068. *Euchloe* (s.str.) *ausonia* (Hübner,[1804]) (Pieridae)
1069. *Euchromius bellus* (Hübner,1796) (Pyralidae)
1070. *Euchromius rayatellus* (Amsel,1949) (Pyralidae)
1071. *Euchromius superbullus* (Zeller,1849) (Pyralidae)
1072. *Euclasta* (s.str.) *splendidalis* (Herrich-Schäffer,[1848]) (Pyralidae)
1073. *Eucosma aspidiscana* (Hübner,[1817]) (Tortricidae)
1074. *Eucosma balatonana* (Osthelder,1937) (Tortricidae)
1075. *Eucosma brigittana* (Kennel,1919) (Tortricidae)
1076. *Eucosma coagulana* (Kennel,1901) (Tortricidae)
1077. *Eucosma disjectana* (Kennel,1921) (Tortricidae)
1078. *Eucosma explicatana* (Kennel,1901) (Tortricidae)
1079. *Eucosma fervidana* (Zeller,1847) (Tortricidae)
1080. *Eucosma intermedia* (Kennel,1900) (Tortricidae)
1081. *Eucosma jaceana* (Herrich-Schäffer,1851) (Tortricidae)
1082. *Eucosma messingiana* (Fischer v. Röslerstamm,1837) (Tortricidae)
1083. *Eucosma obumbratana* (Lienig & Zeller,1846) (Tortricidae)
1084. *Eucosma odotatana* (Kennel,1901) (Tortricidae)
1085. *Eucosma paetulana* (Kennel,1901) (Tortricidae)
1086. *Eucosma suomiana* (Hoffmann,1893) (Tortricidae)
1087. *Eucosma sybillana* (Kennel,1919) (Tortricidae)
1088. *Eucosma tetraplana* (Möschler,1866) (Tortricidae)
1089. *Eucosma tundra* (Kennel,1900) (Tortricidae)
1090. *Eucosma victoriana* (Kennel,1919) (Tortricidae)
1091. *Eucosmomorpha albersana* (Hübner,[1813]) (Tortricidae)
1092. *Eudemis* (s.str.) *porphyra* (Hübner,[1799]) (Tortricidae)
1093. *Eudonia laetella* (Zeller,1846) (Pyralidae)
1094. *Eudonia sudetica* (Zeller,1839) (Pyralidae)
1095. *Eugnota lathoniana* (Hübner,[1800]) (Tortricidae)
1096. *Eugnota plusiana* (Kennel,1899) (Tortricidae)
1097. *Eulamprotes superbella* (Zeller,1839) (Gelechiidae)
1098. *Eulithis mellinata* (Fabricius,1787) (Geometridae)
1099. *Eulithis pyropata* (Hübner,[1809]) (Geometridae)
1100. *Eulocasta diaphora* (Staudinger,1879) (Noctuidae)
1101. *Euphydryas* (Eurodryas) *aurinia* (Rottemburg,1775) (Argynnidae)
1102. *Euphydryas* (Eurodryas) *aurinia aurinia* (Rottemburg,1775) (Argynnidae)
1103. *Euphydryas* (Eurodryas) *aurinia sareptana* (Staudinger,1861) (Argynnidae)
1104. *Euphydryas* (Eurodryas) *aurinia siberica* (Staudinger,1861) (Argynnidae)
1105. *Euphydryas* (Eurodryas) *banghaasi* (Seitz,1908) (Argynnidae)
1106. *Euphydryas* (Eurodryas) *banghaasi banghaasi* (Seitz,1908) (Argynnidae)
1107. *Euphyia scripturata* (Hübner,[1799]) (Geometridae)
1108. *Eupithecia abietaria* (Goeze,1781) (Geometridae)
1109. *Eupithecia abietaria debrunneata* Staudinger,1897 (Geometridae)
1110. *Eupithecia addictata* Dietze,1908 (Geometridae)
1111. *Eupithecia albidulata* Staudinger,1892 (Geometridae)
1112. *Eupithecia alliaria* Staudinger,1870 (Geometridae)
1113. *Eupithecia barteli* Dietze,1908 (Geometridae)
1114. *Eupithecia bella* Staudinger,1897 (Geometridae)
1115. *Eupithecia bohatschi* Staudinger,1897 (Geometridae)
1116. *Eupithecia carpophilata* Staudinger,1897 (Geometridae)
1117. *Eupithecia conterminata* (Lienig & Zeller,1846) (Geometridae)
1118. *Eupithecia daemionata* Dietze,1904 (Geometridae)
1119. *Eupithecia denotata* (Hübner,[1813]) (Geometridae)

- 1120. *Eupithecia detritata* Staudinger, 1897 (Geometridae)
- 1121. *Eupithecia dissertata* (Püngeler, 1905) (Geometridae)
- 1122. *Eupithecia distinctaria* Herrich-Schäffer, [1848] (Geometridae)
- 1123. *Eupithecia egenaria* Herrich-Schäffer, [1848] (Geometridae)
- 1124. *Eupithecia emanata* Dietze, 1908 (Geometridae)
- 1125. *Eupithecia exigua* (Hübner, [1813]) (Geometridae)
- 1126. *Eupithecia extensaria* (Freyer, 1844) (Geometridae)
- 1127. *Eupithecia extraversaria* Herrich-Schäffer, [1852] (Geometridae)
- 1128. *Eupithecia extremata* (Fabricius, 1787) (Geometridae)
- 1129. *Eupithecia gelidata* Möschler, 1860 (Geometridae)
- 1130. *Eupithecia gigantea* Staudinger, 1897 (Geometridae)
- 1131. *Eupithecia homographata* Dietze, 1908 (Geometridae)
- 1132. *Eupithecia homographata homographata* Dietze, 1908 (Geometridae)
- 1133. *Eupithecia immundata* (Lienig & Zeller, 1846) (Geometridae)
- 1134. *Eupithecia impurata* (Hübner, [1813]) (Geometridae)
- 1135. *Eupithecia indigata* (Hübner, [1813]) (Geometridae)
- 1136. *Eupithecia indigata indigata* (Hübner, [1813]) (Geometridae)
- 1137. *Eupithecia innotata* (Hufnagel, 1767) (Geometridae)
- 1138. *Eupithecia insigniata* (Hübner, 1790) (Geometridae)
- 1139. *Eupithecia insigniata insigniata* (Hübner, 1790) (Geometridae)
- 1140. *Eupithecia inturbata* (Hübner, [1817]) (Geometridae)
- 1141. *Eupithecia irriguata* (Hübner, [1813]) (Geometridae)
- 1142. *Eupithecia irriguata irriguata* (Hübner, [1813]) (Geometridae)
- 1143. *Eupithecia lacteolata* Dietze, 1906 (Geometridae)
- 1144. *Eupithecia laquaearia* Herrich-Schäffer, [1848] (Geometridae)
- 1145. *Eupithecia lariciata* (Freyer, 1841) (Geometridae)
- 1146. *Eupithecia lariciata lariciata* (Freyer, 1841) (Geometridae)
- 1147. *Eupithecia leptogrammata* Staudinger, 1882 (Geometridae)
- 1148. *Eupithecia linariata* (Fabricius, 1787) (Geometridae)
- 1149. *Eupithecia mandschurica mandschurica* Staudinger, 1897 (Geometridae)
- 1150. *Eupithecia mandschurica* Staudinger, 1897 (Geometridae)
- 1151. *Eupithecia millefoliata* Roesler, 1866 (Geometridae)
- 1152. *Eupithecia moecha* Dietze, 1904 (Geometridae)
- 1153. *Eupithecia nanata* (Hübner, [1813]) (Geometridae)
- 1154. *Eupithecia ochridata* Schütze & Pinker, 1968 (Geometridae)
- 1155. *Eupithecia pimpinellata* (Hübner, [1813]) (Geometridae)
- 1156. *Eupithecia pusillata* (Fabricius, 1787) (Geometridae)
- 1157. *Eupithecia pusillata pusillata* (Fabricius, 1787) (Geometridae)
- 1158. *Eupithecia pygmaeata* (Hübner, [1799]) (Geometridae)
- 1159. *Eupithecia pygmaeata pygmaeata* (Hübner, [1799]) (Geometridae)
- 1160. *Eupithecia robusta* Dietze, 1910 (Geometridae)
- 1161. *Eupithecia satyrata* (Hübner, [1813]) (Geometridae)
- 1162. *Eupithecia satyrata rivosulata* Dietze, 1875 (Geometridae)
- 1163. *Eupithecia satyrata satyrata* (Hübner, [1813]) (Geometridae)
- 1164. *Eupithecia schiefereri* Dietze, 1904 (Geometridae)
- 1165. *Eupithecia selinata* Herrich-Schäffer, 1861 (Geometridae)
- 1166. *Eupithecia selinata selinata* Herrich-Schäffer, 1861 (Geometridae)
- 1167. *Eupithecia selinata tenebricosa* Dietze, 1910 (Geometridae)
- 1168. *Eupithecia serenata* Staudinger, 1896 (Geometridae)
- 1169. *Eupithecia subbreviata* Staudinger, 1897 (Geometridae)
- 1170. *Eupithecia subfenestrata* Staudinger, 1892 (Geometridae)
- 1171. *Eupithecia subfuscata ussuriensis* Dietze, 1910 (Geometridae)
- 1172. *Eupithecia suboxydata* Staudinger, 1897 (Geometridae)
- 1173. *Eupithecia succenturiata exalbidata* Staudinger, 1901 (Geometridae)
- 1174. *Eupithecia tenuiata* (Hübner, [1813]) (Geometridae)
- 1175. *Eupithecia tripunctaria* Herrich-Schäffer, [1852] (Geometridae)
- 1176. *Eupithecia trisignaria* Herrich-Schäffer, 1848 (Geometridae)
- 1177. *Eupithecia valerianata* (Hübner, [1813]) (Geometridae)
- 1178. *Eupithecia venosata* (Fabricius, 1787) (Geometridae)
- 1179. *Eupithecia venosata venosata* (Fabricius, 1787) (Geometridae)
- 1180. *Eupithecia veratraria* Herrich-Schäffer, 1848 (Geometridae)

1181. *Eupoecilia ambiguella* (Hübner,1796) (Tortricidae)
1182. *Eupoecilia angustana* (Hübner,[1799]) (Tortricidae)
1183. *Eupoecilia cebrana* (Hübner,[1813]) (Tortricidae)
1184. *Eupoecilia sanguisorbana* (Herrich-Schäffer,1856) (Tortricidae)
1185. *Eupsilia transversa* (Hufnagel,1766) (Noctuidae)
1186. *Eurhodope* (s.str.) *cirrigerella* (Zincken,1818) (Pyralidae)
1187. *Eurrhysis sartalalis* (Hübner,[1813]) (Pyralidae)
1188. *Eutelia adoratrix* (Staudinger,1892) (Noctuidae)
1189. *Eutelia adulatricoides* (Mell,1943) (Noctuidae)
1190. *Eutelia adulatrix* (Hübner,[1813]) (Noctuidae)
1191. *Euxoa* (Orosagrotis) *tristis* (Staudinger,1898) (Noctuidae)
1192. *Euxoa* (Pleonectopoda) *hilaris* (Freyer,1838) (Noctuidae)
1193. *Euxoa* (Pleonectopoda) *hilaris hilaris* (Freyer,1838) (Noctuidae)
1194. *Euxoa* (s.str.) *anatolica* Draudt,1936 (Noctuidae)
1195. *Euxoa* (s.str.) *armena* (Eversmann,1856) (Noctuidae)
1196. *Euxoa* (s.str.) *armena armena* (Eversmann,1856) (Noctuidae)
1197. *Euxoa* (s.str.) *basigramma* (Staudinger,1870) (Noctuidae)
1198. *Euxoa* (s.str.) *basigramma basigramma* Staudinger,1870 (Noctuidae)
1199. *Euxoa* (s.str.) *christophi* (Staudinger,1870) (Noctuidae)
1200. *Euxoa* (s.str.) *christophi christophi* (Staudinger,1870) (Noctuidae)
1201. *Euxoa* (s.str.) *conspicua* (Hübner,[1824]) (Noctuidae)
1202. *Euxoa* (s.str.) *cos* (Hübner,[1824]) (Noctuidae)
1203. *Euxoa* (s.str.) *cos cos* (Hübner,[1824]) (Noctuidae)
1204. *Euxoa* (s.str.) *cursoria* (Hufnagel,1766) (Noctuidae)
1205. *Euxoa* (s.str.) *distinguenda distincta* (Staudinger,1892) (Noctuidae)
1206. *Euxoa* (s.str.) *intolerabilis* (Püngeler,1895) (Noctuidae)
1207. *Euxoa* (s.str.) *mustelina centralis* (Staudinger,1889) (Noctuidae)
1208. *Euxoa* (s.str.) *nigrofusca* (Esper,[1788]) (Noctuidae)
1209. *Euxoa* (s.str.) *ochrogaster rossica* (Staudinger,1881) (Noctuidae)
1210. *Euxoa* (s.str.) *recessa* (Hübner,[1817]) (Noctuidae)
1211. *Euxoa* (s.str.) *segnilis riphaea* (Bartel,1907) (Noctuidae)
1212. *Euxoa* (s.str.) *temera* (Hübner,[1808]) (Noctuidae)
1213. *Euxoa* (s.str.) *vitta* (Esper,[1789]) (Noctuidae)
1214. *Euzophera* (Cymbalorissa) *fuliginosella* (Heinemann,1865) (Pyralidae)
1215. *Euzophera* (s.str.) *bigella* (Zeller,1848) (Pyralidae)
1216. *Euzophera* (s.str.) *cinerosella* (Zeller,1839) (Pyralidae)
1217. *Euzophera* (s.str.) *cinerosella cinerosella* (Zeller,1839) (Pyralidae)
1218. *Euzophera* (s.str.) *rubricetella* (Herrich-Schäffer,1855) (Pyralidae)
1219. *Evergestis dilutalis* (Herrich-Schäffer,[1848]) (Pyralidae)
1220. *Evergestis pallidata* (Hufnagel,1767) (Pyralidae)
1221. *Exaeretia ciniflonella* (Lienig & Zeller,1846) (Oecophoridae)
1222. *Exophyla rectangularis* (Geyer,[1828]) (Noctuidae)
1223. *Fagivorina arenaria* (Hufnagel,1767) (Geometridae)
1224. *Favonius saphirinus* (Staudinger,1887) (Lycaenidae)
1225. *Favonius saphirinus saphirinus* (Staudinger,1887) (Lycaenidae)
1226. *Feralia sauberi* (Graeser,1892) (Noctuidae)
1227. *Filatima incomptella* (Herrich-Schäffer,[1854]) (Gelechiidae)
1228. *Friedlanderia cicatricella* (Hübner,[1824]) (Pyralidae)
1229. *Fulcrifera affectana* (Kennel,1901) (Tortricidae)
1230. *Furcula bicuspis* (Borkhausen,1790) (Notodontidae)
1231. *Furcula bicuspis bicuspis* (Borkhausen,1790) (Notodontidae)
1232. *Furcula bifida* (Brahm,1787) (Notodontidae)
1233. *Furcula bifida bifida* (Brahm,1787) (Notodontidae)
1234. *Furcula furcula altaica* Schintlmeister,1998 (Notodontidae)
1235. *Furcula furcula persica* (Gaede,1933) (Notodontidae)
1236. *Furcula furcula pulviger* (Staudinger,1901) (Notodontidae)
1237. *Gastropacha* (s.str.) *populifolia* (Esper,[1782]) (Lasiocampidae)
1238. *Gazoryctra fuscoargenteus* (O.Bang-Haas,1927) (Hepialidae)
1239. *Gazoryctra ganna* (Hübner,[1804]) (Hepialidae)
1240. *Gelechia hippophaella* (Schrank,1802) (Gelechiidae)
1241. *Gelechia muscosella* Zeller,1839 (Gelechiidae)

1242. *Gelechia rhombelliformis* Staudinger,1871 (Gelechiidae)
1243. *Gelechia sabinella* (Zeller,1839) (Gelechiidae)
1244. *Gelechia scotinella* Herrich-Schäffer,[1854] (Gelechiidae)
1245. *Gelechia sestertiella* Herrich-Schäffer,1854 (Gelechiidae)
1246. *Gelechia sororculella* (Hübner,[1817]) (Gelechiidae)
1247. *Gibberifera simplana* (Fischer v. Röslerstamm,1836) (Tortricidae)
1248. *Glaucopsyche* (s.str.) *lycormas lederi* (A.Bang-Haas,1907) (Lycaenidae)
1249. *Glossotrophia* (s.str.) *confinaria* (Herrich-Schäffer,[1847]) (Geometridae)
1250. *Glossotrophia* (s.str.) *confinaria confinaria* (Herrich-Schäffer,[1847]) (Geometridae)
1251. *Gluphisia crenata* (Esper,1785) (Notodontidae)
1252. *Glyphipterix bergstraesserella* (Fabricius,1781) (Glyphipterygidae)
1253. *Glyphipterix forsterella* (Fabricius,1781) (Glyphipterygidae)
1254. *Glyptoteles leucacrinella* Zeller,1848 (Pyalidae)
1255. *Gnophos* (Dysgnophos) *difficilis teberdensis* Müller,1978 (Geometridae)
1256. *Gnophos* (Pterygnophos) *ochrofasciatus* Staudinger,1896 (Geometridae)
1257. *Gnorimoschema robustella* (Staudinger,1871) (Gelechiidae)
1258. *Gnorimoschema valesiella* (Staudinger,1877) (Gelechiidae)
1259. *Gonepteryx* (s.str.) *maxima amurensis* (Graeser,1888) (Pieridae)
1260. *Goniodoma auroguttella* (Fischer v. Röslerstamm,1841) (Coleophoridae)
1261. *Gonospileia munita* (Hübner,[1813]) (Noctuidae)
1262. *Gracillaria syringella* (Fabricius,1794) (Gracillariidae)
1263. *Grammodes stolidia* (Fabricius,1775) (Noctuidae)
1264. *Graphiphora augur* (Fabricius,1775) (Noctuidae)
1265. *Gravitar mata margarotana* (Heinemann,1863) (Tortricidae)
1266. *Gynaephora selenitica* (Esper,[1789]) (Lymantriidae)
1267. *Gypsochroa renitidata* (Hübner,[1817]) (Geometridae)
1268. *Gypsonoma dealbana* (Frölich,1828) (Tortricidae)
1269. *Gypsonoma minutana* (Hübner,[1799]) (Tortricidae)
1270. *Gypsonoma nitidulana* (Lienig & Zeller,1846) (Tortricidae)
1271. *Gypsonoma obratzovi* Amsel,1959 (Tortricidae)
1272. *Habrosyne dieckmanni* Graeser,1888 (Thyatridae)
1273. *Habrosyne pyritoides* (Hufnagel,1766) (Thyatridae)
1274. *Hada persa televisana* Schintlmeiser & Poltawski,1986 (Noctuidae)
1275. *Hadena* (Anepia) *christophi* (Möschler,1862) (Noctuidae)
1276. *Hadena* (Anepia) *irregularis* (Hufnagel,1766) (Noctuidae)
1277. *Hadena* (Anepia) *silenes* (Hübner,[1822]) (Noctuidae)
1278. *Hadena* (Anepia) *silenes silenes* (Hübner,[1822]) (Noctuidae)
1279. *Hadena* (Anepia) *syriaca* (Osthelder,1933) (Noctuidae)
1280. *Hadena* (Anepia) *syriaca syriaca* (Osthelder,1933) (Noctuidae)
1281. *Hadena* (Enterpia) *laudeti orientis* Hacker,1996 (Noctuidae)
1282. *Hadena* (Maschukia) *pumila* (Staudinger,1879) (Noctuidae)
1283. *Hadena* (Maschukia) *pumila pumila* (Staudinger,1879) (Noctuidae)
1284. *Hadena* (Maschukia) *scythia* Kljutschko & Hacker,1996 (Noctuidae)
1285. *Hadena* (s.str.(Albimaculia)) *albimacula* (Borkhausen,1792) (Noctuidae)
1286. *Hadena* (s.str.(Albimaculia)) *albimacula albimacula* (Borkhausen,1792) (Noctuidae)
1287. *Hadena* (s.str.(Albimaculia)) *defreinai defreinai* Hacker, Kuhna & Gross,1986 (Noctuidae)
1288. *Hadena* (s.str.(Albimaculia)) *defreinai* Hacker, Kuhna & Gross,1986 (Noctuidae)
1289. *Hadena* (s.str.(Albimaculia)) *secreta* Hacker,1996 (Noctuidae)
1290. *Hadena* (s.str.(Clarhadena)) *clara* (Staudinger,1901) (Noctuidae)
1291. *Hadena* (s.str.(Clarhadena)) *clara weissii* (Draudt,1934) (Noctuidae)
1292. *Hadena* (s.str.(Dianthoecia)) *impressa* (Esper,[1790]) (Noctuidae)
1293. *Hadena* (s.str.(Filograna)) *filograna* (Esper,[1788]) (Noctuidae)
1294. *Hadena* (s.str.(Filograna)) *filograna filograna* (Esper,[1788]) (Noctuidae)
1295. *Hadena* (s.str.(Hadenobilis)) *albertii* Hacker,1996 (Noctuidae)
1296. *Hadena* (s.str.(Hadenobilis)) *kurajica* Hacker,1996 (Noctuidae)
1297. *Hadena* (s.str.(Hadenobilis)) *melanochroa* (Staudinger,1892) (Noctuidae)
1298. *Hadena* (s.str.(Hadenobilis)) *melanochroa melanochroa* (Staudinger,1892) (Noctuidae)

- 1299. *Hadena* (s.str.(*Luteocincta*)) *femina* Hacker,1996** (Noctuidae)
- 1300. *Hadena* (s.str.(*Luteocincta*)) *persimilis* Hacker,1996** (Noctuidae)
- 1301. *Hadena* (s.str.(*Montanohadena*)) *pseudohyrcana* De Freina & Hacker,1985**
(Noctuidae)
- 1302. *Hadena* (s.str.(*Zeteolyga*)) *confusa* (Hufnagel,1766)** (Noctuidae)
- 1303. *Hadena* (s.str.(*Zeteolyga*)) *confusa confusa* (Hufnagel,1766)** (Noctuidae)
- 1304. *Hadena* (s.str.(*Zeteolyga*)) *confusa herczigi* Hacker,1996** (Noctuidae)
- 1305. *Hadena* (s.str.(*Zeteolyga*)) *confusa iliensis* Hacker,1996** (Noctuidae)
- 1306. *Hadena* (s.str.(*Zeteolyga*)) *pseudodealbata* Hacker,1988** (Noctuidae)
- 1307. *Hadena* (s.str.(*Zeteolyga*)) *variolata dealbata* (Staudinger,1892)** (Noctuidae)
- 1308. *Haderonia tiefi* (Püngeler,1914)** (Noctuidae)
- 1309. *Hadula* (*Caloestra* (*Hadufurca*)) *colletti* (Schneider,1876)** (Noctuidae)
- 1310. *Hadula* (*Caloestra* (*Hadufurca*)) *farnhami palaeartica* Hacker,1998** (Noctuidae)
- 1311. *Hadula* (*Caloestra* (*Hadufurca*)) *inperspicua* Hacker,1998** (Noctuidae)
- 1312. *Hadula* (*Caloestra* (*Hadufurca*)) *inperspicua manschurica* Hacker,1998**
(Noctuidae)
- 1313. *Hadula* (*Caloestra* (*Hadumendax*)) *hoplites* (Staudinger,1901)** (Noctuidae)
- 1314. *Hadula* (*Caloestra* (*Hadumendax*)) *hoplites hoplites* (Staudinger,1901)**
(Noctuidae)
- 1315. *Hadula* (*Caloestra* (*Hadupugnax*)) *odontites boisduvali* Hacker,1998** (Noctuidae)
- 1316. *Hadula* (*Caloestra* (*Hadupugnax*)) *schawyra* (O.Bang-Haas,1927)** (Noctuidae)
- 1317. *Hadula* (*Caloestra* (*Hadutrifolium*)) *trifolii* (Hufnagel,1766)** (Noctuidae)
- 1318. *Hadula* (*Cardiestra*) *vassilini* (O.Bang-Haas,1927)** (Noctuidae)
- 1319. *Haplotinea insectella* (Fabricius,1794)** (Tineidae)
- 1320. *Haritalodes derogata* (Fabricius,1775)** (Pylalidae)
- 1321. *Harpyia milhauseri* (Fabricius,1775)** (Notodontidae)
- 1322. *Hebdomochondra syrticola* Staudinger,1879** (Noctuidae)
- 1323. *Hecatera bicolorata* (Hufnagel,1766)** (Noctuidae)
- 1324. *Hecatera cappa* (Hübner,[1809])** (Noctuidae)
- 1325. *Hedya ochroleucana* (Frölich,1828)** (Tortricidae)
- 1326. *Hedya pruniana* (Hübner,[1799])** (Tortricidae)
- 1327. *Hedya roseomaculana* (Herrich-Schäffer,1851)** (Tortricidae)
- 1328. *Heinemannia festivella* ([Denis & Schiffermüller],1775)** (Agonoxenidae)
- 1329. *Heinemannia laspeyrella* (Hübner,1796)** (Agonoxenidae)
- 1330. *Helcystogramma lineolella* (Zeller,1839)** (Gelechiidae)
- 1331. *Helcystogramma lutatella* (Herrich-Schäffer,[1854])** (Gelechiidae)
- 1332. *Helcystogramma triannulella* (Herrich-Schäffer,[1854])** (Gelechiidae)
- 1333. *Helicoverpa armigera* (Hübner,[1808])** (Noctuidae)
- 1334. *Helicoverpa armigera armigera* (Hübner,[1808])** (Noctuidae)
- 1335. *Heliophobus reticulata* (Goeze,1781)** (Noctuidae)
- 1336. *Heliophobus reticulata reticulata* (Goeze,1781)** (Noctuidae)
- 1337. *Heliopsis maritima bulgarica* (Draudt,1938)** (Noctuidae)
- 1338. *Heliopsis nubigera* Herrich-Schäffer,[1851]** (Noctuidae)
- 1339. *Heliopsis ononis* (Fabricius,1787)** (Noctuidae)
- 1340. *Heliopsis viriplaca* (Hufnagel,1766)** (Noctuidae)
- 1341. *Hellinsia carphodactyla* (Hübner,[1813])** (Pterophoridae)
- 1342. *Hellinsia distincta* (Herrich-Schäffer,1855)** (Pterophoridae)
- 1343. *Hellinsia inulae* (Zeller,1852)** (Pterophoridae)
- 1344. *Hellinsia lienigiana* (Zeller,1852)** (Pterophoridae)
- 1345. *Hellinsia osteodactylus* (Zeller,1841)** (Pterophoridae)
- 1346. *Hellinsia pectodactyla* (Staudinger,1859)** (Pterophoridae)
- 1347. *Hellinsia tephrodactyla* (Hübner,[1813])** (Pterophoridae)
- 1348. *Hemaris* (*Cochrania*) *croatica* (Esper,[1779])** (Sphingidae)
- 1349. *Hemaris* (*Eitschbergera*) *saldaitisi* Eitschberger, Danner & Surholt,1998**
(Sphingidae)
- 1350. *Hemaris* (*Jilinga*) *staudingeri ottonis* (Rothschild & Jordan,1903)** (Sphingidae)
- 1351. *Hemistola chrysoprasaria* (Esper,[1794])** (Geometridae)
- 1352. *Hemithea aestivaria* (Hübner,1789)** (Geometridae)
- 1353. *Hepatica anceps* Staudinger,1892** (Noctuidae)
- 1354. *Heringocrania chrysolepidella* (Zeller,1851)** (Eriocraniidae)
- 1355. *Herminia tarsicrinalis* (Knoch,1782)** (Noctuidae)

1356. *Hesperia comma pallida* (Staudinger,1901) (Hesperiidae)
1357. *Heterolocha laminaria* (Herrich-Schäffer,[1852]) (Geometridae)
1358. *Hexafrenum leucodera* (Staudinger,1887) (Notodontidae)
1359. *Himeropteryx miraculosa* Staudinger,1887 (Notodontidae)
1360. *Hipparchia* (Neohipparchia) *statilinus* (Hufnagel,1766) (Satyridae)
1361. *Hipparchia* (Neohipparchia) *statilinus statilinus* (Hufnagel,1766) (Satyridae)
1362. *Hipparchia* (s.str.) *autonoe* (Esper,[1783]) (Satyridae)
1363. *Hipparchia* (s.str.) *autonoe autonoe* (Esper,[1783]) (Satyridae)
1364. *Hipparchia* (s.str.) *fagi tetrica* (Fruhstorfer,1907) (Satyridae)
1365. *Holarctias rufinaria* (Staudinger,1861) (Geometridae)
1366. *Holcocerus nobilis* (Staudinger,1884) (Cossidae)
1367. *Holcocerus nobilis nobilis* (Staudinger,1884) (Cossidae)
1368. *Holcophora statices* Staudinger,1871 (Gelechiidae)
1369. *Holcopogon bubulcellus* (Staudinger,1859) (Autostichidae)
1370. *Holcopogon bubulcellus helveolelus* Staudinger,1879 (Autostichidae)
1371. *Holoarctia puengeleri* (O.Bang-Haas,1927) (Arctiidae)
1372. *Holoarctia puengeleri puengeleri* (O.Bang-Haas,1927) (Arctiidae)
1373. *Homoeosoma* (s.str.) *caradjaellum* Roesler,1965 (Pyralidae)
1374. *Homoeosoma* (s.str.) *heidiellum* Roesler,1967 (Pyralidae)
1375. *Homoeosoma* (s.str.) *sinuellum* (Fabricius,1794) (Pyralidae)
1376. *Homoeosoma* (s.str.) *sinuellum sinuellum* (Fabricius,1794) (Pyralidae)
1377. *Hoplodrina octogenaria* (Goeze,1781) (Noctuidae)
1378. *Horisme aemulata* (Hübner,[1813]) (Geometridae)
1379. *Horisme aquata* (Hübner,[1813]) (Geometridae)
1380. *Horisme calligraphata* (Herrich-Schäffer,1839) (Geometridae)
1381. *Horisme vitalbata* (Hübner,[1799]) (Geometridae)
1382. *Horridopalpus hystericella* (Möschler,1860) (Oecophoridae)
1383. *Hydraecia micacea* (Esper,1789) (Noctuidae)
1384. *Hydraecia mongoliensis* Urbahn,1967 (Noctuidae)
1385. *Hydraecia osseola* (Staudinger,1882) (Noctuidae)
1386. *Hydraecia praecipua* Hacker & Nekrasov,2001 (Noctuidae)
1387. *Hydrelia flammeolaria* (Hufnagel,1767) (Geometridae)
1388. *Hydrelia musculata* (Staudinger,1897) (Geometridae)
1389. *Hydrelia parvulata* (Staudinger,1897) (Geometridae)
1390. *Hydrelia tenera* (Staudinger,1897) (Geometridae)
1391. *Hydriomena coerulata* (Fabricius,1777) (Geometridae)
1392. *Hydriomena ruberata* (Freyer,[1831]) (Geometridae)
1393. *Hyles gallii* (Rottemburg,1775) (Sphingidae)
1394. *Hyles gallii gallii* (Rottemburg,1775) (Sphingidae)
1395. *Hyles hippophaes* (Esper,[1789]) (Sphingidae)
1396. *Hyles hippophaes bienerti* (Staudinger,1874) (Sphingidae)
1397. *Hyles hippophaes hippophaes* (Esper,[1789]) (Sphingidae)
1398. *Hyles livornica* (Esper,[1780]) (Sphingidae)
1399. *Hyles livornica livornica* (Esper,[1780]) (Sphingidae)
1400. *Hyles vespertilio* (Esper,[1780]) (Sphingidae)
1401. *Hyles vespertilio vespertilio* (Esper,[1780]) (Sphingidae)
1402. *Hypatopa inunctella* (Zeller,1839) (Blastobasidae)
1403. *Hypatopa segnella* (Zeller,1873) (Blastobasidae)
1404. *Hypena* (Ophiuche) *lividalis* (Hübner,1796) (Noctuidae)
1405. *Hypena* (Ophiuche) *lividalis lividalis* (Hübner,1796) (Noctuidae)
1406. *Hypena crassalis* (Fabricius,1787) (Noctuidae)
1407. *Hypena palpalis* (Hübner,1796) (Noctuidae)
1408. *Hypenodes orientalis* Staudinger,1901 (Noctuidae)
1409. *Hypocala deflorata* (Fabricius,1794) (Noctuidae)
1410. *Hypochalcia decorella* (Hübner,[1810]) (Pyralidae)
1411. *Hypochalcia dignella* (Hübner,1796) (Pyralidae)
1412. *Hypochalcia disjunctella* Zeller,1848 (Pyralidae)
1413. *Hypochalcia lignella* (Hübner,1796) (Pyralidae)
1414. *Hypomecis roboraria* (Fabricius,1787) (Geometridae)
1415. *Hyponephele* (s.str. (Tengrinephele)) *cadusina* (Staudinger,1881) (Satyridae)
1416. *Hyponephele* (s.str.) *catamelas* (Staudinger,1886) (Satyridae)

1417. *Hyponephele* (s.str.) *catamelas catamelas* (Staudinger,1886) (Satyridae)
1418. *Hyponephele* (s.str.) *lycaon* (Rottemburg,1775) (Satyridae)
1419. *Hyponephele* (s.str.) *lycaon lycaon* (Rottemburg,1775) (Satyridae)
1420. *Hyponephele* (s.str.) *pasimelas* (Staudinger,1886) (Satyridae)
1421. *Hyponephele* (s.str.) *pasimelas pasimelas* (Staudinger,1886) (Satyridae)
1422. *Hyporatasa allotriella* (Herrich-Schäffer,1855) (Pyalidae)
1423. *Hypotia colchicalis* (Herrich-Schäffer,[1855]) (Pyalidae)
1424. *Hypoxytis pluviana* (Fabricius,1787) (Geometridae)
1425. *Hyppa rectilinea* (Esper,[1788]) (Noctuidae)
1426. *Hypsopygia costalis* (Fabricius,1775) (Pyalidae)
1427. *Hysterura declinans* (Staudinger,1897) (Geometridae)
1428. *Idea admiranda* Hausmann,2004 (Geometridae)
1429. *Idea biselata* (Hufnagel,1767) (Geometridae)
1430. *Idea camparia* (Herrich-Schäffer,[1852]) (Geometridae)
1431. *Idea camparia camparia* (Herrich-Schäffer,[1852]) (Geometridae)
1432. *Idea degeneraria* (Hübner,[1799]) (Geometridae)
1433. *Idea dilutaria* (Hübner,[1799]) (Geometridae)
1434. *Idea dimidiata* (Hufnagel,1767) (Geometridae)
1435. *Idea elongaria pecharia* (Staudinger,1863) (Geometridae)
1436. *Idea fuscovenosa* (Goeze,1781) (Geometridae)
1437. *Idea humiliata* (Hufnagel,1767) (Geometridae)
1438. *Idea mancipiata* (Staudinger,1871) (Geometridae)
1439. *Idea muricata* (Hufnagel,1767) (Geometridae)
1440. *Idea nitidata* (Herrich-Schäffer,1861) (Geometridae)
1441. *Idea politaria* (Hübner,[1799]) (Geometridae)
1442. *Idea rufaria* (Hübner,[1799]) (Geometridae)
1443. *Idea saluberraria* (Staudinger,1897) (Geometridae)
1444. *Idea seriata* (Schränk,1802) (Geometridae)
1445. *Idea sericeata* (Hübner,[1813]) (Geometridae)
1446. *Idea serpentata* (Hufnagel,1767) (Geometridae)
1447. *Idea straminata* (Borkhausen,1794) (Geometridae)
1448. *Idea sylvestraria* (Hübner,[1799]) (Geometridae)
1449. *Idiotephria evanescens* (Staudinger,1897) (Geometridae)
1450. *Illiberis* (Primilliberis) *rotundata* Jordan,1907 (Zygaenidae)
1451. *Illiberis hyalina* (Staudinger,1887) (Zygaenidae)
1452. *Illiberis ulmivora* Graeser,1888 (Zygaenidae)
1453. *Illiberis ussuriensis* Alberti,1951 (Zygaenidae)
1454. *Incurvaria oehlmanniella* (Hübner,1796) (Incurvariidae)
1455. *Infurcitinea raddei* G.Petersen,1958 (Tineidae)
1456. *Infurcitinea tauridella* G.Petersen,1968 (Tineidae)
1457. *Ipimorpha contusa* (Freyer,1849) (Noctuidae)
1458. *Ipimorpha subtusa* (Fabricius,1787) (Noctuidae)
1459. *Isophrictis anthemidella* (Wocke,1871) (Gelechiidae)
1460. *Isotrias hybridana* (Hübner,[1817]) (Tortricidae)
1461. *Issoria eugenia montana* (A.Bang-Haas,1906) (Argynniidae)
1462. *Isturgia roraria* (Fabricius,[1776]) (Geometridae)
1463. *Ithysia pravata* (Hübner,[1813]) (Geometridae)
1464. *Jodia croceago* (Fabricius,1787) (Noctuidae)
1465. *Jordanita* (Roccia) *budensis* (Speyer & Speyer,1858) (Zygaenidae)
1466. *Jordanita* (Roccia) *paupera* (Christoph,1887) (Zygaenidae)
1467. *Jordanita* (Roccia) *volgensis* (Möschler,1862) (Zygaenidae)
1468. *Jordanita* (Roccia) *volgensis volgensis* (Möschler,1862) (Zygaenidae)
1469. *Jordanita* (s.str.) *chloros* (Hübner,[1813]) (Zygaenidae)
1470. *Jordanita* (s.str.) *chloros chloros* (Hübner,[1813]) (Zygaenidae)
1471. *Jordanita* (s.str.) *globulariae* (Hübner,1793) (Zygaenidae)
1472. *Jordanita* (s.str.) *graeca* (Jordan,1907) (Zygaenidae)
1473. *Jordanita* (s.str.) *graeca graeca* (Jordan,1907) (Zygaenidae)
1474. *Jordanita* (Tremewania) *notata* (Zeller,1847) (Zygaenidae)
1475. *Juxtephria consentaria* (Freyer,1846) (Geometridae)
1476. *Katha depressa* (Esper,[1787]) (Arctiidae)
1477. *Kenneliola fagiglandana* (Zeller,1841) (Tortricidae)

- 1478. *Kirinia* (s.str.) *epaminondas* (Staudinger,1887) (Satyridae)
- 1479. *Kirinia* (s.str.) *epaminondas epaminondas* (Staudinger,1887) (Satyridae)
- 1480. *Klimeschia transversella* (Zeller,1839) (Douglassiidae)
- 1481. *Lacanobia* (Dianobia) *dissimilis* (Knoch,1781) (Noctuidae)
- 1482. *Lacanobia* (Dianobia) *histrion* (Goeze,1781) (Noctuidae)
- 1483. *Lacanobia* (Dianobia) *thalassina* (Hufnagel,1766) (Noctuidae)
- 1484. *Lacanobia* (Diataraxia) *aliena* (Hübner,[1809]) (Noctuidae)
- 1485. *Lacanobia* (Diataraxia) *blenna* (Hübner,[1824]) (Noctuidae)
- 1486. *Lacanobia* (Diataraxia) *praedita* (Hübner,[1813]) (Noctuidae)
- 1487. *Lacanobia* (Diataraxia) *splendens* (Hübner,[1808]) (Noctuidae)
- 1488. *Lacanobia* (s.str.) *w-latinum* (Hufnagel,1766) (Noctuidae)
- 1489. *Laelia coenosa* (Hübner,[1808]) (Lymantriidae)
- 1490. *Lampronia aeneella* (Heinemann,1870) (Prodoxidae)
- 1491. *Lampronia argillella* (Zeller,1851) (Prodoxidae)
- 1492. *Lampronia flavimitrella* (Hübner,[1817]) (Prodoxidae)
- 1493. *Lampronia koernerella* (Zeller,1839) (Prodoxidae)
- 1494. *Lampronia luzella* (Hübner,[1817]) (Prodoxidae)
- 1495. *Lampronia morosa* Zeller,1852 (Prodoxidae)
- 1496. *Lampronia provectella* (Heyden,1865) (Prodoxidae)
- 1497. *Lampronia redimitella* (Lienig & Zeller,1846) (Prodoxidae)
- 1498. *Lampronia splendidella* (Heinemann,1870) (Prodoxidae)
- 1499. *Lampronia standfussiella* Zeller,1852 (Prodoxidae)
- 1500. *Lamprotes c-aureum* (Knoch,1781) (Noctuidae)
- 1501. *Lamprotes c-aureum c-aureum* (Knoch,1781) (Noctuidae)
- 1502. *Laodamia faecella* (Zeller,1839) (Pyrilidae)
- 1503. *Laothoe amurensis* (Staudinger,1892) (Sphingidae)
- 1504. *Laothoe amurensis amurensis* (Staudinger,1892) (Sphingidae)
- 1505. *Larerannis aurantiaria* (Hübner,[1799]) (Geometridae)
- 1506. *Larerannis marginaria* (Fabricius,1777) (Geometridae)
- 1507. *Lasiommata petropolitana* (Fabricius,1787) (Satyridae)
- 1508. *Lasiommata petropolitana petropolitana* (Fabricius,1787) (Satyridae)
- 1509. *Lasionycta dovrensis* (Wocke,1864) (Noctuidae)
- 1510. *Lasionycta proxima* (Hübner,[1809]) (Noctuidae)
- 1511. *Lasionycta skraelingia* (Herrich-Schäffer,1852) (Noctuidae)
- 1512. *Lathronympha strigana* (Fabricius,1775) (Tortricidae)
- 1513. *Lepidosciptera plumistrella* (Hübner,1793) (Psychidae)
- 1514. *Leptomiza bilinearia hedemanni* (Staudinger,1897) (Geometridae)
- 1515. *Leucania herrichi* Herrich-Schäffer,[1849] (Noctuidae)
- 1516. *Leucania obsoleta* (Hübner,[1803]) (Noctuidae)
- 1517. *Leucania putrescens* (Hübner,[1824]) (Noctuidae)
- 1518. *Leucochlaena fallax* (Staudinger,1870) (Noctuidae)
- 1519. *Leucochlaena muscosa* (Staudinger,1892) (Noctuidae)
- 1520. *Leucoma salicis candida* Staudinger,1892 (Lymantriidae)
- 1521. *Leucoptera lustratella* (Herrich-Schäffer,1855) (Lyonetiidae)
- 1522. *Leucoptera spartifoliella* (Hübner,[1813]) (Lyonetiidae)
- 1523. *Levipalpus hepatoriella* (Lienig & Zeller,1846) (Oecophoridae)
- 1524. *Lichenotinea pustulatella* (Zeller,1852) (Tineidae)
- 1525. *Ligdia adustata* (Fabricius,1787) (Geometridae)
- 1526. *Lignyopectera fumidaria* (Hübner,[1825]) (Geometridae)
- 1527. *Limenitis (Azuritis) reducta herculeana* Stichel,[1908] (Argynnididae)
- 1528. *Limenitis (Azuritis) reducta* Staudinger,1901 (Argynnididae)
- 1529. *Limenitis* (s.str.) *doerriesi doerriesi* Staudinger,1892 (Argynnididae)
- 1530. *Limenitis* (s.str.) *doerriesi* Staudinger,1892 (Argynnididae)
- 1531. *Limenitis* (s.str.) *populi enapius* Fruhstorfer,1908 (Argynnididae)
- 1532. *Limenitis* (s.str.) *populi ussuriensis* Staudinger,1887 (Argynnididae)
- 1533. *Limeria macraria* Staudinger,1892 (Geometridae)
- 1534. *Lithacodia wiskotti* (Staudinger,1888) (Noctuidae)
- 1535. *Lithomoia solidaginis* (Hübner,[1803]) (Noctuidae)
- 1536. *Lithomoia solidaginis solidaginis* (Hübner,[1803]) (Noctuidae)
- 1537. *Lithophane consocia* (Borkhausen,1792) (Noctuidae)
- 1538. *Lithophane furcifera* (Hufnagel,1766) (Noctuidae)

1539. *Lithophane lamda* (Fabricius,1787) (Noctuidae)
1540. *Lithophane ornitopus* (Hufnagel,1766) (Noctuidae)
1541. *Lithophane socia* (Hufnagel,1766) (Noctuidae)
1542. *Lithostege bosporaria* (Herrich-Schäffer,[1848]) (Geometridae)
1543. *Lithostege coassata* (Hübner,[1825]) (Geometridae)
1544. *Lithostege coassata coassata* (Hübner,[1825]) (Geometridae)
1545. *Lithostege farinata* (Hufnagel,1767) (Geometridae)
1546. *Lobesia* (s.str.) *artemisiana* (Zeller,1847) (Tortricidae)
1547. *Lobesia* (s.str.) *indusiana* (Zeller,1847) (Tortricidae)
1548. *Lobesia* (s.str.) *reliquana* (Hübner,[1825]) (Tortricidae)
1549. *Lobesiodes euphorbiana* (Freyer,1842) (Tortricidae)
1550. *Lobophora halterata* (Hufnagel,1767) (Geometridae)
1551. *Lomographa bimaculata* (Fabricius,1775) (Geometridae)
1552. *Loxostege clathralis* (Hübner,[1813]) (Pyralidae)
1553. *Loxostege comptalis* (Freyer,[1848]) (Pyralidae)
1554. *Loxostege dilutalis* (Herrich-Schäffer,1849) (Pyralidae)
1555. *Lozotaenia forsterana* (Fabricius,1781) (Tortricidae)
1556. *Lozotaeniodes formosana* (Geyer,1830) (Tortricidae)
1557. *Luperina zollikoferi* (Freyer,1836) (Noctuidae)
1558. *Lycaena* (Alciphronia) *alciphron* (Rottemburg,1775) (Lycaenidae)
1559. *Lycaena* (Alciphronia) *alciphron alciphron* (Rottemburg,1775) (Lycaenidae)
1560. *Lycaena* (Helleia) *helle phintonis* (Fruhstorfer,1910) (Lycaenidae)
1561. *Lycaena* (Heodes) *virgaureae alexandrae* (Fruhstorfer,1909) (Lycaenidae)
1562. *Lycaena* (Heodes) *virgaureae virgaureola* (Staudinger,1892) (Lycaenidae)
1563. *Lycaena* (Palaeochrysophanus) *hippotoe amurensis* (Staudinger,1892) (Lycaenidae)
1564. *Lycaena* (Palaeochrysophanus) *hippotoe eurydame* (Hoffmannsegg,1806) (Lycaenidae)
1565. *Lycaena* (Palaeochrysophanus) *hippotoe stiberi* (Gerhard,1853) (Lycaenidae)
1566. *Lycaena* (Phoenicurusia) *dimorpha* (Staudinger,1881) (Lycaenidae)
1567. *Lycaena* (Phoenicurusia) *dimorpha dimorpha* (Staudinger,1881) (Lycaenidae)
1568. *Lycaena* (Thersamolycaena) *dispar rutilus* (Werneburg,1864) (Lycaenidae)
1569. *Lycaena* (Thersamolycaena) *violacea* (Staudinger,1892) (Lycaenidae)
1570. *Lycaena* (Thersamolycaena) *violacea violacea* (Staudinger,1892) (Lycaenidae)
1571. *Lycaena* (Thersamonia) *thersamon* (Esper,[1784]) (Lycaenidae)
1572. *Lycaena* (Thersamonia) *thersamon thersamon* (Esper,[1784]) (Lycaenidae)
1573. *Lycia pomonaria* (Hübner,1790) (Geometridae)
1574. *Lygephila cracca* (Fabricius,1787) (Noctuidae)
1575. *Lygephila cracca cracca* (Fabricius,1787) (Noctuidae)
1576. *Lygephila emaculata* (Graeser,1892) (Noctuidae)
1577. *Lygephila lubrica* (Freyer,1842) (Noctuidae)
1578. *Lygephila lubrica lubrica* (Freyer,1846) (Noctuidae)
1579. *Lygephila ludicra* (Hübner,1790) (Noctuidae)
1580. *Lygephila lupina* (Graeser,1890) (Noctuidae)
1581. *Lygephila procax* (Hübner,[1813]) (Noctuidae)
1582. *Lygephila viciae* (Hübner,[1822]) (Noctuidae)
1583. *Lyonetia prunifoliella* (Hübner,1796) (Lyonetiidae)
1584. *Lyonetia pulverulentella* Zeller,1839 (Lyonetiidae)
1585. *Lythria cruentaria* (Hufnagel,1767) (Geometridae)
1586. *Macaria signaria* (Hübner,[1809]) (Geometridae)
1587. *Macrochilo cribrumalis* (Hübner,1793) (Noctuidae)
1588. *Maculinea arionides* (Staudinger,1887) (Lycaenidae)
1589. *Maculinea arionides arionides* (Staudinger,1887) (Lycaenidae)
1590. *Maculinea nausithous* (Bergsträßer,[1779]) (Lycaenidae)
1591. *Maculinea nausithous nausithous* (Bergsträßer,[1779]) (Lycaenidae)
1592. *Maculinea rebeli monticola* (Staudinger,1901) (Lycaenidae)
1593. *Maculinea telejus* (Bergsträßer,[1779]) (Lycaenidae)
1594. *Maculinea telejus obscurata* (Staudinger,1892) (Lycaenidae)
1595. *Maculinea telejus telejus* (Bergsträßer,[1779]) (Lycaenidae)
1596. *Malacosoma castrensis kirghisicum* (Staudinger,1879) (Lasiocampidae)
1597. *Maraschia grisescens* Osthelder,1933 (Noctuidae)

- 1598. *Marasmarcha cinnamomea* (Staudinger,1870) (Pterophoridae)
- 1599. *Marasmarcha rhypodactyla* (Staudinger,1871) (Pterophoridae)
- 1600. *Maxates grandificaria* (Graeser,1890) (Geometridae)
- 1601. *Megacraspedus argyroneurellus* Staudinger,1876 (Gelechiidae)
- 1602. *Megacraspedus attritellus* Staudinger,1871 (Gelechiidae)
- 1603. *Megacraspedus dolosellus* (Zeller,1839) (Gelechiidae)
- 1604. *Megacraspedus lagopellus* Herrich-Schäffer,1860 (Gelechiidae)
- 1605. *Megacraspedus separatellus* (Fischer v. Röslerstamm,1843) (Gelechiidae)
- 1606. *Megalodes eximia* (Freyer,1845) (Noctuidae)
- 1607. *Megalodes eximia eximia* (Freyer,1845) (Noctuidae)
- 1608. *Meganola togatulalis* (Hübner,1796) (Noctuidae)
- 1609. *Megasis rippertella* (Zeller,1839) (Pyrilidae)
- 1610. *Megasis rippertella rippertella* (Zeller,1839) (Pyrilidae)
- 1611. *Melanargia* (Parce) *epimede epimede* Staudinger,1887 (Satyridae)
- 1612. *Melanargia* (Parce) *epimede* Staudinger,1887 (Satyridae)
- 1613. *Melanargia* (Parce) *rossiae* (Esper,[1784]) (Satyridae)
- 1614. *Melanargia* (Parce) *rossiae rossiae* (Esper,[1784]) (Satyridae)
- 1615. *Melantheria alaudaria* (Freyer,1846) (Geometridae)
- 1616. *Melasina punctata* (Herrich-Schäffer,[1855]) (Psychidae)
- 1617. *Melitaea* (Cinclidia) (*phoebe*) *phoebe* (Goeze,1779) (Argynnididae)
- 1618. *Melitaea* (Cinclidia) (*phoebe*) *phoebe saturata* Staudinger,1892 (Argynnididae)
- 1619. *Melitaea* (Didymaeformis) *ala* Staudinger,1881 (Argynnididae)
- 1620. *Melitaea* (Didymaeformis) *didyma* (Esper,[1779]) (Argynnididae)
- 1621. *Melitaea* (Didymaeformis) *fascelis* (Fabricius,1787) (Argynnididae)
- 1622. *Melitaea* (Didymaeformis) *fascelis fascelis* (Fabricius,1787) (Argynnididae)
- 1623. *Melitaea* (Didymaeformis) *sutschana* Staudinger,1892 (Argynnididae)
- 1624. *Melitaea* (Didymaeformis) *sutschana sutschana* Staudinger,1892 (Argynnididae)
- 1625. *Melitaea* (Mellicta) *ambigua* (Ménétriés,1859) (Argynnididae)
- 1626. *Melitaea* (Mellicta) *ambigua ambigua* (Ménétriés,1859) (Argynnididae)
- 1627. *Melitaea* (Mellicta) *ambigua kenteana* (Seitz,1909) (Argynnididae)
- 1628. *Melitaea* (Mellicta) *athalia* (Rottemburg,1775) (Argynnididae)
- 1629. *Melitaea* (Mellicta) *athalia athalia* (Rottemburg,1775) (Argynnididae)
- 1630. *Melitaea* (Mellicta) *athalia norvegica* (Aurivillius,1888) (Argynnididae)
- 1631. *Melitaea* (Mellicta) *athalia reticulata* Higgins,1955 (Argynnididae)
- 1632. *Melitaea* (Mellicta) *aurelia* (Nickerl,1850) (Argynnididae)
- 1633. *Melitaea* (Mellicta) *aurelia aurelia* (Nickerl,1850) (Argynnididae)
- 1634. *Melitaea* (Mellicta) *britomartis* (Assmann,1847) (Argynnididae)
- 1635. *Melitaea* (Mellicta) *britomartis amurensis* (Staudinger,1892) (Argynnididae)
- 1636. *Melitaea* (Mellicta) *britomartis britomartis* (Assmann,1847) (Argynnididae)
- 1637. *Melitaea* (Mellicta) *centralasiae* (Wnukowsky,1929) (Argynnididae)
- 1638. *Melitaea* (Mellicta) *centralasiae centralasiae* (Wnukowsky,1929) (Argynnididae)
- 1639. *Melitaea* (Mellicta) *menetriesi* (Caradja,1895) (Argynnididae)
- 1640. *Melitaea* (Mellicta) *menetriesi menetriesi* (Caradja,1895) (Argynnididae)
- 1641. *Melitaea* (Mellicta) *plotina* (Bremer,1861) (Argynnididae)
- 1642. *Melitaea* (Mellicta) *plotina plotina* (Bremer,1861) (Argynnididae)
- 1643. *Melitaea* (Mellicta) *protomedia* (Ménétriés,1858) (Argynnididae)
- 1644. *Melitaea* (Mellicta) *protomedia protomedia* (Ménétriés,1858) (Argynnididae)
- 1645. *Melitaea* (Mellicta) *rebeli* (Wnukowsky,1929) (Argynnididae)
- 1646. *Melitaea* (Mellicta) *rebeli rebeli* (Wnukowsky,1929) (Argynnididae)
- 1647. *Melitaea* (s.str.) *arduinna* (Fabricius,1787) (Argynnididae)
- 1648. *Melitaea* (s.str.) *arduinna arduinna* (Fabricius,1787) (Argynnididae)
- 1649. *Melitaea* (s.str.) *cinxia clarissa* Staudinger,1901 (Argynnididae)
- 1650. *Melitaea* (s.str.) *diamina badukensis* Alberti,1969 (Argynnididae)
- 1651. *Melitaea* (s.str.) *diamina erycinides* Staudinger,1892 (Argynnididae)
- 1652. *Melitaea* (s.str.) *diamina hebe* (Borkhausen,1793) (Argynnididae)
- 1653. *Merrifieldia baliodactyla* (Zeller,1841) (Pterophoridae)
- 1654. *Merrifieldia malacodactyla* (Zeller,1847) (Pterophoridae)
- 1655. *Merulempista cingillella* (Zeller,1846) (Pyrilidae)
- 1656. *Mesapamea* (Resapamea) *hedeni* (Graeser,1888) (Noctuidae)
- 1657. *Mesapamea* (Resapamea) *hedeni hedeni* (Graeser,1888) (Noctuidae)
- 1658. *Mesapamea* (s.str.) *didyma* (Esper,[1788]) (Noctuidae)

1659. *Mesocrambus candidellus* (Herrich-Schäffer,[1848]) (Pyrilidae)
1660. *Mesogona acetosellae* (Goeze,1781) (Noctuidae)
1661. *Mesogona oxalina* (Hübner,[1803]) (Noctuidae)
1662. *Mesoleuca albicillata nigromarginata* (Heydemann,1936) (Geometridae)
1663. *Mesoleuca mandschuricata borealis* (Herz,1905) (Geometridae)
1664. *Mesophleps silacella* (Hübner,1796) (Gelechiidae)
1665. *Metacrambus carectellus* (Zeller,1847) (Pyrilidae)
1666. *Metalampra cinnamomea* (Zeller,1839) (Oecophoridae)
1667. *Metanarsia* (s.str.) *modesta* Staudinger,1871 (Gelechiidae)
1668. *Metaxmeste phrygialis* (Hübner,1796) (Pyrilidae)
1669. *Meteima mediorufa* (Bastelberger,1911) (Geometridae)
1670. *Metzneria aestivella* (Zeller,1839) (Gelechiidae)
1671. *Metzneria aprilella* (Herrich-Schäffer,[1854]) (Gelechiidae)
1672. *Metzneria artificella* (Herrich-Schäffer,1861) (Gelechiidae)
1673. *Metzneria neuropterella* Zeller,1839 (Gelechiidae)
1674. *Metzneria subflavella* Englert,1974 (Gelechiidae)
1675. *Microloxia herbaria* (Hübner,[1813]) (Geometridae)
1676. *Micropterix mansuetella* (Zeller,1844) (Micropterigidae)
1677. *Micrurapteryx gradatella* (Herrich-Schäffer,1855) (Gracillariidae)
1678. *Micrurapteryx kollariella* (Zeller,1839) (Gracillariidae)
1679. *Millieria dolosana* (Herrich-Schäffer,[1854]) (Choreutidae)
1680. *Miltochrista miniata* (Forster,1771) (Arctiidae)
1681. *Mimarsinania petulantana* (Kennel,1901) (Tortricidae)
1682. *Mimudea decrepitalis* (Herrich-Schäffer,[1848]) (Pyrilidae)
1683. *Mimudea lutealis* (Hübner,[1809]) (Pyrilidae)
1684. *Mimudea nebulalis* (Hübner,1796) (Pyrilidae)
1685. *Miresa flavidorsalis* (Staudinger,1887) (Limaecodidae)
1686. *Mirificarma* (s.str. (Interrupta)) *mulinella* (Zeller,1839) (Gelechiidae)
1687. *Mirificarma* (s.str. (s.str.)) *maculatella* (Hübner,1796) (Gelechiidae)
1688. *Mirina christophi* Staudinger,1887 (Mirinidae)
1689. *Mniotype adusta* (Esper,[1790]) (Noctuidae)
1690. *Mocis undata* (Fabricius,1775) (Noctuidae)
1691. *Mompha* (Anybia) *epilobiella* (Roemer,1794) (Momphidae)
1692. *Mompha* (Cyphophora) *idaei* (Zeller,1839) (Momphidae)
1693. *Mompha* (Pscaphora) *raschkiella* (Zeller,1839) (Momphidae)
1694. *Mompha* (s.str.) *conturbatella* (Hübner,[1819]) (Momphidae)
1695. *Mompha* (s.str.) *divisella* Herrich-Schäffer,1854 (Momphidae)
1696. *Monochroa conspersella* (Herrich-Schäffer,1854) (Gelechiidae)
1697. *Monochroa hornigi* (Staudinger,1883) (Gelechiidae)
1698. *Monochroa nomadella* (Zeller,1868) (Gelechiidae)
1699. *Monochroa sepicolella* (Herrich-Schäffer,1854) (Gelechiidae)
1700. *Monochroa simplicella* (Lienig & Zeller,1846) (Gelechiidae)
1701. *Monochroa tenebrella* (Hübner,[1817]) (Gelechiidae)
1702. *Monopis christophi* G.Petersen,1957 (Tineidae)
1703. *Monopis imella* (Hübner,[1813]) (Tineidae)
1704. *Monopis monachella* (Hübner,1796) (Tineidae)
1705. *Montescardia tessulatellus* (Lienig & Zeller,1846) (Tineidae)
1706. *Muschampia cribrellum obscurior* (Staudinger,1892) (Hesperiidae)
1707. *Muschampia proteus* (Staudinger,1886) (Hesperiidae)
1708. *Muschampia proteus proteus* (Staudinger,1886) (Hesperiidae)
1709. *Muschampia tessellum* (Hübner,[1802]) (Hesperiidae)
1710. *Muschampia tessellum cribrelloides* (Gaede,1931) (Hesperiidae)
1711. *Muschampia tessellum dilutior* (Heyne,[1895]) (Hesperiidae)
1712. *Muschampia tessellum tessellum* (Hübner,[1802]) (Hesperiidae)
1713. *Mythimna* (Aletia) *congrua* (Hübner,[1817]) (Noctuidae)
1714. *Mythimna* (Aletia) *deserticola* (Bartel,1903) (Noctuidae)
1715. *Mythimna* (Aletia) *impura* (Hübner,[1808]) (Noctuidae)
1716. *Mythimna* (Aletia) *impura impura* (Hübner,[1808]) (Noctuidae)
1717. *Mythimna* (Aletia) *sassanidica* (Hacker,1986) (Noctuidae)
1718. *Mythimna* (Aletia) *vitellina* (Hübner,[1808]) (Noctuidae)
1719. *Mythimna* (Hyphilare) *albipuncta* (Fabricius,1787) (Noctuidae)

1720. *Mythimna (Hyphilare) ferrago* (Fabricius,1787) (Noctuidae)
1721. *Mythimna opaca* (Staudinger,1899) (Noctuidae)
1722. *Narraga fasciolaria* (Hufnagel,1767) (Geometridae)
1723. *Narraga fasciolaria fasciolaria* (Hufnagel,1767) (Geometridae)
1724. *Narycia duplicella* (Goeze,1783) (Psychidae)
1725. *Nascia cilialis* (Hübner,1796) (Pyrilidae)
1726. *Nascia cilialis cilialis* (Hübner,1796) (Pyrilidae)
1727. *Nemapogon clematella* (Fabricius,1781) (Tineidae)
1728. *Nemapogon gravosaella* G.Petersen,1957 (Tineidae)
1729. *Nemapogon nigralbella* (Zeller,1839) (Tineidae)
1730. *Nemapogon quercicolella* (Zeller,1852) (Tineidae)
1731. *Nematopogon metaxella* (Hübner,[1813]) (Adelidae)
1732. *Nematopogon schwarziella* Zeller,1839 (Adelidae)
1733. *Nemophora amatella* (Staudinger,1892) (Adelidae)
1734. *Nemophora congruella* (Zeller,1839) (Adelidae)
1735. *Nemophora fasciella* (Fabricius,1775) (Adelidae)
1736. *Nemophora mollella* (Hübner,[1813]) (Adelidae)
1737. *Nemophora ochsenheimerella* (Hübner,[1813]) (Adelidae)
1738. *Nemophora prodigella* (Zeller,1853) (Adelidae)
1739. *Nemophora raddella* (Hübner,1793) (Adelidae)
1740. *Neofaculta ericetella* (Geyer,[1832]) (Gelechiidae)
1741. *Neofaculta infernella* (Herrich-Schäffer,1854) (Gelechiidae)
1742. *Neosphaleroptera nubilana* (Hübner,[1799]) (Tortricidae)
1743. *Neozephyrus brilliantinus* (Staudinger,1887) (Lycaenidae)
1744. *Neozephyrus brilliantinus brilliantinus* (Staudinger,1887) (Lycaenidae)
1745. *Nephoterix angustella* (Hübner,1796) (Pyrilidae)
1746. *Neptis (s.str.) philyroides philyroides* Staudinger,1887 (Argynnidae)
1747. *Neptis (s.str.) philyroides* Staudinger,1887 (Argynnidae)
1748. *Neptis (s.str.) rivularis magnata* (Heyne,[1895]) (Argynnidae)
1749. *Neptis (s.str.) speyeri speyeri* Staudinger,1887 (Argynnidae)
1750. *Neptis (s.str.) speyeri* Staudinger,1887 (Argynnidae)
1751. *Noctua (Lampra) fimbriata* (Schreber,1759) (Noctuidae)
1752. *Noctua (Latanoctua) orbona* (Hufnagel,1766) (Noctuidae)
1753. *Noctua (Paranoctua) comes* (Hübner,[1813]) (Noctuidae)
1754. *Noctua (Paranoctua) interposita* (Hübner,1790) (Noctuidae)
1755. *Noctua (Paranoctua) interposita interposita* (Hübner,1790) (Noctuidae)
1756. *Nola aerugula* (Hübner,1793) (Noctuidae)
1757. *Nola confusalis* (Herrich-Schäffer,1847) (Noctuidae)
1758. *Nola karelica amuricola* (Warnecke,1938) (Noctuidae)
1759. *Nothocasis sertata* (Hübner,[1817]) (Geometridae)
1760. *Nothris lemniscella* (Zeller,1839) (Gelechiidae)
1761. *Nothris verbascella* (Brahm,1791) (Gelechiidae)
1762. *Notocelia aquana* (Hübner,[1799]) (Tortricidae)
1763. *Notocelia incarnatana* (Hübner,[1800]) (Tortricidae)
1764. *Notodonta torvus* (Hübner,[1803]) (Notodontidae)
1765. *Notodonta ziczac gigantea* Schintlmeister,1981 (Notodontidae)
1766. *Numenes disparilis* Staudinger,1887 (Lymntriidae)
1767. *Nychiodes (Eunychiodes) divergaria* (Staudinger,1892) (Geometridae)
1768. *Nycteola degenerana* (Hübner,[1799]) (Noctuidae)
1769. *Nycteola degenerana degenerana* (Hübner,[1799]) (Noctuidae)
1770. *Nycteola siculana* (Fuchs,1899) (Noctuidae)
1771. *Nymphalis xanthomelas* (Esper,[1781]) (Argynnidae)
1772. *Nymphalis xanthomelas xanthomelas* (Esper,[1781]) (Argynnidae)
1773. *Nymphula nitidulata* (Hufnagel,1767) (Pyrilidae)
1774. *Ochromolopis ictella* (Hübner,[1813]) (Epermeniidae)
1775. *Ochropleura leucogaster* (Freyer,1831) (Noctuidae)
1776. *Ochsenheimeria capella* Möschler,1860 (Yponomeutidae)
1777. *Ochsenheimeria urella* Fischer v. Röslerstamm,1842 (Yponomeutidae)
1778. *Ochsenheimeria vaculella* Fischer v. Röslerstamm,1842 (Yponomeutidae)
1779. *Ocnerostoma piniariella* Zeller,1847 (Yponomeutidae)
1780. *Ocnogyna (s.str.) armena* Staudinger,1871 (Arctiidae)

1781. *Ocnogyna (Somatotrichia) parasita* (Hübner,1790) (Arctiidae)
1782. *Ocnogyna (Somatotrichia) parasita rothschildi* A.Bang-Haas,1912 (Arctiidae)
1783. *Odice arcuinna* (Hübner,1790) (Noctuidae)
1784. *Odice arcuinna arcuinna* (Hübner,[1790]) (Noctuidae)
1785. *Odontognophos zacharius* (Staudinger,1879) (Geometridae)
1786. *Odontosia carmelita* (Esper,[1789]) (Notodontidae)
1787. *Oegoconia deauratella* (Herrich-Schäffer,[1854]) (Autostichidae)
1788. *Oeneis brunhilda* A.Bang-Haas,1912 (Satyridae)
1789. *Oeneis brunhilda brunhilda* Bang-Haas,1912 (Satyridae)
1790. *Oeneis elwesi elwesi* Staudinger,1901 (Satyridae)
1791. *Oeneis elwesi* Staudinger,1901 (Satyridae)
1792. *Oeneis jutta* (Hübner,[1806]) (Satyridae)
1793. *Oeneis jutta jutta* (Hübner,[1806]) (Satyridae)
1794. *Oeneis magna* Graeser,1888 (Satyridae)
1795. *Oeneis magna magna* Graeser,1888 (Satyridae)
1796. *Oeneis melissa* (Fabricius,1775) (Satyridae)
1797. *Oeneis melissa tunga* Staudinger,[1895] (Satyridae)
1798. *Oeneis mulla mulla* Staudinger,1881 (Satyridae)
1799. *Oeneis mulla* Staudinger,1881 (Satyridae)
1800. *Oeneis polixenes* (Fabricius,1775) (Satyridae)
1801. *Olethreutes (Argyroploce) bipunctana* (Fabricius,1794) (Tortricidae)
1802. *Olethreutes (Argyroploce) camillana* (Kennel,1918) (Tortricidae)
1803. *Olethreutes (Argyroploce) delitana* (Staudinger,1879) (Tortricidae)
1804. *Olethreutes (Argyroploce) metallicana* (Hübner,[1799]) (Tortricidae)
1805. *Olethreutes (Argyroploce) palustrana* (Lienig & Zeller,1846) (Tortricidae)
1806. *Olethreutes (Argyroploce) schaefferana* (Herrich-Schäffer,1851) (Tortricidae)
1807. *Olethreutes (Argyroploce) schulziana* (Fabricius,1777) (Tortricidae)
1808. *Olethreutes (Argyroploce) turfosana* (Herrich-Schäffer,1851) (Tortricidae)
1809. *Olethreutes (s.str.) cacuminana* (Kennel,1901) (Tortricidae)
1810. *Olethreutes (s.str.) dolosana* (Kennel,1901) (Tortricidae)
1811. *Olethreutes (s.str.) electana* (Kennel,1901) (Tortricidae)
1812. *Olethreutes (s.str.) umbrosana* (Freyer,1842) (Tortricidae)
1813. *Oligia dubia* (Heydemann,1942) (Noctuidae)
1814. *Oligia versicolor* (Borkhausen,1792) (Noctuidae)
1815. *Olindia schumacherana* (Fabricius,1787) (Tortricidae)
1816. *Olivenebula oberthueri* (Staudinger,1892) (Noctuidae)
1817. *Omphalophana antirrhinii* (Hübner,[1803]) (Noctuidae)
1818. *Omphalophana antirrhinii antirrhinii* (Hübner,[1803]) (Noctuidae)
1819. *Oncocnemis confusa* (Freyer,[1839]) (Noctuidae)
1820. *Ophiusa lunaris* (Goeze,1781) (Noctuidae)
1821. *Ophiusa lunaris lunaris* (Goeze,1781) (Noctuidae)
1822. *Opigena polygona* (Fabricius,1787) (Noctuidae)
1823. *Opigena polygona polygona* (Fabricius,1787) (Noctuidae)
1824. *Opostega spatulella* Herrich-Schäffer,[1855] (Opostegidae)
1825. *Oraesia emarginata* (Fabricius,1794) (Noctuidae)
1826. *Orectis proboscidata* (Herrich-Schäffer,1851) (Noctuidae)
1827. *Orgyia antiqua zimmermanni* Graeser,1888 (Lymantriidae)
1828. *Orgyia antiquiodes* (Hübner,1822) (Lymantriidae)
1829. *Orgyia flavolimbata* Staudinger,1881 (Lymantriidae)
1830. *Orgyia recens* (Hübner,[1819]) (Lymantriidae)
1831. *Oria musculosa* (Hübner,[1808]) (Noctuidae)
1832. *Ornativulva plutelliformis* (Staudinger,1859) (Gelechiidae)
1833. *Ornativulva sieversi* (Staudinger,1871) (Gelechiidae)
1834. *Ornixola caudulatella* (Zeller,1839) (Gracillariidae)
1835. *Ortholepis betulae* (Goeze,1778) (Pyralidae)
1836. *Ortholepis vacciniella* (Lienig & Zeller,1847) (Pyralidae)
1837. *Orthonama obstipata* (Fabricius,1794) (Geometridae)
1838. *Orthonama vittata* (Borkhausen,1794) (Geometridae)
1839. *Orthosia (Monima) cerasi* (Fabricius,1775) (Noctuidae)
1840. *Orthosia (Monima) opima* (Hübner,[1809]) (Noctuidae)
1841. *Orthosia (Monima) populeti* (Fabricius,1781) (Noctuidae)

1842. *Orthosia (Monima) pulverulenta* (Esper,[1786]) (Noctuidae)
1843. *Orthosia (s.str.) incerta* (Hufnagel,1766) (Noctuidae)
1844. *Orthosia gracilis* (Fabricius,1787) (Noctuidae)
1845. *Orthosia rubricosa* (Esper,[1786]) (Noctuidae)
1846. *Orthostixis cribraria* (Hübner,[1799]) (Geometridae)
1847. *Orthostixis cribraria cribraria* (Hübner,[1799]) (Geometridae)
1848. *Ostrinia nubilalis* (Hübner,1796) (Pyralidae)
1849. *Ostrinia nubilalis nubilalis* (Hübner,1796) (Pyralidae)
1850. *Ostrinia palustralis* (Hübner,1796) (Pyralidae)
1851. *Oxicesta geographica* (Fabricius,1787) (Noctuidae)
1852. *Oxypteron impar* Staudinger,1871 (Tortricidae)
1853. *Oxypteron palmoni* (Amsel,1940) (Tortricidae)
1854. *Oxyptilus ericetorum* (Zeller,1844) (Pterophoridae)
1855. *Oxyptilus pilosellae* (Zeller,1841) (Pterophoridae)
1856. *Oxytripia orbiculosa* (Esper,1799) (Noctuidae)
1857. *Oxytripia orbiculosa orbiculosa* (Esper,[1799]) (Noctuidae)
1858. *Ozarba moldavicola* (Herrich-Schäffer,[1851]) (Noctuidae)
1859. *Pachynemina hippocastanaria* (Hübner,[1799]) (Geometridae)
1860. *Pammene argyrana* (Hübner,[1799]) (Tortricidae)
1861. *Pammene aurana* (Fabricius,1775) (Tortricidae)
1862. *Pammene blockiana* (Herrich-Schäffer,[1851]) (Tortricidae)
1863. *Pammene christophana* (Möschler,1862) (Tortricidae)
1864. *Pammene cytisana* (Zeller,1847) (Tortricidae)
1865. *Pammene gallicolana* (Lienig & Zeller,1846) (Tortricidae)
1866. *Pammene germmana* (Hübner,[1799]) (Tortricidae)
1867. *Pammene ochsenheimeriana* (Lienig & Zeller,1846) (Tortricidae)
1868. *Pammene populana* (Fabricius,1787) (Tortricidae)
1869. *Pammene regiana* (Zeller,1849) (Tortricidae)
1870. *Pammene suspectana* (Lienig & Zeller,1846) (Tortricidae)
1871. *Pancalia schwarzeella* (Fabricius,1798) (Cosmopterigidae)
1872. *Panchrysia aurea* (Hübner,[1803]) (Noctuidae)
1873. *Panchrysia v-argenteum* (Esper,[1798]) (Noctuidae)
1874. *Pandemis cerasana* (Hübner,1786) (Tortricidae)
1875. *Pandemis chondrillana* (Herrich-Schäffer,1860) (Tortricidae)
1876. *Pandemis corylana* (Fabricius,1794) (Tortricidae)
1877. *Pangrapta griseola* Staudinger,1892 (Noctuidae)
1878. *Panstegia aerealis* (Hübner,1793) (Pyralidae)
1879. *Panstegia aerealis aerealis* (Hübner,1793) (Pyralidae)
1880. *Panstegia limbopunctalis* (Herrich-Schäffer,[1849]) (Pyralidae)
1881. *Panthea coenobita* (Esper,1785) (Noctuidae)
1882. *Papestra biren* (Goeze,1781) (Noctuidae)
1883. *Papilio (s.str.) machaon gorganus* Fruhstorfer,1922 (Papilionidae)
1884. *Parachronistis albiceps* (Zeller,1839) (Gelechiidae)
1885. *Paraclemensia cyanella* (Zeller,1850) (Incurvariidae)
1886. *Paracolax tristalis* (Fabricius,1794) (Noctuidae)
1887. *Paracosulus thrips* (Hübner,[1818]) (Cossidae)
1888. *Paradarisa consolaria* (Hübner,[1799]) (Geometridae)
1889. *Paradiarsia coturnicola* (Graeser,1892) (Noctuidae)
1890. *Paradiarsia coturnicola altaica* Hacker,1998 (Noctuidae)
1891. *Paradiarsia coturnicola coturnicola* (Graeser,1892) (Noctuidae)
1892. *Paradiarsia punicea* (Hübner,[1803]) (Noctuidae)
1893. *Parahypopta caestrum* (Hübner,[1808]) (Cossidae)
1894. *Parahypopta caestrum caestrum* (Hübner,[1808]) (Cossidae)
1895. *Parallelia stuposa* (Fabricius,1794) (Noctuidae)
1896. *Paranephoterix adelphella* (Fischer v. Röslerstamm,[1836]) (Pyralidae)
1897. *Paranthrene tabaniformis* (Rottemburg,1775) (Sesiidae)
1898. *Parantica sita* (Kollar,[1844]) (Danaiidae)
1899. *Parantica sita sita* (Kollar,[1844]) (Danaiidae)
1900. *Paraplatyptilia metzneri* (Zeller,1841) (Pterophoridae)
1901. *Pararctia lapponica lemniscata* (Stichel,1911) (Arctiidae)
1902. *Parasa hilarata* (Staudinger,1887) (Limaecodidae)

1903. *Parasemia plantaginis floccosa* (Graeser,1888) (Arctiidae)
1904. *Parastichtis corticea* (Esper,[1800]) (Noctuidae)
1905. *Parastichtis corticea corticea* (Esper,[1800]) (Noctuidae)
1906. *Parastichtis suspecta* (Hübner,[1817]) (Noctuidae)
1907. *Paraswammerdamia lapponica* (W.Petersen,1932) (Yponomeutidae)
1908. *Paratalanta cultralis* (Staudinger,1867) (Pyalidae)
1909. *Paratalanta hyalinalis* (Hübner,1796) (Pyalidae)
1910. *Paratalanta pandalis* (Hübner,[1825]) (Pyalidae)
1911. *Parectopa ononidis* (Zeller,1839) (Gracillariidae)
1912. *Parectropis similaria* (Hufnagel,1767) (Geometridae)
1913. *Paratype berberata* (Fabricius,1787) (Geometridae)
1914. *Parelype berberata berberata* (Fabricius,1787) (Geometridae)
1915. *Parexarnis taurica* (Staudinger,1879) (Noctuidae)
1916. *Parnassius (Driopa) eversmanni litoreus* Stichel,1907 (Papilionidae)
1917. *Parnassius (Driopa) mnemosyne craspedontis* Fruhstorfer,1909 (Papilionidae)
1918. *Parnassius (s.str.) apollo limicola* Stichel,1906 (Papilionidae)
1919. *Parnassius (s.str.) bremeri conjuncta* Staudinger,1901 (Papilionidae)
1920. *Parnassius (s.str.) bremeri graeseri* Honrath,1885 (Papilionidae)
1921. *Parnassius (s.str.) bremeri jaetensis* O.Bang-Haas,1927 (Papilionidae)
1922. *Parnassius (s.str.) bremeri orotschonica* O.Bang-Haas,1927 (Papilionidae)
1923. *Parnassius (s.str.) nomion aurora* Bang-Haas,1937 (Papilionidae)
1924. *Parnassius (s.str.) nomion nominulus* Staudinger,[1895] (Papilionidae)
1925. *Parnassius (s.str.) nomion titan* Fruhstorfer,1903 (Papilionidae)
1926. *Parnassius (s.str.) phoebus* (Fabricius,1793) (Papilionidae)
1927. *Parnassius (s.str.) phoebus fortuna* O.Bang-Haas,1935 (Papilionidae)
1928. *Parnassius (s.str.) phoebus phoebus* (Fabricius,1793) (Papilionidae)
1929. *Parocneria detrita* (Esper,[1785]) (Lymantriidae)
1930. *Parornix anguliferella* (Zeller,1847) (Gracillariidae)
1931. *Parornix finitimella* (Zeller,1850) (Gracillariidae)
1932. *Parornix polygrammella* (Wocke,1862) (Gracillariidae)
1933. *Parornix torquillella* (Zeller,1850) (Gracillariidae)
1934. *Pasiphila debiliata* (Hübner,[1817]) (Geometridae)
1935. *Pediasia altaica* (Staudinger,1899) (Pyalidae)
1936. *Pediasia contaminella* (Hübner,1796) (Pyalidae)
1937. *Pediasia fascelinella* (Hübner,[1813]) (Pyalidae)
1938. *Pediasia jucundella* (Herrich-Schäffer,[1847]) (Pyalidae)
1939. *Pediasia pudibundella* (Herrich-Schäffer,[1852]) (Pyalidae)
1940. *Pediasia zellerella* (Staudinger,1899) (Pyalidae)
1941. *Pelatea klugiana* (Freyer,[1834]) (Tortricidae)
1942. *Pelochrista apheliana* (Kennel,1901) (Tortricidae)
1943. *Pelochrista caecimaculana* (Hübner,[1799]) (Tortricidae)
1944. *Pelochrista decolorana* (Freyer,1842) (Tortricidae)
1945. *Pelochrista huebneriana* (Lienig & Zeller,1846) (Tortricidae)
1946. *Pelochrista idotatana* (Kennel,1901) (Tortricidae)
1947. *Pelochrista infidana* (Hübner,[1824]) (Tortricidae)
1948. *Pelochrista jodocana* (Kennel,1919) (Tortricidae)
1949. *Pelochrista maculiferana* (Kennel,1900) (Tortricidae)
1950. *Pelochrista modicana* (Zeller,1847) (Tortricidae)
1951. *Pelochrista mollitana* (Zeller,1847) (Tortricidae)
1952. *Pelosia muscerda* (Hufnagel,1766) (Arctiidae)
1953. *Pelosia obtusa* Herrich-Schäffer,[1847] (Arctiidae)
1954. *Pempelia morosalis* (Saalmüller,1880) (Pyalidae)
1955. *Pempelia obductella* Zeller,1839 (Pyalidae)
1956. *Penthina fraudulentana* Kennel,1901 (Tortricidae)
1957. *Perconia strigillaria* (Hübner,1787) (Geometridae)
1958. *Peribatodes correptarius* (Zeller,1847) (Geometridae)
1959. *Peribatodes correptarius correptarius* (Zeller,1847) (Geometridae)
1960. *Peribatodes rhomboidarius* [Denis & Schiffermüller],1775) (Geometridae)
1961. *Peribatodes umbrarius* (Hübner,[1809]) (Geometridae)
1962. *Peribatodes umbrarius umbrarius* (Hübner,[1809]) (Geometridae)
1963. *Pericyma albidentaria* (Freyer,1842) (Noctuidae)

1964. *Peridea anceps* (Goeze,1781) (Notodontidae)
1965. *Peridroma saucia* (Hübner,[1808]) (Noctuidae)
1966. *Perigrapha* (*Harutaeographa*) *hoenei* Püngeler,1914 (Noctuidae)
1967. *Perizoma lugdunaria* (Herrich-Schäffer,1855) (Geometridae)
1968. *Perizoma minimata* (Staudinger,1897) (Geometridae)
1969. *Perizoma sagittata* (Fabricius,1787) (Geometridae)
1970. *Pexicopia malvella* (Hübner,[1805]) (Gelechiidae)
1971. *Phaiogramma etruscaria* (Zeller,1849) (Geometridae)
1972. *Phalonidia acutana* (Kennel,1913) (Tortricidae)
1973. *Phalonidia affinitana tauriana* (Kennel,1899) (Tortricidae)
1974. *Phalonidia albipalpana* (Zeller,1847) (Tortricidae)
1975. *Phalonidia contractana* (Zeller,1847) (Tortricidae)
1976. *Phalonidia gilvicomana* (Zeller,1847) (Tortricidae)
1977. *Phalonidia manniana* (Fischer v. Röslerstamm,1839) (Tortricidae)
1978. *Phaulernis dentella* (Zeller,1839) (Epermeniidae)
1979. *Phaulernis fulviguttella* (Zeller,1839) (Epermeniidae)
1980. *Pheosia gnoma* (Fabricius,1777) (Notodontidae)
1981. *Phibalapteryx virgata* (Hufnagel,1767) (Geometridae)
1982. *Phigalia pedaria* (Fabricius,1787) (Geometridae)
1983. *Philereme transversata* (Hufnagel,1767) (Geometridae)
1984. *Phlogophora scita* (Hübner,1790) (Noctuidae)
1985. *Phlyctaenia coronata* (Hufnagel,1767) (Pyalidae)
1986. *Phlyctaenia perlucidalis* (Hübner,[1809]) (Pyalidae)
1987. *Phoebophilus veternosa* (Püngeler,1907) (Noctuidae)
1988. *Photodes extrema* (Hübner,[1809]) (Noctuidae)
1989. *Photodes fluxa* (Hübner,[1809]) (Noctuidae)
1990. *Phragmataecia castaneae* (Hübner,1790) (Cossidae)
1991. *Phragmatiphila nexa* (Hübner,[1808]) (Noctuidae)
1992. *Phragmatobia amurensis amurensis* Seitz,1910 (Arctiidae)
1993. *Phragmatobia amurensis* Seitz,1910 (Arctiidae)
1994. *Phrixolepia nobilis* (Staudinger,1887) (Limacodidae)
1995. *Phtheochroa farinosana* (Herrich-Schäffer,1856) (Tortricidae)
1996. *Phtheochroa pulvillana* (Herrich-Schäffer,1851) (Tortricidae)
1997. *Phtheochroa schreibersiana* (Frölich,1828) (Tortricidae)
1998. *Phtheochroa thiana* Staudinger,[1900] (Tortricidae)
1999. *Phthorimaea operculella* (Zeller,1873) (Gelechiidae)
2000. *Phycita poteriella* (Zeller,1846) (Pyalidae)
2001. *Phycitodes albatella ussuriella* (Roesler,1965) (Pyalidae)
2002. *Phycitodes binaevella* (Hübner,[1813]) (Pyalidae)
2003. *Phycitodes binaevella binaevella* (Hübner,[1813]) (Pyalidae)
2004. *Phycitodes binaevella unitella* (Staudinger,1879) (Pyalidae)
2005. *Phycitodes carlinella* (Heinemann,1865) (Pyalidae)
2006. *Phycitodes carlinella carlinella* (Heinemann,1865) (Pyalidae)
2007. *Phycitodes lacteella delattini* (Roesler,1965) (Pyalidae)
2008. *Phyllocnistis saligna* (Zeller,1839) (Gracillariidae)
2009. *Phyllocnistis valentinensis* (M.Hering,1936) (Gracillariidae)
2010. *Phyllocnistis xenia* M.Hering,1936 (Gracillariidae)
2011. *Phyllodesma* (s.str.) *tremulifolium* (Hübner,[1810]) (Lasiocampidae)
2012. *Phyllodesma* (s.str.) *tremulifolium tremulifolium* (Hübner,[1810]) (Lasiocampidae)
2013. *Phyllonorycter acerifoliella* (Zeller,1839) (Gracillariidae)
2014. *Phyllonorycter agilella* (Zeller,1846) (Gracillariidae)
2015. *Phyllonorycter apparella* (Herrich-Schäffer,1855) (Gracillariidae)
2016. *Phyllonorycter blancardella* (Fabricius,1781) (Gracillariidae)
2017. *Phyllonorycter cavella* (Zeller,1846) (Gracillariidae)
2018. *Phyllonorycter cerasinella* (Reutti,1853) (Gracillariidae)
2019. *Phyllonorycter connexella* (Zeller,1846) (Gracillariidae)
2020. *Phyllonorycter corylifoliella* (Hübner,1796) (Gracillariidae)
2021. *Phyllonorycter distentella* (Zeller,1846) (Gracillariidae)
2022. *Phyllonorycter dubitella* (Herrich-Schäffer,1855) (Gracillariidae)
2023. *Phyllonorycter esperella* (Goeze,1783) (Gracillariidae)

2024. *Phyllonorycter fraxinella* (Zeller,1846) (Gracillariidae)
2025. *Phyllonorycter froelichiella* (Zeller,1839) (Gracillariidae)
2026. *Phyllonorycter heegeriella* (Zeller,1846) (Gracillariidae)
2027. *Phyllonorycter insignitella* (Zeller,1846) (Gracillariidae)
2028. *Phyllonorycter junoniella* (Zeller,1846) (Gracillariidae)
2029. *Phyllonorycter kleemannella* (Fabricius,1781) (Gracillariidae)
2030. *Phyllonorycter kuhlweiniella* (Zeller,1839) (Gracillariidae)
2031. *Phyllonorycter lantanella* (Schränk,1802) (Gracillariidae)
2032. *Phyllonorycter lautella* (Zeller,1846) (Gracillariidae)
2033. *Phyllonorycter maestingella* (Müller,1764) (Gracillariidae)
2034. *Phyllonorycter mannii* (Zeller,1846) (Gracillariidae)
2035. *Phyllonorycter mespilella* (Hübner,[1805]) (Gracillariidae)
2036. *Phyllonorycter messaniella* (Zeller,1846) (Gracillariidae)
2037. *Phyllonorycter millierella* (Staudinger,1871) (Gracillariidae)
2038. *Phyllonorycter muelleriella* (Zeller,1839) (Gracillariidae)
2039. *Phyllonorycter pastorella* (Zeller,1846) (Gracillariidae)
2040. *Phyllonorycter platani* (Staudinger,1870) (Gracillariidae)
2041. *Phyllonorycter quercifoliella* (Zeller,1839) (Gracillariidae)
2042. *Phyllonorycter roboris* (Zeller,1839) (Gracillariidae)
2043. *Phyllonorycter salictella* (Zeller,1846) (Gracillariidae)
2044. *Phyllonorycter schreberella* (Fabricius,1781) (Gracillariidae)
2045. *Phyllonorycter scopariella* (Zeller,1846) (Gracillariidae)
2046. *Phyllonorycter spinicolella* (Zeller,1846) (Gracillariidae)
2047. *Phyllonorycter strigulatella* (Lienig & Zeller,1846) (Gracillariidae)
2048. *Phyllonorycter ulmifoliella* (Hübner,[1817]) (Gracillariidae)
2049. *Pieris (Artogeia) bryoniae* (Hübner,[1804]) (Pieridae)
2050. *Pieris (Artogeia) bryoniae bryoniae* (Hübner,[1804]) (Pieridae)
2051. *Pieris (Artogeia) bryoniae sheljuzhkoi* Eitschberger,1984 (Pieridae)
2052. *Pieris (Artogeia) mannii* (Mayer,1851) (Pieridae)
2053. *Pieris (Artogeia) nesis* Fruhstorfer,1909 (Pieridae)
2054. *Pieris (Artogeia) nesis nesis* Fruhstorfer,1909 (Pieridae)
2055. *Platarctia atropurpurea* (O.Bang-Haas,1927) (Arctiidae)
2056. *Platarctia atropurpurea atropurpurea* (O.Bang-Haas,1927) (Arctiidae)
2057. *Platyptilia cinnamomea* Staudinger,1870 (Pterophoridae)
2058. *Platyptilia farfarella* Zeller,1867 (Pterophoridae)
2059. *Platyptilia isodactylus* (Zeller,1852) (Pterophoridae)
2060. *Platyptilia miantodactylus* (Zeller,1841) (Pterophoridae)
2061. *Platyptilia nemoralis* (Zeller,1841) (Pterophoridae)
2062. *Platytes alpinella* (Hübner,[1813]) (Pyrilidae)
2063. *Plebejus (Kretania) carmon* (Gerhard,[1851]) (Lycaenidae)
2064. *Plebejus (Kretania) carmon carmon* (Gerhard,[1851]) (Lycaenidae)
2065. *Plebejus (Lycaeides) argyrognomon* (Bergsträßer,[1779]) (Lycaenidae)
2066. *Plebejus (Lycaeides) argyrognomon argyrognomon* (Bergsträßer,1779) (Lycaenidae)
2067. *Plebejus (Lycaeides) argyrognomon caspicus* (Forster,1936) (Lycaenidae)
2068. *Plebejus (Lycaeides) cleobis kenteanus* (Staudinger,1892) (Lycaenidae)
2069. *Plebejus (Lycaeides) cleobis tancrei* (Graeser,1888) (Lycaenidae)
2070. *Plebejus (Lycaeides) idas altarmenus* (Forster,1936) (Lycaenidae)
2071. *Plebejus (Lycaeides) maracandicus caspicus* (Forster,1936) (Lycaenidae)
2072. *Plebejus (Lycaeides) mongolicus* (Rühl,[1893]) (Lycaenidae)
2073. *Plebejus (Lycaeides) mongolicus mongolicus* (Rühl,[1893]) (Lycaenidae)
2074. *Plebejus (Lycaeides) pseudoaegon ussurius* (Forster,1936) (Lycaenidae)
2075. *Plebejus (s.str.) argus bellus* (Herrich-Schäffer,[1844]) (Lycaenidae)
2076. *Plebejus (s.str.) argus obensis* Forster,1936 (Lycaenidae)
2077. *Plebejus (s.str.) argus wolgensis* (Forster,1936) (Lycaenidae)
2078. *Pleurota issicella* Staudinger,1880 (Oecophoridae)
2079. *Pleurota malatya* H.Back,1973 (Oecophoridae)
2080. *Pleurota pungitiella* Herrich-Schäffer,[1854] (Oecophoridae)
2081. *Plodia interpunctella* (Hübner,[1813]) (Pyrilidae)
2082. *Plutella (s.str.) haasi* Staudinger,1883 (Yponomeutidae)
2083. *Plutella (s.str.) polaris* Zeller,1880 (Yponomeutidae)

- 2084. Polia bombycina (Hufnagel,1766) (Noctuidae)**
2085. Polia bombycina mongolica (Staudinger,1896) (Noctuidae)
2086. Polia malchani (Draudt,1934) (Noctuidae)
2087. Polia nebulosa (Hufnagel,1766) (Noctuidae)
2088. Polia sagittigera (Hufnagel,1766) (Noctuidae)
2089. Polia sagittigera sagittigera (Hufnagel,1766) (Noctuidae)
2090. Polia vespertilio (Draudt,1934) (Noctuidae)
2091. Polychrysis moneta (Fabricius,1787) (Noctuidae)
2092. Polygonia (Comma) interposita interposita Staudinger,1881 (Argynnidiae)
2093. Polygonia (Comma) interposita Staudinger,1881 (Argynnidiae)
2094. Polymixis (Myxinia) rufocincta (Geyer,1828) (Noctuidae)
2095. Polymixis (Myxinia) rufocincta rufocincta (Geyer,[1828]) (Noctuidae)
2096. Polyommatus (Agriades (s.str.)) diodorus orbitulinus (Staudinger,1892) (Lycaenidae)
2097. Polyommatus (Agriades (s.str.)) glandon orbitulinus (Staudinger,1892) (Lycaenidae)
2098. Polyommatus (Agriades (s.str.)) pyrenaicus araraticus (Gerhard,1853) (Lycaenidae)
2099. Polyommatus (Albulina (Patricius)) lucifera (Staudinger,1867) (Lycaenidae)
2100. Polyommatus (Albulina (Patricius)) lucifera lucifera (Staudinger,1867) (Lycaenidae)
2101. Polyommatus (Albulina (Patricius)) lucifera selengensis (Forster,1940) (Lycaenidae)
2102. Polyommatus (Albulina (Plebejidea)) loewii (Zeller,1847) (Lycaenidae)
2103. Polyommatus (Albulina (Plebejidea)) loewii loewii (Zeller,1847) (Lycaenidae)
2104. Polyommatus (Albulina (s.str.)) orbitulus pheretimus (Staudinger,1892) (Lycaenidae)
2105. Polyommatus (Albulina (s.str.)) orbitulus sajanus (Heyne,[1895]) (Lycaenidae)
2106. Polyommatus (Albulina (Vacciniina)) optilete sibiricus (Staudinger,1892) (Lycaenidae)
2107. Polyommatus (Aricia (Eumedonia)) eumedon (Esper,[1780]) (Lycaenidae)
2108. Polyommatus (Aricia (Eumedonia)) eumedon eumedon (Esper,[1780]) (Lycaenidae)
2109. Polyommatus (Aricia (Pseudoaricia)) nicias bittis (Fruhstorfer,1915) (Lycaenidae)
2110. Polyommatus (Aricia (s.str.)) artaxerxes (Fabricius,1793) (Lycaenidae)
2111. Polyommatus (Aricia (Ultraaricia)) anteros (Freyer,[1838]) (Lycaenidae)
2112. Polyommatus (Aricia (Ultraaricia)) anteros dombaiensis (Alberti,1969) (Lycaenidae)
2113. Polyommatus (s.str. (Agrodiaetus (Admetusia))) admetus (Esper,[1783]) (Lycaenidae)
2114. Polyommatus (s.str. (Agrodiaetus (Admetusia))) admetus admetus (Esper,[1783]) (Lycaenidae)
2115. Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii (Freyer,[1830]) (Lycaenidae)
2116. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) phyllis dagestanicus (Forster,1960) (Lycaenidae)
2117. Polyommatus (s.str. (Agrodiaetus (s.str.))) damocles (Herrich-Schäffer,[1844]) (Lycaenidae)
2118. Polyommatus (s.str. (Agrodiaetus (s.str.))) damocles damocles (Herrich-Schäffer,[1844]) (Lycaenidae)
2119. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) altivagans (Forster,1956) (Lycaenidae)
2120. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) altivagans altivagans (Forster,1956) (Lycaenidae)
2121. Polyommatus (s.str. (Cyaniris)) semiargus (Rottemburg,1775) (Lycaenidae)
2122. Polyommatus (s.str. (Lysandra)) bellargus (Rottemburg,1775) (Lycaenidae)
2123. Polyommatus (s.str. (Lysandra)) bellargus bellargus (Rottemburg,1775) (Lycaenidae)
2124. Polyommatus (s.str. (Lysandra)) corydonius (Herrich-Schäffer,[1852]) (Lycaenidae)
2125. Polyommatus (s.str. (Meleageria)) daphnis narsanus (Alberti,1973) (Lycaenidae)

- 2126. Polyommatus (s.str. (Plebicula)) amandus (Schneider,1792) (Lycaenidae)**
- 2127. Polyommatus (s.str. (Plebicula)) amandus amurensis (Staudinger,1892) (Lycaenidae)**
- 2128. Polyommatus (s.str. (Plebicula)) escheri (Hübner,[1823]) (Lycaenidae)**
- 2129. Polyommatus (s.str.) boisduvalii (Herrich-Schäffer,[1844]) (Lycaenidae)**
- 2130. Polyommatus (s.str.) erotides (Staudinger,1892) (Lycaenidae)**
- 2131. Polyommatus (s.str.) erotides erotides (Staudinger,1892) (Lycaenidae)**
- 2132. Polyommatus (s.str.) icarus (Rottemburg,1775) (Lycaenidae)**
- 2133. Polyommatus (s.str.) icarus icarus (Rottemburg,1775) (Lycaenidae)**
- 2134. Polyploca nigrofascicula Graeser,1888 (Thyatiridae)**
- 2135. Polyploca ridens (Fabricius,1787) (Thyatiridae)**
- 2136. Polypogon gryphalis (Herrich-Schäffer,1851) (Noctuidae)**
- 2137. Polypogon plumigeralis (Hübner,[1825]) (Noctuidae)**
- 2138. Polythrena coloraria (Herrich-Schäffer,1855) (Geometridae)**
- 2139. Pontia callidice (Hübner,[1800]) (Pieridae)**
- 2140. Pontia callidice chrysidice (Herrich-Schäffer,[1844]) (Pieridae)**
- 2141. Pontia chloridice (Hübner,[1813]) (Pieridae)**
- 2142. Pontia chloridice chloridice (Hübner,[1813]) (Pieridae)**
- 2143. Pontia edusa (Fabricius,1777) (Pieridae)**
- 2144. Pontia edusa edusa (Fabricius,1777) (Pieridae)**
- 2145. Prochoreutis myllerana (Fabricius,1794) (Choreutidae)**
- 2146. Prochoreutis sehestediana (Fabricius,1777) (Choreutidae)**
- 2147. Prochoreutis stellaris (Zeller,1847) (Choreutidae)**
- 2148. Prolita sexpunctella (Fabricius,1794) (Gelechiidae)**
- 2149. Prolita solutella (Zeller,1839) (Gelechiidae)**
- 2150. Propiormorpha rhodophana (Herrich-Schäffer,[1851]) (Tortricidae)**
- 2151. Protorebia afra (Fabricius,1787) (Satyridae)**
- 2152. Protorebia afra afra (Fabricius,1787) (Satyridae)**
- 2153. Protorebia afra bardines (Fruhstorfer,1918) (Satyridae)**
- 2154. Protodeltote pygarga (Hufnagel,1766) (Noctuidae)**
- 2155. Protorhoe corollaria (Herrich-Schäffer,[1848]) (Geometridae)**
- 2156. Proutia betulina (Zeller,1839) (Psychidae)**
- 2157. Proxenus hospes (Freyer,[1831]) (Noctuidae)**
- 2158. Proxenus lepigone (Möschler,1860) (Noctuidae)**
- 2159. Psammotis pulveralis (Hübner,1796) (Pyralidae)**
- 2160. Pseudargyrotoza conwagana (Fabricius,1775) (Tortricidae)**
- 2161. Pseudentephria lamata (Staudinger,1897) (Geometridae)**
- 2162. Pseudeulia asinana (Hübner,[1799]) (Tortricidae)**
- 2163. Pseudocatharylla simplex (Zeller,1877) (Pyralidae)**
- 2164. Pseudochazara (s.str.) alpina (Staudinger,[1878]) (Satyridae)**
- 2165. Pseudochazara (s.str.) alpina alpina (Staudinger,[1878]) (Satyridae)**
- 2166. Pseudochazara (s.str.) guriensis (Staudinger,[1878]) (Satyridae)**
- 2167. Pseudochazara (s.str.) guriensis guriensis (Staudinger,[1878]) (Satyridae)**
- 2168. Pseudochazara (s.str.) mercuria (Staudinger,1887) (Satyridae)**
- 2169. Pseudochazara (s.str.) mercuria doerriesi (O.Bang-Haas,1933) (Satyridae)**
- 2170. Pseudochazara (s.str.) mercuria pallida (Staudinger,1901) (Satyridae)**
- 2171. Pseudococcyx mughiana (Zeller,1868) (Tortricidae)**
- 2172. Pseudococcyx tessulatana (Staudinger,1871) (Tortricidae)**
- 2173. Pseudohadena (s.str.) gnorima (Püngeler,1907) (Noctuidae)**
- 2174. Pseudohadena (s.str.) immunis (Staudinger,1889) (Noctuidae)**
- 2175. Pseudohermenias abietana (Fabricius,1787) (Tortricidae)**
- 2176. Pseudophycita deformella (Möschler,1866) (Pyralidae)**
- 2177. Pseudopostega auritella (Hübner,[1813]) (Opostegidae)**
- 2178. Pseudopostega crepusculella (Zeller,1839) (Opostegidae)**
- 2179. Pseudoswammerdamia combinella (Hübner,1786) (Yponomeutidae)**
- 2180. Pseudoterpna pruinata (Hufnagel,1767) (Geometridae)**
- 2181. Psodos coracina (Esper,1805) (Geometridae)**
- 2182. Psoricoptera gibbosella (Zeller,1839) (Gelechiidae)**
- 2183. Psoricoptera speciosella Teich,1893 (Gelechiidae)**
- 2184. Psorosa nucleolella (Möschler,1866) (Pyralidae)**
- 2185. Psyra boarmiata (Graeser,1892) (Geometridae)**

2186. *Pterophorus volgensis* (Möschler,1862) (Pterophoridae)
2187. *Pterothrixidia contectella* (Zeller,1848) (Pyralidae)
2188. *Pterotopteryx dodecadactyla* (Hübner,1813) (Alucitidae)
2189. *Ptilodon hoegei* (Graeser,1892) (Notodontidae)
2190. *Ptocheuusa inopella* (Zeller,1839) (Gelechiidae)
2191. *Ptycholomoides aeriferanus* (Herrich-Schäffer,1851) (Tortricidae)
2192. *Pungeleria capreolaria* (Fabricius,1787) (Geometridae)
2193. *Pydna badiaria* (Freyer,[1841]) (Geometridae)
2194. *Pygaera timon* (Hübner,[1803]) (Notodontidae)
2195. *Pyralis lienigialis* (Zeller,1843) (Pyralidae)
2196. *Pyralis perversalis* Herrich-Schäffer,1849 (Pyralidae)
2197. *Pyrausta* (s.str.) *ostrinalis* (Hübner,1796) (Pyralidae)
2198. *Pyrausta* (s.str.) *tithonialis* (Zeller,1872) (Pyralidae)
2199. *Pyrgus alveus* (Hübner,[1803]) (Hesperiidae)
2200. *Pyrgus alveus alveus* (Hübner,[1803]) (Hesperiidae)
2201. *Pyrgus alveus speyeri* (Staudinger,1887) (Hesperiidae)
2202. *Pyrgus carthami* (Hübner,[1813]) (Hesperiidae)
2203. *Pyrgus carthami carthami* (Hübner,[1813]) (Hesperiidae)
2204. *Pyrgus carthami moeschleri* (Herrich-Schäffer,[1854]) (Hesperiidae)
2205. *Pyrgus jupei* (Alberti,1967) (Hesperiidae)
2206. *Pyrgus jupei jupei* (Alberti,1967) (Hesperiidae)
2207. *Pyrgus malvae kauffmanni* Alberti,1955 (Hesperiidae)
2208. *Pyrgus sidae* (Esper,[1784]) (Hesperiidae)
2209. *Pyrgus sidae sidae* (Esper,[1784]) (Hesperiidae)
2210. *Pyroderces argyrogrammos* (Zeller,1847) (Cosmopterigidae)
2211. *Pyropteron minianiformis* (Freyer,1843) (Sesiidae)
2212. *Pyropteron triannuliformis* (Freyer,1845) (Sesiidae)
2213. *Pyrrhia purpurina* (Esper,[1804]) (Noctuidae)
2214. *Pyrrhia umbra* (Hufnagel,1766) (Noctuidae)
2215. *Rhigognostis hufnagelii* (Zeller,1839) (Yponomeutidae)
2216. *Rhizedra lutosa* (Hübner,[1803]) (Noctuidae)
2217. *Rhizedra lutosa lutosa* (Hübner,[1803]) (Noctuidae)
2218. *Rhodostrophia jacularia* (Hübner,[1813]) (Geometridae)
2219. *Rhopobota naevana* (Hübner,[1817]) (Tortricidae)
2220. *Rhyacia* (Epipsilia) *grisescens* (Fabricius,1794) (Noctuidae)
2221. *Rhyacia* (Epipsilia) *latens* (Hübner,[1809]) (Noctuidae)
2222. *Rhyacia* (s.str.) *caradrinoides* (Staudinger,1896) (Noctuidae)
2223. *Rhyacia* (s.str.) *nyctymerides* (O.Bang-Haas,1922) (Noctuidae)
2224. *Rhyacia* (s.str.) *simulans* (Hufnagel,1766) (Noctuidae)
2225. *Rhyacionia duplana* (Hübner,[1813]) (Tortricidae)
2226. *Rhyacionia piniana* (Herrich-Schäffer,1851) (Tortricidae)
2227. *Rhyacionia pinivorana* (Lienig & Zeller,1846) (Tortricidae)
2228. *Rhyparia purpurata gerda* Warnecke,1918 (Arctiidae)
2229. *Roeslerstammia erxlebelli* (Fabricius,1787) (Roeslerstammiidae)
2230. *Roeslerstammia pronubella* ([Denis & Schiffermüller],1775) (Roeslerstammiidae)
2231. *Rubra ferruginea* (Esper,[1785]) (Noctuidae)
2232. *Sabra harpagula* (Esper,[1786]) (Drepanidae)
2233. *Salebriopsis albicilla* (Herrich-Schäffer,1849) (Pyralidae)
2234. *Saragossa siccanorum* (Staudinger,1870) (Noctuidae)
2235. *Saragossa siccanorum siccanorum* (Staudinger,1870) (Noctuidae)
2236. *Satarupa nymphalis* (Speyer,1879) (Hesperiidae)
2237. *Satarupa nymphalis nymphalis* (Speyer,1879) (Hesperiidae)
2238. *Saturnia* (Rinaca) *boisduvali fallax* Jordan,1913 (Saturniidae)
2239. *Satyrium* (Nordmannia) *acaciae* (Fabricius,1787) (Lycaenidae)
2240. *Satyrium* (Nordmannia) *acaciae acaciae* (Fabricius,1787) (Lycaenidae)
2241. *Satyrium* (Nordmannia) *ilicis* (Esper,[1779]) (Lycaenidae)
2242. *Satyrium* (Nordmannia) *ilicis ilicis* (Esper,[1779]) (Lycaenidae)
2243. *Satyrium* (Strymonidia) *prunoides* (Staudinger,1887) (Lycaenidae)
2244. *Satyrium* (Strymonidia) *prunoides prunoides* (Staudinger,1887) (Lycaenidae)
2245. *Satyrium* (Strymonidia) *spini* (Fabricius,1787) (Lycaenidae)
2246. *Satyrium* (Strymonidia) *spini spini* (Fabricius,1787) (Lycaenidae)

2247. *Satyrium (Strymonidia) w-album* (Knoch,1782) (Lycaenidae)
2248. *Satyrium (Strymonidia) w-album w-album* (Knoch,1782) (Lycaenidae)
2249. *Satyrus (Asatyrus (s.str.)) ferulus* (Fabricius,1793) (Satyridae)
2250. *Satyrus (Asatyrus (s.str.)) ferulus ferulus* (Fabricius,1793) (Satyridae)
2251. *Satyrus (Asatyrus (s.str.)) ferulus virbius* Herrich-Schäffer,1843 (Satyridae)
2252. *Satyrus (s.str.(s.str.)) actaeus* (Esper,[1781]) (Satyridae)
2253. *Sauterina hofmanniella* (Schleich,1867) (Gracillariidae)
2254. *Scardia boletella* (Fabricius,1794) (Tineidae)
2255. *Schinia cardui* (Hübner,1790) (Noctuidae)
2256. *Schinia cognata* (Freyer,[1833]) (Noctuidae)
2257. *Schinia imperialis* (Staudinger,1871) (Noctuidae)
2258. *Schistostege nubilaria* (Hübner,[1799]) (Geometridae)
2259. *Schoenobius niloticus* Zeller,1867 (Pylalidae)
2260. *Schrankia balneorum* (Alpheraky,1880) (Noctuidae)
2261. *Schrankia costaestrigalis* (Stephens,1834) (Noctuidae)
2262. *Schrankia taenialis* (Hübner,[1809]) (Noctuidae)
2263. *Schreckensteinia festaliella* (Hübner,[1819]) (Schreckensteiniidae)
2264. *Sciota (s.str.) rhenella* (Zincken,1818) (Pylalidae)
2265. *Sciota (s.str.) rhenella rhenella* (Zincken,1818) (Pylalidae)
2266. *Scoparia ingrattella* (Zeller,1846) (Pylalidae)
2267. *Scopula albiceraria* (Herrich-Schäffer,1847) (Geometridae)
2268. *Scopula arenosaria* (Staudinger,1879) (Geometridae)
2269. *Scopula axiata* (Püngeler,1909) (Geometridae)
2270. *Scopula flaccidaria* (Zeller,1852) (Geometridae)
2271. *Scopula flaccidaria flaccidaria* (Zeller,1852) (Geometridae)
2272. *Scopula imitaria* (Hübner,[1799]) (Geometridae)
2273. *Scopula immistaria* (Herrich-Schäffer,[1852]) (Geometridae)
2274. *Scopula immistaria immistaria* (Herrich-Schäffer,[1852]) (Geometridae)
2275. *Scopula marginepunctata* (Goeze,1781) (Geometridae)
2276. *Scopula nemoraria* (Hübner,[1799]) (Geometridae)
2277. *Scopula nigropunctata* (Hufnagel,1767) (Geometridae)
2278. *Scopula ochraceata* (Staudinger,1901) (Geometridae)
2279. *Scopula permutata* (Staudinger,1897) (Geometridae)
2280. *Scopula rubiginata* (Hufnagel,1767) (Geometridae)
2281. *Scopula subpunctaria* (Herrich-Schäffer,1847) (Geometridae)
2282. *Scopula ternata* Schrank,1802 (Geometridae)
2283. *Scopula turbulentaria* (Staudinger,1870) (Geometridae)
2284. *Scopula turbulentaria turbulentaria* (Staudinger,1870) (Geometridae)
2285. *Scopula umbelaria* (Hübner,[1813]) (Geometridae)
2286. *Scotopteryx chenopodiata sibirica* (A.Bang-Haas,1907) (Geometridae)
2287. *Scotopteryx luridata* (Hufnagel,1767) (Geometridae)
2288. *Scrobipalpa (Ilseopsis) atriplicella* (Fischer v. Röslerstamm,1841) (Gelechiidae)
2289. *Scrobipalpa (Ilseopsis) indignella* (Staudinger,1879) (Gelechiidae)
2290. *Scrobipalpa (Ilseopsis) nitentella* (Fuchs,1902) (Gelechiidae)
2291. *Scrobipalpa (Ilseopsis) obsoletella* (Fischer v. Röslerstamm,1841) (Gelechiidae)
2292. *Scrobipalpa (Ilseopsis) pauperella* (Heinemann,1870) (Gelechiidae)
2293. *Scrobipalpa (Ilseopsis) salinella* (Zeller,1847) (Gelechiidae)
2294. *Scrobipalpa (Ilseopsis) ustulatella* (Staudinger,1871) (Gelechiidae)
2295. *Scrobipalpula psilella* (Herrich-Schäffer,[1854]) (Gelechiidae)
2296. *Scythris (aerariella-gr.) anomaloptera* (Staudinger,1880) (Scythridae)
2297. *Scythris (aerariella-gr.) flaviventrella* (Herrich-Schäffer,1855) (Scythridae)
2298. *Scythris (bagdadiella-gr.) bagdadiella* Amsel,1949 (Scythridae)
2299. *Scythris (cicadella-gr.) cicadella* (Zeller,1839) (Scythridae)
2300. *Scythris (elegantella-gr.) limbella* (Fabricius,1775) (Scythridae)
2301. *Scythris (inertella-gr.) inertella* (Zeller,1855) (Scythridae)
2302. *Scythris (knocella-gr.) setiella* (Zeller,1870) (Scythridae)
2303. *Scythris (laminella-gr.) braschiella* (Hofmann,1897) (Scythridae)
2304. *Scythris (obscura-gr.) amphonycella* (Geyer,[1836]) (Scythridae)
2305. *Scythris (palustris-gr.) palustris* (Zeller,1855) (Scythridae)
2306. *Scythris (pascuella-gr.) bifissella* (Hofmann,1889) (Scythridae)
2307. *Scythris (pascuella-gr.) pudorinella* (Möschler,1866) (Scythridae)

2308. *Scythris (pascuella-gr.) satyrella* (Staudinger,1880) (Scythridae)
2309. *Scythris (productella-gr.) productella* (Zeller,1839) (Scythridae)
2310. *Scythris (scopolella-gr.) apicalis* (Zeller,1847) (Scythridae)
2311. *Scythris (seliniella-gr.) clavella* (Zeller,1855) (Scythridae)
2312. *Scythris (seliniella-gr.) seliniella* (Zeller,1839) (Scythridae)
2313. *Scythris (seliniella-gr.) subseliniella* (Heinemann,1876) (Scythridae)
2314. *Scythris (tributella-gr.) tributella* (Zeller,1847) (Scythridae)
2315. *Scythris vernusella* Jäckh,1978 (Scythridae)
2316. *Scythrocentropus misella* (Püngeler,1907) (Noctuidae)
2317. *Sedina buettneri* (O.Hering,1858) (Noctuidae)
2318. *Selagia spadicella* (Hübner,1796) (Pyralidae)
2319. *Selenia dentaria* (Fabricius,1775) (Geometridae)
2320. *Selenia lunularia* (Hübner,1788) (Geometridae)
2321. *Selenia lunularia lunularia* (Hübner,1788) (Geometridae)
2322. *Selenia tetralunaria* (Hufnagel,1767) (Geometridae)
2323. *Semioscopis avellanella* (Hübner,1793) (Oecophoridae)
2324. *Semioscopis strigulana* (Fabricius,1787) (Oecophoridae)
2325. *Sericinus montela amurensis* Staudinger,1892 (Papilionidae)
2326. *Serrulacera serraticornella* (Zeller,1839) (Pyralidae)
2327. *Sesia bembeciformis* (Hübner,[1806]) (Sesiidae)
2328. *Setema cereola* (Hübner,[1803]) (Arctiidae)
2329. *Sibirarctia kindermanni* (Staudinger,1867) (Arctiidae)
2330. *Sibirarctia kindermanni kindermanni* (Staudinger,1867) (Arctiidae)
2331. *Sibirarctia kindermanni pomona* (Staudinger,1897) (Arctiidae)
2332. *Sibirarctia kindermanni pretiosa* (Staudinger,1887) (Arctiidae)
2333. *Sideridis (Aneda) rivularis* (Fabricius,1775) (Noctuidae)
2334. *Sideridis (Conisania) capsivora* (Draudt,1933) (Noctuidae)
2335. *Sideridis (Conisania) leineri* (Freyer,1836) (Noctuidae)
2336. *Sideridis (Conisania) poelli ostrogovichii* Draudt,1933 (Noctuidae)
2337. *Sideridis (s.str.) implexa* (Hübner,[1809]) (Noctuidae)
2338. *Sideridis (s.str.) turbida* (Esper,[1790]) (Noctuidae)
2339. *Simplimorpha promissa* (Staudinger,1871) (Nepticulidae)
2340. *Simyra albovenosa* (Goeze,1781) (Noctuidae)
2341. *Simyra albovenosa albovenosa* (Goeze,1781) (Noctuidae)
2342. *Simyra dentinosa* Freyer,1839 (Noctuidae)
2343. *Sophronia consanguinella* Herrich-Schäffer,[1855] (Gelechiidae)
2344. *Sophronia semicostella* (Hübner,[1813]) (Gelechiidae)
2345. *Sophronia sicariella* (Zeller,1839) (Gelechiidae)
2346. *Sorhagenia rhamniella* (Zeller,1839) (Cosmopterigidae)
2347. *Spaelotis deplorata* (Staudinger,1897) (Noctuidae)
2348. *Sparganothis rubicundana* (Herrich-Schäffer,1856) (Tortricidae)
2349. *Spartopteryx kindermannaria* (Staudinger,1871) (Geometridae)
2350. *Spatalistis bifasciana* (Hübner,1787) (Tortricidae)
2351. *Sphingonaepiopsis gorgoniades* (Hübner,[1819]) (Sphingidae)
2352. *Sphingonaepiopsis gorgoniades gorgoniades* (Hübner,[1819]) (Sphingidae)
2353. *Spialia (Neospialia) orbifer* (Hübner,[1823]) (Hesperiidae)
2354. *Spialia (Neospialia) orbifer lugens* (Staudinger,1886) (Hesperiidae)
2355. *Spialia (Neospialia) orbifer orbifer* (Hübner,[1823]) (Hesperiidae)
2356. *Spialia (Neospialia) sertorius* (Hoffmannsegg,1804) (Hesperiidae)
2357. *Spialia (Neospialia) sertorius sertorius* (Hoffmannsegg,1804) (Hesperiidae)
2358. *Spilarctia lutea* (Hufnagel,1766) (Arctiidae)
2359. *Spilarctia lutea lutea* (Hufnagel,1766) (Arctiidae)
2360. *Spilarctia subcarneum charbini* (Daniel,1943) (Arctiidae)
2361. *Spilonota laricana* (Heinemann,1863) (Tortricidae)
2362. *Spilosoma mienshanicum* Daniel,1943 (Arctiidae)
2363. *Spilosoma mienshanicum mienshanicum* Daniel,1943 (Arctiidae)
2364. *Spilosoma urticae* (Esper,[1789]) (Arctiidae)
2365. *Spilosoma urticae urticae* (Esper,[1789]) (Arctiidae)
2366. *Spirama helicina* (Hübner,1831) (Noctuidae)
2367. *Spiris bipunctata* (Staudinger,1892) (Arctiidae)
2368. *Spiris bipunctata bipunctata* (Staudinger,1892) (Arctiidae)

2369. *Spodoptera exiguum* (Hübner,[1808]) (Noctuidae)
2370. *Spudaea castanea* Osthelder,1933 (Noctuidae)
2371. *Spuleria flavicaput* (Haworth,1828) (Agonoxenidae)
2372. *Spulerina astaurota* (Meyrick,1922) (Gracillariidae)
2373. *Spulerina corticicola* Kumata,1964 (Gracillariidae)
2374. *Spulerina dissotoma* (Meyrick,1931) (Gracillariidae)
2375. *Spulerina simploniella* (Fischer v. Röslerstamm,1840) (Gracillariidae)
2376. *Stagmatophora heydeniella* (Fischer v. Röslerstamm,1842) (Cosmopterigidae)
2377. *Stagmatophora tririvella* (Staudinger,1871) (Cosmopterigidae)
2378. *Staudingeria* (s.str.) *aspilatella* (Ragonot,1887) (Pyralidae)
2379. *Staudingeria* (s.str.) *deserticola* (Staudinger,1870) (Pyralidae)
2380. *Staudingeria* (s.str.) *morbosella* (Staudinger,1879) (Pyralidae)
2381. *Stegania cararia* (Hübner,1790) (Geometridae)
2382. *Stegania dilectaria* (Hübner,1790) (Geometridae)
2383. *Stenoptilia islandicus* (Staudinger,1857) (Pterophoridae)
2384. *Stenoptilia mannii* (Zeller,1852) (Pterophoridae)
2385. *Stenoptilia stigmatodactyla* (Zeller,1852) (Pterophoridae)
2386. *Stenosomides spissilinea* Staudinger,1896 (Noctuidae)
2387. *Stigmella aeneofasciella* (Herrich-Schäffer,1855) (Nepticulidae)
2388. *Stigmella anomalella* (Goeze,1783) (Nepticulidae)
2389. *Stigmella assimilella* (Zeller,1848) (Nepticulidae)
2390. *Stigmella aurella* (Fabricius,1775) (Nepticulidae)
2391. *Stigmella basiguttella* (Heinemann,1862) (Nepticulidae)
2392. *Stigmella carpinella* (Heinemann,1862) (Nepticulidae)
2393. *Stigmella centifoliella* (Zeller,1848) (Nepticulidae)
2394. *Stigmella hemargyrella* (Kollar,1832) (Nepticulidae)
2395. *Stigmella hybnerella* (Hübner,[1813]) (Nepticulidae)
2396. *Stigmella incognitella* (Herrich-Schäffer,1855) (Nepticulidae)
2397. *Stigmella lemniscella* (Zeller,1839) (Nepticulidae)
2398. *Stigmella minusculella* (Herrich-Schäffer,1855) (Nepticulidae)
2399. *Stigmella obliquella* (Heinemann,1862) (Nepticulidae)
2400. *Stigmella regiella* (Herrich-Schäffer,1855) (Nepticulidae)
2401. *Stigmella rhamnella* (Herrich-Schäffer,1860) (Nepticulidae)
2402. *Stigmella samiatella* (Zeller,1839) (Nepticulidae)
2403. *Stigmella splendidissimella* (Herrich-Schäffer,1855) (Nepticulidae)
2404. *Stomopteryx detersella* (Zeller,1847) (Gelechiidae)
2405. *Stomopteryx orthogonella* (Staudinger,1871) (Gelechiidae)
2406. *Streblote stupida* (Staudinger,1887) (Lasiocampidae)
2407. *Streyella anguinella* (Herrich-Schäffer,1861) (Gelechiidae)
2408. *Strophedra nitidana* (Fabricius,1794) (Tortricidae)
2409. *Stygioides colchica* (Herrich-Schäffer,[1851]) (Cossidae)
2410. *Swammerdamia caesiella* (Hübner,1796) (Yponomeutidae)
2411. *Symmoca signatella* Herrich-Schäffer,1854 (Autostichidae)
2412. *Sympistis funebris* (Hübner,[1809]) (Noctuidae)
2413. *Synansphecchia affinis* (Staudinger,1856) (Sesiidae)
2414. *Synansphecchia cirgisa* (Bartel,1912) (Sesiidae)
2415. *Synansphecchia leucomelaena* (Zeller,1847) (Sesiidae)
2416. *Synansphecchia muscaeformis* (Esper,[1783]) (Sesiidae)
2417. *Synanthedon conopiformis* (Esper,[1782]) (Sesiidae)
2418. *Synanthedon flaviventris* (Staudinger,1883) (Sesiidae)
2419. *Synanthedon formicaeformis* (Esper,[1783]) (Sesiidae)
2420. *Synanthedon mesiaeformis* (Herrich-Schäffer,1846) (Sesiidae)
2421. *Synanthedon myopaeformis* (Borkhausen,1789) (Sesiidae)
2422. *Synanthedon polaris* (Staudinger,1877) (Sesiidae)
2423. *Synanthedon scoliaeformis* (Borkhausen,1789) (Sesiidae)
2424. *Synanthedon stomoxiformis* (Hübner,1790) (Sesiidae)
2425. *Synanthedon uralensis* (Bartel,1906) (Sesiidae)
2426. *Synaphe antennalis* (Fabricius,1794) (Pyralidae)
2427. *Synaphe punctalis* (Fabricius,1775) (Pyralidae)
2428. *Syncopacma semicostella* (Staudinger,1871) (Gelechiidae)
2429. *Syncopacma taeniolella* (Zeller,1839) (Gelechiidae)

2430. *Syndemis musculana* (Hübner,[1799]) (Tortricidae)
2431. *Syngrapha devergens* (Hübner,[1813]) (Noctuidae)
2432. *Syngrapha microgamma* (Hübner,[1823]) (Noctuidae)
2433. *Synopsis sociaria* (Hübner,[1799]) (Geometridae)
2434. *Talis chamylella* Staudinger,[1900] (Pyrilidae)
2435. *Talis pulcherrima* Staudinger,1870 (Pyrilidae)
2436. *Teleiodes flavimaculella* (Herrich-Schäffer,[1854]) (Gelechiidae)
2437. *Teleiodes luculella* (Hübner,[1813]) (Gelechiidae)
2438. *Teleiodes saltuum* (Zeller,1878) (Gelechiidae)
2439. *Tenaga rhenania* (G.Petersen,1962) (Tineidae)
2440. *Tephronia sepiaria* (Hufnagel,1767) (Geometridae)
2441. *Tethea ocularis sareptensis* (Spuler,1908) (Thyatridae)
2442. *Tethea tankrei* (Graeser,1888) (Thyatridae)
2443. *Tetheella fluctuosa* (Hübner,[1803]) (Thyatridae)
2444. *Thalera fimbrialis magnata* Fuchs,1903 (Geometridae)
2445. *Thalpophila matura* (Hufnagel,1766) (Noctuidae)
2446. *Thalpophila matura matura* (Hufnagel,1766) (Noctuidae)
2447. *Thecla betulina betulina* Staudinger,1887 (Lycaenidae)
2448. *Thecla betulina* Staudinger,1887 (Lycaenidae)
2449. *Thera (Pennithera) firmata* (Hübner,[1822]) (Geometridae)
2450. *Thera (Pennithera) firmata firmata* (Hübner,[1822]) (Geometridae)
2451. *Thera (s.str.) obeliscata* (Hübner,1787) (Geometridae)
2452. *Thera (s.str.) serraria* (Lienig & Zeller,1846) (Geometridae)
2453. *Thetidia smaragdaria* (Fabricius,1787) (Geometridae)
2454. *Thiodia citrana* (Hübner,[1799]) (Tortricidae)
2455. *Thiodia placidana* (Staudinger,1871) (Tortricidae)
2456. *Thiodia trochilana* (Frölich,1828) (Tortricidae)
2457. *Tholera cespitis* (Goeze,1781) (Noctuidae)
2458. *Tholera cespitis cespitis* (Goeze,1781) (Noctuidae)
2459. *Tholera hilaris* (Staudinger,1901) (Noctuidae)
2460. *Thumatha senex* (Hübner,[1808]) (Arctiidae)
2461. *Thymelicus acteon* (Rottemburg,1775) (Hesperiidae)
2462. *Thymelicus acteon acteon* (Rottemburg,1775) (Hesperiidae)
2463. *Timandra comae* Schmidt,1931 (Geometridae)
2464. *Timandra griseata* W.Petersen,1902 (Geometridae)
2465. *Tinagma balteolellum* (Fischer v. Röslerstamm,1841) (Douglasiidae)
2466. *Tinagma dryadis* Staudinger,1872 (Douglasiidae)
2467. *Tinagma minutissimum* (Staudinger,1880) (Douglasiidae)
2468. *Tinagma perdicellum* Zeller,1839 (Douglasiidae)
2469. *Tinea steueri* G.Petersen,1966 (Tineidae)
2470. *Tinthia brosiiformis* (Hübner,[1813]) (Sesiidae)
2471. *Tinthia myrmosaeformis* (Herrich-Schäffer,1846) (Sesiidae)
2472. *Titanio normalis* (Hübner,1796) (Pyrilidae)
2473. *Titanio venustalis originalis* (Herrich-Schäffer,1860) (Pyrilidae)
2474. *Tomares (nogelii) nogelii* (Freyer,[1851]) (Lycaenidae)
2475. *Tosirips perpulchranus* (Kennel,1901) (Tortricidae)
2476. *Trachycera advenella* (Zincken,1818) (Pyrilidae)
2477. *Trachycera dulcella* (Zeller,1848) (Pyrilidae)
2478. *Trachycera dulcella dulcella* (Zeller,1848) (Pyrilidae)
2479. *Trachycera suavella* (Zincken,1818) (Pyrilidae)
2480. *Tragonitis cristella* (Hübner,1796) (Pyrilidae)
2481. *Triaxomera parasitella* (Hübner,1796) (Tineidae)
2482. *Trichoplusia ni* (Hübner,[1803]) (Noctuidae)
2483. *Trichopteryx carpinata* (Borkhausen,1794) (Geometridae)
2484. *Trichospolas arterialis* Draudt,1936 (Noctuidae)
2485. *Trigonophora flammea* (Esper,1785) (Noctuidae)
2486. *Triodia amasina* (Herrich-Schäffer,[1851]) (Hepialidae)
2487. *Triphysa dohrnii dohrnii* Zeller,1850 (Satyridae)
2488. *Triphysa dohrnii* Zeller,1850 (Satyridae)
2489. *Udea accolalis* (Zeller,1867) (Pyrilidae)
2490. *Udea austriacalis* (Herrich-Schäffer,1851) (Pyrilidae)

2491. *Udea ferrugalis* (Hübner,1796) (Pyrilidae)
2492. *Udea fulvalis* (Hübner,[1809]) (Pyrilidae)
2493. *Udea inquinatalis* (Lienig & Zeller,1846) (Pyrilidae)
2494. *Uliaria rasilella* (Herrich-Schäffer,[1854]) (Gelechiidae)
2495. *Ulochlaena hirta* (Hübner,[1813]) (Noctuidae)
2496. *Vanessa indica* (Herbst,1794) (Argynnidae)
2497. *Vanessa indica indica* (Herbst,1794) (Argynnidae)
2498. *Vitula biviella* (Zeller,1848) (Pyrilidae)
2499. *Vulcaniella extremella* (Wocke,1871) (Cosmopterigidae)
2500. *Vulcaniella pomposella* (Zeller,1839) (Cosmopterigidae)
2501. *Wegneria panchalcella* (Staudinger,1871) (Tineidae)
2502. *Weismanniola agdistiformis* (Staudinger,1866) (Sesiidae)
2503. *Wheeleria obsoleta* (Zeller,1841) (Pterophoridae)
2504. *Wheeleria phlomidis* (Staudinger,1871) (Pterophoridae)
2505. *Whittleia undulella* (Fischer v. Röslerstamm,1837) (Psychidae)
2506. *Xanthia* (Cirrhia) *ocellaris* (Borkhausen,1792) (Noctuidae)
2507. *Xanthia* (Cirrhia) *ocellaris ocellaris* (Borkhausen,1792) (Noctuidae)
2508. *Xanthia icteritia* (Hufnagel,1766) (Noctuidae)
2509. *Xanthia togata* (Esper,1788) (Noctuidae)
2510. *Xanthocrambus argentarius* (Staudinger,1867) (Pyrilidae)
2511. *Xanthocrambus lucellus* (Herrich-Schäffer,[1848]) (Pyrilidae)
2512. *Xanthocrambus saxonellus* (Zincken,1821) (Pyrilidae)
2513. *Xanthomanthus cornelia* (Staudinger,1888) (Noctuidae)
2514. *Xanthorhoe abrasaria* (Herrich-Schäffer,1855) (Geometridae)
2515. *Xanthorhoe biriviata* (Borkhausen,1794) (Geometridae)
2516. *Xanthorhoe decoloraria* (Esper,[1806]) (Geometridae)
2517. *Xanthorhoe designata* (Hufnagel,1767) (Geometridae)
2518. *Xanthorhoe hortensiararia* (Graeser,1890) (Geometridae)
2519. *Xanthorhoe interpositaria* (Staudinger,1892) (Geometridae)
2520. *Xanthorhoe majorata* Heydemann,1936 (Geometridae)
2521. *Xenortholitha propinguata* (Kollar,[1844]) (Geometridae)
2522. *Xestia* (Anomogyna) *sincera* (Herrich-Schäffer,1851) (Noctuidae)
2523. *Xestia* (Anomogyna) *speciosa* (Hübner,[1813]) (Noctuidae)
2524. *Xestia* (Megasema) *ashworthii candelarum* (Staudinger,1871) (Noctuidae)
2525. *Xestia* (Megasema) *triangulum* (Hufnagel,1766) (Noctuidae)
2526. *Xestia* (Pachnobia) *lorezi* (Staudinger,1891) (Noctuidae)
2527. *Xestia* (Pachnobia) *senescens* (Staudinger,1881) (Noctuidae)
2528. *Xestia* (Pachnobia) *tecta* (Hübner,[1808]) (Noctuidae)
2529. *Xestia* (s.str.) *castanea* (Esper,[1798]) (Noctuidae)
2530. *Xestia* (s.str.) *castanea castanea* (Esper,[1798]) (Noctuidae)
2531. *Xestia* (s.str.) *cohaesa* (Herrich-Schäffer,[1849]) (Noctuidae)
2532. *Xestia* (s.str.) *ochreago* (Hübner,[1809]) (Noctuidae)
2533. *Xestia* (s.str.) *rhomboidea* (Esper,[1790]) (Noctuidae)
2534. *Xestia* (s.str.) *sareptana* (Herrich-Schäffer,[1851]) (Noctuidae)
2535. *Xestia* (s.str.) *sareptana sareptana* (Herrich-Schäffer,[1851]) (Noctuidae)
2536. *Xylena vetusta* (Hübner,[1813]) (Noctuidae)
2537. *Xylocampa areola* (Esper,[1789]) (Noctuidae)
2538. *Xylomoia graminea* (Graeser,1889) (Noctuidae)
2539. *Xystophora carchariella* (Zeller,1839) (Gelechiidae)
2540. *Yponomeuta cognagellus* (Hübner,[1813]) (Yponomeutidae)
2541. *Yponomeuta irrorellus* (Hübner,1796) (Yponomeutidae)
2542. *Yponomeuta malinellus* Zeller,1838 (Yponomeutidae)
2543. *Yponomeuta rorrellus* (Hübner,1796) (Yponomeutidae)
2544. *Ypsolopha affinitella* (Staudinger,1892) (Yponomeutidae)
2545. *Ypsolopha coriacella* (Herrich-Schäffer,1855) (Yponomeutidae)
2546. *Ypsolopha dentella* (Fabricius,1775) (Yponomeutidae)
2547. *Ypsolopha lucella* (Fabricius,1775) (Yponomeutidae)
2548. *Ypsolopha nebulella* (Staudinger,1871) (Yponomeutidae)
2549. *Ypsolopha persicella* (Fabricius,1787) (Yponomeutidae)
2550. *Ypsolopha satellitella* (Staudinger,1871) (Yponomeutidae)
2551. *Ypsolopha sculpturella* (Herrich-Schäffer,[1854]) (Yponomeutidae)

2552. *Ypthima argus hyampeia* Fruhstorfer, 1911 (Satyridae)
 2553. *Zegris eupheme* (Esper, [1804]) (Pieridae)
 2554. *Zegris eupheme eupheme* (Esper, [1804]) (Pieridae)
 2555. *Zeiraphera corpulentana* (Kennel, 1901) (Tortricidae)
 2556. *Zeiraphera griseana* (Hübner, [1799]) (Tortricidae)
 2557. *Zeiraphera isertana* (Fabricius, 1794) (Tortricidae)
 2558. *Zeiraphera rufimitrana* (Herrich-Schäffer, [1851]) (Tortricidae)
 2559. *Zekelita* (Ravalita) *ravalis* (Herrich-Schäffer, [1852]) (Noctuidae)
 2560. *Zekelita* (Rhynchodontodes) *antiqualis* (Hübner, [1809]) (Noctuidae)
 2561. *Zekelita* (Rhynchodontodes) *ravulalis* (Staudinger, 1879) (Noctuidae)
 2562. *Zekelita* (Rhynchodontodes) *ravulalis ravulalis* (Staudinger, 1879) (Noctuidae)
 2563. *Zerynthia* (s.str.) *polixena thesto* Fruhstorfer, 1908 (Papilionidae)
 2564. *Zophodia grossulariella* (Hübner, [1809]) (Pyralidae)
 2565. *Zygaena* (Agrumenia) *armena dombaiensis* Alberti, 1954 (Zygaenidae)
 2566. *Zygaena* (Agrumenia) *carniolica euxina* Holik & Sheljuzhko, 1956 (Zygaenidae)
 2567. *Zygaena* (Agrumenia) *carniolica lesgina* Holik & Sheljuzhko, 1956 (Zygaenidae)
 2568. *Zygaena* (Agrumenia) *carniolica tuapsica* Reiss, 1941 (Zygaenidae)
 2569. *Zygaena* (Agrumenia) *carniolica zhicharevi* Holik & Sheljuzhko, 1956 (Zygaenidae)
 2570. *Zygaena* (Agrumenia) *fraxini perdita* Staudinger, 1887 (Zygaenidae)
 2571. *Zygaena* (Agrumenia) *optima* H. Reiss, 1939 (Zygaenidae)
 2572. *Zygaena* (Agrumenia) *sedi* Fabricius, 1787 (Zygaenidae)
 2573. *Zygaena* (Agrumenia) *sedi sedi* Fabricius, 1787 (Zygaenidae)
 2574. *Zygaena* (Mesembrynus) *alpherakyi ossetica* Holik, 1939 (Zygaenidae)
 2575. *Zygaena* (Mesembrynus) *brizae* (Esper, 1800) (Zygaenidae)
 2576. *Zygaena* (Mesembrynus) *cynarae* (Esper, [1789]) (Zygaenidae)
 2577. *Zygaena* (Mesembrynus) *cynarae baschkirica* Holik, 1939 (Zygaenidae)
 2578. *Zygaena* (Mesembrynus) *cynarae centrorossica* Holik & Sheljuzhko, 1955 (Zygaenidae)
 2579. *Zygaena* (Mesembrynus) *cynarae samarensis* Holik, 1939 (Zygaenidae)
 2580. *Zygaena* (Mesembrynus) *cynarae transuralica* Holik & Sheljuzhko, 1955 (Zygaenidae)
 2581. *Zygaena* (Mesembrynus) *cynarae uralensis* Herrich-Schäffer, 1846 (Zygaenidae)
 2582. *Zygaena* (Mesembrynus) *laeta* (Hübner, 1790) (Zygaenidae)
 2583. *Zygaena* (Mesembrynus) *purpuralis alagirica* Holik & Sheljuzhko, 1953 (Zygaenidae)
 2584. *Zygaena* (s.str.) *dorycnii teberdensis* H. Reiss, 1936 (Zygaenidae)
 2585. *Zygaena* (s.str.) *ephialtes tambovensis* Holik & Sheljuzhko, 1953 (Zygaenidae)
 2586. *Zygaena* (s.str.) *ionicerae* (Scheven, 1777) (Zygaenidae)
 2587. *Zygaena* (s.str.) *mana tarkiensis* Holik & Sheljuzhko, 1955 (Zygaenidae)
 2588. *Zygaena* (s.str.) *osterodensis altaica* Holik & Sheljuzhko, 1955 (Zygaenidae)
 2589. *Zygaena* (s.str.) *osterodensis filipjevi* Holik, 1939 (Zygaenidae)
 2590. *Zygaena* (s.str.) *osterodensis* H. Reiss, 1921 (Zygaenidae)
 2591. *Zygaena* (s.str.) *osterodensis saratovensis* Holik & Sheljuzhko, 1955 (Zygaenidae)
 2592. *Zygaena* (s.str.) *osterodensis sibirica* Holik & Sheljuzhko, 1955 (Zygaenidae)
 2593. *Zygaena* (s.str.) *teberdica* H. Reiss, 1939 (Zygaenidae)
 2594. *Zygaena* (s.str.) *trifolii* (Esper, 1783) (Zygaenidae)
 2595. *Zygaena* (s.str.) *viciae digorica* Holik, 1939 (Zygaenidae)
 2596. *Zygaena* (s.str.) *viciae lesghierica* Holik, 1943 (Zygaenidae)
 2597. *Zygaena* (s.str.) *viciae schneideri* H. Reiss, 1932 (Zygaenidae)
 2598. *Zygaena* (s.str.) *viciae tarkiana* Holik & Sheljuzhko, 1957 (Zygaenidae)
 2599. *Zygaena* (s.str.) *viciae teberdina* Holik & Sheljuzhko, 1957 (Zygaenidae)
 2600. *Zygaena* (s.str.) *viciae tindiensis* Holik, 1943 (Zygaenidae)

Species Group Taxa among the Russian Lepidoptera Proposed by French Lepidopterists

The scientific names are arranged alphabetically.

1. *Abrostola agnorista* Dufay,1956 (Noctuidae)
2. *Acleris lacordairana* (Duponchel,1836) (Tortricidae)
3. *Acleris lorquiniana* (Duponchel,1835) (Tortricidae)
4. *Acleris permutana* (Duponchel,1836) (Tortricidae)
5. *Acrobasis porphyrella* (Duponchel,1836) (Pyrilidae)
6. *Adela auricella* Ragonot,1874 (Adelidae)
7. *Agdistis* (s.str.) *satanas* Millièrè,1876 (Pterophoridae)
8. *Agrotis* (Crassagrotis) *obesa* (Boisduval,1829) (Noctuidae)
9. *Agrotis* (s.str.) *desertorum* Boisduval,1840 (Noctuidae)
10. *Agrotis* (s.str.) *desertorum desertorum* Boisduval,1840 (Noctuidae)
11. *Amphipyra berbera* Rungs,1949 (Noctuidae)
12. *Anarpia incertalis* (Duponchel,1832) (Pyrilidae)
13. *Anarpia incertalis incertalis* (Duponchel,1832) (Pyrilidae)
14. *Ancyliis selenana* (Guenée,1845) (Tortricidae)
15. *Ancylosis* (Cabotia) *lacteicostella* (Ragonot,1887) (Pyrilidae)
16. *Ancylosis* (Heterographis) *plumbatella* (Ragonot,1888) (Pyrilidae)
17. *Ancylosis* (Heterographis) *syrtella* (Ragonot,1887) (Pyrilidae)
18. *Ancylosis* (s.str.) *cinnamomella* (Duponchel,1836) (Pyrilidae)
19. *Ancylosis* (s.str.) *cinnamomella bichordella* (Ragonot,1887) (Pyrilidae)
20. *Ancylosis* (s.str.) *cinnamomella cinnamomella* (Duponchel,1836) (Pyrilidae)
21. *Ancylosis* (s.str.) *dryadella* (Ragonot,1887) (Pyrilidae)
22. *Ancylosis* (s.str.) *maculifera signosella* Ragonot,1887 (Pyrilidae)
23. *Ancylosis* (Syria) *citrinella* (Ragonot,1887) (Pyrilidae)
24. *Apamea aquila* Donzel,1837 (Noctuidae)
25. *Aphomia zelleri* (Joannis,1932) (Pyrilidae)
26. *Aplocera efformata* (Guenée,[1858]) (Geometridae)
27. *Apocolotois arnoldiaria* (Oberthür,1912) (Geometridae)
28. *Apodia bifractella* (Duponchel,1843) (Gelechiidae)
29. *Apterona crenulella* (Bruand,1853) (Psychidae)
30. *Arcte coerula* (Guenée,1852) (Noctuidae)
31. *Asalebria* (s.str.) *venustella* (Ragonot,1887) (Pyrilidae)
32. *Aspilapteryx* (Sabulopteryx) *limosella* (Duponchel,1844) (Gracillariidae)
33. *Athrips nigricostella* (Duponchel,1842) (Gelechiidae)
34. *Atypha pulmonaris promethea* Boursin,1944 (Noctuidae)
35. *Autophila* (Cheiropheanes) *chamaeophanes* Boursin,1940 (Noctuidae)
36. *Autophila* (Cheiropheanes) *chamaeophanes chamaeophanes* Boursin,1940 (Noctuidae)
37. *Autophila* (s.str.) *einsleri taurica* Boursin,1940 (Noctuidae)
38. *Bacotia claustrilla* (Bruand,1845) (Psychidae)
39. *Bazaria turensis* Ragonot,1887 (Pyrilidae)
40. *Biston thoracicarius* (Oberthür,1884) (Geometridae)
41. *Blastodacna hellerella* (Duponchel,1838) (Agonoxenidae)
42. *Boloria* (Clossiana) *polaris* (Boisduval,1829) (Argynnididae)
43. *Boloria* (Clossiana) *polaris polaris* (Boisduval,1829) (Argynnididae)
44. *Brabira artemidora* (Oberthür,1884) (Geometridae)
45. *Brabira artemidora artemidora* (Oberthür,1884) (Geometridae)
46. *Bruandia elongatella* (Kozhantshikov,1956) (Psychidae)
47. *Bucculatrix demaryella* (Duponchel,1840) (Bucculatricidae)
48. *Cadra calidella* (Guenée,1845) (Pyrilidae)
49. *Callopistria latreillei* (Duponchel,1827) (Noctuidae)
50. *Capricornia boisduvaliana* (Duponchel,1836) (Tortricidae)
51. *Caradrina* (Eremodrina) *zernyi* (Boursin,1936) (Noctuidae)
52. *Caradrina* (Eremodrina) *zernyi zernyi* (Boursin,1936) (Noctuidae)
53. *Caradrina* (Paradrina) *flavirena* (Guenée,1852) (Noctuidae)
54. *Caradrina* (Paradrina) *selini* (Boisduval,1840) (Noctuidae)
55. *Caradrina* (Paradrina) *selini selini* (Boisduval,1840) (Noctuidae)
56. *Caradrina* (Platyperigea) *aspersa* (Rambur,1834) (Noctuidae)
57. *Caradrina* (Platyperigea) *sogdiana* (Boursin,1936) (Noctuidae)
58. *Carcharodus* (Lavatheria) *stauderi* Reverdin,1913 (Hesperiidae)
59. *Carcharodus* (Reverdinus) *flocciferus* (Zeller,1847) (Hesperiidae)

60. *Carcharodus (Reverdinus) flocciferus flocciferus* (Zeller,1847) (Hesperiidae)
61. *Carcharodus (Reverdinus) orientalis orientalis* Reverdin,1913 (Hesperiidae)
62. *Carcharodus (Reverdinus) orientalis* Reverdin,1913 (Hesperiidae)
63. *Cardepiia helix* (Boursin,1962) (Noctuidae)
64. *Cardepiia sociabilis* (Graslin,1850) (Noctuidae)
65. *Celypha rurestrana* (Duponchel,1843) (Tortricidae)
66. *Cephimallota crassiflavella* (Bruand,1851) (Tineidae)
67. *Chamaesphecia dumonti* Le Cerf,1922 (Sesiidae)
68. *Chamaesphecia nigrifrons* (Le Cerf,1911) (Sesiidae)
69. *Chartographa ludovicaria* (Oberthür,1879) (Geometridae)
70. *Chelis daturica* (Boisduval,1832) (Arctiidae)
71. *Chelis daturica daturica* (Boisduval,1832) (Arctiidae)
72. *Chersotis (Cyrebia) luperinoides* Guenée,1852 (Noctuidae)
73. *Chersotis (s.str.) alpestris* (Boisduval,[1837]) (Noctuidae)
74. *Chersotis (s.str.) andereggii* (Boisduval,[1837]) (Noctuidae)
75. *Chersotis (s.str.) larixia* (Guenée,1852) (Noctuidae)
76. *Chersotis (s.str.) margaritacea* (Villers,1789) (Noctuidae)
77. *Chersotis (s.str.) margaritacea margaritacea* (Villers,1789) (Noctuidae)
78. *Chilo pulverosellus* Ragonot,1895 (Pyralidae)
79. *Chilopselaphus balneariellus* Chrétien,1907 (Gelechiidae)
80. *Chlorissa amphitritaria* (Oberthür,1879) (Geometridae)
81. *Cifuna jankowskii* (Oberthür,1884) (Lymantriidae)
82. *Cleonymia (s.str.) baetica* (Rambur,1837) (Noctuidae)
83. *Clepsis rogana* (Guenée,1845) (Tortricidae)
84. *Clepsis sarthana* (Ragonot,1894) (Tortricidae)
85. *Clytie (s.str.) syriaca* (Bugnion,1837) (Noctuidae)
86. *Cnaphalocrocis medinalis* (Guenée,1854) (Pyralidae)
87. *Cnephasia (s.str.) chrysanthæana* (Duponchel,1843) (Tortricidae)
88. *Cnephasia (s.str.) sedana* (Constant,1884) (Tortricidae)
89. *Cochylimorpha perfusana* (Guenée,1845) (Tortricidae)
90. *Cochylis epilina* Duponchel,1842 (Tortricidae)
91. *Coleophora artemisicolella* Bruand,1855 (Coleophoridae)
92. *Coleophora badiipennella* (Duponchel,1843) (Coleophoridae)
93. *Coleophora binotapennella* (Duponchel,1843) (Coleophoridae)
94. *Coleophora flavipennella* (Duponchel,1843) (Coleophoridae)
95. *Coleophora salsolella* Chrétien,1915 (Coleophoridae)
96. *Coleophora saxicolella* (Duponchel,1843) (Coleophoridae)
97. *Coleophora trochilella* (Duponchel,1843) (Coleophoridae)
98. *Colias (Eriocolias) crocea* (Fourcroy,1785) (Pieridae)
99. *Colias (Eriocolias) crocea crocea* (Fourcroy,1785) (Pieridae)
100. *Colias (Eucolias) hecla hecla* Lefèbvre,1836 (Pieridae)
101. *Colias (Eucolias) hecla* Lefèbvre,1836 (Pieridae)
102. *Colias (Eucolias) nastes* Boisduval,1832 (Pieridae)
103. *Colias (Eucolias) nastes nastes* Boisduval,1832 (Pieridae)
104. *Coptotriche angusticollælla* (Duponchel,1843) (Tischeriidae)
105. *Coptotriche gaunacella* (Duponchel,1843) (Tischeriidae)
106. *Coreana raphaelis* (Oberthür,1880) (Lycaenidae)
107. *Coreana raphaelis raphaelis* (Oberthür,1880) (Lycaenidae)
108. *Cryphia (Bryoleuca) orthogramma* Boursin,1954 (Noctuidae)
109. *Cryphia (Euthales) ochsi* (Boursin,1941) (Noctuidae)
110. *Cryptoblabes loxiella* Ragonot,1887 (Pyralidae)
111. *Cryptocala chardinyi* (Boisduval,1829) (Noctuidae)
112. *Cucullia (s.str.) balsamitæ balsamitæ* Boisduval,1840 (Noctuidae)
113. *Cucullia (s.str.) balsamitæ* Boisduval,1840 (Noctuidae)
114. *Cucullia (s.str.) virgaureæ* Boisduval,1840 (Noctuidae)
115. *Cucullia (s.str.) virgaureæ virgaureæ* Boisduval,1840 (Noctuidae)
116. *Cucullia (s.str.) xeranthemi* Boisduval,1840 (Noctuidae)
117. *Cucullia (Shargacucullia) lanceolata* (Villers,1789) (Noctuidae)
118. *Cucullia (Shargacucullia) lychnitis* (Rambur,1833) (Noctuidae)
119. *Cucullia (Shargacucullia) prenanthis* Boisduval,1840 (Noctuidae)
120. *Cucullia (Shargacucullia) strigicosta* Boursin,1940 (Noctuidae)

121. *Cusiala stipitaria* (Oberthür,1880) (Geometridae)
122. *Cydia internana* (Guenée,1845) (Tortricidae)
123. *Cydia janthinana* (Duponchel,1843) (Tortricidae)
124. *Cydia servillana* (Duponchel,1836) (Tortricidae)
125. *Cydia tenebrosana* (Duponchel,1843) (Tortricidae)
126. *Daria coenosella* Ragonot,1888 (Pyalidae)
127. *Dasychira virginea* Oberthür,1879 (Lymantriidae)
128. *Depressaria pastinacella* (Duponchel,1838) (Oecophoridae)
129. *Diachrysia nadeja* (Oberthür,1880) (Noctuidae)
130. *Diceratura ostrinana* (Guenée,1845) (Tortricidae)
131. *Dichagyris* (s.str.) *terminicincta phaenotaenia* (Boursin,1940) (Noctuidae)
132. *Dichagyris* (s.str.) *vallesiaca* (Boisduval,[1837]) (Noctuidae)
133. *Dichagyris* (Yigoga) *celsicola* (Bellier,1858) (Noctuidae)
134. *Dichagyris* (Yigoga) *eureteocles* (Boursin,1940) (Noctuidae)
135. *Dichrorampha heegerana* (Duponchel,1843) (Tortricidae)
136. *Dichrorampha montanana* (Duponchel,1843) (Tortricidae)
137. *Dichrorampha senectana* Guenée,1845 (Tortricidae)
138. *Digrammia rippertaria* (Duponchel,1830) (Geometridae)
139. *Digrammia rippertaria rippertaria* (Duponchel,1830) (Geometridae)
140. *Drasteria cailino* (Lefèbvre,1827) (Noctuidae)
141. *Drasteria cailino cailino* (Lefèbvre,1827) (Noctuidae)
142. *Drasteria rada* (Boisduval,1848) (Noctuidae)
143. *Dysaletia inanis* (Oberthür,1880) (Noctuidae)
144. *Dyscholoropsis impararia* (Guenée,[1858]) (Geometridae)
145. *Eana* (Subeana) *canescana* (Guenée,1845) (Tortricidae)
146. *Earias insulana* (Boisduval,1833) (Noctuidae)
147. *Eguria ornata* (Oberthür,1884) (Notodontidae)
148. *Elachista bisulcella* (Duponchel,1843) (Elachistidae)
149. *Elachista dispunctella* (Duponchel,1843) (Elachistidae)
150. *Elachista griseella* (Duponchel,1843) (Elachistidae)
151. *Elachista maculicerusella* Bruand,1849 (Elachistidae)
152. *Elachista pollutella* (Duponchel,1844) (Elachistidae)
153. *Elachista squamosella* (Duponchel,1843) (Elachistidae)
154. *Electrophaes corylata fabrefactaria* (Oberthür,1880) (Geometridae)
155. *Entephria polata* (Duponchel,1830) (Geometridae)
156. *Epiblema simploniana* (Duponchel,1835) (Tortricidae)
157. *Epischnia cuculliella* Ragonot,1887 (Pyalidae)
158. *Epischnia glyphella* Ragonot,1887 (Pyalidae)
159. *Erynnis* (Hesperopegasus) *marloyi* (Boisduval,[1834]) (Hesperiidae)
160. *Erynnis* (Hesperopegasus) *marloyi marloyi* (Boisduval,[1834]) (Hesperiidae)
161. *Eublemma* (candidana-gr.) *viridula* (Guenée,1841) (Noctuidae)
162. *Eublemma* (Glossodice) *polygramma* (Duponchel,[1842]) (Noctuidae)
163. *Euchalcia* (s.str.) *altaica* Dufay,1968 (Noctuidae)
164. *Euchalcia* (s.str.) *cuprescens* Dufay,1966 (Noctuidae)
165. *Euchromius ramburiellus* (Duponchel,1836) (Pyalidae)
166. *Eucosma conterminana* (Guenée,1845) (Tortricidae)
167. *Eucosma cumulana* (Guenée,1845) (Tortricidae)
168. *Eudonia vallesialis* (Duponchel,1832) (Pyalidae)
169. *Eugnorisma* (s.str.) *chaldaica* (Boisduval,1840) (Noctuidae)
170. *Eugnosta hydrargyrana parreyssiana* (Duponchel,1843) (Tortricidae)
171. *Euhampsonia splendida* (Oberthür,1881) (Notodontidae)
172. *Euhyponomeutoides ribesiella* (Joannis,1900) (Yponomeutidae)
173. *Eulamprotes unicolorella* (Duponchel,1843) (Gelechiidae)
174. *Euphydryas* (Eurodryas) *davidi* (Oberthür,1881) (Argynniidae)
175. *Euphydryas* (Eurodryas) *davidi davidi* (Oberthür,1881) (Argynniidae)
176. *Euphyia cineraria luctuosaria* (Oberthür,1879) (Geometridae)
177. *Eupithecia aggregata* Guenée,[1858] (Geometridae)
178. *Eupithecia breviculata* (Donzel,1837) (Geometridae)
179. *Eupithecia cauchiata* (Duponchel,1831) (Geometridae)
180. *Eupithecia dodoneata* Guenée,[1858] (Geometridae)
181. *Eupithecia ericeata* (Rambur,1833) (Geometridae)

182. *Eupithecia goossensiata* Mabille,1869 (Geometridae)
183. *Eupithecia icterata* (Villers,1789) (Geometridae)
184. *Eupithecia icterata icterata* (Villers,1789) (Geometridae)
185. *Eupithecia pauxillaria* Boisduval,1840 (Geometridae)
186. *Eupithecia pernotata* Guenée,[1858] (Geometridae)
187. *Eupithecia pyreneata* Mabille,1871 (Geometridae)
188. *Eupithecia semigraphata* Bruand,[1847] (Geometridae)
189. *Eupithecia semigraphata semigraphata* Bruand,[1847] (Geometridae)
190. *Eupithecia tantillaria* Boisduval,1840 (Geometridae)
191. *Euproctis piperita* (Oberthür,1880) (Lymantriidae)
192. *Euthrix laeta austriana* (Lajonquière,1978) (Lasiocampidae)
193. *Euthrix potatoria askoldensis* (Oberthür,1880) (Lasiocampidae)
194. *Euxoa* (s.str.) *decora kuruschensis* Boursin,1940 (Noctuidae)
195. *Euxoa* (s.str.) *diaphora* Boursin,1928 (Noctuidae)
196. *Euxoa* (s.str.) *hastifera* (Donzel,1847) (Noctuidae)
197. *Euxoa* (s.str.) *hastifera hastifera* (Donzel,1837) (Noctuidae)
198. *Euxoa* (s.str.) *ochrogaster* (Guenée,1852) (Noctuidae)
199. *Euxoa* (s.str.) *sabuletorum* (Boisduval,1840) (Noctuidae)
200. *Euxoa* (s.str.) *segnilis* (Duponchel,1836) (Noctuidae)
201. *Euxoa* (s.str.) *segnilis segnilis* (Duponchel,1836) (Noctuidae)
202. *Euxoa* (s.str.) *zernyi* Boursin,1944 (Noctuidae)
203. *Euzophera* (s.str.) *afflictella* Ragonot,1887 (Pyralidae)
204. *Euzophera* (s.str.) *costivittella* Ragonot,1887 (Pyralidae)
205. *Evergestis plumbofascialis* (Ragonot,1894) (Pyralidae)
206. *Fermocelina liguriella* (Millière,1879) (Tineidae)
207. *Filatima spurcella* (Duponchel,1843) (Gelechiidae)
208. *Filatima tephritidella* (Duponchel,1844) (Gelechiidae)
209. *Glyphipterix argyroguttella* Ragonot,1885 (Glyphipterygidae)
210. *Glyphipterix gianelliella* Ragonot,1885 (Glyphipterygidae)
211. *Gnophos* (Organognophos) *sibiriatu sibiriatu* Guenée,[1858] (Geometridae)
212. *Gnophos* (Organognophos) *sibiriatu sibiriatu* Guenée,[1858] (Geometridae)
213. *Gortyna borelii* (Pierret,1837) (Noctuidae)
214. *Gymnancyla* (Dentinodia) *craticulella* (Ragonot,1887) (Pyralidae)
215. *Gypsonoma aceriana* (Duponchel,1843) (Tortricidae)
216. *Hadena* (Anepia) *dianthoecioides* (Boursin,1940) (Noctuidae)
217. *Hadena* (Enterpia) *laudeti* (Boisduval,1840) (Noctuidae)
218. *Hadena* (Pinkericola) *tephroleuca* (Boisduval,1833) (Noctuidae)
219. *Hadena* (s.str.(Clarhadena)) *clara kuruschensis* Boursin,1959 (Noctuidae)
220. *Hadena* (s.str.(Luteocincta)) *luteocincta* (Rambur,1834) (Noctuidae)
221. *Hadena* (s.str.(Luteocincta)) *luteocincta luteocincta* (Rambur,1834) (Noctuidae)
222. *Hadena* (s.str.(Magnolihadena)) *magnolii* (Boisduval,1828) (Noctuidae)
223. *Hadena* (s.str.(Miselia)) *compta armeriae* (Guenée,1852) (Noctuidae)
224. *Hadena* (s.str.(Montanohadena)) *montana kuruschensis* Boursin,1959 (Noctuidae)
225. *Hadula* (Calocestra (Hadupugnax)) *odontites* (Boisduval,1829) (Noctuidae)
226. *Hadula* (Calocestra (Hadupugnax)) *odontites odontites* (Boisduval,1829) (Noctuidae)
227. *Hagapteryx mirabilior* (Oberthür,1911) (Notodontidae)
228. *Heliothis maritima* Graslin,1855 (Noctuidae)
229. *Hellinsia chrysocomae* (Ragonot,1875) (Pterophoridae)
230. *Hemifentonia mandschurica* (Oberthür,1911) (Notodontidae)
231. *Homoeosoma* (Anhomoeosoma) *nimbellum* (Duponchel,1837) (Pyralidae)
232. *Homoeosoma* (s.str.) *calcellum* Ragonot,1887 (Pyralidae)
233. *Homoeosoma* (s.str.) *inustellum* Ragonot,1884 (Pyralidae)
234. *Homoeosoma* (s.str.) *punctistrigellum* Ragonot,1888 (Pyralidae)
235. *Hoplodrina pfeifferi* (Boursin,1932) (Noctuidae)
236. *Horisme scotosiata* (Guenée,[1858]) (Geometridae)
237. *Horisme tersata tetricata* (Guenée,[1858]) (Geometridae)
238. *Hypocala subsatura* Guenée,1852 (Noctuidae)
239. *Hypochalcia griseoaenella* Ragonot,1887 (Pyralidae)
240. *Hyposcotis* (Euchrognophos) *variegata* (Duponchel,1830) (Geometridae)
241. *Hyposcotis* (Kemtrognophos) *ambiguata* (Duponchel,1830) (Geometridae)

- 242. Hyposcotis (Kemtrognophos) ambiguata ambiguata (Duponchel,1830)** (Geometridae)
243. Idaea elongaria (Rambur,1833) (Geometridae)
244. Idaea maritima (Bruand,1846) (Geometridae)
245. Idaea obsoletaria (Rambur,1833) (Geometridae)
246. Illiberis psychina (Oberthür,1880) (Zygaenidae)
247. Isauria dilucidella (Duponchel,1836) (Pyrilidae)
248. Isturgia halituaria (Guenée,[1858]) (Geometridae)
249. Isturgia halituaria halituaria (Guenée,[1858]) (Geometridae)
250. Iwaruna biguttella (Duponchel,1843) (Gelechiidae)
251. Janthinea friwaldskii (Duponchel,1835) (Noctuidae)
252. Janthinea friwaldskii friwaldskii (Duponchel,1835) (Noctuidae)
253. Jordanita (Lucasiterna) subsolana (Staudinger,1862) (Zygaenidae)
254. Karana laetevirens (Oberthür,1884) (Noctuidae)
255. Khorassania imitatella (Ragonot,1893) (Pyrilidae)
256. Lamoria ruficostella Ragonot,1888 (Pyrilidae)
257. Lecithocera nigrana (Duponchel,1836) (Lecithoceridae)
258. Lemyra jankowskii (Oberthür,1881) (Arctiidae)
259. Lemyra jankowskii jankowskii (Oberthür,1881) (Arctiidae)
260. Leucania zae (Duponchel,1827) (Noctuidae)
261. Lobesia (s.str.) bicinctana (Duponchel,1844) (Tortricidae)
262. Lobesia (s.str.) vitisana (Jacquin,1788) (Tortricidae)
263. Luperina dumerilii (Duponchel,1826) (Noctuidae)
264. Luperina rubella (Duponchel,1835) (Noctuidae)
265. Luperina rubella rubella (Duponchel,1835) (Noctuidae)
266. Lycaena (Alciphronia) alciphron naryna (Oberthür,1910) (Lycaenidae)
267. Lycaena (s.str.) phlaeas polaris Courvoisier,1911 (Lycaenidae)
268. Lycia lapponaria (Boisduval,1840) (Geometridae)
269. Megacraspedus binotellus (Duponchel,1843) (Gelechiidae)
270. Minetia adamczewskii (Toll,1956) (Oecophoridae)
271. Minetia crinitus (Fabricius,1798) (Oecophoridae)
272. Morophaga (morella-gr.) morella (Duponchel,1838) (Tineidae)
273. Muschampia protheon (Rambur,1858) (Hesperiidae)
274. Muschampia protheon protheon (Rambur,1858) (Hesperiidae)
275. Muschampia tessellum nigricans (Mabille,1909) (Hesperiidae)
276. Mycteroplus puniceago (Boisduval,1840) (Noctuidae)
277. Mythimna (Aletia) alopecuri (Boisduval,1840) (Noctuidae)
278. Mythimna (Aletia) anderegii (Boisduval,1840) (Noctuidae)
279. Mythimna (Aletia) anderregii anderregii (Boisduval,1840) (Noctuidae)
280. Nacna malachistis (Oberthür,1880) (Noctuidae)
281. Nemapogon inconditella (Lucas,1956) (Tineidae)
282. Nematopogon adansoniella (Villers,1789) (Adelidae)
283. Nemophora askoldella (Millière,1879) (Adelidae)
284. Nemophora dumerilella (Duponchel,1839) (Adelidae)
285. Neognopharmia stevenaria (Boisduval,1840) (Geometridae)
286. Neolycaena (Rhymnaria) davidi (Oberthür,1881) (Lycaenidae)
287. Neolycaena (Rhymnaria) davidi davidi (Oberthür,1881) (Lycaenidae)
288. Neptis (s.str.) rivularis ludmilla (Boisduval,1848) (Argynnididae)
289. Nyctegretis triangulella Ragonot,1901 (Pyrilidae)
290. Nycteola degenerana eurasiatica Dufay,1961 (Noctuidae)
291. Oeneis ammon arasaguna Austaut,1911 (Satyridae)
292. Oeneis anna anna Austaut,1911 (Satyridae)
293. Oeneis anna Austaut,1911 (Satyridae)
294. Oeneis chione Austaut,1911 (Satyridae)
295. Oeneis chione chione Austaut,1911 (Satyridae)
296. Oeneis mongolica mongolica Oberthür,1879 (Satyridae)
297. Oeneis mongolica Oberthür,1879 (Satyridae)
298. Oeneis oene (Boisduval,1832) (Satyridae)
299. Oeneis oene oene (Boisduval,1832) (Satyridae)
300. Oidaematophorus constanti (Ragonot,1876) (Pterophoridae)
301. Olethreutes (Argyroplote) stibiana (Guenée,1845) (Tortricidae)

302. *Olethreutes* (s.str.) *dalecarliana* (Guenée,1845) (Tortricidae)
303. *Oligia fodinae* (Oberthür,1880) (Noctuidae)
304. *Ophthalmitis albosignaria juglandaria* (Oberthür,1913) (Geometridae)
305. *Orgyia dubia dubia* (Tauscher,1806) (Lymantriidae)
306. *Ostrinia furnacalis* (Guenée,1854) (Pyralidae)
307. *Ostrinia zealis* (Guenée,1854) (Pyralidae)
308. *Oxybia transversella* (Duponchel,1836) (Pyralidae)
309. *Palmitia massilialis* (Duponchel,1832) (Pyralidae)
310. *Pammene albuginana* (Guenée,1845) (Tortricidae)
311. *Pammene amygdalana* (Duponchel,1842) (Tortricidae)
312. *Pammene gallicana* (Guenée,1845) (Tortricidae)
313. *Pammene insulana* (Guenée,1845) (Tortricidae)
314. *Pammene juniperana* (Millière,1858) (Tortricidae)
315. *Pammene spiniana* (Duponchel,1843) (Tortricidae)
316. *Pammene splendidulana* (Guenée,1845) (Tortricidae)
317. *Parallelia arctotaenia* (Guenée,1852) (Noctuidae)
318. *Parapsestis argenteopicta* (Oberthür,1879) (Thyatiridae)
319. *Pararge aegeria tircis* (Godart,1821) (Satyridae)
320. *Parexarnis squalida* (Guenée,1852) (Noctuidae)
321. *Pasiphila chloerata* (Mabille,1870) (Geometridae)
322. *Pempelia alpigenella* (Duponchel,1836) (Pyralidae)
323. *Pempelia genistella* (Duponchel,1836) (Pyralidae)
324. *Phalacropterix graslinella* (Boisduval,1852) (Psychidae)
325. *Phaneta pauperana* (Duponchel,1843) (Tortricidae)
326. *Phtheochroa fulvicinctana* (Constant,1893) (Tortricidae)
327. *Phycitodes albatella* (Ragonot,1887) (Pyralidae)
328. *Phycitodes inquinatella inquinatella* (Ragonot,1887) (Pyralidae)
329. *Phycitodes saxicola subbinaevella* (Ragonot,1888) (Pyralidae)
330. *Phycitodes subolivaceella* (Ragonot,1901) (Pyralidae)
331. *Phycitodes triangulella* (Ragonot,1901) (Pyralidae)
332. *Phyllonorycter abrasella* (Duponchel,1843) (Gracillariidae)
333. *Phyllonorycter acaciella* (Duponchel,1843) (Gracillariidae)
334. *Phyllonorycter comparella* (Duponchel,1843) (Gracillariidae)
335. *Phyllonorycter delitella* (Duponchel,1844) (Gracillariidae)
336. *Phyllonorycter emberizaepennella* (Bouché,1834) (Gracillariidae)
337. *Phyllonorycter geniculella* (Ragonot,1874) (Gracillariidae)
338. *Phyllonorycter ilicifoliella* (Duponchel,1843) (Gracillariidae)
339. *Phyllonorycter platanoidella* (Joannis,1920) (Gracillariidae)
340. *Phyllonorycter scitulella* (Duponchel,1843) (Gracillariidae)
341. *Phyllonorycter tenerella* (Joannis,1915) (Gracillariidae)
342. *Phyllophila oblitterata* (Rambur,1833) (Noctuidae)
343. *Pieris* (Artogeia) *melete orientis* Oberthür,1880 (Pieridae)
344. *Pieris* (Artogeia) *napi orientis* Oberthür,1880 (Pieridae)
345. *Pieris* (Artogeia) *rapae crucivora* Boisduval,1836 (Pieridae)
346. *Pieris* (Artogeia) *rapae orientalis* Oberthür,1880 (Pieridae)
347. *Pima boisduvaliella* (Guenée,1845) (Pyralidae)
348. *Polychrysia esmeralda* (Oberthür,1880) (Noctuidae)
349. *Polyommatus* (Agriades (s.str.)) *aquilo* (Boisduval,1832) (Lycaenidae)
350. *Polyommatus* (Agriades (s.str.)) *aquilo aquilo* (Boisduval,1832) (Lycaenidae)
351. *Polyommatus* (Agriades (s.str.)) *pyrenaicus* (Boisduval,1840) (Lycaenidae)
352. *Polyommatus* (s.str. (Thersitesia)) *thersites* (Canterer,[1835]) (Lycaenidae)
353. *Polyphaenis viridis* (De Villers,1789) (Noctuidae)
354. *Pristerognatha penthinana* (Guenée,1845) (Tortricidae)
355. *Procapperia maculata* (Constant,1865) (Pterophoridae)
356. *Protantigius superans* (Oberthür,1914) (Lycaenidae)
357. *Protantigius superans superans* (Oberthür,1914) (Lycaenidae)
358. *Protolampra sobrina* (Duponchel,[1843]) (Noctuidae)
359. *Protorhoe unicata* (Guenée,[1858]) (Geometridae)
360. *Protorhoe unicata unicata* (Guenée,[1858]) (Geometridae)
361. *Pseudohadena* (Jaxartia) *cymatodes* (Boursin,1954) (Noctuidae)
362. *Pseudohadena* (s.str.) *immunis lesghica* Boursin,1944 (Noctuidae)

363. *Pseudohadena* (s.str.) *stenoptera* Boursin,1970 (Noctuidae)
364. *Psyche* *crassiorella* (Bruand,[1851]) (Psychidae)
365. *Psychoides* *verhuella* Bruand,1853 (Tineidae)
366. *Pterothrixidia* *caucasiella* (Ragonot,1888) (Pyralidae)
367. *Pterothrixidia* *impurella* (Duponchel,1836) (Pyralidae)
368. *Pterothrixidia* *rufella* (Duponchel,1836) (Pyralidae)
369. *Pyrausta* (s.str.) *coracinalis* Leraut,1982 (Pyralidae)
370. *Pyrausta* (s.str.) *falcatalis* (Guenée,1854) (Pyralidae)
371. *Pyrgus* *alveus* *iliensis* (Reverdin,1912) (Hesperiidae)
372. *Pyrgus* *armoricanus* (Oberthür,1910) (Hesperiidae)
373. *Pyrgus* *armoricanus* *persicus* (Reverdin,1913) (Hesperiidae)
374. *Pyrgus* *centaureae* (Rambur,[1839]) (Hesperiidae)
375. *Pyrgus* *centaureae* *centaureae* (Rambur,[1839]) (Hesperiidae)
376. *Pyrgus* *cinarae* (Rambur,[1839]) (Hesperiidae)
377. *Pyrgus* *cinarae* *cinarae* (Rambur,[1839]) (Hesperiidae)
378. *Pyrgus* *schansiensis* (Reverdin,1915) (Hesperiidae)
379. *Pyrgus* *schansiensis* *schansiensis* (Reverdin,1915) (Hesperiidae)
380. *Pyrgus* *serratulae* (Rambur,[1839]) (Hesperiidae)
381. *Pyrgus* *sibiricus* (Reverdin,1911) (Hesperiidae)
382. *Pyrgus* *sibiricus* *sibiricus* (Reverdin,1911) (Hesperiidae)
383. *Raphimetopus* *incarnatella* (Ragonot,1887) (Pyralidae)
384. *Raphimetopus* *nitidicostella* (Ragonot,1887) (Pyralidae)
385. *Rheumaptera* *hedemannaria* (Oberthür,1880) (Geometridae)
386. *Rhyacia* (s.str.) *helvetina* (Boisduval,1833) (Noctuidae)
387. *Rhyacia* (s.str.) *helvetina* *rjabovi* Boursin,1940 (Noctuidae)
388. *Saluria* *maculivittella* Ragonot,1887 (Pyralidae)
389. *Sciota* (s.str.) *imperialella* (Ragonot,1887) (Pyralidae)
390. *Scopula* *tessellaria* (Boisduval,1840) (Geometridae)
391. *Scotopteryx* *kuznecovi* Herbulot,1996 (Geometridae)
392. *Scythrocetropus* *misella* *daghestanica* (Boursin,1944) (Noctuidae)
393. *Seeboldia* *korgosella* *korgosella* Ragonot,1887 (Pyralidae)
394. *Seeboldia* *korgosella* Ragonot,1887 (Pyralidae)
395. *Selidosema* *brunnearium* (Villers,1789) (Geometridae)
396. *Serrodos* *campana* Guenée,1852 (Noctuidae)
397. *Sesia* *pimplaeformis* Oberthür,1872 (Sesiidae)
398. *Sidemia* *spilogramma* (Rambur,1871) (Noctuidae)
399. *Spatalia* *dives* Oberthür,1884 (Notodontidae)
400. *Stagmatophora* *albiapicella* (Duponchel,1843) (Cosmopterigidae)
401. *Standfussiana* *lucerna* *kuruschicola* (Boursin,1940) (Noctuidae)
402. *Standfussiana* *nictymera* (Boisduval,[1837]) (Noctuidae)
403. *Stegania* *dalmataria* (Guenée,[1858]) (Geometridae)
404. *Stenodrina* *aeschista* Boursin,1937 (Noctuidae)
405. *Stenoptilia* *zophodactyla* (Duponchel,1838) (Pterophoridae)
406. *Stenoptinea* *cyaneimarmorella* (Millière,1854) (Tineidae)
407. *Swammerdamia* *pyrella* (Villers,1789) (Yponomeutidae)
408. *Sympistis* *nigrita* (Boisduval,1840) (Noctuidae)
409. *Syncopacma* *cincticulella* (Bruand,1850) (Gelechiidae)
410. *Syncopacma* *linella* (Chrétien,1904) (Gelechiidae)
411. *Teleiopsis* *bagriotella* (Duponchel,1840) (Gelechiidae)
412. *Thoepetis* *galleriellus* (Ragonot,1892) (Pyralidae)
413. *Thospia* *trifasciella* (Ragonot,1887) (Pyralidae)
414. *Trachycera* *curvella* (Ragonot,1893) (Pyralidae)
415. *Trichophaga* *bipartitella* (Ragonot,1892) (Tineidae)
416. *Trifurcula* (*Glaucolepis*) *bleonella* (Chrétien,1904) (Nepticulidae)
417. *Trifurcula* (s.str.) *pallidella* (Duponchel,1843) (Nepticulidae)
418. *Trifurcula* (s.str.) *subnitidella* (Duponchel,1843) (Nepticulidae)
419. *Wockia* *asperipunctella* (Bruand,1851) (Urodidae)
420. *Xestia* (s.str.) *collina* (Boisduval,1840) (Noctuidae)
421. *Zygaena* (s.str.) *lonicerae* *kindermanni* Oberthür,1910 (Zygaenidae)
422. *Zygaena* (s.str.) *nevadensis* Rambur,1858 (Zygaenidae)
423. *Zygaena* (s.str.) *viciae* *dahurica* Boisduval,1834 (Zygaenidae)

List of the Species Group Taxa of the Lepidoptera of Russia Based Upon the Info-system of the Cesa

This first report comprises 5951 species, 7668 species group taxa in various families of the Lepidoptera known in the Russian territories. Valid scientific names for each taxon together with the chronologically ordered synonymous names are given below. Nomenclaturally unavailable names marked with #. The foodplants of the larva are given, if available.

1. **Adela albicinctella Mann,1852** (Adelidae) Synonym(s): *albicinctella* Mann,1852; *panicensis* Frey,1870 Larval foodplant(s): *Salix* (Salicaceae) (Weber,1945).
2. **Adela associatella (Zeller,1839)** (Adelidae) Synonym(s): *associatella* Zeller,1839 Larval foodplant(s): *Abies alba* (Schütze,1931).
3. **Adela auricella Ragonot,1874** (Adelidae) Synonym(s): *auricella* Ragonot,1874
4. **Adela croesella (Scopoli,1763)** (Adelidae) Synonym(s): *croesella* Scopoli,1763; *podaella* Linnaeus,1767; *sultzella* Linnaeus,1767; *malletella* Fourcroy,1785; *fasciata* Esper,1791; *sultzii* Haworth,1828; *sulzeriella* Zeller,1839; *laqueatella* Zeller,1850.
5. **Adela cuprella ([Denis & Schiffermüller],1775)** (Adelidae) Synonym(s): *cuprella* [Denis & Schiffermüller],1775; *cuprea* Haworth,1828; *aeneella* Zetterstedt,[1839]; *crinitella* Zetterstedt,[1839] Larval foodplant(s): *Salix* (Salicaceae) (Zeller,1853).
6. **Adela mutabilella Küppers,1980** (Adelidae) Synonym(s): *mutabilella* Küppers,1980
7. **Adela reaumurella (Linnaeus,1758)** (Adelidae) Synonym(s): *reaumurella* Linnaeus,1758; *viridella* Scopoli,1763; *sphingiella* Hübner,1793; *viridis* Haworth,1828; #*nigra* Zeller,1853; *speyeri* Zeller,1853; *vernella* Bruand,1859 Larval foodplant(s): *Fagus*, *Quercus* (Fagaceae).
8. **Adela violella ([Denis & Schiffermüller],1775)** (Adelidae) Synonym(s): *violella* [Denis & Schiffermüller],1775; *tombacinella* Stainton,1851 Larval foodplant(s): *Hypericum* (Zeller,1853).
9. **Cauchas brevantennella Nielsen & Johansson,1980** (Adelidae) Synonym(s): *brevantennella* Nielsen & Johansson,1980
10. **Cauchas fibulella ([Denis & Schiffermüller],1775)** (Adelidae) Synonym(s): *fibulella* [Denis & Schiffermüller],1775; *pulchella* Eversmann,1844; *immaculata* Wocke,1877 Larval foodplant(s): *Veronica chamaedrys*, *V. officinalis* (Schütze,1931).
11. **Cauchas florella (Staudinger,1871)** (Adelidae) Synonym(s): *florella* Staudinger,1871
12. **Cauchas leucocerella (Scopoli,1763)** (Adelidae) Synonym(s): *leucocerella* Scopoli,1763; *conformella* Zeller,1839; *bimaculella* Fischer v. Rösslerstamm,1840
13. **Cauchas rufifrontella (Treitschke,1833)** (Adelidae) Synonym(s): *rufifrontella* Treitschke,1833 Larval foodplant(s): *Cardamine pratensis*, *Sisymbrium alliaria*, *Linaria* (Schütze,1931).

14. **Cauchas rufimitrella (Scopoli,1763)** (Adelidae) Synonym(s): *rufimitrella* Scopoli,1763; *purpuratella* Zeller,1850 Larval foodplant(s): *Cardamine pratensis*, *Alliaria petiolata* (Chapman,1891; Jacobs,1949).
15. **Cauchas tridesma (Meyrick,1912)** (Adelidae) Synonym(s): *trifasciella* Staudinger,1879 (praeocc.); *tridesma* Meyrick,1912.
16. **Nematopogon adansoniella (Villers,1789)** (Adelidae) Synonym(s): *adansoniella* Villers,1789; *panzerella* Fabricius,1794; *panzeri* Haworth,1828; *sabulosella* Walker,1863; *annulatella* Ragonot,1876; *pseudopilella* Peyerimhoff,1877.
17. **Nematopogon metaxella (Hübner,[1813])** (Adelidae) Synonym(s): *metaxella* Hübner,[1813]
18. **Nematopogon pilella ([Denis & Schiffermüller],1775)** (Adelidae) Synonym(s): *pilella* [Denis & Schiffermüller],1775; *pilea* Haworth,1828; *minutella* Snellen,1884; *submetallica* Caradja,1920; *flavicomella* Müller-Rutz,1927
19. **Nematopogon robertella (Clerck,1759)** (Adelidae) Synonym(s): *#robertella* Clerck,1759; *pilulella* Hübner,[1813].
20. **Nematopogon schwarziella Zeller,1839** (Adelidae) Synonym(s): *schwarziellus* Zeller,1839; *carteri* Stainton,1854
21. **Nematopogon swammerdamella (Linnaeus,1758)** (Adelidae) Synonym(s): *swammerdamella* Linnaeus,1758; *reamurella* Peyerimhoff,1877.
22. **Nemophora amatella (Staudinger,1892)** (Adelidae) Synonym(s): *amatella* Staudinger,1892; *amurensis* Alpheraky,1897; *kukunorensis* Sauber,1899; *badioumbrella* Sauber,1899; *coreana* Matsumura,1931; *#ogasawarai* Matsumura,1932
23. **Nemophora askoldella (Millière,1879)** (Adelidae) Synonym(s): *askoldella* Millière,1879; *griseella* Walsingham,1880; *irroratella* Christoph,1882
24. **Nemophora basella (Eversmann,1844)** (Adelidae) Synonym(s): *basella* Eversmann,1844; *basiradiella* Christoph,1888
25. **Nemophora belella (Walker,1863)** (Adelidae) Synonym(s): *belella* Walker,1863; *esmarkella* Wocke,1864; *hedemanni* Christoph,1888
26. **Nemophora canalella (Eversmann,1844)** (Adelidae) Synonym(s): *canalella* Eversmann,1844
27. **Nemophora chrysochraon (Razowski,1978)** (Adelidae) Synonym(s): *pfeifferella* Hübner,[1813] (fig.422) *nec* Hbn,[1813] (fig.398); *chrysochraon* Razowski,1978; *#chrysochranon* Razowski,1978; *huebneri* Koçak,1980. Larval foodplant(s): *Scabiosa*, *Succisa* (Dipsacaceae) (Razowski,1978).
28. **Nemophora congruella (Zeller,1839)** (Adelidae) Synonym(s): *congruella* Zeller,1839
29. **Nemophora degeerella (Linnaeus,1758)** (Adelidae) Synonym(s): *degeerella* Linnaeus,1758; *deborella* Scopoli,1772; *striatella* Fabricius,1781; *phryganoides* Retzius,1783; *geerella* Hübner,1796; *degeerii* Haworth,1828 Larval foodplant(s): *Anemone nemorosa*, *Alsine media*, *Rumex*, *Vaccinium neptillus* (Frey,1856; Hering,1935).
30. **Nemophora dumerilella (Duponchel,1839)** (Adelidae) Synonym(s): *basochesella* Hübner,[1824] (n.o.); *dumerilella* Duponchel,1839; *inauratella* Duponchel,1844; *#fervidellus* Zeller,1853; *#zelleriellus* Zeller,1853
31. **Nemophora fasciella (Fabricius,1775)** (Adelidae) Synonym(s): *fasciella* Fabricius,1775; *schiffermüllerella* [Denis & Schiffermüller],1775; *fascia* Haworth,1828; *schiffermuellerella* Treitschke,1833; *annae* Zeller,1853; *purpureus* Stainton,1867
32. **Nemophora metallica (Poda,1761)** (Adelidae) Synonym(s): *metallica* Poda,1761; *scabiosella* Scopoli,1763; *viridella* Hübner,1796; *aerosellus* Zeller,1850; *rebelellus* Turati,1924 Larval foodplant(s): *Scabiosa* (Dipsacaceae) (Scopoli,1763).
33. **Nemophora minimella ([Denis & Schiffermüller],1775)** (Adelidae) Synonym(s): *minimella* [Denis & Schiffermüller],1775; *lenellus* Zeller,1853
34. **Nemophora mollella (Hübner,[1813])** (Adelidae) Synonym(s): *mollella* Hübner,[1813]; *glabrata* Meyrick,1922
35. **Nemophora oxsenheimerella (Hübner,[1813])** (Adelidae) Synonym(s): *oxsenheimerella* Hübner,[1813]; *chibiana* Matsumura,1931; *japanalpina* Yasuda,1957
36. **Nemophora prodigella (Zeller,1853)** (Adelidae) Synonym(s): *prodigellus* Zeller,1853; *auricellus* Ragonot,1874; *splendidus* Staudinger,1880

37. **Nemophora raddella (Hübner,1793)** (Adelidae) Synonym(s): *raddella* Hübner,1793; *latreillella* Fabricius,1798; *raddaellus* Wocke,1871; *algeriensis* Walsingham,1907 Larval foodplant(s): *Pyrethrum inodorum*, *Dipsacus* (Zeller,1853).
38. **Nemophora violellus (Herrich-Schäffer,1851)** (Adelidae) Synonym(s): *violella* Herrich-Schäffer,1851; *violaria* Razowski,1978
39. **Blastodacna atra (Haworth,[1828])** (Agonoxenidae) Synonym(s): *atra* Haworth,[1828]; *putripennella* Zeller,1839 Larval foodplant(s): *Malus* (Rosaceae) (Miles,1930).
40. **Blastodacna hellerella (Duponchel,1838)** (Agonoxenidae) Synonym(s): *hellerella* Duponchel,1838 Larval foodplant(s): *Crataegus monogyna*, *C.laevigata*, *Prunus spinosa*, *P.domestica*, *Malus* (Rosaceae) (Riedl,1969).
41. **Chrysoclista lathamella (Fletcher,1936)** (Agonoxenidae) Synonym(s): *bimaculella* Haworth,1828 nec Thunb.,1794; *lathamella* Fletcher,1936; *razowskii* Riedl,1965 Larval foodplant(s): *Salix alba*, *S.caprea*, *S.fragilis*, *S.cinerea* (Salicaceae) (Koster & Sinev,2003).
42. **Chrysoclista linneella (Clerck,1759)** (Agonoxenidae) Synonym(s): *#linneella* Clerck,1759; *linneella* Linnaeus,1761 Larval foodplant(s): *Tilia cordata*, *T.europaea* (Tiliaceae), *Fagus* (Fagaceae), *Malus* (Rosaceae) (Sorhagen,1885; Riedl,1969, et seq.).
43. **Heinemannia festivella ([Denis & Schiffermüller],1775)** (Agonoxenidae) Synonym(s): *festivella* [Denis & Schiffermüller],1775; *kokujevi* Krulikowsky,1903 Larval foodplant(s): *Solidago virgaurea* (Riedl,1969).
44. **Heinemannia laspeyrella (Hübner,1796)** (Agonoxenidae) Synonym(s): *laspeyrella* Hübner,1796 Larval foodplant(s): *Lathyrus pisiformis*, *orobus vernus*, *Trifolium* (Fabaceae) (Sinev,1986).
45. **Spuleria flavicaput (Haworth,1828)** (Agonoxenidae) Synonym(s): *flavicaput* Haworth,1828; *aurifrontella* Geyer,[1832]; *aurocapitella* Bruand,[1851]; *flavicapitella* Doubleday,1859 Larval foodplant(s): *Crataegus monogyna*, *C.oxyacantha* (Rosaceae) (Riedl,1969).
46. **Alucita cancellata (Meyrick,1908)** (Alucitidae) Synonym(s): *cancellata* Meyrick,1908
47. **Alucita desmodactyla Zeller,1847** (Alucitidae) Synonym(s): *desmodactyla* Zeller,1847
48. **Alucita hexadactyla Linnaeus,1758** (Alucitidae) Synonym(s): *hexadactyla* Linnaeus,1758 Larval foodplant(s): *Phlomis blossom* (Lamiaceae) (Staudinger,1880).
49. **Alucita huebneri Wallengren,1859** (Alucitidae) Synonym(s): *huebneri* Wallengren,1859
50. **Alucita palodactyla Zeller,1847** (Alucitidae) Synonym(s): *palodactyla* Zeller,1847; *perittodactyla* Staudinger,1859; *parthenodactyla* Chrétien,1915
51. **Pterotopteryx dodecadactyla (Hübner,1813)** (Alucitidae) Synonym(s): *dodecadactyla* Hübner,1813; *dorcadius* Hering,1917
52. **Acerbia alpina (Quensel,1802)** (Arctiidae) Synonym(s): *alpina* Quensel,1802; *thulea* Dalman,1823; *sibirica* O.Bang-Haas,1927.
53. **Acerbia alpina alpina (Quensel,1802)** (Arctiidae) Synonym(s): *alpina* Quensel,1802; *thulea* Dalman,1823; *sibirica* O.Bang-Haas,1927.
54. **Acerbia alpina severa Saldaitis & Ivinskis,2004** (Arctiidae) Synonym(s): *severa* Saldaitis & Ivinskis,2004
55. **Acerbia alpina sibirica (O.Bang-Haas,1927)** (Arctiidae) Synonym(s): *sibirica* O.Bang-Haas,1927
56. **Amurhhyparia leopardinula (Strand,1919)** (Arctiidae) Synonym(s): *leopardina* Ménétriés,1859 nec Kollar,[1844]; *leopardinula* Strand,1919; *mandschurica* O.Bang-Haas,1927; *sinensis* O.Bang-Haas,1936.

57. **Amurrrhyparia leopardinula leopardinula (Strand,1919) (Arctiidae)**
Synonym(s): *leopardina* Ménéttriés,1859 *nec* Kollar,[1844]; *leopardinula* Strand,1919; *mandschurica* O.Bang-Haas,1927; *sinensis* O.Bang-Haas,1936.
58. **Arctia (Epicallia) villica (Linnaeus,1758) (Arctiidae)** Synonym(s): *villica* Linnaeus,1758; *corsica* Oberthür,1911; *niceensis* Oberthür,1911; *britannica* Oberthür,1911; *meridionalis* Heinrich,1923. Larval foodplant(s): *Achillea* (Asteraceae), *Fragaria*, *Lamium*, *Stellaria* (Lamiaceae); *Urtica* (Urticaceae) (Meyer,1919).
59. **Arctia (Epicallia) villica transuralica Dubatolov,2007 (Arctiidae)**
Synonym(s): *transuralica* Dubatolov,2007
60. **Arctia (Epicallia) villica villica (Linnaeus,1758) (Arctiidae)** Synonym(s): *villica* Linnaeus,1758; *corsica* Oberthür,1911; *niceensis* Oberthür,1911; *britannica* Oberthür,1911; *meridionalis* Heinrich,1923. Larval foodplant(s): *Achillea*, *Fragaria*, *Lamium*, *Stellaria*, *Urtica* (Meyer,1919).
61. **Arctia (Eucharia) festiva (Hufnagel,1766) (Arctiidae)** Synonym(s): *festiva* Hufnagel,1766; *hebe* Linnaeus,1767; *interrogationis* Ménéttriés,1863; *sartha* Staudinger,1886; *nivea* O.Bang-Haas,1927; *ragusai* Stauder,1928. Larval foodplant(s): *Achillea*, *Alyssum*, *Artemisia* (Asteraceae); *Chenopodium* (Chenopodiaceae); *Euphorbia cyparissias* (Euphorbiaceae); *Rubus chamaedorus* (Rosaceae) (Meyer,1919).
62. **Arctia (Eucharia) festiva collaris (Groum-Grshimailo,1899) (Arctiidae)** Synonym(s): *collaris* Groum-Grshimailo,1899; *culoti* Oberthür,1912.
63. **Arctia (Eucharia) festiva festiva (Hufnagel,1766) (Arctiidae)**
Synonym(s): *festiva* Hufnagel,1766; *hebe* Linnaeus,1767; *interrogationis* Ménéttriés,1863; *sartha* Staudinger,1886; *nivea* O.Bang-Haas,1927; *ragusai* Stauder,1928. Larval foodplant(s): *Achillea*, *Alyssum*, *Artemisia* (Asteraceae); *Chenopodium* (Chenopodiaceae); *Euphorbia cyparissias* (Euphorbiaceae); *Rubus chamaedorus* (Rosaceae) (Meyer,1919).
64. **Arctia (s.str.) caja (Linnaeus,1758) (Arctiidae)** Synonym(s): *caja* Linnaeus,1758; *erinacea* Retzius,1783; *phantasma* Niepelt,1905; *lusitanica* Spuler,1906; *confluens* Rebel,1910 *nec* Rom.,1884; *rebeli* Wnukowsky,1929. Larval foodplant(s): *Digitalis*, *Lactuca*, *Plantago*, *Sarothamnus scoparius* (Meyer,1919).
65. **Arctia (s.str.) caja caja (Linnaeus,1758) (Arctiidae)** Synonym(s): *caja* Linnaeus,1758; *erinacea* Retzius,1783; *phantasma* Niepelt,1905; *lusitanica* Spuler,1906; *confluens* Rebel,1910 *nec* Rom.,1884; *rebeli* Wnukowsky,1929.
66. **Arctia (s.str.) caja kamtschadalis Draudt,1934 (Arctiidae)** Synonym(s): *kamtschadalis* Draudt,1934
67. **Arctia (s.str.) caja ossetica Dubatolov,1996 (Arctiidae)** Synonym(s): *ossetica* Dubatolov,1996
68. **Arctia (s.str.) caja phaeosoma (Butler,1877) (Arctiidae)** Synonym(s): *phaeosoma* Butler,1877; *auripennis* Butler,1881; *immaculata* Matsumura,1927
69. **Arctia (s.str.) caja sajana O.Bang-Haas,1927 (Arctiidae)** Synonym(s): *sajana* O.Bang-Haas,1927
70. **Arctia (s.str.) flavia (Fuessly,1779) (Arctiidae)** Synonym(s): *flavia* Fuessly,1779; *virgo* Hübner,[1804]; *campestris* Graeser,1892; *uralensis* Heyne,1899; *sibirica* Heyne,1899; *lederi* O.Bang-Haas,1927; *baicalensis* O.Bang-Haas,1927; *jeholensis* O.Bang-Haas,1927 Larval foodplant(s): *Cotoneaster* (Meyer,1919).
71. **Arctia (s.str.) flavia flavia (Fuessly,1779) (Arctiidae)** Synonym(s): *flavia* Fuessly,1779; *virgo* Hübner,[1804]; *campestris* Graeser,1892; *uralensis* Heyne,1899; *sibirica* Heyne,1899; *lederi* O.Bang-Haas,1927; *baicalensis* O.Bang-Haas,1927; *jeholensis* O.Bang-Haas,1927 Larval foodplant(s): *Cotoneaster* (Meyer,1919).
72. **Arctia (s.str.) olschwangi Dubatolov,1990 (Arctiidae)** Synonym(s): *olschwangi* Dubatolov,1990
73. **Arctia (s.str.) olschwangi olschwangi Dubatolov,1990 (Arctiidae)**
Synonym(s): *olschwangi* Dubatolov,1990
74. **Atolmis rubricollis (Linnaeus,1758) (Arctiidae)** Synonym(s): *rubricollis* Linnaeus,1758

75. **Borearctia menetriesi (Eversmann,1846)** (Arctiidae) Synonym(s): *menetriesi* Eversmann,1846
76. **Borearctia menetriesi menetriesi (Eversmann,1846)** (Arctiidae) Synonym(s): *menetriesi* Eversmann,1846
77. **Callimorpha dominula (Linnaeus,1758)** (Arctiidae) Synonym(s): *dominula* Linnaeus,1758; *insubrica* Wackerzapp,1890; *rhodanica* Kettlewell,1943. Larval foodplant(s): *Cirsium*, *Cynoglossum* (Asteraceae); *Fraxinus* (Oleaceae); *Lamium* (Lamiaceae); *Myosotis* (Boraginaceae); *Rubus idaeus* (Rosaceae); *Populus tremula*, *Salix* (Salicaceae); *Lonicera* (Meyer,1919).
78. **Callimorpha dominula dominula (Linnaeus,1758)** (Arctiidae) Synonym(s): *dominula* Linnaeus,1758; *insubrica* Wackerzapp,1890; *rhodanica* Kettlewell,1943.
79. **Centrarctia mongolica (Alpheraky,1888)** (Arctiidae) Synonym(s): *mongolica* Alpheraky,1888; *serarum* Grum-Grshimailo,1899; *serum* Grum-Grshimailo,1902.
80. **Centrarctia mongolica mongolica (Alpheraky,1888)** (Arctiidae) Synonym(s): *mongolica* Alpheraky,1888; *serarum* Grum-Grshimailo,1899; *serum* Grum-Grshimailo,1902.
81. **Chelis caecilia (Lederer,1853)** (Arctiidae) Synonym(s): *caecilia* Lederer,1853; *insularia* Kozhantschikov,1904.
82. **Chelis caecilia caecilia (Lederer,1853)** (Arctiidae) Synonym(s): *caecilia* Lederer,1853; *insularia* Kozhantschikov,1904.
83. **Chelis dahurica (Boisduval,1832)** (Arctiidae) Synonym(s): *dahurica* Boisduval,1832; *gruneri* Staudinger,1867; *sojota* Tschetverikov,1904.
84. **Chelis dahurica dahurica (Boisduval,1832)** (Arctiidae) Synonym(s): *dahurica* Boisduval,1832; *gruneri* Staudinger,1867; *sojota* Tschetverikov,1904.
85. **Chelis maculosa (Gerning,1780)** (Arctiidae) Synonym(s): *#maculosa* [Denis & Schiffermüller],1775; *maculosa* Gerning,1780; *monacensis* Osthelder,1933. Larval foodplant(s): *Galium aparine*, *G. verum* (Rubiaceae) (Meyer,1919).
86. **Chelis maculosa honesta (Tauscher,1806)** (Arctiidae) Synonym(s): *honesta* Tauscher,1806; *mannerheimi* Duponchel,1836
87. **Chelis maculosa maculosa (Gerning,1780)** (Arctiidae) Synonym(s): *#maculosa* [Denis & Schiffermüller],1775; *maculosa* Gerning,1780; *monacensis* Osthelder,1933.
88. **Chelis reticulata (Christoph,1887)** (Arctiidae) Synonym(s): *reticulata* Christoph,1887
89. **Chelis reticulata transcaucasica Dubatolov,1988** (Arctiidae) Synonym(s): *transcaucasica* Dubatolov,1988
90. **Chionarctia nivea (Ménétriés,1859)** (Arctiidae) Synonym(s): *nivea* Ménétriés,1859
91. **Chionarctia nivea nivea (Ménétriés,1859)** (Arctiidae) Synonym(s): *nivea* Ménétriés,1859
92. **Coscinia cribraria (Linnaeus,1758)** (Arctiidae) Synonym(s): *cribraria* Linnaeus,1758; *cribrum* Linnaeus,1761; *chrysocephala* Hübner,[1804]; *punctigera* Freyer,1834; *sibirica* Staudinger,1892; *bivittata* South,1900; *fumidaria* O.Bang-Haas,1927; *arenaria* Lempke,1937; *nikitini* O.Bang-Haas,1938; *pannonica* Daniel,1955;...
93. **Coscinia cribraria cribraria (Linnaeus,1758)** (Arctiidae) Synonym(s): *cribraria* Linnaeus,1758; *cribrum* Linnaeus,1761; *chrysocephala* Hübner,[1804]; *punctigera* Freyer,1834; *sibirica* Staudinger,1892; *bivittata* South,1900; *fumidaria* O.Bang-Haas,1927; *arenaria* Lempke,1937; *nikitini* O.Bang-Haas,1938; *pannonica* Daniel,1955;...
94. **Cybosia mesomella (Linnaeus,1758)** (Arctiidae) Synonym(s): *mesomella* Linnaeus,1758; *eborina* Denis & Schiffermüller,1775; *quatrilis* Fourcroy,1785; *eremella* Vorbrodt,1914
95. **Cymbalophora rivularis (Ménétriés,1832)** (Arctiidae) Synonym(s): *rivularis* Ménétriés,1832; *dannehli* Dannehl,1929.
96. **Cymbalophora rivularis rivularis (Ménétriés,1832)** (Arctiidae) Synonym(s): *rivularis* Ménétriés,1832; *dannehli* Dannehl,1929.
97. **Diacrisia irene Butler,1881** (Arctiidae) Synonym(s): *irene* Butler,1881; *amuri* Staudinger,1892; *rishiriensis* Matsumura,1930; *rubrocentralis* Bryk,1948.

- 98. Diacrisia irene irene Butler,1881** (Arctiidae) **Synonym(s):** *irene* Butler,1881; *amuri* Staudinger,1892; *rishiriensis* Matsumura,1930; *rubrocentralis* Bryk,1948.
- 99. Diacrisia sannio (Linnaeus,1758)** (Arctiidae) **Synonym(s):** *sannio* Linnaeus,1758; *russula* Linnaeus,1758; *vulpinaria* Linnaeus,1758; *hesperidea* Fourcroy,1785; *pallida* Staudinger,1892. **Larval foodplant(s):** *Leontodon taraxacum* (Asteraceae), *Plantago* (Meyer,1919).
- 100. Diacrisia sannio caucasica Schaposchnikoff,1904** (Arctiidae) **Synonym(s):** *caucasica* Schaposchnikoff,1904; *caucasiana* Strand,1919.
- 101. Diacrisia sannio mortua (Staudinger,1887)** (Arctiidae) **Synonym(s):** *mortua* Staudinger,1887; *uniformis* A.Bang-Haas,1907; *syrdarja* Strand,1919.
- 102. Diacrisia sannio sannio (Linnaeus,1758)** (Arctiidae) **Synonym(s):** *sannio* Linnaeus,1758; *russula* Linnaeus,1758; *vulpinaria* Linnaeus,1758; *hesperidea* Fourcroy,1785; *pallida* Staudinger,1892.
- 103. Diaphora mendica (Linnaeus,1761)** (Arctiidae) **Synonym(s):** *#mendica* Clerck,1759; *mendica* Linnaeus,1761; *rustica* Hübner,[1791]
- 104. Diaphora mendica mendica (Linnaeus,1761)** (Arctiidae) **Synonym(s):** *#mendica* Clerck,1759; *mendica* Linnaeus,1761; *rustica* Hübner,[1791]
- 105. Dodia albertae Dyar,1901** (Arctiidae) **Synonym(s):** *albertae* Dyar,1901; *atra* A.Bang-Haas,1912; *kozhantshikovi* Sheljuzhko,1918.
- 106. Dodia albertae albertae Dyar,1901** (Arctiidae) **Synonym(s):** *albertae* Dyar,1901; *atra* A.Bang-Haas,1912; *kozhantshikovi* Sheljuzhko,1918.
- 107. Dodia albertae eudiopta Tshistjakov,1988** (Arctiidae) **Synonym(s):** *eudiopta* Tshistjakov,1988
- 108. Dodia kononenkoi Tshistjakov & Lanfontaine,1984** (Arctiidae) **Synonym(s):** *kononenkoi* Tshistjakov & Lanfontaine,1984
- 109. Dodia kononenkoi kononenkoi Tshistjakov & Lanfontaine,1984** (Arctiidae) **Synonym(s):** *kononenkoi* Tshistjakov & Lanfontaine,1984
- 110. Dodia kononenkoi sikhotensis Tshistjakov,1988** (Arctiidae) **Synonym(s):** *sikhotensis* Tshistjakov,1988
- 111. Dodia sazanovi Dubatolov,1990** (Arctiidae) **Synonym(s):** *sazanovi* Dubatolov,1990
- 112. Dodia sazanovi sazanovi Dubatolov,1990** (Arctiidae) **Synonym(s):** *sazanovi* Dubatolov,1990
- 113. Dodia transbaikalis Tshistjakov,1988** (Arctiidae) **Synonym(s):** *transbaikalis* Tshistjakov,1988
- 114. Dodia transbaikalis transbaikalis Tshistjakov,1988** (Arctiidae) **Synonym(s):** *transbaikalis* Tshistjakov,1988
- 115. Eilema caniola (Hübner,[1808])** (Arctiidae) **Synonym(s):** *caniola* Hübner,[1808]
- 116. Eilema complana (Linnaeus,1758)** (Arctiidae) **Synonym(s):** *complana* Linnaeus,1758; *ochrocephala* Fourcroy,1785; *sericea* Gregson,1860; *molybdeola* Guenée,1861; *balcanica* Daniel,1939.
- 117. Eilema griseola (Hübner,[1803])** (Arctiidae) **Synonym(s):** *griseola* Hübner,[1803]; *plumbeolata* Stephens,1829; *stramineola* Doubleday,1847.
- 118. Eilema lurideola (Zincken,1817)** (Arctiidae) **Synonym(s):** *lurideolum* Zincken,1817; *complanula* Boisduval,1834; *plumbeolana* Herrich-Schäffer,1852.
- 119. Eilema lutarella (Linnaeus,1758)** (Arctiidae) **Synonym(s):** *lutarella* Linnaeus,1758; *luteola* [Denis & Schiffermüller],1775; *alboflava* Retzius,1783; *flava* Fabricius,1798; *lutea* Fabricius,1798 nec Fabr.,1775
- 120. Eilema palliatella (Scopoli,1763)** (Arctiidae) **Synonym(s):** *palliatella* Scopoli,1763; *unita* [Denis & Schiffermüller],1775; *palleola* Hübner,[1808]; *gilveola* Ochsenheimer,1810; *vitellina* Treitschke,1834; *flaveola* Rambur,1866.
- 121. Eilema pygmaeola (Doubleday,1847)** (Arctiidae) **Synonym(s):** *pygmaeolum* Doubleday,1847
- 122. Eilema sororcula (Hufnagel,1766)** (Arctiidae) **Synonym(s):** *sororcula* Hufnagel,1766; *crocella* Fourcroy,1785; *crocinella* Villers,1789; *aureola* Hübner,[1808]; *aurantia* Haworth,1809.

- 123. Epatolmis caesarea (Goeze,1781) (Arctiidae)** *Synonym(s): #luctifera [Denis & Schiffermüller],1775; caesarea Goeze,1781; japonica Walker,[1865]. Larval foodplant(s): Atriplex, Chenopodium, Cynoglossum, Euphorbia, Euphrasia, Galium, Hieracium, Myosotis, Plantago lanceolata, Rubus, Stellaria, Veronica (Meyer,1919; De Freina & Witt,1987).*
- 124. Epatolmis caesarea caesarea (Goeze,1781) (Arctiidae)** *Synonym(s): #luctifera [Denis & Schiffermüller],1775; caesarea Goeze,1781; japonica Walker,[1865]. Larval foodplant(s): Atriplex, Chenopodium, Cynoglossum, Euphorbia, Euphrasia, Galium, Hieracium, Myosotis, Plantago lanceolata, Rubus, Stellaria, Veronica (Meyer,1919; De Freina & Witt,1987).*
- 125. Epimydia dialampra Staudinger,1892 (Arctiidae)** *Synonym(s): dialampra Staudinger,1892*
- 126. Epimydia dialampra dialampra Staudinger,1892 (Arctiidae)** *Synonym(s): dialampra Staudinger,1892*
- 127. Euplagia quadripunctaria (Poda,1761) (Arctiidae)** *Synonym(s): quadripunctaria Poda,1761; hera Linnaeus,1767; magna Spuler,1910 nec Hol.,1897; latefasciata Bubacek,1915. Larval foodplant(s): Epilobium, Fagus, Fraxinus, Plantago, Quercus, Ribes grossularia, Rubus, Sarothamnus scoparius (Meyer,1919).*
- 128. Euplagia quadripunctaria quadripunctaria (Poda,1761) (Arctiidae)** *Synonym(s): quadripunctaria Poda,1761; hera Linnaeus,1767; magna Spuler,1910 nec Hol.,1897; latefasciata Bubacek,1915.*
- 129. Grammia (Holarctia) turbans (Christoph,1892) (Arctiidae)** *Synonym(s): turbans Christoph,1892*
- 130. Grammia (Holarctia) turbans turbans (Christoph,1892) (Arctiidae)** *Synonym(s): turbans Christoph,1892*
- 131. Grammia (s.str.) philippiana Ferguson,1985 (Arctiidae)** *Synonym(s): philippiana Ferguson,1985; olga Dubatolov,1990.*
- 132. Grammia (s.str.) philippiana philippiana Ferguson,1985 (Arctiidae)** *Synonym(s): philippiana Ferguson,1985; olga Dubatolov,1990.*
- 133. Grammia (s.str.) quenseli (Paykull,1793) (Arctiidae)** *Synonym(s): quenseli Paykull,1793; strigosa Fabricius,1793; falloui Jourdheuil,1866; gelida Schöyen,1880; norvegica Strand,1919; alpivolans Warnecke,1949; dolomitica Loritz,1952. Larval foodplant(s): Geum, Lathyrus pratensis (Meyer,1919).*
- 134. Grammia (s.str.) quenseli quenseli (Paykull,1793) (Arctiidae)** *Synonym(s): quenseli Paykull,1793; strigosa Fabricius,1793; falloui Jourdheuil,1866; gelida Schöyen,1880; norvegica Strand,1919; alpivolans Warnecke,1949; dolomitica Loritz,1952.*
- 135. Holarctia marinae Dubatolov,1985 (Arctiidae)** *Synonym(s): marinae Dubatolov,1985*
- 136. Holarctia marinae marinae Dubatolov,1985 (Arctiidae)** *Synonym(s): marinae Dubatolov,1985*
- 137. Holarctia puengeleri (O.Bang-Haas,1927) (Arctiidae)** *Synonym(s): puengeleri O.Bang-Haas,1927*
- 138. Holarctia puengeleri fridolini (Torstenius,1971) (Arctiidae)** *Synonym(s): fridolini Torstenius,1971*
- 139. Holarctia puengeleri iremelica Dubatolov,2007 (Arctiidae)** *Synonym(s): iremelica Dubatolov,2007*
- 140. Holarctia puengeleri perunovi Dubatolov,1990 (Arctiidae)** *Synonym(s): perunovi Dubatolov,1990*
- 141. Holarctia puengeleri puengeleri (O.Bang-Haas,1927) (Arctiidae)** *Synonym(s): puengeleri O.Bang-Haas,1927*
- 142. Holarctia puengeleri sibirica Dubatolov,2007 (Arctiidae)** *Synonym(s): sibirica Dubatolov,2007*
- 143. Hyperborea czekanowskii Groum-Grshimailo,[1900] (Arctiidae)** *Synonym(s): czekanowskii Groum-Grshimailo,[1900]*

- 144. *Hyperborea czekanowskii czekanowskii* Groum-Grshimailo,[1900]** (Arctiidae) Synonym(s): *czekanowskii* Groum-Grshimailo,[1900]
- 145. *Hyphantria cunea* (Drury,[1773])** (Arctiidae) Synonym(s): *cunea* Drury,[1773]; *punctatissima* Smith,1797; *budea* Hübner,[1823]; *textor* Harris,1828; *mutans* Walker,1856; *collaris* Fitch,1857; *punctata* Fitch,1857; *pallida* Packard,1864; *candida* Walker,1865; *suffusa* Strecker,1900; *brunnea* Strecker,1900 Larval foodplant(s): *Prunus*, *Malus*, *Pyrus* (Rosaceae), *Alnus* (Betulaceae), *Populus* (Salicaceae).
- 146. *Hyphantria cunea cunea* (Drury,[1773])** (Arctiidae) Synonym(s): *cunea* Drury,[1773]; *punctatissima* Smith,1797; *budea* Hübner,[1823]; *textor* Harris,1828; *mutans* Walker,1856; *collaris* Fitch,1857; *punctata* Fitch,1857; *pallida* Packard,1864; *candida* Walker,1865; *suffusa* Strecker,1900; *brunnea* Strecker,1900 Larval foodplant(s): *Prunus*, *Malus*, *Pyrus* (Rosaceae), *Alnus* (Betulaceae), *Populus* (Salicaceae).
- 147. *Hyphoraia aulica* (Linnaeus,1758)** (Arctiidae) Synonym(s): *aulica* Linnaeus,1758; *pustulata* Müller,1764 Larval foodplant(s): *Achillea*, *Alyssum montanum*, *Plantago*, *Vicia* (Meyer,1919).
- 148. *Hyphoraia aulica aulica* (Linnaeus,1758)** (Arctiidae) Synonym(s): *aulica* Linnaeus,1758; *pustulata* Müller,1764
- 149. *Hyphoraia aulica testudinarioides* (Sovinsky,1905)** (Arctiidae) Synonym(s): *testudinarioides* Sovinsky,1905
- 150. *Katha depressa* (Esper,[1787])** (Arctiidae) Synonym(s): *deplana* Esper,[1787] *nec* Linn.,1771; *depressa* Esper,[1787]; *helvola* Hübner,[1803]; *ochreola* Hübner,[1803]; *helvola* Ochsenheimer,1810.
- 151. *Lacydes spectabilis* (Tauscher,1806)** (Arctiidae) Synonym(s): *spectabilis* Tauscher,1806; *intercissa* Freyer,1842. Larval foodplant(s): *Artemisia* (Asteraceae) (Meyer,1919); *Salvia* (Lamiaceae) (Wiltshire,1940); *Lamium* (Lamiaceae) (Koçak, in litt.).
- 152. *Lacydes spectabilis spectabilis* (Tauscher,1806)** (Arctiidae) Synonym(s): *spectabilis* Tauscher,1806; *intercissa* Freyer,1842.
- 153. *Lemyra jankowskii* (Oberthür,1881)** (Arctiidae) Synonym(s): *jankowskii* Oberthür,1881; *korearctia* Bryk,1948
- 154. *Lemyra jankowskii jankowskii* (Oberthür,1881)** (Arctiidae) Synonym(s): *jankowskii* Oberthür,1881; *korearctia* Bryk,1948
- 155. *Lithosia quadra* (Linnaeus,1758)** (Arctiidae) Synonym(s): *quadra* Linnaeus,1758; *flava* Müller,1764; *deplana* Linnaeus,1771; *quadrata* Walckenaer,1802; *dives* Butler,1877. Larval foodplant(s): *Liken*; *Quercus* (Fagaceae) (Meyer,1919).
- 156. *Melanaema venata* Butler,1877** (Arctiidae) Synonym(s): *venata* Butler,1877
- 157. *Miltochrista miniata* (Forster,1771)** (Arctiidae) Synonym(s): *miniata* Forster,1771; *rosea* Fabricius,1775; *rubicunda* [Denis & Schiffermüller],1775; *minialis* Thunberg,1784; *rosacea* Fourcroy,1785; *roseana* Villers,1789; *rosea* Donovan,1793 *nec* Fabricius,1775; *destrigata* Dannehl,1928; *mosbacheri* Roesler,1967. Larval foodplant(s): *Carpinus betulus*, *Quercus*, *Parmelia* (likens) (Meyer,1919).
- 158. *Nudaria mundana* (Linnaeus,1761)** (Arctiidae) Synonym(s): *mundana* Linnaeus,1761
- 159. *Ocnogyna* (Somatotrichia) *parasita* (Hübner,1790)** (Arctiidae) Synonym(s): *parasita* Hübner,1790 Larval foodplant(s): *Gentiana lutea* (Gentianaceae), *Urtica* (Urticaceae), *Plantago*, *Scabiosa* (Dipsacaceae) (Meyer,1919; De Freina & Witt,1987).
- 160. *Ocnogyna* (Somatotrichia) *parasita rothschildi* A.Bang-Haas,1912** (Arctiidae) Synonym(s): *rothschildi* A.Bang-Haas,1912
- 161. *Ocnogyna* (s.str.) *armena* Staudinger,1871** (Arctiidae) Synonym(s): *armena* Staudinger,1871
- 162. *Ocnogyna* (s.str.) *armena daghestana* Dubatolov,1996** (Arctiidae) Synonym(s): *daghestana* Dubatolov,1996
- 163. *Ovenna vicaria* (Walker,1854)** (Arctiidae) Synonym(s): *vicaria* Walker,1854; *imitans* Mabilie,1879; *simulans* Mabilie,1879; *desiccata* Kiriakoff,1954

- 164. *Palearctia mira* Dubatolov & Tshistjakov,1989** (Arctiidae) Synonym(s): *mira* Dubatolov & Tshistjakov,1989
- 165. *Palearctia mira mira* Dubatolov & Tshistjakov,1989** (Arctiidae) Synonym(s): *mira* Dubatolov & Tshistjakov,1989
- 166. *Pararctia lapponica* (Thunberg,1791)** (Arctiidae) Synonym(s): *lapponica* Thunberg,1791; *festiva* Borkhausen,1790 nec Hufn.,1766; *avia* Hübner,[1804]; *rosea* Sheljuzhko,1929.
- 167. *Pararctia lapponica lapponica* (Thunberg,1791)** (Arctiidae) Synonym(s): *lapponica* Thunberg,1791; *festiva* Borkhausen,1790 nec Hufn.,1766; *avia* Hübner,[1804]; *rosea* Sheljuzhko,1929.
- 168. *Pararctia lapponica lemniscata* (Stichel,1911)** (Arctiidae) Synonym(s): *lemniscata* (Stichel,1911)
- 169. *Pararctia subnebulosa* (Dyar,1899)** (Arctiidae) Synonym(s): *subnebulosa* Dyar,1899
- 170. *Pararctia subnebulosa tundrana* Tshistjakov,1990** (Arctiidae) Synonym(s): *tundrana* Tshistjakov,1990
- 171. *Parasemia plantaginis* (Linnaeus,1758)** (Arctiidae) Synonym(s): *plantaginis* Linnaeus,1758; *hospita* [Denis & Schiffermüller],1775. Larval foodplant(s): Hyacinthus, Lychnis, Plantago, Silene, Urtica (Meyer,1919).
- 172. *Parasemia plantaginis araitensis* Matsumura,1929** (Arctiidae) Synonym(s): *araitensis* Matsumura,1929; *paramushira* Bryk,1942; *#kamtschadalus* Bryk,1942.
- 173. *Parasemia plantaginis floccosa* (Graeser,1888)** (Arctiidae) Synonym(s): *floccosa* Graeser,1888
- 174. *Parasemia plantaginis nictitans* (Ménétriés,1859)** (Arctiidae) Synonym(s): *nictitans* Ménétriés,1859; *melas* Christoph,1893
- 175. *Parasemia plantaginis plantaginis* (Linnaeus,1758)** (Arctiidae) Synonym(s): *plantaginis* Linnaeus,1758; *hospita* [Denis & Schiffermüller],1775.
- 176. *Parasemia plantaginis sifanica* (Groum-Grshimailo,1891)** (Arctiidae) Synonym(s): *sifanica* Groum-Grshimailo,1891; *altaica* Seitz,1910.
- 177. *Parasemia plantaginis uralensis* Krulikowsky,1904** (Arctiidae) Synonym(s): *uralensis* Krulikowsky,1904
- 178. *Parasiccia altaica* (Lederer,1855)** (Arctiidae) Synonym(s): *altaica* Lederer,1855
- 179. *Pelosia muscerda* (Hufnagel,1766)** (Arctiidae) Synonym(s): *muscerda* Hufnagel,1766
- 180. *Pelosia obtusa* Herrich-Schäffer,[1847]** (Arctiidae) Synonym(s): *obtusa* Herrich-Schäffer,[1847]; *taurica* Daniel,1939.
- 181. *Pericallia matronula* (Linnaeus,1758)** (Arctiidae) Synonym(s): *matronula* Linnaeus,1758; *idriensis* Scopoli,1772; *matrona* Hübner,[1803]; *centralasiae* Schultz,1905; *agassizi* Spuler,1906; *amurensis* Sheljuzhko,1926; *sachalinensis* Draudt,1931. Larval foodplant(s): Evonymus, Prunus padus (Meyer,1919).
- 182. *Pericallia matronula matronula* (Linnaeus,1758)** (Arctiidae) Synonym(s): *matronula* Linnaeus,1758; *idriensis* Scopoli,1772; *matrona* Hübner,[1803]; *centralasiae* Schultz,1905; *agassizi* Spuler,1906; *amurensis* Sheljuzhko,1926; *sachalinensis* Draudt,1931.
- 183. *Phragmatobia amurensis* Seitz,1910** (Arctiidae) Synonym(s): *amurensis* Seitz,1910
- 184. *Phragmatobia amurensis amurensis* Seitz,1910** (Arctiidae) Synonym(s): *amurensis* Seitz,1910
- 185. *Phragmatobia fuliginosa* (Linnaeus,1758)** (Arctiidae) Synonym(s): *fuliginosa* Linnaeus,1758; *fervida* Staudinger,1871 nec Walk.,1855; *lurida* Rothschild,1910; *monticola* Daniel,1970 nec Reiss.,1934 Larval foodplant(s): Gallium mollugo, Rumex, Salix, Sinapis (Meyer,1919).
- 186. *Phragmatobia fuliginosa fuliginosa* (Linnaeus,1758)** (Arctiidae) Synonym(s): *fuliginosa* Linnaeus,1758; *fervida* Staudinger,1871 nec Walk.,1855; *lurida* Rothschild,1910; *monticola* Daniel,1970 nec Reiss.,1934
- 187. *Phragmatobia placida* (Frivaldsky,1835)** (Arctiidae) Synonym(s): *placida* Frivaldsky,1835

- 188. Phragmatobia placida placida (Frivaldsky,1835) (Arctiidae)**
Synonym(s): *placida* Frivaldsky,1835
- 189. Platarctia atropurpurea (O.Bang-Haas,1927) (Arctiidae)** Synonym(s):
atropurpurea O.Bang-Haas,1927
- 190. Platarctia atropurpurea atropurpurea (O.Bang-Haas,1927) (Arctiidae)**
Synonym(s): *atropurpurea* O.Bang-Haas,1927
- 191. Platarctia atropurpurea sotavaltai Dubatolov,1996 (Arctiidae)**
Synonym(s): *sotavaltai* Dubatolov,1996
- 192. Rhyparia purpurata (Linnaeus,1758) (Arctiidae)** Synonym(s): *purpurata*
Linnaeus,1758; *purpurea* Linnaeus,1767; *uralensis* Spuler,1906; *barteli* Krulikowsky,1909. Larval
foodplant(s): *Ribes* (Linnaeus,1758); *Salix* (Meyer,1919).
- 193. Rhyparia purpurata gerda Warnecke,1918 (Arctiidae)** Synonym(s): *gerda*
Warnecke,1918
- 194. Rhyparia purpurata purpurata (Linnaeus,1758) (Arctiidae)** Synonym(s):
purpurata Linnaeus,1758; *purpurea* Linnaeus,1767; *uralensis* Spuler,1906; *barteli* Krulikowsky,1909.
- 195. Rhyparioides amurensis (Bremer,1861) (Arctiidae)** Synonym(s): *amurensis*
Bremer,1861; *meridei* Daniel,1943
- 196. Rhyparioides flavida (Bremer,1861) (Arctiidae)** Synonym(s): *flavida*
Bremer,1861; *occidentalis* Daniel,1939
- 197. Rhyparioides metelkana (Lederer,1861) (Arctiidae)** Synonym(s): *metelkana*
Lederer,1861; *simanensis* Miyake,1909; *okinawana* Matsumura,1927; *kangsui* Daniel,1943
- 198. Setema cereola (Hübner,[1803]) (Arctiidae)** Synonym(s): *cereola*
Hübner,[1803]; *cinereola* Zeller,1847
- 199. Setina irrorella (Linnaeus,1758) (Arctiidae)** Synonym(s): *irrorella*
Linnaeus,1758; *ochracea* Scopoli,1772; *irrorea* [Denis & Schiffermüller],1775; *flavanigropunctata*
Retzius,1783; *palealis* Villers,1789; *irrorata* Fabricius,1798; *binumerica* Drapiez,1819; *pseudoirrorella* Witt
& De Freina,1985
- 200. Setina roscida ([Denis & Schiffermüller],1775) (Arctiidae)** Synonym(s):
roscida [Denis & Schiffermüller],1775; *roscidella* Fabricius,1794; *melanomos* Nickerl,1845; *bosniaca*
Rebel,1910; *baltica* Wahlgren,1913; *subalpina* Thomann,1951; *rubeni* Viidalepp,1979
- 201. Sibirarctia kindermanni (Staudinger,1867) (Arctiidae)** Synonym(s):
kindermanni Staudinger,1867
- 202. Sibirarctia kindermanni kindermanni (Staudinger,1867) (Arctiidae)**
Synonym(s): *kindermanni* Staudinger,1867
- 203. Sibirarctia kindermanni pomona (Staudinger,1897) (Arctiidae)**
Synonym(s): *pomona* Staudinger,1897; *roseni* O.Bang-Haas,1927.
- 204. Sibirarctia kindermanni pretiosa (Staudinger,1887) (Arctiidae)**
Synonym(s): *pretiosa* Staudinger,1887; *ussuriensis* O.Bang-Haas,1927.
- 205. Spilarctia lutea (Hufnagel,1766) (Arctiidae)** Synonym(s): *lutea* Hufnagel,1766;
radiatus Haworth,1812; *rhododactyla* Bryk,1948; *reisseri* Koutsaftikis,1973 Larval foodplant(s):
Hieracium umbellatum, *Rubus*, *Urtica* (Meyer,1919).
- 206. Spilarctia lutea lutea (Hufnagel,1766) (Arctiidae)** Synonym(s): *lutea*
Hufnagel,1766; *radiatus* Haworth,1812; *rhododactyla* Bryk,1948; *reisseri* Koutsaftikis,1973
- 207. Spilarctia obliquizonata (Miyake,1910) (Arctiidae)** Synonym(s):
obliquizonata Miyake,1910
- 208. Spilarctia obliquizonata obliquizonata (Miyake,1910) (Arctiidae)**
Synonym(s): *obliquizonata* Miyake,1910
- 209. Spilarctia subcarneum (Walker,1855) (Arctiidae)** Synonym(s): *subcarneum*
Walker,1855; *bifrons* Walker,1855; *rybakovi* Alpheraky,1897
- 210. Spilarctia subcarneum charbini (Daniel,1943) (Arctiidae)** Synonym(s):
charbini Daniel,1943
- 211. Spilarctia subcarneum subcarneum (Walker,1855) (Arctiidae)**
Synonym(s): *subcarneum* Walker,1855; *bifrons* Walker,1855; *rybakovi* Alpheraky,1897
- 212. Spilosoma lubricipedum (Linnaeus,1758) (Arctiidae)** Synonym(s):
lubricipeda Linnaeus,1758; *menthastri* [Denis & Schiffermüller],1775; ? *sangaica* Walker,[1865];
chishimana Matsumura,1929; *masuensis* Matsumura,1930; *elegans* Bryk,1938; *sotiriadis*

- Koutsaftikis,1973; #lubrecipeda De Freina,1981.* Larval foodplant(s): *Atriplex*, *Chenopodium*, *Galium*, *Mentha*, *Polygonum*, *Quercus*, *Ulmus*, *Urtica* (Linnaeus,1758; Meyer,1919).
- 213. *Spilosoma lubricipedum lubricipedum* (Linnaeus,1758) (Arctiidae)**
Synonym(s): *lubricipeda* Linnaeus,1758; *menthastri* [Denis & Schiffermüller],1775; ? *sangaica* Walker,[1865]; *chishimana* Matsumura,1929; *masuensis* Matsumura,1930; *elegans* Bryk,1938; *sotiriadis* Koutsaftikis,1973; *#lubrecipeda* De Freina,1981.
- 214. *Spilosoma mienshanicum* Daniel,1943 (Arctiidae)** Synonym(s): *mienshanicum* Daniel,1943; *streltzovi* Dubatolov,1996
- 215. *Spilosoma mienshanicum mienshanicum* Daniel,1943 (Arctiidae)**
Synonym(s): *mienshanicum* Daniel,1943; *streltzovi* Dubatolov,1996
- 216. *Spilosoma urticae* (Esper,[1789]) (Arctiidae)** Synonym(s): *urticae* Esper,[1789]; *papyratia* Marsham,1791 Larval foodplant(s): *Urtica* (Urticaceae) (Meyer,1919).
- 217. *Spilosoma urticae mandli* Schawerda,1922 (Arctiidae)** Synonym(s): *mandli* Schawerda,1922
- 218. *Spilosoma urticae urticae* (Esper,[1789]) (Arctiidae)** Synonym(s): *urticae* Esper,[1789]; *papyratia* Marsham,1791
- 219. *Spiris bipunctata* (Staudinger,1892) (Arctiidae)** Synonym(s): *bipunctata* Staudinger,1892
- 220. *Spiris bipunctata bipunctata* (Staudinger,1892) (Arctiidae)** Synonym(s): *bipunctata* Staudinger,1892
- 221. *Spiris striata* (Linnaeus,1758) (Arctiidae)** Synonym(s): *striata* Linnaeus,1758; *grammica* Linnaeus,1758; *funerea* Eversmann,1847; *strandii* Obratzsov,1936; *slovenica* Daniel,1939; *wisniewskii* Wojtusiak & Niesielowski,1946; *hospitali* Marten,1948. Larval foodplant(s): *Artemisia campestris*, *A. vulgaris*, *Festuca*, *Hieracium*, *Plantago* (Meyer,1919).
- 222. *Spiris striata striata* (Linnaeus,1758) (Arctiidae)** Synonym(s): *striata* Linnaeus,1758; *grammica* Linnaeus,1758; *funerea* Eversmann,1847; *strandii* Obratzsov,1936; *slovenica* Daniel,1939; *wisniewskii* Wojtusiak & Niesielowski,1946; *hospitali* Marten,1948.
- 223. *Thumatha senex* (Hübner,[1808]) (Arctiidae)** Synonym(s): *senex* Hübner,[1808]; *syriaca* Daniel,1939.
- 224. *Tyria jacobaeae* (Linnaeus,1758) (Arctiidae)** Synonym(s): *jacobaeae* Linnaeus,1758; *senecionis* Godart,1823; *confluens* Schultz,1908. Larval foodplant(s): *Senecio jacobaea*, *S.paludosus*, *S.vulgaris*, *S.vernalis*, *Tussilago farfara* (Asteraceae) (Linnaeus,1758; Seitz,1910; Meyer,1919; Seven,1996).
- 225. *Utetheisa (s.str.) pulchella* (Linnaeus,1758) (Arctiidae)** Synonym(s): *pulchella* Linnaeus,1758; *pulchra* [Denis & Schiffermüller],1775; *thyter* Butler,1877; *shyama* Bhattacharjee & Gupta,1969; *menoni* Bhattacharjee & Gupta,1969. Larval foodplant(s): *Echium vulgare*, *Heliotropium indicum* [na guang chang], *Myosotis arvensis* (Boraginaceae), *Solanum tomentosum* (Meyer,1919; Lewvanich,2001).
- 226. *Utetheisa (s.str.) pulchella pulchella* (Linnaeus,1758) (Arctiidae)**
Synonym(s): *pulchella* Linnaeus,1758; *pulchra* [Denis & Schiffermüller],1775. Larval foodplant(s): *Echium vulgare*, *Heliotropium indicum* [na guang chang], *Myosotis arvensis* (Boraginaceae), *Solanum tomentosum* (Meyer,1919; Lewvanich,2001).
- 227. *Watsonarctia deserta* (Bartel,1902) (Arctiidae)** Synonym(s): *casta* Esper,[1784] nec Pall.,1771; *deserta* Bartel,1902; *sibirica* Kozhantschikov,1924; *callesi* Gomez-Bustillo,1979; *esperii* Koçak,1980. Larval foodplant(s): *Galium cynanchica* [=Asperula] (Meyer,1919).
- 228. *Watsonarctia deserta deserta* (Bartel,1902) (Arctiidae)** Synonym(s): *casta* Esper,[1784] nec Pall.,1771; *deserta* Bartel,1902; *sibirica* Kozhantschikov,1924; *callesi* Gomez-Bustillo,1979; *esperii* Koçak,1980.
- 229. *Aglais urticae* (Linnaeus,1758) (Argynnidae)** Synonym(s): *urticae* Linnaeus,1758; *opima* Verity,1919; *variegata* Querci,1932; *strandii* Verity,1936. Larval foodplant(s): *Urtica dioica* (Urticaceae) (Linnaeus,1758; et seq.).

- 230. *Aglais urticae urticae* (Linnaeus,1758)** (Argynnidae) Synonym(s): *urticae* Linnaeus,1758; *opima* Verity,1919; *variegata* Querci,1932; *strandii* Verity,1936.
- 231. *Aldania deliquata* (Stichel,[1909])** (Argynnidae) Synonym(s): *deliquata* Stichel,[1909] Larval foodplant(s): *Betula* (Korshunov & Gorbunov,1995).
- 232. *Aldania deliquata tshetverikovi* (Kurentzov,1936)** (Argynnidae) Synonym(s): *tshetverikovi* Kurentzov,1936
- 233. *Aldania ilos* (Fruhstorfer,1909)** (Argynnidae) Synonym(s): *ilos* Fruhstorfer,1909
- 234. *Aldania ilos ilos* (Fruhstorfer,1909)** (Argynnidae) Synonym(s): *ilos* Fruhstorfer,1909
- 235. *Aldania raddei* (Bremer,1861)** (Argynnidae) Synonym(s): *raddei* Bremer,1861 Larval foodplant(s): *Ulmus propinqua* (Murzin & Tusov,2000).
- 236. *Aldania raddei raddei* (Bremer,1861)** (Argynnidae) Synonym(s): *raddei* Bremer,1861 Larval foodplant(s): *Ulmus propinqua* (Murzin & Tusov,2000).
- 237. *Aldania themis* (Leech,1890)** (Argynnidae) Synonym(s): *themis* Leech,1890
- 238. *Aldania themis themis* (Leech,1890)** (Argynnidae) Synonym(s): *themis* Leech,1890
- 239. *Aldania thisbe* (Ménétriés,1859)** (Argynnidae) Synonym(s): *thisbe* Ménétriés,1859; *ussuriensis* Kurentzov,1970. Larval foodplant(s): *Quercus mongolica* (Graeser,1888).
- 240. *Aldania thisbe thisbe* (Ménétriés,1859)** (Argynnidae) Synonym(s): *thisbe* Ménétriés,1859; *ussuriensis* Kurentzov,1970. Larval foodplant(s): *Quercus mongolica* (Graeser,1888).
- 241. *Amuriana schreckii* (Ménétriés,1858)** (Argynnidae) Synonym(s): *schreckii* Ménétriés,1858
- 242. *Amuriana schreckii schreckii* (Ménétriés,1858)** (Argynnidae) Synonym(s): *schreckii* Ménétriés,1858
- 243. *Apatura ilia* ([Denis & Schiffermüller],1775)** (Argynnidae) Synonym(s): *ilia* [Denis & Schiffermüller],1775; *clytie* [Denis & Schiffermüller],1775; *luteus* Esper,1777; *roeselii* Bergsträßer,1779; *vulgaris* Bergsträßer,1779; *rubescens* Esper,1781; *eos* Rossi,1794; *julia* Schrank,1801; *astasia* Hübner,1826; *heos* Meigen,1828, etc. Larval foodplant(s): *Salix alba*, *Populus tremulae*, *P. alba*, *P. nigra* (Salicaceae) (Tolman,1997).
- 244. *Apatura ilia ilia* ([Denis & Schiffermüller],1775)** (Argynnidae) Synonym(s): *ilia* [Denis & Schiffermüller],1775; *clytie* [Denis & Schiffermüller],1775; *luteus* Esper,1777; *roeselii* Bergsträßer,1779; *vulgaris* Bergsträßer,1779; *rubescens* Esper,1781; *eos* Rossi,1794; *julia* Schrank,1801; *astasia* Hübner,1826; *heos* Meigen,1828, etc. Larval foodplant(s): *Salix alba*, *Populus tremulae*, *P. alba*, *P. nigra* (Salicaceae) (Tolman,1997).
- 245. *Apatura iris* (Linnaeus,1758)** (Argynnidae) Synonym(s): *iris* Linnaeus,1758; *suspirans* Poda,1761; *jole* [Denis & Schiffermüller],1775; *junonia* Borkhausen,1788; *beroe* Fabricius,1793; *pseudoiris* Verity,1913. Larval foodplant(s): *Salix caprea*, *S. cinerea*, *S. alba*, *S. ? atrocineria* (Tolman,1997).
- 246. *Apatura iris iris* (Linnaeus,1758)** (Argynnidae) Synonym(s): *iris* Linnaeus,1758; *suspirans* Poda,1761; *jole* [Denis & Schiffermüller],1775; *junonia* Borkhausen,1788; *beroe* Fabricius,1793; *pseudoiris* Verity,1913. Larval foodplant(s): *Salix caprea*, *S. cinerea*, *S. alba*, *S. ? atrocineria* (Tolman,1997).
- 247. *Apatura metis* Freyer,1829** (Argynnidae) Synonym(s): *metis* Freyer,1829 Larval foodplant(s): *Salix alba* (Salicaceae) (Tolman,1997).
- 248. *Apatura metis bunea* Herrich-Schäffer,[1845]** (Argynnidae) Synonym(s): *bunea* Herrich-Schäffer,[1845]; *gertraudis* Stichel,1909; *oberthueri* Le Moul,1947.
- 249. *Apatura metis irtyschika* Korshunov,1982** (Argynnidae) Synonym(s): *irtyschika* Korshunov,1982
- 250. *Araschnia burejana* Bremer,1861** (Argynnidae) Synonym(s): *burejana* Bremer,1861

- 251. *Araschnia burejana burejana* Bremer,1861** (Argynnidae) Synonym(s): *burejana* Bremer,1861
- 252. *Araschnia levana* (Linnaeus,1758)** (Argynnidae) Synonym(s): *levana* Linnaeus,1758; *prorsa* Linnaeus,1758. Larval foodplant(s): *Urtica dioica*, *U. urens* (Urticaceae).
- 253. *Araschnia levana levana* (Linnaeus,1758)** (Argynnidae) Synonym(s): *levana* Linnaeus,1758; *prorsa* Linnaeus,1758.
- 254. *Argynnis* (Argyronome) *laodice* (Pallas,1771)** (Argynnidae) Synonym(s): *laodice* Pallas,1771; *cethosia* Fabricius,1793 Larval foodplant(s): *Viola palustris* (Violaceae) (Tolman,1997).
- 255. *Argynnis* (Argyronome) *laodice laodice* (Pallas,1771)** (Argynnidae) Synonym(s): *laodice* Pallas,1771; *cethosia* Fabricius,1793
- 256. *Argynnis* (Argyronome) *ruslana* Motschulsky,1866** (Argynnidae) Synonym(s): *ruslana* Motschulsky,1866
- 257. *Argynnis* (Argyronome) *ruslana ruslana* Motschulsky,1866** (Argynnidae) Synonym(s): *ruslana* Motschulsky,1866
- 258. *Argynnis* (Damora) *sagana* Doubleday,1847** (Argynnidae) Synonym(s): *sagana* Doubleday,1847; *paulina* Nordmann,1851.
- 259. *Argynnis* (Damora) *sagana relictata* Korshunov,1984** (Argynnidae) Synonym(s): *relictata* Korshunov,1984
- 260. *Argynnis* (Damora) *sagana sagana* Doubleday,1847** (Argynnidae) Synonym(s): *sagana* Doubleday,1847; *paulina* Nordmann,1851.
- 261. *Argynnis* (Fabriciana) *adippe* (Rottemburg,1775)** (Argynnidae) Synonym(s): *cydippe* Linnaeus,1761 (rejected); *berecynthia* Poda,1761 (rejected); *adippe* Rottemburg,1775; *phryxa* Bergsträßer,1780; *margaritacea* Retzius,1783; *syrinx* Borkhausen,1788; *aspasia* Borkhausen,1788; *liriope* Borkhausen,1788; *baiuvarica* Spuler,1901, etc. Larval foodplant(s): *Viola canina*, *V. odorata*, *V. hirta* (Tolman, 1997).
- 262. *Argynnis* (Fabriciana) *adippe adippe* (Rottemburg,1775)** (Argynnidae) Synonym(s): *cydippe* Linnaeus,1761 (rejected); *berecynthia* Poda,1761 (rejected); *adippe* Rottemburg,1775; *phryxa* Bergsträßer,1780; *margaritacea* Retzius,1783; *syrinx* Borkhausen,1788; *aspasia* Borkhausen,1788; *liriope* Borkhausen,1788; *baiuvarica* Spuler,1901, etc.
- 263. *Argynnis* (Fabriciana) *adippe pallescens* Butler,1873** (Argynnidae) Synonym(s): *pallescens* Butler,1873; *taigetana* Reuss.
- 264. *Argynnis* (Fabriciana) *adippe vorax* Butler,1871** (Argynnidae) Synonym(s): *vorax* Butler,1871
- 265. *Argynnis* (Fabriciana) *adippe xanthodippe* Fixsen,1887** (Argynnidae) Synonym(s): *xanthodippe* Fixsen,1887; *chrysodippe* Staudinger,1892; *coredippe* Leech,1892
- 266. *Argynnis* (Fabriciana) *adippe zarewna* Fruhstorfer,1912** (Argynnidae) Synonym(s): *zarewna* Fruhstorfer,1912
- 267. *Argynnis* (Fabriciana) *nerippe* Felder,1862** (Argynnidae) Synonym(s): *nerippe* Felder,1862
- 268. *Argynnis* (Fabriciana) *nerippe coreana* Butler,1882** (Argynnidae) Synonym(s): *coreana* Butler,1882
- 269. *Argynnis* (Fabriciana) *niobe* (Linnaeus,1758)** (Argynnidae) Synonym(s): *niobe* Linnaeus,1758. Larval foodplant(s): *Viola canina*, *V. odorata*, *V. hirta*, *V. palustris* (Tolman, 1997).
- 270. *Argynnis* (Fabriciana) *niobe changaica* Reuss,1922** (Argynnidae) Synonym(s): *changaica* Reuss,1922
- 271. *Argynnis* (Fabriciana) *niobe niobe* (Linnaeus,1758)** (Argynnidae) Synonym(s): *niobe* Linnaeus,1758.
- 272. *Argynnis* (Pandoriana) *pandora* ([Denis & Schiffermüller],1775)** (Argynnidae) Synonym(s): *pandora* [Denis & Schiffermüller],1775; *maja* Cramer,1775 nec Fabricius,1775; *cynara* Fabricius,1777; *cyrnea* Schwerda,1926; *transcaucasica* Moucha ,1967; *deserticola*

- Gross & Ebert, 1975.* Larval foodplant(s): *Viola*, *V. cheiranthifolia* (Tolman, 1997; Koçak & Kemal, pers.).
- 273. Argynnis (Pandoriana) pandora pandora ([Denis & Schiffermüller], 1775)** (Argynnidae) Synonym(s): *pandora* [Denis & Schiffermüller], 1775; *maja* Cramer, 1775 nec Fabricius, 1775; *cynara* Fabricius, 1777; *cyrnea* Schwerda, 1926; *transcaucasica* Moucha, 1967; *deserticola* Gross & Ebert, 1975. Larval foodplant(s): *Viola*, *V. cheiranthifolia* (Tolman, 1997; Koçak & Kemal, pers.).
- 274. Argynnis (Protodryas) anadyomene C.Felder & R.Felder, 1861** (Argynnidae) Synonym(s): *anadyomene* C.Felder & R.Felder, 1861
- 275. Argynnis (Protodryas) anadyomene anadyomene C.Felder & R.Felder, 1861** (Argynnidae) Synonym(s): *anadyomene* C.Felder & R.Felder, 1861
- 276. Argynnis (Speyeria) aglaja (Linnaeus, 1758)** (Argynnidae) Synonym(s): *aglaja* Linnaeus, 1758; *charlotta* Haworth, 1802; *emilia* Acerbi, 1802 nec Cr., 1779; *caroletta* Jermyn, 1827; *locuples* Verity, 1919 nec Butler, 1879; *emilocuples* Verity, 1919; *locupletata* Verity, 1922; *montesignum* Sagarra, 1926. Larval foodplant(s): *Viola brachytropis* (Kumakov & Korshunov, 1979); *Viola tricolor*, *V. palustris*, *V. hirta* (Tolman, 1997).
- 277. Argynnis (Speyeria) aglaja aglaja (Linnaeus, 1758)** (Argynnidae) Synonym(s): *aglaja* Linnaeus, 1758; *charlotta* Haworth, 1802; *emilia* Acerbi, 1802 nec Cr., 1779; *caroletta* Jermyn, 1827; *locuples* Verity, 1919 nec Butler, 1879; *emilocuples* Verity, 1919; *locupletata* Verity, 1922; *montesignum* Sagarra, 1926.
- 278. Argynnis (Speyeria) aglaja auxo Jachontov, 1909** (Argynnidae) Synonym(s): *auxo* Jachontov, 1909.
- 279. Argynnis (s.str.) paphia (Linnaeus, 1758)** (Argynnidae) Synonym(s): *paphia* Linnaeus, 1758; *valesina* Esper, [1798]; *magnata* Verity, 1919; *revelata* Verity, 1934; *magnifica* Verity, 1919; *magnificamagnata* Verity, 1950. Larval foodplant(s): *Viola hirta*, *V. palustris*, *V. sylvatica* (Krulikowsky, 1888; Kumakov & Korshunov, 1979); *Viola canina*, *V. odorata*, *V. (?) mumbyana*, *V. reichenbachiana*, *V. riviniana* (Tolman, 1997).
- 280. Argynnis (s.str.) paphia paphia (Linnaeus, 1758)** (Argynnidae) Synonym(s): *paphia* Linnaeus, 1758; *valesina* Esper, [1798]; *magnata* Verity, 1919; *revelata* Verity, 1934; *magnifica* Verity, 1919; *magnificamagnata* Verity, 1950.
- 281. Argynnis (s.str.) zenobia Leech, 1890** (Argynnidae) Synonym(s): *zenobia* Leech, 1890.
- 282. Argynnis (s.str.) zenobia penelope Staudinger, 1892** (Argynnidae) Synonym(s): *penelope* Staudinger, 1892
- 283. Athymodes nycteis (Ménétriés, 1858)** (Argynnidae) Synonym(s): *nycteis* Ménétriés, 1858; *cassiope* Ménétriés, 1858
- 284. Athymodes nycteis nycteis (Ménétriés, 1858)** (Argynnidae) Synonym(s): *nycteis* Ménétriés, 1858; *cassiope* Ménétriés, 1858
- 285. Boloria (Clossiana) angarensis (Erschoff, 1870)** (Argynnidae) Synonym(s): *angarensis* Erschoff, 1870; *samkoi* Sheljuzhko, 1931.
- 286. Boloria (Clossiana) angarensis angarensis (Erschoff, 1870)** (Argynnidae) Synonym(s): *angarensis* Erschoff, 1870; *samkoi* Sheljuzhko, 1931.
- 287. Boloria (Clossiana) angarensis herzi (Wnukowsky, 1927)** (Argynnidae) Synonym(s): *herzi* Wnukowsky, 1927
- 288. Boloria (Clossiana) angarensis shelkovnikovi Korb & Yakovlev, 1997** (Argynnidae) Synonym(s): *shelkovnikovi* Korb & Yakovlev, 1997
- 289. Boloria (Clossiana) astarte (Doubleday & Hewitson, [1847])** (Argynnidae) Synonym(s): *astarte* Doubleday & Hewitson, [1847]; *victoria* Edwards, 1891.
- 290. Boloria (Clossiana) astarte erschovi (Korshunov & Gorbunov, 1995)** (Argynnidae) Synonym(s): *erschovi* Korshunov & Gorbunov, 1995
- 291. Boloria (Clossiana) chariclea (Schneider, 1794)** (Argynnidae) Synonym(s): *chariclea* Schneider, 1794

- 292. Boloria (Clossiana) chariclea chariclea (Schneider,1794)** (Argynnididae)
Synonym(s): *chariclea* Schneider,1794
- 293. Boloria (Clossiana) dia (Linnaeus,1767)** (Argynnididae) Synonym(s): *dia* Linnaeus,1767; *diniensis* Fruhstorfer,1909; *leonina* Fruhstorfer,1909; *disconota* Krulikowsky,1909; *laetior* Verity,1919. Larval foodplant(s): *Viola canina*, *V. odorata*, *V. reichenbachiana*, *V. tricolor* (Tolman, 1997).
- 294. Boloria (Clossiana) dia alpina (Elwes,1899)** (Argynnididae) Synonym(s): *alpina* Elwes,1899
- 295. Boloria (Clossiana) dia dia (Linnaeus,1767)** (Argynnididae) Synonym(s): *dia* Linnaeus,1767; *diniensis* Fruhstorfer,1909; *leonina* Fruhstorfer,1909; *disconota* Krulikowsky,1909; *laetior* Verity,1919.
- 296. Boloria (Clossiana) distincta (Gibson,1920)** (Argynnididae) Synonym(s): *distincta* Gibson,1920
- 297. Boloria (Clossiana) distincta machati Korshunov,1987** (Argynnididae)
Synonym(s): *machati* Korshunov,1987
- 298. Boloria (Clossiana) erda (Christoph,1893)** (Argynnididae) Synonym(s): *erda* Christoph,1893
- 299. Boloria (Clossiana) erda erda (Christoph,1893)** (Argynnididae)
Synonym(s): *erda* Christoph,1893
- 300. Boloria (Clossiana) euphrosyne (Linnaeus,1758)** (Argynnididae)
Synonym(s): *euphrosyne* Linnaeus,1758; *argenticollis* Retzius,1783; *fingal* Herbst,1800; *densoi* Fruhstorfer,1909; *apennina* Fruhstorfer,1916; *cynosoma* Fruhstorfer,1916; *nestonclara* Verity,1932; *eminens* Verity,1932; *varianana* Verity,1932; *austreminens* Verity,1950, etc. Larval foodplant(s): *Viola reichenbachiana*, *V. canina*, *V. palustris*, *V. odorata*, *V. riviniana*, *V. ? rhodopeia*, *V. hirta* (Tolman,1997).
- 301. Boloria (Clossiana) euphrosyne euphrosyne (Linnaeus,1758)** (Argynnididae) Synonym(s): *euphrosyne* Linnaeus,1758; *argenticollis* Retzius,1783; *fingal* Herbst,1800; *densoi* Fruhstorfer,1909; *apennina* Fruhstorfer,1916; *cynosoma* Fruhstorfer,1916; *nestonclara* Verity,1932; *eminens* Verity,1932; *varianana* Verity,1932; *austreminens* Verity,1950, etc.
- 302. Boloria (Clossiana) euphrosyne umbra (Seitz,1908)** (Argynnididae)
Synonym(s): *umbra* Seitz,1908
- 303. Boloria (Clossiana) freija (Thunberg,1791)** (Argynnididae) Synonym(s): *freija* Thunberg,1791 Larval foodplant(s): *Vaccinium uliginosum*, *Rubus chamaemorus*, *Arctostaphylos alpina*, *A. uva-ursi*, *Empetrum nigrum*, *Rhododendron aureum*, *R. lapponicum* (Tolman,1997).
- 304. Boloria (Clossiana) freija freija (Thunberg,1791)** (Argynnididae)
Synonym(s): *freija* Thunberg,1791
- 305. Boloria (Clossiana) freija jakutensis (Wnukowsky,1927)** (Argynnididae)
Synonym(s): *jakutensis* Wnukowsky,1927
- 306. Boloria (Clossiana) freija pallida (Elwes,1899)** (Argynnididae)
Synonym(s): *pallida* Elwes,1899
- 307. Boloria (Clossiana) frigga (Thunberg,1791)** (Argynnididae) Synonym(s): *frigga* Thunberg,1791; *helvenacius* Sedych,1977. Larval foodplant(s): *Rubus chamaemorus* (Higgins & Riley,1970).
- 308. Boloria (Clossiana) frigga alpestris (Elwes,1899)** (Argynnididae)
Synonym(s): *alpestris* Elwes,1899
- 309. Boloria (Clossiana) frigga frigga (Thunberg,1791)** (Argynnididae)
Synonym(s): *frigga* Thunberg,1791; *helvenacius* Sedych,1977.
- 310. Boloria (Clossiana) improba (Butler,1877)** (Argynnididae) Synonym(s): *improba* Butler,1877 Larval foodplant(s): *Salix arctica*, *S. reticulata* (Tolman,1997).
- 311. Boloria (Clossiana) improba improba (Butler,1877)** (Argynnididae)
Synonym(s): *improba* Butler,1877

- 312. Boloria (Clossiana) iphigenia (Graeser,1888)** (Argynnidae) Synonym(s): *iphigenia* Graeser,1888; *#iphigeneia* Elwes,1889.
- 313. Boloria (Clossiana) iphigenia iphigenia (Graeser,1888)** (Argynnidae) Synonym(s): *iphigenia* Graeser,1888; *#iphigeneia* Elwes,1889.
- 314. Boloria (Clossiana) matveevi (Gorbunov & Korshunov,1995)** (Argynnidae) Synonym(s): *matveevi* Gorbunov & Korshunov,1995
- 315. Boloria (Clossiana) matveevi matveevi (Gorbunov & Korshunov,1995)** (Argynnidae) Synonym(s): *matveevi* Gorbunov & Korshunov,1995
- 316. Boloria (Clossiana) oscarus (Eversmann,1844)** (Argynnidae) Synonym(s): *oscarus* Eversmann,1844
- 317. Boloria (Clossiana) oscarus oscarus (Eversmann,1844)** (Argynnidae) Synonym(s): *oscarus* Eversmann,1844
- 318. Boloria (Clossiana) polaris (Boisduval,1829)** (Argynnidae) Synonym(s): *polaris* Boisduval,1829; *groenlandica* [Anonymous],1892; *americana* Strand,1905 Larval foodplant(s): *Dryas integrifolia*, *D. octopetala*, *Vaccinium uliginosum* (Tolman,1997).
- 319. Boloria (Clossiana) polaris polaris (Boisduval,1829)** (Argynnidae) Synonym(s): *polaris* Boisduval,1829; *groenlandica* [Anonymous],1892; *americana* Strand,1905
- 320. Boloria (Clossiana) selene ([Denis & Schiffermüller],1775)** (Argynnidae) Synonym(s): *selene* [Denis & Schiffermüller],1775; *thalia* Hübner,1790 *nec* Linnaeus,1758; *cybele* Hübner,1790 *nec* Cramer,1777; *euphrasia* Lewin,1795; *marphisa* Herbst,1800; *rinaldus* Herbst,1800; *lado* Hummel,1826; *veta* Motschulsky,1852. Larval foodplant(s): *Viola canina*, *V. palustris*, *V. riviniana*, *V. hirta* (Tolman,1997).
- 321. Boloria (Clossiana) selene selene ([Denis & Schiffermüller],1775)** (Argynnidae) Synonym(s): *selene* [Denis & Schiffermüller],1775; *thalia* Hübner,1790 *nec* Linnaeus,1758; *cybele* Hübner,1790 *nec* Cramer,1777; *euphrasia* Lewin,1795; *marphisa* Herbst,1800; *rinaldus* Herbst,1800; *lado* Hummel,1826; *veta* Motschulsky,1852.
- 322. Boloria (Clossiana) selenis (Eversmann,1837)** (Argynnidae) Synonym(s): *selenis* Eversmann,1837
- 323. Boloria (Clossiana) selenis selenis (Eversmann,1837)** (Argynnidae) Synonym(s): *selenis* Eversmann,1837
- 324. Boloria (Clossiana) selenis sibirica (Erschoff,1870)** (Argynnidae) Synonym(s): *sibirica* Erschoff,1870
- 325. Boloria (Clossiana) thore (Hübner,[1803])** (Argynnidae) Synonym(s): *thore* Hübner,[1803] Larval foodplant(s): *Viola biflora* (Tolman,1997).
- 326. Boloria (Clossiana) thore borealis (Staudinger,1861)** (Argynnidae) Synonym(s): *borealis* Staudinger,1861; *excellens* Krulikowsky,1893; *meridionalis* Kardakoff,1928 *nec* Schawerda,1916; *transuralensis* Sheljuzhko,1931; *brenda* Hemming,1933.
- 327. Boloria (Clossiana) thore thore (Hübner,[1803])** (Argynnidae) Synonym(s): *thore* Hübner,[1803]
- 328. Boloria (Clossiana) titania (Esper,[1793])** (Argynnidae) Synonym(s): *titania* Esper,[1793]; *amathusia* Esper,1783 *nec* Cr.,1777; *serena* Fruhstorfer,1908; *pralognana* Fruhstorfer,1908; *halesa* Fruhstorfer,1908.
- 329. Boloria (Clossiana) titania bivina (Fruhstorfer,1908)** (Argynnidae) Synonym(s): *bivina* Fruhstorfer,1908
- 330. Boloria (Clossiana) titania cypris (Meigen,1828)** (Argynnidae) Synonym(s): *cypris* Meigen,1828
- 331. Boloria (Clossiana) titania staudingeri (Wnukowsky,1929)** (Argynnidae) Synonym(s): *sibirica* Staudinger,1892 *nec* Ersch.,1870; *staudingeri* Wnukowsky,1929
- 332. Boloria (Clossiana) tritonia (Boeber,1812)** (Argynnidae) Synonym(s): *tritonia* Boeber,1812; *amphilochus* Ménétriès,1859.

- 333. Boloria (Clossiana) tritonia tritonia (Boeber,1812)** (Argynnidæ)
Synonym(s): *tritonia* Boeber,1812; *amphilochus* Ménétriers,1859.
- 334. Boloria (Procllossiana) eunomia eunomia (Esper,[1799])** (Argynnidæ)
Synonym(s): *eunomia* Esper,[1799]; *aphirape* Hübner,[1800]; *tomyris* Herbst,1800. Larval foodplant(s): *Polygonum bistorta*, *P. viviparum*, *Viola palustris* (Tolman,1997).
- 335. Boloria (Procllossiana) eunomia asiatica (Staudinger,1901)** (Argynnidæ) Synonym(s): *asiatica* Staudinger,1901
- 336. Boloria (Procllossiana) eunomia eunomia (Esper,[1799])** (Argynnidæ)
Synonym(s): *eunomia* Esper,[1799]; *aphirape* Hübner,[1800]; *tomyris* Herbst,1800.
- 337. Boloria (Procllossiana) eunomia ossianus (Herbst,1800)** (Argynnidæ)
Synonym(s): *ossianus* Herbst,1800
- 338. Boloria (s.str.) alaskensis (Holland,1900)** (Argynnidæ) Synonym(s): *alaskensis* Holland,1900
- 339. Boloria (s.str.) alaskensis sedykhi Cormier,1977** (Argynnidæ)
Synonym(s): *sedykhi* Cormier,1977
- 340. Boloria (s.str.) aquilonaris (Stichel,1908)** (Argynnidæ) Synonym(s): *aquilonaris* Stichel,1908; *hypoarsilache* Verity,1932; *parvula* Collier,1933. Larval foodplant(s): *Vaccinium oxycoccos* (Tolman,1997).
- 341. Boloria (s.str.) aquilonaris aquilonaris (Stichel,1908)** (Argynnidæ)
Synonym(s): *aquilonaris* Stichel,1908; *hypoarsilache* Verity,1932; *parvula* Collier,1933.
- 342. Boloria (s.str.) caucasica (Lederer,1852)** (Argynnidæ) Synonym(s): *caucasica* Lederer,1852; *pontica* Crosson du Cormier, Guérin & De Lesse,1957.
- 343. Boloria (s.str.) caucasica caucasica (Lederer,1852)** (Argynnidæ)
Synonym(s): *caucasica* Lederer,1852; *pontica* Crosson du Cormier, Guérin & De Lesse,1957.
- 344. Boloria (s.str.) frigidalis Forster,1968** (Argynnidæ) Synonym(s): *#frigidalis* B.C.S.Warren,1944; *frigidalis* Forster,1968
- 345. Boloria (s.str.) frigidalis frigidalis Forster,1968** (Argynnidæ)
Synonym(s): *#frigidalis* B.C.S.Warren,1944; *frigidalis* Forster,1968
- 346. Boloria (s.str.) napaea (Hoffmannsegg,1804)** (Argynnidæ) Synonym(s): *napaea* Hoffmannsegg,1804; *isis* Hübner,[1800] nec Dru.,[1773]; *dirphya* Hoffmannsegg,1806; *punctata* Crosson du Cormier,1964; *sabaudiensis* Crosson du Cormier,1964. Larval foodplant(s): *Viola biflora*, *Polygonum viviparum* (Tolman,1997).
- 347. Boloria (s.str.) napaea altaica (Groum-Grshimailo,1893)** (Argynnidæ)
Synonym(s): *altaica* Groum-Grshimailo,1893; *isisoides* Heydemann,1920.
- 348. Boloria (s.str.) napaea pustagi Korshunov & Ivonin,1995** (Argynnidæ)
Synonym(s): *pustagi* Korshunov & Ivonin,1995
- 349. Boloria (s.str.) pales ([Denis & Schiffermüller],1775)** (Argynnidæ)
Synonym(s): *pales* [Denis & Schiffermüller],1775; *arsilache* Esper,1780. Larval foodplant(s): *Viola calcarata* (Tolman,1997).
- 350. Boloria (s.str.) pales banghaasi Seitz,1909** (Argynnidæ) Synonym(s): *banghaasi* Seitz,1909
- 351. Brenthis daphne (Bergsträsser,1780)** (Argynnidæ) Synonym(s): *daphne* Bergsträsser,1780; *chloris* Esper,1778 nec Fabricius,1775; *epidaphne* Fruhstorfer,1907; *nikator* Fruhstorfer,1909; *tenuitermaculosa* Verity,1922; *syriaca* Belter,1935; *anatolica* Belter,1935. Larval foodplant(s): *Rubus fruticosus*, *R. idaeus*, *Filipendula ulmaria*, *Sanguisorba* (Rosaceae) (Nel & Luquet,1981; Tolman,1997).
- 352. Brenthis daphne daphne (Bergsträsser,1780)** (Argynnidæ) Synonym(s): *daphne* Bergsträsser,1780; *chloris* Esper,1778 nec Fabricius,1775; *epidaphne* Fruhstorfer,1907; *nikator* Fruhstorfer,1909; *tenuitermaculosa* Verity,1922; *syriaca* Belter,1935; *anatolica* Belter,1935. Larval foodplant(s): *Rubus fruticosus*, *R. idaeus*, *Filipendula ulmaria*, *Sanguisorba* (Rosaceae) (Nel & Luquet,1981; Tolman,1997).
- 353. Brenthis hecate ([Denis & Schiffermüller],1775)** (Argynnidæ)
Synonym(s): *hecate* [Denis & Schiffermüller],1775; *harmothoe* Fruhstorfer,1917; *florida* Verity,1919;

- stricta* Verity,1933. Larval foodplant(s): *Filipendula vulgaris*, *F. ulmaria* (Nel & Luquet,1981; Tolman, 1997).
- 354. *Brenthis hecate hecate* ([Denis & Schiffermüller],1775) (Argynnidae)**
Synonym(s): *hecate* [Denis & Schiffermüller],1775; *harmothoe* Fruhstorfer,1917; *florida* Verity,1919; *stricta* Verity,1933. Larval foodplant(s): *Filipendula vulgaris*, *F. ulmaria* (Nel & Luquet,1981; Tolman, 1997).
- 355. *Brenthis hecate warreni* Kudrna,1974 (Argynnidae)** Synonym(s): *warreni* Kudrna,1974
- 356. *Brenthis ino* (Rottemburg,1775) (Argynnidae)** Synonym(s): *ino* Rottemburg,1775; *dictynna* [Denis & Schiff.],1775; *parthenie* Bergsträßer,1780; *flavomaculatus* Retzius,1783; *adula*, *tergesta*, *eporedia* Fruhst.,1910; *pyrenaica* Sagarra,1925; *asiaepallens* Verity,1933; *sesquierilda* Verity,1957. Larval foodplant(s): *Filipendula ulmaria*, *F.petalata*, *F.palmata*, *Rubus idaeus*, *R.chamaemorus*, *Aruncus dioecus*, *Sanguisorba officinalis* (Eckstein,1913; Tolman,1997).
- 357. *Brenthis ino adalberti* (Fruhstorfer,1916) (Argynnidae)** Synonym(s): *sibirica* Seitz,1908 nec Erschoff,1870; *adalberti* Fruhstorfer,1916.
- 358. *Brenthis ino amurensis* Staudinger,1887 (Argynnidae)** Synonym(s): *amurensis* Staudinger,1887
- 359. *Brenthis ino ino* (Rottemburg,1775) (Argynnidae)** Synonym(s): *ino* Rottemburg,1775; *dictynna* [Denis & Schiff.],1775; *parthenie* Bergsträßer,1780; *flavomaculatus* Retzius,1783; *adula*, *tergesta*, *eporedia* Fruhst.,1910; *pyrenaica* Sagarra,1925; *asiaepallens* Verity,1933; *sesquierilda* Verity,1957.
- 360. *Brenthis ino paidicus* (Fruhstorfer,1907) (Argynnidae)** Synonym(s): *paidicus* Fruhstorfer,1907
- 361. *Brenthis ino parvimarginalis* Nakahara,1926 (Argynnidae)** Synonym(s): *karafutonis* Matsumura,1925 (hom.); *parvimarginalis* Nakahara,1926
- 362. *Brenthis ino siopelus* Fruhstorfer,1907 (Argynnidae)** Synonym(s): *siopelus* Fruhstorfer,1907; *herzi* Seitz,1909; *magadanica* Kurentsov,1970.
- 363. *Brenthis ino tarnis* (Fruhstorfer,1916) (Argynnidae)** Synonym(s): *tarnis* Fruhstorfer,1916
- 364. *Brenthis ino tigroides* Fruhstorfer,1907 (Argynnidae)** Synonym(s): *tigroides* Fruhstorfer,1907
- 365. *Brenthis ino vitimensis* Wnukowsky,1929 (Argynnidae)** Synonym(s): *borealis* Seitz,1908 nec Staudinger,1861; *vitimensis* Wnukowsky,1929
- 366. *Cynthia cardui* (Linnaeus,1758) (Argynnidae)** Synonym(s): *cardui* Linnaeus,1758; *carduelis* Cramer,1775; *elymi* Rambur,1829; *kershawi* McCoy,1868; *pallida* Schoyen,1881; *universa* Verity,1919; *takesakiana* Kato,1925. Larval foodplant(s): *Cirsium*, *Carduus*, *Echium*, *Malva sylvestris*, *M. parviflora*, *Glycine max*, *Achillea* (Kumakov & Korshunov, 1979; Tolman, 1997).
- 367. *Cynthia cardui cardui* (Linnaeus,1758) (Argynnidae)** Synonym(s): *cardui* Linnaeus,1758; *carduelis* Cramer,1775; *elymi* Rambur,1829; *kershawi* McCoy,1868; *pallida* Schoyen,1881; *universa* Verity,1919; *takesakiana* Kato,1925.
- 368. *Euphydryas (Eurodryas) aurinia* (Rottemburg,1775) (Argynnidae)**
Synonym(s): *aurinia* Rottemburg,1775; *artemis* [Denis & Schiffermüller],1775; *lye* Bergsträßer,[1779]; *koloswarensis* Piller & Mitterpacher,1783; *scotica* Robson,1880; *signifera* Kane,1893; *anglicana* Fruhstorfer,1917; *acedia* Fruhstorfer,1917. Larval foodplant(s): Larval foodplant(s): *Succisa pratensis*, *Scabiosa columbaria*, *Lonicera periclymenum*, *L. implexa*, *L. etrusca*, *Gentiana lutea*, *G. verna*, *G. acaulis*, *G. clusii*, *G. alpina*, *Digitalis*, *Cephalaria leucantha*, *Knautia arvensis*, *Primula viscosa* (Tolman,1997).
- 369. *Euphydryas (Eurodryas) aurinia aurinia* (Rottemburg,1775) (Argynnidae)** Synonym(s): *aurinia* Rottemburg,1775; *artemis* [Denis & Schiffermüller],1775; *lye* Bergsträßer,[1779]; *koloswarensis* Piller & Mitterpacher,1783; *scotica* Robson,1880; *signifera* Kane,1893; *anglicana* Fruhstorfer,1917; *acedia* Fruhstorfer,1917.
- 370. *Euphydryas (Eurodryas) aurinia laeta* (Christoph,1893) (Argynnidae)**
Synonym(s): *laeta* Christoph,1893

- 371. Euphydryas (Eurodryas) aurinia sareptana (Staudinger,1861)**
(Argynnidae) Synonym(s): *sareptana* Staudinger,1861; *sareptensis* Staudinger,1878; *emba* Fruhstorfer,1917.
- 372. Euphydryas (Eurodryas) aurinia siberica (Staudinger,1861)**
(Argynnidae) Synonym(s): *siberica* Staudinger,1861
- 373. Euphydryas (Eurodryas) banghaasi (Seitz,1908) (Argynnidae)**
Synonym(s): *banghaasi* Seitz,1908
- 374. Euphydryas (Eurodryas) banghaasi banghaasi (Seitz,1908)**
(Argynnidae) Synonym(s): *banghaasi* Seitz,1908
- 375. Euphydryas (Eurodryas) davidi (Oberthür,1881) (Argynnidae)**
Synonym(s): *davidi* Oberthür,1881
- 376. Euphydryas (Eurodryas) davidi davidi (Oberthür,1881) (Argynnidae)**
Synonym(s): *davidi* Oberthür,1881
- 377. Euphydryas (Hypodryas) iduna (Dalman,1816) (Argynnidae)**
Synonym(s): *iduna* Dalman,1816 Larval foodplant(s): *Veronica alpina*, *V. fructicans*, *Plantago*, *Vaccinium* (Tolman,1997).
- 378. Euphydryas (Hypodryas) iduna alferakyi Korshunov,1996**
(Argynnidae) Synonym(s): *alferakyi* Korshunov,1996
- 379. Euphydryas (Hypodryas) iduna iduna (Dalman,1816) (Argynnidae)**
Synonym(s): *iduna* Dalman,1816
- 380. Euphydryas (Hypodryas) iduna inexpectata (Sheljuzhko,1934)**
(Argynnidae) Synonym(s): *inexpectata* Sheljuzhko,1934
- 381. Euphydryas (Hypodryas) iduna sajana Higgins,1950 (Argynnidae)**
Synonym(s): *#sajana* O.Bang-Haas,1930; *#sajana* Higgins,1950
- 382. Euphydryas (Hypodryas) iduna semenovi Korshunov & Ivonine,1996**
(Argynnidae) Synonym(s): *semenovi* Korshunov & Ivonine,1996
- 383. Euphydryas (Hypodryas) intermedia (Ménétriés,1859) (Argynnidae)**
Synonym(s): *intermedia* Ménétriés,1859; *mongolica* Staudinger,1892; *altaica* Seitz,1909 *nec* Groum-Grshimailo,1893; *altaiana* Wnukowsky,1929.
- 384. Euphydryas (Hypodryas) intermedia intermedia (Ménétriés,1859)**
(Argynnidae) Synonym(s): *intermedia* Ménétriés,1859; *mongolica* Staudinger,1892; *altaica* Seitz,1909 *nec* Groum-Grshimailo,1893; *altaiana* Wnukowsky,1929.
- 385. Euphydryas (Hypodryas) maturna (Linnaeus,1758) (Argynnidae)**
Synonym(s): *maturna* Linnaeus,1758; *agrotera* Bergsträßer,[1780]; *cynthia* Hübner,[1800] *nec* [Denis & Schiff.],1775 Larval foodplant(s): *Fraxinus excelsior* (Oleaceae); *Populus tremula*, ? *Salix caprea* (Salicaceae); *Plantago lanceolata*, *Veronica chamaedrys*, *Lonicera periclymenum*, *Succisa pratensis* (Tolman,1997).
- 386. Euphydryas (Hypodryas) maturna maturna (Linnaeus,1758)**
(Argynnidae) Synonym(s): *maturna* Linnaeus,1758; *agrotera* Bergsträßer,[1780]; *cynthia* Hübner,[1800] *nec* [Denis & Schiff.],1775
- 387. Euphydryas (Hypodryas) maturna staudingeri (Wnukowsky,1929)**
(Argynnidae) Synonym(s): *uralensis* Staudinger *nec* Krulik.,1897, *non* Eversm.,1844; *staudingeri* Wnukowsky,1929
- 388. Euphydryas (Hypodryas) maturna tenuireticulosa Varga & Santha,1973 (Argynnidae)**
Synonym(s): *tenuireticulosa* Varga & Santha,1973
- 389. Inachis io (Linnaeus,1758) (Argynnidae)**
Synonym(s): *io* Linnaeus,1758; *ioides* Ochsenheimer,1808; *caucasica* Jachontov,1911. Larval foodplant(s): *Urtica dioica*, *Parietaria officinalis* (Tolman, 1997).
- 390. Inachis io io (Linnaeus,1758) (Argynnidae)**
Synonym(s): *io* Linnaeus,1758; *ioides* Ochsenheimer,1808; *caucasica* Jachontov,1911.
- 391. Issoria eugenia (Eversmann,1847) (Argynnidae)**
Synonym(s): *eugenia* Eversmann,1847

- 392. *Issoria eugenia eugenia* (Eversmann,1847)** (Argynnididae) Synonym(s): *eugenia* Eversmann,1847
- 393. *Issoria eugenia montana* (A.Bang-Haas,1906)** (Argynnididae) Synonym(s): *montana* A.Bang-Haas,1906
- 394. *Issoria lathonia* (Linnaeus,1758)** (Argynnididae) Synonym(s): *lathonia* Linnaeus,1758; *saturata* Röber,1897; *hungarica* Aigner-Abafi,1906; *florens* Verity,1916; *emiflorens* Verity,1919; *attenuata* Sagarra,1926; *nigroprivata* Verity,1933. Larval foodplant(s): *Viola tricolor*, *V. arvensis*, *V. aetolica*, *V. lutea*, *V. biflora*, *V. calcarata*, *V. corsica*, *V. odorata* (Violaceae); *Anchusa* (Boraginaceae); *Onobrychis* (Fabaceae) (Wiltshire,1957; Tolman, 1997).
- 395. *Issoria lathonia lathonia* (Linnaeus,1758)** (Argynnididae) Synonym(s): *lathonia* Linnaeus,1758; *saturata* Röber,1897; *hungarica* Aigner-Abafi,1906; *florens* Verity,1916; *emiflorens* Verity,1919; *attenuata* Sagarra,1926; *nigroprivata* Verity,1933. Larval foodplant(s): *Viola tricolor*, *V. arvensis*, *V. aetolica*, *V. lutea*, *V. biflora*, *V. calcarata*, *V. corsica*, *V. odorata* (Violaceae); *Anchusa* (Boraginaceae); *Onobrychis* (Fabaceae) (Wiltshire,1957; Tolman, 1997).
- 396. *Kaniska canace* (Linnaeus,1763)** (Argynnididae) Synonym(s): *canace* Linnaeus,1763
- 397. *Kaniska canace canace* (Linnaeus,1763)** (Argynnididae) Synonym(s): *canace* Linnaeus,1763
- 398. *Limenitis (Azuritis) reducta* Staudinger,1901** (Argynnididae) Synonym(s): *reducta* Staudinger,1901. Larval foodplant(s): *Lonicera periclymenum*, *L. etrusca*, *L. implexa*, *L. xylosteum*, *L. alpigena*, *L. nummulariifolia*, *L. caprifolium*, *L.iberica*, *L.orientalis* (Boudinot,1986; Ebert,1991; Tolman,1997; Dantchenko,in.litt.).
- 399. *Limenitis (Azuritis) reducta herculeana* Stichel,[1908]** (Argynnididae) Synonym(s): *camilla* [Denis & Schiffermüller],1775 (praeocc.); *drusilla* Bergsträßer,1779 (praeocc.); *lucilla* Esper,[1779]; *anonyma* Lewis,1872; *herculeana* Stichel,[1908]; *prodiga* Fruhstorfer,1909; *schiffermuelleri* Higgins,1932; *mirzayani* Gross & Ebert,1975. Larval foodplant(s): *Lonicera periclymenum*, *L. etrusca*, *L. implexa*, *L. xylosteum*, *L. alpigena*, *L. nummulariifolia*, *L. caprifolium*, *L.iberica*, *L.orientalis* (Boudinot,1986; Ebert,1991; Tolman,1997; Dantchenko,in.litt.).
- 400. *Limenitis (Ladoga) camilla* (Linnaeus,1764)** (Argynnididae) Synonym(s): *camilla* Linnaeus,1764; *prorsa* Linnaeus,1764 nec Linnaeus,1758; *sibilla* Linnaeus,1769; *luctuosus* Fourcroy,1785 nec Walch,1775. Larval foodplant(s): *Lonicera periclymenum*, *L. caprifolium*, *L. xylosteum*, *L. tatarica*, *L. maackii*, *L.gibbiflora*, *Symphoricarpos racemosa* (Kurentzov,1970; Migranov,1991; Tolman,1997).
- 401. *Limenitis (Ladoga) camilla camilla* (Linnaeus,1764)** (Argynnididae) Synonym(s): *camilla* Linnaeus,1764; *prorsa* Linnaeus,1764 nec Linnaeus,1758; *sibilla* Linnaeus,1769; *luctuosus* Fourcroy,1785 nec Walch,1775.
- 402. *Limenitis (Ladoga) camilla japonica* Ménétériés,1857** (Argynnididae) Synonym(s): *japonica* Ménétériés,1857; *angustata* Staudinger,1887.
- 403. *Limenitis (s.str.) amphyssa* Ménétériés,1858** (Argynnididae) Synonym(s): *amphyssa* Ménétériés,1858 Larval foodplant(s): *Lonicera maackii* (Murzin,2000).
- 404. *Limenitis (s.str.) amphyssa amphyssa* Ménétériés,1858** (Argynnididae) Synonym(s): *amphyssa* Ménétériés,1858
- 405. *Limenitis (s.str.) doerriesi* Staudinger,1892** (Argynnididae) Synonym(s): *doerriesi* Staudinger,1892 Larval foodplant(s): *Lonicera praeflorens* (Kurentzov,1970).
- 406. *Limenitis (s.str.) doerriesi doerriesi* Staudinger,1892** (Argynnididae) Synonym(s): *doerriesi* Staudinger,1892 Larval foodplant(s): *Lonicera praeflorens* (Kurentzov,1970).
- 407. *Limenitis (s.str.) helmanni* Lederer,1853** (Argynnididae) Synonym(s): *helmanni* Lederer,1853. Larval foodplant(s): *Lonicera* sp. (Korshunov, 1981,1985).

- 408. *Limenitis* (s.str.) *helmanni helmanni* Lederer,1853** (Argynnididae)
Synonym(s): *helmanni* Lederer,1853.
- 409. *Limenitis* (s.str.) *homeyeri* Tancré,1881** (Argynnididae) Synonym(s):
homeyeri Tancré,1881
- 410. *Limenitis* (s.str.) *homeyeri homeyeri* Tancré,1881** (Argynnididae)
Synonym(s): *homeyeri* Tancré,1881
- 411. *Limenitis* (s.str.) *moltrechti* Kardakov,1928** (Argynnididae) Synonym(s):
moltrechti Kardakov,1928 Larval foodplant(s): *Lonicera praeflorens*, *L. chrysantha* (Kurentzov,1970).
- 412. *Limenitis* (s.str.) *moltrechti moltrechti* Kardakov,1928** (Argynnididae)
Synonym(s): *moltrechti* Kardakov,1928 Larval foodplant(s): *Lonicera praeflorens*, *L. chrysantha* (Kurentzov,1970).
- 413. *Limenitis* (s.str.) *populi* (Linnaeus,1758)** (Argynnididae) Synonym(s):
populi Linnaeus,1758; *semiramis* Schrank,1801; *tremulae* Esper,1804 *nec* Piller & Mitterpacher,1783;
goliath Fruhstorfer,1908; *fruhstorferi* Krulikowsky,1909. Larval foodplant(s): *Populus tremula* (Salicaceae) (Boudinot,1987; Tolman,1997).
- 414. *Limenitis* (s.str.) *populi enapius* Fruhstorfer,1908** (Argynnididae)
Synonym(s): *enapius* Fruhstorfer,1908; *eumenius* Fruhstorfer,1908; *fruhstorferi* Krulikowsky,1909
- 415. *Limenitis* (s.str.) *populi populi* (Linnaeus,1758)** (Argynnididae)
Synonym(s): *populi* Linnaeus,1758; *semiramis* Schrank,1801; *tremulae* Esper,1804 *nec* Piller & Mitterpacher,1783; *goliath* Fruhstorfer,1908; *fruhstorferi* Krulikowsky,1909.
- 416. *Limenitis* (s.str.) *populi ussuriensis* Staudinger,1887** (Argynnididae)
Synonym(s): *ussuriensis* Staudinger,1887; *liliputana* Staudinger,1887
- 417. *Limenitis* (s.str.) *sydyi* Lederer,1853** (Argynnididae) Synonym(s): *sydyi* Lederer,1853
Larval foodplant(s): *Lonicera altaica*, *Spiraea salicifolia*, *S. flexuosa* (Graeser,1888; Korshunov & Gorbunov,1995).
- 418. *Limenitis* (s.str.) *sydyi lataefasciata* Ménétriés,1859** (Argynnididae)
Synonym(s): *lataefasciata* Ménétriés,1859
- 419. *Limenitis* (s.str.) *sydyi sydyi* Lederer,1853** (Argynnididae) Synonym(s):
sydyi Lederer,1853
- 420. *Melitaea* (Cinclidia) (*phoebe*) *phoebe* (Goeze,1779)** (Argynnididae)
Synonym(s): *#phoebe* [Denis & Schiffermüller],1775; *phoebe* Goeze,1779; *paedotropos* Bergsträßer,[1780]; *tremulae* Piller & Mitterpacher,1783. Larval foodplant(s): *Centaurea jacea*, *C. montana*, *C. graeca*, *C. scabiosa*, *C. nigrescens*, *C. alba*, *C. columbaria* (Tolman, 1997).
- 421. *Melitaea* (Cinclidia) (*phoebe*) *phoebe ornata* Christoph,1893** (Argynnididae) Synonym(s): *ornata* Christoph,1893; *uralensis* Krulikowsky,1897 *nec* Evers.,1844;
ufensis Krulkowsky,1902; *lokris* Fruhstorfer,1908.
- 422. *Melitaea* (Cinclidia) (*phoebe*) *phoebe saturata* Staudinger,1892** (Argynnididae) Synonym(s): *saturata* Staudinger,1892; *alatauica* Wagner,1913 *nec* Stgr.,1881;
wagneri Wnukowsky,1929.
- 423. *Melitaea* (Cinclidia) *scotosia* Butler,1878** (Argynnididae) Synonym(s):
scotosia Butler,1878; *#yagei* Nire,1917.
- 424. *Melitaea* (Cinclidia) *scotosia butleri* Higgins,1940** (Argynnididae)
Synonym(s): *butleri* Higgins,1940
- 425. *Melitaea* (Cinclidia) *scotosia scotosia* Butler,1878** (Argynnididae)
Synonym(s): *scotosia* Butler,1878; *#yagei* Nire,1917.
- 426. *Melitaea* (Didymaeformis) *ala* Staudinger,1881** (Argynnididae)
Synonym(s): *ala* Staudinger,1881 Larval foodplant(s): *Ligularia* (Tusov & Churkin,2000).
- 427. *Melitaea* (Didymaeformis) *didyma* (Esper,[1779])** (Argynnididae)
Synonym(s): *didyma* Esper,[1779]; *armoricana* Oberthür,1909. Larval foodplant(s):
Linaria vulgaris, *L. peloponnesiaca*, *L. alpina*, *Antirrhinum brevifolium*, *Misopates*

orontium, *Plantago subulata*, *P.amplexicaulis*, *P.bellardi deflexa*, *P.lanceolata*, *P.major*, *Veronica teucrium*, *V.chamaedrys*, *Digitalis grandiflora*, *D.purpurea*, *Stachys recta*, *Valeriana officinalis*, *V.montana*, *V.persica*, *Verbascum thapsus* (Tolman,1997).

- 428. *Melitaea (Didymaeformis) didyma neera* Fischer de Waldheim,1840**
(Argynnidae) Synonym(s): *neera* Fischer de Waldheim,1840; *uralicola* Bryk,1940; *kirgisica* Bryk,1940.
- 429. *Melitaea (Didymaeformis) didymoides* Eversmann,1847** (Argynnidae)
Synonym(s): *didymoides* Eversmann,1847
- 430. *Melitaea (Didymaeformis) didymoides didymoides* Eversmann,1847**
(Argynnidae) Synonym(s): *didymoides* Eversmann,1847
- 431. *Melitaea (Didymaeformis) fascelis* (Fabricius,1787)** (Argynnidae)
Synonym(s): *#trivia* Denis & Schiffermüller,1775; *iphigenia* Esper,1782 (praeoc.); *#fascelis* Esper,1783; *fascelis* Fabricius,1787; *cleo* Latreille,1803 Larval foodplant(s): *Verbascum thapsus*, *V. densifolium*, *V. longifolium*, *V. speciosum*, *V. delpicum*, *Eremostachys*, *Scrophularia* (Tolman, 1997; Tusov & Churkin,2000).
- 432. *Melitaea (Didymaeformis) fascelis fascelis* (Fabricius,1787)**
(Argynnidae) Synonym(s): *#trivia* Denis & Schiffermüller,1775; *iphigenia* Esper,1782 (praeoc.); *#fascelis* Esper,1783; *fascelis* Fabricius,1787; *cleo* Latreille,1803
- 433. *Melitaea (Didymaeformis) fascelis uvarovi* Gorbunov,1995**
(Argynnidae) Synonym(s): *uvarovi* Gorbunov,1995
- 434. *Melitaea (Didymaeformis) latonigena* Eversmann,1847** (Argynnidae)
Synonym(s): *latonigena* Eversmann,1847; *altaica* Groum-Grshimailo,1893.
- 435. *Melitaea (Didymaeformis) latonigena latonigena* Eversmann,1847**
(Argynnidae) Synonym(s): *latonigena* Eversmann,1847; *altaica* Groum-Grshimailo,1893.
- 436. *Melitaea (Didymaeformis) romanovi* Groum-Grshimailo,1890**
(Argynnidae) Synonym(s): *romanovi* Groum-Grshimailo,1890; *#puella* Higgins,1941.
- 437. *Melitaea (Didymaeformis) romanovi romanovi* Groum-Grshimailo,1890** (Argynnidae) Synonym(s): *romanovi* Groum-Grshimailo,1890; *#puella* Higgins,1941.
- 438. *Melitaea (Didymaeformis) sutschana* Staudinger,1892** (Argynnidae)
Synonym(s): *sutschana* Staudinger,1892
- 439. *Melitaea (Didymaeformis) sutschana graeseri* Gorbunov,1995**
(Argynnidae) Synonym(s): *graeseri* Gorbunov,1995
- 440. *Melitaea (Didymaeformis) sutschana graeseri* Gorbunov,1995**
(Argynnidae) Synonym(s): *graeseri* Gorbunov,1995
- 441. *Melitaea (Didymaeformis) sutschana sutschana* Staudinger,1892**
(Argynnidae) Synonym(s): *sutschana* Staudinger,1892
- 442. *Melitaea (Mellicta) ambigua* (Ménétriés,1859)** (Argynnidae)
Synonym(s): *ambigua* Ménétriés,1859
- 443. *Melitaea (Mellicta) ambigua ambigua* (Ménétriés,1859)** (Argynnidae)
Synonym(s): *ambigua* Ménétriés,1859
- 444. *Melitaea (Mellicta) ambigua kenteana* (Seitz,1909)** (Argynnidae)
Synonym(s): *kenteana* Seitz,1909; *sayanskalpina* Verity,1940.
- 445. *Melitaea (Mellicta) athalia* (Rottemburg,1775)** (Argynnidae)
Synonym(s): *athalia* Rottemburg,1775; *eos* Rossi,1803 nec Rossi,1794; *pyronia* Hübner,1804; *aphaea* Hübner,1816; *tessellata* Stephens,1827; *britannia* Verity,1914; *luciflua* Fruhstorfer,1916; *vividior* Gouin,1922; *subluciflua* Verity,1935; *mixtaceladussa* Verity,1940; *neglecta* Pfau,1962 Larval foodplant(s): *Plantago*, *Veronica*, *elampyrum*, *Digitalis*, *Linaria*, *Centaurea*, *Chrysanthemum*, *Hieracium*, *Tanacetum*.
- 446. *Melitaea (Mellicta) athalia athalia* (Rottemburg,1775)** (Argynnidae)
Synonym(s): *athalia* Rottemburg,1775; *eos* Rossi,1803 nec Rossi,1794; *pyronia* Hübner,1804; *aphaea*

- Hübner,1816; tessellata Stephens,1827; britanna Verity,1914; luciflua Fruhstorfer,1916; vividior Gouin,1922; subluciflua Verity,1935; mixtaceladussa Verity,1940; neglecta Pfau,1962*
- 447. Melitaea (Mellicta) athalia norvegica (Aurivillius,1888) (Argynnidae)**
Synonym(s): *norvegica* Aurivillius,1888; *scandinavica* Staudinger,1892; *lachares* Fruhstorfer,1919; *borealis* Lindström,1929.
- 448. Melitaea (Mellicta) athalia reticulata Higgins,1955 (Argynnidae)**
Synonym(s): *reticulata* Higgins,1955
- 449. Melitaea (Mellicta) aurelia (Nickerl,1850) (Argynnidae)** Synonym(s): *parthenie* Borkhausen,1788 *nec* Bergsträßer,[1780]; *aurelia* Nickerl,1850; *#serotina* Oberthür,1909; *lucasi* Verity,1920. Larval foodplant(s): *Plantago lanceolata*, *Veronica*, *Tanacetum* ? (Tolman, 1997; Tusov & Churkin,2000).
- 450. Melitaea (Mellicta) aurelia aurelia (Nickerl,1850) (Argynnidae)**
Synonym(s): *parthenie* Borkhausen,1788 *nec* Bergsträßer,[1780]; *aurelia* Nickerl,1850; *#serotina* Oberthür,1909; *lucasi* Verity,1920.
- 451. Melitaea (Mellicta) britomartis (Assmann,1847) (Argynnidae)**
Synonym(s): *britomartis* Assmann,1847; *veronicae* Dorfmeister,1853. Larval foodplant(s): *Plantago*, *Veronica*, *Rhinanthus*, *Linaria vulgaris*, *Melampyrum*, *Chrysanthemum*.
- 452. Melitaea (Mellicta) britomartis amurensis (Staudinger,1892) (Argynnidae)** Synonym(s): *amurensis* Staudinger,1892; *seminigra* Seitz,1909; *seminigra* Nitsche,1918; *frigidaaltaica* Verity,1940.
- 453. Melitaea (Mellicta) britomartis britomartis (Assmann,1847) (Argynnidae)** Synonym(s): *britomartis* Assmann,1847; *veronicae* Dorfmeister,1853.
- 454. Melitaea (Mellicta) centralasiae (Wnukowsky,1929) (Argynnidae)**
Synonym(s): *mongolica* Staudinger,1892:327 *nec* Stgr.,1892:321; *centralasiae* Wnukowsky,1929.
- 455. Melitaea (Mellicta) centralasiae centralasiae (Wnukowsky,1929) (Argynnidae)** Synonym(s): *mongolica* Staudinger,1892:327 *nec* Stgr.,1892:321; *centralasiae* Wnukowsky,1929.
- 456. Melitaea (Mellicta) menetriesi (Caradja,1895) (Argynnidae)**
Synonym(s): *orientalis* Ménétériés,1859 *nec* H.-S.,1843; *menetriesi* Caradja,1895; *septentrionalis* Verity,1930.
- 457. Melitaea (Mellicta) menetriesi menetriesi (Caradja,1895) (Argynnidae)** Synonym(s): *orientalis* Ménétériés,1859 *nec* H.-S.,1843; *menetriesi* Caradja,1895; *septentrionalis* Verity,1930.
- 458. Melitaea (Mellicta) plotina (Bremer,1861) (Argynnidae)** Synonym(s): *plotina* Bremer,1861
- 459. Melitaea (Mellicta) plotina plotina (Bremer,1861) (Argynnidae)**
Synonym(s): *plotina* Bremer,1861
- 460. Melitaea (Mellicta) protomedia (Ménétériés,1858) (Argynnidae)**
Synonym(s): *protomedia* Ménétériés,1858
- 461. Melitaea (Mellicta) protomedia protomedia (Ménétériés,1858) (Argynnidae)** Synonym(s): *protomedia* Ménétériés,1858
- 462. Melitaea (Mellicta) rebeli (Wnukowsky,1929) (Argynnidae)** Synonym(s): *altaica* Staudinger,1901 *nec* Groum-Grsh.,1893; *rebeli* Wnukowsky,1929
- 463. Melitaea (Mellicta) rebeli rebeli (Wnukowsky,1929) (Argynnidae)**
Synonym(s): *altaica* Staudinger,1901 *nec* Groum-Grsh.,1893; *rebeli* Wnukowsky,1929
- 464. Melitaea (Mellicta) rhea (Churkin & Devyatkin,2005) (Argynnidae)**
Synonym(s): *rhea* Churkin & Devyatkin,2005
- 465. Melitaea (s.str.) arcesia Bremer,1864 (Argynnidae)** Synonym(s): *baicalensis* Bremer,1864, p.13; *arcesia* Bremer,1864, p.15; *chuana* Groum-Grshimailo,1893.
- 466. Melitaea (s.str.) arcesia arcesia Bremer,1864 (Argynnidae)** Synonym(s): *baicalensis* Bremer,1864, p.13; *arcesia* Bremer,1864, p.15; *chuana* Groum-Grshimailo,1893; *carmana* Fruhstorfer,1915; *rucephala* Fruhstorfer,1915.
- 467. Melitaea (s.str.) arcesia minor Elwes,1899 (Argynnidae)** Synonym(s): *minor* Elwes,1899.

- 468. Melitaea (s.str.) arduinna (Fabricius,1787)** (Argynnidae) Synonym(s): *arduinna* Fabricius,1787; *rhodopensis* Freyer,[1836]; *uralensis* Eversmann,1844. Larval foodplant(s): *Centaurea behen* (Wiltshire); *Centaurea* (?) *graeca* (Tolman, 1997).
- 469. Melitaea (s.str.) arduinna arduinna (Fabricius,1787)** (Argynnidae) Synonym(s): *arduinna* Fabricius,1787; *rhodopensis* Freyer,[1836]; *uralensis* Eversmann,1844.
- 470. Melitaea (s.str.) cinxia (Linnaeus,1758)** (Argynnidae) Synonym(s): *cinxia* Linnaeus,1758; *abacus* Retzius,1783; *fulla* Quensel,1791. Larval foodplant(s): *Plantago lanceolata*, *P. subulata*, *P. bellardii deflexa*, *P. argentea*, *P. cynops*, *P. major*, *P. media*, *Veronica teucrium*, *Viola*, *Centaurea pullata*, *C. (?) graeca*, *Scorzonera pygmaea*, *Hieracium* (Higgins & Riley,1970; Tolman, 1997; Tusov & Churkin,20
- 471. Melitaea (s.str.) cinxia cinxia (Linnaeus,1758)** (Argynnidae) Synonym(s): *cinxia* Linnaeus,1758; *abacus* Retzius,1783; *fulla* Quensel,1791.
- 472. Melitaea (s.str.) cinxia clarissa Staudinger,1901** (Argynnidae) Synonym(s): *clarissa* Staudinger,1901; *#tschujaca* Seitz,1909; *sacaria* Fruhstorfer,1917; *riloensis* Züllich.
- 473. Melitaea (s.str.) diamina (Lang,1789)** (Argynnidae) Synonym(s): *dictynna* Esper,1778 nec [Denis & Schiffermüller],1775; *diamina* Lang,1789; *magnaobscura* Verity,1931. Larval foodplant(s): *Valeriana*, *Plantago*, *Veronica*, *Melampyrum*, *Patrinia*, *Polygonum* (Korshunov & Gorbunov,1995; Tolman,1997).
- 474. Melitaea (s.str.) diamina badukensis Alberti,1969** (Argynnidae) Synonym(s): *badukensis* Alberti,1969
- 475. Melitaea (s.str.) diamina diamina (Lang,1789)** (Argynnidae) Synonym(s): *dictynna* Esper,1778 nec [Denis & Schiffermüller],1775; *diamina* Lang,1789; *magnaobscura* Verity,1931.
- 476. Melitaea (s.str.) diamina erycina Lederer,1853** (Argynnidae) Synonym(s): *erycina* Lederer,1853
- 477. Melitaea (s.str.) diamina erycinides Staudinger,1892** (Argynnidae) Synonym(s): *erycinides* Staudinger,1892
- 478. Melitaea (s.str.) diamina hebe (Borkhausen,1793)** (Argynnidae) Synonym(s): *hebe* Borkhausen,1793; *corythallia* Hübner,1800; *orthia* Hübner,1818; *erycina* Lederer,1853.
- 479. Neptis (s.str.) alwina (Bremer & Grey,1853)** (Argynnidae) Synonym(s): *alwina* Bremer & Grey,1853 Larval foodplant(s): *Armeniaca mandshurica* (Murzin,2000).
- 480. Neptis (s.str.) alwina alwina (Bremer & Grey,1853)** (Argynnidae) Synonym(s): *alwina* Bremer & Grey,1853 Larval foodplant(s): *Armeniaca mandshurica* (Murzin,2000).
- 481. Neptis (s.str.) philyra Ménétériés,1858** (Argynnidae) Synonym(s): *philyra* Ménétériés,1858 Larval foodplant(s): *Acer japonicum*, *Carpinus cordata*, *Ulmus japonica* (Murzin,2000).
- 482. Neptis (s.str.) philyra philyra Ménétériés,1858** (Argynnidae) Synonym(s): *philyra* Ménétériés,1858 Larval foodplant(s): *Acer japonicum*, *Carpinus cordata*, *Ulmus japonica* (Murzin,2000).
- 483. Neptis (s.str.) philyroides Staudinger,1887** (Argynnidae) Synonym(s): *philyroides* Staudinger,1887 Larval foodplant(s): *Corylus heterophyllus* (Murzin,2000).
- 484. Neptis (s.str.) philyroides philyroides Staudinger,1887** (Argynnidae) Synonym(s): *philyroides* Staudinger,1887 Larval foodplant(s): *Corylus heterophyllus* (Murzin,2000).
- 485. Neptis (s.str.) pratti (Leech,1890)** (Argynnidae) Synonym(s): *pratti* Leech,1890

- 486. *Neptis (s.str.) pratti eximia (Moltrecht,1909)*** (Argynnidae) Synonym(s): *eximia Moltrecht,1909*
- 487. *Neptis (s.str.) pryeri Butler,1871*** (Argynnidae) Synonym(s): *pryeri Butler,1871; andetria Fruhstorfer,1912; kusnetzovi Kurentzov,1949.* Larval foodplant(s): *Spiraea sp.* (Fukuda et al.,1984).
- 488. *Neptis (s.str.) pryeri pryeri Butler,1871*** (Argynnidae) Synonym(s): *pryeri Butler,1871; andetria Fruhstorfer,1912; kusnetzovi Kurentzov,1949.* Larval foodplant(s): *Spiraea sp.* (Fukuda et al.,1984).
- 489. *Neptis (s.str.) rivularis (Scopoli,1763)*** (Argynnidae) Synonym(s): *rivularis Scopoli,1763; lucilla Denis & Schiffermüller,1775; coenobita Cramer,1780; #tolunay Koçak & Kemal,2006.* Larval foodplant(s): *Spiraea chamaedryfolia, S. salicifolia, S. crenata, S. aquilegifolia, Aruncus dioecus, Filipendula ulmaria* (Kurentzov,1970; Lukhtanov & Lukhtanov, 1994; Tolman,1997).
- 490. *Neptis (s.str.) rivularis ludmilla (Boisduval,1848)*** (Argynnidae) Synonym(s): *ludmilla Boisduval,1848; ludmilla Herrich-Schäffer,1856.* Larval foodplant(s): *Spiraea chamaedryfolia, S. salicifolia, S. crenata, S. aquilegifolia, Aruncus dioecus, Filipendula ulmaria* (Kurentzov,1970; Lukhtanov & Lukhtanov, 1994; Tolman,1997).
- 491. *Neptis (s.str.) rivularis magnata (Heyne,[1895])*** (Argynnidae) Synonym(s): *magnata Heyne,[1895]; synetairus Fruhstorfer,1907; bergmani Bryk,1942.*
- 492. *Neptis (s.str.) rivularis rivularis (Scopoli,1763)*** (Argynnidae) Synonym(s): *rivularis Scopoli,1763; lucilla Denis & Schiffermüller,1775; coenobita Cramer,1780; #tolunay Koçak & Kemal,2006.*
- 493. *Neptis (s.str.) sappho (Pallas,1771)*** (Argynnidae) Synonym(s): *sappho Pallas,1771; aceris Lepechin,1771; aceris Esper,[1783].* Larval foodplant(s): *Lathyrus vernus, L. humilis, Lespedeza bicolor* (Blaschke,1914; Murzin,2000).
- 494. *Neptis (s.str.) sappho sappho (Pallas,1771)*** (Argynnidae) Synonym(s): *sappho Pallas,1771; aceris Lepechin,1771; aceris Esper,[1783].* Larval foodplant(s): *Lathyrus vernus, L. humilis, Lespedeza bicolor* (Blaschke,1914; Murzin,2000).
- 495. *Neptis (s.str.) speyeri Staudinger,1887*** (Argynnidae) Synonym(s): *speyeri Staudinger,1887* Larval foodplant(s): *Corylus heterophyllus* (Omelko & Omelko,1975).
- 496. *Neptis (s.str.) speyeri speyeri Staudinger,1887*** (Argynnidae) Synonym(s): *speyeri Staudinger,1887* Larval foodplant(s): *Corylus heterophyllus* (Omelko & Omelko,1975).
- 497. *Neptis (s.str.) themis Leech,1892*** (Argynnidae) Synonym(s): *themis Leech,1892*
- 498. *Neptis (s.str.) themis themis Leech,1892*** (Argynnidae) Synonym(s): *themis Leech,1892*
- 499. *Neptis (s.str.) thisbe Ménétériés,1858*** (Argynnidae) Synonym(s): *thisbe Ménétériés,1858*
- 500. *Neptis (s.str.) thisbe thisbe Ménétériés,1858*** (Argynnidae) Synonym(s): *thisbe Ménétériés,1858*
- 501. *Neptis (s.str.) tshetverikovi Kurentzov,1936*** (Argynnidae) Synonym(s): *tshetverikovi Kurentzov,1936*
- 502. *Neptis (s.str.) tshetverikovi tshetverikovi Kurentzov,1936*** (Argynnidae) Synonym(s): *tshetverikovi Kurentzov,1936*
- 503. *Nymphalis antiopa (Linnaeus,1758)*** (Argynnidae) Synonym(s): *antiopa Linnaeus,1758; pompadour Pollich,1783; morio Retzius,1783; borealis Wnukowsky,1927.* Larval foodplant(s): *Salix alba, S. cinerea, S. atrocinerea, S. caprea, S. aurita, S. viminalis, Populus tremula, P. nigra, P. alba* (Salicaceae) (Tolman, 1997); *Betula pendula* (Lavroff, 1927; Anikin et al., 1993); *Urtica sp.* (Korshunov, 1981).

- 504. *Nymphalis antiopa antiopa* (Linnaeus,1758)** (Argynnididae) Synonym(s): *antiopa* Linnaeus,1758; *pompador* Pollich,1783; *morio* Retzius,1783; *borealis* Wnukowsky,1927.
- 505. *Nymphalis polychloros* (Linnaeus,1758)** (Argynnididae) Synonym(s): *polychloros* Linnaeus,1758; *testudo* Esper,1781; *pyrrhomelaena* Hübner,1824; *pyromelas* Freyer,1834; *fervida* Standfuss,1896. Larval foodplant(s): *Ulmus procera*, *U. glabra*, *U. campestris*, *U. americana*, *Salix caprea*, *S. alba*, *S. pedicellata*, *S. viminalis*, *Prunus avium*, *P. domestica*, *Prunus padus*, *Pyrus communis*, *Malus domestica*, *Populus tremula*, *P. nigra*, *P. alba*, *Sorbus tormilis*, *Crataegus monogyna* (Tolman,1997).
- 506. *Nymphalis polychloros polychloros* (Linnaeus,1758)** (Argynnididae) Synonym(s): *polychloros* Linnaeus,1758; *testudo* Esper,1781; *pyrrhomelaena* Hübner,1824; *pyromelas* Freyer,1834; *fervida* Standfuss,1896.
- 507. *Nymphalis vaualbum* ([Denis & Schiffermüller],1775)** (Argynnididae) Synonym(s): *#vaualbum* [Denis & Schiffermüller],1775; *l-album* Esper,[1781] Larval foodplant(s): *Ulmus* (Ulmaceae); *Populus*, *Salix* (Salicaceae) (Tolman,1997).
- 508. *Nymphalis vaualbum vaualbum* ([Denis & Schiffermüller],1775)** (Argynnididae) Synonym(s): *#vaualbum* [Denis & Schiffermüller],1775; *l-album* Esper,[1781]
- 509. *Nymphalis xanthomelas* (Esper,[1781])** (Argynnididae) Synonym(s): *#xanthomelas* [Denis & Schiffermüller],1775; *xanthomelas* Esper,[1781] Larval foodplant(s): *Salix*, *Populus* (Salicaceae) (Bartel, 1902).
- 510. *Nymphalis xanthomelas xanthomelas* (Esper,[1781])** (Argynnididae) Synonym(s): *xanthomelas* Esper,[1781]
- 511. *Polygonia (Comma) c-album* (Linnaeus,1758)** (Argynnididae) Synonym(s): *c-album* Linnaeus,1758; *g-album* Fourcroy,1785. Larval foodplant(s): *Ribes grossularia*, *R. uva-crispa*, *Urtica dioica*, *Salix caprea*, *S. alba*, *Humulus lupulus*, *Corylus avellana*, *Ulmus glabra*, *U. minor*, *U. procera*, *U. laevis* (Tolman,1997).
- 512. *Polygonia (Comma) c-album c-album* (Linnaeus,1758)** (Argynnididae) Synonym(s): *c-album* Linnaeus,1758; *g-album* Fourcroy,1785.
- 513. *Polygonia (Comma) egea* (Cramer,[1775])** (Argynnididae) Synonym(s): *egea* Cramer,[1775] (junior homonym); *vaualbum* Esper,1780; *l-album* Esper,1789; *triangulum* Fabricius,1793; *autumnalis* Stefanelli,1873; *#balucha* Evans,1932; *#pallida* Evans,1932. Larval foodplant(s): *Parietaria officinalis* (Tolman,1997).
- 514. *Polygonia (Comma) egea egea* (Cramer,[1775])** (Argynnididae) Synonym(s): *egea* Cramer,[1775] (junior homonym); *vaualbum* Esper,1780; *l-album* Esper,1789; *triangulum* Fabricius,1793; *autumnalis* Stefanelli,1873; *#balucha* Evans,1932; *#pallida* Evans,1932.
- 515. *Polygonia (Comma) interposita* Staudinger,1881** (Argynnididae) Synonym(s): *interposita* Staudinger,1881
- 516. *Polygonia (Comma) interposita interposita* Staudinger,1881** (Argynnididae) Synonym(s): *interposita* Staudinger,1881
- 517. *Polygonia (s.str.) c-aureum* (Linnaeus,1758)** (Argynnididae) Synonym(s): *c-aureum* Linnaeus,1758; *angelica* Stoll,[1782].
- 518. *Polygonia (s.str.) c-aureum c-aureum* (Linnaeus,1758)** (Argynnididae) Synonym(s): *c-aureum* Linnaeus,1758
- 519. *Seokia pratti* (Leech,1890)** (Argynnididae) Synonym(s): *pratti* Leech,1890 Larval foodplant(s): *Pinus koraiensis* (Omelko,1978).
- 520. *Seokia pratti eximia* (Moltrecht,1909)** (Argynnididae) Synonym(s): *eximia* Moltrecht,1909; *jefremovi* Nekrutenko,1960. Larval foodplant(s): *Pinus koraiensis* (Omelko,1978).
- 521. *Sephisa princeps* (Fixsen,1887)** (Argynnididae) Synonym(s): *princeps* Fixsen,1887; *albimacula* Leech,1890; *cauta* Leech,1890. Larval foodplant(s): *Quercus mongolica* (Fagaceae) (Robinson et al.,2005).

- 522. *Sephisa princeps princeps* (Fixsen,1887)** (Argynnidae) Synonym(s): *princeps* Fixsen,1887; *albimacula* Leech,1890; *cauta* Leech,1890. Larval foodplant(s): *Quercus mongolica* (Fagaceae) (Robinson et al.,2005).
- 523. *Vanessa atalanta* (Linnaeus,1758)** (Argynnidae) Synonym(s): *atalanta* Linnaeus,1758; *amiralis* Retzius,1783; *#klemensiewiczzi* Schille,1896; *#klimene* Fischer,1896; *italica* Stichel,1900. Larval foodplant(s): *Urtica urens*, *U. membranacea*, *U. pilulifera*, *U. dioica*, *Parietaria officinalis*, *P. diffusa*, *P. debilis*, *Humulus lupulus* (Krulikowsky, 1907; Kumakov & Korshunov, 1979; Korshunov & Gorbunov,1995; Tolman, 1997).
- 524. *Vanessa atalanta atalanta* (Linnaeus,1758)** (Argynnidae) Synonym(s): *atalanta* Linnaeus,1758; *amiralis* Retzius,1783; *#klemensiewiczzi* Schille,1896; *#klimene* Fischer,1896; *italica* Stichel,1900. Larval foodplant(s): *Urtica urens*, *U. membranacea*, *U. pilulifera*, *U. dioica*, *Parietaria officinalis*, *P. diffusa*, *P. debilis*, *Humulus lupulus* (Krulikowsky, 1907; Kumakov & Korshunov, 1979; Korshunov & Gorbunov,1995; Tolman, 1997).
- 525. *Vanessa indica* (Herbst,1794)** (Argynnidae) Synonym(s): *indica* Herbst,1794; *callioe* Hübner,1806 Larval foodplant(s): *Urtica angustifolia* (Tusov,2000).
- 526. *Vanessa indica indica* (Herbst,1794)** (Argynnidae) Synonym(s): *indica* Herbst,1794; *callioe* Hübner,1806 Larval foodplant(s): *Urtica angustifolia* (Tusov,2000).
- 527. *Amselina cedeștiella* (Zeller,1868)** (Autostichidae) Synonym(s): *cedeștiella* Zeller,1868; *dissoluta* Staudinger,1870.
- 528. *Aprominta designatella* (Herrich-Schäffer,[1855])** (Autostichidae) Synonym(s): *designatella* Herrich-Schäffer,[1855]
- 529. *Deroxena venosulella* (Möschler,1862)** (Autostichidae) Synonym(s): *venosulella* Möschler,1862; *neglectella* Lederer,1863.
- 530. *Donaspastus pannonicus* Gozmany,1952** (Autostichidae) Synonym(s): *pannonicus* Gozmany,1952
- 531. *Holcopogon bubulcellus* (Staudinger,1859)** (Autostichidae) Synonym(s): *bubulcellus* Staudinger,1859; *pulverulellus* Constant,1865; *barbata* Walsingham,1900.
- 532. *Holcopogon bubulcellus helveolellus* Staudinger,1879** (Autostichidae) Synonym(s): *helveolellus* Staudinger,1879
- 533. *Oegoconia caradjai* Popescu-Gorj & Capuse,1965** (Autostichidae) Synonym(s): *caradjai* Popescu-Gorj & Capuse,1965
- 534. *Oegoconia deauratella* (Herrich-Schäffer,[1854])** (Autostichidae) Synonym(s): *deauratella* Herrich-Schäffer,[1854]; *bacescui* Popescu-Gorj & Capuse,1965
- 535. *Oegoconia uralskella* Popescu-Gorj & Capuse,1965** (Autostichidae) Synonym(s): *uralskella* Popescu-Gorj & Capuse,1965
- 536. *Pantacordis pales* Gozmany,1954** (Autostichidae) Synonym(s): *pales* Gozmany,1954
- 537. *Symmoca signatella* Herrich-Schäffer,1854** (Autostichidae) Synonym(s): *signatella* Herrich-Schäffer,1854; *rosmarinella* Walsingham,1901
- 538. *Batrachedra pinicolella* (Zeller,1839)** (Batrachedridae) Synonym(s): *pinicolella* Zeller,1839 Larval foodplant(s): *Abies alba*, *Pinus sylvestris* (Riedl,1969).
- 539. *Batrachedra praeangusta* (Haworth,1828)** (Batrachedridae) Synonym(s): *praeangusta* Haworth,1828; *turdipennella* Kollar,1832; *praeangustella* Doubleday,1859; *clemensella* Chambers,1877 Larval foodplant(s): *Populus tremula*, *P.alba*, *Salix alba*, *S.caprea* (Salicaceae) (Riedl,1969).
- 540. *Blastobasis parki* Sinev,1993** (Blastobasidae) Synonym(s): *parki* Sinev,1993
- 541. *Blastobasis phycidella* (Zeller,1839)** (Blastobasidae) Synonym(s): *phycidella* Zeller,1839; *roscidella* Zeller,1847
- 542. *Blastobasis ponticella* Sinev,2007** (Blastobasidae) Synonym(s): *ponticella* Sinev,2007
- 543. *Holcocera binotella* (Thunberg,1794)** (Blastobasidae) Synonym(s): *binotella* Thunberg,1794

- 544. *Hypatopa inunctella* (Zeller,1839)** (Blastobasidae) **Synonym(s):** *inunctella* Zeller,1839
- 545. *Hypatopa segnella* (Zeller,1873)** (Blastobasidae) **Synonym(s):** *segnella* Zeller,1873; *perfugella* Jonasson,1985
- 546. *Hypatopa silvestrella* Kuznetsov,1984** (Blastobasidae) **Synonym(s):** *silvestrella* Kuznetsov,1984
- 547. *Neoblastobasis spiniharpella* Kuznetsov & Sinev,1985** (Blastobasidae) **Synonym(s):** *spiniharpella* Kuznetsov & Sinev,1985
- 548. *Sinevina scythrella* (Sinev,1986)** (Blastobasidae) **Synonym(s):** *scythrella* Sinev,1986
- 549. *Brachodes appendiculata* (Esper,[1783])** (Brachodidae) **Synonym(s):** *appendiculata* Esper,[1783]; *vahlana* Fabricius,1787; *saldonana* Fabricius,1787; *chimaera* Hübner,1796; *lucida* Lederer,1853; *powelli* Oberthür,1922
- 550. *Brachodes dispar* (Herrich-Schäffer,[1854])** (Brachodidae) **Synonym(s):** *dispar* Herrich-Schäffer,[1854]
- 551. *Brachodes fallax* (Staudinger,1900)** (Brachodidae) **Synonym(s):** *fallax* Staudinger,1900
- 552. *Brachodes fulguritus* (Fischer v. Waldheim,1832)** (Brachodidae) **Synonym(s):** *fulgurita* Fischer v. Waldheim,1832; *orbonota* Freyer,1842; *exilis* Herrich-Schäffer,[1856]; *confinis* Boisduval,[1875]
- 553. *Brachodes nana* (Treitschke,1834)** (Brachodidae) **Synonym(s):** *nana* Treitschke,1834
- 554. *Brachodes pumilus* (Ochsenheimer,1808)** (Brachodidae) **Synonym(s):** *pumila* Ochsenheimer,1808
- 555. *Brachodes pusillus* (Eversmann,1844)** (Brachodidae) **Synonym(s):** *pusilla* Eversmann,1844
- 556. *Brahmaea* (s.str.) *certhia* (Fabricius,1779)** (Brahmaeidae) **Synonym(s):** *certhia* Fabricius,1779
- 557. *Bucculatrix albedinella* (Zeller,1839)** (Bucculatricidae) **Synonym(s):** *albedinella* Zeller,1839; *boyerella* Duponchel,[1840].
- 558. *Bucculatrix argentsignella* Herrich-Schäffer,1855** (Bucculatricidae) **Synonym(s):** *argentsignella* Herrich-Schäffer,1855
- 559. *Bucculatrix armeniaca* Deschka,1992** (Bucculatricidae) **Synonym(s):** *armeniaca* Deschka,1992
- 560. *Bucculatrix artemisiella* Herrich-Schäffer,1855** (Bucculatricidae) **Synonym(s):** *artemisiella* Herrich-Schäffer,1855
- 561. *Bucculatrix bechsteinella* (Bechstein & Scharfenberg,1805)** (Bucculatricidae) **Synonym(s):** *bechsteinella* Bechstein & Scharfenberg,1805; *crataegi* Zeller,1839; *crataegifoliella* Duponchel,1842; *crataegella* Herrich-Schäffer,1862. **Larval foodplant(s):** *Crataegus* (Zeller,1839; Duponchel,1842; Herrich-Schäffer,1862).
- 562. *Bucculatrix cidarella* (Zeller,1839)** (Bucculatricidae) **Synonym(s):** *cidarella* Zeller,1839
- 563. *Bucculatrix cristatella* (Zeller,1839)** (Bucculatricidae) **Synonym(s):** *cristatella* Zeller,1839; *concolorella* Tengström,1848; *argentsignella* Herrich-Schäffer,1855; *gracilella* Frey,1856
- 564. *Bucculatrix demaryella* (Duponchel,1840)** (Bucculatricidae) **Synonym(s):** *demaryella* Duponchel,1840; *scoticella* Herrich-Schäffer,1855
- 565. *Bucculatrix frangutella* (Goeze,1783)** (Bucculatricidae) **Synonym(s):** *frangutella* Goeze,1783; *maculatafrangulae* Retzius,1783; *alnella* Villers,1789; *rhamnifoliella* Treitschke,1833; *frangulella* Herrich-Schäffer,1855
- 566. *Bucculatrix gnaphaliella* (Treitschke,1833)** (Bucculatricidae) **Synonym(s):** *gnaphaliella* Treitschke,1833
- 567. *Bucculatrix maritima* Stainton,1851** (Bucculatricidae) **Synonym(s):** *maritima* Stainton,1851; *maritimella* Herrich-Schäffer,1855
- 568. *Bucculatrix nigricomella* (Zeller,1839)** (Bucculatricidae) **Synonym(s):** *nigricomella* Zeller,1839; *aurimaculella* Stainton,1849
- 569. *Bucculatrix noltei* Petry,1912** (Bucculatricidae) **Synonym(s):** *noltei* Petry,1912

- 570. *Bucculatrix ratisbonensis* Stainton,1861** (Bucculatricidae) Synonym(s): *ratisbonensis* Stainton,1861
- 571. *Bucculatrix thoracella* (Thunberg,1794)** (Bucculatricidae) Synonym(s): *thoracella* Thunberg,1794
- 572. *Bucculatrix ulmella* Zeller,1848** (Bucculatricidae) Synonym(s): *ulmella* Zeller,1848; *sircomella* Stainton,1848; *venustella* Stainton,1849. Larval foodplant(s): *Ulmus* (Zeller,1848).
- 573. *Bucculatrix ulmicola* Kuznetsov,1962** (Bucculatricidae) Synonym(s): *ulmicola* Kuznetsov,1962
- 574. *Pterodecta felderi* (Bremer,1864)** (Callidulidae) Synonym(s): *felderi* Bremer,1864; *gloriosa* Butler,1877
- 575. *Carposina askoldana* Diakonoff,1989** (Carposinidae) Synonym(s): *askoldana* Diakonoff,1989
- 576. *Carposina berberidella* Herrich-Schäffer,[1854]** (Carposinidae) Synonym(s): *berberidella* Herrich-Schäffer,[1854] Larval foodplant(s): *Berberis* (Herrich-Schäffer,[1854]).
- 577. *Carposina sasakii* Matsumura,1898** (Carposinidae) Synonym(s): *sasakii* Matsumura,1898
- 578. *Meridarchis crotalus* Diakonoff,1989** (Carposinidae) Synonym(s): *crotalus* Diakonoff,1989
- 579. *Meridarchis excisa* (Walsingham,1900)** (Carposinidae) Synonym(s): *excisa* Walsingham,1900
- 580. *Anthophila abhasica* Danilevsky,1969** (Choreutidae) Synonym(s): *abhasica* Danilevsky,1969
- 581. *Anthophila armata* Danilevsky,1969** (Choreutidae) Synonym(s): *armata* Danilevsky,1969; *superba* Danilevsky,1969
- 582. *Anthophila fabriciana* (Linnaeus,1767)** (Choreutidae) Synonym(s): *fabriciana* Linnaeus,1767; *oxyacanthella* Linnaeus,1767; *urticana* Denis & Schiffermüller,[1775]; *excisum* Retzius,1783; *gilibertiana* Villers,1789; *oxyacanthae* Fabricius,1798; *dentana* Hübner,1799; *fabricii* Haworth,1811; *dentanalisis* Treitschke,1829; *parietariae* Stainton,1855; *fabriciella* Herrich-Schäffer,1862; *parietariella* Herrich-Schäffer,1862 Larval foodplant(s): *Urtica dioica*, *Parietaria officinalis*, *Symphytum tuberosum* (Snellen,1882 et seq.).
- 583. *Anthophila filipjevi* Danilevsky,1969** (Choreutidae) Synonym(s): *filipjevi* Danilevsky,1969
- 584. *Choreutis atosignata* (Christoph,1888)** (Choreutidae) Synonym(s): *atosignata* Christoph,1888; *moiwana* Matsumura,1931; *ussuriensis* Danilevsky,1973
- 585. *Choreutis atosignata atosignata* (Christoph,1888)** (Choreutidae) Synonym(s): *atosignata* Christoph,1888; *moiwana* Matsumura,1931; *ussuriensis* Danilevsky,1973
- 586. *Choreutis chadzhaeri* Gerasimov,1930** (Choreutidae) Synonym(s): *chadzhaeri* Gerasimov,1930
- 587. *Choreutis diana* (Hübner,1822)** (Choreutidae) Synonym(s): *diana* Hübner,1822; *dianalis* Treitschke,1835; *decorana* Zetterstedt,1839; *dianella* Herrich-Schäffer,1862; *luridana* Walker,1863; *vicarialis* Zeller,1875 Larval foodplant(s): *Betula*, *Prunus malus* (Diakonoff,1986).
- 588. *Choreutis nemorana* (Hübner,[1799])** (Choreutidae) Synonym(s): *nemorana* Hübner,[1799]; *incisalis* Treitschke,1828; *nemoranalisis* Treitschke,1829; *nemorella* Herrich-Schäffer,1862 Larval foodplant(s): *Ficus carica* (Lhomme,1963).
- 589. *Choreutis pariana* (Clerck,1759)** (Choreutidae) Synonym(s): *#pariana* Clerck,1759; *lutosa* Haworth,1811; *parialis* Treitschke,1828; *pariella* Herrich-Schäffer,1862 Larval foodplant(s): *Prunus spinosa*, *Pyrus malus*, *Sorbus chamaemespilus*, *S.aucuparia*, *Crataegus*, *Cydonia* (Rosaceae), *Fraxinus*, *Betula*, *Salix caprea*, *Alnus glutinosa*, *Symphytum* (Lhomme,1963 et seq.).
- 590. *Choreutis vinosa* (Diakonoff,1978)** (Choreutidae) Synonym(s): *vinosa* Diakonoff,1978
- 591. *Choreutis vinosa vinosa* (Diakonoff,1978)** (Choreutidae) Synonym(s): *vinosa* Diakonoff,1978

- 592. *Millieria dolosana* (Herrich-Schäffer,[1854])** (Choreutidae) Synonym(s):
#*dolosalis* Heydenreich,1851; *dolosana* Herrich-Schäffer,[1854]; #*dolasana* Desmarest,[1857] Larval
foodplant(s): *Aristolochia clematitis*, *A. pistolochia* (Aristolochiaceae)
(Millière,1856; Hering,1957).
- 593. *Prochoreutis alpina* (Arita,1976)** (Choreutidae) Synonym(s): *alpina* Arita,1976
- 594. *Prochoreutis hadrogastra* (Diakonoff,1978)** (Choreutidae) Synonym(s):
hadrogastra Diakonoff,1978
- 595. *Prochoreutis holotoxa* (Meyrick,1903)** (Choreutidae) Synonym(s): *holotoxa*
Meyrick,1903; *sibirica* Hackman,1947; *incerta* Capuse,1970
- 596. *Prochoreutis monognoma* (Diakonoff,1978)** (Choreutidae) Synonym(s):
monognoma Diakonoff,1978
- 597. *Prochoreutis myllerana* (Fabricius,1794)** (Choreutidae) Synonym(s):
myllerana Fabricius,1794; *mylleri* Haworth,1811; *augustana* Hübner,[1813]; *scintilulana* Hübner,[1825];
scintilulalis Treitschke,1835; *albipunctalis* Zetterstedt,1839; *müllerana* Heyden,1865 Larval
foodplant(s): *Scutellaria galericulata*, *Lamium album*, *L. purpureum* (Lamiaceae)
(Hering,1932; Ford,1949; Diakonoff,1986).
- 598. *Prochoreutis sachalinensis* (Danilevsky,1969)** (Choreutidae)
Synonym(s): *sachalinensis* Danilevsky,1969
- 599. *Prochoreutis sehestediana* (Fabricius,1777)** (Choreutidae) Synonym(s):
sehestediana Fabricius,1777; *punctosa* Haworth,1811; *philonyma* Meyrick,1912; *phalaraspis* Meyrick,1923
Larval foodplant(s): *Scutellaria galericulata* (Ford,1949).
- 600. *Prochoreutis solaris* (Erschoff,1877)** (Choreutidae) Synonym(s): *solaris*
Erschoff,1877
- 601. *Prochoreutis stellaris* (Zeller,1847)** (Choreutidae) Synonym(s): *stellaris*
Zeller,1847; *irradiata* Meyrick,1913
- 602. *Prochoreutis ultimana* (Krulikovsky,1909)** (Choreutidae) Synonym(s):
ultimana Krulikovsky,1909
- 603. *Prochoreutis ussurica* (Danilevsky,1969)** (Choreutidae) Synonym(s):
ussurica Danilevsky,1969
- 604. *Tebenna bjerikandrella* (Borgström,1784)** (Choreutidae) Synonym(s):
cardui Ström,1783; *bjerikandrella* Borgström,1784; *prunnerella* Rossi,1794; *vibrana* Hübner,[1813]; *fibrana*
Hübner,[1825]; *pretiosana* Duponchel,1842; *vibralis* Treitschke,1835; *australis* Zeller,1857; *kawabei*
Arita,1975
- 605. *Tebenna chingana* Danilevsky,1969** (Choreutidae) Synonym(s): *chingana*
Danilevsky,1969
- 606. *Tebenna submicalis* Danilevsky,1969** (Choreutidae) Synonym(s): *submicalis*
Danilevsky,1969
- 607. *Augasma aeratellum* (Zeller,1839)** (Coleophoridae) Synonym(s): *aeratellum*
Zeller,1839 Larval foodplant(s): *Polygonum* (Patzak,1974).
- 608. *Coleophora absinthii* Wocke,1876** (Coleophoridae) Synonym(s): *absinthii*
Wocke,1876
- 609. *Coleophora acerosa* (Falkovitsh,1989)** (Coleophoridae) Synonym(s):
acerosa Falkovitsh,1989
- 610. *Coleophora adelogrammella* Zeller,1849** (Coleophoridae) Synonym(s):
adelogrammella Zeller,1849; *collina* Frey,1880; *separatella* Benander,1939.
- 611. *Coleophora adjunctella* Hodgkinson,1882** (Coleophoridae) Synonym(s):
adjunctella Hodgkinson,1882; *paludicola* Stainton,1885; *aratorensis* Barasch,1934
- 612. *Coleophora adspersella* Benander,1939** (Coleophoridae) Synonym(s):
adspersella Benander,1939
- 613. *Coleophora aequalella* Christoph,1872** (Coleophoridae) Synonym(s):
aequalella Christoph,1872
- 614. *Coleophora aestuariella* Bradley,1984** (Coleophoridae) Synonym(s):
aestuariella Bradley,1984; *tanasella* Nemeş,2003
- 615. *Coleophora ahenella* Heinemann,1876** (Coleophoridae) Synonym(s):
ahenella Heinemann,1876; *subahenella* Capuse,1975 Larval foodplant(s): *Cornus sanguinea*
(Caradja,1920).

- 616. *Coleophora albella* (Thunberg,1788)** (Coleophoridae) Synonym(s): *albella* Thunberg,1788; *leucapennella* Hübner,1796. Larval foodplant(s): *Silene*, *Viscaria* (Patzak,1974).
- 617. *Coleophora albicans* Zeller,1849** (Coleophoridae) Synonym(s): *albicans* Zeller,1849; *artemisiella* Scott,1861; *simillimella* Fuchs,1881; *digitella* Palm,1947
- 618. *Coleophora albidella* ([Denis & Schiffermüller],1775)** (Coleophoridae) Synonym(s): *albidella* [Denis & Schiffermüller],1775; *palliipennella* Treitschke,1833
- 619. *Coleophora albilineella* Toll,1960** (Coleophoridae) Synonym(s): *albilineella* Toll,1960; *bucovinella* Nemes,1968
- 620. *Coleophora albitarsella* Zeller,1849** (Coleophoridae) Synonym(s): *albitarsella* Zeller,1849; *lividella* Bruand,1850
- 621. *Coleophora alcyonipennella* (Kollar,1832)** (Coleophoridae) Synonym(s): *alcyonipennella* Kollar,1832; *cuprariella* Zeller,1847; *praticolella* Zeller,1849; *cuprifulgella* Toll,1962
- 622. *Coleophora alticolella* Zeller,1849** (Coleophoridae) Synonym(s): *alticolella* Zeller,1849
- 623. *Coleophora amarchana* Falkovitsh,1972** (Coleophoridae) Synonym(s): *amarchana* Falkovitsh,1972
- 624. *Coleophora amellivora* Baldizzone,1979** (Coleophoridae) Synonym(s): *amellivora* Baldizzone,1979
- 625. *Coleophora anabaseos* Falkovitsh,1978** (Coleophoridae) Synonym(s): *anabaseos* Falkovitsh,1978
- 626. *Coleophora antennariella* Herrich-Schäffer,1861** (Coleophoridae) Synonym(s): *antennariella* Herrich-Schäffer,1861
- 627. *Coleophora arctostaphyli* Meder,1934** (Coleophoridae) Synonym(s): *arctostaphyli* Meder,1934 Larval foodplant(s): *Arctostaphylos uva-ursi* (Meder,1934; Patzak,1974).
- 628. *Coleophora argentula* (Stephens,1834)** (Coleophoridae) Synonym(s): *argentula* Stephens,1834; *cothurnella* Duponchel,1843; *argentulella* Doubleday,1859; *argentulella* Bruand,1859
- 629. *Coleophora argyrella* Herrich-Schäffer,1861** (Coleophoridae) Synonym(s): *argyrella* Herrich-Schäffer,1861
- 630. *Coleophora armeniae* Baldizzone & Patzak,1991** (Coleophoridae) Synonym(s): *armeniae* Baldizzone & Patzak,1991
- 631. *Coleophora artemisicolella* Bruand,1855** (Coleophoridae) Synonym(s): *artemisicolella* Bruand,1855
- 632. *Coleophora asperginella* Christoph,1862** (Coleophoridae) Synonym(s): *asperginella* Christoph,1862
- 633. *Coleophora astragalella* Zeller,1849** (Coleophoridae) Synonym(s): *astragalella* Zeller,1849; *fimbriosella* Herrich-Schäffer,1861; *plusiella* Constant,1865; *persimilis* Rebel,1904 Larval foodplant(s): *Astragalus* (Zeller,1849).
- 634. *Coleophora atriplicis* Meyrick,1928** (Coleophoridae) Synonym(s): *atriplicis* Meyrick,1928
- 635. *Coleophora attalicella* Zeller,1871** (Coleophoridae) Synonym(s): *attalicella* Zeller,1871
- 636. *Coleophora badiipennella* (Duponchel,1843)** (Coleophoridae) Synonym(s): *badiipennella* Duponchel,1843 Larval foodplant(s): *Ulmus* (Patzak,1974).
- 637. *Coleophora bagorella* (Falkovitsh,1977)** (Coleophoridae) Synonym(s): *bagorella* Falkovitsh,1977; *capusiella* Nemes,2003
- 638. *Coleophora ballotella* (Fischer v. Röslerstamm,1839)** (Coleophoridae) Synonym(s): *ballotella* Fischer v. Röslerstamm,1839; *alexinschiella* Nemes,2004 Larval foodplant(s): *Ballota* (Fischer v. Röslerstamm,1839; Mann,1862).
- 639. *Coleophora bernoulliella* (Goeze,1783)** (Coleophoridae) Synonym(s): *bernoulliella* Goeze,1783; *anatipenella* Hübner,1796
- 640. *Coleophora betulella* Heinemann,1876** (Coleophoridae) Synonym(s): *betulella* Heinemann,1876

- 641. Coleophora binderella (Kollar,1832)** (Coleophoridae) Synonym(s): *binderella* Kollar,1832; *binderiella* Duponchel,1843; *politella* Scott,1861; *bicolorella* Stainton,1861
- 642. Coleophora binotapennella (Duponchel,1843)** (Coleophoridae) Synonym(s): *binotapennella* Duponchel,1843; *lygia* Nemeş,2003
- 643. Coleophora boreella Benander,1939** (Coleophoridae) Synonym(s): *boreella* Benander,1939
- 644. Coleophora botaurella Herrich-Schäffer,1861** (Coleophoridae) Synonym(s): *botaurella* Herrich-Schäffer,1861
- 645. Coleophora brevipalpella Wocke,1874** (Coleophoridae) Synonym(s): *brevipalpella* Wocke,1874
- 646. Coleophora burmanni Toll,1952** (Coleophoridae) Synonym(s): *burmanni* Toll,1952
- 647. Coleophora caelebipennella Zeller,1839** (Coleophoridae) Synonym(s): *caelebipennella* Zeller,1839; *bifurcella* Turati,1930
- 648. Coleophora calligoni Falkovitsh,1972** (Coleophoridae) Synonym(s): *calligoni* Falkovitsh,1972
- 649. Coleophora carelica Hackman,1945** (Coleophoridae) Synonym(s): *carelica* Hackman,1945
- 650. Coleophora cartilaginella Christoph,1872** (Coleophoridae) Synonym(s): *cartilaginella* Christoph,1872; *dubiosa* Toll,1952; *paraspumosella* Toll,1957; *medicagivora* Toll,1961.
- 651. Coleophora cecidophorella Oudejans,1972** (Coleophoridae) Synonym(s): *cecidophorella* Oudejans,1972
- 652. Coleophora ceratoidis (Falkovitsh,1979)** (Coleophoridae) Synonym(s): *ceratoidis* Falkovitsh,1979
- 653. Coleophora changaica Reznik,1975** (Coleophoridae) Synonym(s): *changaica* Reznik,1975
- 654. Coleophora clypeiferella Hofmann,1871** (Coleophoridae) Synonym(s): *clypeiferella* Hofmann,1871
- 655. Coleophora colutella (Fabricius,1794)** (Coleophoridae) Synonym(s): *colutella* Fabricius,1794, *serenella* Duponchel,1843; *crocinella* Tengström,1848; *stanoiuii* Nemeş,2004
- 656. Coleophora conspicuella Zeller,1849** (Coleophoridae) Synonym(s): *conspicuella* Zeller,1849; *centaureicolella* Bruand,[1856]; *similis* Staudinger,1880; *aceris* Caradja,1920
- 657. Coleophora coracipennella (Hübner,1796)** (Coleophoridae) Synonym(s): *coracipennella* Hübner,1796; *coracipennis* Haworth,[1828]; *nigricella* Stephens,1834; *occidentis* Zeller,1873; *varii* Patzak,1969. Larval foodplant(s): *Prunus*, *Cerasus* (Patzak,1974).
- 658. Coleophora coronillae Zeller,1849** (Coleophoridae) Synonym(s): *coronillae* Zeller,1849
- 659. Coleophora cracella Vallot,1835** (Coleophoridae) Synonym(s): *cracella* Vallot,1835
- 660. Coleophora currucipennella Zeller,1839** (Coleophoridae) Synonym(s): *currucipennella* Zeller,1839 Larval foodplant(s): *Quercus* (Mann,1862).
- 661. Coleophora deauratella Lienig & Zeller,1846** (Coleophoridae) Synonym(s): *deauratella* Lienig & Zeller,1846
- 662. Coleophora delibutella Christoph,1872** (Coleophoridae) Synonym(s): *delibutella* Christoph,1872
- 663. Coleophora dentatella Toll & Amsel,1967** (Coleophoridae) Synonym(s): *dentatella* Toll & Amsel,1967
- 664. Coleophora deviella Zeller,1847** (Coleophoridae) Synonym(s): *deviella* Zeller,1847; *leucophaeella* Caradja,1920; *suaedivora* Meyrick,1928
- 665. Coleophora dianthi Herrich-Schäffer,1855** (Coleophoridae) Synonym(s): *dianthi* Herrich-Schäffer,1855; *dianthella* Herrich-Schäffer,1861; *amseli* Toll,1942
- 666. Coleophora dilabens (Falkovitsh,1982)** (Coleophoridae) Synonym(s): *dilabens* Falkovitsh,1982
- 667. Coleophora diogenes Falkovitsh,1970** (Coleophoridae) Synonym(s): *diogenes* Falkovitsh,1970
- 668. Coleophora discordella Zeller,1849** (Coleophoridae) Synonym(s): *discordella* Zeller,1849; *dorycniella* Hartig,1939

- 669. *Coleophora dissecta* (Falkovitsh,1989)** (Coleophoridae) Synonym(s): *dissecta* Falkovitsh,1989
- 670. *Coleophora ditella* Zeller,1849** (Coleophoridae) Synonym(s): *ditella* Zeller,1849; *tanaceti* Roesler,1866 *nec* Mühl.,1865; *roesleri* Wocke,[1876]; *anatolica* Toll,1952. Larval foodplant(s): *Artemisia* (Caradja,1920).
- 671. *Coleophora dubiella* Baker,1888** (Coleophoridae) Synonym(s): *dubiella* Baker,1888; *reisseri* Rebel,1926; *eucera* Toll,1952; *microeucera* Toll,1960; *leucostrigella* Toll,1960
- 672. *Coleophora eichleri* Patzak,1977** (Coleophoridae) Synonym(s): *eichleri* Patzak,1977
- 673. *Coleophora eremosparti* (Falkovitsh,1974)** (Coleophoridae) Synonym(s): *eremosparti* Falkovitsh,1974
- 674. *Coleophora erratella* Toll & Amsel,1967** (Coleophoridae) Synonym(s): *erratella* Toll & Amsel,1967
- 675. *Coleophora eurasatica* Baldizzzone,1989** (Coleophoridae) Synonym(s): *eurasiatica* Baldizzzone,1989
- 676. *Coleophora expressella* Klemensiewicz,1883** (Coleophoridae) Synonym(s): *expressella* Klemensiewicz,1883
- 677. *Coleophora exul* (Falkovitsh,1992)** (Coleophoridae) Synonym(s): *exul* Falkovitsh,1992
- 678. *Coleophora falcigerella* Christoph,1872** (Coleophoridae) Synonym(s): *falcigerella* Christoph,1872
- 679. *Coleophora flavipennella* (Duponchel,1843)** (Coleophoridae) Synonym(s): *flavipennella* Duponchel,1843 Larval foodplant(s): ? *Parietaria* (Mann,1862); *Quercus* (Patzak,1974).
- 680. *Coleophora follicularis* (Vallot,1802)** (Coleophoridae) Synonym(s): *follicularis* Vallot,1802; *troglydytella* Duponchel,1843.
- 681. *Coleophora frischella* (Linnaeus,1758)** (Coleophoridae) Synonym(s): *frischella* Linnaeus,1758; *dannehli* Toll,1952; *auronitella* Toll,1962
- 682. *Coleophora fuscociliella* Zeller,1849** (Coleophoridae) Synonym(s): *fuscociliella* Zeller,1849; *bucovinae* Nemes,2004
- 683. *Coleophora galbulipennella* Zeller,1838** (Coleophoridae) Synonym(s): *galbulipennella* Zeller,1838; *otitae* Zeller,1839.
- 684. *Coleophora gallipennella* (Hübner,1796)** (Coleophoridae) Synonym(s): *gallipennella* Hübner,1796
- 685. *Coleophora gardesanella* Toll,1953** (Coleophoridae) Synonym(s): *maritimella* Machin,1884 *nec* Newm.,1873; *gardesanella* Toll,1953; *machinella* Bradley,1971
- 686. *Coleophora gaviaepennella* Toll,1952** (Coleophoridae) Synonym(s): *gaviaepennella* Toll,1952
- 687. *Coleophora glaucicolella* Wood,1892** (Coleophoridae) Synonym(s): *glaucicolella* Wood,1892
- 688. *Coleophora glitzella* Hofmann,1869** (Coleophoridae) Synonym(s): *glitzella* Hofmann,1869
- 689. *Coleophora gnaphalii* Zeller,1839** (Coleophoridae) Synonym(s): *gnaphalii* Zeller,1839
- 690. *Coleophora graminicolella* Heinemann,1876** (Coleophoridae) Synonym(s): *graminicolella* Heinemann,1876
- 691. *Coleophora granulatella* Zeller,1849** (Coleophoridae) Synonym(s): *granulatella* Zeller,1849
- 692. *Coleophora gryphipennella* (Hübner,1796)** (Coleophoridae) Synonym(s): *gryphipennella* Hübner,1796; *obscura* Haworth,1828; *mariniella* Hodgkinson,1881; *scolopiphora* Hering,1926. Larval foodplant(s): *Rosa* (Patzak,1974).
- 693. *Coleophora halocnemin* (Falkovitsh,1994)** (Coleophoridae) Synonym(s): *halocnemin* Falkovitsh,1994
- 694. *Coleophora halophilella* Zimmermann,1926** (Coleophoridae) Synonym(s): *halophilella* Zimmermann,1926

- 695. *Coleophora hungariae* Gozmany,1955** (Coleophoridae) Synonym(s): *hungariae* Gozmany,1955
- 696. *Coleophora hypoxantha* (Falkovitsh,1982)** (Coleophoridae) Synonym(s): *hypoxantha* Falkovitsh,1982
- 697. *Coleophora ibipennella* Zeller,1849** (Coleophoridae) Synonym(s): *ibipennella* Zeller,1849; *nemorum* Heinemann,1854; *ardeapennella* Scott,1860; *alba* Toll,1952; *peralba* Toll,1953; *quercivorella* Capușe,1971
- 698. *Coleophora impalella* Toll,1961** (Coleophoridae) Synonym(s): *impalella* Toll,1961
- 699. *Coleophora inconstans* (Reznik,1975)** (Coleophoridae) Synonym(s): *inconstans* Reznik,1975
- 700. *Coleophora kargani* (Falkovitsh,1989)** (Coleophoridae) Synonym(s): *kargani* Falkovitsh,1989
- 701. *Coleophora katunella* (Falkovitsh,1991)** (Coleophoridae) Synonym(s): *katunella* Falkovitsh,1991
- 702. *Coleophora kautzi* Rebel,1933** (Coleophoridae) Synonym(s): *kautzi* Rebel,1933
- 703. *Coleophora klimeschiella* Toll,1952** (Coleophoridae) Synonym(s): *klimeschiella* Toll,1952
- 704. *Coleophora kolymella* (Falkovitsh,1992)** (Coleophoridae) Synonym(s): *kolymella* Falkovitsh,1992
- 705. *Coleophora kuehnella* (Goeze,1783)** (Coleophoridae) Synonym(s): *kuehnella* Goeze,1783; *palliatella* Zincken,1813.
- 706. *Coleophora lacera* (Falkovitsh,1993)** (Coleophoridae) Synonym(s): *lacera* Falkovitsh,1993
- 707. *Coleophora laricella* (Hübner,[1817])** (Coleophoridae) Synonym(s): *laricella* Hübner,[1817]
- 708. *Coleophora lassella* Staudinger,1859** (Coleophoridae) Synonym(s): *lassella* Staudinger,1859; *teidensis* Walsingham,1908; *gotlandica* Benander,1939; *telavivella* Toll,1942
- 709. *Coleophora lebedella* (Falkovitsh,1982)** (Coleophoridae) Synonym(s): *lebedella* Falkovitsh,1982
- 710. *Coleophora ledi* Stainton,1860** (Coleophoridae) Synonym(s): *ledi* Stainton,1860
- 711. *Coleophora lineolea* (Haworth,1828)** (Coleophoridae) Synonym(s): *lineolea* Haworth,1828; *crocogrammos* Zeller,1849; *stachydella* Zeller,1849; *balloticolella* Bruand,1850; *lineolella* Doubleday,1859; *crocogrammella* Bruand,1859
- 712. *Coleophora linosyris* Hering,1937** (Coleophoridae) Synonym(s): *linosyris* Hering,1937
- 713. *Coleophora lithargyrinella* Zeller,1849** (Coleophoridae) Synonym(s): *lithargyrinella* Zeller,1849; *olivaceella* Stainton,1854; *fuscantella* Toll,1952
- 714. *Coleophora lixella* Zeller,1849** (Coleophoridae) Synonym(s): *lixella* Zeller,1849
- 715. *Coleophora lonchodes* (Falkovitsh,1994)** (Coleophoridae) Synonym(s): *lonchodes* Falkovitsh,1994
- 716. *Coleophora lunensis* Falkovitsh,1975** (Coleophoridae) Synonym(s): *lunensis* Falkovitsh,1975
- 717. *Coleophora lutipennella* (Zeller,1838)** (Coleophoridae) Synonym(s): *lutipennella* Zeller,1838. Larval foodplant(s): *Quercus* (Patzak,1974).
- 718. *Coleophora macilenta* Falkovitsh,1972** (Coleophoridae) Synonym(s): *macilenta* Falkovitsh,1972
- 719. *Coleophora magyarica* Baldizzzone,1983** (Coleophoridae) Synonym(s): *magyarica* Baldizzzone,1983
- 720. *Coleophora mayrella* (Hübner,[1813])** (Coleophoridae) Synonym(s): *fabriciella* Villers,1789 nec Swed.,1787; *mayrella* Hübner,[1813]; *spissicornis* Haworth,[1828]; *moldaviella* Nemeş,2004
- 721. *Coleophora motacillella* Zeller,1849** (Coleophoridae) Synonym(s): *motacillella* Zeller,1849
- 722. *Coleophora murinella* Tengström,1848** (Coleophoridae) Synonym(s): *murinella* Tengström,1848

- 723. *Coleophora nanophyti* Falkovitsh,1972** (Coleophoridae) Synonym(s): *nanophyti* Falkovitsh,1972
- 724. *Coleophora necessaria* Staudinger,1880** (Coleophoridae) Synonym(s): *necessaria* Staudinger,1880; *indiges* Falkovitsh,1992.
- 725. *Coleophora niveistrigella* Heinemann & Wocke,[1877]** (Coleophoridae) Synonym(s): *niveistrigella* Heinemann & Wocke,[1877]
- 726. *Coleophora nomgona* Falkovitsh,1975** (Coleophoridae) Synonym(s): *nomgona* Falkovitsh,1975
- 727. *Coleophora nutantella* Mühlig & Frey,1857** (Coleophoridae) Synonym(s): *nutantella* Mühlig & Frey,1857
- 728. *Coleophora obscenella* Herrich-Schäffer,1855** (Coleophoridae) Synonym(s): *obscenella* Herrich-Schäffer,1855; *virgaureae* Stainton,1857; *virgaureella* Doubleday,1859; *cinerea* Toll,1953
- 729. *Coleophora obscuripalpella* Kanerva,1941** (Coleophoridae) Synonym(s): *obscuripalpella* Kanerva,1941
- 730. *Coleophora occatella* Staudinger,1880** (Coleophoridae) Synonym(s): *occatella* Staudinger,1880
- 731. *Coleophora ochrea* (Haworth,[1828])** (Coleophoridae) Synonym(s): *ochrea* Haworth,[1828]
- 732. *Coleophora ochroflava* Toll,1961** (Coleophoridae) Synonym(s): *ochroflava* Toll,1961; *halimionella* Baldizzzone,1980
- 733. *Coleophora onobrychiella* Zeller,1849** (Coleophoridae) Synonym(s): *onobrychiella* Zeller,1849; *arenariella* Zeller,1865 Larval foodplant(s): *Onobrychis* (Zeller,1849).
- 734. *Coleophora orbitella* Zeller,1849** (Coleophoridae) Synonym(s): *orbitella* Zeller,1849
- 735. *Coleophora oriolella* Zeller,1849** (Coleophoridae) Synonym(s): *oriolella* Zeller,1849
- 736. *Coleophora ornatipennella* (Hübner,1796)** (Coleophoridae) Synonym(s): *ornatipennella* Hübner,1796; *#agrammella* Rebel,1935.
- 737. *Coleophora otidipennella* (Hübner,[1817])** (Coleophoridae) Synonym(s): *otidipennella* Hübner,[1817]
- 738. *Coleophora pandionella* Baldizzzone,1988** (Coleophoridae) Synonym(s): *pandionella* Baldizzzone,1988
- 739. *Coleophora paradoxella* Toll,1961** (Coleophoridae) Synonym(s): *paradoxella* Toll,1961
- 740. *Coleophora parenthella* Toll,1952** (Coleophoridae) Synonym(s): *parenthella* Toll,1952
- 741. *Coleophora paripennella* Zeller,1839** (Coleophoridae) Synonym(s): *paripennella* Zeller,1839
- 742. *Coleophora parthenica* Meyrick,1891** (Coleophoridae) Synonym(s): *parthenica* Meyrick,1891; *cygnipennella* Toll,1959; *candidella* Toll,1959; *transcaspica* Toll,1959; *lashkarella* Toll & Amsel,1967; *hilmendella* Amsel,1968.
- 743. *Coleophora partitella* Zeller,1849** (Coleophoridae) Synonym(s): *partitella* Zeller,1849; *davidii* Nemes,2003
- 744. *Coleophora peisoniella* Kasy,1965** (Coleophoridae) Synonym(s): *peisoniella* Kasy,1965
- 745. *Coleophora pennella* ([Denis & Schiffermüller],1775)** (Coleophoridae) Synonym(s): *pennella* [Denis & Schiffermüller],1775; *borowskiella* Goeze,1783; *mucosa* Fourcroy,1785; *mucosella* Villers,1789; *onosmella* Brahm,1791; *struthionipennella* Hübner,1796; *cornuum* Vallot,1818; *hispanicella* Möschler,1866; *diffinis* Staudinger,1880; *nervosella* Müller-Rutz,1927; *flavilineella* Toll,1952; *gogovi* Capuse,1971
- 746. *Coleophora peribenanderi* Toll,1943** (Coleophoridae) Synonym(s): *benanderi* Toll,1942 *nec* Kanerv.,1941; *peribenanderi* Toll,1943
- 747. *Coleophora phlomidella* Christoph,1862** (Coleophoridae) Synonym(s): *phlomidella* Christoph,1862

- 748. Coleophora phlomidis Stainton,1867** (Coleophoridae) Synonym(s): *phlomidis Stainton,1867* Larval foodplant(s): *Phlomis (Stainton,1867; Staudinger,1880)*.
- 749. Coleophora physophorae (Falkovitsh,1994)** (Coleophoridae) Synonym(s): *physophorae Falkovitsh,1994*
- 750. Coleophora pilion (Falkovitsh,1992)** (Coleophoridae) Synonym(s): *pilion Falkovitsh,1992*
- 751. Coleophora plumbella Kanerva,1941** (Coleophoridae) Synonym(s): *plumbella Kanerva,1941*
- 752. Coleophora polonicella Zeller,1865** (Coleophoridae) Synonym(s): *polonicella Zeller,1865*
- 753. Coleophora pratella Zeller,1871** (Coleophoridae) Synonym(s): *pratella Zeller,1871*
- 754. Coleophora preisseckeri Toll,1942** (Coleophoridae) Synonym(s): *preisseckeri Toll,1942*
- 755. Coleophora pseudociconiella Toll,1952** (Coleophoridae) Synonym(s): *pseudociconiella Toll,1952; patrascui Nemes,2003*
- 756. Coleophora pseudoditella Baldizzone & Patzak,1983** (Coleophoridae) Synonym(s): *pseudoditella Baldizzone & Patzak,1983*
- 757. Coleophora pseudolinosyris Kasy,1979** (Coleophoridae) Synonym(s): *pseudolinosyris Kasy,1979*
- 758. Coleophora pseudosquamosella Baldizzone & Nel,2003** (Coleophoridae) Synonym(s): *pseudosquamosella Baldizzone & Nel,2003*
- 759. Coleophora ptarmica Walsingham,1910** (Coleophoridae) Synonym(s): *ptarmica Walsingham,1910*
- 760. Coleophora pyrrhulipennella Zeller,1839** (Coleophoridae) Synonym(s): *pyrrhulipennella Zeller,1839*
- 761. Coleophora quadrifariella Staudinger,1880** (Coleophoridae) Synonym(s): *quadrifariella Staudinger,1880*
- 762. Coleophora ramosella Zeller,1849** (Coleophoridae) Synonym(s): *ramosella Zeller,1849*
- 763. Coleophora salicorniae Heinemann & Wocke,1877** (Coleophoridae) Synonym(s): *salicorniae Heinemann & Wocke,1877; cypriacella Rebel,1928*.
- 764. Coleophora salinella Stainton,1858** (Coleophoridae) Synonym(s): *salinella Stainton,1858*
- 765. Coleophora salsolella Chrétien,1915** (Coleophoridae) Synonym(s): *salsolella Chrétien,1915; nigridorsella Amsel,1935*.
- 766. Coleophora saxicolella (Duponchel,1843)** (Coleophoridae) Synonym(s): *saxicolella Duponchel,1843; bucovinensis Nemes,2004*
- 767. Coleophora serinipennella Christoph,1872** (Coleophoridae) Synonym(s): *serinipennella Christoph,1872; stefanii Joannis,1899; novella Chrétien,1926; caliacraella Caradja,1931; lucidella Caradja,1932; jerichoella Amsel,1935; jordanella Amsel,1935; deserticola Toll,1944; soffneri Toll,1944*. Larval foodplant(s): *Atriplex halimus (Baldizzone,1983)*.
- 768. Coleophora serratella (Linnaeus,1761)** (Coleophoridae) Synonym(s): *serratella Linnaeus,1761; fuscadinella Zeller,1849; metallicella Hodgkinson,1892; aethiopiformis Strand,1902; salmani Heinrich,1929; parasalmani Oudejans,1971* Larval foodplant(s): *Betula, Corylus*.
- 769. Coleophora sibiricella Falkovitsh,1965** (Coleophoridae) Synonym(s): *sibiricella Falkovitsh,1965*
- 770. Coleophora siccifolia Stainton,1856** (Coleophoridae) Synonym(s): *siccifolia Stainton,1856* Larval foodplant(s): *Betula, Crataegus, Alnus, Carpinus, Sorbus, Tilia (Patzak,1974)*.
- 771. Coleophora silenella Herrich-Schäffer,1855** (Coleophoridae) Synonym(s): *silenella Herrich-Schäffer,1855; dragusanii Nemes,2004*

- 772. *Coleophora singreni* Falkovitsh,1973** (Coleophoridae) Synonym(s): *singreni* Falkovitsh,1973
- 773. *Coleophora solitariella* Zeller,1849** (Coleophoridae) Synonym(s): *solitariella* Zeller,1849
- 774. *Coleophora spinella* (Schränk,1802)** (Coleophoridae) Synonym(s): *spinella* Schränk,1802; *lutifrontella* Bruand,1850; *cerasivorella* Packard,1870; *nigrella* Chambers,1878; *occidentalis* Chambers,1878; *fletcherella* Fernald,1892
- 775. *Coleophora squalorella* Zeller,1849** (Coleophoridae) Synonym(s): *squalorella* Zeller,1849
- 776. *Coleophora squamosella* Stainton,1856** (Coleophoridae) Synonym(s): *squamosella* Stainton,1856; *erigerella* Ford,1935; *podolensis* Toll,1938; *sabulicola* Benander,1939
Larval foodplant(s): *Erigeron* (Baldizzone,2007).
- 777. *Coleophora stepposa* Falkovitsh,1975** (Coleophoridae) Synonym(s): *stepposa* Falkovitsh,1975
- 778. *Coleophora sternipennella* (Zetterstedt,1839)** (Coleophoridae) Synonym(s): *sternipennella* Zetterstedt,1839
- 779. *Coleophora stramentella* Zeller,1849** (Coleophoridae) Synonym(s): *stramentella* Zeller,1849
- 780. *Coleophora striatipennella* Nylander,1848** (Coleophoridae) Synonym(s): *striatipennella* Nylander,1848
- 781. *Coleophora subula* (Falkovitsh,1993)** (Coleophoridae) Synonym(s): *subula* Falkovitsh,1993
- 782. *Coleophora superlonga* (Falkovitsh,1989)** (Coleophoridae) Synonym(s): *superlonga* Falkovitsh,1989
- 783. *Coleophora taeniipennella* Herrich-Schäffer,1855** (Coleophoridae) Synonym(s): *taeniipennella* Herrich-Schäffer,1855; *galactaula* Meyrick,1928
- 784. *Coleophora tamesis* Waters,1929** (Coleophoridae) Synonym(s): *tamesis* Waters,1929
- 785. *Coleophora tanaceti* Mühlig,1865** (Coleophoridae) Synonym(s): *tanaceti* Mühlig,1865
- 786. *Coleophora teheranella* Baldizzone,1994** (Coleophoridae) Synonym(s): *teheranella* Baldizzone,1994
- 787. *Coleophora teredo* (Falkovitsh,1994)** (Coleophoridae) Synonym(s): *teredo* Falkovitsh,1994
- 788. *Coleophora therinella* Tengström,1848** (Coleophoridae) Synonym(s): *therinella* Tengström,1848
- 789. *Coleophora thulea* Johansson,1967** (Coleophoridae) Synonym(s): *thulea* Johansson,1967
- 790. *Coleophora tornata* (Falkovitsh,1989)** (Coleophoridae) Synonym(s): *tornata* Falkovitsh,1989
- 791. *Coleophora tremulae* (Falkovitsh,1989)** (Coleophoridae) Synonym(s): *tremulae* Falkovitsh,1989
- 792. *Coleophora trientella* Christoph,1872** (Coleophoridae) Synonym(s): *trientella* Christoph,1872; *pilicornis* Rebel,1914.
- 793. *Coleophora trifariella* Zeller,1849** (Coleophoridae) Synonym(s): *trifariella* Zeller,1849
Larval foodplant(s): *Genista*, *Sarothamnus*, *Cytisus*, *Coronilla*, *Spartium* (Fabaceae) (Baldizzone,2007).
- 794. *Coleophora trifolii* (Curtis,1832)** (Coleophoridae) Synonym(s): *trifolii* Curtis,1832; *chalybaella* Costa,[1836]; *melilotella* Scott,1861.
Larval foodplant(s): *Trifolium*, *Melilotus* (Curtis,1832; Scott,1861).
- 795. *Coleophora tringella* Baldizzone,1988** (Coleophoridae) Synonym(s): *tringella* Baldizzone,1988
Larval foodplant(s): *Kochia prostrata* (Anikin & Falkovitsh,1997).
- 796. *Coleophora trochilella* (Duponchel,1843)** (Coleophoridae) Synonym(s): *trochilella* Duponchel,1843, *lineatella* Tengström,1848; *albigriseella* Bruand,1850; *alpicola* Heimenann & Wocke,1876; *corymbosiella* Brauer,1917; *axana* Hering,1942

- 797. Coleophora tshiligella (Reznik,1976)** (Coleophoridae) Synonym(s): *tshiligella* Reznik,1976
- 798. Coleophora tundrosa (Falkovitsh,1991)** (Coleophoridae) Synonym(s): *tundrosa* Falkovitsh,1991
- 799. Coleophora tyrphaenica Amsel,1952** (Coleophoridae) Synonym(s): *tyrphaenica* Amsel,1952.
- 800. Coleophora unigenella Svensson,1966** (Coleophoridae) Synonym(s): *unigenella* Svensson,1966
- 801. Coleophora unipunctella Zeller,1849** (Coleophoridae) Synonym(s): *unipunctella* Zeller,1849
- 802. Coleophora uralensis Toll,1961** (Coleophoridae) Synonym(s): *uralensis* Toll,1961
- 803. Coleophora vacciniella Herrich-Schäffer,1861** (Coleophoridae) Synonym(s): *vacciniella* Herrich-Schäffer,1861 Larval foodplant(s): *Vaccinium vitis-idaea*, *V. myrtillus*, *V. uliginosum* (Herrich-Schäffer,1861; Patzak,1974).
- 804. Coleophora versurella Zeller,1849** (Coleophoridae) Synonym(s): *versurella* Zeller,1849; *tardipennella* Zeller,1849; *miserella* Staudinger,1880; *agricolella* Fuchs,1886; *atlanticella* Rebel,1896; *pallorella* Benander,1939; *thalassella* McDunnough,1940; *constanti* Hering,1942; *pisella* Amsel,1953; *saccharella* Amsel,1953; *amaranthivora* Oku,1965
- 805. Coleophora vestianella (Linnaeus,1758)** (Coleophoridae) Synonym(s): *vestianella* Linnaeus,1758; *laripennella* Zetterstedt,1839; *galbulipennella* Duponchel,1843; *annulatella* Tengström,1848; *tengstroemella* Doubleday,1859; *subtractella* Caradja,1920
- 806. Coleophora vibicella (Hübner,[1813])** (Coleophoridae) Synonym(s): *vibicella* Hübner,[1813]; *vibicipennella* Treitschke,1833; *brunneella* Müller-Rutz,1922
- 807. Coleophora vibicigerella Zeller,1839** (Coleophoridae) Synonym(s): *vibicigerella* Zeller,1839; *mandschuriae* Toll,1942; *didyma* Toll,1957.
- 808. Coleophora vicinella Zeller,1849** (Coleophoridae) Synonym(s): *vicinella* Zeller,1849; *gypsophilae* Christoph,1862.
- 809. Coleophora violacea (Ström,1783)** (Coleophoridae) Synonym(s): *violacea* Ström,1783
- 810. Coleophora vulnerariae Zeller,1839** (Coleophoridae) Synonym(s): *vulnerariae* Zeller,1839; *icterella* Duponchel,1840; *vulnerariella* Doubleday,1859; *vulnerariella* Bruand,1859
- 811. Coleophora zelleriella Heinemann,1854** (Coleophoridae) Synonym(s): *zelleriella* Heinemann,1854
- 812. Coleophora zhusguni Falkovitsh,1972** (Coleophoridae) Synonym(s): *zhusguni* Falkovitsh,1972
- 813. Goniodoma auroguttella (Fischer v. Röslerstamm,1841)** (Coleophoridae) Synonym(s): *auroguttella* Fischer v. Röslerstamm,1841
- 814. Metriotes lutarea (Haworth,[1828])** (Coleophoridae) Synonym(s): *lutarea* Haworth,[1828]; *modestella* Duponchel,1838; *splendidella* Lienig & Zeller,1846; *bucovinella* Nemes,2004 Larval foodplant(s): *Stellaria holostea*, *Thesium montanum* (Patzak,1974).
- 815. Ascalenia vanella (Frey,1860)** (Cosmopterigidae) Synonym(s): *vanella* Frey,1860; *seeboldiella* Ragonot,1882. Larval foodplant(s): *Myricaria germanica*, *Tamarix* (Tamaricaceae) (Spuler,1910; Kasy,1969).
- 816. Ascalenia viviparella Kasy,1969** (Cosmopterigidae) Synonym(s): *viviparella* Kasy,1969 Larval foodplant(s): *Calligonum junceum*, *C.setosum*, *C.leucocladum* (Polygonaceae) (Falkovich,1968).
- 817. Calycobathra calligoni Sinev,1979** (Cosmopterigidae) Synonym(s): *calligoni* Sinev,1979 Larval foodplant(s): *Calligonum junceum*, *C.eriopodum*, *C.microcarpum*, *C.leucocladum* (Polygonaceae) (Falkovich,1968).
- 818. Calycobathra variapenella Sinev,1984** (Cosmopterigidae) Synonym(s): *variapenella* Sinev,1984
- 819. Cosmopterix lienigiella Lienig & Zeller,1846** (Cosmopterigidae) Synonym(s): *lienigiella* Lienig & Zeller,1846 Larval foodplant(s): *Phragmites communis* (Riedl,1969).

- 820. *Cosmopterix orichalcea* Stainton,1861** (Cosmopterigidae) Synonym(s): *orichalcea* Stainton,1861; *singularis* Sinev,1980 Larval foodplant(s): *Hierochloe odorata*, *H.australis*, *Milium*, *Phragmites communis*, *Festuca arundinacea* (Riedl,1969).
- 821. *Cosmopterix rhynchognathosella* Sinev** (Cosmopterigidae) Synonym(s):
- 822. *Cosmopterix schmidiella* (Frey,1856)** (Cosmopterigidae) Synonym(s): *schmidiella* Frey,1856 Larval foodplant(s): *Lathyrus niger*, *L.montanus*, *Vicia sepium*, *V.pisiformis* (Riedl,1969).
- 823. *Cosmopterix scribaiella* Zeller,1850** (Cosmopterigidae) Synonym(s): *scribaiella* Zeller,1850; *hermsiella* Hering,1889 Larval foodplant(s): *Phragmites communis* (Poaceae) (Riedl,1969).
- 824. *Cosmopterix sibirica* Sinev,1985** (Cosmopterigidae) Synonym(s): *sibirica* Sinev,1985
- 825. *Cosmopterix singularis* Sinev,1979** (Cosmopterigidae) Synonym(s): *singularis* Sinev,1979
- 826. *Cosmopterix zieglerella* (Hübner,[1810])** (Cosmopterigidae) Synonym(s): *zieglerella* Hübner,[1810]; *eximia* Haworth,1828 Larval foodplant(s): *Humulus lupulus*, *H.japonicus* (Cannabinaceae), *Boehmeria nipononivea* (Urticaceae) (Sorhagen,1885; Kuroko,1960; Riedl,1969; et seq.).
- 827. *Limnaecia phragmitella* Stainton,1851** (Cosmopterigidae) Synonym(s): *phragmitella* Stainton,1851 Larval foodplant(s): *Phragmitis*, *Typha latifolia*, *T.angustifolia* (Stainton,1851; Riedl,1969).
- 828. *Pancalia leuwenhoekella* (Linnaeus,1761)** (Cosmopterigidae) Synonym(s): *leuwenhoekella* Linnaeus,1761; *schmidtella* Treitschke,1833 Larval foodplant(s): *Viola* (Riedl,1969).
- 829. *Pancalia nodosella* Mann,1854** (Cosmopterigidae) Synonym(s): *nodosella* Mann,1854 Larval foodplant(s): *Viola curtisi* (Violaceae) (Koster & Sinev,2003).
- 830. *Pancalia schwarzella* (Fabricius,1798)** (Cosmopterigidae) Synonym(s): *schwarzella* Fabricius,1798; *latreillella* Curtis,1830. Larval foodplant(s): *Viola hirta*, *V.tricolor*, *V.canina*, *Lotus corniculatus* (Riedl,1969).
- 831. *Pyroderces argyrogrammos* (Zeller,1847)** (Cosmopterigidae) Synonym(s): *argyrogrammos* Zeller,1847; *goldeggiella* Herrich-Schäffer,[1853] Larval foodplant(s): *Carlina*, *Centaurea*, *Carduus nutans*, *C.pycnocephalus*, *Cnicus benedictus*, *Scolymus hispanicus* (Asteraceae) (Riedl,1969; et seq.).
- 832. *Pyroderces caesaris* Gozmany,1957** (Cosmopterigidae) Synonym(s): *caesaris* Gozmany,1957 Larval foodplant(s): *Echinops ruthenicus*, *Centaurea orientalis*, *C.salonitana*, *Cirsium sublaniflorum* (Sinev,1993).
- 833. *Sorhagenia janiszewskae* Riedl,1962** (Cosmopterigidae) Synonym(s): *janiszewskae* Riedl,1962 Larval foodplant(s): *Rhamnus cathartica*, *R. alpina*, *Frangula alnus* (Rhamnaceae) (Riedl,1969).
- 834. *Sorhagenia lophyrella* (Douglas,1846)** (Cosmopterigidae) Synonym(s): *lophyrella* Douglas,1846; *tolli* Riedl,1962 Larval foodplant(s): *Rhamnus cathartica*, *R. saxatilis*, *Frangula alnus* (Rhamnaceae) (Riedl,1969).
- 835. *Sorhagenia rhamniella* (Zeller,1839)** (Cosmopterigidae) Synonym(s): *rhamniella* Zeller,1839; *asperipunctella* Bruand,1850 Larval foodplant(s): *Rhamnus cathartica*, *R.alpina*, *Frangula alnus* (Rhamnaceae) (Zeller,1839; Riedl,1969).
- 836. *Stagmatophora albiapicella* (Duponchel,1843)** (Cosmopterigidae) Synonym(s): *albiapicella* Duponchel,1843 Larval foodplant(s): *Globularia vulgaris* (Riedl,1969).
- 837. *Stagmatophora anonymella* (Riedl,1965)** (Cosmopterigidae) Synonym(s): *anonymella* Riedl,1965
- 838. *Stagmatophora beata* (Walsingham,1907)** (Cosmopterigidae) Synonym(s): *beata* Walsingham,1907

- 839. Stigmatophora heydeniella (Fischer v. Röslerstamm,1842)** (Cosmopterigidae) Synonym(s): *heydeniella* Fischer v. Röslerstamm,1842; *torquillaeppennella* Bruand,1850 Larval foodplant(s): *Stachys sylvatica*, *Betonica officinalis*, *B.alopeucuros* (Lamiaceae) (Riedl,1969).
- 840. Stigmatophora intermediella (Riedl,1966)** (Cosmopterigidae) Synonym(s): *intermediella* Riedl,1966 Larval foodplant(s): *Linaria genistifolia*, *L.vulgaris*, *L.pontica*, *Anarrhinum bellidifolium* (Scrophulariaceae) (Saner,1991).
- 841. Stigmatophora serratella (Treitschke,1833)** (Cosmopterigidae) Synonym(s): *serratella* Treitschke,1833; *sareptensis* Walsingham,1907; *cinereocapitella* Caradja,1920 Larval foodplant(s): *Linaria vulgaris*, *L.genistifolia* ssp.euxina (Scrophulariaceae) (Saner,1991).
- 842. Stigmatophora sumptuosella (Lederer,1855)** (Cosmopterigidae) Synonym(s): *sumptuosella* Lederer,1855; *cinereocapitella* Caradja,1920; *amseli* Osthelder,1940
- 843. Stigmatophora tririvella (Staudinger,1871)** (Cosmopterigidae) Synonym(s): *tririvella* Staudinger,1871; *kasyi* Riedl,1965.
- 844. Vulcaniella extremella (Wocke,1871)** (Cosmopterigidae) Synonym(s): *extremella* Wocke,1871; *naviella* Chrétien,1907; *buhri* Hering,1935. Larval foodplant(s): *Salvia pratensis*, *S.bertolonii*, *Brunella grandiflora* (Lamiaceae) (Riedl,1969).
- 845. Vulcaniella grandiferella Sinev,1986** (Cosmopterigidae) Synonym(s): *grandiferella* Sinev,1986 Larval foodplant(s): *Salvia aethiopis*, *S.sclarea* (Lamiaceae) (Sinev,1993).
- 846. Vulcaniella pomposella (Zeller,1839)** (Cosmopterigidae) Synonym(s): *pomposella* Zeller,1839 Larval foodplant(s): *Helichrysum arenarium* (Asteraceae), *Salvia officinalis* (Lamiaceae) (Schütze,1931; Riedl,1969).
- 847. Acossus terebrus (Denis,1785)** (Cossidae) Synonym(s): *#terebra* [Denis & Schiffermüller],1775; *terebra* Denis,1785.
- 848. Catopta albonubilus (Graeser,1888)** (Cossidae) Synonym(s): *albonubilus* Graeser,1888
- 849. Catopta albonubilus albonubilus (Graeser,1888)** (Cossidae) Synonym(s): *albonubilus* Graeser,1888
- 850. Catopta albonubilus argunicus Yakovlev,2007** (Cossidae) Synonym(s): *argunicus* Yakovlev,2007
- 851. Catopta perunovi Yakovlev,2007** (Cossidae) Synonym(s): *perunovi* Yakovlev,2007
- 852. Catopta thrips (Hübner,[1818])** (Cossidae) Synonym(s): *thrips* Hübner,[1818]; *fuchsiana* Eversmann,1832; *kindermannii* Freyer,1836.
- 853. Catopta thrips thrips (Hübner,[1818])** (Cossidae) Synonym(s): *thrips* Hübner,[1818]; *fuchsiana* Eversmann,1832; *kindermannii* Freyer,1836.
- 854. Cossus cossus (Linnaeus,1758)** (Cossidae) Synonym(s): *cossus* Linnaeus,1758; *unguiculatus* Fabricius,1794; *ligniperda* Fabricius,1794
- 855. Cossus cossus cossus (Linnaeus,1758)** (Cossidae) Synonym(s): *cossus* Linnaeus,1758; *unguiculatus* Fabricius,1793; *ligniperda* Fabricius,1794; *subnigra* Schultz,1911; *uralicus* Seitz,1912; *orientalis* Gaede,1929.
- 856. Cossus cossus dauricus Yakovlev,2007** (Cossidae) Synonym(s): *dauricus* Yakovlev,2007
- 857. Cossus cossus orientalis Gaede,1929** (Cossidae) Synonym(s): *orientalis* Gaede,1929
- 858. Cossus cossus uralicus Seitz,1912** (Cossidae) Synonym(s): *uralicus* Seitz,1912; *#uralensis* Daniel,1956.
- 859. Cossus siniaevi Yakovlev,2005** (Cossidae) Synonym(s): *siniaevi* Yakovlev,2005
- 860. Deserticossus arenicola (Staudinger,1879)** (Cossidae) Synonym(s): *arenicola* Staudinger,1879
- 861. Deserticossus arenicola arenicola (Staudinger,1879)** (Cossidae) Synonym(s): *arenicola* Staudinger,1879

- 862. *Dyspessa infuscata* (Staudinger,1892)** (Cossidae) Synonym(s): *infuscata* Staudinger,1892; *cyprica* Rebel,1927; *kurdistan* Turati,1909.
- 863. *Dyspessa kostjuki* Yakovlev,2005** (Cossidae) Synonym(s): *kostjuki* Yakovlev,2005
- 864. *Dyspessa pallidata* Staudinger,1901** (Cossidae) Synonym(s): *#pallidata* Staudinger,1892; *pallidata* Staudinger,1901; *nigrita* Wagner,1931; *cerberus* Daniel,1939; *dueldueli* Daniel,1939.
- 865. *Dyspessa salicicola* (Eversmann,1848)** (Cossidae) Synonym(s): *salicicola* Eversmann,1848
- 866. *Dyspessa salicicola aschabadensis* Daniel,1953** (Cossidae) Synonym(s): *aschabadensis* Daniel,1953
- 867. *Dyspessa salicicola salicicola* (Eversmann,1848)** (Cossidae) Synonym(s): *salicicola* Eversmann,1848
- 868. *Dyspessa ulula* (Borkhausen,1790)** (Cossidae) Synonym(s): *ulula* Borkhausen,1790; *hepialica* Borkhausen,1790; *hepialina* Hübner,1792; *marmorata* Rambur,1858; *fuscata* Staudinger,1892; *affinis* Rothschild,1917; *maroccana* Rothschild,1917; *pallida* Rothschild,1917 *nec* Roth.,1912.
- 869. *Dyspessa ulula ulula* (Borkhausen,1790)** (Cossidae) Synonym(s): *ulula* Borkhausen,1790; *hepialica* Borkhausen,1790; *hepialina* Hübner,1792; *marmorata* Rambur,1858; *fuscata* Staudinger,1892; *affinis* Rothschild,1917; *maroccana* Rothschild,1917; *pallida* Rothschild,1917 *nec* Rothschild,1912.
- 870. *Eogystia sibirica* (Alpheraky,1895)** (Cossidae) Synonym(s): *sibirica* Alpheraky,1895
- 871. *Holcocerus nobilis* (Staudinger,1884)** (Cossidae) Synonym(s): *nobilis* Staudinger,1884; *strigatus* Austaut,1897.
- 872. *Holcocerus nobilis nobilis* (Staudinger,1884)** (Cossidae) Synonym(s): *nobilis* Staudinger,1884; *strigatus* Austaut,1897.
- 873. *Holcocerus sareptensis* (Rothschild,1912)** (Cossidae) Synonym(s): *sareptensis* Rothschild,1912
- 874. *Holcocerus vicarius* (Walker,1865)** (Cossidae) Synonym(s): *vicarius* Walker,1865
- 875. *Holcocerus volgensis* Christoph,1893** (Cossidae) Synonym(s): *volgensis* Christoph,1893
- 876. *Isoceras sibiricum* (Alpheraky,1895)** (Cossidae) Synonym(s): *sibiricum* Alpheraky,1895
- 877. *Kotchevnik durrelli* Yakovlev,2005** (Cossidae) Synonym(s): *durrelli* Yakovlev,2005
- 878. *Meharia scythica* D.Komarov & Zolotuhin,2005** (Cossidae) Synonym(s): *scythica* D.Komarov & Zolotuhin,2005
- 879. *Paracossulus thrips* (Hübner,[1818])** (Cossidae) Synonym(s): *thrips* Hübner,[1818]
- 880. *Parahypopta caestrum* (Hübner,[1808])** (Cossidae) Synonym(s): *caestrum* Hübner,[1808]; *teredo* Boisduval,1829; *radoti* Homberg,1911; *nigrosignatus* Rothschild,1912.
- 881. *Parahypopta caestrum caestrum* (Hübner,[1808])** (Cossidae) Synonym(s): *caestrum* Hübner,[1808]; *teredo* Boisduval,1829; *radoti* Homberg,1911; *nigrosignatus* Rothschild,1912.
- 882. *Parahypopta caestrum desertum* (Fischer Waldheim,1832)** (Cossidae) Synonym(s): *desertum* Fischer Waldheim,1832
- 883. *Phragmataecia castaneae* (Hübner,1790)** (Cossidae) Synonym(s): *castaneae* Hübner,1790; *arundinis* Hübner,[1808]; *minor* Moore,1879; *pygmaea* Graeser,1888; *minima* Hampson,1891 Larval foodplant(s): *Phragmites australis*, *Saccharum spontaneum* (Skinner,1985).
- 884. *Phragmataecia pacifica* Yakovlev,2007** (Cossidae) Synonym(s): *pacifica* Yakovlev,2007
- 885. *Stygioides colchica* (Herrich-Schäffer,[1851])** (Cossidae) Synonym(s): *colchica* Herrich-Schäffer,[1851]
- 886. *Zeuzera multistrigata* Moore,1881** (Cossidae) Synonym(s): *multistrigata* Moore,1881; *leuconotum* Butler,1881 Larval foodplant(s): *Quercus*, *Buxus*, *Streblus*,

- Cryptomeria japonica*, *Ilex*, *Mahonia nepalensis*, *Mussaenda frondosa*, *Pyrus malus*, *Santalum album* (Arora,1976).
- 887. *Zeuzera pyrina* (Linnaeus,1761)** (Cossidae) **Synonym(s):** *pyrina* Linnaeus,1761; *hypocastani* Poda,1761; *aesuli* Linnaeus,1767; *hilaris* Fourcroy,1785; *octopunctata* Boisduval,1832; *decipiens* Kirby,1892
- 888. *Amata caspia* (Staudinger,1877)** (Ctenuchidae) **Synonym(s):** *caspia* Staudinger,1877; *#caspica* Spuler,1906; *minuta* A.Bang-Haas,1910 nec Bsd.,1833; *martinierici* Bryk,1941; *banghaasi* Obratzsov,1966; *minutissima* Obratzsov,1966; *schachti* De Freina,1994.
- 889. *Amata germana* (C.Felder & R.Felder,1862)** (Ctenuchidae) **Synonym(s):** *germana* C.Felder & R.Felder,1862; *mandarina* Butler,1876; *#nigricauda* Miyake,1907
- 890. *Amata kruegeri* (Ragusa,1904)** (Ctenuchidae) **Synonym(s):** *#kruegeri* Ragusa,1904; *kruegeri* Turati,1917
- 891. *Amata kruegeri marjana* (Stauder,1913)** (Ctenuchidae) **Synonym(s):** *marjana* Stauder,1913; *macedonica* Daniel,1934; *bulgarica* Daniel,1934; *odessana* Obratzsov,1935; *sheljuzhkoi* Obratzsov,1966
- 892. *Amata phegea* (Linnaeus,1758)** (Ctenuchidae) **Synonym(s):** *phegea* Linnaeus,1758; *quercus* Fabricius,1793
- 893. *Amata rossica* (Turati,1917)** (Ctenuchidae) **Synonym(s):** *#nigricornis* Alpheraky,1883; *nigricornis* Kirby,1892 (praeocc.); *rossica* Turati,1917; *tanaica* Obratzsov,1941
- 894. *Amata rossica montana* Obratzsov,1937** (Ctenuchidae) **Synonym(s):** *montana* Obratzsov,1937
- 895. *Amata rossica rossica* (Turati,1917)** (Ctenuchidae) **Synonym(s):** *#nigricornis* Alpheraky,1883; *nigricornis* Kirby,1892 (praeocc.); *rossica* Turati,1917; *tanaica* Obratzsov,1941
- 896. *Dysauxes ancilla* (Linnaeus,1767)** (Ctenuchidae) **Synonym(s):** *ancilla* Linnaeus,1767; *obscura* Fabricius,1781; *quadrioculata* Goeze,1783; *lomopicta* Fourcroy,1785; *fuscoptera* Fourcroy,1785; *tripunctata* Scopoli,1786; *arcuatella* Schrank,1802; *horta* Schrank,1802; *abundans* Dannehl,1933; *pluripuncta* Naufock,1933.
- 897. *Dysauxes famula* (Freyer,1836)** (Ctenuchidae) **Synonym(s):** *famula* Freyer,1836; *hyalina* Freyer,1845; *ragusaria* Zickert,1904; *kaschmirensis* Rothschild,1910; *semidiaphana* Stauder,1921; *herthina* Stauder,1921; *burgeffi* Draudt,1931; *pseudoservula* Naufock,1933; *pontica* Friese,1959; *sofiata* De Laever,1983; *lucana* De Laever,1983. Larval foodplant(s): *Taraxacum* (De Freina & Witt,1987).
- 898. *Dysauxes punctata* (Fabricius,1781)** (Ctenuchidae) **Synonym(s):** *punctata* Fabricius,1781; *serva* Hübner,[1803]; *confamula* Hübner,[1803]; *ochrea* Millière,1876
- 899. *Dysauxes punctata punctata* (Fabricius,1781)** (Ctenuchidae) **Synonym(s):** *punctata* Fabricius,1781; *serva* Hübner,[1803]; *confamula* Hübner,[1803]; *ochrea* Millière,1876
- 900. *Parantica sita* (Kollar,[1844])** (Danaiidae) **Synonym(s):** *sita* Kollar,[1844]; *#tira* Fruhstorfer,1899; *#pedonga* Talbot,1943.
- 901. *Parantica sita sita* (Kollar,[1844])** (Danaiidae) **Synonym(s):** *sita* Kollar,[1844]; *#tira* Fruhstorfer,1899; *#pedonga* Talbot,1943.
- 902. *Klimeschia transversella* (Zeller,1839)** (Douglesiidae) **Synonym(s):** *transversella* Zeller,1839 Larval foodplant(s): *Thymus* (Lamiaceae) (Gaedike,1974).
- 903. *Tinagma balteolellum* (Fischer v. Röslerstamm,1841)** (Douglesiidae) **Synonym(s):** *balteolellum* Fischer v. Röslerstamm,1841; *borkhauseniella* Herrich-Schäffer,1855 Larval foodplant(s): *Echium vulgare* (Boraginaceae) (Gaedike,1974).
- 904. *Tinagma dryadis* Staudinger,1872** (Douglesiidae) **Synonym(s):** *dryadis* Staudinger,1872 Larval foodplant(s): *Dryas octopetala* (Staudinger,1872; et seq.).
- 905. *Tinagma minutissimum* (Staudinger,1880)** (Douglesiidae) **Synonym(s):** *minutissimum* Staudinger,1880.
- 906. *Tinagma ocerostomellum* (Stainton,1850)** (Douglesiidae) **Synonym(s):** *ocerotostomellum* Stainton,1850; *echii* Herrich-Schäffer,1854. larva inside the stalk of *Echium* (Boraginaceae) (Gaedike,1975).
- 907. *Tinagma perdicellum* Zeller,1839** (Douglesiidae) **Synonym(s):** *perdicellum* Zeller,1839; *deliciosella* Caradja,1920 Larval foodplant(s): *Alchemilla*, *Fragaria*, *Potentilla*, *Rubus* (Rosaceae) (Gaedike,1974).
- 908. *Cilix filipjevi* Kardakoff,1928** (Drepanidae) **Synonym(s):** *filipjevi* Kardakoff,1928

- 909. *Cilix glaucata* (Scopoli,1763)** (Drepanidae) Synonym(s): *glaucata* Scopoli,1763; *modesta* Müller,1764; *ruffa* Linnaeus,1766; *spinula* [Denis & Schiffermüller],1775; *candidula* [Denis & Schiffermüller],1775; *compressa* Fabricius,1777 Larval foodplant(s): *Crataegus monogyna*, *Prunus domestica*, *P. spinosa*, *Pyrus malus*, *P. communis*, *Sorbus aucuparia*, *Rubus ulmifolius* (Meyer,1919; Maso, 1993).
- 910. *Cilix glaucata glaucata* (Scopoli,1763)** (Drepanidae) Synonym(s): *glaucata* Scopoli,1763; *modesta* Müller,1764; *ruffa* Linnaeus,1766; *spinula* [Denis & Schiffermüller],1775; *candidula* [Denis & Schiffermüller],1775; *compressa* Fabricius,1777
- 911. *Ditrigona komarovi* Kurenzov,1935** (Drepanidae) Synonym(s): *komarovi* Kurenzov,1935
- 912. *Drepana curvatula* (Borkhausen,1790)** (Drepanidae) Synonym(s): *curvatula* Borkhausen,1790 Larval foodplant(s): *Alnus* (Meyer,1919).
- 913. *Drepana falcataria* (Linnaeus,1758)** (Drepanidae) Synonym(s): *falcataria* Linnaeus,1758; *sicula* [Denis & Schiffermüller],1775; *falcata* [Denis & Schiffermüller],1775; *falcata* Retzius,1783 nec Fabr.,1775; *falcatarialis* Haworth,1802; *infernalis* Bytinski-Salz,1939 Larval foodplant(s): *Alnus*, *Betula* (Meyer,1919).
- 914. *Falcaria lacertinaria* (Linnaeus,1758)** (Drepanidae) Synonym(s): *lacertinaria* Linnaeus,1758; *lacertula* [Denis & Schiffermüller],1775; *lacertina* Retzius,1783; *dentaria* Thunberg,1784; *lacertinalis* Haworth,1802; *curvula* Haworth,1802 Larval foodplant(s): *Quercus* (Linnaeus,1758); *Alnus*, *Betula* (Meyer,1919).
- 915. *Sabra harpagula* (Esper,[1786])** (Drepanidae) Synonym(s): *harpagula* Esper,[1786]; *harparia* Fabricius,1798 Larval foodplant(s): *Betula*, *Quercus*, *Tilia* (Meyer,1919).
- 916. *Watsonalla binaria* (Hufnagel,1767)** (Drepanidae) Synonym(s): *binaria* Hufnagel,1767; *falcata* Fabricius,1775; *falculataria* Villers,1789; *falcatalis* Haworth,1802; *uncula* Hübner,[1802] Larval foodplant(s): *Quercus* (Staudinger,1879; Meyer,1919; Wiltshire,1957).
- 917. *Watsonalla cultraria* (Fabricius,1775)** (Drepanidae) Synonym(s): *cultraria* Fabricius,1775; *hamula* [Denis & Schiffermüller],1775; *cultrarialis* Haworth,1802; *unguicula* Hübner,[1803]; *fasciata* Stephens,1829 Larval foodplant(s): *Fagus* (Meyer,1919).
- 918. *Cosmiotes consortella* (Stainton,1851)** (Elachistidae) Synonym(s): *consortella* Stainton,1851; *roesslerella* Wocke,1876; *exiguella* Frey,1885
- 919. *Cosmiotes exactella* (Herrich-Schäffer,1855)** (Elachistidae) Synonym(s): *exactella* Herrich-Schäffer,1855; *parvulella* Herrich-Schäffer,1855; *infusca* Frey,1882; *spectrella* Frey,1885
- 920. *Cosmiotes freyerella* (Hübner,[1825])** (Elachistidae) Synonym(s): *nigrella* Hübner,[1805] nec Fabr.,1775; *freyerella* Hübner,[1825]; *tristictella* Tengström,1848; *bistictella* Tengström,1848; *aridella* Heinemann,1854; *gregsoni* Stainton,1855; *gregsonella* Doubleday,1859; *incertella* Frey,1866; *grisescens* Wocke,1862; *sublimis* Frey,1866; *baltica* Hering,1891 Larval foodplant(s): *Festuca*, *Poa* (Poaceae) (Parenti,2000).
- 921. *Cosmiotes stabilella* (Stainton,1858)** (Elachistidae) Synonym(s): *stabilella* Stainton,1858
- 922. *Elachista adelpha* Kaila & Jalava,1994** (Elachistidae) Synonym(s): *adelpha* Kaila & Jalava,1994
- 923. *Elachista adscitella* Stainton,1851** (Elachistidae) Synonym(s): *cinctella* auct.; *adscitella* Stainton,1851 Larval foodplant(s): *Deschampsia*, *Festuca*, *Sesleria* (Poaceae); *Carex* (Cyperaceae) (Parenti,2000).
- 924. *Elachista albidella* Tengström,1848** (Elachistidae) Synonym(s): *albidella* Tengström,1848; *rhynchosporella* Stainton,1848; *uliginosella* Herrich-Schäffer,1855
- 925. *Elachista albifrontella* (Hübner,[1817])** (Elachistidae) Synonym(s): *albifrontella* Hübner,[1817]
- 926. *Elachista alpinella* Stainton,1854** (Elachistidae) Synonym(s): *alpinella* Stainton,1854; *latipennella* Herrich-Schäffer,1855; *monticola* Wocke,1876; *subquadrella* Ragonot,1889
- 927. *Elachista anitella* Traugott-Olsen,1985** (Elachistidae) Synonym(s): *anitella* Traugott-Olsen,1985

- 928. Elachista anserinella Zeller,1839** (Elachistidae) Synonym(s): *anserinella* Zeller,1839; *disertella* Herrich-Schäffer,[1855].
- 929. Elachista apicipunctella Stainton,1849** (Elachistidae) Synonym(s): *apicipunctella* Stainton,1849
- 930. Elachista argentella (Clerck,1759)** (Elachistidae) Synonym(s): *argentella* Clerck,1759; *alabastrella* [Denis & Schiffermüller],1775; *melanopsis* Fourcroy,1785; *alabastrata* Villers,1789; *cygnipennella* Hübner,1796; *cygnipennis* Haworth,1828; *semialbella* Stephens,1834 Larval foodplant(s): Avenula, Brachypodium, Dactylis, Festuca, Koeleria, Poa (Poaceae) (Parenti,2000).
- 931. Elachista atricomella Stainton,1849** (Elachistidae) Synonym(s): *atricomella* Stainton,1849; *alienella* Stainton,1851; *extensella* Stainton,1851; *zetterstedtii* Wallengren,1852; *holdenella* Stainton,1854; *helvetica* Frey,1856; *longipennis* Frey,1885 Larval foodplant(s): Dactylis (Poaceae).
- 932. Elachista biatomella (Stainton,1848)** (Elachistidae) Synonym(s): *biatomella* Stainton,1848
- 933. Elachista bisulcella (Duponchel,1843)** (Elachistidae) Synonym(s): *bisulcella* Duponchel,1843; *zonariella* Tensgröm,1847
- 934. Elachista bruuni Traugott-Olsen,1990** (Elachistidae) Synonym(s): *bruuni* Traugott-Olsen,1990
- 935. Elachista canapennella (Hübner,[1813])** (Elachistidae) Synonym(s): *canapennella* Hübner,[1813]; *pulchella* Haworth,[1828] nec Fabricius,1794; *obscura* Stainton,1849; *incanella* Herrich-Schäffer,[1855], etc.
- 936. Elachista chrysodesmella Zeller,1850** (Elachistidae) Synonym(s): *chrysodesmella* Zeller,1850 Larval foodplant(s): Brachypodium, Dactylis, Poa (Poaceae); Carex (Cyperaceae) (Parenti,2000).
- 937. Elachista cinereopunctella (Haworth,[1828])** (Elachistidae) Synonym(s): *cinereopunctella* Haworth,[1828] Larval foodplant(s): Carex.
- 938. Elachista cingillella (Herrich-Schäffer,[1855])** (Elachistidae) Synonym(s): *cingillella* Herrich-Schäffer,[1855]; *densicornuella* Hodgkinson,1879
- 939. Elachista coeneni Traugott-Olsen,1985** (Elachistidae) Synonym(s): *coeneni* Traugott-Olsen,1985
- 940. Elachista coeneni titanella Kaila & Jalava,1994** (Elachistidae) Synonym(s): *titanella* Kaila & Jalava,1994
- 941. Elachista deceptricula Staudinger,1880** (Elachistidae) Synonym(s): *deceptricula* Staudinger,1880
- 942. Elachista diderichsiella Hering,1889** (Elachistidae) Synonym(s): *diderichsiella* Hering,1889
- 943. Elachista dispilella Zeller,1839** (Elachistidae) Synonym(s): *dispilella* Zeller,1839
- 944. Elachista dispunctella (Duponchel,1843)** (Elachistidae) Synonym(s): *dispunctella* Duponchel,1843
- 945. Elachista elegans Frey,1859** (Elachistidae) Synonym(s): *elegans* Frey,1859
- 946. Elachista eleochariella Stainton,1851** (Elachistidae) Synonym(s): *eleochariella* Stainton,1851
- 947. Elachista exigua Parenti,1978** (Elachistidae) Synonym(s): *exigua* Parenti,1978
- 948. Elachista fasciola Parenti,1983** (Elachistidae) Synonym(s): *fasciola* Parenti,1983
- 949. Elachista festucicolella Zeller,1853** (Elachistidae) Synonym(s): *festucicolella* Zeller,1853; *#festucicolella* Staudinger,1880.
- 950. Elachista flavescens Parenti,1981** (Elachistidae) Synonym(s): *flavescens* Parenti,1981
- 951. Elachista fuscofrontella Sruoga,1990** (Elachistidae) Synonym(s): *fuscofrontella* Sruoga,1990
- 952. Elachista gangabella Zeller,1850** (Elachistidae) Synonym(s): *gangabella* Zeller,1850; *taeniatella* Stainton,1857; *ursinella* Chrétien,1896

- 953. Elachista gleichenella (Fabricius,1781)** (Elachistidae) Synonym(s): *gleichenella* Fabricius,1781; *gleichella* Fabricius,1794; *magnificella* Duponchel,1843; *trifasciella* Tengström,1848; *fractella* Herrich-Schäffer,1855 Larval foodplant(s): *Luzula* (Juncaceae); *Deschampsia* (Poaceae); *Carex* (Cyperaceae) (Parenti,2000).
- 954. Elachista gormella Nielsen & Traugott-Olsen,1987** (Elachistidae) Synonym(s): *gormella* Nielsen & Traugott-Olsen,1987
- 955. Elachista griseella (Duponchel,1843)** (Elachistidae) Synonym(s): *griseella* Duponchel,1843; *dispositella* Frey,1859 Larval foodplant(s): *Calamagrostis*, *Dactylis*, *Elymus*, *Festuca* (Poaceae) (Parenti,2000).
- 956. Elachista herrichii Frey,1859** (Elachistidae) Synonym(s): *obscuraella* Herrich-Schäffer,1855 *nec* Stt.,1849; *herrichii* Frey,1859; *reuttiana* Frey,1859; *psilellivicinella* Bruand,1859; *confluella* Rössler,1866
- 957. Elachista humilis Zeller,1850** (Elachistidae) Synonym(s): *humilis* Zeller,1850; *occultella* Douglas,1850; *humiliella* Herrich-Schäffer,1855; *perplexella* Stainton,1858; *airae* Stainton,1858
- 958. Elachista irenae Buszko,1989** (Elachistidae) Synonym(s): *irenae* Buszko,1989
- 959. Elachista jaskai Kaila,1988** (Elachistidae) Synonym(s): *jaskai* Kaila,1988
- 960. Elachista juliensis Frey,1870** (Elachistidae) Synonym(s): *juliensis* Frey,1870
- 961. Elachista kilmunella Stainton,1849** (Elachistidae) Synonym(s): *kilmunella* Stainton,1849
- 962. Elachista krogeri Svensson,1976** (Elachistidae) Synonym(s): *krogeri* Svensson,1976
- 963. Elachista latipenella Sinev & Budashkin,1991** (Elachistidae) Synonym(s): *latipenella* Sinev & Budashkin,1991
- 964. Elachista leifi Kaila & Kerppola,1992** (Elachistidae) Synonym(s): *leifi* Kaila & Kerppola,1992
- 965. Elachista luticomella Zeller,1839** (Elachistidae) Synonym(s): *luticomella* Zeller,1839; *guttella* Hübner,1796 *nec* Fabr.,1787; *sexguttella* Reutti,1853; *flavicomella* Stainton,1856
- 966. Elachista maculicerusella Bruand,1849** (Elachistidae) Synonym(s): *cerusella* Hübner,1796 *nec* [Denis & Schiff.],1775; *maculicerusella* Bruand,1849; *monosemiella* auct.
- 967. Elachista megerlella (Hübner,[1810])** (Elachistidae) Synonym(s): *megerlella* Hübner,[1810]; *obliquella* Stainton,1854
- 968. Elachista monosemiella Rössler,1881** (Elachistidae) Synonym(s): *monosemiella* Rössler,1881; *klimeschi* Dufrane,1957 Larval foodplant(s): *Arrhenatherum*, *Dactylis*, *Phalaris*, *Phragmites* (Poaceae) (Parenti,2000).
- 969. Elachista nielswolffi Svensson,1976** (Elachistidae) Synonym(s): *nielswolffi* Svensson,1976
- 970. Elachista nobilella Zeller,1839** (Elachistidae) Synonym(s): *nobilella* Zeller,1839; *subnobilella* Rössler,1866
- 971. Elachista orstadii N.Palm,1943** (Elachistidae) Synonym(s): *orstadii* N.Palm,1943
- 972. Elachista parvula Parenti,1978** (Elachistidae) Synonym(s): *parvula* Parenti,1978
- 973. Elachista poae Stainton,1855** (Elachistidae) Synonym(s): *poae* Stainton,1855
- 974. Elachista pollinariella Zeller,1839** (Elachistidae) Synonym(s): *pollinariella* Zeller,1839 Larval foodplant(s): *Festuca*, *Poa*, *Trisetum* (Poaceae) (Parenti,2000).
- 975. Elachista pollutella (Duponchel,1844)** (Elachistidae) Synonym(s): *pollutella* Duponchel,1844
- 976. Elachista pomerana Frey,1870** (Elachistidae) Synonym(s): *pomerana* Frey,1870
- 977. Elachista pullicomella Zeller,1839** (Elachistidae) Synonym(s): *pullicomella* Zeller,1839; *rectifasciella* Stainton,1851; *bohemanii* Wallengren,1852; *pullella* Herrich-Schäffer,1855
- 978. Elachista quadripunctella (Hübner,[1825])** (Elachistidae) Synonym(s): *quadrella* Hübner,[1805] *nec* Den. & Schiff.,1775; *quadripunctella* Hübner,[1825] Larval foodplant(s): *Luzula* (Juncaceae) (Parenti,2000).
- 979. Elachista regificella Sircom,1849** (Elachistidae) Synonym(s): *magnificella* Zeller,1847 *nec* Dup.,1843; *regificella* Sircom,1849; *geminatella* Herrich-Schäffer,1855

- 980. Elachista rudectella Stainton, 1851** (Elachistidae) Synonym(s): *rudectella Stainton, 1851*
- 981. Elachista scirpi Stainton, 1887** (Elachistidae) Synonym(s): *scirpi Stainton, 1887*
- 982. Elachista serricornis Stainton, 1854** (Elachistidae) Synonym(s): *serricornis Stainton, 1854*
- 983. Elachista spumella Caradja, 1920** (Elachistidae) Synonym(s): *spumella Caradja, 1920*
- 984. Elachista squamosella (Duponchel, 1843)** (Elachistidae) Synonym(s): *squamosella Duponchel, 1843*
- 985. Elachista subalbidella Schläger, 1847** (Elachistidae) Synonym(s): *subalbidella Schläger, 1847*
- 986. Elachista subnigrella Douglas, 1853** (Elachistidae) Synonym(s): *subnigrella Douglas, 1853*
- 987. Elachista triatomea (Haworth, 1828)** (Elachistidae) Synonym(s): *triatomea Haworth, 1828*
- 988. Elachista triseriatella Stainton, 1854** (Elachistidae) Synonym(s): *triseriatella Stainton, 1854* Larval foodplant(s): *Festuca* (Poaceae) (Parenti, 2000).
- 989. Elachista utonella Frey, 1856** (Elachistidae) Synonym(s): *utonella Frey, 1856* Larval foodplant(s): *Juncus gerardi* (Juncaceae); *Carex*, *Scirpus sylvaticus* (Cyperaceae) (Parenti, 2000).
- 990. Elachista vonschantzi Svensson, 1976** (Elachistidae) Synonym(s): *vonschantzi Svensson, 1976*
- 991. Elachista zernyi Hartig, 1941** (Elachistidae) Synonym(s): *zernyi Hartig, 1941*; *ingvarella Traugott-Olsen, 1974*
- 992. Mendesia farinella (Thunberg, 1794)** (Elachistidae) Synonym(s): *farinella Thunberg, 1794*; *subargentella Dattin, 1932*
- 993. Perittia karadaghella Sinev & Budashkin, 1991** (Elachistidae) Synonym(s): *karadaghella Sinev & Budashkin, 1991*
- 994. Perittia obscurepunctella (Stainton, 1848)** (Elachistidae) Synonym(s): *obscurepunctella Stainton, 1848*
- 995. Stephensia brunnichella (Linnaeus, 1767)** (Elachistidae) Synonym(s): *brunnichella Linnaeus, 1767*.
- 996. Endromis versicolora (Linnaeus, 1758)** (Endromidae) Synonym(s): *versicolora Linnaeus, 1758*; *versicolor Schrank, 1801*; *lapponica Bau, 1877*; *sachalinensis Matsumura, 1929*; *asiaorientis Warnecke, 1943*; *meridionalis Rougeot, 1971*; *subpyrinaea Gomez-Bustillo et al., 1974*
- 997. Endromis versicolora eichleri Alberti, 1975** (Endromidae) Synonym(s): *eichleri Alberti, 1975*
- 998. Endromis versicolora versicolora (Linnaeus, 1758)** (Endromidae) Synonym(s): *versicolora Linnaeus, 1758*; *versicolor Schrank, 1801*; *lapponica Bau, 1877*; *sachalinensis Matsumura, 1929*; *asiaorientis Warnecke, 1943*; *meridionalis Rougeot, 1971*; *subpyrinaea Gomez-Bustillo et al., 1974*
- 999. Epermenia (Calotripis) illigerella (Hübner, [1813])** (Epermeniidae) Synonym(s): *illigerella Hübner, [1813]* Larval foodplant(s): *Aegopodium podagraria*, *Angelica*, *Fragaria* (Sorhagen, 1886; Rebel, 1915; Amsel, 1930; Schütze, 1931; Gaedike, 1966).
- 1000. Epermenia (Calotripis) insecurella (Stainton, 1849)** (Epermeniidae) Synonym(s): *insecurella Stainton, 1849*; *dentosella Stainton, 1851*; *iniquellus Wocke, 1867*; *plumbeella Rebel, 1915*; *kruegerella Schawerda, 1921*. Larval foodplant(s): *Peucedanum officinale*, *Thesium* sp. (Gaedike, 1966, 1971).
- 1001. Epermenia (Calotripis) strictella (Wocke, 1867)** (Epermeniidae) Synonym(s): *strictella Wocke, 1867*; *anthracoptila Meyrick, 1931*. Larval foodplant(s): *Ferula communis*, *Peucedanum officinale*, *Pimpinella saxifraga* (Gaedike, 1971).
- 1002. Epermenia (Cataplectica) iniquella (Wocke, 1867)** (Epermeniidae) Synonym(s): *dentosella auct. nec Stt., 1851*; *iniquella Wocke, 1867*; *kruegerella Schawerda, 1921*; *ochrodesma Meyrick, 1913*

- 1003. Epermenia (s.str.) farreni (Walsingham,1894)** (Epermeniidae)
Synonym(s): *farreni* Walsingham,1894
- 1004. Epermenia (s.str.) pontificella (Hübner,1796)** (Epermeniidae)
Synonym(s): *pontificella* Hübner,1796 Larval foodplant(s): *Thesium* sp. (Gaedike, 1966,1971).
- 1005. Epermenia (s.str.) profugella (Stainton,1856)** (Epermeniidae)
Synonym(s): *profugella* Stainton,1856 Larval foodplant(s): *Pimpinella saxifraga* (Gaedike,1966).
- 1006. Ochromolopis ictella (Hübner,[1813])** (Epermeniidae) Synonym(s):
ictella Hübner,[1813]; *ictipennella* Treitschke,1833. Larval foodplant(s): *Thesium* (Gaedike,1966).
- 1007. Ochromolopis zagulajevi Budashkin & Satschkov,1991**
(Epermeniidae) Synonym(s): *zagulajevi* Budashkin & Satschkov,1991
- 1008. Phaulernis dentella (Zeller,1839)** (Epermeniidae) Synonym(s): *dentella* Zeller,1839 Larval foodplant(s): *Aegopodium podagraria*, *Angelica sylvestre*, *Chaerophyllum bulbosum* (Sorhagen,1866; Amsel,1930; Schütze,1931; Gaedike,1966).
- 1009. Phaulernis fulviguttella (Zeller,1839)** (Epermeniidae) Synonym(s):
fulviguttella Zeller,1839; *flavimaculella* Stainton,1849; *auromaculata* Frey,1865. Larval foodplant(s): *Angelica* (Gaedike,1966).
- 1010. Epicopeia albofasciata Djakonov,1926** (Epicopeiidae) Synonym(s):
albofasciata Djakonov,1926
- 1011. Deuterotinea casanella (Eversmann,1844)** (Eriocottidae) Synonym(s):
casanella Eversmann,1844
- 1012. Dyseriocrania subpurpurella (Haworth,[1828])** (Eriocraniidae)
Synonym(s): *subpurpurella* Haworth,[1828]; *fastuosella* Zeller,1839; *donzelella* Duponchel,[1839]. larva mines leaves of *Quercus* (Fagaceae).
- 1013. Eriocrania cicatricella (Zetterstedt,1839)** (Eriocraniidae) Synonym(s):
purpurella Haworth,1828 nec Thunb.,1788; *cicatricella* Zetterstedt,1839; *auropulverella* Eversmann,1842; *aupulverella* Eversmann,1844; *violacella* Herrich-Schäffer,1851; *haworthi* Bradley,1966
- 1014. Eriocrania salopiella (Stainton,1854)** (Eriocraniidae) Synonym(s):
salopiella Stainton,1854
- 1015. Eriocrania sangii (Wood,1891)** (Eriocraniidae) Synonym(s): *sangii* Wood,1891
- 1016. Eriocrania semipurpurella (Stephens,1835)** (Eriocraniidae)
Synonym(s): *semipurpurella* Stephens,1835; *solierella* Duponchel,[1839]; *amentella* Tengström,1848; *inconspicueella* Wood,1890
- 1017. Eriocrania sparrmannella (Bosc,1791)** (Eriocraniidae) Synonym(s):
sparrmannella Bosc,1791; *caledoniella* Griffith,1891; *fimbriata* Walsingham,1900
- 1018. Heringocrania chrysolepidella (Zeller,1851)** (Eriocraniidae)
Synonym(s): *chrysolepidella* Zeller,1851; *kaltenbachii* Wood,1890
- 1019. Ethmia angarensis Caradja,1939** (Ethmiidae) Synonym(s): *angarensis* Caradja,1939
- 1020. Ethmia aurifluella (Hübner,[1810])** (Ethmiidae) Synonym(s): *aurifluella* Hübner,[1810]; *albarracinella* Ragonot,1882. Larval foodplant(s): *Anchusa* (Boraginaceae) (Sattler,1967).
- 1021. Ethmia bipunctella (Fabricius,1775)** (Ethmiidae) Synonym(s): *bipunctella* Fabricius,1775; *echiella* [Denis & Schiffermüller],1775; *hochenwartiella* Rossi,1790; *griseicostella* Wiltshire,1947. Larval foodplant(s): *Echium vulgare*, *Symphytum*, *Anchusa*, *Lithospermum* (Boraginaceae) (Denis & Schiffermüller,1775; Wiltshire,1947,1957; Sattler,1967).
- 1022. Ethmia candidella (Alpheraky,1908)** (Ethmiidae) Synonym(s): *candidella* Alpheraky,1908; *orientella* Caradja,1931. Larval foodplant(s): *Lithospermum*

- purpureocaeruleum, Cerinthe major, Borago officinalis (Boraginaceae), Asperugo procumbens (Wiltshire,1947; Sattler,1967).
- 1023. Ethmia candidella candidella (Alpheraky,1908) (Ethmiidae)**
Synonym(s): *candidella* Alpheraky,1908; *orientella* Caradja,1931. Larval foodplant(s): Lithospermum purpureocaeruleum, Cerinthe major, Borago officinalis (Boraginaceae), Asperugo procumbens (Wiltshire,1947; Sattler,1967).
- 1024. Ethmia chrysopygella (Kolenati,1846) (Ethmiidae)** Synonym(s): *chrysopygella* Kolenati,1846; *flavitibiella* Herrich-Schäffer,[1854].
- 1025. Ethmia cirrhocnemis (Lederer,1870) (Ethmiidae)** Synonym(s): *cirrhocnemis* Lederer,1870
- 1026. Ethmia comitella Caradja,1927 (Ethmiidae)** Synonym(s): *comitella* Caradja,1927
- 1027. Ethmia comitella steppella Dubatolov & Ustjuzhanin,1997 (Ethmiidae)** Synonym(s): *steppella* Dubatolov & Ustjuzhanin,1997
- 1028. Ethmia discrepita (Rebel,1901) (Ethmiidae)** Synonym(s): *discrepita* Rebel,1901
- 1029. Ethmia dodecea (Haworth,[1828]) (Ethmiidae)** Synonym(s): *decemguttella* Hübner,[1810] nec Fabr.,1794; *dodecea* Haworth,[1828]. Larval foodplant(s): Lithospermum officinale (Boraginaceae) (Freyer,1834).
- 1030. Ethmia fumidella (Wocke,1850) (Ethmiidae)** Synonym(s): *fumidella* Wocke,1850; *ardosiella* Caradja,1931.
- 1031. Ethmia fumidella fumidella (Wocke,1850) (Ethmiidae)** Synonym(s): *fumidella* Wocke,1850; *ardosiella* Caradja,1931.
- 1032. Ethmia haemorrhoidella (Eversmann,1844) (Ethmiidae)** Synonym(s): *haemorrhoidella* Eversmann,1844; *anatolica* Amsel,1953.
- 1033. Ethmia lugubris (Staudinger,1879) (Ethmiidae)** Synonym(s): *lugubris* Staudinger,1879 Larval foodplant(s): Symphytum officinale (Boraginaceae) (Sattler,1967).
- 1034. Ethmia nigrimaculata Sattler,1967 (Ethmiidae)** Synonym(s): *nigrimaculata* Sattler,1967
- 1035. Ethmia nigripedella (Erschoff,1877) (Ethmiidae)** Synonym(s): *nigripedella* Erschoff,1877; *nigripedella* Rebel,1901.
- 1036. Ethmia pusiella (Linnaeus,1758) (Ethmiidae)** Synonym(s): *pusiella* Linnaeus,1758; *scaella* Scopoli,1763; *sequella* [Denis & Schiffmüller],1775; *lithosperma* Hübner,1796. Larval foodplant(s): Lithospermum officinale, Pulmonaria officinalis (Boraginaceae) (Sattler,1967).
- 1037. Ethmia pusiella deletella De Lattin,1963 (Ethmiidae)** Synonym(s): *deletella* De Lattin,1963
- 1038. Ethmia pyrausta (Pallas,1771) (Ethmiidae)** Synonym(s): *pyrausta* Pallas,1771; *nigrella* Fabricius,1775; *atropunctella* Thunberg,1788. Larval foodplant(s): Thalictrum aquilegifolium (Ranunculaceae) (Nolcken,1871).
- 1039. Ethmia quadrillella (Goeze,1783) (Ethmiidae)** Synonym(s): *quadrillella* Goeze,1783; *inversella* Fourcroy,1785; *funerella* Fabricius,1787; *funerea* Haworth,1828; *afflatella* Fuchs,1903. Larval foodplant(s): Symphytum officinale, Pulmonaria officinalis, Lithospermum officinale, Myosotis (Boraginaceae) (Sattler,1967).
- 1040. Ethmia quadripunctella Eversmann,1844 (Ethmiidae)** Synonym(s): *quadripunctella* Eversmann,1844
- 1041. Ethmia septempunctella (Christoph,1882) (Ethmiidae)** Synonym(s): *septempunctella* Christoph,1882
- 1042. Ethmia sibirica Danilevsky,1975 (Ethmiidae)** Synonym(s): *sibirica* Danilevsky,1975
- 1043. Ethmia soljanikovi Danilevsky & Zagulyaev,1975 (Ethmiidae)** Synonym(s): *soljanikovi* Danilevsky & Zagulyaev,1975
- 1044. Ethmia terminella T.B.Fletcher,1938 (Ethmiidae)** Synonym(s): *sempunctella* Hübner,[1810] nec Fabr.,1794; *terminella* T.B.Fletcher,1938.

- 1045. Ethmia terminella terminella T.B.Fletcher,1938** (Ethmiidae)
Synonym(s): *sempunctella* Hübner,[1810] *nec* Fabr.,1794; *terminella* T.B.Fletcher,1938.
- 1046. Ethmia ultima Sattler,1967** (Ethmiidae) Synonym(s): *ultima* Sattler,1967
- 1047. Ethmia usbensis Zagulyaev,1975** (Ethmiidae) Synonym(s): *usbensis* Zagulyaev,1975
- 1048. Ethmia vidua (Staudinger,1879)** (Ethmiidae) Synonym(s): *vidua* Staudinger,1879
- 1049. Ethmia vidua flavilaterella Danilevsky,1975** (Ethmiidae) Synonym(s): *flavilaterella* Danilevsky,1975
- 1050. Ethmia xanthopleura Meyrick,1931** (Ethmiidae) Synonym(s): *xanthopleura* Meyrick,1931
- 1051. Ethmia zagulyaevi Kostjuk,1980** (Ethmiidae) Synonym(s): *zagulyaevi* Kostjuk,1980
- 1052. Acanthophila alacella (Zeller,1839)** (Gelechiidae) Synonym(s): *alacella* Zeller,1839 Larval foodplant(s): Lichenes, Musci (Ponomarenko,1997).
- 1053. Acompsia cinerella (Clerck,1759)** (Gelechiidae) Synonym(s): *cinerella* Clerck,1759; *murinella* Scopoli,1763; *ardeliella* Hübner,[1817]; *cinerea* Haworth,1828; *spodiella* Treitschke,1833 Larval foodplant(s): Musci (Ponomarenko,1997).
- 1054. Acompsia schmidtellus (Heyden,1848)** (Gelechiidae) Synonym(s): *schmidtellus* Heyden,1848; *durhamella* Stainton,1849; *quadrinella* Herrich-Schäffer,1854
- 1055. Acompsia subpunctella Svensson,1966** (Gelechiidae) Synonym(s): *subpunctella* Svensson,1966
- 1056. Acompsia tripunctella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *tripunctella* [Denis & Schiffermüller],1775 Larval foodplant(s): Plantago, Antirrhinum majus (Ponomarenko,1997).
- 1057. Agonochaetia intermedia Sattler,1968** (Gelechiidae) Synonym(s): *intermedia* Sattler,1968
- 1058. Altenia perspersella (Wocke,1862)** (Gelechiidae) Synonym(s): *perspersella* Wocke,1862
- 1059. Altenia scriptella (Hübner,1796)** (Gelechiidae) Synonym(s): *scriptella* Hübner,1796 Larval foodplant(s): Acer campestre, A. pseudoplatanus, A. platanoides (Aceraceae).
- 1060. Anacampsis blattariella (Hübner,1796)** (Gelechiidae) Synonym(s): *blattariella* Hübner,1796
- 1061. Anacampsis fuscella (Eversmann,1844)** (Gelechiidae) Synonym(s): *fuscella* Eversmann,1844
- 1062. Anacampsis obscurella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *obscurella* [Denis & Schiffermüller],1775; *subsequella* Hübner,1796.
- 1063. Anacampsis populella (Clerck,1759)** (Gelechiidae) Synonym(s): *populella* Clerck,1759; *tremella* Denis & Schiffermüller,1775; *populi* Haworth,1828; *Stephens*,1834; *tremulella* Duponchel,[1839] Larval foodplant(s): Populus tremula (Salicaceae) (Schütze,1931).
- 1064. Anacampsis scintillella (Fischer v. Röslerstamm,1841)** (Gelechiidae) Synonym(s): *scintillella* Fischer v. Röslerstamm,1841; *brunneella* Herrich-Schäffer,1854; *contuberniella* Staudinger,1859
- 1065. Anacampsis temerella (Lienig & Zeller,1846)** (Gelechiidae) Synonym(s): *temerella* Lienig & Zeller,1846; *pernigrella* Douglas,1850
- 1066. Anacampsis timidella (Wocke,1887)** (Gelechiidae) Synonym(s): *timidella* Wocke,1887; *quercella* Chrétien,1907; *disquei* Mees,1907; *suberiella* Caradja,1920.
- 1067. Anarsia (Ananarsia) bipinnata (Meyrick,1932)** (Gelechiidae) Synonym(s): *bipinnata* Meyrick,1932 Larval foodplant(s): Elaeagnus umbellata, Ageratum houstonianum, ?Acer ginnala, ?Quercus (Fagaceae) (Ponomarenko,1997).
- 1068. Anarsia (Ananarsia) eleagnella Kuznetsov,1957** (Gelechiidae) Synonym(s): *eleagnella* Kuznetsov,1957 Larval foodplant(s): Hippophae

- (Pishkunov,1981) and Eleagnus, damaging mature fruits and young branches (Ponomarenko,1989).
- 1069. Anarsia (Ananarsia) lineatella Zeller,1839** (Gelechiidae) Synonym(s): *lineatella* Zeller,1839; *heratella* Amsel,1967; *tauricella* Amsel,1967. Larval foodplant(s): Prunus, Persica, Armeniaca, Cerasus, Malus, Amygdalus (Rosaceae) (Beljaev & Ponomarenko,2005).
- 1070. Anarsia (s.str.) bimaculata Ponomarenko,1989** (Gelechiidae) Synonym(s): *bimaculata* Ponomarenko,1989
- 1071. Anarsia (s.str.) sibirica Park & Ponomarenko,1996** (Gelechiidae) Synonym(s): *sibirica* Park & Ponomarenko,1996
- 1072. Anarsia (s.str.) spartiella (Schrank,1802)** (Gelechiidae) Synonym(s): *spartiella* Schrank,1802; *genistae* Stainton,1854; *ragonotella* Réal,1994; *krausei* Réal,1994; *lhommeella* Réal,1994; *acutiloba* Réal,1994; *pseudospartiella* Réal,1994 *ungemachi* Réal,1994 Larval foodplant(s): Sarothamnus scoparius, Genista tinctoria, Loembotropis nigricans, Ulex (Fabaceae) (Ponomarenko,1989).
- 1073. Anaspaltis renigerellus (Zeller,1839)** (Gelechiidae) Synonym(s): *renigerellus* Zeller,1839
- 1074. Apodia bifractella (Duponchel,1843)** (Gelechiidae) Synonym(s): *bifractella* Duponchel,[1843] Larval foodplant(s): Inula conyza, I.hirta, I.salicina, Pulicaria dysenterica (Asteraceae) (Elsner, Huemer & Tokar,1999).
- 1075. Aproaerema anthyllidella (Hübner,[1813])** (Gelechiidae) Synonym(s): *anthyllidella* Hübner,[1813]; *caliginosella* Duponchel,1843; *psoralella* Millière,1865; *sparsiciliella* Barrett,1891; *alfalfella* Amsel,1958; *aureliana* Capuse,1964
- 1076. Argolamprotes micella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *micella* [Denis & Schiffermüller],1775; *asterella* Treitschke,1833 Larval foodplant(s): Rubus caesius, R.idaeus (Rosaceae) (Elsner, Huemer & Tokar,1999).
- 1077. Aristotelia brizella (Treitschke,1833)** (Gelechiidae) Synonym(s): *brizella* Treitschke,1833 Larval foodplant(s): Armeria maritima, A.plantaginella, A.vulgaris (Plumbaginaceae) (Elsner, Huemer & Tokar,1999).
- 1078. Aristotelia calastomella (Christoph,1872)** (Gelechiidae) Synonym(s): *calastomella* Christoph,1872
- 1079. Aristotelia coeruleopictella (Caradja,1920)** (Gelechiidae) Synonym(s): *coeruleopictella* Caradja,1920
- 1080. Aristotelia decoratella (Staudinger,1880)** (Gelechiidae) Synonym(s): *decoratella* Staudinger,1880
- 1081. Aristotelia ericinella (Zeller,1839)** (Gelechiidae) Synonym(s): *ericinella* Zeller,1839 Larval foodplant(s): Calluna vulgaris, Erica herbacea (Ericaceae), Empetrum nigrum (Empetraceae) (Elsner, Huemer & Tokar,1999).
- 1082. Aristotelia pancaliella (Staudinger,1871)** (Gelechiidae) Synonym(s): *pancaliella* Staudinger,1871
- 1083. Aristotelia subdecurtella (Stainton,1859)** (Gelechiidae) Synonym(s): *subdecurtella* Stainton,1859 Larval foodplant(s): Lythrum salicaria (Lythraceae), Stachys palustris (Lamiaceae), Veronica anagallis-aquatica (Scrophulariaceae) (Elsner, Huemer & Tokar,1999).
- 1084. Aroga flavicomella (Zeller,1839)** (Gelechiidae) Synonym(s): *flavicomella* Zeller,1839
- 1085. Aroga velocella (Zeller,1839)** (Gelechiidae) Synonym(s): *velocella* Zeller,1839; *affiniella* Zetterstedt,[1839]; *tesserella* Zetterstedt,[1839]; *brunnea* Schöyen,1882; *aterrimella* Rebel,1889; *rupicolella* Müller-Rutz,1934
- 1086. Athrips adumbratella (Snellen,1884)** (Gelechiidae) Synonym(s): *adumbratella* Snellen,1884
- 1087. Athrips kerzhneri Piskunov,1990** (Gelechiidae) Synonym(s): *kerzhneri* Piskunov,1990

- 1088. Athrips kostjuki Bidzilya,2005** (Gelechiidae) Synonym(s): *kostjuki Bidzilya,2005*
- 1089. Athrips mouffetella (Linnaeus,1758)** (Gelechiidae) Synonym(s): *mouffetella Linnaeus,1758; pedisequella [Denis & Schiffermüller],1775; punctifera Haworth,1828*
- 1090. Athrips nigricostella (Duponchel,1842)** (Gelechiidae) Synonym(s): *nigricostella Duponchel,1842*
- 1091. Athrips nigrogrisea (Kolmakova,1958)** (Gelechiidae) Synonym(s): *nigrogrisea Kolmakova,1958*
- 1092. Athrips patockai (Povolny,1979)** (Gelechiidae) Synonym(s): *patockai Povolny,1979*
- 1093. Athrips polymaculella Park,1991** (Gelechiidae) Synonym(s): *polymaculella Park,1991*
- 1094. Athrips pruinosa (Lienig & Zeller,1846)** (Gelechiidae) Synonym(s): *pruinosa Lienig & Zeller,1846*
- 1095. Athrips rancidella (Herrich-Schäffer,[1854])** (Gelechiidae) Synonym(s): *rancidella Herrich-Schäffer,[1854]; triatoma Mühlig,1864; vepretella Zeller,1870; superfetella Peyerimhoff,1877; cotoneastri Busck,1934; cerasivorella Kuznetsov,1960.*
- 1096. Athrips sibirica Bidzilya,2005** (Gelechiidae) Synonym(s): *sibirica Bidzilya,2005*
- 1097. Athrips spiraeae (Staudinger,1871)** (Gelechiidae) Synonym(s): *spiraeae Staudinger,1871*
- 1098. Athrips stepposa Bidzilya,2005** (Gelechiidae) Synonym(s): *stepposa Bidzilya,2005*
- 1099. Athrips tetrapunctella (Thunberg,1794)** (Gelechiidae) Synonym(s): *tetrapunctella Thunberg,1794; lathyri Stainton,1865; lathyrella Doubleday,1866*
- 1100. Brachmia blandella (Fabricius,1798)** (Gelechiidae) Synonym(s): *blandella Fabricius,1798; gerronella Zeller,1850*
- 1101. Brachmia dimidiella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *dimidiella [Denis & Schiffermüller],1775; costiguttella Lienig & Zeller,1846; kneri Nowicki,1865*
- 1102. Brachmia inornatella (Douglas,1850)** (Gelechiidae) Synonym(s): *inornatella Douglas,1850*
- 1103. Bryotropha affinis (Haworth,1828)** (Gelechiidae) Synonym(s): *affinis Haworth,1828; tegulella Herrich-Schäffer,1854; affinella Doubleday,1859; affinitella Bruand,1859*
- 1104. Bryotropha basaltinella (Zeller,1839)** (Gelechiidae) Synonym(s): *basaltinella Zeller,1839*
- 1105. Bryotropha boreella (Douglas,1851)** (Gelechiidae) Synonym(s): *boreella Douglas,1851*
- 1106. Bryotropha desertella (Douglas,1850)** (Gelechiidae) Synonym(s): *desertella Douglas,1850; decrepidella Herrich-Schäffer,1854.*
- 1107. Bryotropha galbanella (Zeller,1839)** (Gelechiidae) Synonym(s): *galbanella Zeller,1839; angustella Heinemann,1870; ; ilmatariella Hoffmann,1893; haareki Strand,1893; fusconigratella Palm,1947*
- 1108. Bryotropha plantariella (Tengström,1848)** (Gelechiidae) Synonym(s): *plantariella Tengström,1848*
- 1109. Bryotropha purpurella (Zetterstedt,1839)** (Gelechiidae) Synonym(s): *purpurella Zetterstedt,1839*
- 1110. Bryotropha rossica Anikin & Piskunov,1996** (Gelechiidae) Synonym(s): *rossica Anikin & Piskunov,1996*
- 1111. Bryotropha senectella (Zeller,1839)** (Gelechiidae) Synonym(s): *senectella Zeller,1839; obscurella Heinemann,1870; phoebusella Millière,1876; larseni Strand,1927*
- 1112. Bryotropha similis (Stainton,1854)** (Gelechiidae) Synonym(s): *similis Stainton,1854; thaleella Zeller,1857; similella Doubleday,1859; stolidella Morris,1870; confinis Stainton,1871; obscuricinerea Nolcken,1871; dufraneella De Joannis,1928; novisimilis Li & Zheng,1997*
- 1113. Bryotropha tachyptilella (Rebel,1916)** (Gelechiidae) Synonym(s): *tachyptilella Rebel,1916*
- 1114. Bryotropha terrella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *terrella [Denis & Schiffermüller],1775; inulella Hübner,[1825]; pauperella Hübner,[1825];*

- latella* Herrich-Schäffer,1854; *lutescens* Constant,1865; *suspectella* Heinemann,1870; *alpicolella* Heinemann,1870; *tenebrosella* Teich,1886; *sardoterrella* Schawerda,1936
- 1115. *Bryotropha umbrosella* (Zeller,1839)** (Gelechiidae) Synonym(s): *umbrosella* Zeller,1839; *fuliginosella* Snellen,1882; *fulvipalpella* Joannis,1908; *anacampsoidella* Hering,1924
- 1116. *Capidentalia claviformis* (Park,1993)** (Gelechiidae) Synonym(s): *claviformis* Park,1993
- 1117. *Capidentalia gnomia* Ponomarenko,1995** (Gelechiidae) Synonym(s): *gnomia* Ponomarenko,1995
- 1118. *Carpatolechia aenigma* Sattler,1983** (Gelechiidae) Synonym(s): *aenigma* Sattler,1983
- 1119. *Carpatolechia alburnella* (Zeller,1839)** (Gelechiidae) Synonym(s): *alburnella* Zeller,1839; *seniculella* Eversmann,1844.
- 1120. *Carpatolechia epomidella* (Tengström,1869)** (Gelechiidae) Synonym(s): *epomidella* Tengström,1869
- 1121. *Carpatolechia fugitivella* (Zeller,1839)** (Gelechiidae) Synonym(s): *fugitivella* Zeller,1839; *#fugivitella* Noack,1960.
- 1122. *Carpatolechia humeralis* (Zeller,1839)** (Gelechiidae) Synonym(s): *decorella* Haworth,1812 nec Hübn.,[1810]; *humeralis* Zeller,1839; *lyellella* Humpreys & Westwood,1845; *incretella* Duponchel,[1854]; *pisticella* Nowicki,1860; *scabra* Staudinger,1870; *erschoffii* Frey,1880; *buckwelli* Lucas,1956; *dumitrescui* Capuse,1964. Larval foodplant(s): *Abies alba*, *Quercus ilex*, *Q. coccifera*, *Cotinus coggygria*, *Cornus mas*, *Swida sanguinea*, *Phillyrea*, *Pistacia vera*, *P. terebinthus*, *Rhus* (Russo,1930; Lhomme,[1846]; Balachowsky & Davatchi,1966; Sattler,1982).
- 1123. *Carpatolechia notatella* (Hübner,[1813])** (Gelechiidae) Synonym(s): *notatella* Hübner,[1813]; *euratella* Herrich-Schäffer,1854
- 1124. *Carpatolechia proximella* (Hübner,1796)** (Gelechiidae) Synonym(s): *proximella* Hübner,1796
- 1125. *Caryocolum alsinellum* (Zeller,1868)** (Gelechiidae) Synonym(s): *alsinellum* Zeller,1868; *albifrontella* Heinemann,1870; *tristella* Heinemann,1870; *semidecandriella* Tutt,1887; *semidecandrella* Threlfall & Stainton,1887
- 1126. *Caryocolum blandelloides* Karsholt,1981** (Gelechiidae) Synonym(s): *blandelloides* Karsholt,1981
- 1127. *Caryocolum blandellum* (Douglas,1852)** (Gelechiidae) Synonym(s): *blandellum* Douglas,1852
- 1128. *Caryocolum cassellum* (Walker,1864)** (Gelechiidae) Synonym(s): *cassellum* Walker,1864; *melanotephrella* Erschoff,1877; *albifasciella* Toll,1936; *subvicinella* Hackman,1946; *falellum* Piskunov,[1975]
- 1129. *Caryocolum fischerellum* (Treitschke,1833)** (Gelechiidae) Synonym(s): *fischerellum* Treitschke,1833
- 1130. *Caryocolum huebneri* (Haworth,1828)** (Gelechiidae) Synonym(s): *huebneri* Haworth,1828; *huebnerella* Doubleday,1859; *knaggsiella* Stainton,1866
- 1131. *Caryocolum juncellum* (Douglas,1851)** (Gelechiidae) Synonym(s): *juncellum* Douglas,1851; *aganocarpa* Meyrick,1935
- 1132. *Caryocolum kroesmanniellum* (Herrich-Schäffer,1854)** (Gelechiidae) Synonym(s): *kroesmanniellum* Herrich-Schäffer,1854
- 1133. *Caryocolum leucomelanellum* (Zeller,1839)** (Gelechiidae) Synonym(s): *leucomelanellum* Zeller,1839; *gypsophilae* Stainton,1869
- 1134. *Caryocolum petryi* (Hofmann,1899)** (Gelechiidae) Synonym(s): *petryi* Hofmann,1899; *rougemoti* Rebel,1907; *repentella* Chrétien,1908; *benanderi* M.Hering,1933
- 1135. *Caryocolum proximum* (Haworth,[1828])** (Gelechiidae) Synonym(s): *proximum* Haworth,[1828]; *maculiferella* Douglas,1851; *maculivicinella* Bruand,1859; *horticolla* Peyerimhoff,1871.
- 1136. *Caryocolum pullatellum* (Tengström,1848)** (Gelechiidae) Synonym(s): *pullatellum* Tengström,1848
- 1137. *Caryocolum schleichi* (Christoph,1872)** (Gelechiidae) Synonym(s): *schleichi* Christoph,1872; *dianthella* Chrétien,1925; *hackeri* Derra,1985
- 1138. *Caryocolum tischeriellum* (Zeller,1839)** (Gelechiidae) Synonym(s): *tischeriellum* Zeller,1839

- 1139. *Caryocolum tricolorellum* (Haworth,1812)** (Gelechiidae) Synonym(s): *tricolorellum* Haworth,1812; *contigua* Haworth,1828; *acernella* Herrich-Schäffer,1854
- 1140. *Caryocolum vicinellum* (Douglas,1851)** (Gelechiidae) Synonym(s): *vicinellum* Douglas,1851
- 1141. *Caulastrocecis furfurella* (Staudinger,1871)** (Gelechiidae) Synonym(s): *furfurella* Staudinger,1871 Larval foodplant(s): *Crinitaria linosyris* (Asteraceae) (Elsner, Huemer & Tokar,1999).
- 1142. *Chilopselaphus balneariellus* Chrétien,1907** (Gelechiidae) Synonym(s): *balneariellus* Chrétien,1907
- 1143. *Chilopselaphus fallax* Mann,1867** (Gelechiidae) Synonym(s): *fallax* Mann,1867 Larval foodplant(s): *Stipa* (Poaceae) (Elsner, Huemer & Tokar,1999).
- 1144. *Chionodes continuella* (Zeller,1839)** (Gelechiidae) Synonym(s): *continuella* Zeller,1839
- 1145. *Chionodes distinctella* (Zeller,1839)** (Gelechiidae) Synonym(s): *distinctella* Zeller,1839; *striolatella* Heinemann,1870; *tristella* Teich,1889; *indistinctella* Rebel,1901; *latiorella* Amsel,1939; *unicolor* Toll,1948; *deserticola* Piskunov,1979.
- 1146. *Chionodes electella* (Zeller,1839)** (Gelechiidae) Synonym(s): *electella* Zeller,1839
- 1147. *Chionodes fumatella* (Douglas,1850)** (Gelechiidae) Synonym(s): *fumatella* Douglas,1850; *celerella* Stainton,1851; *oppletella* Herrich-Schäffer,1854; *reuttiella* Heinemann,1870; *nigricans* Heinemann,1870; *syrticola* Staudinger,1871 Larval foodplant(s): *Calluna vulgaris* (Valenne, 2000).
- 1148. *Chionodes luctuella* (Hübner,1793)** (Gelechiidae) Synonym(s): *luctuella* Hübner,1793
- 1149. *Chionodes lugubrella* (Fabricius,1794)** (Gelechiidae) Synonym(s): *lugubrella* Fabricius,1794; *luctificella* Hübner,[1813]; *lunatella* Zetterstedt,1839
- 1150. *Chionodes mongolica* Piskunov,1979** (Gelechiidae) Synonym(s): *mongolica* Piskunov,1979
- 1151. *Chionodes praeclarella* (Herrich-Schäffer,1854)** (Gelechiidae) Synonym(s): *praeclarella* Herrich-Schäffer,1854
- 1152. *Chionodes viduella* (Fabricius,1794)** (Gelechiidae) Synonym(s): *viduella* Fabricius,1794; *leucomella* Quensel,1802; *luctiferella* Herrich-Schäffer,1854; *labradoriella* Clemens,1863
- 1153. *Chrysoesthia drurella* (Fabricius,1775)** (Gelechiidae) Synonym(s): *drurella* Fabricius,1775; *myllerella* Fabricius,1794; *zinckeella* Hübner,[1813]; *zinckenella* Hübner,[1825]; *druryella* Zeller,1850; *hermannella* auct. Larval foodplant(s): *Atriplex patula*, *A.sagittata*, *Chenopodium album*, *C.bonus-henricus*, *C.hybridum*, *C.murale* (Chenopodiaceae), *Amaranthus* (Amaranthaceae), *Polygonum aviculare* (Polygonaceae) (Elsner, Huemer & Tokar,1999).
- 1154. *Chrysoesthia sexguttella* (Thunberg,1794)** (Gelechiidae) Synonym(s): *sexguttella* Thunberg,1794; *auiropunctella* Thunberg,1794; *stipella* sensu Hübner,1796; *auirofasciella* Stephens,1834; *naeviferella* Duponchel,[1843]. Larval foodplant(s): *Atriplex patula*, *A.sagittata*, *Chenopodium album*, *Kochia scoparia*, *Spinacia* (Chenopodiaceae), *Amaranthus* (Amaranthaceae) (Elsner, Huemer & Tokar,1999).
- 1155. *Cosmardia moritzella* (Treitschke,1835)** (Gelechiidae) Synonym(s): *moritzella* Treitschke,1835; *moritzella* Geyer,[1836]
- 1156. *Crossobela trinitella* (Herrich-Schäffer,[1856])** (Gelechiidae) Synonym(s): *trinitella* Herrich-Schäffer,[1856].
- 1157. *Dendrophilia* (Microdendrophilia) *petrinopis* (Meyrick,1935)** (Gelechiidae) Synonym(s): *petrinopis* Meyrick,1935
- 1158. *Dendrophilia* (s.str.) *albidella* (Snellen,1884)** (Gelechiidae) Synonym(s): *albidella* Snellen,1884
- 1159. *Dendrophilia* (s.str.) *caraganella* Ponomarenko,1993** (Gelechiidae) Synonym(s): *caraganella* Ponomarenko,1993 Larval foodplant(s): *Caragana ussuriensis* (Fabaceae) (Ponomarenko,1993).

- 1160. Dendrophilia (s.str.) leguminella Ponomarenko,1993** (Gelechiidae)
Synonym(s): *leguminella* Ponomarenko,1993 Larval foodplant(s): *Lespedeza bicolor* (Fabaceae) (Ponomarenko,1993).
- 1161. Dendrophilia (s.str.) mediofasciana (Park,1991)** (Gelechiidae)
Synonym(s): *mediofasciana* Park,1991; *brunneofasciella* Ponomarenko,1993
- 1162. Dendrophilia (s.str.) neotaphronoma Ponomarenko,1993** (Gelechiidae) Synonym(s): *neotaphronoma* Ponomarenko,1993 Larval foodplant(s): *Lespedeza bicolor* (Fabaceae) (Ponomarenko,1997).
- 1163. Dendrophilia (s.str.) solitaria Ponomarenko,1993** (Gelechiidae)
Synonym(s): *solitaria* Ponomarenko,1993
- 1164. Dendrophilia (s.str.) unicolorella Ponomarenko,1993** (Gelechiidae)
Synonym(s): *unicorella* Ponomarenko,1993 Larval foodplant(s): *Lespedeza bicolor* (Fabaceae) (Ponomarenko,1997).
- 1165. Dichomeris barbella ([Denis & Schiffermüller],1775)** (Gelechiidae)
Synonym(s): *barbella* [Denis & Schiffermüller],1775 Larval foodplant(s): *Prunus spinosa*, *P. domestica* (Rosaceae) (Ponomarenko,1997).
- 1166. Dichomeris bulawskii Ponomarenko & Park,1996** (Gelechiidae)
Synonym(s): *bulawskii* Ponomarenko & Park,1996
- 1167. Dichomeris chinganella (Christoph,1882)** (Gelechiidae) Synonym(s): *chinganella* Christoph,1882
- 1168. Dichomeris consertella (Christoph,1882)** (Gelechiidae) Synonym(s): *consertella* Christoph,1882 Larval foodplant(s): *Corylus heterophylla* {[dry leaves] (Ponomarenko,1997).
- 1169. Dichomeris cuspis Park,1994** (Gelechiidae) Synonym(s): *cuspis* Park,1994
Larval foodplant(s): *Quercus acuteserrata* (Fagaceae) (Ponomarenko,1997).
- 1170. Dichomeris derasella ([Denis & Schiffermüller],1775)** (Gelechiidae)
Synonym(s): *derasella* [Denis & Schiffermüller],1775; *fasciella* Hübner,1796; *unguiculatus* Fabricius,1798; *coreana* Matsumura,1931; *paranthes* Meyrick,1936 Larval foodplant(s): *Crataegus*, *Malus*, *Cerasus*, *Rubus* (Rosaceae) (Ponomarenko,1997).
- 1171. Dichomeris fareasta Park,1994** (Gelechiidae) Synonym(s): *fareasta* Park,1994
- 1172. Dichomeris harmonias Meyrick,1922** (Gelechiidae) Synonym(s): *harmonias* Meyrick,1922
- 1173. Dichomeris juniperella (Linnaeus,1761)** (Gelechiidae) Synonym(s): *juniperella* Linnaeus,1761; *juniperi* Haworth,1828. Larval foodplant(s): *Juniperus communis* (Linnaeus,1761).
- 1174. Dichomeris latipennella (Rebel,1937)** (Gelechiidae) Synonym(s): *latipennella* Rebel,1937
- 1175. Dichomeris lespedezae Park,1994** (Gelechiidae) Synonym(s): *lespedezae* Park,1994 Larval foodplant(s): *Lespedeza* (Park,1994).
- 1176. Dichomeris limosella (Schläger,1849)** (Gelechiidae) Synonym(s): *limosella* Schläger,1849; *deflectivella* Reutti,1853. Larval foodplant(s): *Trifolium pratense*, *Medicago sativa* (Fabaceae) (Ponomarenko,1997).
- 1177. Dichomeris litoxyla Meyrick,1937** (Gelechiidae) Synonym(s): *litoxyla* Meyrick,1937
- 1178. Dichomeris marginella (Fabricius,1781)** (Gelechiidae) Synonym(s): *marginella* Fabricius,1781; *fimbriella* Thunberg,1788; *striatella* Hübner,1796 nec [Denis & Schiff.],1775; *marginata* Fabricius,1798; *clarella* Treitschke,1833. Larval foodplant(s): *Juniperus communis*, *J. chinensis*, *J. horizontalis*, *J. recurva*, *J. virginiana* (Ponomarenko,1997).
- 1179. Dichomeris oceanis Meyrick,1920** (Gelechiidae) Synonym(s): *oceanis* Meyrick,1920; *limitellus* Caradja,1920; *yanagawanus* Matsumura,1931; *heriguronis* Matsumura,1931

- Larval foodplant(s): Wisteria floribunda, W. japonica, W. sinensis, W.brachybotrys, Milletia japonica, Quercus (Fagaceae) (Ponomarenko,1997).
- 1180. Dichomeris okadai (Moriuti,1982)** (Gelechiidae) Synonym(s): *okadai* Moriuti,1982
- 1181. Dichomeris picrocarpa (Meyrick,1913)** (Gelechiidae) Synonym(s): *picrocarpa* Meyrick,1913; *iothalle* Forbes,1939 Larval foodplant(s): Prunus yedoensis, P. persica, P. pseudocerasus, P. mume (Ponomarenko,1997).
- 1182. Dichomeris polypunctata Park,1994** (Gelechiidae) Synonym(s): *polypunctata* Park,1994; *polystigma* Park,1994
- 1183. Dichomeris quercicola Meyrick,1921** (Gelechiidae) Synonym(s): *quercicola* Meyrick,1921 Larval foodplant(s): Quercus (Fagaceae) (Meyrick,1921).
- 1184. Dichomeris sparsella (Christoph,1882)** (Gelechiidae) Synonym(s): *sparsella* Christoph,1882 Larval foodplant(s): Pterocarya rhoifolia, Juglans ailanthifolia, J. mandshurica, J. regia (Juglandaceae) (Ponomarenko,1997).
- 1185. Dichomeris ustalella (Fabricius,1794)** (Gelechiidae) Synonym(s): *ustalella* Fabricius,1794; *capucinella* Hübner,1796; *ustulatus* Fabricius,1798; *cornatus* Fabricius,1798; *burgundiellus* Bruand,1859. Larval foodplant(s): Corylus heterophylla var. thunbergii, Betula, Carpinus, Acer, Fagus, Quercus (Fagaceae) (Ponomarenko,1997).
- 1186. Dirhinosis cervinella (Eversmann,1844)** (Gelechiidae) Synonym(s): *cervinella* Eversmann,1844; *trifasciella* Rebel,1905
- 1187. Ephysteris (Microcraspedus) deserticolella (Staudinger,1871)** (Gelechiidae) Synonym(s): *deserticolella* Staudinger,1871.
- 1188. Ephysteris (Microcraspedus) insulella (Heinemann,1870)** (Gelechiidae) Synonym(s): *insulella* Heinemann,1870
- 1189. Ephysteris (Microcraspedus) inustella (Zeller,1847)** (Gelechiidae) Synonym(s): *inustella* Zeller,1847; *delminiella* Rebel,1904; *gredosensis* Rebel,1935
- 1190. Epiparasia incertella (Herrich-Schäffer,1861)** (Gelechiidae) Synonym(s): *incertella* Herrich-Schäffer,1861; *longivitella* Rebel
- 1191. Ethmiopsis catarina (Ponomarenko,1994)** (Gelechiidae) Synonym(s): *catarina* Ponomarenko,1994
- 1192. Ethmiopsis subtegulifera (Ponomarenko,1994)** (Gelechiidae) Synonym(s): *subtegulifera* Ponomarenko,1994
- 1193. Ethmiopsis tegulifera (Meyrick,1932)** (Gelechiidae) Synonym(s): *tegulifera* Meyrick,1932 Larval foodplant(s): Quercus mongolica, Q. serrata (Fagaceae) (Ponomarenko,1997).
- 1194. Eulamprotes atrella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *atrella* [Denis & Schiffermüller],1775; *quadripunctella* Fabricius,1781; *umbriferella* Herrich-Schäffer,1854; *aurimaculella* Höfner,1896 Larval foodplant(s): Hypericum maculatum, H.perforatum (Hypericaceae) (Elsner, Huemer & Tokar,1999).
- 1195. Eulamprotes superbella (Zeller,1839)** (Gelechiidae) Synonym(s): *superbella* Zeller,1839 Larval foodplant(s): Thymus serpyllum (Lamiaceae), Gnaphalium (Asteraceae) (Elsner, Huemer & Tokar,1999).
- 1196. Eulamprotes unicolorella (Duponchel,1843)** (Gelechiidae) Synonym(s): *unicorella* Duponchel,1843; *immaculatella* Douglas,1850; *lucentella* Peyerimhoff,1870
- 1197. Eulamprotes wilkella (Linnaeus,1758)** (Gelechiidae) Synonym(s): *wilkella* Linnaeus,1758; *merianella* Linnaeus,1758; *pictella* Zeller,1839; *tarquiniella* Stainton,1862. Larval foodplant(s): Cerastium fontanum, C.holosteoides (Caryophyllaceae) (Elsner, Huemer & Tokar,1999).
- 1198. Evippe pseudolella (Christoph,1888)** (Gelechiidae) Synonym(s): *pseudolella* Christoph,1888; *cephalella* Caradja,1920.
- 1199. Exoteleia dodecella (Linnaeus,1758)** (Gelechiidae) Synonym(s): *dodecella* Linnaeus,1758; *punctulata* Fourcroy,1785; *dodecea* Haworth,1828; *annulicornis* Stephens,1834;

- favillaticella* Zeller,1839; *reussiella* Ratzeburg,1840. Larval foodplant(s): *Pinus sylvestris* /Knospen. (Schütze,1931; Huemer & Karsholt,1999).
- 1200. Faristenia acerella Ponomarenko,1991** (Gelechiidae) Synonym(s): *acerella* Ponomarenko,1991 Larval foodplant(s): *Acer ginnala* (Ponomarenko,1991).
- 1201. Faristenia furtumella Ponomarenko,1991** (Gelechiidae) Synonym(s): *furtumella* Ponomarenko,1991 Larval foodplant(s): *Quercus mongolica* (Fagaceae) (Ponomarenko,1991).
- 1202. Faristenia geminisignella Ponomarenko,1991** (Gelechiidae) Synonym(s): *geminisignella* Ponomarenko,1991 Larval foodplant(s): *Acer mono* (Ponomarenko,1991).
- 1203. Faristenia maritimella Ponomarenko,1991** (Gelechiidae) Synonym(s): *maritimella* Ponomarenko,1991
- 1204. Faristenia omelkoi Ponomarenko,1991** (Gelechiidae) Synonym(s): *omelkoi* Ponomarenko,1991; *nigriella* Park,1993 Larval foodplant(s): *Quercus mongolica* (Fagaceae) (Ponomarenko,1991).
- 1205. Faristenia quercivora Ponomarenko,1991** (Gelechiidae) Synonym(s): *quercivora* Ponomarenko,1991 Larval foodplant(s): *Quercus mongolica* (Fagaceae) (Ponomarenko,1991).
- 1206. Faristenia ussuriella Ponomarenko,1991** (Gelechiidae) Synonym(s): *ussuriella* Ponomarenko,1991; *#ussurilla* Park,1993 Larval foodplant(s): *Quercus mongolica* (Fagaceae) (Ponomarenko,1991).
- 1207. Filatima djakovica Anikin & Piskunov,1996** (Gelechiidae) Synonym(s): *djakovica* Anikin & Piskunov,1996
- 1208. Filatima incomptella (Herrich-Schäffer,[1854])** (Gelechiidae) Synonym(s): *incomptella* Herrich-Schäffer,[1854]
- 1209. Filatima spurcella (Duponchel,1843)** (Gelechiidae) Synonym(s): *spurcella* Duponchel,1843; *fuscantella* Heinemann,1870.
- 1210. Filatima tephritidella (Duponchel,1844)** (Gelechiidae) Synonym(s): *tephritidella* Duponchel,1844
- 1211. Filatima zagulajevi Anikin & Piskunov,1996** (Gelechiidae) Synonym(s): *zagulajevi* Anikin & Piskunov,1996
- 1212. Gelechia cuneatella Douglas,1852** (Gelechiidae) Synonym(s): *cuneatella* Douglas,1852
- 1213. Gelechia hippophaella (Schränk,1802)** (Gelechiidae) Synonym(s): *hippophaella* Schränk,1802
- 1214. Gelechia jakovlevi Krulikovsky,1905** (Gelechiidae) Synonym(s): *jakovlevi* Krulikovsky,1905
- 1215. Gelechia muscosella Zeller,1839** (Gelechiidae) Synonym(s): *muscosella* Zeller,1839
- 1216. Gelechia nigra (Haworth,1828)** (Gelechiidae) Synonym(s): *nigra* Haworth,1828
- 1217. Gelechia rhombella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *rhombella* [Denis & Schiffermüller],1775
- 1218. Gelechia rhombelliformis Staudinger,1871** (Gelechiidae) Synonym(s): *rhombelliformis* Staudinger,1871
- 1219. Gelechia sabinella (Zeller,1839)** (Gelechiidae) Synonym(s): *sabinella* Zeller,1839; *hoffmanniella* Strand,1901; *kalevalella* Kanerva,1936.
- 1220. Gelechia scotinella Herrich-Schäffer,[1854]** (Gelechiidae) Synonym(s): *scotinella* Herrich-Schäffer,[1854]
- 1221. Gelechia sestertiella Herrich-Schäffer,1854** (Gelechiidae) Synonym(s): *#sestertiella* Herrich-Schäffer,1853; *sestertiella* Herrich-Schäffer,1854. Larval foodplant(s): *Acer platanoides*, *Acer campestre* (Wörz,1954).
- 1222. Gelechia sirotina Omelko,1986** (Gelechiidae) Synonym(s): *sirotina* Omelko,1986

- 1223. Gelechia sororculella (Hübner,[1817])** (Gelechiidae) Synonym(s): *sororculella* Hübner,[1817]
- 1224. Gelechia turpella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *turpella* [Denis & Schiffermüller],1775
- 1225. Gnorimoschema herbichii (Nowicki,1864)** (Gelechiidae) Synonym(s): *herbichii* Nowicki,1864; *pusillella* Rebel,1893; *tengstroemiella* Joannis,1910; *pazsiczkyi* Rebel,1913; *parenthesella* Toll,1936; *tengstroemi* Hackman,1946; *soffneri* Riedl,1965
- 1226. Gnorimoschema nordlandicolella (Strand,1902)** (Gelechiidae) Synonym(s): *nordlandicolella* Strand,1902
- 1227. Gnorimoschema robustella (Staudinger,1871)** (Gelechiidae) Synonym(s): *robustella* Staudinger,1871
- 1228. Gnorimoschema valesiella (Staudinger,1877)** (Gelechiidae) Synonym(s): *valesiella* Staudinger,1877; *diabolicella* Hering,1924; *charcoti* Meyrick,1934; *hackmani* Schantz,1952
- 1229. Helcystogramma albinervis (Gerasimov,1929)** (Gelechiidae) Synonym(s): *albinervis* Gerasimov,1929
- 1230. Helcystogramma arulensis (Rebel,1929)** (Gelechiidae) Synonym(s): *arulensis* Rebel,1929
- 1231. Helcystogramma compositaepictum (N.Omelko & M.Omelko,1993)** (Gelechiidae) Synonym(s): *compositaepictum* N.Omelko & M.Omelko,1993
- 1232. Helcystogramma ineruditum (Meyrick,1926)** (Gelechiidae) Synonym(s): *ineruditum* Meyrick,1926
- 1233. Helcystogramma lineolella (Zeller,1839)** (Gelechiidae) Synonym(s): *lineolella* Zeller,1839
- 1234. Helcystogramma lutatella (Herrich-Schäffer,[1854])** (Gelechiidae) Synonym(s): *lutatella* Herrich-Schäffer,[1854] Larval foodplant(s): *Calamagrostis epigeios*, *Agropyrum repens* (Ponomarenko,1997).
- 1235. Helcystogramma perelegans (N.Omelko & M.Omelko,1993)** (Gelechiidae) Synonym(s): *perelegans* N.Omelko & M.Omelko,1993
- 1236. Helcystogramma rufescens (Haworth,1828)** (Gelechiidae) Synonym(s): *rufescens* Haworth,1828; *simplella* Eversmann,1844; *diaphanella* Lienig & Zeller,1846; *isabella* Stainton,1849; *rufescentella* Doubleday,1859. larva *Poa* (Poaceae) (Ponomarenko,1997).
- 1237. Helcystogramma triannulella (Herrich-Schäffer,[1854])** (Gelechiidae) Synonym(s): *triannulella* Herrich-Schäffer,[1854]; *sepiella* Steudel,1866; *macroscopa* Meyrick,1932. Larval foodplant(s): *Ipomoea batatas*, *Convolvulus aroensis* (Convolvulaceae), *Calystegia sepium*, *C. japonica* (Ponomarenko,1997).
- 1238. Holcophora statices Staudinger,1871** (Gelechiidae) Synonym(s): *statices* Staudinger,1871
- 1239. Hypatima excellentella Ponomarenko,1991** (Gelechiidae) Synonym(s): *excellentella* Ponomarenko,1991 Larval foodplant(s): *Quercus mongolica* (Fagaceae) (Ponomarenko,1997).
- 1240. Hypatima rhomboidella (Linnaeus,1758)** (Gelechiidae) Synonym(s): *rhomboidella* Linnaeus,1758; *conscriptella* Hübner,[1805]; *huebnerella* Donovan,1806; *conscripta* Haworth,1828 Larval foodplant(s): *Betula*, *Alnus*, *Corylus avellana*, *Carpinus betulus* (Fagaceae); *Populus* (Salicaceae) (Ponomarenko,1997).
- 1241. Hypatima venefica Ponomarenko,1991** (Gelechiidae) Synonym(s): *venefica* Ponomarenko,1991 Larval foodplant(s): *Quercus mongolica* (Fagaceae) (Ponomarenko,1997).
- 1242. Isophrictis anthemidella (Wocke,1871)** (Gelechiidae) Synonym(s): *anthemidella* Wocke,1871 Larval foodplant(s): *Achillea ptarmica*, *Anthemis tinctoria*, *Pyrethrum corymbosum* (Asteraceae) (Wocke,1871; Elsner, Huemer & Tokar,1999).

- 1243. Isophrictis striatella ([Denis & Schiffermüller],1775)** (Gelechiidae)
Synonym(s): *striatella* [Denis & Schiffermüller],1775; *tanacetella* Schrank,1802 Larval foodplant(s): *Cota tinctoria*, *Pyrethrum corymbosum*, *Tanacetum vulgare* (Asteraceae) (Elsner, Huemer & Tokar,1999).
- 1244. Iwaruna biguttella (Duponchel,1843)** (Gelechiidae) Synonym(s): *biguttella* Duponchel,1843
- 1245. Lutilabria volgensis Anikin & Piskunov,1996** (Gelechiidae) Synonym(s): *volgensis* Anikin & Piskunov,1996
- 1246. Megacraspedus argyroneurellus Staudinger,1876** (Gelechiidae)
Synonym(s): *argyroneurellus* Staudinger,1876
- 1247. Megacraspedus attritellus Staudinger,1871** (Gelechiidae) Synonym(s): *attritellus* Staudinger,1871
- 1248. Megacraspedus binotellus (Duponchel,1843)** (Gelechiidae)
Synonym(s): *binotella* Duponchel,1843 Larval foodplant(s): *Poa* (Poaceae) (Elsner, Huemer & Tokar,1999).
- 1249. Megacraspedus dolosellus (Zeller,1839)** (Gelechiidae) Synonym(s): *dolosellus* Zeller,1839 Larval foodplant(s): *Amoria repens* (Fabaceae), *Cynodon dactylon*, *Lolium perenne*, *Poa annua*, *P. trivialis* (Poaceae) (Elsner, Huemer & Tokar,1999).
- 1250. Megacraspedus lagopellus Herrich-Schäffer,1860** (Gelechiidae)
Synonym(s): *lagopellus* Herrich-Schäffer,1860
- 1251. Megacraspedus separatellus (Fischer v. Röslerstamm,1843)** (Gelechiidae) Synonym(s): *separatellus* Fischer v. Röslerstamm,1843
- 1252. Mesophleps silacella (Hübner,1796)** (Gelechiidae) Synonym(s): ? *pyropella* Hübner,1793; *silacella* Hübner,1796; *silacea* Haworth,1828
- 1253. Metanarsia (s.str.) modesta Staudinger,1871** (Gelechiidae) Synonym(s): *modesta* Staudinger,1871
- 1254. Metzneria aestivella (Zeller,1839)** (Gelechiidae) Synonym(s): *aestivella* Zeller,1839; *carlinella* Stainton,1851; *selaginella* Mann,1855; *torridella* Mann. Larval foodplant(s): *Carlina acaule*, *C. vulgaris*, *C. corymbosa* (Englert,1974).
- 1255. Metzneria aprilella (Herrich-Schäffer,[1854])** (Gelechiidae)
Synonym(s): *aprilella* Herrich-Schäffer,[1854] Larval foodplant(s): *Centaurea* [Colymbada] *scabiosa*, *C. diffusa*, *C. paniculata*, *Calcitrapa solstitialis* (always one caterpillar per flower head) (Englert,1974; Elsner, Huemer & Tokar,1999; Valenne,2000).
- 1256. Metzneria artificella (Herrich-Schäffer,1861)** (Gelechiidae)
Synonym(s): *artificella* Herrich-Schäffer,1861; *litigiosella* Milliere,1879.
- 1257. Metzneria diffusella Englert,1974** (Gelechiidae) Synonym(s): *diffusella* Englert,1974 Larval foodplant(s): *Centaurea diffusa*, *C. paniculata* (Englert,1974).
- 1258. Metzneria ehikeella Gozmany,1954** (Gelechiidae) Synonym(s): *ehikeella* Gozmany,1954 Larval foodplant(s): *Centaurea scabiosa*, *C. calcitrapa* (Englert,1974).
- 1259. Metzneria lappella (Linnaeus,1758)** (Gelechiidae) Synonym(s): *lappella* Linnaeus,1758; *silacea* Haworth,1828; *silacella* Wood,1839. Larval foodplant(s): *Arctium lappa*, *A. tomentosum*, *A. nemorosum*, *A. minus* (Englert,1974).
- 1260. Metzneria littorella (Douglas,1850)** (Gelechiidae) Synonym(s): *littorella* Douglas,1850; *quinquepunctella* Herrich-Schäffer,1855. Larval foodplant(s): *Plantago* (Walsingham,1900; Englert,1974).
- 1261. Metzneria metzneriella Stainton,1851** (Gelechiidae) Synonym(s): *paucipunctella* Douglas,1850 nec Zeller,1851; *metzneriella* Stainton,1851. Larval foodplant(s): *Centaurea* [Colymbada] *scabiosa*, *C. [Cyanus] montana*, *C. jacea*, *Jacea nigra*, *J. phrygia*, *J. pratensis* (Schulze,1931; Englert,1974; Elsner, Huemer & Tokar,1999).

- 1262. Metzneria neuropterella Zeller,1839** (Gelechiidae) Synonym(s): *neuropterella* Zeller,1839; *#gigantella* Krulikowsky,1909. Larval foodplant(s): *Cirsium acaule*, *Carlina acaulis*, *Cirsium vulgare*?, *Centaurea nigra*?, *Colymbada scabiosa*, *Jacea nigra* (Asteraceae); *Dipsacus sylvestris*? (Dipsacaceae) (Englert,1974; Elsner, Huemer & Tokar,1999).
- 1263. Metzneria subflavella Englert,1974** (Gelechiidae) Synonym(s): *subflavella* Englert,1974
- 1264. Mirificarma (s.str. (Interrupta)) cytisella (Treitschke,1833)** (Gelechiidae) Synonym(s): *cytisella* Treitschke,1833; *#roseella* Hauder,1918 Larval foodplant(s): *Cytisus nigricans*, *Genista*, *Laburnum anagyroides*, *Calicotome spinosa*, *Ononis spinosa* (Fabaceae) (Treitschke,1833; Schütze,1931; Lhomme,[1946-1949]).
- 1265. Mirificarma (s.str. (Interrupta)) mulinella (Zeller,1839)** (Gelechiidae) Synonym(s): *mulinella* Zeller,1839; *caminariella* Fuchs,1902; *nigraesilvae* Amsel,1950. Larval foodplant(s): *Ulex europaeus*, *Cytisus nigricans*, *Genista germanica*, *Calicotome spinosa* (Fabaceae) (Stainton,1865; Sorhagen,1886; Lhomme,[1946-1949]; Hartig,1964).
- 1266. Mirificarma (s.str. (s.str.)) eburnella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *eburnella* [Denis & Schiffermüller],1775; *formosella* Hübner,1796 nec [Denis & Schiffermüller],1775; *flammella* Hübner,[1825]; *rufeoformosella* Bruand,1859. Larval foodplant(s): *Medicago sativa*, *M. lupulina*, *M. polymorpha*, *Trifolium repens*, *T. hirtum*, *Vicia amaricana*, *Hippocrepis comosa* (Fabaceae) (Lhomme,[1948-1949]; Pitkin,1984).
- 1267. Mirificarma (s.str. (s.str.)) maculatella (Hübner,1796)** (Gelechiidae) Synonym(s): *maculatella* Hübner,1796 Larval foodplant(s): *Coronilla varia*, *C. emerus* (Fabaceae) (Bruand,1858; Stainton,1865).
- 1268. Monochroa conspersella (Herrich-Schäffer,1854)** (Gelechiidae) Synonym(s): *conspersella* Herrich-Schäffer,1854; *quaestionella* Herrich-Schäffer,1854; *morosa* Mühlig,1864 Larval foodplant(s): *Lysimachia vulgaris* (Primulaceae) (Elsner, Huemer & Tokar,1999).
- 1269. Monochroa cytisella (Curtis,1837)** (Gelechiidae) Synonym(s): *cytisella* Curtis,1837; *fuscipennis* Humpreys & Westwood,1845; *walkeriella* Douglas,1850; *coenulentella* Herrich-Schäffer,1854; *clinosema* Meyrick,1935; *griseocapitella* Benthinck,1949 Larval foodplant(s): *Pteridium aquilinum* (Pteridaceae) (Elsner, Huemer & Tokar,1999).
- 1270. Monochroa ferrea (Frey,1870)** (Gelechiidae) Synonym(s): *ferrea* Frey,1870; *latiuscula* Heinemann,1870; *alfkeni* Amsel,1938 Larval foodplant(s): *Carex ericetorum* (Cyperaceae) (Elsner, Huemer & Tokar,1999).
- 1271. Monochroa hornigi (Staudinger,1883)** (Gelechiidae) Synonym(s): *hornigi* Staudinger,1883; *nordmannella* Bruun,1958 Larval foodplant(s): *Persicaria hydropiper*, *Polygonum aviculare*, *P. lapathifolia*, *Rumex* ? (Polygonaceae) (Elsner, Huemer & Tokar,1999).
- 1272. Monochroa lucidella (Stephens,1834)** (Gelechiidae) Synonym(s): *lucidella* Stephens,1834; *scordiscella* Rebel,1904; *unipunctella* Rebel,1935 Larval foodplant(s): *Juncus* (Juncaceae), *Scirpus sylvaticus* (Cyperaceae) (Schütze,1931; Elsner, Huemer & Tokar,1999).
- 1273. Monochroa nomadella (Zeller,1868)** (Gelechiidae) Synonym(s): *nomadella* Zeller,1868
- 1274. Monochroa palustrella (Douglas,1850)** (Gelechiidae) Synonym(s): *palustrella* Douglas,1850 Larval foodplant(s): *Rumex aquaticus*, *R. crispus*, *R. hydrolapatum* (Polygonaceae) (Elsner, Huemer & Tokar,1999).
- 1275. Monochroa saltenella (Benander,1928)** (Gelechiidae) Synonym(s): *saltenella* Benander,1928

- 1276. Monochroa sepicolella (Herrich-Schäffer,1854)** (Gelechiidae)
Synonym(s): *sepicolella* Herrich-Schäffer,1854 Larval foodplant(s): *Acetosa thyrsoflora*, *Fallopia dumetorum* (Polygonaceae) (Elsner, Huemer & Tokar,1999).
- 1277. Monochroa simplicella (Lienig & Zeller,1846)** (Gelechiidae)
Synonym(s): *simplicella* Lienig & Zeller,1846 Larval foodplant(s): *Juncus* (Juncaceae), *Eriophorum* (Cyperaceae) (Elsner, Huemer & Tokar,1999).
- 1278. Monochroa suffusella (Douglas,1850)** (Gelechiidae) Synonym(s):
suffusella Douglas,1850 Larval foodplant(s): *Eriophorum angustifolium* (Cyperaceae) (Elsner, Huemer & Tokar,1999).
- 1279. Monochroa tenebrella (Hübner,[1817])** (Gelechiidae) Synonym(s):
tenebrella Hübner,[1817]; *fuscocuprea* Haworth,1828; *subcuprella* Stephens,1834; *tenebrosella* Zeller,1839; *parvella* Heydenreich,1851; *fuscocuprella* Doubleday,1859; *buffonella* Millière,1876 Larval foodplant(s): *Acetosa pratensis*, *Acetosella vulgaris* (Polygonaceae) (Elsner, Huemer & Tokar,1999).
- 1280. Monochroa tetragonella (Stainton,1885)** (Gelechiidae) Synonym(s):
tetragonella Stainton,1885 Larval foodplant(s): *Glaux* (Primulaceae), *Artemisia* (Asteraceae) (Elsner, Huemer & Tokar,1999).
- 1281. Neofaculta ericetella (Geyer,[1832])** (Gelechiidae) Synonym(s): *ericetella* Geyer,[1832]; *gallinella* Treitschke,1833; *lanceolella* Stephens,1834; *fuscella* Duponchel,1844; *atlanticella* Amsel,1938; *#amseli* Dufrane,1955 Larval foodplant(s): *Erica cinerea*, *Calluna vulgaris*, *Rhododendron* (Geyer,[1832]; Mann,1862; Ponomarenko,1997).
- 1282. Neofaculta infernella (Herrich-Schäffer,1854)** (Gelechiidae)
Synonym(s): *infernella* Herrich-Schäffer,1854 Larval foodplant(s): *Ledum palustre*, *Betula*, *Rhododendron* (Ponomarenko,1997).
- 1283. Neofriseria peliella (Treitschke,1835)** (Gelechiidae) Synonym(s): *peliella* Treitschke,1835
- 1284. Nothris lemniscella (Zeller,1839)** (Gelechiidae) Synonym(s): *lemniscella* Zeller,1839
- 1285. Nothris verbascella (Brahm,1791)** (Gelechiidae) Synonym(s): *#verbascella* [Denis & Schiffermüller],1775; *verbascella* Brahm,1791; *lutarea* Haworth,1828; *clarella* Amsel,1935 Larval foodplant(s): *Verbascum lychnitis*, *V. thapsus*, *V. densiflorum*, *V. sinuatum* (Scrophulariaceae) ([Denis & Schiffermüller],1775; Staudinger,1879; Schutze,1931; Wiltshire,1957; Yurtcan & Okyar,2008).
- 1286. Ornativulva heluanensis (Debski,1913)** (Gelechiidae) Synonym(s):
heluanensis Debski,1913; *frankenivorella* Chrétien,1917; *oasicolella* Turati,1924; *siculella* Mariani,1937. Larval foodplant(s): *Frankenia*, *Tamarix* (Debski,1913; Chrétien,1917; Sattler,1967).
- 1287. Ornativulva mixolitha (Meyrick,1918)** (Gelechiidae) Synonym(s):
mixolitha Meyrick,1918
- 1288. Ornativulva ornatella Sattler,1967** (Gelechiidae) Synonym(s): *ornatella* Sattler,1967
- 1289. Ornativulva plutelliformis (Staudinger,1859)** (Gelechiidae)
Synonym(s): *plutelliformis* Staudinger,1859; *sinuatella* Walsingham,1904 Larval foodplant(s): *Tamarix africana*, *T.canariensis*, *T.gallica* (Wiltshire,1957; Elsner, Huemer & Tokar,1999; Dionisio,2003).
- 1290. Ornativulva sieversi (Staudinger,1871)** (Gelechiidae) Synonym(s): *sieversi* Staudinger,1871 Larval foodplant(s): *Tamarix* (Staudinger,1871).
- 1291. Parachronistis albiceps (Zeller,1839)** (Gelechiidae) Synonym(s): *albiceps* Zeller,1839
- 1292. Parastenolechia argobathra (Meyrick,1935)** (Gelechiidae) Synonym(s):
argobathra Meyrick,1935; *umbrosa* Omelko,1988
- 1293. Parastenolechia superba (Omelko,1988)** (Gelechiidae) Synonym(s):
superba Omelko,1988

- 1294. *Pectinophora gossypiella* (Saunders,1844)** (Gelechiidae) Synonym(s): *gossypiella* Saunders,1844; *umbripennis* Walsingham,1885 Larval foodplant(s): *Gossypium*, *Hibiscus* (Malvaceae) (Saunders,1844; Robinson et al.,1994).
- 1295. *Pexicopia malvella* (Hübner,[1805])** (Gelechiidae) Synonym(s): *umbrella* auct.; *malvella* Hübner,[1805]; *lutarea* Haworth,1828 Larval foodplant(s): *Malva* (Hübner,[1805]; Staudinger,1880).
- 1296. *Phthorimaea operculella* (Zeller,1873)** (Gelechiidae) Synonym(s): *terrella* Walker,1864; *operculella* Zeller,1873; *piscipellis* Zeller,1873; *solanella* Boisduval,1874; *tabacella* Ragonot,1879; *sedata* Butler,1880; *#terrella* Pinhey,1975 Larval foodplant(s): Potatoes, Tobacco, Tomato, *Solanum*, *Datura stramonium*, *Physalodes physalodes* (Janse,1951).
- 1297. *Platyedra subcinerea* (Haworth,[1828])** (Gelechiidae) Synonym(s): *subcinerea* Haworth,[1828]; *vilella* Zeller,1847.
- 1298. *Prolita sexpunctella* (Fabricius,1794)** (Gelechiidae) Synonym(s): *sexpunctella* Fabricius,1794; *virgella* Thunberg,1784; *longicornis* Curtis,1827; *histrionella* Geyer,[1832]; *zebrella* Treitschke,1833; *alpicola* Frey,1867; *alternella* Keafott,1908; *petulans* Braun,1925. Larval foodplant(s): *Erica* ? (Mann,1862).
- 1299. *Prolita solutella* (Zeller,1839)** (Gelechiidae) Synonym(s): *solutella* Zeller,1839; *fumosella* Douglas,1852; *pribitzeri* Rebel,1889; *nigrobipunctella* Lucas,1932.
- 1300. *Psamathocrita osseella* (Stainton,1860)** (Gelechiidae) Synonym(s): *osseella* Stainton,1860 Larval foodplant(s): *Origanum vulgare* ? (Lamiaceae) (Elsner, Huemer & Tokar,1999).
- 1301. *Pseudotelphusa paripunctella* (Thunberg,1794)** (Gelechiidae) Synonym(s): *paripunctella* Thunberg,1794; *triparella* Zeller,1839; *trijugella* Erschoff,1877; *sultanella* Caradja,1920; *arenicolella* Caradja,1920. Larval foodplant(s): *Quercus* ? (Mann,1862).
- 1302. *Pseudotelphusa scalella* (Scopoli,1763)** (Gelechiidae) Synonym(s): *scalella* Scopoli,1763; *alella* Fabricius,1794; *alternella* Hübner,1796 nec Den. & Schiff.,1775; *alterna* Haworth,1828; *bicolorella* Treitschke,1832
- 1303. *Psoricoptera gibbosella* (Zeller,1839)** (Gelechiidae) Synonym(s): *gibbosella* Zeller,1839; *triorthias* Meyrick,1935; *lepigreella* Lucas,1946.
- 1304. *Psoricoptera speciosella* Teich,1893** (Gelechiidae) Synonym(s): *speciosella* Teich,1893 Larval foodplant(s): *Salix caprea* (Valenne, 2000).
- 1305. *Ptocheuusa inopella* (Zeller,1839)** (Gelechiidae) Synonym(s): *inopella* Zeller,1839 Larval foodplant(s): *Helychrysum arenarium* (Asteraceae) (Elsner, Huemer & Tokar,1999).
- 1306. *Pyncostola bohemiella* (Nickerl,1864)** (Gelechiidae) Synonym(s): *bohemiella* Nickerl,1864 Larval foodplant(s): *Achillea millefolium* (Asteraceae) (Elsner, Huemer & Tokar,1999).
- 1307. *Recurvaria leucatella* (Linnaeus,1761)** (Gelechiidae) Synonym(s): *#leucatella* Clerck,1759; *leucatella* Linnaeus,1761; *leucate* Haworth,1828. Larval foodplant(s): *Amelanchier ovalis*, *Crataegus monogyna*, *C. laevigata*, *Malus domestica*, *M.pumila*, *M.sylvestris*, *Prunus domestica*, *P.spinosa*, *P.triloba*, *Pyrus communis*, *Sorbus aucuparia* *S.torminalis* (Rosaceae), ?*Betula*, ?*Acer*, ?*Fraxinus* (Huemer,1988).
- 1308. *Recurvaria nanella* ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *nanella* [Denis & Schiffermüller],1775; *pumilella* [Denis & Schiffermüller],1775; *nana* Haworth,1828; *crataegella* Busck,1903; *unicolor* Rebel,1927 Larval foodplant(s): *Betula* (Betulaceae), *Corylus* (Fagaceae), *Amelanchier ovalis*, *Chaenomeles*, *Cotoneaster*, *Crataegus monogyna*, *C. laevigata*, *Cydonia*, *Malus*, *Prunus armeniaca*, *P.avium*, *P.cerasus*, *P.domestica*, *P.mahaleb*, *P.persica*, *P.spinosa*, *P.triloba*, *Pyrus communis*, *Sorbus* (Rosaceae) (Huemer,1988; Huemer & Karsholt,1999).

- 1309. Scrobipalpa (Ilseopsis) acuminatella (Sircom,1850)** (Gelechiidae)
Synonym(s): *acuminatella* Sircom,1850 Larval foodplant(s): *Cirsium*, *Centaurea jacea*, *C. pseudophrygia* (Povolny,1967).
- 1310. Scrobipalpa (Ilseopsis) artemisiella (Treitschke,1833)** (Gelechiidae)
Synonym(s): *artemisiella* Treitschke,1833; *paniculatella* Novickij,1924 Larval foodplant(s): *Artemisia campestris*, *Thymus* (Povolny,1967).
- 1311. Scrobipalpa (Ilseopsis) atriplicella (Fischer v. Röslerstamm,1841)** (Gelechiidae) Synonym(s): *atriplicella* Fischer v. Röslerstamm,1841 Larval foodplant(s): *Atriplex*, *Chenopodium* (Fischer v. Röslerstamm, 1841; Povolny,1967).
- 1312. Scrobipalpa (Ilseopsis) bryophiloides Povolny,1966** (Gelechiidae)
Synonym(s): *bryophiloides* Povolny,1966
- 1313. Scrobipalpa (Ilseopsis) clintoni Povolny,1968** (Gelechiidae)
Synonym(s): *clintoni* Povolny,1968
- 1314. Scrobipalpa (Ilseopsis) erichi Povolny,1964** (Gelechiidae) Synonym(s): *erichi* Povolny,1964
- 1315. Scrobipalpa (Ilseopsis) fraterna Povolny,1969** (Gelechiidae)
Synonym(s): *fraterna* Povolny,1969
- 1316. Scrobipalpa (Ilseopsis) grisea Povolny,1969** (Gelechiidae) Synonym(s): *grisea* Povolny,1969
- 1317. Scrobipalpa (Ilseopsis) grossa Povolny,1966** (Gelechiidae) Synonym(s): *grossa* Povolny,1966
- 1318. Scrobipalpa (Ilseopsis) indignella (Staudinger,1879)** (Gelechiidae)
Synonym(s): *indignella* Staudinger,1879
- 1319. Scrobipalpa (Ilseopsis) instabilella (Douglas,1846)** (Gelechiidae)
Synonym(s): *instabilella* Douglas,1846
- 1320. Scrobipalpa (Ilseopsis) nitentella (Fuchs,1902)** (Gelechiidae)
Synonym(s): *nitentella* Fuchs,1902
- 1321. Scrobipalpa (Ilseopsis) obsoletella (Fischer v. Röslerstamm,1841)** (Gelechiidae) Synonym(s): *obsoletella* Fischer v. Röslerstamm,1841; *miscitella* Clarke,1932; *calaritanella* Amsel,1951.
- 1322. Scrobipalpa (Ilseopsis) ocellatella (Boyd,1858)** (Gelechiidae)
Synonym(s): *ocellatella* Boyd,1858; *submissella* Stainton,1859; *horticolella* Rössler,1866.
- 1323. Scrobipalpa (Ilseopsis) pauperella (Heinemann,1870)** (Gelechiidae)
Synonym(s): *pauperella* Heinemann,1870
- 1324. Scrobipalpa (Ilseopsis) salinella (Zeller,1847)** (Gelechiidae)
Synonym(s): *salinella* Zeller,1847
- 1325. Scrobipalpa (Ilseopsis) samadensis (Pfaffenzeller,1870)** (Gelechiidae)
Synonym(s): *samadensis* Pfaffenzeller,1870
- 1326. Scrobipalpa (Ilseopsis) ustulatella (Staudinger,1871)** (Gelechiidae)
Synonym(s): *ustulatella* Staudinger,1871
- 1327. Scrobipalpa (Ilseopsis) vasconiella (Rössler,1877)** (Gelechiidae)
Synonym(s): *vasconiella* Rössler,1877
- 1328. Scrobipalpula psilella (Herrich-Schäffer,[1854])** (Gelechiidae)
Synonym(s): *psilella* Herrich-Schäffer,[1854]; *cacuminum* Frey,1870.
- 1329. Scrobipalpula tussilaginella (Frey,1867)** (Gelechiidae) Synonym(s): *tussilaginella* Frey,1867; *tussilaginella* Heinemann,1870.
- 1330. Sitotroga cerealella (Olivier,1789)** (Gelechiidae) Synonym(s): *cerealella* Olivier,1789; *hordei* Kirby,1815; *arctella* Walker,1864; *melanartha* Lower,1900; *palearis* Meyrick,1913; *ochrescens* Meyrick,1938 Larval foodplant(s): *Agropyrum* (Schütze, 1931).
- 1331. Sophronia chilonella (Treitschke,1833)** (Gelechiidae) Synonym(s): *chilonella* Treitschke,1833

- 1332. *Sophronia consanguinella* Herrich-Schäffer,[1855]** (Gelechiidae)
Synonym(s): *consanguinella* Herrich-Schäffer,[1855]; *marginella* Toll,1936 nec *marginella* Thunberg,1794 non Den. & Schiff.,1775.
- 1333. *Sophronia gelidella* Nordman,1941** (Gelechiidae) Synonym(s): *gelidella* Nordman,1941
- 1334. *Sophronia humerella* ([Denis & Schiffermüller],1775)** (Gelechiidae)
Synonym(s): *humerella* [Denis & Schiffermüller],1775
- 1335. *Sophronia semicostella* (Hübner,[1813])** (Gelechiidae) Synonym(s): *marginella* Thunberg,1794 nec Den. & Schiff.,1775; *semicostella* Hübner,[1813]
- 1336. *Sophronia sicariella* (Zeller,1839)** (Gelechiidae) Synonym(s): *sicariella* Zeller,1839
- 1337. *Stenolechia gemmella* (Linnaeus,1758)** (Gelechiidae) Synonym(s): *gemmella* Linnaeus,1758; *nivella* Fabricius,1794; *nivea* Haworth,1828; *lepidella* Zeller,1839; *nigrovittella* Duponchel,[1839]. Larval foodplant(s): *Quercus robur*, *Q. pubescens* (De Prins,2000).
- 1338. *Stomopteryx bolschewickiella* (Caradja,1920)** (Gelechiidae)
Synonym(s): *bolschewickiella* Caradja,1920
- 1339. *Stomopteryx deterrentella* (Zeller,1847)** (Gelechiidae) Synonym(s): *detersella* Zeller,1847
- 1340. *Stomopteryx lineolella* (Eversmann,1844)** (Gelechiidae) Synonym(s): *lineolella* Eversmann,1844
- 1341. *Stomopteryx lineolella lineolella* (Eversmann,1844)** (Gelechiidae)
Synonym(s): *lineolella* Eversmann,1844
- 1342. *Stomopteryx orthogonella* (Staudinger,1871)** (Gelechiidae)
Synonym(s): *orthogonella* Staudinger,1871
- 1343. *Streyella anguinella* (Herrich-Schäffer,1861)** (Gelechiidae)
Synonym(s): *anguinella* Herrich-Schäffer,1861; *ostentella* Zerny,1934.
- 1344. *Syncopacma altaica* Bidzilya,2005** (Gelechiidae) Synonym(s): *altaica* Bidzilya,2005
- 1345. *Syncopacma cinctella* (Clerck,1759)** (Gelechiidae) Synonym(s): *cinctella* Clerck,1759; *vorticella* Scopoli,1763; *ligulella* [Denis & Schiffermüller],1775; *vittata* Fourcroy,1785; *vittatella* Villers,1789; *albistrigella* Stephens,1834; *cincticullella* Heydenreich,1851 nec Br.,1850; *sircomella* Stainton,1854; *finlandica* Gozmany,1957
- 1346. *Syncopacma cincticullella* (Bruand,1850)** (Gelechiidae) Synonym(s): *cincticullella* Bruand,1850
- 1347. *Syncopacma coronilella* (Treitschke,1833)** (Gelechiidae) Synonym(s): *coronilella* Treitschke,1833
- 1348. *Syncopacma karvoneni* (Hackman,1950)** (Gelechiidae) Synonym(s): *karvoneni* Hackman,1950
- 1349. *Syncopacma larseniella* Gozmany,1957** (Gelechiidae) Synonym(s): *larseniella* Gozmany,1957
- 1350. *Syncopacma linella* (Chrétien,1904)** (Gelechiidae) Synonym(s): *linella* Chrétien,1904
- 1351. *Syncopacma ochrofasciella* (Toll,1936)** (Gelechiidae) Synonym(s): *ochrofasciella* Toll,1936
- 1352. *Syncopacma sangiella* (Stainton,1863)** (Gelechiidae) Synonym(s): *sangiella* Stainton,1863
- 1353. *Syncopacma semicostella* (Staudinger,1871)** (Gelechiidae) Synonym(s): *semicostella* Staudinger,1871; *albicapitella* Bidzilya,1996
- 1354. *Syncopacma taeniolella* (Zeller,1839)** (Gelechiidae) Synonym(s): *taeniolella* Zeller,1839
- 1355. *Syncopacma wormiella* (Wolff,1958)** (Gelechiidae) Synonym(s): *wormiella* Wolff,1958
- 1356. *Teleiodes flavimaculella* (Herrich-Schäffer,[1854])** (Gelechiidae)
Synonym(s): *flavimaculella* Herrich-Schäffer,[1854]

- 1357. *Teleiodes luculella* (Hübner,[1813])** (Gelechiidae) Synonym(s): *luculella* Hübner,[1813]
- 1358. *Teleiodes murina* (M.Omelko & N.Omelko,1998)** (Gelechiidae) Synonym(s): *murina* M.Omelko & N.Omelko,1998
- 1359. *Teleiodes saltuum* (Zeller,1878)** (Gelechiidae) Synonym(s): *saltuum* Zeller,1878 Larval foodplant(s): *Larix* / *Nadeln* (Schütze, 1931).
- 1360. *Teleiodes sequax* (Haworth,1828)** (Gelechiidae) Synonym(s): *sequax* Haworth,1828
- 1361. *Teleiodes vovkella* (Piskunov,1973)** (Gelechiidae) Synonym(s): *vovkella* Piskunov,1973
- 1362. *Teleiodes vulgella* ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *vulgella* [Denis & Schiffermüller],1775; *aspera* Haworth,1828. Larval foodplant(s): *Amelanchier*, *Pyrus*, *Malus*, *Sorbus aria*, *S. aucuparia*, *Crataegus*, *Prunus domestica*, *P. spinosa* (Rosaceae) (Huemer,1988).
- 1363. *Teleiodes wagae* (Nowicki,1860)** (Gelechiidae) Synonym(s): *wagae* Nowicki,1860
- 1364. *Teleiopsis bagriotella* (Duponchel,1840)** (Gelechiidae) Synonym(s): *bagriotella* Duponchel,1840
- 1365. *Teleiopsis diffinis* (Haworth,[1828])** (Gelechiidae) Synonym(s): *diffinis* Haworth,[1828]; *tristis* Staudinger,1879.
- 1366. *Thiotricha subocellea* (Stephens,1834)** (Gelechiidae) Synonym(s): *subocellea* Stephens,1834; *internella* Lienig & Zeller,1846; *dissonella* Herrich-Schäffer,1854; *subocellella* Doubleday,1859
- 1367. *Uliaria rasilella* (Herrich-Schäffer,[1854])** (Gelechiidae) Synonym(s): *rasilella* Herrich-Schäffer,[1854]; *insulella* Dumont,1921; *occidentella* Zerny,1927. Larval foodplant(s): *Artemisia vulgaris*, *A. princeps* var. *orientalis*, *Centaurea* (Asteraceae) (Ponomarenko,1997).
- 1368. *Xenolechia aethiops* (Humphreys & Westwood,1845)** (Gelechiidae) Synonym(s): *aethiops* Humphreys & Westwood,1845
- 1369. *Xystophora carchariella* (Zeller,1839)** (Gelechiidae) Synonym(s): *carchariella* Zeller,1839 Larval foodplant(s): *Astragalus*, *Vicia cracca*, *V.cassubica*, *V.pisiformis* (Fabaceae) (Elsner, Huemer & Tokar,1999).
- 1370. *Abraxas (Calospilos) sylvata* (Scopoli,1763)** (Geometridae) Synonym(s): *sylvata* Scopoli,1763 Larval foodplant(s): *Betula pubescens* (Betulaceae); *Prunus padus* (Rosaceae); *Ulmus glabra*, *U. davidiana*, *U. laciniata* (Ulmaceae); *Camellia sinensis* (Theaceae) (Meyer,1919; et seq.).
- 1371. *Abraxas (s.str.) grossulariatus* (Linnaeus,1758)** (Geometridae) Synonym(s): *grossulariata* Linnaeus,1758; *cuneifera* W.Warren,1895; *memorabilis* Inoue,1946 Larval foodplant(s): *Abies homolepis* (Pinaceae), *Andromeda subsessilis*, *Calluna*, *Enkianthus campanulatus*, *Menziesia multiflora*, *Vaccinium* (Ericaceae), *Corylus* (Corylaceae), *Crataegus*, *Malus pumila*, *Prunus padus* (Rosaceae), *Euonymus alata*, *E.sieboldiana* (Celastraceae), *Fagus japonica*, *Quercus mongolica* (Fagaceae), *Fraxinus lanuginosa*, *Ligustrum* (Oleaceae), *Ribes alpinum*, *R. nigrum*, *R. rubrum*, *R. uva-crispa* (Grossulariaceae), *Salix vulpina* (Salicaceae), *Sedum*, *Umbicilus* (Crassulaceae), *Ulmus* (Ulmaceae), *Viburnum dilatatum* (Caprifoliaceae) (Robinson et al.,2005).
- 1372. *Acasis appensata* (Eversmann,1842)** (Geometridae) Synonym(s): *appensata* Eversmann,1842; *appensaria* Herrich-Schäffer,1848 Larval foodplant(s): *Actaea spicata* (Meyer,1919).
- 1373. *Acasis viretata* (Hübner,[1799])** (Geometridae) Synonym(s): *viretata* Hübner,[1799]; *trinotata* Donovan,1810; *viretaria* Boisduval,1840 Larval foodplant(s): *Ligustrum vulgare* (Oleaceae), *Rhamnus* (Rhamnaceae) (Meyer,1919).

- 1374. *Acrodontis kotshubeji* (Sheljuzhko,1944)** (Geometridae) Synonym(s): *kotshubeji* Sheljuzhko,1944; *ussurica* Djakonov,1955
- 1375. *Aethalura nanaria* (Staudinger,1897)** (Geometridae) Synonym(s): *nanaria* Staudinger,1897; *shuotsuensis* Bryk,1949
- 1376. *Aethalura punctulata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *punctulata* [Denis & Schiffermüller],1775; *tigris* Walchs,1779; *scopularia* Thunberg,1784; *punctularia* Hübner,[1823]; Larval foodplant(s): *Betula*, *Alnus* (Betulaceae).
- 1377. *Agaraeus parva* (Hedemann,1881)** (Geometridae) Synonym(s): *parva* Hedemann,1881
- 1378. *Agathia carissima* Butler,1878** (Geometridae) Synonym(s): *carissima* Butler,1878
- 1379. *Agathia carissima carissima* Butler,1878** (Geometridae) Synonym(s): *carissima* Butler,1878; *lacunaria* Hedemann,1879
- 1380. *Agriopis brumaria* (Borkhausen,1794)** (Geometridae) Synonym(s): *#leucophaearia* [Denis & Schiffermüller],1775; *brumaria* Borkhausen,1794; *nigricaria* Hübner,[1799]. Larval foodplant(s): *Populus tremula*, *Quercus* (Meyer,1919).
- 1381. *Alcis bastelbergeri* (Hirschke,1908)** (Geometridae) Synonym(s): *bastelbergeri* Hirschke,1908
- 1382. *Alcis jubata* (Thunberg,1788)** (Geometridae) Synonym(s): *dilatata* Hufnagel,1767; *jubata* Thunberg,1788; *glabraria* Hübner,[1799]; *teneraria* Hübner,[1813]; *plancaria* Hübner,[1825]; *semiothisata* Lenz,1917
- 1383. *Alcis repandata* (Linnaeus,1758)** (Geometridae) Synonym(s): *repandata* Linnaeus,1758; *consobrinaria* Scriba,1790; *repandaria* Borkhausen,1794; *bistortae* Vallot,1802; *destrigaria* Haworth,1809; *conversaria* Hübner,[1809]; *muraria* Curtis,1826; *dealbata* Turati & Verity,1911; *fasciata* Albers,1949 nec Wrnk.,1941 Larval foodplant(s): *Aesculus*, *Genista*, *Lonicera*, *Rubus*, *Salix*, *Sarothamnus scoparius*, *Vaccinium* (Meyer,1919).
- 1384. *Alsophila aceraria* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#aceraria* [Denis & Schiffermüller],1775; *quadripunctaria* Esper,1801 nec Pda.,1761 Larval foodplant(s): *Acer campestre*, *A. pseudoplatanus*, *Quercus*, *Fagus sylvatica* (Fagaceae), *Populus tremula* (Salicaceae) (Blaschke,1914; Meyer,1919 et seq.).
- 1385. *Alsophila hirsutaria* (Fabricius,1781)** (Geometridae) Synonym(s): *#aescularia* [Denis & Schiffermüller],1775; *hirtaria* Fabricius,[1776] nec Linn.,1761; *hirsutaria* Fabricius,1781; *murinaria* Borkhausen,1794. Larval foodplant(s): *Acer campestre*, *A. pseudoplatanus*, *Crataegus*, *Ligustrum*, *Quercus*, *Prunus spinosa*, *Ulmus* (Blaschke,1914; Meyer,1919; Skou,1986).
- 1386. *Alsophila japonensis* W.Warren,1894** (Geometridae) Synonym(s): *japonensis* W.Warren,1894
- 1387. *Alsophila beljaevi* nom. nov.²** (Geometridae) Synonym(s): *murinaria* Beljaev,1996 nec Borkh.,1794; *beljaevi* Koçak & Kemal,2008
- 1388. *Alsophila vladimiri* Viidalepp,1986** (Geometridae) Synonym(s): *vladimiri* Viidalepp,1986
- 1389. *Alsophila zabolne* Inoue,1941** (Geometridae) Synonym(s): *zabolne* Inoue,1941
- 1390. *Alsophiloides kurentzovi* Viidalepp,1986** (Geometridae) Synonym(s): *kurentzovi* Viidalepp,1986
- 1391. *Amraica superans* (Butler,1878)** (Geometridae) Synonym(s): *superans* Butler,1878; *decolorans* Wehrli,1941; *subnigrans* Wehrli,1941
- 1392. *Amraica superans confusa* (Staudinger,1897)** (Geometridae) Synonym(s): *confusa* Staudinger,1897
- 1393. *Angerona prunaria* (Linnaeus,1758)** (Geometridae) Synonym(s): *prunaria* Linnaeus,1758 Larval foodplant(s): *Crataegus*, *Prunus*, *Rubus idaeus* (Meyer,1919).

² *Alsophila beljaevi* nom. nov. pro *Alsophila murinaria* Beljaev,1996 nec *Phalaena murinaria* Borkhausen,1794 (synonym of *Alsophila aescularia* [Denis & Schiffermüller],1775). This replacement name is proposed for *Alsophila murinaria* Beljaev,1996, as it is junior secondary homonym of *Phalaena murinaria* Borkhausen,1794 within the same genus *Alsophila* Hbn.

- 1394. Anticlea badiata (Lang,1789)** (Geometridae) **Synonym(s):** *#badiata* [Denis & Schiffermüller],1775; *badiata* Lang,1789; *radiata* Spener & Spener,1843. **Larval foodplant(s):** *Rosa acicularis*, *R. canina*, *R. pimpinellifolia* (Rosaceae) (Meyer,1919; et seq.).
- 1395. Anticlea correlata (W.Warren,1901)** (Geometridae) **Synonym(s):** *correlata* W.Warren,1901
- 1396. Anticlea derivata ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *derivata* [Denis & Schiffermüller],1775; *nigrofasciaria* Goeze,1781; *separata* Thunberg,1788.
- 1397. Anticlea derivata derivata ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *derivata* [Denis & Schiffermüller],1775; *nigrofasciaria* Goeze,1781; *separata* Thunberg,1788.
- 1398. Anticollix sparsata (Treitschke,1828)** (Geometridae) **Synonym(s):** *sparsaria* Hübner,[1813] *nec* Hbn.,[1809]; *sparsata* Treitschke,1828; *lysimachiata* Treitschke,1828; *melanoparia* Graslin,1848 **Larval foodplant(s):** *Lysimachia* (Meyer,1919).
- 1399. Apeira syringaria (Linnaeus,1758)** (Geometridae) **Synonym(s):** *syringaria* Linnaeus,1758; *jaspoides* Fourcroy,1785; *circularia* Thunberg,1792 **Larval foodplant(s):** *Ligustrum vulgare*, *Lonicera nigra*, *Spiraea ulmifolia*, *Syringa vulgaris* (Meyer,1919; Wehrli,1940).
- 1400. Aplasta ononaria (Fuessly,1783)** (Geometridae) **Synonym(s):** *ononaria* Fuessly,1783; *rubellata* Villers,1789; *rubicaprararia* Hübner,1793; *sudataria* Hübner,[1817]; *ononata* Bellier,1861 **Larval foodplant(s):** *Ononis repens* (Fabaceae) (Fuessly,1783; et seq.).
- 1401. Aplocera columbata (Metzner,1845)** (Geometridae) **Synonym(s):** *columbata* Metzner,1845; *nomadaria* Herrich-Schäffer,1848
- 1402. Aplocera efformata (Guenée,[1858])** (Geometridae) **Synonym(s):** *efformata* Guenée,[1858]; *pallidata* Staudinger,1870 **Larval foodplant(s):** *Hypericum perforatum* (Clusiaceae) (Scoble, et al.,1999).
- 1403. Aplocera plagiata (Linnaeus,1758)** (Geometridae) **Synonym(s):** *plagiata* Linnaeus,1758; *pallidata* Staudinger,1879. **Larval foodplant(s):** *Hypericum hirsutum*, *H. maculatum*, *H. perforatum* (Clusiaceae) (Meyer,1919; Wiltshire,1957; et seq.).
- 1404. Aplocera praeformata (Hübner,1826)** (Geometridae) **Synonym(s):** *praeformata* Hübner,1826; *cassata* Treitschke,1828 **Larval foodplant(s):** *Hypericum maculatum*, *H. perforatum* (Clusiaceae) (Meyer,1919; et seq.).
- 1405. Aplocera uniformata (Urbahn,1971)** (Geometridae) **Synonym(s):** *uniformata* Urbahn,1971
- 1406. Apocheima cinerarium (Erschoff,1874)** (Geometridae) **Synonym(s):** *cinerarium* Erschoff,1874; *isfacana* Wehrli,1941; *pyri* Yang,1978; *pyricola* Chu,1979
- 1407. Apocheima cinerarium cinerarium (Erschoff,1874)** (Geometridae) **Synonym(s):** *cinerarium* Erschoff,1874; *isfacana* Wehrli,1941; *pyri* Yang,1978; *pyricola* Chu,1979
- 1408. Apocheima hispidarium ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *hispidaria* [Denis & Schiffermüller],1775; *ursularia* Donovan,1808; *tauaria* Newman,1833. **Larval foodplant(s):** *Betula* (Betulaceae), *Quercus* (Fagaceae), *Ulmus* (Ulmaceae) (Meyer,1919).
- 1409. Apocheima hispidarium hispidarium ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *hispidaria* [Denis & Schiffermüller],1775; *ursularia* Donovan,1808; *tauaria* Newman,1833.
- 1410. Apochima flabellaria (Heeger,1838)** (Geometridae) **Synonym(s):** *flabellaria* Heeger,1838; *marmararia* Buresch,1915. **Larval foodplant(s):** *Chrysanthemum*, *Euphorbia gerardiana*, *Galium*, *Rumex*, *Senecio* (Lederer,1865; Staudinger,1879; Romanoff,1885; Meyer,1919; Wehrli,1941).
- 1411. Apocolotois arnoldiaria (Oberthür,1912)** (Geometridae) **Synonym(s):** *arnoldiaria* Oberthür,1912

- 1412. *Archiearis notha* (Hübner,[1803])** (Geometridae) **Synonym(s):** *notha* Hübner,[1803] Larval foodplant(s): *Populus tremula*, *Salix* (Meyer,1919; Skou,1986; Koçak,1990).
- 1413. *Archiearis notha notha* (Hübner,[1803])** (Geometridae) **Synonym(s):** *notha* Hübner,[1803]
- 1414. *Archiearis notha suifunensis* Kardakoff,1928** (Geometridae) **Synonym(s):** *suifunensis* Kardakoff,1928
- 1415. *Archiearis parthenias* (Linnaeus,1761)** (Geometridae) **Synonym(s):** *parthenias* Linnaeus,1761 Larval foodplant(s): *Fagus*, *Betula* (Meyer,1919; Skou,1986).
- 1416. *Archiearis parthenias hilara* Sawamoto,1937** (Geometridae) **Synonym(s):** *hilara* Sawamoto,1937
- 1417. *Archiearis parthenias parthenias* (Linnaeus,1761)** (Geometridae) **Synonym(s):** *parthenias* Linnaeus,1761
- 1418. *Archiearis parthenias sajana* L.B.Prout,1912** (Geometridae) **Synonym(s):** *sajana* L.B.Prout,1912
- 1419. *Archiearis puella* (Esper,1787)** (Geometridae) **Synonym(s):** *puella* Esper,1787 Larval foodplant(s): *Populus alba*, *P. tremula* (Meyer,1919).
- 1420. *Archiearis puella puella* (Esper,1787)** (Geometridae) **Synonym(s):** *puella* Esper,1787
- 1421. *Arichanna melanaria* (Linnaeus,1758)** (Geometridae) **Synonym(s):** *melanaria* Linnaeus,1758
- 1422. *Artiora evonymaria* (Hübner,[1799])** (Geometridae) **Synonym(s):** *#evonymaria* [Denis & Schiffermüller],1775; *evonymaria* Hübner,[1799]. Larval foodplant(s): *Evonymus* (Meyer,1919).
- 1423. *Ascotis selenaria* ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *#selenaria* [Denis & Schiffermüller],1775; *dianaria* Hübner,[1817]; *#seleneris* Okyar & Aytaç,1999 Larval foodplant(s): *Artemisia* (Meyer,1919).
- 1424. *Asovia maeoticaria* (Alpheraky,1876)** (Geometridae) **Synonym(s):** *maeoticaria* Alpheraky,1876; *decoloraria* Alpheraky,1889
- 1425. *Aspitates acuminaria* (Eversmann,1851)** (Geometridae) **Synonym(s):** *acuminaria* Eversmann,1851; *glessaria* Christoph,1877; *opulentaria* Staudinger,1877.
- 1426. *Aspitates albaria* (Bartel,1903)** (Geometridae) **Synonym(s):** *albaria* Bartel,1903
- 1427. *Aspitates conspersaria* (Staudinger,1901)** (Geometridae) **Synonym(s):** *conspersaria* Staudinger,1901
- 1428. *Aspitates curvaria* (Eversmann,1852)** (Geometridae) **Synonym(s):** *curvaria* Eversmann,1852; *sterrharia* Staudinger,1896
- 1429. *Aspitates kozhantchikovi* (Munroe,1963)** (Geometridae) **Synonym(s):** *kozantchikovi* Munroe,1963
- 1430. *Aspitates obscurata* (Wehrli,1953)** (Geometridae) **Synonym(s):** *obscurata* Wehrli,1953; *elwesi* Munroe,1963
- 1431. *Aspitates ochrearia* (Rossi,1794)** (Geometridae) **Synonym(s):** *ochrearia* Rossi,1794; *sulphuraria* Fabricius,1794; *trifoliaria* Haworth,1809; *citraria* Hübner,[1826]; *laetula* Hulst,1896; *parvularia* Lempke,1953 Larval foodplant(s): *Cistus salvifolius* (Cistaceae); *Lotus corniculatus* (Fabaceae); *Crepis vesicaria* (Asteraceae); *Plantago coronopus* (Plantaginaceae); *Daucus carota* (Apiaceae) (Meyer,1919; et seq.).
- 1432. *Aspitates quadripunctata* (Goeze,1781)** (Geometridae) **Synonym(s):** *#gilvaria* [Denis & Schiffermüller],1775; *quadripunctata* Goeze,1781. Larval foodplant(s): *Thymus* (Lamiaceae); *Potentilla* (Rosaceae); *Pastinaca sativa* (Apiaceae) (Scoble,1999).
- 1433. *Aspitates quadripunctata quadripunctata* (Goeze,1781)** (Geometridae) **Synonym(s):** *#gilvaria* [Denis & Schiffermüller],1775; *quadripunctata* Goeze,1781.

- 1434. *Aspitates taylori* (Butler,1893)** (Geometridae) **Synonym(s):** *taylori* Butler,1893
- 1435. *Aspitates taylori sibirica* (Djakonov,1955)** (Geometridae) **Synonym(s):** *sibirica* Djakonov,1955
- 1436. *Asthena albulata* (Hufnagel,1767)** (Geometridae) **Synonym(s):** *albulata* Hufnagel,1767; *candidata* [Denis & Schiffermüller],1775; *candidaria* Hübner,[1799]; *candidulata* Haworth,1809; *albularia* Boisduval,1840 **Larval foodplant(s):** *Rhinanthus* (Meyer,1919).
- 1437. *Asthena amurensis* (Staudinger,1897)** (Geometridae) **Synonym(s):** *amurensis* Staudinger,1897; *hamadryas* Inoue,1976
- 1438. *Asthena anseraria* (Herrich-Schäffer,1855)** (Geometridae) **Synonym(s):** ? *asparagi* Fourcroy,1785; *anseraria* Herrich-Schäffer,1855; *soldaria* Turati,1879 **Larval foodplant(s):** *Cornus sanguinea* (Meyer,1919).
- 1439. *Asthena anseraria anseraria* (Herrich-Schäffer,1855)** (Geometridae) **Synonym(s):** ? *asparagi* Fourcroy,1785; *anseraria* Herrich-Schäffer,1855; *soldaria* Turati,1879
- 1440. *Asthena sachaliensis* (Matsumura,1925)** (Geometridae) **Synonym(s):** *sachaliensis* Matsumura,1925
- 1441. *Autotrichia heterogynoides* (Wehrli,1927)** (Geometridae) **Synonym(s):** *heterogynoides* Wehrli,1927
- 1442. *Autotrichia karanguica* (Vasilenko,2001)** (Geometridae) **Synonym(s):** *karanguica* Vasilenko,2001
- 1443. *Autotrichia lysimeles* (L.B.Prout,1924)** (Geometridae) **Synonym(s):** *lysimeles* L.B.Prout,1924
- 1444. *Autotrichia pellucida* (Staudinger,1900)** (Geometridae) **Synonym(s):** *pellucida* Staudinger,1900
- 1445. *Autotrichia pellucida impellucida* (Djakonov,1926)** (Geometridae) **Synonym(s):** *impellucida* Djakonov,1926
- 1446. *Autotrichia pellucida pellucida* (Staudinger,1900)** (Geometridae) **Synonym(s):** *pellucida* Staudinger,1900
- 1447. *Baptria tibiale* (Esper,1804)** (Geometridae) **Synonym(s):** *dimidiata* Hübner,1790; *tibialata* Hübner,[1799]; *tibiale* Esper,1804; *tibialaria* Hübner,[1825]; *moeroraria* Freyer,[1846]; *eversmannaria* Herrich-Schäffer,1852; *aethiopata* Heinemann,1859; *decisata* Walker,1862 **Larval foodplant(s):** *Actaea spicata*, *A. erythrocarpa* (Ranunculaceae) (Meyer,1919; et seq.).
- 1448. *Biston betularius* (Linnaeus,1758)** (Geometridae) **Synonym(s):** *betularia* Linnaeus,1758; *p-graecum* Poda,1761; *marmoraria* Sepp,1792; *ulmaria* Borkhausen,1794; *alexandrina* Wehrli,1941. **Larval foodplant(s):** *Betula*, *Robinia pseudacacia*, *Rosa*, *Salix caprea*, *Sarothamnus scoparius*, *Ulmus* (Linnaeus,1758; Meyer,1919).
- 1449. *Biston huberarius* (Ballion,1866)** (Geometridae) **Synonym(s):** *huberarius* Ballion,1866; *concinna* W.Warren,1899; *tienschana* Wehrli,1941.
- 1450. *Biston hypoleucos* Kuznetsov,1901** (Geometridae) **Synonym(s):** *hypoleucos* Kuznetsov,1901; *prophaeos* Wehrli,1941
- 1451. *Biston regalis* Moore,1888** (Geometridae) **Synonym(s):** *regalis* Moore,1888
- 1452. *Biston robustum* Butler,1879** (Geometridae) **Synonym(s):** *robustum* Butler,1879; *kiangsua* Wehrli,1941
- 1453. *Biston stratarius* (Hufnagel,1767)** (Geometridae) **Synonym(s):** *strataria* Hufnagel,1767; *prodromaria* [Denis & Schiffermüller],1775; *marmorata* Sulzer,1776; *vernalis* Fourcroy,1785; *nigricans* Oberthür,1913 **Larval foodplant(s):** *Betula*, *Prunus*, *Pyrus*, *Quercus*, *Tilia*, *Ulmus* (Meyer,1919).
- 1454. *Biston thoracicarius* (Oberthür,1884)** (Geometridae) **Synonym(s):** *thoracicarius* Oberthür,1884; *tortuosa* Wileman,1911 **Larval foodplant(s):** *Platanus orientalis* (Platanaceae); *Malus pumila* (Rosaceae) (Scoble,1999).
- 1455. *Brabira artemidora* (Oberthür,1884)** (Geometridae) **Synonym(s):** *artemidora* Oberthür,1884
- 1456. *Brabira artemidora artemidora* (Oberthür,1884)** (Geometridae) **Synonym(s):** *artemidora* Oberthür,1884

- 1457. Bupalus piniarius (Linnaeus,1758)** (Geometridae) Synonym(s): *piniaria* Linnaeus,1758 Larval foodplant(s): *Pinus sylvestris* (Linnaeus,1758; Meyer,1919).
- 1458. Cabera exanthemata (Scopoli,1763)** (Geometridae) Synonym(s): *exanthemata* Scopoli,1763; *exanthemaria* Borkhausen,1794; *striaria* Hübner,[1799]; *approximaria* Haworth,1809; *arenosaria* Haworth,1809; *suprapunctata* Wehrli,1935. Larval foodplant(s): *Alnus glutinosa*, *Fagus crenata*, *Populus tremula*, *Salix aurita*, *S. bakko*, *S. cinerea*, *S. phyllicifolia* (Meyer,1919; Scoble,1999).
- 1459. Cabera exanthemata exanthemata (Scopoli,1763)** (Geometridae) Synonym(s): *exanthemata* Scopoli,1763; *exanthemaria* Borkhausen,1794; *striaria* Hübner,[1799]; *approximaria* Haworth,1809; *arenosaria* Haworth,1809; *suprapunctata* Wehrli,1935.
- 1460. Cabera leptographa Wehrli,1936** (Geometridae) Synonym(s): *leptographa* Wehrli,1936
- 1461. Cabera pusaria (Linnaeus,1758)** (Geometridae) Synonym(s): *pusaria* Linnaeus,1758; *strigata* Scopoli,1763; *rotundaria* Haworth,1809; *confinaria* Freyer,1832; *heyeraria* Herrich-Schäffer,1848 Larval foodplant(s): *Alnus*, *Betula* (Meyer,1919).
- 1462. Calicha nooraria (Bremer,1864)** (Geometridae) Synonym(s): *nooraria* Bremer,1864; *nigrisignata* Wehrli,1927; *chosenicola* Bryk,1949
- 1463. Campaea margaritaria (Linnaeus,1761)** (Geometridae) Synonym(s): *margaritaria* Linnaeus,1761; *margaritata* Linnaeus,1767; *vernaria* Hufnagel,1767; *sesquistriaria* Knoch,1781; *straminea* Retzius,1783; *nayas* Fourcroy,1785; *vitriolata* Cyrilli,1787; *straminearia* Villers,1789; *rubrociliata* Schawerda,1932 Larval foodplant(s): *Carpinus* [betulus], *Fagus*, *Quercus* (Fagaceae) (Meyer,1919).
- 1464. Camptogramma bilineatum (Linnaeus,1758)** (Geometridae) Synonym(s): *bilineata* Linnaeus,1758; *brocatella* Fourcroy,1785; *dumetata* Schrank,1802; *bilineararia* Boisduval,1840; *musauria* Freyer,1846; *testaceolata* Staudinger,1871 Larval foodplant(s): *Digitalis*, *Galium*, *Leontodon taraxacum*, *Ononis*, *Plantago*, *Potentilla*, *Rumex*, *Urtica*, *Verbascum*, *Veronica* (Meyer,1919; Calle et al.,2000)).
- 1465. Camptogramma bilineatum bilineatum (Linnaeus,1758)** (Geometridae) Synonym(s): *bilineata* Linnaeus,1758; *brocatella* Fourcroy,1785; *dumetata* Schrank,1802; *bilineararia* Boisduval,1840; *musauria* Freyer,1846; *testaceolata* Staudinger,1871
- 1466. Carige cruciplaga (Walker,1861)** (Geometridae) Synonym(s): *cruciplaga* Walker,1861
- 1467. Carige cruciplaga duplicaria Walker,[1863]** (Geometridae) Synonym(s): *duplicaria* Walker,[1863]; *nigronotaria* Bremer,1864
- 1468. Carsia sororiata (Hübner,[1813])** (Geometridae) Synonym(s): *paludata* Thunberg,1788 nec Linn.,1767; *sororiata* Hübner,[1813]; *imbutata* Hübner,[1813]; *imbutaria* Boisduval,1840; *pruinaria* Eversmann,1851
- 1469. Carsia sororiata sororiata (Hübner,[1813])** (Geometridae) Synonym(s): *paludata* Thunberg,1788 nec Linn.,1767; *sororiata* Hübner,[1813]; *imbutata* Hübner,[1813]; *imbutaria* Boisduval,1840; *pruinaria* Eversmann,1851
- 1470. Casilda antophilaria (Hübner,[1813])** (Geometridae) Synonym(s): *antophilaria* Hübner,[1813]; *gegenaria* Alpheraky,1883; *#albipunctaria* Alpheraky,1883; *elvira* Thierry-Mieg,1911. Larval foodplant(s): *Alisma* (Meyer,1919).
- 1471. Casilda antophilaria antophilaria (Hübner,[1813])** (Geometridae) Synonym(s): *antophilaria* Hübner,[1813]; *gegenaria* Alpheraky,1883; *#albipunctaria* Alpheraky,1883; *elvira* Thierry-Mieg,1911.
- 1472. Cataclysmes riguada (Hübner,[1813])** (Geometridae) Synonym(s): *riguada* Hübner,[1813]; *subtilisparsata* Wehrli,1932. Larval foodplant(s): *Galium cynanchica* [=Asperula], *G. galioides* (Rubiaceae) (Meyer,1919).
- 1473. Cataclysmes riguada festinata (Staudinger,1893)** (Geometridae) Synonym(s): *festinata* Staudinger,1893
- 1474. Cataclysmes riguada riguada (Hübner,[1813])** (Geometridae) Synonym(s): *riguada* Hübner,[1813]; *subtilisparsata* Wehrli,1932.

- 1475. Catarhoe cuculata (Hufnagel,1767)** (Geometridae) Synonym(s): *cuculata* Hufnagel,1767; *sinuata* [Denis & Schiffermüller],1775; *sabinata* Dannehl,1933 Larval foodplant(s): *Galium sylvaticum*, *G. verum* (Meyer,1919).
- 1476. Catarhoe cuculata cuculata (Hufnagel,1767)** (Geometridae) Synonym(s): *cuculata* Hufnagel,1767; *sinuata* [Denis & Schiffermüller],1775; *sabinata* Dannehl,1933
- 1477. Catarhoe rubidata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *rubidata* [Denis & Schiffermüller],1775 Larval foodplant(s): *Galium odoratum*, *G. sylvaticum*, *G. verum* (Rubiaceae) (Meyer,1919).
- 1478. Catarhoe rubidata fumata (Eversmann,1844)** (Geometridae) Synonym(s): *fumata* Eversmann,1844; *fumaria* Herrich-Schäffer,1848; *elbursica* Wiltshire,1952
- 1479. Catarhoe rubidata rubidata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *rubidata* [Denis & Schiffermüller],1775
- 1480. Catarhoe yokohamae (Butler,1881)** (Geometridae) Synonym(s): *yokohamae* Butler,1881; *rogenhoferi* Graeser,1889; *colorata* Bryk,1949
- 1481. Cepphis advenaria (Hübner,[1799])** (Geometridae) Synonym(s): *advenaria* Hübner,[1799] Larval foodplant(s): *Prunus*, *Salix*, *Fragaria*, *Genista tinctoria*, *Melampyrum pratense*, *Vaccinium myrtillus* (Blaschke,1914; Meyer,1919).
- 1482. Chariaspilates formosaria (Eversmann,1837)** (Geometridae) Synonym(s): *formosaria* Eversmann,1837 Larval foodplant(s): *Caltha* [palustris], *Lysimachia* (Meyer,1919).
- 1483. Chartographa ludovicaria (Oberthür,1879)** (Geometridae) Synonym(s): *ludovicaria* Oberthür,1879; *tigrinata* Christoph,1881
- 1484. Chesias rufata (Fabricius,1775)** (Geometridae) Synonym(s): *rufata* Fabricius,1775; *obliquaria* [Denis & Schiffermüller],1775; *bombycata* Donovan,1806; *occidentalis* Delahaye,1900; *cinereata* Staudinger,1901; *plumbeata* Staudinger,1901; *ornata* Heydemann,1933; *scotica* Richardson,1952 Larval foodplant(s): *Erica*, *Genista*, *Sarothamnus scoparius* (Staudinger,1879; Meyer,1919).
- 1485. Chiasmia (Godonela) aestimaria (Hübner,[1809])** (Geometridae) Synonym(s): *aestimaria* Hübner,[1809]; *contemptata* Guenée,[1858]; *aestimata* Herrich-Schäffer,1861; *tunesella* Lucas,1949. Larval foodplant(s): *Tamarix gallica* (Blaschke,1914; Meyer,1919; Wiltshire,1957).
- 1486. Chiasmia (Godonela) aestimaria aestimaria (Hübner,[1809])** (Geometridae) Synonym(s): *aestimaria* Hübner,[1809]; *contemptata* Guenée,[1858]; *aestimata* Herrich-Schäffer,1861; *tunesella* Lucas,1949. Larval foodplant(s): *Tamarix gallica* (Blaschke,1914; Meyer,1919; Wiltshire,1957).
- 1487. Chiasmia (Godonela) sareptanaria (Staudinger,1871)** (Geometridae) Synonym(s): *sareptanaria* Staudinger,1871
- 1488. Chiasmia clathrata (Linnaeus,1758)** (Geometridae) Synonym(s): *clathrata* Linnaeus,1758; *almacola* Wehrli,1934. Larval foodplant(s): *Trifolium*, *Medicago sativa* (Fabaceae) (Meyer,1919).
- 1489. Chiasmia clathrata clathrata (Linnaeus,1758)** (Geometridae) Synonym(s): *clathrata* Linnaeus,1758; *almacola* Wehrli,1934.
- 1490. Chiasmia hebesata (Walker,1861)** (Geometridae) Synonym(s): *hebesata* Walker,1861; *sinicaria* Walker,[1863]; *proditaria* Bremer,1864; *maligna* Butler,1878; *flexilinea* W.Warren,1897
- 1491. Chiasmia pumila (Kuznetsov,1929)** (Geometridae) Synonym(s): *pumila* Kuznetsov,1929
- 1492. Chiasmia saburraria (Eversmann,1851)** (Geometridae) Synonym(s): *saburraria* Eversmann,1851; *biparata* Lederer,1853; *intermaculata* Staudinger,1897
- 1493. Chlorissa amphitritaria (Oberthür,1879)** (Geometridae) Synonym(s): *amphitritaria* Oberthür,1879; *mali* Matsumura,1917

- 1494. Chlorissa cloraria (Hübner,[1813])** (Geometridae) Synonym(s): *cloraria* Hübner,[1813]; *porrinata* Zeller,1848; *porrinaria* Heydenreich,1851.
- 1495. Chlorissa confusaria (Staudinger,1892)** (Geometridae) Synonym(s): *confusaria* Staudinger,1892
- 1496. Chlorissa sachaliensis (Matsumura,1925)** (Geometridae) Synonym(s): *sachaliensis* Matsumura,1925
- 1497. Chlorissa viridata (Linnaeus,1758)** (Geometridae) Synonym(s): *viridata* Linnaeus,1758; *volutata* Fabricius,1775; *sirene* Villers,1789 Larval foodplant(s): *Betula*, *Calluna vulgaris*, *Crataegus*, *Salix* (Meyer,1919; Skou,1986).
- 1498. Chlorissa viridata melinaria (Herrich-Schäffer,1852)** (Geometridae) Synonym(s): *melinaria* Herrich-Schäffer,1852
- 1499. Chloroclysta citrata (Linnaeus,1761)** (Geometridae) Synonym(s): *citrata* Linnaeus,1761; *variata* Thunberg,1784 nec [Denis & Schiff.],1775; *marmorata* Fabricius,1794; *strigulata* Fabricius,1794; *immanata* Haworth,1809; *amoenata* Stephens,1831; *immanaria* Doubleday,1849; *acutata* Guenée,1858; *pythonissata* Millière,1872
- 1500. Chloroclysta infusata (Tengström,1869)** (Geometridae) Synonym(s): *infusata* Tengström,1869
- 1501. Chloroclysta latefasciata (L.B.Prout,1914)** (Geometridae) Synonym(s): *latefasciata* L.B.Prout,1914
- 1502. Chloroclysta miata (Linnaeus,1758)** (Geometridae) Synonym(s): *miata* Linnaeus,1758; *miaria* [Denis & Schiffermüller],1775; *viridifasciaria* Goeze,1781; *virgata* Fourcroy,1785 nec Hufn.,1767; *coraciata* Hübner,[1799]; *viridulata* Zetterstedt,1839; *coraciaria* La Harpe,1853 Larval foodplant(s): *Alnus*, *Betula*, *Quercus*, *Salix* (Meyer,1919).
- 1503. Chloroclysta miata miata (Linnaeus,1758)** (Geometridae) Synonym(s): *miata* Linnaeus,1758; *miaria* [Denis & Schiffermüller],1775; *viridifasciaria* Goeze,1781; *virgata* Fourcroy,1785 nec Hufn.,1767; *coraciata* Hübner,[1799]; *viridulata* Zetterstedt,1839; *coraciaria* La Harpe,1853
- 1504. Chloroclysta pseudimmanata Heydemann,1929** (Geometridae) Synonym(s): *pseudimmanata* Heydemann,1929
- 1505. Chloroclysta siterata (Hufnagel,1767)** (Geometridae) Synonym(s): *siterata* Hufnagel,1767; *psittacata* [Denis & Schiffermüller],1775; *rubroviridata* Donovan,1810; *psittacaria* Boisduval,1840 Larval foodplant(s): *Acer*, *Pyrus malus*, *Prunus cerasus*, *Quercus*, *Rosa*, *Tilia*, *Vaccinium myrtillus* (Meyer,1919).
- 1506. Chloroclysta truncata (Hufnagel,1767)** (Geometridae) Synonym(s): *truncata* Hufnagel,1767; *centumnotata* Schulze,1775; *russata* [Denis & Schiffermüller],1775; *perfuscata* Haworth,1809; *commanotata* Haworth,1809; *saturata* Stephens,1831; *russaria* Boisduval,1840; *perfuscaria* La Harpe,1853 Larval foodplant(s): *Betula*, *Crataegus*, *Fragaria*, *Geranium robertianum*, *Lonicera xylosteum*, *Rubus*, *Salix*, *Vaccinium* (Meyer,1919).
- 1507. Chloroclystis v-ata (Haworth,1809)** (Geometridae) Synonym(s): *v-ata* Haworth,1809; *coronata* Hübner,[1813]; *coronaria* Doubleday,1849
- 1508. Cidaria distinctata Staudinger,1892** (Geometridae) Synonym(s): *distinctata* Staudinger,1892
- 1509. Cidaria fulvata (Forster,1771)** (Geometridae) Synonym(s): *fulvata* Forster,1771; *cuspidata* Thunberg,1784 Larval foodplant(s): *Rosa* (Meyer,1919).
- 1510. Cinglis humifusaria (Eversmann,1837)** (Geometridae) Synonym(s): *humifusaria* Eversmann,1837
- 1511. Cleora cinctaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *cinctaria* [Denis & Schiffermüller],1775; *pascuaria* Brahm,1791; *consimiliaria* Duponchel,1829. Larval foodplant(s): *Artemisia*, *Prunus spinosa* (Meyer,1919).
- 1512. Cleorodes lichenarius (Hufnagel,1767)** (Geometridae) Synonym(s): *lichenaria* Hufnagel,1767
- 1513. Clela filacearia (Herrich-Schäffer,[1847])** (Geometridae) Synonym(s): *filacearia* Herrich-Schäffer,[1847]
- 1514. Clela jacutica Viidalepp,1976** (Geometridae) Synonym(s): *jacutica* Viidalepp,1976

- 1515. Cleta perpusillaria (Eversmann,1847)** (Geometridae) Synonym(s): *perpusillaria* Eversmann,1847
- 1516. Coenocalpe lapidata (Hübner,[1809])** (Geometridae) Synonym(s): *lapidata* Hübner,[1809]; *subrufata* Haworth,1809; *lapidaria* Boisduval,1840 Larval foodplant(s): *Clematis vitalba* (Meyer,1919).
- 1517. Colostygia aptata (Hübner,[1813])** (Geometridae) Synonym(s): *aptata* Hübner,[1813]; *aptaria* Boisduval,1840; *suplata* Freyer,1840
- 1518. Colostygia olivata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *olivata* [Denis & Schiffermüller],1775 Larval foodplant(s): *Galium mollugo*, *G. verum* (Meyer,1919).
- 1519. Colostygia pectinataria (Knoch,1781)** (Geometridae) Synonym(s): *viridaria* Fabricius,1775 nec Cl.,1759; *pectinataria* Knoch,1781
- 1520. Colostygia turbata (Hübner,[1799])** (Geometridae) Synonym(s): *lineolata* Fabricius,1794 nec Hbn.,1787; *turbata* Hübner,[1799]; *turbaria* Treitschke,1828; *lineolaria* Boisduval,1840
- 1521. Colostygia turbata altaicata (Djakonov,1926)** (Geometridae) Synonym(s): *altaicata* Djakonov,1926
- 1522. Colostygia turbata fuscolumbata (Tengström,1875)** (Geometridae) Synonym(s): *fuscolumbata* Tengström,1875
- 1523. Colotois pennaria (Linnaeus,1761)** (Geometridae) Synonym(s): *pennaria* Linnaeus,1761; *cerasi* Fabricius,1775; *bifidaria* Haworth,1809 Larval foodplant(s): *Betula*, *Crataegus monogyna*, *Corylus*, *Prunus spinosa*, *Pyrus*, *Quercus*, *Salix* (Meyer,1919; Calle et al.,2000).
- 1524. Colotois pennaria pennaria (Linnaeus,1761)** (Geometridae) Synonym(s): *pennaria* Linnaeus,1761; *cerasi* Fabricius,1775; *bifidaria* Haworth,1809
- 1525. Colotois pennaria ussuriensis O.Bang-Haas,1927** (Geometridae) Synonym(s): *ussuriensis* O.Bang-Haas,1927
- 1526. Comibaena bajularia ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *pustulata* Hufnagel,1767 nec Müller,1764; *bajularia* [Denis & Schiffermüller],1775 Larval foodplant(s): *Quercus* (Skou,1986).
- 1527. Comostola subtiliaria (Bremer,1864)** (Geometridae) Synonym(s): *subtiliaria* Bremer,1864; *vapida* L.B.Prout,1934
- 1528. Cosmorhoe ocellata (Linnaeus,1758)** (Geometridae) Synonym(s): *ocellata* Linnaeus,1758; *lynca* Fabricius,1775; *lynceata* Fabricius,1781; *ocellaria* Boisduval,1840 Larval foodplant(s): *Galium sylvaticum*, *Galium verum* (Meyer,1919).
- 1529. Costaconvexa caespitaria (Christoph,1881)** (Geometridae) Synonym(s): *caespitaria* Christoph,1881
- 1530. Costaconvexa polygrammata (Borkhausen,1794)** (Geometridae) Synonym(s): *polygrammata* Borkhausen,1794; *polygrammaria* Haworth,1809; *conjunctaria* Lederer,1853; *#rosea* Wiltshire,1946 Larval foodplant(s): *Galium mollugo*, *G. palustre*, *G. verum* (Meyer,1919; Wiltshire,1957).
- 1531. Crocallis (s.str.) elinguarina (Linnaeus,1758)** (Geometridae) Synonym(s): *elinguarina* Linnaeus,1758; *trapezaria* Boisduval,1840 Larval foodplant(s): *Corylus*, *Prunus domestica*, *P. spinosa*, *Pyrus*, *Quercus*, *Rubus*, *Salix*, *Sorbus* (Meyer,1919).
- 1532. Crocallis (s.str.) tusciaria (Borkhausen,1793)** (Geometridae) Synonym(s): *tusciaria* Borkhausen,1793; *extimaria* Hübner,[1799] Larval foodplant(s): *Berberis*, *Cistus salvifolius*, *Clematis vitalba*, *Hippophae*, *Prunus*, *Rosmarinus officinalis* (Meyer, 1919; Wehrli,1934,1940).
- 1533. Crocallis (s.str.) tusciaria tusciaria (Borkhausen,1793)** (Geometridae) Synonym(s): *tusciaria* Borkhausen,1793; *extimaria* Hübner,[1799]
- 1534. Cryopega bajaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#aerugaria* [Denis & Schiffermüller],1775; *bajaria* [Denis & Schiffermüller],1775; *vittaria* Sulzer,1776; *rubrostriata* Goeze,1781; *ligustriaria* Lang,1789; *sericearia* Borkhausen,1794; *cineraria* Esper,[1801]; *sorditaria* Hübner,[1809]; *legrasi* Dumont,1925 Larval foodplant(s): *Crataegus*,

- Ligustrum vulgare, Prunus spinosa, Vitex agnus-casti (Lederer,1865; Staudinger,1879; Meyer,1919).
- 1535. Cusiala stipitaria (Oberthür,1880)** (Geometridae) Synonym(s): *stipitaria* Oberthür,1880; *piperitaria* Oberthür,1880; *doerriesiaria* Christoph,1881
- 1536. Cyclophora albiocellaria (Hübner,1789)** (Geometridae) Synonym(s): *albiocellaria* Hübner,1789; *ocellaria* Hübner,1799; *argusaria* Boisduval,1840 Larval foodplant(s): *Acer campestre*, *A. pseudoplatanus* (Blaschke,1914; Meyer,1919).
- 1537. Cyclophora albipunctata (Hufnagel,1767)** (Geometridae) Synonym(s): *albipunctata* Hufnagel,1767; *suspensa* Retzius,1783; *pupillaria* Brahm,1791; *circularia* Fabricius,1798; *vusarmana* Walker,1861; *ianthinarium* Stichel,1901; *subroseata* Woodforde,1902 Larval foodplant(s): *Angelica sylvestris*, *Cicuta virosa*, *Heracleum spondylium*, *Laserpitium*, *Peucedanum officinale*, *Sambucus nigra* (Blaschke,1914); *Betula* (Skou,1986).
- 1538. Cyclophora annularia (Fabricius,1775)** (Geometridae) Synonym(s): *annularia* Fabricius,1775; *annulata* Schulze,1775
- 1539. Cyclophora linearia (Hübner,[1799])** (Geometridae) Synonym(s): *zonata* Fourcroy,1785; *luteolaria* Villers,1789; *linearia* Hübner,[1799]; *strabonaria* Zeller,1851 Larval foodplant(s): *Fagus sylvatica*, *Quercus*, *Vaccinium myrtillus* (Meyer,1919; Skou,1986).
- 1540. Cyclophora pendularia (Clerck,1759)** (Geometridae) Synonym(s): *pendularia* Clerck,1759; *orbicularia* Hübner,1799 Larval foodplant(s): *Alnus*, *Betula*, *Quercus*, *Salix cinerea* (Meyer,1919; Skou,1986).
- 1541. Cyclophora porata (Linnaeus,1767)** (Geometridae) Synonym(s): *porata* Linnaeus,1767; *huebneraria* Haworth,1809; *poraria* Latreille,1825 Larval foodplant(s): *Betula*, *Quercus* (Meyer,1919; Skou,1986).
- 1542. Cyclophora punctaria (Linnaeus,1758)** (Geometridae) Synonym(s): *punctaria* Linnaeus,1758; *amata* Linnaeus,1758; *teutonaria* Linnaeus,1758; *amataria* Linnaeus,1761; *fultaria* Villers,1789; *communifasciata* Donovan,1808; *unifasciata* Donovan,1808; *subangularia* Haworth,1809; *acutaria* Roquette,1857; *naevata* Bastelberger,1900 Larval foodplant(s): *Betula*, *Quercus* (Meyer,1919; Skou,1986).
- 1543. Cyclophora punctaria fritzae Hausmann,2003** (Geometridae) Synonym(s): *fritzae* Hausmann,2003
- 1544. Cyclophora punctaria punctaria (Linnaeus,1758)** (Geometridae) Synonym(s): *punctaria* Linnaeus,1758; *amata* Linnaeus,1758; *teutonaria* Linnaeus,1758; *amataria* Linnaeus,1761; *fultaria* Villers,1789; *communifasciata* Donovan,1808; *unifasciata* Donovan,1808; *subangularia* Haworth,1809; *acutaria* Roquette,1857; *naevata* Bastelberger,1900
- 1545. Cyclophora pupillaria (Hübner,[1799])** (Geometridae) Synonym(s): *pupillaria* Hübner,[1799]. Larval foodplant(s): *Arbutus unedo*, *Cistus*, *Myrtus*, *Phillyrea*, *Quercus ilex* (South,1961; Skou,1986; Calle et al.,2000).
- 1546. Cyclophora quercimontaria (Bastelberger,1897)** (Geometridae) Synonym(s): *quercimontaria* Bastelberger,1897; *nigrosparsaria* Scoble,1999; *privataria* Scoble,1999 Larval foodplant(s): *Quercus* (Meyer,1919; Skou,1986).
- 1547. Cyclophora quercimontaria quercimontaria (Bastelberger,1897)** (Geometridae) Synonym(s): *quercimontaria* Bastelberger,1897; *nigrosparsaria* Scoble,1999; *privataria* Scoble,1999
- 1548. Cyclophora ruficiliaria (Herrich-Schäffer,[1855])** (Geometridae) Synonym(s): *ruficiliaria* Herrich-Schäffer,[1855] Larval foodplant(s): *Quercus* (Meyer,1919; Wiltshire,1957).
- 1549. Deileptenia ribeata (Clerck,1759)** (Geometridae) Synonym(s): *ribeata* Clerck,1759 Larval foodplant(s): *Abies*, *Picea*, *Quercus*, *Taxus* [baccata] (Meyer,1919).
- 1550. Devenilia corearia (Leech,1891)** (Geometridae) Synonym(s): *corearia* Leech,1891; *disparata* Staudinger,1897

- 1551. *Devenilia corearia corearia* (Leech,1891)** (Geometridae) Synonym(s): *corearia* Leech,1891; *disparata* Staudinger,1897
- 1552. *Diaprepesilla flavomarginaria* (Bremer,1864)** (Geometridae) Synonym(s): *flavomarginaria* Bremer,1864
- 1553. *Diaprepesilla flavomarginaria flavomarginaria* (Bremer,1864)** (Geometridae) Synonym(s): *flavomarginaria* Bremer,1864
- 1554. *Digrammia rippertaria* (Duponchel,1830)** (Geometridae) Synonym(s): *rippertaria* Duponchel,1830; *hebetata* Hulst,1881; *ponderosa* Barnes & McDunnough,1917; *demaculata* Barnes & McDunnough,1917; *tulareata* Cassino & Swett,1923. Larval foodplant(s): *Salix* (Meyer,1919).
- 1555. *Digrammia rippertaria rippertaria* (Duponchel,1830)** (Geometridae) Synonym(s): *rippertaria* Duponchel,1830; *hebetata* Hulst,1881; *ponderosa* Barnes & McDunnough,1917; *demaculata* Barnes & McDunnough,1917; *tulareata* Cassino & Swett,1923.
- 1556. *Dyschlopsis impararia* (Guenée,[1858])** (Geometridae) Synonym(s): *impararia* Guenée,[1858]
- 1557. *Dyscia* (Calodyscia) *innocentaria* (Christoph,1885)** (Geometridae) Synonym(s): *innocentaria* Christoph,1885; *sicanaria* Oberthür,1923
- 1558. *Dyscia* (Calodyscia) *innocentaria innocentaria* (Christoph,1885)** (Geometridae) Synonym(s): *innocentaria* Christoph,1885; *sicanaria* Oberthür,1923
- 1559. *Dyscia* (Warneckeella) *malatyana* (Wehrli,1934)** (Geometridae) Synonym(s): *malatyana* Werli,1934; *dagestana* Wehrli,1934
- 1560. *Dyscia* (Warneckeella) *malatyana malatyana* (Wehrli,1934)** (Geometridae) Synonym(s): *malatyana* Werli,1934; *dagestana* Wehrli,1934; *senecai* Wiltshire,1990.
- 1561. *Dyscia* (s.str.) *conspersaria* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *conspersaria* [Denis & Schiffermüller],1775; *cuniculina* Hübner,1790; *cunicularia* Esper,1803; *turturaria* Boisduval,1840 Larval foodplant(s): *Artemisia*, *Salvia* (Meyer,1919).
- 1562. *Dysgnophos mcguffini* (Smiles,1980)** (Geometridae) Synonym(s): *mcguffini* Smiles,1980
- 1563. *Ecliptopera capitata* (Herrich-Schäffer,1839)** (Geometridae) Synonym(s): *posticata* Fabricius,1794; *capitata* Herrich-Schäffer,1839; *capitaria* Boisduval,1840; *balsaminata* Freyer,1842 Larval foodplant(s): *Impatiens* (Meyer,1919).
- 1564. *Ecliptopera silaceata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *silaceata* [Denis & Schiffermüller],1775; *insulata* Haworth,1809; *cuneata* Donovan,1810; *silacearia* Boisduval,1840 Larval foodplant(s): *Epilobium angustifolium*, *Impatiens* (Meyer,1919).
- 1565. *Ecliptopera umbrosaria* (Motschulsky,1861)** (Geometridae) Synonym(s): *umbrosaria* Motschulsky,1861; *hachijoensis* Inoue,1954
- 1566. *Ectropis bistortata* (Goeze,1781)** (Geometridae) Synonym(s): *#crepuscularia* [Denis & Schiffermüller],1775; *virginaria* Cramer,[1780]; *bistortata* Goeze,1781; *biundulata* Villers,1789; *biundularia* Borkhausen,1794; *baeticaria* Scharfenberg,1805; *strigularia* Stephens,1831; *defessaria* Freyer,1847; *occiduaria* Guenée,[1858]; *divisaria* Walker,1860 *nec* Wlk.,1860; *intrataria* Walker,1860; *signaria* Walker,1860; *spatiosaria* Walker,1860; *abraxaria* Walker,1860; *cineraria* Walker,1860; *crepusculata* Herrich-Schäffer,1863; *fumataria* Minot,1869; *tristis* Riesen,1897 Larval foodplant(s): *Alnus glutinosa*, *Betula*, *Larix*, *Polygonum*, *Prunus domestica*, *Pyrus*, *Quercus robur*, *Rosa*, *Salix*, *Ulmus* (Meyer,1919).
- 1567. *Eilicrinia cordiaria* (Hübner,1790)** (Geometridae) Synonym(s): *cordiaria* Hübner,1790 Larval foodplant(s): *Salix caprea* (Meyer,1919; Wiltshire,1957).
- 1568. *Eilicrinia nuptaria* Bremer,1864** (Geometridae) Synonym(s): *nuptaria* Bremer,1864; *ophthalmicata* Wehrli,1927
- 1569. *Eilicrinia subcordaria* (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *tritomata* Fischer de Waldheim,1840; *subcordaria* Herrich-Schäffer,[1852]; *anicularia* Eversmann,1852; *freitagaria* Möschler,1854; *subcordata* Herrich-Schäffer,1861.

- 1570. *Ellicrinia trinotata* (Metzner,1845)** (Geometridae) Synonym(s): *trinotata* Metzner,1845 Larval foodplant(s): *Quercus coccifera*, *Ulmus campestris* (Lederer,1865; Staudinger,1879; Romanoff, 1885).
- 1571. *Ellicrinia unimaculata* Püngeler,1914** (Geometridae) Synonym(s): *unimaculata* Püngeler,1914
- 1572. *Ellicrinia wehrlii* Djakonov,1933** (Geometridae) Synonym(s): *wehrlii* Djakonov,1933
- 1573. *Ellicrinia wehrlii mandschuria* Wehrli,1940** (Geometridae) Synonym(s): *mandschuria* Wehrli,1940
- 1574. *Electrophaes corylata* (Thunberg,1792)** (Geometridae) Synonym(s): *corylata* Thunberg,1792; *ruptata* Hübner,[1799]; *albocrenata* Curtis,1836; *ruptaria* Boisduval,1840 Larval foodplant(s): *Betula*, *Prunus spinosa*, *Tilia* (Meyer,1919).
- 1575. *Electrophaes corylata albida* (Herz,1905)** (Geometridae) Synonym(s): *albida* Herz,1905
- 1576. *Electrophaes corylata corylata* (Thunberg,1792)** (Geometridae) Synonym(s): *corylata* Thunberg,1792; *ruptata* Hübner,[1799]; *albocrenata* Curtis,1836; *ruptaria* Boisduval,1840
- 1577. *Electrophaes corylata fabrefactaria* (Oberthür,1880)** (Geometridae) Synonym(s): *fabrefactaria* Oberthür,1880
- 1578. *Electrophaes corylata granitalis* (Butler,1881)** (Geometridae) Synonym(s): *granitalis* Butler,1881
- 1579. *Electrophaes corylata sachalinensis* (Viidalepp,1982)** (Geometridae) Synonym(s): *sachalinensis* Viidalepp,1982
- 1580. *Electrophaes recens* Inoue,1982** (Geometridae) Synonym(s): *recens* Inoue,1982
- 1581. *Elophos (Elophos) operaria* (Hübner,[1813])** (Geometridae) Synonym(s): *operaria* Hübner,[1813]
- 1582. *Elophos (Parietaria) dilucidaria* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *dilucidaria* [Denis & Schiffermüller],1775
- 1583. *Elophos (Parietaria) vittaria* (Thunberg,1788)** (Geometridae) Synonym(s): *vittaria* Thunberg,1788
- 1584. *Ematurga atomaria* (Linnaeus,1758)** (Geometridae) Synonym(s): *atomaria* Linnaeus,1758; *isoscelata* Scopoli,1763; *pennata* Scopoli,1763; *aceraria* Hufnagel,1767; *artemisaria* Herbst,1782; *picta*, *microcosa* Fourcroy,1785; *glarearia* Hübner,[1799]; *obsoletaria* Zett.,1839; *minuta* Heydemann,1925; *arenaria* Candeze,1926. Larval foodplant(s): *Betula pendula*, *B. pubescens* (Betulaceae); *Arctium minus*, *Artemisia vulgaris*, *Centaurea*, *Chrysanthemum vulgare*, *Solidago virgaurea* (Asteraceae); *Carex* (Cyperaceae); *Calluna vulgaris*, *Erica*, *Ledum palustre*, *Vaccinium uliginosum* (Ericaceae); *Hypericum maculatum* (Clusiaceae); *Thymus serpyllum* (Lamiaceae); *Trifolium repens* (Fabaceae); *Sorbus aucuparia* (Rosaceae); *Salix aurita*, *S. lapponum*, *S. phylicifolia* (Salicaceae) (Scoble,1999).
- 1585. *Ematurga atomaria atomaria* (Linnaeus,1758)** (Geometridae) Synonym(s): *atomaria* Linnaeus,1758; *isoscelata* Scopoli,1763; *pennata* Scopoli,1763; *aceraria* Hufnagel,1767; *artemisaria* Herbst,1782; *picta*, *microcosa* Fourcroy,1785; *glarearia* Hübner,[1799]; *obsoletaria* Zett.,1839; *minuta* Heydemann,1925; *arenaria* Candeze,1926.
- 1586. *Ematurga atomaria krassnojarscensis* Fuchs,1899** (Geometridae) Synonym(s): *krassnojarscensis* Fuchs,1899
- 1587. *Ennomos (Deuteronomos) alniarius* (Linnaeus,1758)** (Geometridae) Synonym(s): *alniaria* Linnaeus,1758 Larval foodplant(s): *Alnus*, *Betula*, *Salix*, *Tilia* (Meyer,1919).
- 1588. *Ennomos (Deuteronomos) erosarius* (Hübner,1790)** (Geometridae) Synonym(s): *#erosaria* [Denis & Schiffermüller],1775; *Hübner,1790*. Larval foodplant(s): *Betula*, *Carpinus betulus*, *Fagus*, *Quercus*, *Tilia* (Meyer,1919).

- 1589. Ennomos (Deuteronomos) fuscantarius (Haworth,1809)** (Geometridae) Synonym(s): *fuscantaria* Haworth,1809 Larval foodplant(s): Fraxinus (Meyer,1919).
- 1590. Ennomos (Deuteronomos) quercarius (Hübner,[1813])** (Geometridae) Synonym(s): *quercaria* Hübner,[1813] Larval foodplant(s): Betula, Quercus (Staudinger,1879; Meyer,1919).
- 1591. Ennomos (s.str.) autumnarius (Werneburg,1859)** (Geometridae) Synonym(s): *autumnaria* Werneburg,1859 Larval foodplant(s): Alnus, Betula, Quercus (Meyer,1919).
- 1592. Ennomos (s.str.) effractarius Freyer,[1842]** (Geometridae) Synonym(s): *effractaria* Freyer,[1842]
- 1593. Ennomos (s.str.) quercinarius (Hufnagel,1767)** (Geometridae) Synonym(s): *quercinaria* Hufnagel,1767; *angularia* [Denis & Schiffermüller],1775; *zona* Fourcroy,1785; *carpinaria* Hübner,[1799] Larval foodplant(s): Betula, Fagus, Quercus, Tilia (Meyer,1919).
- 1594. Entephria caesiata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *caesiata* [Denis & Schiffermüller],1775 Larval foodplant(s): Vaccinium myrtillus, V. vitis-idaea (Meyer,1919).
- 1595. Entephria calcephila Tikhonov,1994** (Geometridae) Synonym(s): *calcephila* Tikhonov,1994
- 1596. Entephria cyanata (Hübner,[1809])** (Geometridae) Synonym(s): *cyanata* Hübner,[1809] Larval foodplant(s): Arabis alpina, A. ciliata (Meyer,1919).
- 1597. Entephria flavicinctata (Hübner,[1813])** (Geometridae) Synonym(s): *flavicinctata* Hübner,[1813]; *griseicinctata* Bruand,1850; *rubigicinctata* Bruand,1850; *ruficinctata* Guenée,[1858]; *obscurata* Staudinger,1901; *samnitaria* Sohn-Rethel,1929; *septentrionalis* Warnecke,1934 Larval foodplant(s): Salix, Saxifraga (Meyer,1919).
- 1598. Entephria flavicinctata elbrusensis Tikhonov,1994** (Geometridae) Synonym(s): *elbrusensis* Tikhonov,1994; *#elbursensis* Viidalepp,1996
- 1599. Entephria flavicinctata flavicinctata (Hübner,[1813])** (Geometridae) Synonym(s): *flavicinctata* Hübner,[1813]; *griseicinctata* Bruand,1850; *rubigicinctata* Bruand,1850; *ruficinctata* Guenée,[1858]; *obscurata* Staudinger,1901; *samnitaria* Sohn-Rethel,1929; *septentrionalis* Warnecke,1934
- 1600. Entephria ignorata (Staudinger,1892)** (Geometridae) Synonym(s): *ignorata* Staudinger,1892
- 1601. Entephria ignorata ignorata (Staudinger,1892)** (Geometridae) Synonym(s): *ignorata* Staudinger,1892
- 1602. Entephria kuznetsovi Viidalepp,1975** (Geometridae) Synonym(s): *kuznetsovi* Viidalepp,1975
- 1603. Entephria muscosaria (Christoph,1893)** (Geometridae) Synonym(s): *muscosaria* Christoph,1893
- 1604. Entephria polata (Duponchel,1830)** (Geometridae) Synonym(s): *polata* Duponchel,1830; *polaria* Boisduval,1840; *fumidotata* Walker,[1863]; *cineraria* Schöyen,1880 *nec* Butl.,1878; *ursata* Munroe,1951
- 1605. Entephria polata occata (Püngeler,1904)** (Geometridae) Synonym(s): *occata* Püngeler,1904
- 1606. Entephria polata transsibirica Vasilenko,1990** (Geometridae) Synonym(s): *transsibirica* Vasilenko,1990
- 1607. Entephria polata tundraeata (Poppius,1906)** (Geometridae) Synonym(s): *tundraeata* Poppius,1906
- 1608. Entephria punctipes (Curtis,1835)** (Geometridae) Synonym(s): *punctipes* Curtis,1835; *brullei* Lefèvre,1836; *brulleata* Duponchel,1842; *byssata* Aurivillius,1891
- 1609. Entephria sachaensis Vasilenko,1990** (Geometridae) Synonym(s): *sachaensis* Vasilenko,1990

- 1610. *Entephria tejmurovi* Tikhonov,1994** (Geometridae) Synonym(s): *tejmurovi* Tikhonov,1994
- 1611. *Entephria tzygankoi* Wehrli,1929** (Geometridae) Synonym(s): *tzygankoi* Wehrli,1929
- 1612. *Epione repandaria* (Hufnagel,1767)** (Geometridae) Synonym(s): *repandaria* Hufnagel,1767; *apiciaria* [Denis & Schiffermüller],1775; *marginaria* Villers,1789; *demarginaria* Wehrli,1940; *franziscaria* Müller,1962 a on *Salix phylicifolia* (Salicaceae) (Scoble,1999).
- 1613. *Epione vespertaria* (Linnaeus,1767)** (Geometridae) Synonym(s): *vespertaria* Linnaeus,1767; *paraellaria* [Denis & Schiffermüller],1775; *affiniaria* Borkhausen,1794; *amura* Wehrli,1940
- 1614. *Epirranthis diversata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *diversata* [Denis & Schiffermüller],1775 Larval foodplant(s): *Populus tremula* (Meyer,1919).
- 1615. *Epirrhoe alternata* (Müller,1764)** (Geometridae) Synonym(s): *alternata* Müller,1764; *sociata* Borkhausen,1794; *degenerata* Haworth,1809; *subtristata* Haworth,1809; *contristata* Donovan,1811; *aparinata* Hübner,[1825].
- 1616. *Epirrhoe alternata albotaeniatula* (Bryk,1942)** (Geometridae) Synonym(s): *albotaeniatula* Bryk,1942
- 1617. *Epirrhoe alternata alternata* (Müller,1764)** (Geometridae) Synonym(s): *alternata* Müller,1764; *sociata* Borkhausen,1794; *degenerata* Haworth,1809; *subtristata* Haworth,1809; *contristata* Donovan,1811; *aparinata* Hübner,[1825].
- 1618. *Epirrhoe alternata pseudotristata* (Heydemann,1936)** (Geometridae) Synonym(s): *pseudotristata* Heydemann,1936
- 1619. *Epirrhoe alternata subgressa* (Bryk,1942)** (Geometridae) Synonym(s): *subgressa* Bryk,1942
- 1620. *Epirrhoe galiata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *galiata* [Denis & Schiffermüller],1775; *quadriannulata* Haworth,1809; *unilobata* Haworth,1809; *chalybeata* Hübner,[1813]; *eophanata* Krulikowsky,1906; *emina* Schawerda,1912 Larval foodplant(s): *Galium sylvaticum*, *G. verum* (Meyer, 1919; Calle et al., 2000).
- 1621. *Epirrhoe galiata eophanata* (Krulikowski,1906)** (Geometridae) Synonym(s): *eophanata* Krulikowski,1906
- 1622. *Epirrhoe hastulata* (Hübner,1790)** (Geometridae) Synonym(s): *hastulata* Hübner,1790; *luctuata* Hübner,[1799]
- 1623. *Epirrhoe hastulata hastulata* (Hübner,1790)** (Geometridae) Synonym(s): *hastulata* Hübner,1790; *luctuata* Hübner,[1799]
- 1624. *Epirrhoe hastulata reducta* (Djakonov,1929)** (Geometridae) Synonym(s): *reducta* Djakonov,1929
- 1625. *Epirrhoe molluginata* (Hübner,[1813])** (Geometridae) Synonym(s): *molluginata* Hübner,[1813] Larval foodplant(s): *Galium* (Meyer,1919).
- 1626. *Epirrhoe pupillata* (Thunberg,1788)** (Geometridae) Synonym(s): *pupillata* Thunberg,1788; *funerata* Hübner,[1799]; *reducta* Osthelder,1929 nec Djak.,1929 [priority!?!].
- 1627. *Epirrhoe pupillata pupillata* (Thunberg,1788)** (Geometridae) Synonym(s): *pupillata* Thunberg,1788; *funerata* Hübner,[1799]; *reducta* Osthelder,1929 nec Djak.,1929 [priority!?!].
- 1628. *Epirrhoe reductula* (Bryk,1942)** (Geometridae) Synonym(s): *reductula* Bryk,1942
- 1629. *Epirrhoe rivata* (Hübner,[1813])** (Geometridae) Synonym(s): *rivata* Hübner,[1813] Larval foodplant(s): *Galium verum* (Meyer,1919).
- 1630. *Epirrhoe rivatula* (Bryk,1942)** (Geometridae) Synonym(s): *rivatula* Bryk,1942
- 1631. *Epirrhoe supergressa* (Butler,1879)** (Geometridae) Synonym(s): *supergressa* Butler,1879
- 1632. *Epirrhoe supergressa albigressa* (L.B.Prout,1938)** (Geometridae) Synonym(s): *albigressa* L.B.Prout,1938

- 1633. Epirrhoe supergressa subgressa (Bryk,1942)** (Geometridae)
Synonym(s): *subgressa* Bryk,1942
- 1634. Epirrhoe supergressa xenos (Bryk,1942)** (Geometridae) Synonym(s):
xenos Bryk,1942
- 1635. Epirrhoe tartuensis Moels,1965** (Geometridae) Synonym(s): *tartuensis*
Moels,1965
- 1636. Epirrhoe tristata (Linnaeus,1758)** (Geometridae) Synonym(s): *tristata*
Linnaeus,1758; *limbosignata* Nolcken,1867 Larval foodplant(s): *Galium sylvaticum*
(Meyer,1919).
- 1637. Epirrita autumnata (Borkhausen,1794)** (Geometridae) Synonym(s):
autumnata Borkhausen,1794; *autumnaria* Doubleday,1849; *approximaria* Weaver,1852; *altivagata*
Hartig,1938 Larval foodplant(s): *Salix* (Meyer,1919).
- 1638. Epirrita christyi (Allen,1906)** (Geometridae) Synonym(s): *christyi* Allen,1906
- 1639. Epirrita dilutata ([Denis & Schiffermüller],1775)** (Geometridae)
Synonym(s): *#dilutata* [Denis & Schiffermüller],1775; *nebulata* Thunberg,1784; *impluviata*
Borkhausen,1794; *fimbriata* Haworth,1809; *inscriptata* Donovan,1811; *neglectata* Weaver,1852;
unicolorata Lambillion,1905 Larval foodplant(s): *Quercus robur*, *Betula*, *Corylus*,
Crataegus, *Prunus spinosa*, *Rosa*, *Salix* ([Denis & Schiffermüller],1775;
Meyer,1919).
- 1640. Erannis declinans (Staudinger,1879)** (Geometridae) Synonym(s):
declinans Staudinger,1879. Larval foodplant(s): *Paliurus* (Meyer,1919).
- 1641. Erannis defoliaria (Linnaeus,1761)** (Geometridae) Synonym(s): *#defoliaria*
Clerk,1759; *defoliaria* Linnaeus,1761 Larval foodplant(s): *Betula*, *Crataegus monogyna*,
Fagus, *Prunus spinosa*, *P. domestica*, *Pyrus*, *Quercus*, *Salix* (Meyer,1919; Calle et
al.,2000).
- 1642. Euchoeca nebulata (Scopoli,1763)** (Geometridae) Synonym(s): *nebulata*
Scopoli,1763; *obliterata* Hufnagel,1767; *heparata* [Denis & Schiffermüller],1775; *strigata* Thunberg,1788 *nec*
Sc.,1763; *hepararia* Hübner,[1799]
- 1643. Eulithis mellinata (Fabricius,1787)** (Geometridae) Synonym(s): *mellinata*
Fabricius,1787; *associata* Borkhausen,1794; *marmorata* Hübner,[1799]; *spinaciata* Haworth,1809;
marmoraria Boisduval,1840. Larval foodplant(s): *Ribes alpinum*, *R. nigrum*, *R.*
rubrum, *R. uva-crispa*.
- 1644. Eulithis populata (Linnaeus,1758)** (Geometridae) Synonym(s): *populata*
Linnaeus,1758; *dotata* Linnaeus,1758; *popularia* Boisduval,1840. Larval foodplant(s): *Populus*,
Salix (Salicaceae), *Vaccinium myrtillus* (Linnaeus,1758; Meyer,1919; et seq.).
- 1645. Eulithis prunata (Linnaeus,1758)** (Geometridae) Synonym(s): *prunata*
Linnaeus,1758; *ribesaria* Boisduval,1840 Larval foodplant(s): *Prunus*, *Ribes* (Rosaceae)
(Linnaeus,1758; Boisduval,1840; Meyer,1919; et seq.).
- 1646. Eulithis pyraliata ([Denis & Schiffermüller],1775)** (Geometridae)
Synonym(s): *#pyraliata* [Denis & Schiffermüller],1775; *?aurantiaca* Fourcroy,1785; *pyraliaria*
Boisduval,1840; *dotata sensu* Staudinger,1877 Larval foodplant(s): *Galium verum*, *G.*
aparine (Rubiaceae) ([Denis & Schiffermüller],1775; et seq.).
- 1647. Eulithis pyropata (Hübner,[1809])** (Geometridae) Synonym(s): *pyropata*
Hübner,[1809] Larval foodplant(s): *Ribes* (Meyer,1919).
- 1648. Eulithis testata (Linnaeus,1761)** (Geometridae) Synonym(s): *testata*
Linnaeus,1761 Larval foodplant(s): *Populus tremula*, *Salix* (Meyer,1919).
- 1649. Euphyia biangulata (Haworth,[1809])** (Geometridae) Synonym(s):
biangulata Haworth,[1809]; *picata* Hübner,[1813]
- 1650. Euphyia cineraria (Butler,1878)** (Geometridae) Synonym(s): *cineraria*
Butler,1878
- 1651. Euphyia cineraria luctuosaria (Oberthür,1879)** (Geometridae)
Synonym(s): *luctuosaria* Oberthür,1879

- 1652. Euphyia coangulata (L.B.Prout,1938)** (Geometridae) Synonym(s): *coangulata* L.B.Prout,1938
- 1653. Euphyia scripturata (Hübner,[1799])** (Geometridae) Synonym(s): *scripturata* Hübner,[1799]; *placidaria* Freyer,1852
- 1654. Euphyia unangulata (Haworth,1809)** (Geometridae) Synonym(s): *bicolorata* Borkhausen,1794; *unangulata* Haworth,1809; *amniculata* Hübner,[1813]; *amnicularia* Boisduval,1840; *gracilaria* A.Bang-Haas,1906; *tonnaichana* Matsumura,1925; *chinensis* Sterneck,1928; *regnelli* Bryk,1942; *renei* Bryk,1948 Larval foodplant(s): *Minuartia hybrida* [tenuifolia], *M. media* (Meyer,1919).
- 1655. Eupithecia abbreviata Stephens,1831** (Geometridae) Synonym(s): *nebulata* Haworth,1809; *abbreviata* Stephens,1831 Larval foodplant(s): *Quercus robur* (Fagaceae) (Blaschke,1914; Meyer,1919; Courtois,1987).
- 1656. Eupithecia abietaria (Goeze,1781)** (Geometridae) Synonym(s): *pini* Retzius,1783 nec Linn.,1758; *abietaria* Goeze,1781; *strobilata* Borkhausen,1794; *togata* Hübner,[1817]; *bilunulata* Zetterstedt,1839; *togaria* Boisduval,1840. Larval foodplant(s): *Abies*, *Picea*, *Pinus abies*, *Quercus* (Blaschke,1914; Meyer,1919).
- 1657. Eupithecia abietaria deprunneata Staudinger,1897** (Geometridae) Synonym(s): *deprunneata* Staudinger,1897
- 1658. Eupithecia absinthiata (Clerck,1759)** (Geometridae) Synonym(s): *#absinthiata* Clerck,1759; *minutata* [Denis & Schiffermüller],1775; *elongata* Haworth,1809; *notata* Stephens,1831; *minutaria* Boisduval,1840; *absinthiaria* Herrich-Schäffer,1848; *elongaria* Doubleday,1849; *callunae* Speyer,1867; *geminata* Packard,1873; *knautiana* Gregson,1874 Larval foodplant(s): *Achillea millefolium*, *Artemisia absinthium*, *A. campestris*, *A. vulgaris*, *Aster*, *Chrysanthemum vulgare*, *Cirsium arvense*, *Eupatorium cannabinum*, *Senecio vulgaris*, *S. jacobaea*, *Solidago canadensis*, *S. puberula*, *S. virgaurea*, *Tanacetum vulgare*, *Pimpinella* (Asteraceae), *Salix* (Salicaceae) (Blaschke,1914; Meyer,1919; Courtois,1987; Scoble,1999).
- 1659. Eupithecia actaeata Walderdorff,1869** (Geometridae) Synonym(s): *actaeata* Walderdorff,1869; *bergunensis* Dietze,1875 Larval foodplant(s): *Actaea spicata*, *Thalictrum aquilegifolium*, *Viburnum opulus* (Blaschke,1914; Meyer,1919).
- 1660. Eupithecia addictata Dietze,1908** (Geometridae) Synonym(s): *addictata* Dietze,1908; *danielata* Schütze,1959; *pseudoplumbeolata* Vojnits,1973; *rudniki* Vojnits,1973; *falkovishi* Viidalepp,1976; *koreaica* Vojnits & De Laever,1978
- 1661. Eupithecia aggregata Guenée,[1858]** (Geometridae) Synonym(s): *aggregata* Guenée,[1858]
- 1662. Eupithecia albidulata Staudinger,1892** (Geometridae) Synonym(s): *albidulata* Staudinger,1892; *centricaucasica* Alberti,1969; *postulata* Vojnits,1975
- 1663. Eupithecia aliena Vojnits,1982** (Geometridae) Synonym(s): *aliena* Vojnits,1982
- 1664. Eupithecia alliaria Staudinger,1870** (Geometridae) Synonym(s): *alliaria* Staudinger,1870; *#notata* Dietze,1910 nec Sph.,1831 Larval foodplant(s): *Allium flavum* (Meyer,1919).
- 1665. Eupithecia amplexata Christoph,1881** (Geometridae) Synonym(s): *amplexata* Christoph,1881
- 1666. Eupithecia amurensis Schwingenschuss,1954** (Geometridae) Synonym(s): *amurensis* Schwingenschuss,1954
- 1667. Eupithecia analoga Djakonov,1926** (Geometridae) Synonym(s): *analoga* Djakonov,1926; *europaea* Lempke,1969.
- 1668. Eupithecia assa Mironov,1989** (Geometridae) Synonym(s): *assa* Mironov,1989
- 1669. Eupithecia assimilata Doubleday,1856** (Geometridae) Synonym(s): *assimilata* Doubleday,1856; *fumosa* Hulst,1896; *grisea* Dietze,1910 Larval foodplant(s): *Humulus lupulus* (Cannabaceae), *Ribes rubrum* (Meyer,1919; Courtois,1987).
- 1670. Eupithecia barteli Dietze,1908** (Geometridae) Synonym(s): *barteli* Dietze,1908

- 1671. *Eupithecia bella* Staudinger, 1897** (Geometridae) Synonym(s): *bella* Staudinger, 1897
- 1672. *Eupithecia biornata* Christoph, 1867** (Geometridae) Synonym(s): *biornata* Christoph, 1867 Larval foodplant(s): *Artemisia* (Meyer, 1919).
- 1673. *Eupithecia bohatschi* Staudinger, 1897** (Geometridae) Synonym(s): *bohatschi* Staudinger, 1897; *kawakamiana* Matsumura, 1925; *tuvinica* Viidalepp, 1976
- 1674. *Eupithecia breviculata* (Donzel, 1837)** (Geometridae) Synonym(s): *breviculata* Donzel, 1837; *anatolica* Schwingenschuss, 1939; *georgica* Vojnits, 1977. Larval foodplant(s): *Ptychotis* (Meyer, 1919).
- 1675. *Eupithecia caeruleata* Favre, 1899** (Geometridae) Synonym(s): *caeruleata* Favre, 1899 Larval foodplant(s): *Silene nemoralis*, *S. otites* (Meyer, 1919).
- 1676. *Eupithecia caliginea* Butler, 1878** (Geometridae) Synonym(s): *caliginea* Butler, 1878
- 1677. *Eupithecia caliginea zibellinata* Christoph, 1881** (Geometridae) Synonym(s): *zibellinata* Christoph, 1881
- 1678. *Eupithecia carpophilata* Staudinger, 1897** (Geometridae) Synonym(s): *carpophilata* Staudinger, 1897; *collega* Dietze, 1908; *kaszabi* Vojnits, 1974.
- 1679. *Eupithecia cauchiata* (Duponchel, 1831)** (Geometridae) Synonym(s): *cauchiata* Duponchel, 1831; *griseimarginata* Harpe, 1853; *majoraria* Harpe, 1855 Larval foodplant(s): *Solidago* (Meyer, 1919).
- 1680. *Eupithecia conterminata* (Lienig & Zeller, 1846)** (Geometridae) Synonym(s): *conterminata* Lienig & Zeller, 1846; *manniaria* Herrich-Schäffer, 1848; *idiopusillata* Inoue, 1979 Larval foodplant(s): *Pinus* (Meyer, 1919).
- 1681. *Eupithecia daemionata* Dietze, 1904** (Geometridae) Synonym(s): *daemionata* Dietze, 1904; *accessata* Dietze, 1910
- 1682. *Eupithecia denotata* (Hübner, [1813])** (Geometridae) Synonym(s): *denotata* (Hübner, [1813]; *atraria* Herrich-Schäffer, [1848]; *campanulata* Herrich-Schäffer, 1861; *primulata* Millière, 1874; *jasionata* Crewe, 1881; *livida* Dietze, 1910. Larval foodplant(s): *Campanula*, *Phyteuma* (Meyer, 1919).
- 1683. *Eupithecia despectaria* Lederer, 1853** (Geometridae) Synonym(s): *despectaria* Lederer, 1853
- 1684. *Eupithecia detritata* Staudinger, 1897** (Geometridae) Synonym(s): *detritata* Staudinger, 1897; *kamedai* Inoue, 1987; *amplicornuta* Viidalepp & Mironov, 1988
- 1685. *Eupithecia dissertata* (Püngeler, 1905)** (Geometridae) Synonym(s): *dissertata* Püngeler, 1905; *kaszabi* Vojnits, 1974; *certa* Vojnits, 1981
- 1686. *Eupithecia distinctaria* Herrich-Schäffer, [1848]** (Geometridae) Synonym(s): *distinctaria* Herrich-Schäffer, [1848]; *constrictata* Guenée, [1858]; *sextiata* Dardoin & Millière, 1867; *piemonticola* Schwingenschuss, 1954 Larval foodplant(s): *Galium sylvaticum*, *Hypericum*, *Thymus serpyllum*, *T. vulgaris* (Meyer, 1919).
- 1687. *Eupithecia dodoneata* Guenée, [1858]** (Geometridae) Synonym(s): *dodoneata* Guenée, [1858]; *quercifoliata* A. Bang-Haas, 1874; *austrina* Herbulot, 1962 Larval foodplant(s): *Crataegus*, *Quercus* (Meyer, 1919).
- 1688. *Eupithecia egenaria* Herrich-Schäffer, [1848]** (Geometridae) Synonym(s): *egenaria* Herrich-Schäffer, [1848]; *undosata* Dietze, 1875 Larval foodplant(s): *Scabiosa* (Meyer, 1919).
- 1689. *Eupithecia emanata* Dietze, 1908** (Geometridae) Synonym(s): *emanata* Dietze, 1908; *korbi* Dietze, 1908; *sordidata* Wileman, 1911; *subicterata* L.B. Prout, 1930
- 1690. *Eupithecia ericeata* (Rambur, 1833)** (Geometridae) Synonym(s): *ericeata* Rambur, 1833; *millierata* Staudinger, 1871 Larval foodplant(s): *Juniperus communis* (Meyer, 1919).
- 1691. *Eupithecia euxinata* Bohatsch, 1893** (Geometridae) Synonym(s): *#euxinata* Bohatsch, 1893
- 1692. *Eupithecia exigua* (Hübner, [1813])** (Geometridae) Synonym(s): *trimaculata* Haworth, 1809 nec Vill., 1789 ; *exigua* Hübner, [1813]; *ochreatea* Stephens, 1831; *exiguaria*

- Boisduval*,1840; *lanceolaria* Wood,1854; *muricolor* L.B.Prout,1938. Larval foodplant(s): *Acer*, *Berberis*, *Crataegus*, *Fraxinus*, *Hippophae*, *Ribes*, *Salix*, *Sorbus* (Meyer,1919).
- 1693. *Eupithecia expallidata* Doubleday,1856** (Geometridae) Synonym(s): *expallidata* Doubleday,1856 Larval foodplant(s): *Solidago virgaurea* (Meyer,1919).
- 1694. *Eupithecia extensaria* (Freyer,1844)** (Geometridae) Synonym(s): *extensaria* Freyer,1844; *prolongata* Lienig,1846; *sydyi* Staudinger,1885; *leuca* Dietze,1910; *prolongata* Dietze,1910 nec Lien.,1846; *occidua* L.B.Prout,1914 Larval foodplant(s): *Arthemisia absinthium*, *A. maritima* (Meyer,1919).
- 1695. *Eupithecia extraversaria* Herrich-Schäffer,[1852]** (Geometridae) Synonym(s): *extraversaria* Herrich-Schäffer,[1852]; *libanotidata* Guenée,[1858] Larval foodplant(s): *Angelica sylvestris*, *Athamanta libanotis*, *Laserpitium latifolium*, *Peucedanum oreoselinum*, *Pimpinella* (Meyer,1919).
- 1696. *Eupithecia extremata* (Fabricius,1787)** (Geometridae) Synonym(s): *extremata* Fabricius,1787; *glaucomictata* Mann,1855; *hangayi* Vojnits,1977.
- 1697. *Eupithecia fennoscandica* Knaben,1949** (Geometridae) Synonym(s): *fennoscandica* Knaben,1949
- 1698. *Eupithecia fuscicostata* Christoph,1887** (Geometridae) Synonym(s): *fuscicostata* Christoph,1887; *fuscostigma* Alpheraky,1892; *salami* Brandt,1938; *domogledana* Vojnits & Szabo,1988
- 1699. *Eupithecia gelidata* Möschler,1860** (Geometridae) Synonym(s): *gelidata* Möschler,1860; *hyperboreata* Staudinger,1861; *flebilis* Hulst,1900; *compactata* Taylor,1910; *lagganata* Taylor,1910; *nordeggensis* Cassino & Swett,1922.
- 1700. *Eupithecia gigantea* Staudinger,1897** (Geometridae) Synonym(s): *gigantea* Staudinger,1897; *karafutonis* Matsumura,1925
- 1701. *Eupithecia goossensiata* Mabille,1869** (Geometridae) Synonym(s): *goossensiata* Mabille,1869
- 1702. *Eupithecia graphata* (Treitschke,1828)** (Geometridae) Synonym(s): *graphata* Treitschke,1828; *corticulata* Freyer,1840; *italicata* Guenée,[1858] Larval foodplant(s): *Gypsophila fastigiata*, *Minuartia setacea* (Meyer,1919).
- 1703. *Eupithecia graphata graphata* (Treitschke,1828)** (Geometridae) Synonym(s): *graphata* Treitschke,1828; *corticulata* Freyer,1840; *italicata* Guenée,[1858]
- 1704. *Eupithecia habermani* Viidalepp & Mironov,1988** (Geometridae) Synonym(s): *habermani* Viidalepp & Mironov,1988
- 1705. *Eupithecia homographata* Dietze,1908** (Geometridae) Synonym(s): *homographata* Dietze,1908; *meszarosi* Vojnits,1973; *bicornuta* Oh,1992
- 1706. *Eupithecia homographata homographata* Dietze,1908** (Geometridae) Synonym(s): *homographata* Dietze,1908; *meszarosi* Vojnits,1973; *bicornuta* Oh,1992
- 1707. *Eupithecia homographata kamtschatica* Viidalepp & Mironov,1988** (Geometridae) Synonym(s): *kamtschatica* Viidalepp & Mironov,1988
- 1708. *Eupithecia icterata* (Villers,1789)** (Geometridae) Synonym(s): *icterata* Villers,1789; *oxydata* Treitschke,1828; *cognata* Stephens,1831; *ligustigata* Donzel,1838; *ferrugata* Duponchel,1842; *#ligusticata* Dietze,1910
- 1709. *Eupithecia icterata icterata* (Villers,1789)** (Geometridae) Synonym(s): *icterata* Villers,1789; *oxydata* Treitschke,1828; *cognata* Stephens,1831; *ligustigata* Donzel,1838; *ferrugata* Duponchel,1842; *#ligusticata* Dietze,1910
- 1710. *Eupithecia immundata* (Lienig & Zeller,1846)** (Geometridae) Synonym(s): *immundata* Lienig & Zeller,1846; *argillacearia* Herrich-Schäffer,1848; *reikjavikaria* Staudinger,1871 Larval foodplant(s): *Actaea spicata* (Meyer,1919).
- 1711. *Eupithecia impurata* (Hübner,[1813])** (Geometridae) Synonym(s): *impurata* Hübner,[1813]; *modicata* Hübner,[1813]; *proluaria* Freyer,1852; *badeniata* Schütze,1952; *germanicata* Schütze,1952; *gremmingerata* Schütze,1952; *langeata* Schütze,1952; *franconiata* Schütze,1956; *thuringiata* Schütze,1956; *westfalicata* Weigt,1982 Larval foodplant(s): *Campanula cochleariifolia*, *C. rotundifolia* (Meyer,1919).

- 1712. *Eupithecia indigata* (Hübner,[1813])** (Geometridae) Synonym(s): *indigata* Hübner,[1813]; *turfosata* Draudt,1903; *pliniata* Stauder,1929 Larval foodplant(s): *Pinus* (Meyer,1919).
- 1713. *Eupithecia indigata indigata* (Hübner,[1813])** (Geometridae) Synonym(s): *indigata* Hübner,[1813]; *turfosata* Draudt,1903
- 1714. *Eupithecia innotata* (Hufnagel,1767)** (Geometridae) Synonym(s): *innotata* Hufnagel,1767; *tamarisciata* Freyer,1836; *suspectata* Dietze,1871; *uliata* Staudinger,1897; *ulicada* Dietze,1910; *alexandriana* Vardikjan,1972; *sergiana* Vardikjan,1972. Larval foodplant(s): *Artemisia absinthium*, *A. campestris*, *A. vulgaris*, *Crataegus*, *Myricaria germanica*, *Prunus spinosa*, *Rosa*, *Fraxinus*, *Tamarix chinensis* (Freyer,1836; Mann,1862; Romanoff,1887; Meyer,1919; Scoble,1999).
- 1715. *Eupithecia insigniata* (Hübner,1790)** (Geometridae) Synonym(s): *insigniata* Hübner,1790; *consignata* Borkhausen,1794. Larval foodplant(s): *Crataegus*, *Pyrus malus*, *Prunus cerasus*, *Prunus spinosa* (Meyer,1919).
- 1716. *Eupithecia insigniata insigniata* (Hübner,1790)** (Geometridae) Synonym(s): *insigniata* Hübner,1790; *consignata* Borkhausen,1794.
- 1717. *Eupithecia intricata* Zetterstedt,[1839]** (Geometridae) Synonym(s): *intricata* Zetterstedt,[1839]; *helveticaria* Boisduval,1840
- 1718. *Eupithecia intricata intricata* Zetterstedt,[1839]** (Geometridae) Synonym(s): *intricata* Zetterstedt,[1839]; *helveticaria* Boisduval,1840
- 1719. *Eupithecia inturbata* (Hübner,[1817])** (Geometridae) Synonym(s): *inturbata* Hübner,[1817]; *neglectata* Herrich-Schäffer,1848; *subciliata* Doubleday,1856 Larval foodplant(s): *Acer campestre* (Meyer,1919).
- 1720. *Eupithecia irriguata* (Hübner,[1813])** (Geometridae) Synonym(s): *variegata* Haworth,1809 nec Scop.,1763; *irriguata* Hübner,[1813] Larval foodplant(s): *Fagus*, *Quercus* (Meyer,1919).
- 1721. *Eupithecia irriguata irriguata* (Hübner,[1813])** (Geometridae) Synonym(s): *variegata* Haworth,1809 nec Scop.,1763; *irriguata* Hübner,[1813]
- 1722. *Eupithecia kozhantschikovi* Wehrli,1929** (Geometridae) Synonym(s): *kozantschikovi* Wehrli,1929
- 1723. *Eupithecia kurilensis* Bryk,1942** (Geometridae) Synonym(s): *kurilensis* Bryk,1942; *angustipunctaria* Inoue,1979
- 1724. *Eupithecia lacteolata* Dietze,1906** (Geometridae) Synonym(s): *lacteolata* Dietze,1906
- 1725. *Eupithecia lacteolata sublacteolata* Werhli,1929** (Geometridae) Synonym(s): *sublacteolata* Werhli,1929
- 1726. *Eupithecia laquaearia* Herrich-Schäffer,[1848]** (Geometridae) Synonym(s): *laquaearia* Herrich-Schäffer,[1848]; *merinata* Guenée,[1858] Larval foodplant(s): *Euphrasia lutea*, *E. officinalis*, *Hypericum*, *Rhinanthus* (Meyer,1919).
- 1727. *Eupithecia lariciata* (Freyer,1841)** (Geometridae) Synonym(s): *residuata* Hübner,[1817]; *lariciata* Freyer,1841; *luteata* Packard,1867; *bifasciata* Dyar,1904 nec Warr.,1900; *catskillata* Pearsall,1908; *fasciata* Taylor,1910 nec Hamps.,1891 Larval foodplant(s): *Juniperus*, *Larix* (Meyer,1919).
- 1728. *Eupithecia lariciata lariciata* (Freyer,1841)** (Geometridae) Synonym(s): *residuata* Hübner,[1817]; *lariciata* Freyer,1841; *luteata* Packard,1867; *bifasciata* Dyar,1904 nec Warr.,1900; *catskillata* Pearsall,1908; *fasciata* Taylor,1910 nec Hamps.,1891
- 1729. *Eupithecia leptogrammata* Staudinger,1882** (Geometridae) Synonym(s): *leptogrammata* Staudinger,1882; *melanochroa* Wehrli,1927
- 1730. *Eupithecia linariata* (Fabricius,1787)** (Geometridae) Synonym(s): *#linariata* [Denis & Schiffermüller],1775; *linariata* Fabricius,1787 Larval foodplant(s): *Linaria vulgaris* (Scrophulariaceae) (Meyer,1919; Courtois,1987).

- 1731. *Eupithecia lvoyskyi* Mironov, 1988** (Geometridae) Synonym(s): *lvovskyi* Mironov, 1988
- 1732. *Eupithecia mandschurica* Staudinger, 1897** (Geometridae) Synonym(s): *mandschurica* Staudinger, 1897; *korbi* Dietze, 1910 nec Dietz., 1908
- 1733. *Eupithecia mandschurica mandschurica* Staudinger, 1897** (Geometridae) Synonym(s): *mandschurica* Staudinger, 1897; *korbi* Dietze, 1910 nec Dietz., 1908
- 1734. *Eupithecia mekrana* Brandt, 1941** (Geometridae) Synonym(s): *mekrana* Brandt, 1941; *commenticia* Vojnits, 1982; *idonea* Vojnits, 1982; *stulta* Vojnits, 1982.
- 1735. *Eupithecia memorata* Mironov, 1988** (Geometridae) Synonym(s): *memorata* Mironov, 1988
- 1736. *Eupithecia millefoliata* Roesler, 1866** (Geometridae) Synonym(s): *millefoliata* Roesler, 1866; *achilleata* Mabilie, 1869; *#maeoticaria* Bohatsch, 1893 Larval foodplant(s): *Achillea* (Meyer, 1919).
- 1737. *Eupithecia minibursae* Vojnits, 1980** (Geometridae) Synonym(s): *minibursae* Vojnits, 1980
- 1738. *Eupithecia minusculata* (Alpheraky, 1883)** (Geometridae) Synonym(s): *minusculata* Alpheraky, 1883; *inversaria* Turati, 1930; *penultimaria* Wiltshire, 1985.
- 1739. *Eupithecia moecha* Dietze, 1904** (Geometridae) Synonym(s): *moecha* Dietze, 1904; *magnifica* Vojnits & Laever, 1973
- 1740. *Eupithecia nanata* (Hübner, [1813])** (Geometridae) Synonym(s): *angustata* Haworth, 1809; *nanata* Hübner, [1813]; *angusta* L.B. Prout, 1938; *gelidatoides* Warnecke, 1951
- 1741. *Eupithecia oblongata* (Thunberg, 1784)** (Geometridae) Synonym(s): *#centaureata* [Denis & Schiffermüller], 1775; *oblongata* Thunberg, 1784; *boloniensis* Fourcroy, 1875; *centralisata* Staudinger, 1892. Larval foodplant(s): *Pimpinella saxifraga* (Apiaceae) (Courtois, 1987).
- 1742. *Eupithecia oblongata dagestani* Vojnits, 1977** (Geometridae) Synonym(s): *dagestani* Vojnits, 1977
- 1743. *Eupithecia oblongata oblongata* (Thunberg, 1784)** (Geometridae) Synonym(s): *#centaureata* [Denis & Schiffermüller], 1775; *oblongata* Thunberg, 1784; *boloniensis* Fourcroy, 1875; *centralisata* Staudinger, 1892.
- 1744. *Eupithecia ochridata* Schütze & Pinker, 1968** (Geometridae) Synonym(s): *ochridata* Schütze & Pinker, 1968; *szelenyii* Vojnits, 1969.
- 1745. *Eupithecia pauxillaria* Boisduval, 1840** (Geometridae) Synonym(s): *pauxillaria* Boisduval, 1840; *euphrasiata* Herrich-Schäffer, 1861; *vellicata* Dietze, 1906
- 1746. *Eupithecia pernotata* Guenée, [1858]** (Geometridae) Synonym(s): *pernotata* Guenée, [1858]; *enictata* Pellmyr & Mikkola, 1984
- 1747. *Eupithecia persuastrix* Mironov, 1990** (Geometridae) Synonym(s): *persuastrix* Mironov, 1990
- 1748. *Eupithecia pimpinellata* (Hübner, [1813])** (Geometridae) Synonym(s): *pimpinellata* Hübner, [1813]; *altaicata* Guenée, [1858]; *lantoscata* Millière, 1873; *cinerascens* Tengström, 1875; *limbosignata* Dietze, 1910; *elongata* Dietze, 1913 nec Hw, 1809; *retheli* L.B. Prout, 1938; *variata* Schwingenschuss, 1936. Larval foodplant(s): *Achillea*, *Senecio* (Asteraceae), *Bupleurum*, *Pimpinella saxifraga* (Apiaceae) (Meyer, 1919; Courtois, 1987).
- 1749. *Eupithecia plumbeolata* (Haworth, [1809])** (Geometridae) Synonym(s): *plumbeolata* Haworth, [1809]; *isogrammata* Treitschke, 1828; *begrandaria* Boisduval, 1840; *singularia* Herrich-Schäffer, 1848; *plumbeolaria* Doubleday, 1849; *begrandata* Bruand, 1850; *dshungarica* Viidalepp, 1988. Larval foodplant(s): *Melampyrum sylvaticum*, *M. pratense* (Meyer, 1919).
- 1750. *Eupithecia praepupillata* Wehrli, 1927** (Geometridae) Synonym(s): *praepupillata* Wehrli, 1927
- 1751. *Eupithecia pseudassimilata* Viidalepp & Mironov, 1988** (Geometridae) Synonym(s): *pseudassimilata* Viidalepp & Mironov, 1988
- 1752. *Eupithecia pseudosatyrate* Djakonov, 1929** (Geometridae) Synonym(s): *pseudosatyrate* Djakonov, 1929
- 1753. *Eupithecia pusillata* (Fabricius, 1787)** (Geometridae) Synonym(s): *#pusillata* [Denis & Schiffermüller], 1775; *pusillata* Fabricius, 1787; *sobrinata* Hübner, [1817]; *pusillaria*

- Hübner,[1825]; *sobrinaria* Boisduval,1840; *expressaria* Herrich-Schäffer,1848; *anglicata* Herrich-Schäffer,1863; *latoniata* Millière,1882; *stevensata* Webb,1896; *scotica* Dietze,1910 Larval foodplant(s): *Juniperus communis*, *Larix*, *Pinus* (Meyer,1919).
- 1754. *Eupithecia pusillata pusillata* (Fabricius,1787) (Geometridae)**
Synonym(s): #*pusillata* [Denis & Schiffermüller],1775; *pusillata* Fabricius,1787; *sobrinata* Hübner,[1817]; *pusillaria* Hübner,[1825]; *sobrinaria* Boisduval,1840; *expressaria* Herrich-Schäffer,1848; *anglicata* Herrich-Schäffer,1863; *latoniata* Millière,1882; *stevensata* Webb,1896; *scotica* Dietze,1910
- 1755. *Eupithecia pygmaeata* (Hübner,[1799]) (Geometridae)** Synonym(s): *pygmaeata* Hübner,[1799]; *pygmearia* Boisduval,1840; *palustraria* Doubleday,1850; *sidemii* Vojnits,1973
Larval foodplant(s): *Cerastium triviale*, *Stellaria aquatica*, *S. holostea* (Meyer,1919).
- 1756. *Eupithecia pygmaeata pygmaeata* (Hübner,[1799]) (Geometridae)**
Synonym(s): *pygmaeata* Hübner,[1799]; *pygmearia* Boisduval,1840; *palustraria* Doubleday,1850; *sidemii* Vojnits,1973
- 1757. *Eupithecia pyreneata* Mabilie,1871 (Geometridae)** Synonym(s): *pyreneata* Mabilie,1871; *digitaliaria* Dietze,1872; *granadensis* Bubacek,1926 Larval foodplant(s): *Digitalis grandiflora* [=ambigua] (Meyer,1919).
- 1758. *Eupithecia repentina* Vojnits & Laever,1978 (Geometridae)**
Synonym(s): *repentina* Vojnits & Laever,1978
- 1759. *Eupithecia robusta* Dietze,1910 (Geometridae)** Synonym(s): *robusta* Dietze,1910
- 1760. *Eupithecia satyrata* (Hübner,[1813]) (Geometridae)** Synonym(s): *satyrata* Hübner,[1813]; *satyraria* Boisduval,1840; *italicata* Guenée,1858; *submelanochroa* Vojnits,1973 Larval foodplant(s): *Centaurea*, *Galium*, *Hypochoeris*, *Polygonum*, *Scabiosa*, *Senecio*, *Thymus* (Meyer,1919).
- 1761. *Eupithecia satyrata rivosulata* Dietze,1875 (Geometridae)** Synonym(s): *rivosulata* Dietze,1875
- 1762. *Eupithecia satyrata satyrata* (Hübner,[1813]) (Geometridae)**
Synonym(s): *satyrata* Hübner,[1813]; *satyraria* Boisduval,1840
- 1763. *Eupithecia scalptata* Christoph,1885 (Geometridae)** Synonym(s): *scalptata* Christoph,1885
- 1764. *Eupithecia schiefereri* Dietze,1904 (Geometridae)** Synonym(s): #*schiefereri* Bohatsch,1893; *schiefereri* Dietze,1904; #*confluens* Dietze,1910; #*schiefererie* Pinker,1958; #*schieferi* Arnscheid,2000
- 1765. *Eupithecia scribai* L.B.Prout,1938 (Geometridae)** Synonym(s): *scribai* L.B.Prout,1938
- 1766. *Eupithecia selinata* Herrich-Schäffer,1861 (Geometridae)** Synonym(s): *selinata* Herrich-Schäffer,1861; *divina* Vojnits,1981
- 1767. *Eupithecia selinata selinata* Herrich-Schäffer,1861 (Geometridae)**
Synonym(s): *selinata* Herrich-Schäffer,1861
- 1768. *Eupithecia selinata tenebricosa* Dietze,1910 (Geometridae)**
Synonym(s): *tenebricosa* Dietze,1910
- 1769. *Eupithecia semigraphata* Bruand,[1847] (Geometridae)** Synonym(s): *semigraphata* Bruand,[1847] Larval foodplant(s): *Calamintha nepetoides*, *Nepeta*, *Thymus serpyllum* (Meyer,1919).
- 1770. *Eupithecia semigraphata semigraphata* Bruand,[1847] (Geometridae)**
Synonym(s): *semigraphata* Bruand,[1847]
- 1771. *Eupithecia serenata* Staudinger,1896 (Geometridae)** Synonym(s): *serenata* Staudinger,1896
- 1772. *Eupithecia silenata* Assmann,1848 (Geometridae)** Synonym(s): *silenata* Assmann,1848; *silenaria* Herrich-Schäffer,1852. Larval foodplant(s): *Peucedanum*, *Silene* (Meyer,1919).

- 1773. Eupithecia simplicata Haworth,[1809]** (Geometridae) Synonym(s): *simplicata* Haworth,[1809]; *subnotata* Hübner,[1813]; *subnotaria* Boisduval,1840; *subnotataria* Herrich-Schäffer,1848. Larval foodplant(s): *Atriplex patula*, *Chenopodium* (Meyer,1919).
- 1774. Eupithecia sinuosaria (Eversmann,1848)** (Geometridae) Synonym(s): *sinuosaria* Eversmann,1848
- 1775. Eupithecia sinuosaria sinuosaria (Eversmann,1848)** (Geometridae) Synonym(s): *sinuosaria* Eversmann,1848
- 1776. Eupithecia spadiceata Zerny,1933** (Geometridae) Synonym(s): *spadiceata* Zerny,1933
- 1777. Eupithecia spissilineata (Metzner,1846)** (Geometridae) Synonym(s): *spissilineata* Metzner,1846; *multilineata* Mann,1866.
- 1778. Eupithecia subbreviata Staudinger,1897** (Geometridae) Synonym(s): *subbreviata* Staudinger,1897
- 1779. Eupithecia subdeverrata Vojnits,1975** (Geometridae) Synonym(s): *subdeverrata* Vojnits,1975
- 1780. Eupithecia subfenestrata Staudinger,1892** (Geometridae) Synonym(s): *subfenestrata* Staudinger,1892
- 1781. Eupithecia subfuscata (Haworth,[1809])** (Geometridae) Synonym(s): *subfuscata* Haworth,[1809]; *castigata* Hübner,[1813]; *castigaria* Boisduval,1840; *compressata* Guenée,[1858]; *implicata* Walker,1862; *blancheata* Cooke,1881; *latipennis* Hulst,1898
- 1782. Eupithecia subfuscata subfuscata (Haworth,[1809])** (Geometridae) Synonym(s): *subfuscata* Haworth,[1809]; *castigata* Hübner,[1813]; *castigaria* Boisduval,1840; *compressata* Guenée,[1858]; *implicata* Walker,1862; *blancheata* Cooke,1881; *latipennis* Hulst,1898
- 1783. Eupithecia subfuscata ussuriensis Dietze,1910** (Geometridae) Synonym(s): *ussuriensis* Dietze,1910; *ichinosawana* Matsumura,1925; *latimarginata* Matsumura,1925
- 1784. Eupithecia suboxydata Staudinger,1897** (Geometridae) Synonym(s): *suboxydata* Staudinger,1897
- 1785. Eupithecia succenturiata (Linnaeus,1758)** (Geometridae) Synonym(s): *succenturiata* Linnaeus,1758; *disparata* Hübner,[1799] Larval foodplant(s): *Achillea*, *Artemisia*, *Rubus*, *Tanacetum*, *Verbascum* (Meyer,1919).
- 1786. Eupithecia succenturiata daghestanica Mironov,2001** (Geometridae) Synonym(s): *daghestanica* Mironov,2001
- 1787. Eupithecia succenturiata exalbidata Staudinger,1901** (Geometridae) Synonym(s): *exalbidata* Staudinger,1901
- 1788. Eupithecia succenturiata succenturiata (Linnaeus,1758)** (Geometridae) Synonym(s): *succenturiata* Linnaeus,1758; *disparata* Hübner,[1799]
- 1789. Eupithecia sutiliata Christoph,1877** (Geometridae) Synonym(s): *sutiliata* Christoph,1877; *aequata* Staudinger,1892; *orientata* Staudinger,1901; *diffisata* Dietze,1903; *rjabovi* Vojnits,1975; *kasachstanica* Viidalepp,1988.
- 1790. Eupithecia tabidaria Inoue,1955** (Geometridae) Synonym(s): *tabidaria* Inoue,1955; *ussurii* Vojnits,1972
- 1791. Eupithecia tantillaria Boisduval,1840** (Geometridae) Synonym(s): *tantillaria* Boisduval,1840; *laricis* Speyer,1873; *calabrica* Dietze,1910; *piceata* L.B.Prout,1915
- 1792. Eupithecia tenuiata (Hübner,[1813])** (Geometridae) Synonym(s): *tenuiata* Hübner,[1813]; *macellata* Fischer v. Roeslerstamm,1827 Larval foodplant(s): *Salix caprea* (Salicaceae) (Meyer,1919; Courtois,1987).
- 1793. Eupithecia tripunctaria Herrich-Schäffer,[1852]** (Geometridae) Synonym(s): *albipunctata* Haworth,1809 *nec* Hfn.,1767; *tripunctaria* Herrich-Schäffer,[1852]; *angelicata* Barrett,1877; *promulgata* Pearsall,1909; *#privata* Dietze,1913
- 1794. Eupithecia trisignaria Herrich-Schäffer,1848** (Geometridae) Synonym(s): *trisignaria* Herrich-Schäffer,1848; *#trisignata* Herrich-Schäffer,1861 Larval foodplant(s): *Angelica sylvestris*, *Heracleum sphondylium*, *Pastinaca* [sativa], *Peucedanum*, *Pimpinella* (Meyer,1919).
- 1795. Eupithecia tshimkentensis Viidalepp,1988** (Geometridae) Synonym(s): *tshimkentensis* Viidalepp,1988; *kunashiriensis* Viidalepp & Mironov,1988

- 1796. *Eupithecia usbeca Viidalepp,1988*** (Geometridae) Synonym(s): *usbeca Viidalepp,1988*
- 1797. *Eupithecia valerianata (Hübner,[1813])*** (Geometridae) Synonym(s): *valerianata Hübner,[1813]; laevilignata Bruand,1850* Larval foodplant(s): *Valeriana officinalis* (Meyer,1919).
- 1798. *Eupithecia variostrigata Alpheraky,1876*** (Geometridae) Synonym(s): *variostrigata Alpheraky,1876; littorata Constant,1884; artemesiata Constant,1884* Larval foodplant(s): *Artemisia gallica, Camphorosma monspeliacum, Solidago nudiflora* (Meyer,1919).
- 1799. *Eupithecia variostrigata variostrigata Alpheraky,1878*** (Geometridae) Synonym(s): *variostrigata Alpheraky,1878; littorata Constant,1884; artemesiata Constant,1884*
- 1800. *Eupithecia vaticina Vojnits,1982*** (Geometridae) Synonym(s): *vaticina Vojnits,1982*
- 1801. *Eupithecia venosata (Fabricius,1787)*** (Geometridae) Synonym(s): *venosata Fabricius,1787; insignata Hübner,1789; decussata Donovan,1799* Larval foodplant(s): *Lychnis dioeca, Silene vulgaris [=inflata], Silene maritima* (Meyer,1919; South,1961).
- 1802. *Eupithecia venosata venosata (Fabricius,1787)*** (Geometridae) Synonym(s): *venosata Fabricius,1787; insignata Hübner,1789; decussata Donovan,1799*
- 1803. *Eupithecia veratraria Herrich-Schäffer,1848*** (Geometridae) Synonym(s): *veratraria Herrich-Schäffer,1848; eynensata Graslin,1863; magnata Millière,1873; homophaea Djakonov,1926; perpaupera Inoue,1965; arctica Viidalepp,1974; geiserata Mironov,1988* Larval foodplant(s): *Veratrum [album]* (Meyer,1919).
- 1804. *Eupithecia viidaleppi Vojnits,1981*** (Geometridae) Synonym(s): *viidaleppi Vojnits,1981*
- 1805. *Eupithecia virgaureata Doubleday,1861*** (Geometridae) Synonym(s): *virgaureata Doubleday,1861; altenaria Staudinger,1861; affirmata Speyer,1869; invisata Butler,1878; wettsteini Vojnits,1974* Larval foodplant(s): *Anthriscus, Gentiana, Heracleum sphondylium, Prunus, Senecio jacobaea, S. palustris Solidago* (Meyer,1919).
- 1806. *Eupithecia vulgata (Haworth,[1809])*** (Geometridae) Synonym(s): *vulgata Haworth,[1809]; pygmaeata Borkhausen,1794; clusterata Hübner,[1813]; austeraria Herrich-Schäffer,1848; atropicta Dietze,1910; cyrneata Schawerda,1933* Larval foodplant(s): *Rubus, Sedum, Silene* (Meyer,1919).
- 1807. *Eupithecia vulgata vulgata (Haworth,[1809])*** (Geometridae) Synonym(s): *vulgata Haworth,[1809]; pygmaeata Borkhausen,1794; clusterata Hübner,[1813]; austeraria Herrich-Schäffer,1848; atropicta Dietze,1910; cyrneata Schawerda,1933*
- 1808. *Eustroma reticulata ([Denis & Schiffermüller],1775)*** (Geometridae) Synonym(s): *reticulata [Denis & Schiffermüller],1775* Larval foodplant(s): *Impatiens* (Meyer,1919).
- 1809. *Fagivorina arenaria (Hufnagel,1767)*** (Geometridae) Synonym(s): *arenaria Hufnagel,1767*
- 1810. *Geometra papilionaria (Linnaeus,1758)*** (Geometridae) Synonym(s): *papilionaria Linnaeus,1758; prasinaria Hufnagel,1767; albopunctata Mattuschka,1805.* Larval foodplant(s): *Alnus, Betula, Corylus avellana, Fagus, Thymus, Salix* (Linnaeus,1758; Meyer,1919; Skou,1986).
- 1811. *Glossotrophia (s.str.) confinaria (Herrich-Schäffer,[1847])*** (Geometridae) Synonym(s): *confinaria Herrich-Schäffer,[1847]*
- 1812. *Glossotrophia (s.str.) confinaria confinaria (Herrich-Schäffer,[1847])*** (Geometridae) Synonym(s): *confinaria Herrich-Schäffer,[1847]*
- 1813. *Gnophos (Dicrognophos) sartatus (Treitschke,1827)*** (Geometridae) Synonym(s): *sartata Treitschke,1827; syriaca Thierry-Mieg,1916.* Larval foodplant(s): *Polygonum; Rhamnus alaternus (Rhamnaceae)* (Meyer,1919).

- 1814. Gnophos (Dysgnophos) difficilis Alpheraky,1883** (Geometridae)
Synonym(s): *difficilis* Alpheraky,1883; *finitimaria* Fuchs,1899; *desparataria* Fuchs,1900; *luteopicta* Thierry-Mieg,1916.
- 1815. Gnophos (Dysgnophos) difficilis difficilis Alpheraky,1883** (Geometridae) Synonym(s): *difficilis* Alpheraky,1883; *finitimaria* Fuchs,1899; *desparataria* Fuchs,1900; *luteopicta* Thierry-Mieg,1916.
- 1816. Gnophos (Dysgnophos) difficilis teberdensis Müller,1978** (Geometridae) Synonym(s): *teberdensis* Müller,1978
- 1817. Gnophos (Dysgnophos) difficilis urmensis Wehrli,1953** (Geometridae)
Synonym(s): *urmensis* Wehrli,1953.
- 1818. Gnophos (Euchrognophos) symmictus Wehrli,1953** (Geometridae)
Synonym(s): *symmicta* Wehrli,1953
- 1819. Gnophos (Organognophos) sibiriatu Guenée,[1858]** (Geometridae)
Synonym(s): *sibiriatu* Guenée,[1858]
- 1820. Gnophos (Organognophos) sibiriatu sibiriatu Guenée,[1858]** (Geometridae) Synonym(s): *sibiriatu* Guenée,[1858]
- 1821. Gnophos (Pterygnophos) ochrofasciatus Staudinger,1896** (Geometridae) Synonym(s): *ochrofasciatus* Staudinger,1896
- 1822. Gnophos (s.str.) ciscaucasius Rjabov,1964** (Geometridae) Synonym(s): *ciscaucasius* Rjabov,1964
- 1823. Gnophos (s.str.) furvatus ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#furvata* [Denis & Schiffermüller],1775; *meridionalis* Wehrli,1924
Larval foodplant(s): *Viburnum lantanum*, *Cotoneaster*, *Plantago*, *Prunus spinosa* ([Denis & Schiffermüller],1775; Meyer,1919, et seq.).
- 1824. Gnophos (s.str.) obfuscatus ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#obfuscata* [Denis & Schiffermüller],1775 Larval foodplant(s): *Betula* ([Denis & Schiffermüller],1775).
- 1825. Gnophos pallescens Rjabov,1964** (Geometridae) Synonym(s): *pallescens* Rjabov,1964
- 1826. Gymnoscelis rufifasciata (Haworth,[1809])** (Geometridae) Synonym(s): *rufifasciata* Haworth,[1809]; *pumilata* Hübner,[1813]. Larval foodplant(s): *Digitalis* (Wagner,1931).
- 1827. Gypsochroa renitidata (Hübner,[1817])** (Geometridae) Synonym(s): *renitidata* Hübner,[1817]. Larval foodplant(s): *Linaria striata* (ex Chrétien, Prout,1912)
- 1828. Heliomata glarearia (Brahm,1791)** (Geometridae) Synonym(s): *#glarearia* [Denis & Schiffermüller],1775; *glarearia* Brahm,1791. Larval foodplant(s): *Trifolium* (Meyer,1919).
- 1829. Hemistola chrysoprasaria (Esper,[1794])** (Geometridae) Synonym(s): *nayas* Fourcroy,1785; *pomona* Fourcroy,1785; *lucidata* Donovan,1794; *chrysoprasaria* Esper,[1794];
- 1830. Hemitheia aestivaria (Hübner,1789)** (Geometridae) Synonym(s): *strigata* Müller,1764 *nec* Sc.,1763; *herbacea* Fourcroy,1785; *aestivaria* Hübner,[1799]; *alboundulata* Hedemann,1879 Larval foodplant(s): *Betula*, *Quercus*, *Prunus spinosa*, *Rosa* (Skou,1986).
- 1831. Herbulotia agitata (Christoph,1881)** (Geometridae) Synonym(s): *agitata* Christoph,1881
- 1832. Heterolocha laminaria (Herrich-Schäffer,[1852])** (Geometridae)
Synonym(s): *laminaria* Herrich-Schäffer,[1852]
- 1833. Heterothera serraria (Lienig,1846)** (Geometridae) Synonym(s): *serraria* Lienig,1846; *lienigiaria* Lederer,1853
- 1834. Heterothera serrataria (L.B.Prout,1914)** (Geometridae) Synonym(s): *serrataria* L.B.Prout,1914

- 1835. Heterothera taigana (Djakonov,1926)** (Geometridae) Synonym(s): *taigana Djakonov,1926*
- 1836. Holarctias rufinaria (Staudinger,1861)** (Geometridae) Synonym(s): *rufinaria Staudinger,1861*
- 1837. Horisme aemulata (Hübner,[1813])** (Geometridae) Synonym(s): *aemulata Hübner,[1813]* Larval foodplant(s): *Clematis vitalba* (Blaschke,1914; Meyer,1919).
- 1838. Horisme aquata (Hübner,[1813])** (Geometridae) Synonym(s): *aquata Hübner,[1813]* Larval foodplant(s): *Anemone ranunculoides*, *Clematis vitalba*, *Pulsatilla* (Meyer,1919).
- 1839. Horisme calligraphata (Herrich-Schäffer,1839)** (Geometridae) Synonym(s): *calligraphata Herrich-Schäffer,1839* Larval foodplant(s): *Thalictrum foetidum* (Meyer,1919).
- 1840. Horisme corticata (Treitschke,1835)** (Geometridae) Synonym(s): *corticata Treitschke,1835* Larval foodplant(s): *Clematis vitalba* (Meyer,1919).
- 1841. Horisme scotosiata (Guenée,[1858])** (Geometridae) Synonym(s): *scotosiata Guenée,[1858]*
- 1842. Horisme tersata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *tersata [Denis & Schiffermüller],1775*; *singulariata Villers,1789*; *testacea Hübner,[1809]*; *tersaria Boisduval,1840*; *testacearia Boisduval,1840*; *tersulata Staudinger,1871* Larval foodplant(s): *Clematis vitalba* (Meyer,1919).
- 1843. Horisme tersata tetricata (Guenée,[1858])** (Geometridae) Synonym(s): *tetricata Guenée,[1858]*; *koreisme Bryk,1949*.
- 1844. Horisme vitalbata (Hübner,[1799])** (Geometridae) Synonym(s): *#vitalbata [Denis & Schiffermüller],1775*; *nebulata Villers,1789* nec *Thunb.,1784*; *vitalbata Hübner,[1799]*; *vitalbaria Boisduval,1840*; *detersata Püngeler,1900*; *repedata L.B.Prout,1938* Larval foodplant(s): *Clematis vitalba* (Hübner,1799; Meyer,1919).
- 1845. Hydrelia flammeolaria (Hufnagel,1767)** (Geometridae) Synonym(s): *flammeolaria Hufnagel,1767*; *luteata [Denis & Schiffermüller],1775*; *centrata Fabricius,[1776]*; *flavicata Thunberg,1784*; *sinuosata Girona,1791*; *flavostrigata Donovan,1806*; *chibiana Matsumura,1925*
- 1846. Hydrelia musculata (Staudinger,1897)** (Geometridae) Synonym(s): *musculata Staudinger,1897*
- 1847. Hydrelia nisaria (Christoph,1881)** (Geometridae) Synonym(s): *nisaria Christoph,1881*
- 1848. Hydrelia parvulata (Staudinger,1897)** (Geometridae) Synonym(s): *parvulata Staudinger,1897*
- 1849. Hydrelia sylvata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#sylvata [Denis & Schiffermüller],1775*; *testacea Donovan,1810*; *sachalinensis Matsumura,1925* Larval foodplant(s): *Pinus*, *Picea* ([Denis & Schiffermüller],1775).
- 1850. Hydrelia tenera (Staudinger,1897)** (Geometridae) Synonym(s): *tenera Staudinger,1897*
- 1851. Hydria cervinalis (Scopoli,1763)** (Geometridae) Synonym(s): *cervinalis Scopoli,1763*; *cervinata [Denis & Schiffermüller],1775*; *fasciaria Goeze,1781*; *fasciata Retzius,1783*; *cervinaria Treitschke,1825*; *certata Hübner,[1825]*; *certaria Boisduval,1840*. Larval foodplant(s): *Malva* (Meyer,1919).
- 1852. Hydria undulata (Linnaeus,1758)** (Geometridae) Synonym(s): *undulata Linnaeus,1758*; *serrata Hufnagel,1767*; *limbata Goeze,1781*; *fuscata Fourcroy,1785* nec *Hufn.,1767*; *undularia Boisduval,1840* Larval foodplant(s): *Salix*, *Vaccinium myrtillus*, *V. uliginosum* (Meyer,1919).
- 1853. Hydriomena coerulata (Fabricius,1777)** (Geometridae) Synonym(s): *#impluviata [Denis & Schiffermüller],1775*; *coerulata Fabricius,1777*; *autumnalis Ström,1783*; *trifasciata Borkhausen,1794*; *bicommata Schrank,1802*; *literata Donovan,1810*; *relictata Zetterstedt,1839*; *impluviaria Boisduval,1840*; *insulicolata Schawerda,1933*
- 1854. Hydriomena furcata (Thunberg,1784)** (Geometridae) Synonym(s): *furcata Thunberg,1784*; *sordidata Fabricius,1794*; *elutata Hübner,[1799]*; *fuscoundata Donovan,1806*; *elutaria Boisduval,1840*; *shibuyae Matsumura,1925*.

- 1855. Hydriomena ruberata (Freyer,[1831])** (Geometridae) **Synonym(s):** *ruberata* Freyer,[1831]; *ruberaria* Herrich-Schäffer,1848 **Larval foodplant(s):** *Salix* (Salicaceae) (Meyer,1919).
- 1856. Hylaea fasciaria (Linnaeus,1758)** (Geometridae) **Synonym(s):** *fasciaria* Linnaeus,1758; *prosapiaria* Linnaeus,1758; *neustriaria* Hufnagel,1767; *prasinaria* [Denis & Schiffermüller],1775; *bilosata* Villers,1789; *viridifasciosa* Esper,1794; *cleui* Leraut,1993 **Larval foodplant(s):** *Picea abies*, *Pinus sylvestris*, *Pseudostuga menziesii* (Pinaceae) (Scoble,1999).
- 1857. Hypomecis gorbatschevi (Kardakoff,1928)** (Geometridae) **Synonym(s):** *gorbatschevi* Kardakoff,1928
- 1858. Hypomecis punctinalis (Scopoli,1763)** (Geometridae) **Synonym(s):** *punctinalis* Scopoli,1763; *urticaria* Hufnagel,1767; *turcaria* Fabricius,1775; *griseonigra* Goeze,1781; *bandevillaea* Fourcroy,1785; *consortaria* Fabricius,1787; *convexata* Villers,1789; *leucopheataria* Villers,1789
- 1859. Hypomecis punctinalis punctinalis (Scopoli,1763)** (Geometridae) **Synonym(s):** *punctinalis* Scopoli,1763; *urticaria* Hufnagel,1767; *turcaria* Fabricius,1775; *griseonigra* Goeze,1781; *bandevillaea* Fourcroy,1785; *consortaria* Fabricius,1787; *convexata* Villers,1789; *leucopheataria* Villers,1789
- 1860. Hypomecis roboraria (Fabricius,1787)** (Geometridae) **Synonym(s):** *#roboraria* [Denis & Schiffermüller],1775; *roboraria* Fabricius,1787; *consobrinaria* Hübner,[1799] *nec* Borkh.,1790; *grandaria* Haworth,1809; *piperitaria* Stephens,1831; *isabellae* Fernandez,1931 **Larval foodplant(s):** *Pyrus malus*; *Quercus* (Fagaceae) (Meyer,1919).
- 1861. Hyposcotis (Charissa) obscurata ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *#obscurata* [Denis & Schiffermüller],1775; *lividata* Fabricius,1787 *nec* Cl.,1759; *obscuraria* Hübner,1799; *anthracinaria* Esper,1801; *quadripustulata* Donovan,1808 **Larval foodplant(s):** *Armeria vulgaris*, *Artemisia*, *Plantago*, *Rumex*, *Sedum album*, *Vaccinium*, *Rubus* ([Denis & Schiffermüller],1775; Meyer,1919; Calle et al.,2000)).
- 1862. Hyposcotis (Euchrognophos) variegata (Duponchel,1830)** (Geometridae) **Synonym(s):** *variegatus* Duponchel,1830; *#subtaurica* Wehrli,1932. **Larval foodplant(s):** *Asplenium* (Pterid.) (Meyer,1919).
- 1863. Hyposcotis (Kemtroglyphos) ambiguata (Duponchel,1830)** (Geometridae) **Synonym(s):** *ambiguata* Duponchel,1830; *meyeraria* Harpe,1853; *ophthalmicata* Lederer,1853 **Larval foodplant(s):** *Sedum* (Meyer,1919).
- 1864. Hyposcotis (Kemtroglyphos) ambiguata ambiguata (Duponchel,1830)** (Geometridae) **Synonym(s):** *ambiguata* Duponchel,1830; *meyeraria* Harpe,1853; *ophthalmicata* Lederer,1853
- 1865. Hyposcotis (Kemtroglyphos) remmi Viidalepp,1988** (Geometridae) **Synonym(s):** *remmi* Viidalepp,1988
- 1866. Hyposcotis (Kemtroglyphos) sheljuzhkoii (Schawerda,1924)** (Geometridae) **Synonym(s):** *sheljuzhkoii* Schawerda,1924
- 1867. Hypoxystis pluviana (Fabricius,1787)** (Geometridae) **Synonym(s):** *pluviana* Fabricius,1787; *adpersaria* Hübner,1790 *nec* Fabricius,1787; *jacobaearia* Borkhausen,1794; *inspersaria* Hübner,[1823]. **Larval foodplant(s):** *Genista germanica*, *Sarothamnus scoparius*, *Senecio jacobaea* (Blaschke,1914; Meyer,1919).
- 1868. Hysterura declinans (Staudinger,1897)** (Geometridae) **Synonym(s):** *declinans* Staudinger,1897
- 1869. Idaea admiranda Hausmann,2004** (Geometridae) **Synonym(s):** *#litigiosaria* Okyar & Aktaş,1999 *nec* Bsd.,1840; *admiranda* Hausmann,2004
- 1870. Idaea aureolaria ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *trilineata* Scopoli,1772 *nec* Hufn.,1767; *aureolaria* [Denis & Schiffermüller],1775; *bicincta* Fourcroy,1785; *trilinearia* Hübner,[1787].
- 1871. Idaea auricruda (Butler,1879)** (Geometridae) **Synonym(s):** *auricruda* Butler,1879; *plumboscriptaria* Christoph,1881
- 1872. Idaea aversata (Linnaeus,1758)** (Geometridae) **Synonym(s):** *aversata* Linnaeus,1758; *remutata* Linnaeus,1758; *lividata* Clerck,1759; *trilineata* Hufnagel,1767; *grisata*

- Fabricius*,[1776]; *murinata* *Fabricius*,1794; *aversaria* *Hübner*,[1799]; *fuliginata* *Haworth*,1809; *latifasciaria* *Heydenreich*,1851. Larval foodplant(s): *Betula* (Meyer,1919).
- 1873. *Idaea biselata* (Hufnagel,1767)** (Geometridae) Synonym(s): *biselata* *Hufnagel*,1767; *fimbriata* [Denis & Schiffermüller],1775; *fimbriolata* *Stephens*,1831; *plumipedata* *Walker*,1861; *shimizuensis* *Matsumura*,1925. Larval foodplant(s): *Taraxacum*, *Quercus glauca*, *Plantago*, *Polygonum*, *Rubus* (Scoble,1999).
- 1874. *Idaea camparia* (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *#camparia* *Herrich-Schäffer*,[1851]; *camparia* *Herrich-Schäffer*,[1852]; *europaea* *Wehrli*,1934.
- 1875. *Idaea camparia camparia* (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *#camparia* *Herrich-Schäffer*,[1851]; *camparia* *Herrich-Schäffer*,[1852]; *europaea* *Wehrli*,1934.
- 1876. *Idaea consanguinaria* (Lederer,1853)** (Geometridae) Synonym(s): *consanguinaria* *Lederer*,1853; *consanguinata* *Bellier*,1861; *faillata* *Fuchs*,1901; *taurica* *A.Bang-Haas*,1906; *turatii* *Sohn-Rethel*,1929
- 1877. *Idaea consanguinaria consanguinaria* (Lederer,1853)** (Geometridae) Synonym(s): *consanguinaria* *Lederer*,1853; *consanguinata* *Bellier*,1861; *faillata* *Fuchs*,1901; *taurica* *A.Bang-Haas*,1906; *turatii* *Sohn-Rethel*,1929
- 1878. *Idaea degeneraria* (Hübner,[1799])** (Geometridae) Synonym(s): *degeneraria* *Hübner*,[1799]; *degenerata* *Treitschke*,1828; *floridaria* *Turati*,1913
- 1879. *Idaea descitaria* (Christoph,1893)** (Geometridae) Synonym(s): *descitaria* *Christoph*,1893; *velitchkovskiy* *Rebel*,1907; *favillata* *L.B.Prout*,1935.
- 1880. *Idaea dilutaria* (Hübner,[1799])** (Geometridae) Synonym(s): *dilutaria* *Hübner*,[1799]; *holosericata* *Duponchel*,1842; *holoserica* *Bruand*,1846; *holosericearia* *De La Harpe*,1853; *praeustaria* *De La Harpe*,1853. Larval foodplant(s): *Bryophita* (Meyer,1919).
- 1881. *Idaea dimidiata* (Hufnagel,1767)** (Geometridae) Synonym(s): *dimidiata* *Hufnagel*,1767; *scutulata* [Denis & Schiffermüller],1775; *antitaurica* *Wehrli*,1931 *nec* *Wehrli*,1931; *tauricola* *Wehrli*,1934. Larval foodplant(s): *Anthriscus sylvestris*, *Pimpinella* (South,1961).
- 1882. *Idaea effusaria* (Christoph,1881)** (Geometridae) Synonym(s): *effusaria* *Christoph*,1881; *obtectaria* *Leech*,1897
- 1883. *Idaea elongaria* (Rambur,1833)** (Geometridae) Synonym(s): *elongaria* *Rambur*,1833; *aridata* *Zeller*,1847; *aridaria* *Heydenreich*,1851; *monadaria* *Guenée*,[1858]; *confusaria* *Lederer*,1863; *infirmata* *Staudinger*,1871; *zephyrata* *Millière*,1872; *ludovicata* *Lucas*,1942.
- 1884. *Idaea elongaria pecharia* (Staudinger,1863)** (Geometridae) Synonym(s): *pecharia* *Staudinger*,1863
- 1885. *Idaea emargianata* (Linnaeus,1758)** (Geometridae) Synonym(s): *emarginata* *Linnaeus*,1758
- 1886. *Idaea falckii* (Hedemann,1879)** (Geometridae) Synonym(s): *falckii* *Hedemann*,1879
- 1887. *Idaea fuscovenosa* (Goeze,1781)** (Geometridae) Synonym(s): *fuscovenosa* *Goeze*,1781; *plebeia* *Fourcroy*,1785
- 1888. *Idaea humiliata* (Hufnagel,1767)** (Geometridae) Synonym(s): *humiliata* *Hufnagel*,1767; *osseata* [Denis & Schiffermüller],1775; *ossearia* *Hübner*,[1799] Larval foodplant(s): *Hippocrepis* [comosa], *Ononis repens*, *O. spinosa* (Fabaceae); *Taraxacum* (Asteraceae); *Rumex* (Polygonaceae) (Meyer,1919; Scoble,1999; Calle et al.,2000).
- 1889. *Idaea inquinata* (Scopoli,1763)** (Geometridae) Synonym(s): *inquinata* *Scopoli*,1763; *herbariata* *Fabricius*,1798; *pusillaria* *Hübner*,[1799]; *microsaria* *Boisduval*,1840; *incomptaria* *Boisduval*,1840
- 1890. *Idaea laevigata* (Scopoli,1763)** (Geometridae) Synonym(s): *laevigata* *Scopoli*,1763; *laevigaria* *Hübner*,[1799]; *renularia* *Hübner*,[1809]; *lividellaria* *Peyerimhoff*,1863; *renulata* *Rambur*,1866; *couloniata* *Balestre*,1907; *storaе* *Andreas*,1928
- 1891. *Idaea mancipiata* (Staudinger,1871)** (Geometridae) Synonym(s): *mancipiata* *Staudinger*,1871; *bustilloi* *Agenjo*,1967
- 1892. *Idaea mancipiata repagulata* L.B.Prout,1934** (Geometridae) Synonym(s): *#repagulata* *L.B.Prout*,1913; *repagulata* *L.B.Prout*,1934

- 1893. *Idaea maritima* (Bruand,1846)** (Geometridae) Synonym(s): *maritima* Bruand,1846; *deversaria* Herrich-Schäffer,[1847]; *hyalinata* Christoph,1885 Larval foodplant(s): *Lysimachia*, *Ononis*, *Rumex* (Meyer,1919).
- 1894. *Idaea moniliata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *moniliata* [Denis & Schiffermüller],1775; *?pentalineata* De Villers,1789; *omicata* Fabricius,1794; *#moniliaria* Hübner,[1799]; *pluripunctata* Scharfenberg,1805 Larval foodplant(s): *Myosotis*, *Vicia* (Meyer,1919).
- 1895. *Idaea muricata* (Hufnagel,1767)** (Geometridae) Synonym(s): *muricata* Hufnagel,1767; *auroralis* [Denis & Schiffermüller],1775; *variegata* Fabricius,1777 nec Sc.,1763; *aureopolita* Goeze,1783; *sanguinaria* Hübner,1787; *auroraria* Borkhausen,1794
- 1896. *Idaea nielsen* (Hedemann,1879)** (Geometridae) Synonym(s): *nielsen* Hedemann,1879; *latimarginata* W.Warren,1895
- 1897. *Idaea nitidata* (Herrich-Schäffer,1861)** (Geometridae) Synonym(s): *nitidata* Herrich-Schäffer,1861; *tectaria* Leech,1897.
- 1898. *Idaea nudaria* (Christoph,1881)** (Geometridae) Synonym(s): *nudaria* Christoph,1881
- 1899. *Idaea obsoletaria* (Rambur,1833)** (Geometridae) Synonym(s): *obsoletaria* Rambur,1833; *violacearia* Staudinger,1901; *distans* Hausmann,1991; *violacearia* Hausmann,1991 nec Wlk.,1861
- 1900. *Idaea ochrata* (Scopoli,1763)** (Geometridae) Synonym(s): *ochrata* Scopoli,1763; *#ochreata* [Denis & Schiffermüller],1775; *corrugata* Fabricius,1781; *ochrearia* Schrank,1802 nec Ross.,1794; *sicula* Zeller,1847; *accretata* Fuchs,1901 Larval foodplant(s): *Minuartia* (Meyer,1919).
- 1901. *Idaea ossiculata* (Lederer,1871)** (Geometridae) Synonym(s): *ossiculata* Lederer,1871
- 1902. *Idaea pallidata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *pallidata* [Denis & Schiffermüller],1775; *pallidaria* Treitschke,1825; *byssinata* Treitschke,1828; *byssinaria* Boisduval,1840
- 1903. *Idaea politaria* (Hübner,[1799])** (Geometridae) Synonym(s): *politata* Hübner,1793 nec Fabr.,1781; *politaria* Hübner,[1799]; *#abmarginata* Bohatsch,1885; *mundipennis* W.Warren,1898; *abmarginata* Staudinger,1901
- 1904. *Idaea rufaria* (Hübner,[1799])** (Geometridae) Synonym(s): *rufaria* Hübner,[1799]; *ochridana* Silbernagel,1944
- 1905. *Idaea rusticata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *rusticata* [Denis & Schiffermüller],1775; *mustelata* Rambur,1866. Larval foodplant(s): *Bryophita* (Meyer,1919).
- 1906. *Idaea salubrararia* (Staudinger,1897)** (Geometridae) Synonym(s): *salubrararia* Staudinger,1897
- 1907. *Idaea salutararia* (Christoph,1881)** (Geometridae) Synonym(s): *salutararia* Christoph,1881
- 1908. *Idaea seriata* (Schrank,1802)** (Geometridae) Synonym(s): *albulata* Hufnagel,1767; *seriata* Schrank,1802; *cubicularia* Peyerimhoff,1862
- 1909. *Idaea sericeata* (Hübner,[1813])** (Geometridae) Synonym(s): *sericeata* Hübner,[1813]; *altivolaria* Bubacek,1923;
- 1910. *Idaea serpentata* (Hufnagel,1767)** (Geometridae) Synonym(s): *serpentata* Hufnagel,1767; *trifasciata* Scopoli,1772; *similata* Thunberg,1784; *perochraria* Fischer von Rösslerstamm,1836.
- 1911. *Idaea straminata* (Borkhausen,1794)** (Geometridae) Synonym(s): *straminata* Borkhausen,1794; *inornata* Haworth,1809; *suffusaria* Boisduval,1840; *inornaria* Doubleday,1849; *agrostemmata* Guenée,[1858] Larval foodplant(s): *Chenopodium*, *Lichens*, *Thymus serpyllum* (Meyer,1919).
- 1912. *Idaea subsericeata* (Haworth,[1809])** (Geometridae) Synonym(s): *subsericeata* Haworth,[1809]; *perfluaria* Boisduval,1840; *pinguedinata* Zeller,1847; *asbestaria* Zeller,1849; *puraria* Heydenreich,1851; *pinguedinaria* Herrich-Schäffer,1852; *oloraria* Rössler,1857; *mancuniata* Knaggs,1865; *veterata* Gregson,1866; *diaphanaria* A.Bang-Haas,1910; *zernyi* D.Lucas,1934 Larval

- foodplant(s): *Anagallis arvensis*, *Plantago*, *Polygonum*, *Stellaria*, *Taraxacum* (Meyer,1919; Calle et al.,2000).
- 1913. *Idaea sylvestraria* (Hübner,[1799])** (Geometridae) Synonym(s): *sylvestraria* Hübner,[1799]; *marginipunctata* Stephens,1831 nec Gz.,1781; *straminata* Treitschke,1835 nec Bkh.,1794; *grammicaria* Boisdual,1840; *circellata* Guenée,1858; *folognearia* Staudinger,1863; *graciliata* Mann,1867; *shiskensis* Matsumura,1925; *minuta* Heydemann,1933
- 1914. *Idaea terpnaria* (L.B.Prout,1913)** (Geometridae) Synonym(s): *amoenaria* Staudinger,1897 nec Snell.,1890; *terpnaria* L.B.Prout,1913
- 1915. *Idaea trigeminata* (Haworth,[1809])** (Geometridae) Synonym(s): *trigeminata* Haworth,[1809]; *reversata* Treitschke,1828; *reversaria* Duponchel,1830. Larval foodplant(s): *Polygonum aviculare* (Meyer,1919).
- 1916. *Idiochlora ussuriaria* (Bremer,1864)** (Geometridae) Synonym(s): *ussuriaria* Bremer,1864; *eluta* Wileman,1911
- 1917. *Idiotephria amelia* (Butler,1878)** (Geometridae) Synonym(s): *amelia* Butler,1878
- 1918. *Idiotephria debilitata* (Leech,1891)** (Geometridae) Synonym(s): *debilitata* Leech,1891
- 1919. *Idiotephria evanescens* (Staudinger,1897)** (Geometridae) Synonym(s): *evanescens* Staudinger,1897
- 1920. *Inurois brunneus* Viidalepp,1986** (Geometridae) Synonym(s): *brunneus* Viidalepp,1986
- 1921. *Inurois fletcheri* Inoue,1954** (Geometridae) Synonym(s): *fletcheri* Inoue,1954
- 1922. *Inurois fumosa* Inoue,1944** (Geometridae) Synonym(s): *fumosa* Inoue,1944
- 1923. *Inurois membranaria* (Christoph,1881)** (Geometridae) Synonym(s): *membranaria* Christoph,1881; *punctigera* L.B.Prout,1912
- 1924. *Inurois ussuriensis* Viidalepp,1986** (Geometridae) Synonym(s): *ussuriensis* Viidalepp,1986
- 1925. *Isturgia halituararia* (Guenée,[1858])** (Geometridae) Synonym(s): *halituararia* Guenée,[1858]
- 1926. *Isturgia halituararia halituararia* (Guenée,[1858])** (Geometridae) Synonym(s): *halituararia* Guenée,[1858]
- 1927. *Isturgia roraria* (Fabricius,[1776])** (Geometridae) Synonym(s): *roraria* Fabricius,[1776]; *adspersaria* Fabricius,1787; *spartariaria* Hübner,[1799]; *conspicuararia* Esper,[1801]; *spartariaria* Treitschke,1827.
- 1928. *Itame brunneata* (Thunberg,1784)** (Geometridae) Synonym(s): *brunneata* Thunberg,1784; *fulvaria* Villers,1789; *myosaria* Esper,[1806]; *cineraria* Duponchel,1829; *buffonaria* Millière,1855
- 1929. *Itame loricaria* (Eversmann,1837)** (Geometridae) Synonym(s): *loricaria* Eversmann,1837
- 1930. *Ithysia pravata* (Hübner,[1813])** (Geometridae) Synonym(s): *pravata* Hübner,[1813]; *pravaria* Hübner,[1825]
- 1931. *Jodis lactearia* (Linnaeus,1758)** (Geometridae) Synonym(s): *lactearia* Linnaeus,1758; *vernaria* Linnaeus,1761; *aeruginaria* [Denis & Schiffermüller],1775; *semipectinata* Retzius,1783; *syrene* Fourcroy,1785; *sirene* Villers,1789; *syrena* Geoffroy,1799 Larval foodplant(s): *Alnus*, *Betula*, *Corylus avellana*, *Populus*, *Quercus*, *Salix*, *Vaccinium* (Meyer,1919; Skou,1986).
- 1932. *Jodis praerupta* (Butler,1878)** (Geometridae) Synonym(s): *praerupta* Butler,1878; *steroparia* Püngeler,1908
- 1933. *Jodis putata* (Linnaeus,1758)** (Geometridae) Synonym(s): *putata* Linnaeus,1758; *putataria* Linnaeus,1761; *undulosa* Fourcroy,1785; *micantaria* Esper,1795 Larval foodplant(s): *Vaccinium myrtillus*, *V. uliginosum* (Meyer,1919; Skou,1986).
- 1934. *Juxtephria consentaria* (Freyer,1846)** (Geometridae) Synonym(s): *consentaria* Freyer,1846; *fluidata* Lederer,1853; *russariaria* Herrich-Schäffer,1855
- 1935. *Laciniodes denigrata* W.Warren,1896** (Geometridae) Synonym(s): *denigrata* W.Warren,1896

- 1936. *Laciniodes denigrata ussuriensis* L.B.Prout,1938** (Geometridae)
Synonym(s): *ussuriensis* L.B.Prout,1938
- 1937. *Lampropteryx jameza* (Butler,1898)** (Geometridae) Synonym(s): *jameza* Butler,1898; *askoldaria* Oberthür,1880
- 1938. *Lampropteryx oregiata* (Metcalf,1917)** (Geometridae) Synonym(s): *oregiata* Metcalf,1917; *dubitatrix* Bryk,1942 Larval foodplant(s): *Asperula*, *Galium palustre* (Rubiaceae) (Scoble,1999).
- 1939. *Lampropteryx suffumata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *suffumata* [Denis & Schiffermüller],1775; *piceata* Stephens,1831 Larval foodplant(s): *Galium verum*, *G.mollugo* (Rubiaceae) (Meyer,1919).
- 1940. *Larentia clavaria* Haworth,[1809]** (Geometridae) Synonym(s): *clavaria* Haworth,[1809]; *pallidata* Staudinger,1901 Larval foodplant(s): *Althaea* (Wiltshire,1957).
- 1941. *Larentia clavaria clavaria* Haworth,[1809]** (Geometridae) Synonym(s): *clavaria* Haworth,[1809]; *pallidata* Staudinger,1901
- 1942. *Larerannis aurantiaria* (Hübner,[1799])** (Geometridae) Synonym(s): *aurantiaria* Hübner,[1799]; *incompletaria* Haworth,1809 Larval foodplant(s): *Betula*, *Carpinus betulus*, *Corylus*, *Quercus* (Meyer,1919).
- 1943. *Larerannis marginaria* (Fabricius,1777)** (Geometridae) Synonym(s): *marginaria* Fabricius,1777; *testacea* Retzius,1783; *testacearia* Villers,1789; *progemma* Hübner,[1799]; *capreolaria* Esper,1801 nec [Den. & Schiff.],1775; *luctuaria* Haworth,1809; *connectaria* Haworth,1809; *stictaria* Haworth,1809 Larval foodplant(s): *Betula*, *Carpinus betulus*, *Populus*, *Quercus* (Meyer,1919).
- 1944. *Leptomiza bilinearia* (Leech,1897)** (Geometridae) Synonym(s): *bilinearia* Leech,1897
- 1945. *Leptomiza bilinearia hedemanni* (Staudinger,1897)** (Geometridae)
Synonym(s): *hedemanni* Staudinger,1897
- 1946. *Leucobrephos middendorffii* (Ménétriés,1858)** (Geometridae)
Synonym(s): *middendorffii* Ménétriés,1858
- 1947. *Leucobrephos middendorffii middendorffii* (Ménétriés,1858)** (Geometridae) Synonym(s): *middendorffii* Ménétriés,1858
- 1948. *Leucobrephos middendorffii nivea* Kozhantshikov,1924** (Geometridae) Synonym(s): *nivea* Kozhantshikov,1924
- 1949. *Leucobrephos middendorffii ussuriensis* Moltrecht,1914** (Geometridae) Synonym(s): *ussuriensis* Moltrecht,1914
- 1950. *Ligia adustata* (Fabricius,1787)** (Geometridae) Synonym(s): *#adustata* [Denis & Schiffermüller],1775; *adustata* Fabricius,1787; *adustaria* Boisduval,1840 Larval foodplant(s): *Evonymus europeus* (Blaschke,1914; Meyer,1919).
- 1951. *Lignoptera fumidaria* (Hübner,[1825])** (Geometridae) Synonym(s): *fumidaria* Hübner,[1825] Larval foodplant(s): *Achillea* (Meyer,1919).
- 1952. *Limeria macraria* Staudinger,1892** (Geometridae) Synonym(s): *macraria* Staudinger,1892
- 1953. *Lithostege bosporaria* (Herrich-Schäffer,[1848])** (Geometridae)
Synonym(s): *bosporaria* Herrich-Schäffer,[1848]; *porcataria* Boisduval,1848; *latestrigata* Rebel,1931.
- 1954. *Lithostege coassata* (Hübner,[1825])** (Geometridae) Synonym(s): *duplicata* Hübner,[1817] (junior homonym); *coassata* Hübner,[1825]; *assinata* Freyer,1830; *coassaria* Boisduval,1840.
- 1955. *Lithostege coassata coassata* (Hübner,[1825])** (Geometridae)
Synonym(s): *duplicata* Hübner,[1817] (junior homonym); *coassata* Hübner,[1825]; *assinata* Freyer,1830; *coassaria* Boisduval,1840.
- 1956. *Lithostege farinata* (Hufnagel,1767)** (Geometridae) Synonym(s): *farinata* Hufnagel,1767; *illibata* [Denis & Schiffermüller],1775; *nivearia* Hübner,[1799]; *albaria* Turton,1802; *bachmutensis* L.B.Prout,1938
- 1957. *Lithostege griseata* ([Denis & Schiffermüller],1775)** (Geometridae)
Synonym(s): *incanata* Hufnagel,1767; *griseata* [Denis & Schiffermüller],1775; *asinata* Fabricius,1794;

- duplicaria* Hübner,[1799]; *grisearia* Hübner,[1799]; *clarkiata* Stephens,1850 Larval foodplant(s):
Descurainia sophia, *erysimum cheiranthoides* (Brassicaceae) (Meyer,1919 et seq.).
- 1958. Lithostege infusata Eversmann,1837** (Geometridae) Synonym(s):
infusata Eversmann,1837
- 1959. Lobophora halterata (Hufnagel,1767)** (Geometridae) Synonym(s):
halterata Hufnagel,1767 Larval foodplant(s): *Populus tremula*, *Salix* (Meyer,1919).
- 1960. Lomaspilis marginata (Linnaeus,1758)** (Geometridae) Synonym(s):
marginata Linnaeus,1758; *bithynica* Wehrli,1939 Larval foodplant(s): *Corylus*, *Populus tremula*, *Salix* (Meyer,1919).
- 1961. Lomaspilis opis (Butler,1878)** (Geometridae) Synonym(s): *opis* Butler,1878
- 1962. Lomographa bimaculata (Fabricius,1775)** (Geometridae) Synonym(s):
bimaculata Fabricius,1775; *taminata* [Denis & Schiffermüller],1775; *taminaria* Hübner,1799 Larval foodplant(s): *Prunus avium* (Meyer,1919).
- 1963. Lomographa temerata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *punctata* Fabricius,1775 nec Cl.,1759; *temerata* [Denis & Schiffermüller],1775; *nitidula* Fourcroy,1785; *sylvestrata* Hübner,1786; *nitidularia* Villers,1789; *temeraria* Hübner,1799; *nubeculata* Haworth,1809 Larval foodplant(s): *Prunus*, *Quercus* (Meyer,1919).
- 1964. Lycia hirtaria (Linnaeus,1761)** (Geometridae) Synonym(s): *#hirtaria* Clerck,1759; *hirtaria* Linnaeus,1761; *eremita* Scopoli,1763; *atomaria* Hufnagel,1767 nec Linn.,1758; *hirtipennis* Retzius,1783; *congeneraria* Hübner,1799; *fumaria* Haworth,1809; *hanoviensis* Heymons,1891 Larval foodplant(s): *Betula*, *Fagus*, *Prunus*, *Pyrus*, *Quercus*, *Tilia*, *Ulmus* (Meyer,1919).
- 1965. Lycia lapponaria (Boisduval,1840)** (Geometridae) Synonym(s): *lapponaria* Boisduval,1840
- 1966. Lycia pomonaria (Hübner,1790)** (Geometridae) Synonym(s): *grisea* Thunberg,1784; *pomonaria* Hübner,1790; *stigmatella* Zetterstedt,1839 Larval foodplant(s): *Prunus*, *Pyrus*, *Quercus* (Meyer,1919).
- 1967. Lycia pomonaria nigricans Beljaev,1996** (Geometridae) Synonym(s):
nigricans Beljaev,1996
- 1968. Lycia zonaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *zonaria* [Denis & Schiffermüller],1775; *zona* Fabricius,1787
- 1969. Lythria cruentaria (Hufnagel,1767)** (Geometridae) Synonym(s): *purpurata* Linnaeus,1761 nec Linn.,1758; *cruentaria* Hufnagel,1767; *rotaria* Fabricius,1798; *sordidaria* Zetterstedt,1839.
- 1970. Lythria purpuraria (Linnaeus,1758)** (Geometridae) Synonym(s):
purpuraria Linnaeus,1758; *cruentata* Hufnagel,1767 nec Sc.,1763; *sanguinolenta* Fourcroy,1785 nec Linn.,1767 Larval foodplant(s): *Polygonum*, *Prunus*, *Rumex* (Meyer,1919; Wiltshire,1957).
- 1971. Macaria alternata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *alternata* [Denis & Schiffermüller],1775; *alternaria* Hübner,[1805]; *praenotata* Haworth,1809 Larval foodplant(s): *Prunus*, *Quercus*, *Salix caprea* (Meyer,1919).
- 1972. Macaria carbonaria (Clerck,1759)** (Geometridae) Synonym(s): *carbonaria* Clerck,1759; *picearia* Geyer,[1831] Larval foodplant(s): *Salix caprea*, *Vaccinium* (Meyer,1919).
- 1973. Macaria liturata (Linnaeus,1761)** (Geometridae) Synonym(s): *#liturata* Clerck,1759; *liturata* Linnaeus,1761; *igneata* Hufnagel,1767; *fuscata* Thunberg,1788; *liturataria* Esper,[1801]; *lituraria* Hübner,[1823] Larval foodplant(s): *Juniperus*, *Picea*, *Pinus sylvestris* (Pinaceae) (Meyer,1919).
- 1974. Macaria notata (Linnaeus,1758)** (Geometridae) Synonym(s): *notata* Linnaeus,1758; *notataria* [Denis & Schiffermüller],1775; *hieroglyphica* Fourcroy,1785; *notaria* Morris,1861 Larval foodplant(s): *Alnus*, *Betula*, *Quercus*, *Salix* (Meyer,1919).
- 1975. Macaria saburraria (Eversmann,1851)** (Geometridae) Synonym(s):
saburraria Eversmann,1851

- 1976. *Macaria saburraria saburraria* (Eversmann,1851)** (Geometridae)
Synonym(s): *saburraria* Eversmann,1851
- 1977. *Macaria signaria* (Hübner,[1809])** (Geometridae) Synonym(s): *signaria* Hübner,[1809] Larval foodplant(s): *Picea* (Pinaceae) (Meyer,1919).
- 1978. *Macaria wauaria* (Linnaeus,1758)** (Geometridae) Synonym(s): *wauaria* Linnaeus,1758; *fuscaria* Thunberg,1792 nec Vill.,1789; *vauaria* Haworth,1809; *v-nigraria* Haworth,1809. Larval foodplant(s): *Ribes alpinum*, *R.nigrum*, *R.rubrum*, *R.uva-crispa* (Grossulariaceae) (Robinson et al.,2007).
- 1979. *Macaria wauaria wauaria* (Linnaeus,1758)** (Geometridae) Synonym(s): *wauaria* Linnaeus,1758; *fuscaria* Thunberg,1792 nec Villers,1789; *vauaria* Haworth,1809; *v-nigraria* Haworth,1809.
- 1980. *Malacodea regelaria* Tengström,1869** (Geometridae) Synonym(s): *regelaria* Tengström,1869
- 1981. *Martania taeniata* (Stephens,1831)** (Geometridae) Synonym(s): *taeniata* Stephens,1831; *intrusata* Herrich-Schäffer,1841; *arctata* Lienig,1846; *arctaria* Herrich-Schäffer,1848; *albimaculata* Freyer,1849; *obsoleta* Djakonov,1929 Larval foodplant(s): *Minuartia* (Meyer,1919).
- 1982. *Maxates grandificaria* (Graeser,1890)** (Geometridae) Synonym(s): *grandificaria* Graeser,1890; *colataria* Leech,1897
- 1983. *Megalycinia strictaria* (Lederer,1853)** (Geometridae) Synonym(s): *strictaria* Lederer,1853
- 1984. *Megalycinia strictaria strictaria* (Lederer,1853)** (Geometridae)
Synonym(s): *strictaria* Lederer,1853
- 1985. *Megametopon grisolaria* (Eversmann,1848)** (Geometridae)
Synonym(s): *grisolaria* Eversmann,1848
- 1986. *Megaspilates mundataria* (Stoll,1782)** (Geometridae) Synonym(s): *mundataria* Stoll,1782
- 1987. *Melanthia alaudaria* (Freyer,1846)** (Geometridae) Synonym(s): *alaudaria* Freyer,1846; *culmaria* Herrich-Schäffer,1848; *bicuspidaria* Ghiliani,1852 Larval foodplant(s): *Atragene alpina* (Blaschke,1914).
- 1988. *Melanthia procellata* ([Denis & Schiffermüller],1775)** (Geometridae)
Synonym(s): *procellata* [Denis & Schiffermüller],1775; ? *areolata* Fourcroy,1785; *procellaria* Boisduval,1840 Larval foodplant(s): *Clematis vitalba* (Meyer,1919).
- 1989. *Mesoleuca albicillata* (Linnaeus,1758)** (Geometridae) Synonym(s): *albicillata* Linnaeus,1758 Larval foodplant(s): *Rubus fruticosus*, *R. idaeus* (Blaschke,1914; Meyer,1919).
- 1990. *Mesoleuca albicillata albicillata* (Linnaeus,1758)** (Geometridae)
Synonym(s): *albicillata* Linnaeus,1758
- 1991. *Mesoleuca albicillata casta* (Butler,1878)** (Geometridae) Synonym(s): *casta* Butler,1878
- 1992. *Mesoleuca albicillata nigromarginata* (Heydemann,1936)** (Geometridae) Synonym(s): *nigromarginata* Heydemann,1936
- 1993. *Mesoleuca mandschuricata* (Bremer,1864)** (Geometridae) Synonym(s): *mandschuricata* Bremer,1864
- 1994. *Mesoleuca mandschuricata borealis* (Herz,1905)** (Geometridae)
Synonym(s): *borealis* Herz,1905
- 1995. *Mesoleuca mandschuricata mandschuricata* (Bremer,1864)** (Geometridae) Synonym(s): *mandschuricata* Bremer,1864
- 1996. *Metacrocallis vernalis* Beljaev,1997** (Geometridae) Synonym(s): *vernalis* Beljaev,1997
- 1997. *Meteima mediorufa* (Bastelberger,1911)** (Geometridae) Synonym(s): *mediorufa* Bastelberger,1911
- 1998. *Meteima mediorufa gilva* Djakonov,1952** (Geometridae) Synonym(s): *gilva* Djakonov,1952

- 1999. Microbiston lanaria (Eversmann,1852)** (Geometridae) Synonym(s): *lanaria* Eversmann,1852; *tataricus* Staudinger,1882
- 2000. Microbiston phaeothorax Wehrli,1941** (Geometridae) Synonym(s): *phaeothorax* Wehrli,1941 Larval foodplant(s): *Artemisia* (Wehrli,1941).
- 2001. Microloxia herbaria (Hübner,[1813])** (Geometridae) Synonym(s): *herbaria* Hübner,[1813]; *advolata* Eversmann,1837; *graminaria* Zeller,1849; *bruandaria* Millière,1860. Larval foodplant(s): *Lavandula*, *Teucrium capitatum* (Staudinger,1879; Prout,1912; Meyer,1919; Wiltshire,1957).
- 2002. Minoa murinata (Scopoli,1763)** (Geometridae) Synonym(s): *murinata* Scopoli,1763; *sordata* Linnaeus,1767; *fuscata* Hufnagel,1767; *euphorbiata* [Denis & Schiffermüller],1775; *unicolorata* Hübner,1787; *euphorbiaria* Hübner,1799; *limburgia* Lempke,1969 Larval foodplant(s): *Euphorbia cyparissias* (Meyer,1919); *Euphorbia amygdaloides* (Xue & Scoble,2002).
- 2003. Minoa murinata lutea Schwingenschuss,1954** (Geometridae) Synonym(s): *lutea* Schwingenschuss,1954
- 2004. Minoa murinata murinata (Scopoli,1763)** (Geometridae) Synonym(s): *murinata* Scopoli,1763; *sordata* Linnaeus,1767; *fuscata* Hufnagel,1767; *euphorbiata* [Denis & Schiffermüller],1775; *unicolorata* Hübner,1787; *euphorbiaria* Hübner,1799; *limburgia* Lempke,1969
- 2005. Narraga fasciolaria (Hufnagel,1767)** (Geometridae) Synonym(s): *fasciolaria* Hufnagel,1767; *cebraria* Hübner,[1799]; *zebraria* Duponchel,1829. Larval foodplant(s): *Artemisia campestris* (Meyer,1919).
- 2006. Narraga fasciolaria fasciolaria (Hufnagel,1767)** (Geometridae) Synonym(s): *fasciolaria* Hufnagel,1767; *cebraria* Hübner,[1799]; *zebraria* Duponchel,1829.
- 2007. Narraga tessularia (Metzner,1845)** (Geometridae) Synonym(s): *tessularia* Metzner,1845; *baltearia* Freyer,1845; *atronacularia* Herrich-Schäffer,1848.
- 2008. Narraga tessularia tessularia (Metzner,1845)** (Geometridae) Synonym(s): *tessularia* Metzner,1845; *baltearia* Freyer,1845; *atronacularia* Herrich-Schäffer,1848.
- 2009. Nebula achromaria (La Harpe,1853)** (Geometridae) Synonym(s): *achromaria* La Harpe,1853; *saxicolata* Lederer,1853; *hispalata* Rambur,1866; *fasciata* Wehrli,1920; *tenebrata* Dannehl,1933. Larval foodplant(s): *Galium mollugo* (Blaschke,1914; Meyer,1919).
- 2010. Nebula nebulata (Treitschke,1828)** (Geometridae) Synonym(s): *nebulata* Treitschke,1828
- 2011. Nebula salicata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#salicata* [Denis & Schiffermüller],1775 Larval foodplant(s): *Galium*, *Rubia olivieri*, *Salix viminalis* ([Denis & Schiffermüller],1775; Meyer,1919; Wiltshire,1939,1957).
- 2012. Neognopharmia stevenaria (Boisduval,1840)** (Geometridae) Synonym(s): *stevenaria* Boisduval,1840; *lapidaria* Freyer,1841 Larval foodplant(s): *Prunus spinosa* (Rosaceae) (Kasy,1954).
- 2013. Nothocasis sertata (Hübner,[1817])** (Geometridae) Synonym(s): *sertata* Hübner,[1817] Larval foodplant(s): *Acer pseudoplatanus* (Meyer,1919).
- 2014. Nothomiza submediostrigata Wehrli,1939** (Geometridae) Synonym(s): *submediostrigata* Wehrli,1939
- 2015. Nychiodes (Eunychiodes) divergaria (Staudinger,1892)** (Geometridae) Synonym(s): *divergaria* Staudinger,1892
- 2016. Nychiodes (Eunychiodes) divergaria achtyca Wehrli,1939** (Geometridae) Synonym(s): *achtyca* Wehrli,1939
- 2017. Nyssiodes lefuarius (Erschoff,1872)** (Geometridae) Synonym(s): *lefuarius* Erschoff,1872; *olgaria* Oberthür,1880; *maturaria* Christoph,1881
- 2018. Ochodontia adustaria Fischer de Waldheim,1840** (Geometridae) Synonym(s): *adustaria* Fischer de Waldheim,1840; *sareptanaria* Freyer,1841; *#sareptaria*

- Eversmann,1844* Larval foodplant(s): *Evonymus europaeus* (Celastraceae), *Atraphaxis* (Polygonaceae) (Meyer,1919; Hausmann,2004 ex Mironov).
- 2019. Odezia atrata (Linnaeus,1758)** (Geometridae) *atrata* Linnaeus,1758; *chaerophyllata* Linnaeus,1767; *chaerophyllaria* Boisdual,1840; *pyrenaica* Gumpfenberg,1887; *meridionalis* Reisser,1935 Larval foodplant(s): *Angelica*, *Anthriscus*, *Chaerophyllum*, *Conopodium denudatum* (*Bunium flexuosum*) (Apiaceae) (Prout,1912; Meyer,1919).
- 2020. Odontognophos dumetatus (Treitschke,1827)** (Geometridae) *dumetatus* Treitschke,1827; *temperata* Eversmann,1846; *saturata* Fuchs,1902 Larval foodplant(s): *Rhamnus alaternus* (Rhamnaceae) (Meyer,1919).
- 2021. Odontognophos zacharius (Staudinger,1879)** (Geometridae) *zacharia* Staudinger,1879
- 2022. Odontognophos zacharius dagestanensis Wehrli,1953** (Geometridae) *dagestanensis* Wehrli,1953
- 2023. Odontopera bidentata (Linnaeus,1761)** (Geometridae) *#bidentata* Clerck,1759; *bidentata* Linnaeus,1761; *bidentaria* Fabricius,1794; *dentaria* Hübner,[1799]. Larval foodplant(s): *Alnus incana*, *Betula ermani*, *B. pubescens* (Betulaceae); *Arctium minus*, *Artemisia vulgaris*, *Cirsium arvense* (Asteraceae); *Ledum palustre*, *Vaccinium myrtillus* (Ericaceae); *Fagus crenata*, *Quercus dentata*, *Q. robur* (Fagaceae); *Ribes nigrum*, *R. uva-crispa* (Grossulariaceae); *Trifolium pratense* (Fabaceae); *Fraxinus excelsior* (Oleaceae); *Larix decidua*, *L. sibirica*, *Picea abies*, *Pinus sylvestris* (Pinaceae); *Malus domestica*, *Prunus padus*, *Sorbus aucuparia* (Rosaceae); *Populus alba*, *Populus nigra*, *Salix* (Salicaceae); *Tilia platyphylla* (Tiliaceae) (Meyer,1919 et seq.).
- 2024. Odontopera bidentata exsul (Tchetverikov,1905)** (Geometridae) *exsul* Tchetverikov,1905; *asiatica* A.Bang-Haas,1907.
- 2025. Operophtera brumata (Linnaeus,1758)** (Geometridae) *brumata* Linnaeus,1758; *hyemata* Hufnagel,1767; *hyemalis* Retzius,1783; *brumaria* Esper,1801; *vulgaris* Stephens,1829; *phryganea* Rambur,1870; *myricaria* Cooke,1882 Larval foodplant(s): *Carpinus [betulus]*, *Fagus*, *Malus*, *Prunus*, *Pyrus*, *Vaccinium myrtillus* (Meyer,1919).
- 2026. Operophtera fagata (Scharfenberg,1805)** (Geometridae) *fagata* Scharfenberg,1805; *boreata* Hübner,[1813]; *borearia* Boisdual,1840
- 2027. Ophthalmitis albosignaria (Bremer & Grey,1853)** (Geometridae) *albosignaria* Bremer & Grey,1853; *ocellata* Leech,1889; *saturniaria* Graeser,1889
- 2028. Ophthalmitis albosignaria albosignaria (Bremer & Grey,1853)** (Geometridae) *albosignaria* Bremer & Grey,1853; *ocellata* Leech,1889; *saturniaria* Graeser,1889
- 2029. Ophthalmitis albosignaria juglandaria (Oberthür,1913)** (Geometridae) *juglandaria* Oberthür,1913
- 2030. Opisthograptis luteolata (Linnaeus,1758)** (Geometridae) *luteolata* Linnaeus,1758; *crataegata* Linnaeus,1761; *crataegaria* Hübner,[1823]; *#emaculata* Graeser,1892; *impunctata* Osthelder,1931. Larval foodplant(s): *Betula pubescens* (Betulaceae); *Ribes nigrum* (Grossulariaceae), *Amelanchier confusa*, *Crataegus laevigata*, *Malus domestica*, *Prunus domestica*, *P. padus*, *Sorbus aucuparia* (Rosaceae); *Salix* (Salicaceae) (Meyer,1919 et seq.).
- 2031. Orthonama obstipata (Fabricius,1794)** (Geometridae) *obstipata* Fabricius,1794; *fluviata* Hübner,[1799]; *gemma* Hübner,1799; *albicinctata* Haworth,1809; *angustata* Haworth,1809; *quaerendaria* Costa,1850; *baccata* Guenée,[1858]; *lapillata* Guenée,[1858]; *contrariata* Walker,1862; *exagitata* Walker,1862; *intrusata* Walker,1862; *peracutata* Walker,1862; *signataria* Walker,1863; *obruptata* Walker,1863; *pigrata* Walker,1866; *plemyrata* R.Felder & Rogenhofer,1875; *inconspicua* Warren,1896; *brunneipennis* Hulst,1896; *discata* Warren,1905 Larval foodplant(s): *Galium mollugo*, *Nasturtium officinale* (Calle et al.,2000).
- 2032. Orthonama vittata (Borkhausen,1794)** (Geometridae) *vittata* Borkhausen,1794; *lignata* Hübner,[1799]; *areolaria* Haworth,1809; *lineataria* Donovan,1810;

- lignaria* Boisduval,1840 Larval foodplant(s): *Galium palustre*, *Menyanthes trifoliata* (Meyer,1919).
- 2033. Orthostixis cribraria (Hübner,[1799])** (Geometridae) Synonym(s): *cribraria* Hübner,[1799]. Larval foodplant(s): *Scutellaria peregrina* (Meyer,1919).
- 2034. Orthostixis cribraria cribraria (Hübner,[1799])** (Geometridae) Synonym(s): *cribraria* Hübner,[1799].
- 2035. Ourapteryx purissima Thierry-Mieg,1905** (Geometridae) Synonym(s): *purissima* Thierry-Mieg,1905
- 2036. Ourapteryx sambucaria (Linnaeus,1758)** (Geometridae) Synonym(s): *sambucaria* Linnaeus,1758. Larval foodplant(s): *Hedera helix*, *Lonicera*, *Sambucus niger* (Linnaeus,1758; Lederer, 1865; Staudinger,1879; Meyer,1919).
- 2037. Ourapteryx ussurica Inoue,1993** (Geometridae) Synonym(s): *ussurica* Inoue,1993
- 2038. Pachycnemia hippocastanaria (Hübner,[1799])** (Geometridae) Synonym(s): *hippocastanaria* Hübner,[1799]; *anomalata* Haworth,1812; *degenerata* Hübner,[1813]; *difformaria* Hübner,[1825]; *hippocastanata* Treitschke,1827; *modestaria* Lempke,1970 Larval foodplant(s): *Vaccinium*; *Calluna* (Ericaceae) (Meyer,1919; et seq.).
- 2039. Paradarisa consonaria (Hübner,[1799])** (Geometridae) Synonym(s): *consonaria* Hübner,[1799]; *tetragonaria* Curtis,1829 Larval foodplant(s): *Betula* (Betulaceae), *Fagus* (Fagaceae), *Tilia* (Tiliaceae) (Meyer,1919).
- 2040. Parectropis nigrosparsa (Wileman & South,1917)** (Geometridae) Synonym(s): *nigrosparsa* Wileman & South,1917; *eubostriyx* Wehrli,1953; *macroluridata* Viidalepp,1979
- 2041. Parectropis similaria (Hufnagel,1767)** (Geometridae) Synonym(s): *similaria* Hufnagel,1767; *corticaria* [Denis & Schiffermüller],1775; *extersaria* Hübner,[1799]; *luridata* Borkhausen,1794
- 2042. Pareulype berberata (Fabricius,1787)** (Geometridae) Synonym(s): *#berberata* [Denis & Schiffermüller],1775; *berberata* Fabricius,1787; *berberaria* Boisduval,1840 Larval foodplant(s): *Berberis vulgaris* (Meyer,1919).
- 2043. Pareulype berberata berberata (Fabricius,1787)** (Geometridae) Synonym(s): *#berberata* [Denis & Schiffermüller],1775; *berberata* Fabricius,1787; *berberaria* Boisduval,1840
- 2044. Pasiphila chloerata (Mabille,1870)** (Geometridae) Synonym(s): *chloerata* Mabille,1870; *consueta* Butler,1879; *horticolaria* Fuchs,1892 Larval foodplant(s): *Prunus spinosa* (Meyer,1919).
- 2045. Pasiphila debiliata (Hübner,[1817])** (Geometridae) Synonym(s): *debiliata* Hübner,[1817]; *nigropunctata* Chant,1833; *debiliaria* Boisduval,1840; *clerci* Krulikovsky,1891; *suspiciosa* Inoue,1982
- 2046. Pasiphila rectangulata (Linnaeus,1758)** (Geometridae) Synonym(s): *rectangulata* Linnaeus,1758; *viridulata* Hufnagel,1767; *cydoniata* Borkhausen,1794; *mediana* Panzer,1804; *nigrocericeata* Haworth,1809; *sericeata* Haworth,1809; *subaerata* Hübner,[1817]; *rectangularia* Boisduval,1840 Larval foodplant(s): *Prunus padus*, *Pyrus* (Meyer,1919).
- 2047. Pellonia vibicaria (Linnaeus,1761)** (Geometridae) Synonym(s): *#vibicaria* Clerck,1759; *vibicaria* Linnaeus,1761; *cruentata* Scopoli,1763; *rubrofasciata* Hufnagel,1767; *artriosa* Fourcroy,1785; *cruentaria* Villers,1789. Larval foodplant(s): *Calluna vulgaris* (Ericaceae); *Cytisus*, *Genista*, *Sarothamnus scoparius*; *Lychnis vulgaris* (Caryophyllaceae) (Meyer,1919; et seq.).
- 2048. Pellonia vibicaria vibicaria (Linnaeus,1761)** (Geometridae) Synonym(s): *#vibicaria* Clerck,1759; *vibicaria* Linnaeus,1761; *cruentata* Scopoli,1763; *rubrofasciata* Hufnagel,1767; *artriosa* Fourcroy,1785; *cruentaria* Villers,1789. Larval foodplant(s): *Calluna vulgaris* (Ericaceae); *Cytisus*, *Genista*, *Sarothamnus scoparius*; *Lychnis vulgaris* (Caryophyllaceae) (Meyer,1919; et seq.).
- 2049. Pelurga comitata (Linnaeus,1758)** (Geometridae) Synonym(s): *comitata* Linnaeus,1758 Larval foodplant(s): *Atriplex*, *Chenopodium* (Meyer,1919).

- 2050. *Perconia strigillaria* (Hübner,1787)** (Geometridae) **Synonym(s):** *strigillaria* Hübner,1787; *respersaria* Hübner,[1799]; *inaequaria* Haworth,1809; *herpeticaria* Rambur,1866; *grisearia* Lempke,1952; *fuscognaria* Lempke,1953 **Larval foodplant(s):** *Genista*, *Sarothamnus scoparius*, *Vaccinium* (Meyer,1919).
- 2051. *Peribatodes correptarius* (Zeller,1847)** (Geometridae) **Synonym(s):** *correptaria* Zeller,1847.
- 2052. *Peribatodes correptarius correptarius* (Zeller,1847)** (Geometridae) **Synonym(s):** *correptaria* Zeller,1847.
- 2053. *Peribatodes rhomboidarius* [Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *#rhomboidaria* [Denis & Schiffermüller],1775; *inaequalis* Goeze,1781; *gemmaria* Brahm,1791; *ichnusaria* Ghiliani,1852; *corsicaria* Schawerda,1931; *saerdabensis* Wehrli,1943 **Larval foodplant(s):** *Clematis vitalba*, *Crataegus*, *Ligustrum*, *Nerium oleander*, *Prunus domestica*, *P. spinosa*, *Pyrus*, *Quercus*, *Rubus* (Meyer,1919; Calle, et al.,2000).
- 2054. *Peribatodes umbrarius* (Hübner,[1809])** (Geometridae) **Synonym(s):** *umbraria* Hübner,[1809]; *vaucheri* Thierry-Mieg,1916 **Larval foodplant(s):** *Acer*, *Olea europaea*, *Quercus* (Meyer,1919; Wiltshire,1957; Calle, et al.,2000).
- 2055. *Peribatodes umbrarius umbrarius* (Hübner,[1809])** (Geometridae) **Synonym(s):** *umbraria* Hübner,[1809]; *vaucheri* Thierry-Mieg,1916
- 2056. *Perizoma affinitata* (Stephens,1831)** (Geometridae) **Synonym(s):** *affinitata* Stephens,1831 **Larval foodplant(s):** *Lychnis alba*, *L. diurna*, *L. dioica*, *L. floscuculi*, *L. sylvestris*, *L. vespertina* (Blaschke,1914; Meyer,1919; South,1961).
- 2057. *Perizoma albulata* ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *albulata* [Denis & Schiffermüller],1775; *dissoluta* Strand,1902
- 2058. *Perizoma alchemillata* (Linnaeus,1758)** (Geometridae) **Synonym(s):** *alchemillata* Linnaeus,1758; *rivulata* [Denis & Schiffermüller],1775; *nassata* Fabricius,1794; *alchemillaria* Borkhausen,1794; *aparinata* Hübner,[1825]; *silenata* Stephens,1850; *fennica* Reuter,1893 **Larval foodplant(s):** *Alchemilla*, *Galeopsis*, *Stachys alpina*, *S. sylvatica* (Linnaeus,1758; Meyer,1919).
- 2059. *Perizoma bifaciata* (Haworth,1809)** (Geometridae) **Synonym(s):** *bifaciata* Haworth,1809; *unifasciata* Haworth,1809; *#bifaciata* Haworth,[1828]; *aquilaria* Herrich-Schäffer,1848; *linolata* Guenée,[1858]; *odontata* Millière,1870
- 2060. *Perizoma blandiata* ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *blandiata* [Denis & Schiffermüller],1775; *adaequata* Borkhausen,1794; *derasata* Schrank,1802; *trigonata* Haworth,1809; *dilacerata* Zetterstedt,1839; *blandiaria* Boisduval,1840; *jucundaria* Boisduval,1840; *albidata* Eversmann,1842. **Larval foodplant(s):** *Euphrasia officinalis* (Blaschke,1914; Meyer,1919).
- 2061. *Perizoma contrita* (L.B.Prout,1914)** (Geometridae) **Synonym(s):** *contrita* L.B.Prout,1914
- 2062. *Perizoma didymata* (Linnaeus,1758)** (Geometridae) **Synonym(s):** *didymata* Linnaeus,1758; *inundaria* [Denis & Schiffermüller],1775; *scabrata* Hübner,[1799]; *alpestrata* Hübner,[1809]; *scabraria* Hübner,[1825]; *attenuata* Culot,1919; *pyraeneata* Bubacek,1926; *trifasciata* Warnecke,1936; *koehni* Warnecke,1936; *gedrensis* Prout,1937 **Larval foodplant(s):** *Anthriscus*, *Cerastium*, *Vaccinium* (Meyer,1919).
- 2063. *Perizoma flavofasciata* (Thunberg,1792)** (Geometridae) **Synonym(s):** *flavofasciata* Thunberg,1792; *decolorata* Thunberg,[1799] nec Viller,1789. **Larval foodplant(s):** *Lychnis diurna*, *L. vespertina* (Meyer,1919).
- 2064. *Perizoma haasi* (Hedemann,1881)** (Geometridae) **Synonym(s):** *haasi* Hedemann,1881
- 2065. *Perizoma hydrata* (Treitschke,1829)** (Geometridae) **Synonym(s):** *hydrata* Treitschke,1829; *flexuosaria* Boheman,1852 **Larval foodplant(s):** *Silene nutans* (Meyer,1919).
- 2066. *Perizoma hydrata hydrata* (Treitschke,1829)** (Geometridae) **Synonym(s):** *hydrata* Treitschke,1829; *flexuosaria* Boheman,1852

- 2067. Perizoma lugdunaria (Herrich-Schäffer,1855)** (Geometridae)
Synonym(s): *lugdunaria* Herrich-Schäffer,1855
- 2068. Perizoma minimata (Staudinger,1897)** (Geometridae) Synonym(s):
minimata Staudinger,1897
- 2069. Perizoma minorata (Treitschke,1828)** (Geometridae) Synonym(s):
minorata Treitschke,1828 Larval foodplant(s): *Euphrasia lutea* (Meyer,1919).
- 2070. Perizoma parallelolineata (Retzius,1783)** (Geometridae) Synonym(s):
parallelolineata Retzius,1783; *praelellaria* Villers,1789; *subduplicaria* Costa,[1849] Larval
foodplant(s): *Leontodon taraxacum*, *Prunus spinosa* (Meyer,1919).
- 2071. Perizoma parvaria (Leech,1891)** (Geometridae) Synonym(s): *parvaria*
Leech,1891; *ablegata* Staudinger,1897
- 2072. Perizoma sagittata (Fabricius,1787)** (Geometridae) Synonym(s): *bidentata*
Hufnagel,1767 (*praeocc.*); *sagittata* Fabricius,1787; *comitata* Hübner,[1800] Larval foodplant(s):
Thalictrum angustifolium (Meyer,1919).
- 2073. Perizoma verberata (Scopoli,1763)** (Geometridae) Synonym(s): *verberata*
Scopoli,1763; *rupestrata* [Denis & Schiffermüller],1775; *bassaria* Feisthamel,1835; *vogesiaria*
Peyerimhoff,1880; *pawlitscheki* Hormuzaki,1899 Larval foodplant(s): *Pinus* (Meyer,1919).
- 2074. Petrophora chlorosata (Scopoli,1763)** (Geometridae) Synonym(s):
chlorosata Scopoli,1763; *innata* Fabricius,1794; *virgaria* Borkhausen,1794; *petraria* Hübner,[1799]; *petrata*
Haworth,1809. Larval foodplant(s): *Pteridium* (Meyer,1919).
- 2075. Phaioграмма etruscaria (Zeller,1849)** (Geometridae) Synonym(s):
etruscaria Zeller,1849; *pulmentaria* Guenée,[1858]; *palaestinensis* Fuchs,1903. Larval
foodplant(s): *Althaea*, *Bupleurum*, *Quercus*, *Peucedanum alsaticum*
(Staudinger,1879; Meyer, 1919; Wiltshire,1957).
- 2076. Phaselia serrularia (Eversmann,1847)** (Geometridae) Synonym(s):
serrularia Eversmann,1847; *phaeoleucaria* Lederer,1855. Larval foodplant(s): *Ephedra*
distachya, *Sarothamnus scoparius* (Staudinger,1879; Meyer,1919).
- 2077. Phaselia serrularia serrularia (Eversmann,1847)** (Geometridae)
Synonym(s): *serrularia* Eversmann,1847; *phaeoleucaria* Lederer,1855.
- 2078. Phibalapteryx virgata (Hufnagel,1767)** (Geometridae) Synonym(s):
virgata Hufnagel,1767; *lineolata* [Denis & Schiffermüller],1775; *obliquata* Thunberg,1784; *lineolaria*
Boisduval,1840 Larval foodplant(s): *Galium* (Meyer,1919).
- 2079. Phigalia pedaria (Fabricius,1787)** (Geometridae) Synonym(s): *#pilosaria*
[Denis & Schiffermüller],1775; *pedaria* Fabricius,1787. Larval foodplant(s): *Fagus*, *Prunus*
spinosa, *Quercus* (Meyer,1919).
- 2080. Philereme transversata (Hufnagel,1767)** (Geometridae) Synonym(s):
transversata Hufnagel,1767; *rhamnata* [Denis & Schiffermüller],1775. Larval foodplant(s):
Epilobium angustifolium, *E. montanum*; *Rhamnus* (Rhamnaceae) (Denis &
Schiffermüller,1775; Meyer,1919).
- 2081. Philereme vetulata ([Denis & Schiffermüller],1775)** (Geometridae)
Synonym(s): *undulataria* Hufnagel,1767; *vetulata* [Denis & Schiffermüller],1775; *affectata*
Eversmann,1842; *subductata* Walker,1862 Larval foodplant(s): *Rhamnus catharica*
(Rhamnaceae) (Meyer,1919).
- 2082. Photoscotosia atrostrigata (Bremer,1864)** (Geometridae) Synonym(s):
atrostrigata Bremer,1864
- 2083. Photoscotosia strostrigata (Bremer,1864)** (Geometridae) Synonym(s):
strostrigata Bremer,1864
- 2084. Phthonandria emaria (Bremer,1861)** (Geometridae) Synonym(s): *emaria*
Bremer,1861
- 2085. Phthonandria emaria emaria (Bremer,1861)** (Geometridae)
Synonym(s): *emaria* Bremer,1861
- 2086. Phyllometra culminaria (Eversmann,1843)** (Geometridae) Synonym(s):
culminaria Eversmann,1843; *desertaria* Freyer,1844.

- 2087. Plagodis dolabraria (Linnaeus,1767)** (Geometridae) Synonym(s): *dolabraria* Linnaeus,1767; *ustulataria* Hufnagel,1767; *fulvicans* Fourcroy,1785. Larval foodplant(s): *Quercus*, *Tilia* (Meyer,1919).
- 2088. Plagodis pulveraria (Linnaeus,1758)** (Geometridae) Synonym(s): *pulveraria* Linnaeus,1758; *diffusaria* Walker,1862 Larval foodplant(s): *Betula*, *Lonicera*, *Quercus*, *Salix* (Meyer,1919).
- 2089. Plemyria rubiginata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *bicolorata* Hufnagel,1767 *nec* Hufn.,1766; *rubiginata* [Denis & Schiffermüller],1775. Larval foodplant(s): *Alnus glutinosa*, *Betula* (Betulaceae); *Ribes rubrum* (Grossulariaceae); *Malus*, *Prunus padus*, *P. spinosa* (Rosaceae) (Scoble,1999).
- 2090. Plemyria rubiginata rubiginata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *bicolorata* Hufnagel,1767 *nec* Hufn.,1766; *rubiginata* [Denis & Schiffermüller],1775. Larval foodplant(s): *Alnus glutinosa*, *Betula* (Betulaceae); *Ribes rubrum* (Grossulariaceae); *Malus*, *Prunus padus*, *P. spinosa* (Rosaceae) (Scoble,1999).
- 2091. Pleogynopteryx bituminaria (Lederer,1853)** (Geometridae) Synonym(s): *bituminaria* Lederer,1853; *tenebricosa* Djakonov,1926; *amurensis* Wehrli,1929 *nec* Stgr.,1892; *raddensis* Wehrli,1941
- 2092. Plesioscotosia pulchrata (Alpheraky,1883)** (Geometridae) Synonym(s): *pulchrata* Alpheraky,1883; *cometifera* W.Warren,1901.
- 2093. Polythrena coloraria (Herrich-Schäffer,1855)** (Geometridae) Synonym(s): *coloraria* Herrich-Schäffer,1855; *melanictetata* Lederer,1855
- 2094. Protorhoe corollaria (Herrich-Schäffer,[1848])** (Geometridae) Synonym(s): *corollaria* Herrich-Schäffer,[1848]; *noacki* Draudt,1935. Larval foodplant(s): *Galium verum* (Prout,1938).
- 2095. Protorhoe unicata (Guenée,[1858])** (Geometridae) Synonym(s): *unicata* Guenée,[1858]
- 2096. Protorhoe unicata unicata (Guenée,[1858])** (Geometridae) Synonym(s): *unicata* Guenée,[1858]
- 2097. Proutictis artesiaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *artesiaria* [Denis & Schiffermüller],1775 Larval foodplant(s): *Salix* (Meyer,1919).
- 2098. Pseudentephria lamata (Staudinger,1897)** (Geometridae) Synonym(s): *lamata* Staudinger,1897; *altaica* Djakonov,1955; *remmi* Viidalepp,1976
- 2099. Pseudopanthera macularia (Linnaeus,1758)** (Geometridae) Synonym(s): *macularia* Linnaeus,1758; *maculata* Scopoli,1763; *panthera* Fourcroy,1785; *quadrimaculata* Haworth,1809; *meridionalis* Galvagni,1908 Larval foodplant(s): *Lamium*, *Stachys*, *Teucrium* (Meyer,1919).
- 2100. Pseudostegania defectata (Christoph,1881)** (Geometridae) Synonym(s): *defectata* Christoph,1881
- 2101. Pseudoterpna pruinata (Hufnagel,1767)** (Geometridae) Synonym(s): *pruinata* Hufnagel,1767; *prasinaria* Fabricius,1775 *nec* Hufnagel,1767; *cythisaria* [Denis & Schiffermüller],1775; *genistaria* Villers,1789. larva *Cytisus*, *Genista*, *Sarothamnus scoparius* (Meyer,1919; Skou,1986).
- 2102. Psodos coracina (Esper,1805)** (Geometridae) Synonym(s): *hirtata* Fabricius,1794; *coracina* Esper,1805; *chaonaria* Freyer,1828 Larval foodplant(s): *Polygonum* (Meyer,1919).
- 2103. Psyra boarmiata (Graeser,1892)** (Geometridae) Synonym(s): *boarmiata* Graeser,1892
- 2104. Pterapherapteryx sexalata (Retzius,1783)** (Geometridae) Synonym(s): *sexalata* Retzius,1783; *sexalisata* Hübner,[1788]; *sezalata* Hübner,1799; *hexaptera* Latreille,1805 Larval foodplant(s): *Salix* (Meyer,1919).

- 2105. *Ptygmatophora staudingeri* (Christoph,1881)** (Geometridae)
Synonym(s): *staudingeri* Christoph,1881
- 2106. *Pungeleria capreolaria* (Fabricius,1787)** (Geometridae) Synonym(s):
capreolaria Fabricius,1787; *donzelaria* Duponchel,1829; *valesiaria* Vorbrodt & Müller-Rutz,1913
Larval foodplant(s): *Abies*, *Picea* (Meyer,1919).
- 2107. *Pydna badiaria* (Freyer,[1841])** (Geometridae) Synonym(s): *badiaria*
Freyer,[1841]; *telaria* Herrich-Schäffer,[1847]; *cervinaria* Herrich-Schäffer,[1847]; *praecanaria*
Eversmann,1847; *pollenaria* Freyer,1854.
- 2108. *Pygmaena fusca* (Thunberg,1792)** (Geometridae) Synonym(s): *fusca*
Thunberg,1792; *venetaria* Hübner,[1809]; *canitaria* Freyer,1830; *fuscantaria* Zetterstedt,1839 *nec*
Thunb.,1792 Larval foodplant(s): *Draba* (Brassicaceae) (Meyer,1919).
- 2109. *Rheumaptera flavipes* (Ménétriés,1858)** (Geometridae) Synonym(s):
flavipes Ménétriés,1858; *flavipedaria* Ménétriés,1859; *sachalinensis* Matsumura,1911
- 2110. *Rheumaptera hastata* (Linnaeus,1758)** (Geometridae) Synonym(s):
hastata Linnaeus,1758; *heraclitaea* Fourcroy,1785; *hastaria* Boisduval,1840 Larval foodplant(s):
Betula, *Salix*, *Vaccinium uliginosum* (Meyer,1919).
- 2111. *Rheumaptera hedemannaria* (Oberthür,1880)** (Geometridae)
Synonym(s): *hedemannaria* Oberthür,1880; *excultata* Christoph,1881; *varia* Hedemann,1881
- 2112. *Rheumaptera inanata* (Christoph,1881)** (Geometridae) Synonym(s):
inanata Christoph,1881; *costipunctaria* Leach,1897
- 2113. *Rheumaptera inanata* (Christoph,1881)** (Geometridae) Synonym(s):
inanata Christoph,1881; *costipunctaria* Leech,1897
- 2114. *Rheumaptera subhastata* (Nolcken,1870)** (Geometridae) Synonym(s):
subhastata Nolcken,1870; *sagittifera* Gumpfenberg,1890
- 2115. *Rheumaptera veternata* (Christoph,1881)** (Geometridae) Synonym(s):
veternata Christoph,1881
- 2116. *Rhodometra sacraria* (Linnaeus,1767)** (Geometridae) Synonym(s):
sacraria Linnaeus,1767; *labda* Cramer,1777; *sacralis* Thunberg,1784; *fulvaria* Fabricius,1794; *sanguinaria*
Esper,1801; *minervae* Gistel,1856; *labdaria* Guenée,[1858]; Larval foodplant(s): *Beta*,
Polygonum, *Rumex* (Meyer,1919; Wiltshire,1941,1957; Calle et al.,2000).
- 2117. *Rhodostrophia calabra* (Petagna,1786)** (Geometridae) Synonym(s):
calabra Petagna,1786; *trifasciata* Cyrillo,1787; *calabraria* Hübner,1790. Larval foodplant(s):
Cytisus, *Genista*, *Retama*, *Spartium*, *Sarothamnus scoparius* (Meyer,1919; Calle et
al.,2000).
- 2118. *Rhodostrophia calabra transcaucasica* L.B.Prout,1920** (Geometridae)
Synonym(s): *transcaucasica* L.B.Prout,1920
- 2119. *Rhodostrophia jacularia* (Hübner,[1813])** (Geometridae) Synonym(s):
jacularia Hübner,[1813]
- 2120. *Rhodostrophia xesta* L.B.Prout,1935** (Geometridae) Synonym(s): *xesta*
L.B.Prout,1935
- 2121. *Rhodostrophia xesta badhyzicola* Viidalepp,1988** (Geometridae)
Synonym(s): *badhyzicola* Viidalepp,1988
- 2122. *Scardamia aurantiacaria* Bremer,1864** (Geometridae) Synonym(s):
aurantiacaria Bremer,1864
- 2123. *Schistostege nubilaria* (Hübner,[1799])** (Geometridae) Synonym(s):
nubilaria Hübner,[1799]; *exalbata* Hübner,[1817]; *knuppferi* Hoyningen-Huene,1904
- 2124. *Scopula aequifasciata* (Christoph,1881)** (Geometridae) Synonym(s):
aequifasciata Christoph,1881; *aequifasciaria* Hedemann,1881
- 2125. *Scopula albiceraria* (Herrich-Schäffer,1847)** (Geometridae)
Synonym(s): *albiceraria* Herrich-Schäffer,1847; *sulphuraria* Freyer,1847; *vitellinaria* Eversmann,1851
- 2126. *Scopula apicipunctata* (Christoph,1881)** (Geometridae) Synonym(s):
apicipunctata Christoph,1881; *arenaria* Leech,1897
- 2127. *Scopula arenosaria* (Staudinger,1879)** (Geometridae) Synonym(s):
arenosaria Staudinger,1879
- 2128. *Scopula asthena* Inoue,1943** (Geometridae) Synonym(s): *asthena* Inoue,1943

- 2129. Scopula axiata (Püngeler,1909)** (Geometridae) Synonym(s): *axiata* Püngeler,1909
- 2130. Scopula beckeraria (Lederer,1853)** (Geometridae) Synonym(s): *beckeraria* Lederer,1853
- 2131. Scopula beckeraria amataria (Wehrli,1927)** (Geometridae) Synonym(s): *amataria* Wehrli,1927
- 2132. Scopula beckeraria beckeraria (Lederer,1853)** (Geometridae) Synonym(s): *beckeraria* Lederer,1853
- 2133. Scopula cajanderi (Herz,1904)** (Geometridae) Synonym(s): *cajanderi* Herz,1904; *anaitaria* Herz,1904
- 2134. Scopula caricaria (Reutti,1853)** (Geometridae) Synonym(s): *caricaria* Reutti,1853 Larval foodplant(s): *Artemisia vulgaris*, *Centaurea jacea* (Meyer,1919).
- 2135. Scopula contramutata L.B.Prout,1920** (Geometridae) Synonym(s): *contramutata* L.B.Prout,1920
- 2136. Scopula corvivalaria (Kretschmar,1862)** (Geometridae) Synonym(s): *corvivalaria* Kretschmar,1862; *#limburgensis* L.B.Prout,1935; *limburgensis* Scoble,1999
- 2137. Scopula decorata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *decorata* [Denis & Schiffermüller],1775; *cinerata* Fabricius,1781; *violata* Thunberg,1784; *caerulata* Gmelin,1790; *decoraria* Hübner,[1799]; *ornataria* Esper,[1806]. Larval foodplant(s): *Calamintha*, *Thymus* (Lamiaceae) (Meyer,1919; Calle et al.,2000).
- 2138. Scopula divisaria (Christoph,1893)** (Geometridae) Synonym(s): *divisaria* Christoph,1893
- 2139. Scopula elwesi L.B.Prout,1922** (Geometridae) Synonym(s): *elwesi* L.B.Prout,1922
- 2140. Scopula flaccidaria (Zeller,1852)** (Geometridae) Synonym(s): *flaccidaria* Zeller,1852
- 2141. Scopula flaccidaria flaccidaria (Zeller,1852)** (Geometridae) Synonym(s): *flaccidaria* Zeller,1852
- 2142. Scopula floslactata (Haworth,1809)** (Geometridae) Synonym(s): *spataceata* Scopoli,1763; *concanetata* Hufnagel,1767; *brunneata* Goeze,1781; *fulvostriata* Goeze,1781; *fulvicans*, *strigata* Fourcroy,1785; *dentilineata* Borkhausen,1794; *remutata* Hübner,1799; *floslactata* Haworth,1809; *lactata* Haworth,1809; *scotica* Cockayne,1951. Larval foodplant(s): *Galium verum*, *Polygonum*, *Rumex acetosa*, *Taraxacum vulgare* (Scoble,1999).
- 2143. Scopula floslactata floslactata (Haworth,1809)** (Geometridae) Synonym(s): *spataceata* Scopoli,1763; *concanetata* Hufnagel,1767; *brunneata* Goeze,1781; *fulvostriata* Goeze,1781; *fulvicans*, *strigata* Fourcroy,1785; *dentilineata* Borkhausen,1794; *remutata* Hübner,1799; *floslactata* Haworth,1809; *lactata* Haworth,1809; *scotica* Cockayne,1951.
- 2144. Scopula fumosaria (L.B.Prout,1913)** (Geometridae) Synonym(s): *fumosaria* L.B.Prout,1913
- 2145. Scopula imitaria (Hübner,[1799])** (Geometridae) Synonym(s): *fimbriata* Fourcroy,1785 *nec* Schreb.,1759; *imitaria* Hübner,[1799] Larval foodplant(s): *Artemisia campestris*, *Crataegus*, *Galium*, *Lotus angustissimus*, *Rubia tinctorum*, *Rubus* (Meyer,1919; Calle et al.,2000).
- 2146. Scopula immistaria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *#elisabetharia* Heydenreich,1851; *immistaria* Herrich-Schäffer,[1852]
- 2147. Scopula immistaria immistaria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *#elisabetharia* Heydenreich,1851; *immistaria* Herrich-Schäffer,[1852]
- 2148. Scopula immorata (Linnaeus,1758)** (Geometridae) Synonym(s): *immorata* Linnaeus,1758; *contaminata* Scopoli,1763; *graminata* Hufnagel,1767; *festucaria* Brahm,1791 *nec* Hbn.,1790; *fuscata* Fabricius,1794 *nec* Hfn.,1767; *immoraria* Hübner,[1799]; *serenata* Turati,1905; *myrtillata* Dadd,1911 Larval foodplant(s): *Achillea millefolium*, *Artemisia campestris*, *Hieracium*, *Lychnis vulgaris*, *Origanum* [vulgare], *Plantago major*, *Polygonum*, *Thymus* (Meyer,1919; Skou,1986; Scoble,1999).

- 2149. Scopula immorata immorata (Linnaeus,1758)** (Geometridae)
Synonym(s): *immorata* Linnaeus,1758; *contaminata* Scopoli,1763; *graminata* Hufnagel,1767; *festucaria* Brahm,1791 nec Hbn.,1790; *fuscata* Fabricius,1794 nec Hfn.,1767; *immoraria* Hübner,[1799]; *serenata* Turati,1905; *myrtillata* Dadd,1911
- 2150. Scopula immutata (Linnaeus,1758)** (Geometridae) Synonym(s): *immutata* Linnaeus,1758; *pallidata* Borkhausen,1794. Larval foodplant(s): *Filipendula ulmaria*, *Plantago major*, *Valeriana officinalis*, *Viola canina* (Scoble,1999).
- 2151. Scopula impersonata (Walker,1861)** (Geometridae) Synonym(s): *impersonata* Walker,1861; *muscularia* Staudinger,1897
- 2152. Scopula incanata (Linnaeus,1758)** (Geometridae) Synonym(s): *incanata* Linnaeus,1758; *variegata* Scopoli,1763; *mediata* Fabricius,1777; *planata* Villers,1789; *incanaria* Hübner,[1825]; *mutata* Treitschke,1828; *mutataria* Duponchel,1830; *adjunctaria* Boisduval,1840; *demutaria* Bruand,1846 Larval foodplant(s): *Lychnis*, *Polygonum*, *Thymus* (Lamiaceae) (Meyer,1919; Calle et al.,2000).
- 2153. Scopula indicataria (Walker,1861)** (Geometridae) Synonym(s): *indicataria* Walker,1861
- 2154. Scopula marginepunctata (Goeze,1781)** (Geometridae) Synonym(s): *marginepunctata* Goeze,1781; *conjugata* Borkhausen,1794; *aniculosata* Rambur,1829; *puellaria* Boisduval,1840; *mutaria* Heydenreich,1851; *promutata* Guenée,[1858]; *promutaria* Morris,1861; *apertaria* Walker,[1863]; *madoniata* Fuchs,1901; *pastoraria* De Joannis,1891 Larval foodplant(s): *Artemisia*, *Galium*, *Hippocrepis* [comosa], *Minuartia media*, *Origanum* [vulgare], *Sedum*, *Teucrium*, *Thymus* (Meyer,1919; Skou,1986; Calle et al.,2000).
- 2155. Scopula nemoraria (Hübner,[1799])** (Geometridae) Synonym(s): *nemoraria* Hübner,[1799]; *aliata* Herrich-Schäffer,1847.
- 2156. Scopula nigropunctata (Hufnagel,1767)** (Geometridae) Synonym(s): *nigropunctata* Hufnagel,1767; *nemorata* Borkhausen,1794; *tristriaria* Fabricius,1794; *inspersata* Schrank,1802; *exemptaria* Hübner,[1823] Larval foodplant(s): *Clematis vitalba*, *Lonicera periclymenum* (Skou,1986).
- 2157. Scopula ochraceata (Staudinger,1901)** (Geometridae) Synonym(s): *ochraceata* Staudinger,1901
- 2158. Scopula orientalis (Alpheraky,1876)** (Geometridae) Synonym(s): *orientalis* Alpheraky,1876
- 2159. Scopula ornata (Scopoli,1763)** (Geometridae) Synonym(s): *ornata* Scopoli,1763; *instilata* Hufnagel,1767; *paludata* Linnaeus,1767; *institutata* Rottemburg,1777; *interrupta* Goeze,1781; *intersecta* Fourcroy,1785. Larval foodplant(s): *Achillea*, *Taraxacum*, *Centaurea jacea*, *Origanum* [vulgare], *Mentha*, *Thymus praecox*, *Rumex*, *Veronica* (Meyer,1919; Scoble,1999; Calle et al.,2000).
- 2160. Scopula ornata ornata (Scopoli,1763)** (Geometridae) Synonym(s): *ornata* Scopoli,1763; *instilata* Hufnagel,1767; *paludata* Linnaeus,1767; *institutata* Rottemburg,1777; *interrupta* Goeze,1781; *intersecta* Fourcroy,1785.
- 2161. Scopula permutata (Staudinger,1897)** (Geometridae) Synonym(s): *permutata* Staudinger,1897
- 2162. Scopula prouti Djakonov,1935** (Geometridae) Synonym(s): *prouti* Djakonov,1935; *kurilula* Bryk,1942
- 2163. Scopula pudicaria (Motschulsky,1861)** (Geometridae) Synonym(s): *pudicaria* Motschulsky,1861
- 2164. Scopula rubiginata (Hufnagel,1767)** (Geometridae) Synonym(s): *rubiginata* Hufnagel,1767; *rubricata* [Denis & Schiffermüller],1775; *vittata* Thunberg,1784; *domialla* Fourcroy,1785; *variata* Villers,1789; *#rubricaria* Hübner,[1799]; *subangularia* Herrich-Schäffer,1839 Larval foodplant(s): *Convolvulus*, *Lotus corniculatus*, *Medicago sativa*, *Polygonum*, *Thymus*, *Trifolium*, *Vicia* (Meyer,1919; Skou,1986).
- 2165. Scopula subpunctaria (Herrich-Schäffer,1847)** (Geometridae) Synonym(s): *punctata* Scopoli,1763 nec Cl.,1759; *punctaria* Duponchel,1830; *subpunctaria* Herrich-Schäffer,1847; *cerusaria* La Harpe,1850; *depunctata* Guenée,[1858]
- 2166. Scopula subtilata (Christoph,1867)** (Geometridae) Synonym(s): *subtilata* Christoph,1867 Larval foodplant(s): *Thymus* (Meyer,1919).

- 2167. Scopula superior (Butler,1878)** (Geometridae) **Synonym(s):** *superior* Butler,1878; *sancta* Butler,1881
- 2168. Scopula ternata Schrank,1802** (Geometridae) **Synonym(s):** *ternata* Schrank,1802; *fumata* Stephens,1831; *commutata* Freyer,1832; *saluata* Speyer,1839; *commutaria* Boisduval,1840; *nitidaria* Boisduval,1840; *gypsaria* Boisduval,1840; *simplaria* Freyer,1852; *duplexaria* La Harpe,1855; *perfumata* L.B.Prout,1934; *aequicerata* Traff,1965 **Larval foodplant(s):** *Calluna vulgaris*, *Vaccinium myrtillus*, *V. uliginosum* (Skou,1986; Scoble,1999).
- 2169. Scopula tessellaria (Boisduval,1840)** (Geometridae) **Synonym(s):** *tessellaria* Boisduval,1840; *pulverulentaria* Selys-Longchamps,1844; *tabianaria* Turati,1905; *proutiana* Sheljuzhko,1955
- 2170. Scopula turbulentaria (Staudinger,1870)** (Geometridae) **Synonym(s):** *turbulentaria* Staudinger,1870; *collata* W.Warren,1901; *habenata* W.Warren,1901; *syriacata* Neuburger,1904; *syriturica* Wehrli,1934
- 2171. Scopula turbulentaria turbulentaria (Staudinger,1870)** (Geometridae) **Synonym(s):** *turbulentaria* Staudinger,1870; *collata* W.Warren,1901; *habenata* W.Warren,1901; *syriacata* Neuburger,1904; *syriturica* Wehrli,1934
- 2172. Scopula umbelaria (Hübner,[1813])** (Geometridae) **Synonym(s):** *sylvestrata* Borkhausen,1794; *umbelaria* Hübner,[1813]; *compararia* Herrich-Schäffer,[1847].
- 2173. Scopula virgulata ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *virgulata* [Denis & Schiffermüller],1775; *strigaria* Hübner,[1799]; *virgularia* Hübner,[1825]; *sulcaria* Hübner,[1825]. **Larval foodplant(s):** *Sedum album*, *Vaccinium myrtillus* (Meyer,1919; Scoble,1999).
- 2174. Scotopteryx aelptes (L.B.Prout,1937)** (Geometridae) **Synonym(s):** *aelptes* L.B.Prout,1937
- 2175. Scotopteryx bipunctaria ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *bipunctaria* [Denis & Schiffermüller],1775; *undulata* Scopoli,1763 *nec* Linn.,1758; *geminataria* Villers,1789; *gachtaria* Freyer,1851 **Larval foodplant(s):** *Hippocrepis comosa*, *Melilotus*, *Teucrium* (Meyer,1919).
- 2176. Scotopteryx burgaria (Eversmann,1843)** (Geometridae) **Synonym(s):** *burgaria* Eversmann,1843
- 2177. Scotopteryx caucasica (Niesiolowski,1937)** (Geometridae) **Synonym(s):** *caucasica* Niesiolowski,1937
- 2178. Scotopteryx chenopodiata (Linnaeus,1758)** (Geometridae) **Synonym(s):** *chenopodiata* Linnaeus,1758; *limitata* Scopoli,1763; *zonata* Hufnagel,1767; *olivaceofasciata* Retzius,1783; *chenopodiaria* Haworth,1809; *mensuraria sensu* Duponchel,1829 **Larval foodplant(s):** *Chenopodium*, *Lathyrus pratensis*, *Lotus corniculatus* (Linnaeus,1758; Meyer,1919).
- 2179. Scotopteryx chenopodiata chenopodiata (Linnaeus,1758)** (Geometridae) **Synonym(s):** *chenopodiata* Linnaeus,1758; *limitata* Scopoli,1763; *zonata* Hufnagel,1767; *olivaceofasciata* Retzius,1783; *chenopodiaria* Haworth,1809; *mensuraria sensu* Duponchel,1829
- 2180. Scotopteryx chenopodiata sibirica (A.Bang-Haas,1907)** (Geometridae) **Synonym(s):** *sibirica* A.Bang-Haas,1907
- 2181. Scotopteryx coarctaria ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *coarctaria* [Denis & Schiffermüller],1775; *coarctata* Fabricius,1794; *tenebraria* Hübner,[1809] **Larval foodplant(s):** *Cytisus nigricans* (Meyer,1919).
- 2182. Scotopteryx golovushkini Kostjuk,1991** (Geometridae) **Synonym(s):** *golovushkini* Kostjuk,1991
- 2183. Scotopteryx kuznecovi Herbulot,1996** (Geometridae) **Synonym(s):** *kuznecovi* Herbulot,1996
- 2184. Scotopteryx langi (Christoph,1885)** (Geometridae) **Synonym(s):** *langi* Christoph,1885
- 2185. Scotopteryx luridata (Hufnagel,1767)** (Geometridae) **Synonym(s):** *luridata* Hufnagel,1767; *plumbaria* Fabricius,1775; *palumbaria* [Denis & Schiffermüller],1775; *marginaria* Goeze,1781; *quadrifasciaria* Thunberg,1784; *luridaria* Brahm,1791; *palumbata* Hübner,[1825] **Larval**

- foodplant(s): *Cytisus*, *Genista*, *Lathyrus pratensis*, *Sarothamnus scoparius* (Meyer,1919; Calle et al.,2000).
- 2186. *Scotopteryx moeniata* (Scopoli,1763)** (Geometridae) Synonym(s): *moeniata* Scopoli,1763; *moeniaria* [Denis & Schiffermüller],1775; *fimbriata* Fabricius,1777 nec Schr.,1759; *angulata* Rottemburg,1777 nec Hufn.,1767; *moeniataria* Villers,1789; *modesta* Lempke,1967 Larval foodplant(s): *Genista*, *Sarothamnus scoparius* (Meyer,1919).
- 2187. *Scotopteryx mucronata* (Scopoli,1763)** (Geometridae) Synonym(s): *mucronata* Scopoli,1763; *virgaria* Esper,[1801]; *turturia* Treitschke,1827
- 2188. *Scotopteryx pinnaria* (Christoph,1888)** (Geometridae) Synonym(s): *pinnaria* Christoph,1888
- 2189. *Scotopteryx pinnaria miljanovskii* Viidalepp,1977** (Geometridae) Synonym(s): *caucasica* Djakonov,1955 nec Niesiol.,1937; *miljanovskii* Viidalepp,1977
- 2190. *Scotopteryx pinnaria pinnaria* (Christoph,1888)** (Geometridae) Synonym(s): *pinnaria* Christoph,1888
- 2191. *Scotopteryx transbaicalica* (Djakonov,1955)** (Geometridae) Synonym(s): *transbaicalica* Djakonov,1955
- 2192. *Selenia dentaria* (Fabricius,1775)** (Geometridae) Synonym(s): *dentaria* Fabricius,1775; *gagathes* Goetze,1781; *achataea* Fourcroy,1785; *ustularia* Donovan,1794; *illunaria* Hübner,[1799]; *bilunaria* Esper,[1801]; *juliaria* Haworth,1809; *minor* Boisduval,1840
- 2193. *Selenia lunularia* (Hübner,1788)** (Geometridae) Synonym(s): *lunaria* [Denis & Schiffermüller],1775 nec Fabr.,1775; *lunularia* Hübner,1788; *delunaria* Hübner,[1799]; *sublunaria* Stephens,1831 Larval foodplant(s): *Alnus*, *Prunus spinosa*, *Rosa*, *Tilia* (Meyer,1919).
- 2194. *Selenia lunularia lunularia* (Hübner,1788)** (Geometridae) Synonym(s): *lunaria* [Denis & Schiffermüller],1775 nec Fabr.,1775; *lunularia* Hübner,1788; *delunaria* Hübner,[1799]; *sublunaria* Stephens,1831.
- 2195. *Selenia tetralunaria* (Hufnagel,1767)** (Geometridae) Synonym(s): *tetralunaria* Hufnagel,1767 Larval foodplant(s): *Alnus*, *Betula*, *Corylus*, *Prunus*, *Rubus idaeus*, *Salix* (Meyer,1919).
- 2196. *Selidosema brunnearium* (Villers,1789)** (Geometridae) Synonym(s): *brunnearia* Villers,1789; *ericetaria* Villers,1789; *subfimbriata* Haworth,1812; *oelandica* Wahlgren,1913. Larval foodplant(s): *Calluna*, *Genista*, *Lotus corniculatus*, *Rumex*, *Vaccinium* (Meyer,1919).
- 2197. *Selidosema plumarium* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#plumaria* [Denis & Schiffermüller],1775; *limbata* Rambur,1829. Larval foodplant(s): *Calluna*, *Genista*, *Lathyrus*, *Lotus*, *Dorycnium* ([Denis & Schiffermüller],1775 et seq.).
- 2198. *Siona lineata* (Scopoli,1763)** (Geometridae) Synonym(s): *lineata* Scopoli,1763; *dealbata* Linnaeus,1767; *duplicata* Fourcroy,1785 nec Fabr.,1775; *dealbaria* Hübner,[1799] Larval foodplant(s): *Viburnum opulus* (Caprifoliaceae); *Achillea millefolium*, *Chrysanthemum vulgare*, *Solidago virgaurea* (Asteraceae); *Dactylis glomerata* (Poaceae); *Hypericum maculatum* (Clusiaceae); *Vicia* (Fabaceae); *Galium verum* (Rubiaceae); *Salix aurita* (Salicaceae) (Scoble,1999).
- 2199. *Somatina indicataria* (Walker,1861)** (Geometridae) Synonym(s): *indicataria* Walker,1861
- 2200. *Spargania luctuata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *luctuata* [Denis & Schiffermüller],1775; *transversata* Thunberg,1788 nec Hfn.,1767; *kodiakata* Packard,1873; *lugubrata* Müller,1930 Larval foodplant(s): *Galium* (Meyer,1919).
- 2201. *Spargania luctuata albidior* (Alpheraky,1897)** (Geometridae) Synonym(s): *albidior* Alpheraky,1897
- 2202. *Spargania luctuata borealis* (Petersen,1924)** (Geometridae) Synonym(s): *borealis* Petersen,1924

- 2203. *Spargania luctuata ichinosawana* (Matsumura,1925)** (Geometridae)
Synonym(s): *ichinosawana* Matsumura,1925
- 2204. *Spargania luctuata luctuata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *luctuata* [Denis & Schiffermüller],1775; *transversata* Thunberg,1788
nec Hfn.,1767; *kodiakata* Packard,1873; *lugubrata* Müller,1930
- 2205. *Spartopteryx kindermannaria* (Staudinger,1871)** (Geometridae)
Synonym(s): *kindermannaria* Staudinger,1871
- 2206. *Stamnodes danilovi* Erschoff,1877** (Geometridae) Synonym(s): *danilovi* Erschoff,1877
- 2207. *Stamnodes danilovi danilovi* Erschoff,1877** (Geometridae) Synonym(s): *danilovi* Erschoff,1877
- 2208. *Stamnodes depeculata* (Lederer,1870)** (Geometridae) Synonym(s): *depeculata* Lederer,1870
- 2209. *Stamnodes depeculata depeculata* (Lederer,1870)** (Geometridae)
Synonym(s): *depeculata* Lederer,1870
- 2210. *Stamnodes depeculata narzanica* Alpheraky,1877** (Geometridae)
Synonym(s): *narzanica* Alpheraky,1877
- 2211. *Stamnodes pauperaria* (Eversmann,1848)** (Geometridae) Synonym(s): *pauperaria* Eversmann,1848
- 2212. *Stamnodes pauperaria pauperaria* (Eversmann,1848)** (Geometridae)
Synonym(s): *pauperaria* Eversmann,1848
- 2213. *Stegania cararia* (Hübner,1790)** (Geometridae) Synonym(s): *cararia* Hübner,1790 Larval foodplant(s): *Populus* (Meyer,1919).
- 2214. *Stegania dalmataria* (Guenée,[1858])** (Geometridae) Synonym(s): *dalmataria* Guenée,[1858]
- 2215. *Stegania dalmataria altaica* (Wehrli,1939)** (Geometridae) Synonym(s): *altaica* Wehrli,1939
- 2216. *Stegania dilectaria* (Hübner,1790)** (Geometridae) Synonym(s): *dilectaria* Hübner,1790; *commutataria* Hübner,[1819]; *commutata* Freyer,[1832] Larval foodplant(s): *Populus nigra* (Meyer,1919).
- 2217. *Synopsia sociaria* (Hübner,[1799])** (Geometridae) Synonym(s): *sociaria* Hübner,[1799]; *staudingeraria* Martorell,1874; *acuta* Wehrli,1926 Larval foodplant(s): *Artemisia*, *Genista* (Fabaceae), *Hippophae* [rhamnoides], *Sarothamnus scoparius*; *Tamarix* (Tamaricaceae) (Meyer,1919; et seq.).
- 2218. *Tephрина arenacearia* ([Denis & Schiffermüller],1775)** (Geometridae)
Synonym(s): *arenacearia* [Denis & Schiffermüller],1775; *flavidaria* Eversmann,1852; *discriminaria* Walker,1862; *irradiata* Walker,1862; *impreviata* Walker,1863; *stena* Wehrli,1940 Larval foodplant(s): *Coronilla varia* (Meyer,1919).
- 2219. *Tephрина murinaria* ([Denis & Schiffermüller],1775)** (Geometridae)
Synonym(s): *murinaria* [Denis & Schiffermüller],1775; *nubecularia* Villers,1789; *myosaria* Esper,[1806]; *cineraria* Duponchel,1829; *buffonaria* Millière,1855 Larval foodplant(s): *Medicago sativa*, *Trifolium*, *Vicia* (Meyer,1919).
- 2220. *Tephronia lepraria* (Rebel,1909)** (Geometridae) Synonym(s): *lepraria* Rebel,1909
- 2221. *Tephronia oppositaria* Mann,1864** (Geometridae) Synonym(s): *oppositaria* Mann,1864 Larval foodplant(s): *Thymus* (Meyer,1919).
- 2222. *Tephronia oppositaria oppositaria* Mann,1864** (Geometridae)
Synonym(s): *oppositaria* Mann,1864
- 2223. *Tephronia sepiaria* (Hufnagel,1767)** (Geometridae) Synonym(s): *sepiaria* Hufnagel,1767; *cineraria* [Denis & Schiffermüller],1775; *carieraria* Herrich-Schäffer,1848; *destituta* Walker,1870; *fingalata* Millière,1873 Larval foodplant(s): Lichens (Meyer,1919).
- 2224. *Thalera fimbrialis* (Scopoli,1763)** (Geometridae) Synonym(s): *fimbrialis* Scopoli,1763; *thymiaria* Linnaeus,1767; *bupleuraria* [Denis & Schiffermüller],1775; *albaria* Esper,[1801];

- magnata* Fuchs,1903 Larval foodplant(s): *Achillea*, *Artemisia campestris*, *Solidago*, *Thymus serpyllum* (Meyer,1919; Skou,1986).
- 2225. *Thalera fimbrialis fimbrialis* (Scopoli,1763) (Geometridae)**
Synonym(s): *fimbrialis* Scopoli,1763; *thymiaria* Linnaeus,1767; *bupleuraria* [Denis & Schiffermüller],1775; *albaria* Esper,[1801]; *magnata* Fuchs,1903
- 2226. *Thalera fimbrialis magnata* Fuchs,1903 (Geometridae)** Synonym(s): *magnata* Fuchs,1903
- 2227. *Thera (Pennithera) firmata* (Hübner,[1822]) (Geometridae)**
Synonym(s): *firmata* Hübner,[1822]; *consobrinata* Curtis,1834; *firmaria* Treitschke,1835 Larval foodplant(s): *Pinus* (Meyer,1919; Calle et al.,2000).
- 2228. *Thera (Pennithera) firmata firmata* (Hübner,[1822]) (Geometridae)**
Synonym(s): *firmata* Hübner,[1822]; *consobrinata* Curtis,1834; *firmaria* Treitschke,1835
- 2229. *Thera (s.str.) cognata* (Thunberg,1792) (Geometridae)** Synonym(s): *cognata* Thunberg,1792; *simulata* Hübner,[1809]; *coniferata* Curtis,1834; *geneata* Feisthamel,1835; *simularia* Boisduval,1840; *genearia* Boisduval,1840 Larval foodplant(s): *Juniperus* (Meyer,1919).
- 2230. *Thera (s.str.) djakonovi* (Kurentzov,1950) (Geometridae)** Synonym(s): *djakonovi* Kurentzov,1950
- 2231. *Thera (s.str.) hospes* (Djakonov,1955) (Geometridae)** Synonym(s): *hospes* Djakonov,1955
- 2232. *Thera (s.str.) juniperata* (Linnaeus,1758) (Geometridae)** Synonym(s): *juniperata* Linnaeus,1758; *juniperaria* Boisduval,1840 Larval foodplant(s): *Juniperus communis* (Linnaeus,1758; Meyer,1919).
- 2233. *Thera (s.str.) obeliscata* (Hübner,1787) (Geometridae)** Synonym(s): *obeliscata* Hübner,1787; *tristrigaria* Donovan,1808; *scotica* Staudinger,1901; *diniensis* Heinrich,1923
- 2234. *Thera (s.str.) serraria* (Lienig & Zeller,1846) (Geometridae)**
Synonym(s): *serraria* Lienig & Zeller,1846
- 2235. *Thera (s.str.) variata* ([Denis & Schiffermüller],1775) (Geometridae)**
Synonym(s): *variata* [Denis & Schiffermüller],1775; *adumbrata* Villers,1789; *variaria* Boisduval,1840; *subtaurica* Wehrli,1932. Larval foodplant(s): *Picea*, *Pinus sylvestris* (Meyer,1919).
- 2236. *Therapis flavicaria* ([Denis & Schiffermüller],1775) (Geometridae)**
Synonym(s): *flavicaria* [Denis & Schiffermüller],1775
- 2237. *Theria rupicaprararia* ([Denis & Schiffermüller],1775) (Geometridae)**
Synonym(s): *rupicaprararia* [Denis & Schiffermüller],1775 Larval foodplant(s): "*Escallonia serrata*" [sic!] (Staudinger,1879); vide *Cerasus prostrata* (Koçak & Vural,1998, Misc. Pap. 51: 6-7); *Crataegus*, *Prunus spinosa* (Meyer,1919).
- 2238. *Thetidia prasinaria* (Eversmann,1837) (Geometridae)** Synonym(s): *prasinaria* Eversmann,1837; *volgaria* Guenée,[1858]; *mongolica* Staudinger,1897 Larval foodplant(s): *Artemisia* (Romanoff,1885).
- 2239. *Thetidia smaragdaria* (Fabricius,1787) (Geometridae)** Synonym(s): *smaragdaria* Fabricius,1787 Larval foodplant(s): *Achillea millefolium*, *Artemisia*, *Tanacetum* (Asteraceae) (Meyer,1919; Skou,1986).
- 2240. *Timandra comae* Schmidt,1931 (Geometridae)** Synonym(s): *angulata* Fourcroy,1785 nec Hfn.,1767; *comae* Schmidt,1931; *brykaria* Nordström,1943; *comai* Kaila & Albrecht,1994
- 2241. *Timandra griseata* W.Petersen,1902 (Geometridae)** Synonym(s): *griseata* W.Petersen,1902 Larval foodplant(s): *Atriplex*, *Polygonum*, *Rumex* (Meyer,1919; Skou,1986).
- 2242. *Timandra rectistrigaria* (Eversmann,1851) (Geometridae)** Synonym(s): *rectistrigaria* Eversmann,1851; *puziloi* Erschoff,1870
- 2243. *Trichodezia kindermanni* (Bremer,1864) (Geometridae)** Synonym(s): *kindermanni* Bremer,1864
- 2244. *Trichodezia kindermanni kindermanni* (Bremer,1864) (Geometridae)**
Synonym(s): *kindermanni* Bremer,1864

- 2245. Trichodezia kindermanni leechi Inoue,1946** (Geometridae)
Synonym(s): *leechi* Inoue,1946
- 2246. Trichodezia kindermanni mirabilis Bryk,1942** (Geometridae)
Synonym(s): *mirabilis* Bryk,1942
- 2247. Trichopteryx carpinata (Borkhausen,1794)** (Geometridae) Synonym(s):
carpinata Borkhausen,1794; *costaestrigata* Haworth,1809; *dentistrigata* Haworth,1809; *lobulata*
Hübner,[1813] Larval foodplant(s): *Lonicera*, *Populus*, *Salix caprea* (Meyer,1919).
- 2248. Trichopteryx polycommata ([Denis & Schiffermüller],1775)**
(Geometridae) Synonym(s): *polycommata* [Denis & Schiffermüller],1775; *solata* Schrank,1802;
grisea Djakonov,1926 Larval foodplant(s): *Fraxinus*, *Ligustrum vulgare*, *Lonicera*
(Meyer,1919).
- 2249. Triphosa dubitata (Linnaeus,1758)** (Geometridae) Synonym(s): *dubitata*
Linnaeus,1758 Larval foodplant(s): *Prunus spinosa*; *Rhamnus* (Rhamnaceae)
(Meyer,1919).
- 2250. Triphosa taochata Lederer,1870** (Geometridae) Synonym(s): *taochata*
Lederer,1870 Larval foodplant(s): *Zizyphus vulgaris*; *Rhamnus* (Rhamnaceae)
(Staudinger,1879; Wiltshire,1943, 1957).
- 2251. Tyloptera bella (Butler,1878)** (Geometridae) Synonym(s): *bella* Butler,1878;
eburneata Christoph,1881
- 2252. Venusia blomeri (Curtis,1832)** (Geometridae) Synonym(s): *blomeri*
Curtis,1832; *pulchraria* Eversmann,1842; *szechuanensis* Wehrli,1931 Larval foodplant(s):
Ulmus glabra (Ulmaceae) (Meyer,1919).
- 2253. Venusia blomeri blomeri (Curtis,1832)** (Geometridae) Synonym(s):
blomeri Curtis,1832; *pulchraria* Eversmann,1842; *szechuanensis* Wehrli,1931 Larval foodplant(s):
Ulmus glabra (Ulmaceae) (Meyer,1919).
- 2254. Venusia cambrica Curtis,1839** (Geometridae) Synonym(s): *cambrica*
Curtis,1839; *erutaria* Boisduval,1840; *nebulosaria* Freyer,1850; *scitularia* Walker,1860. Larval
foodplant(s): *Sorbus aucuparia*, *Alnus incana tenuifolia*, *A. rubra*, *Betula*,
Vaccinium, *Amelanchier*, *Malus*, *Populus trichocarpa*, *Salix* (Meyer,1919; Xue &
Scoble,2002).
- 2255. Venusia cambrica aphrodite Bryk,1942** (Geometridae) Synonym(s):
aphrodite Bryk,1942
- 2256. Venusia semistrigata (Christoph,1881)** (Geometridae) Synonym(s):
semistrigata Christoph,1881
- 2257. Venusia semistrigata semistrigata (Christoph,1881)** (Geometridae)
Synonym(s): *semistrigata* Christoph,1881
- 2258. Xanthorhoe abrasaria (Herrich-Schäffer,1855)** (Geometridae)
Synonym(s): *abrasaria* Herrich-Schäffer,1855; *ligularia* Guenée,[1858]; *baicalata* Bremer,1864
- 2259. Xanthorhoe abraxina (Butler,1879)** (Geometridae) Synonym(s): *abraxina*
Butler,1879; *pudicata* Christoph,1881
- 2260. Xanthorhoe altaica Djakonov,1955** (Geometridae) Synonym(s): *altaica*
Djakonov,1955
- 2261. Xanthorhoe annotinata (Zetterstedt,1839)** (Geometridae) Synonym(s):
annotinata Zetterstedt,1839; *decrepitata* Zetterstedt,1839; *polygrapharia* Boisduval,1840; *monticolaria*
Herrich-Schäffer,1852; *septentrionalis* Dannehl,1933
- 2262. Xanthorhoe aridela (L.B.Prout,1936)** (Geometridae) Synonym(s): *aridela*
L.B.Prout,1936
- 2263. Xanthorhoe biriviata (Borkhausen,1794)** (Geometridae) Synonym(s):
biriviata Borkhausen,1794; *pomoeriaria* Eversmann,1844
- 2264. Xanthorhoe decoloraria (Esper,[1806])** (Geometridae) Synonym(s):
decoloraria Esper,[1806]; *munitata* Hübner,[1809]; *munitaria* Boisduval,1840; *collinaria* Metzner,1840;
pauperrimata Christoph,1888
- 2265. Xanthorhoe deflorata (Erschoff,1877)** (Geometridae) Synonym(s):
deflorata Erschoff,1877; *lepidaria* Christoph,1881

- 2266. *Xanthorhoe derzhavini* (Djakonov,1931)** (Geometridae) Synonym(s): *derzhavini* Djakonov,1931
- 2267. *Xanthorhoe designata* (Hufnagel,1767)** (Geometridae) Synonym(s): *designata* Hufnagel,1767; *propugnata* [Denis & Schiffermüller],1775; *fuscifasciata* Retzius,1783; *fuscaria* Villers,1789; *propugnaria* Treitschke,1825 Larval foodplant(s): Brassica (Meyer,1919).
- 2268. *Xanthorhoe evae* Viidalepp & Remm,1982** (Geometridae) Synonym(s): *evae* Viidalepp & Remm,1982
- 2269. *Xanthorhoe ferrugata* (Clerck,1759)** (Geometridae) Synonym(s): *#ferrugata* Clerck,1759; *corculata* Hufnagel,1767; *ferrugaria* [Denis & Schiffermüller],1775; *littorea* Fourcroy,1785; *lictorea* Geoffroy,1800; *unidentaria* Haworth,1809 Larval foodplant(s): Daucus, Galium, Glechoma, Minuartia (Meyer,1919).
- 2270. *Xanthorhoe ferrugata ferrugata* (Clerck,1759)** (Geometridae) Synonym(s): *#ferrugata* Clerck,1759; *corculata* Hufnagel,1767; *ferrugaria* [Denis & Schiffermüller],1775; *littorea* Fourcroy,1785; *lictorea* Geoffroy,1800; *unidentaria* Haworth,1809
- 2271. *Xanthorhoe ferrugata malaisei* (Djakonov,1929)** (Geometridae) Synonym(s): *malaisei* Djakonov,1929
- 2272. *Xanthorhoe fluctuata* (Linnaeus,1758)** (Geometridae) Synonym(s): *fluctuata* Linnaeus,1758; *fibulata* Hufnagel,1767; *cinerata* Fourcroy,1785 nec Fabr.,1781; *costovata* Haworth,1809; *fluctuaria* Boisduval,1840 Larval foodplant(s): Alliaria, Brassica, Cakile maritima, Cochlearia, Sisymbrium (Meyer, 1919; Calle et al., 2000).
- 2273. *Xanthorhoe hortensiaria* (Graeser,1890)** (Geometridae) Synonym(s): *hortulanaria* Graeser,1889 nec Stgr.,1879; *hortensiaria* Graeser,1890
- 2274. *Xanthorhoe interpositaria* (Staudinger,1892)** (Geometridae) Synonym(s): *interpositaria* Staudinger,1892
- 2275. *Xanthorhoe kamtshatica* (Djakonov,1929)** (Geometridae) Synonym(s): *kamtshatica* Djakonov,1929; *paramushira* Bryk,1942
- 2276. *Xanthorhoe majorata* Heydemann,1936** (Geometridae) Synonym(s): *majorata* Heydemann,1936
- 2277. *Xanthorhoe montanata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *montanata* [Denis & Schiffermüller],1775; *implicata* Villers,1789; *implicaria* Haworth,1809; *montanaria* Treitschke,1828 Larval foodplant(s): Primula, Veronica (Meyer,1919).
- 2278. *Xanthorhoe muscipata* (Christoph,1881)** (Geometridae) Synonym(s): *muscipata* Christoph,1881
- 2279. *Xanthorhoe purpureofascia* Inoue,1982** (Geometridae) Synonym(s): *purpureofascia* Inoue,1982
- 2280. *Xanthorhoe quadrifasciata* (Linnaeus,1761)** (Geometridae) Synonym(s): *#quadrifasciaria* Clerck,1759; *quadrifasciata* Linnaeus,1761; *ligustrata* [Denis & Schiffermüller],1775; *undulataria* Villers,1789; *badiata* Borkhausen,1794; *ligustraria* Treitschke,1825; *#quadrifasciata* Viidalepp,1996 Larval foodplant(s): Lamium, Primula, Urtica (Meyer,1919).
- 2281. *Xanthorhoe quadrifasciata ignobilis* (Butler,1880)** (Geometridae) Synonym(s): *ignobilis* Butler,1880
- 2282. *Xanthorhoe quadrifasciata quadrifasciata* (Linnaeus,1761)** (Geometridae) Synonym(s): *#quadrifasciaria* Clerck,1759; *quadrifasciata* Linnaeus,1761; *ligustrata* [Denis & Schiffermüller],1775; *undulataria* Villers,1789; *badiata* Borkhausen,1794; *ligustraria* Treitschke,1825; *#quadrifasciata* Viidalepp,1996
- 2283. *Xanthorhoe rectantemediana* (Wehrli,1927)** (Geometridae) Synonym(s): *rectantemediana* Wehrli,1927
- 2284. *Xanthorhoe sajanaria* (L.B.Prout,1914)** (Geometridae) Synonym(s): *sajanaria* L.B.Prout,1914
- 2285. *Xanthorhoe spadicearia* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *spadicearia* [Denis & Schiffermüller],1775; *alchemillaria* Esper,1801; *livinaria* LaHarpe,1855

- 2286. Xanthorhoe stupida (Alpheraky,1897)** (Geometridae) Synonym(s): *stupida* Alpheraky,1897
- 2287. Xenortholitha propinguata (Kollar,[1844])** (Geometridae) Synonym(s): *propinguata* Kollar,[1844]
- 2288. Xenortholitha propinguata suavata (Christoph,1881)** (Geometridae) Synonym(s): *suavata* Christoph,1881
- 2289. Xerodes albonotaria (Bremer,1864)** (Geometridae) Synonym(s): *albonotaria* Bremer,1864; *didyma* Wehrli,1940; *nesiotis* Wehrli,1940
- 2290. Zola terranea (Butler,1879)** (Geometridae) Synonym(s): *terranea* Butler,1879
- 2291. Glyphipterix argyroguttella Ragonot,1885** (Glyphipterygidae) Synonym(s): *argyroguttella* Ragonot,1885
- 2292. Glyphipterix basifasciata Issiki,1930** (Glyphipterygidae) Synonym(s): *basifasciata* Issiki,1930; *jezonica* Matsumura,1931
- 2293. Glyphipterix bergstraesserella (Fabricius,1781)** (Glyphipterygidae) Synonym(s): *bergstraesserella* Fabricius,1781; *linneana* Hübner,[1825]; *linneella* Hübner,[1825]; *treitschkeana* Frölich,1828; *pietruskii* Novicki,1864; *altiorella* Bauer,1923 Larval foodplant(s): *Luzula luzuloides* (Juncaceae) (Parenti,2000).
- 2294. Glyphipterix beta Moriuti & Saito,1964** (Glyphipterygidae) Synonym(s): *beta* Moriuti & Saito,1964
- 2295. Glyphipterix equitella (Scopoli,1763)** (Glyphipterygidae) Synonym(s): *equitella* Scopoli,1763; *majorella* Heinemann & Wocke,[1876]; *minorella* Snellen,1882; *crassilunella* Rebel,1916; *zermattensis* Amsel,1933; *sexguttella* Toll,1936
- 2296. Glyphipterix forsterella (Fabricius,1781)** (Glyphipterygidae) Synonym(s): *forsterella* Fabricius,1781; *lucasella* Duponchel,1838; *variella* Zeller,1839; *oculatella* Zeller,1850; *albimaculella* Heimenann,1877
- 2297. Glyphipterix gianelliella Ragonot,1885** (Glyphipterygidae) Synonym(s): *gianelliella* Ragonot,1885 Larval foodplant(s): *Sedum* (Crassulaceae) (Parenti,2000).
- 2298. Glyphipterix haworthana (Stephens,1834)** (Glyphipterygidae) Synonym(s): *haworthana* Stephens,1834
- 2299. Glyphipterix loricatella (Treitschke,1833)** (Glyphipterygidae) Synonym(s): *loricatella* Treitschke,1833
- 2300. Glyphipterix magnatella Erschoff,1877** (Glyphipterygidae) Synonym(s): *magnatella* Erschoff,1877
- 2301. Glyphipterix maritima Diakonoff,1979** (Glyphipterygidae) Synonym(s): *maritima* Diakonoff,1979
- 2302. Glyphipterix nigromarginata Issiki,1930** (Glyphipterygidae) Synonym(s): *nigromarginata* Issiki,1930; *suzukii* Matsumura,1931
- 2303. Glyphipterix regula Diakonoff & Arita,1976** (Glyphipterygidae) Synonym(s): *regula* Diakonoff & Arita,1976
- 2304. Glyphipterix simplicella Christoph,1882** (Glyphipterygidae) Synonym(s): *simplicella* Christoph,1882
- 2305. Glyphipterix speculiferella Christoph,1882** (Glyphipterygidae) Synonym(s): *speculiferella* Christoph,1882
- 2306. Glyphipterix thrasonella (Scopoli,1763)** (Glyphipterygidae) Synonym(s): *thrasonella* Scopoli,1763; *klemannella* Fabricius,1781; *fueslella* Fabricius,1787; *fyeslella* Fabricius,1794; *ahornerella* Hübner,1796; *seppella* Hübner,1796; *aillyella* Hübner,1796; *triguttella* Donovan,1806; *fueslii* Haworth,1828; *equitella* Treitschke,1833; *poeyella* Duponchel,1838; *cladiella* Stainton,1859; *eyndhoveniella* Snellen,1882; *albardella* Snellen,1882; *#nitens* Bankes,1907; *struvei* Amsel,1938 Larval foodplant(s): *Juncus* (Juncaceae) (Parenti,2000).
- 2307. Lepidotarphius perornatellus (Walker,1864)** (Glyphipterygidae) Synonym(s): *perornatellus* Walker,1864; *splendens* Pryer,1877
- 2308. Lepidotarphius perornatellus fulgens Erschoff,1877** (Glyphipterygidae) Synonym(s): *fulgens* Erschoff,1877

- 2309. Orthotelia sparganella (Thunberg,1788)** (Glyphipterygidae)
Synonym(s): *sparganella* Thunberg,1788; *venosa* Haworth,1811; *tostella* Hübner,[1824]; *sparganiella* Treitschke,1832 Larval foodplant(s): *Glyceria spectabilis* (Poaceae), *Iris pseudacorus* [root] (Iridaceae), *Scirpus lacustris* (Cyperaceae), *Sparganium ramosum*, *S. simplex* (Sparganiaceae); *Typha angustifolia* (Typhaceae) (Schütze,1931).
- 2310. Acrocercops amurensis Kuznetsov,1960** (Gracillariidae) Synonym(s): *amurensis* Kuznetsov,1960
- 2311. Acrocercops brongniardella (Fabricius,1798)** (Gracillariidae)
Synonym(s): *brongniardella* Fabricius,1798; *substriga* Haworth,1828; *quercetella* Zeller,1838; *curtisella* Duponchel,[1840] Larval foodplant(s): *Quercus ithaburensis*, *Q. robur*, *Q. petraea*, *Q. ilex*, *Q. coccifera*, *Q. pubescens*, *Castanea sativa* (Fagaceae) (Staudinger,1880; et seq.).
- 2312. Acrocercops transecta Meyrick,1931** (Gracillariidae) Synonym(s): *transecta* Meyrick,1931 Larval foodplant(s): *Lyonia ovalifolia* (Ericaceae); *Juglans ailanthifolia*, *J.regia*, *J.cinerea*, *J.cordiformis*, *J.hindsii*, *J.illinoensis*, *J.nigra*, *J.mandschurica*, *J.sieboldiana*, *Platycarya strobilacea*, *P.rhoifolia* *Carya aquatica*, *C.myrticiformis* *C.ovata* (Juglandaceae) (Kumata, Kuroko & Ermolaev,1988; et seq.).
- 2313. Aristaea pavoniella (Zeller,1847)** (Gracillariidae) Synonym(s): *pavoniella* Zeller,1847; *latisecta* Meyrick,1922 Larval foodplant(s): *Aster amellus*, *A. bellidiastrum*, *A.ageratoides* var. *ovatus*, *A.scraber* (Asteraceae) (Stainton,1862; et seq.).
- 2314. Aspilapteryx (Sabulopteryx) limosella (Duponchel,1844)** (Gracillariidae) Synonym(s): *limosella* Duponchel,1844 Larval foodplant(s): *Teucrium chamaedrys*, *T. montanum*, *T. pannonicum* (Lamiaceae); *Genista* (Fabaceae), *Jurinea* (Asteraceae) (Stainton,1864; et seq.).
- 2315. Aspilapteryx (s.str.) tringipennella (Zeller,1839)** (Gracillariidae)
Synonym(s): *tringipennella* Zeller,1839; *fringilella* Duponchel,1843. Larval foodplant(s): *Plantago lanceolata*, *P. maritima*, *P. atrata* (Hering,1936, 1957).
- 2316. Callisto albicinctella Kuznetsov,1979** (Gracillariidae) Synonym(s): *albicinctella* Kuznetsov,1979 Larval foodplant(s): *Padus racemosa* (Rosaceae) (Kuznetsov & Baryshnikova,1998).
- 2317. Callisto coffeella (Zetterstedt,[1839])** (Gracillariidae) Synonym(s): *coffeella* Zetterstedt,[1839]; *interruptella* Zetterstedt,[1839]; *caelatella* Zeller,1847; *alpicola* Gibeaux,1990 Larval foodplant(s): *Salix fusca*, *S. myrsinifolia*, *S. phylicifolia*, *S. silesiaca* (Salicaceae) (Stainton,1864; et seq.).
- 2318. Callisto denticulella (Thunberg,1794)** (Gracillariidae) Synonym(s): *denticulella* Thunberg,1794; *gyllenhalabella* Thunberg,1794; *malinella* Hübner,[1813]; *guttea* Haworth,1828; *guttiferella* Duponchel,1840; *marginimaculella* Eversmann,1844; *guttella* Doubleday,1859; *solitariella* Dietz,1907 Larval foodplant(s): *Pyrus communis*, *Prunus*, *Cerasus*, *Malus pumila* *M. domestica*, *Cotoneaster*, *Amelanchier* (Rosaceae) (Stainton,1864; et seq.).
- 2319. Callisto elegantella Kuznetsov,1979** (Gracillariidae) Synonym(s): *elegantella* Kuznetsov,1979
- 2320. Callisto insperatella (Nickerl,1864)** (Gracillariidae) Synonym(s): *insperatella* Nickerl,1864 Larval foodplant(s): *Padus racemosa*, *Prunus padus*, *Cerasus* (Rosaceae); *Salix silesiaca* (Salicaceae) (Kyrki et al.,1984; et seq.).
- 2321. Caloptilia (Povolnya) leucapennella (Stephens,1835)** (Gracillariidae)
Synonym(s): *sulphurella* Haworth,[1828] *nec* Fabr.,1777; *leucapennella* Stephens,1835; *citrinellum* Zeller,1839; *aurantiella* Peyerimhoff,1871.
- 2322. Caloptilia (s.str.) acericola Kumata,1966** (Gracillariidae) Synonym(s): *acericola* Kumata,1966 Larval foodplant(s): *Acer japonicum*, *A.mono*, *A.palmatum*, *A.pseudosieboldianum* (Aceraceae) (Kumata,1966).

- 2323. Caloptilia (s.str.) alchimiella (Scopoli,1763)** (Gracillariidae)
Synonym(s): *alchimiella* Scopoli,1763; *crucifera* Fourcroy,1785; *swederella* Thunberg,1788; *thunbergella* Fabricius,1794; *francella* Hübner,1796; *thunbergii* Haworth,1828; *hilaripennella* Treitschke,1833; *sardiniella* Amsel,1936 Larval foodplant(s): *Fagus sylvatica*, *Quercus robur*, *Q. petraea*, *Q. dalechampii*, *Q. polycarpa*, *Q. virgiliana*, *Q. frainetto*, *Q. pubescens* (Fagaceae) (Douglas,1853; et seq.).
- 2324. Caloptilia (s.str.) alni Kumata,1966** (Gracillariidae) Synonym(s): *alni* Kumata,1966 Larval foodplant(s): *Alnus japonica*, *A. hirsuta* (Betulaceae) (Kumata,1966).
- 2325. Caloptilia (s.str.) alpherakiella (Krulikowsky,1909)** (Gracillariidae)
Synonym(s): *alpherakiella* Krulikowsky,1909
- 2326. Caloptilia (s.str.) betulicola (Hering,1927)** (Gracillariidae) Synonym(s): *betulicola* Hering,1927
- 2327. Caloptilia (s.str.) braccatella (Staudinger,1870)** (Gracillariidae)
Synonym(s): *braccatella* Staudinger,1870; *?mutilata* Staudinger,1880 Larval foodplant(s): *Pistacia atlantica* (Anacardiaceae) (Triberti,1984).
- 2328. Caloptilia (s.str.) cuculipennella (Hübner,1796)** (Gracillariidae)
Synonym(s): *cuculipennella* Hübner,1796; *cinerea* Haworth,1828; *ligustrinellum* Zeller,1839; *alaudella* Duponchel,[1840] Larval foodplant(s): *Ligustrum*, *Fraxinus angustifolia* (Oleaceae) (Corley et al.,2007).
- 2329. Caloptilia (s.str.) elongella (Linnaeus,1761)** (Gracillariidae)
Synonym(s): *elongella* Linnaeus,1761; *punctella* Linnaeus,1761; *signipennella* Hübner,1796; *elongatus* Fabricius,1798; *signipennis* Haworth,1828; *bruneorubella* Bruand,1850; *inconstans* Stainton,1851; *stramineella* Stainton,1851; *inconstantella* Bruand,1859 Larval foodplant(s): *Alnus glutinosa*, *A. viridis*, *A. incana*, *A. hirsuta*, *Betula alba*, *B. alleghaniensis* (Betulaceae) (Stainton,1864; et seq.).
- 2330. Caloptilia (s.str.) falconipennella (Hübner,[1813])** (Gracillariidae)
Synonym(s): *falconipennella* Hübner,[1813]; *oneratella* Zeller,1847
- 2331. Caloptilia (s.str.) fidella (Reutti,1853)** (Gracillariidae) Synonym(s): *fidella* Reutti,1853 Larval foodplant(s): *Humulus lupulus* (Cannabaceae), *Celtis australis* (Ulmaceae) (Stainton,1864; Hartig,1964; et seq.).
- 2332. Caloptilia (s.str.) flava (Staudinger,1871)** (Gracillariidae) Synonym(s): *flava* Staudinger,1871; *inquinatella* Christoph,1872; *impictipennella* Gerasimov,1930; *glycyrrhizae* Deschka,1979
- 2333. Caloptilia (s.str.) fribergensis (Fritzsche,1871)** (Gracillariidae)
Synonym(s): *fribergensis* Fritzsche,1871; *monspessulanella* Klimesch,1942 Larval foodplant(s): *Acer pseudoplatanus*, *A.monspessulanum* (Aceraceae) (Fritzsche,1871; et seq.).
- 2334. Caloptilia (s.str.) gloriosa Kumata,1966** (Gracillariidae) Synonym(s): *gloriosa* Kumata,1966 Larval foodplant(s): *Acer japonicum*, *A.mono*, *A.palmatum*, *A.sieboldianum* (Aceraceae) (Kumata,1966).
- 2335. Caloptilia (s.str.) hemidactylella ([Denis & Schiffermüller],1775)** (Gracillariidae) Synonym(s): *hemidactylella* [Denis & Schiffermüller],1775; *hemedactylus* Fabricius,1798
- 2336. Caloptilia (s.str.) heringi Kumata,1966** (Gracillariidae) Synonym(s): *heringi* Kumata,1966 Larval foodplant(s): *Acer mono* (Aceraceae) (Kumata,1966).
- 2337. Caloptilia (s.str.) hidakensis Kumata,1966** (Gracillariidae) Synonym(s): *hidakensis* Kumata,1966 Larval foodplant(s): *Acer mono* (Aceraceae) (Kumata,1966).
- 2338. Caloptilia (s.str.) issikii Kumata,1982** (Gracillariidae) Synonym(s): *issikii* Kumata,1982 Larval foodplant(s): *Alnus japonica* (Betulaceae) (Kumata,1982).
- 2339. Caloptilia (s.str.) kisoensis Kumata,1982** (Gracillariidae) Synonym(s): *kisoensis* Kumata,1982

- 2340. Caloptilia (s.str.) korbiella (Caradja,1920)** (Gracillariidae) Synonym(s): *korbiella* Caradja,1920
- 2341. Caloptilia (s.str.) leucothoes Kumata,1982** (Gracillariidae) Synonym(s): *leucothoes* Kumata,1982 Larval foodplant(s): *Menziesia pentandra*, *Leucothoe grayana*, *Rhododendron dauricum*, *R. dilatatum*, *R. reticulatum*, *R. albrechti* (Ericaceae) (Kumata,1982; et seq.).
- 2342. Caloptilia (s.str.) magnifica (Stainton,1867)** (Gracillariidae) Synonym(s): *magnifica* Stainton,1867; *redtenbacheri* Mann,1867; *moriokensis* Kumata,1982
- 2343. Caloptilia (s.str.) monticola Kumata,1966** (Gracillariidae) Synonym(s): *monticola* Kumata,1966 Larval foodplant(s): *Acer argutum*, *A. distylum*, *A. ginnala*, *A. micranthum*, *A. mono*, *A. rufinerve*, *A. ukurunduense*, *A. tschonoskii*, *A. semenovi* (Aceraceae) (Kumata,1966 et seq.).
- 2344. Caloptilia (s.str.) onustella (Hübner,[1813])** (Gracillariidae) Synonym(s): *onustella* Hübner,[1813]
- 2345. Caloptilia (s.str.) orientalis Ermolaev,1979** (Gracillariidae) Synonym(s): *orientalis* Ermolaev,1979 Larval foodplant(s): *Lonicera maackii* (Caprifoliaceae) (Ermolaev,1979).
- 2346. Caloptilia (s.str.) populetorum (Zeller,1839)** (Gracillariidae) Synonym(s): *populetorum* Zeller,1839; *tetraonipennella* Duponchel,[1845]; *populella* Doubleday,1859
- 2347. Caloptilia (s.str.) pulverea Kumata,1966** (Gracillariidae) Synonym(s): *pulverea* Kumata,1966 Larval foodplant(s): *Alnus firma*, *A. japonica*, *A. matsumurae*, *A. maximowiczii*, *A. serratuloides*, *A. hirsuta* (Betulaceae) (Kumata,1966 et seq.).
- 2348. Caloptilia (s.str.) pyrrhaspis (Meyrick,1931)** (Gracillariidae) Synonym(s): *pyrrhaspis* Meyrick,1931; *bicolor* Ermolaev,1977 Larval foodplant(s): *Betula ermanii*, *B. grossa*, *B. dahurica* (Betulaceae) (Kumata,1982).
- 2349. Caloptilia (s.str.) robustella Jäckh,1972** (Gracillariidae) Synonym(s): *robustella* Jäckh,1972 Larval foodplant(s): *Quercus robur* (Fagaceae) (Jäckh,1972).
- 2350. Caloptilia (s.str.) roscipennella (Hübner,1796)** (Gracillariidae) Synonym(s): *roscipennella* Hübner,1796; *roscipennis* Haworth,1828; *merulaepennella* Duponchel,[1840]; *puncticostella* Herrich-Schäffer,1855; *juglandella* Mann,1867 Larval foodplant(s): *Juglans regia* (Juglandaceae), *Laurus canariensis* (Lauraceae) (Mann,1867; et seq.).
- 2351. Caloptilia (s.str.) sachalinella Ermolaev,1984** (Gracillariidae) Synonym(s): *sachalinella* Ermolaev,1984
- 2352. Caloptilia (s.str.) sapporella (Matsumura,1931)** (Gracillariidae) Synonym(s): *sapporella* Matsumura,1931 Larval foodplant(s): *Quercus mongolica*, *Q. serrata*, *Q. acutissima*, *Q. variabilis*, *Castanea crenata* (Fagaceae) (Kumata,1982; et seq.).
- 2353. Caloptilia (s.str.) schisandrae Kumata,1966** (Gracillariidae) Synonym(s): *schisandrae* Kumata,1966 Larval foodplant(s): *Schisandra chinensis* (Magnoliaceae) (Kumata,1966).
- 2354. Caloptilia (s.str.) semifascia (Haworth,[1828])** (Gracillariidae) Synonym(s): *semifascia* Haworth,[1828]
- 2355. Caloptilia (s.str.) stigmatella (Fabricius,1781)** (Gracillariidae) Synonym(s): *stigmatella* Fabricius,1781; *cruciella* Goeze,1783; *equestris* Fourcroy,1783; *upupaepennella* Hübner,1796; *triangulella* Panzer,1799; *purpurea* Haworth,1828; *ochracea* Haworth,1828; *triangulosella* Costa,[1836]; *purpuriella* Chambers,1872; *consimilella* Frey,1876 Larval foodplant(s): *Populus nigra*, *P. alba*, *P. pyramidalis*, *Salix caprea*, *S. longifolia*, *S. aurita*, *S. cinerea* (Salicaceae); *Betula* (Betulaceae); *Robinia pseudoacacia* (Fabaceae) (Chambers,1872; et seq.).

- 2356. Caloptilia (s.str.) suberinella (Tengström,1848)** (Gracillariidae)
Synonym(s): *suberinella* Tengström,1848
- 2357. Caloptilia (s.str.) ulmi Kumata,1982** (Gracillariidae) Synonym(s): *ulmi* Kumata,1982 Larval foodplant(s): *Ulmus davidiana*, *U. laciniata*, *Zelkova serrata* (Ulmaceae) (Kumata,1982; et seq.).
- 2358. Calybites phasianipennella (Hübner,[1813])** (Gracillariidae)
Synonym(s): *phasianipennella* Hübner,[1813]; *quadruplela* Zeller,1839; *isograptia* Meyrick,1928 larva mines *Oxyria*, *Rumex*, *Polygonum* (Polygonaceae), *Lysimachia* (Primulaceae), *Calamagrostis* (Poaceae), *Symphytum* (Boraginaceae); *Hypericum* (Hypericaceae); *Chenopodium* (Chenopodiaceae) *Lythrum salicaria* (Lythraceae) (Stainton,1864; et seq.).
- 2359. Calybites quadrisignella (Zeller,1839)** (Gracillariidae) Synonym(s): *quadrisignella* Zeller,1839 Larval foodplant(s): *Rhamnus cathartica* (Rhamnaceae) (Heinemann & Wocke,1877).
- 2360. Calybites securinella (Ermolaev,1986)** (Gracillariidae) Synonym(s): *securinella* Ermolaev,1986 Larval foodplant(s): *Securinega suffruticosa* (Euphorbiaceae) (Ermolaev,1986).
- 2361. Cameraria acericola Kumata,1963** (Gracillariidae) Synonym(s): *acericola* Kumata,1963 Larval foodplant(s): *Acer mono* (Aceraceae) (Kumata,1963).
- 2362. Cameraria nipponica Kumata,1963** (Gracillariidae) Synonym(s): *nipponica* Kumata,1963 Larval foodplant(s): *Acer palmatum*, *A. japonicum*, *A. pseudosieboldianum* (Aceraceae) (Kumata,1963).
- 2363. Chrysaster hagicola Kumata,1961** (Gracillariidae) Synonym(s): *hagicola* Kumata,1961 Larval foodplant(s): *Lespedeza bicolor*, *L. cyrtobotrya* (Fabaceae) (Kumata,1961).
- 2364. Cryptolectica chrysalis Kumata & Ermolaev,1988** (Gracillariidae)
Synonym(s): *chrysalis* Kumata & Ermolaev,1988 Larval foodplant(s): *Quercus mongolica* Q. *serrata* (Fagaceae) (Kumata & Ermolaev,1988).
- 2365. Cupedia cupediella (Herrich-Schäffer,1855)** (Gracillariidae)
Synonym(s): *cupediella* Herrich-Schäffer,1855 Larval foodplant(s): *Pistacia terebinthus* (Anacardiaceae); *Phillyrea* (Oleaceae) (Klimesch,1942, Hartig,1964).
- 2366. Dialectica imperialella (Zeller,1847)** (Gracillariidae) Synonym(s): *imperialella* Zeller,1847 Larval foodplant(s): *Pulmonaria angustifolia*, *P. officinalis*, *Symphytum officinale*, *Lithospermum officinale*, *Buglossoides purpureocaerulea* (Boraginaceae) (Heinemann & Wocke,1877; et seq.).
- 2367. Eteoryctis deversa (Meyrick,1932)** (Gracillariidae) Synonym(s): *deversa* Meyrick,1932
- 2368. Eucalybites aureola Kumata,1982** (Gracillariidae) Synonym(s): *aureola* Kumata,1982 Larval foodplant(s): *Hypericum erectum* (Clusiaceae) (Kumata,1982).
- 2369. Euspilapteryx auroguttella Stephens,1835** (Gracillariidae) Synonym(s): *stipella* Haworth,1828 *nec* Linn.,1761; *auroguttella* Stephens,1835; *lacertella* Zeller,1839; *plumbella* Duponchel,1845 Larval foodplant(s): *Hypericum perforatum*, *H. maculatum*, *H. pulchrum*, *H. hirsutum*, *H. tetrapterum* (Clusiaceae) (Douglas,1853; et seq.).
- 2370. Gracillaria albicapitata Issiki,1930** (Gracillariidae) Synonym(s): *albicapitata* Issiki,1930
- 2371. Gracillaria arsenievi (Ermolaev,1977)** (Gracillariidae) Synonym(s): *arsenievi* Ermolaev,1977
- 2372. Gracillaria loriolella Frey,1881** (Gracillariidae) Synonym(s): *loriolella* Frey,1881; *norvegiellum* Wocke,1893; *rebeli* Klemensiewicz,1896 Larval foodplant(s): *Fraxinus potamophila* (Oleaceae) (Kuznetsov & Baryshnikova,1998).

- 2373. *Gracillaria syringella* (Fabricius,1794)** (Gracillariidae) Synonym(s): *?microdactylella* [Denis & Schiffermüller],1775; *syringella* Fabricius,1794; *anastomosis* Haworth,1828; *aedeapennella* Treitschke,1833; *heringiella* Reutti,1898 Larval foodplant(s): *Syringa vulgaris*, *Ligustrum*, *Fraxinus* (Oleaceae); *Euonymus* (Celastraceae); *Deutzia* (Saxifragaceae) (Fabricius,1794; et seq.).
- 2374. *Gracillaria ussuriella* (Ermolaev,1977)** (Gracillariidae) Synonym(s): *ussuriella* Ermolaev,1977
- 2375. *Leucospilapteryx anaphalidis* Kumata,1965** (Gracillariidae) Synonym(s): *anaphalidis* Kumata,1965 Larval foodplant(s): *Anaphalis margaritacea* (Asteraceae) (Kumata,1965).
- 2376. *Leucospilapteryx omissella* (Stainton,1848)** (Gracillariidae) Synonym(s): *omissella* Stainton,1848; *ainoniella* Matsumura,1931 Larval foodplant(s): *Artemisia vulgaris*, *A. campestris*, *A. montana*, *A. princeps*, *A. sylvatica*, *A. stolonifera*, *Dendranthema ornatum* (Asteraceae) (Stainton,1864; et seq.).
- 2377. *Liocrobyla desmodiella* Kuroko,1982** (Gracillariidae) Synonym(s): *desmodiella* Kuroko,1982 Larval foodplant(s): *Desmodium podocarpum*, *D. oldhamii*, *D. caudatum*, *Lespedeza cyrtobotrya* (Fabaceae) (Kuznetsov & Baryshnikova,1998).
- 2378. *Liocrobyla kumatai* Kuroko,1982** (Gracillariidae) Synonym(s): *kumatai* Kuroko,1982 Larval foodplant(s): *Desmodium*, *Lespedeza* (Fabaceae) (Kuznetsov & Baryshnikova,1998).
- 2379. *Micrurapteryx gerasimovi* Ermolaev,1982** (Gracillariidae) Synonym(s): *gerasimovi* Ermolaev,1982 Larval foodplant(s): *Melilotus suaveolens*, *Vicia cracca* (Fabaceae) (Ermolaev,1982).
- 2380. *Micrurapteryx gradatella* (Herrich-Schäffer,1855)** (Gracillariidae) Synonym(s): *gradatella* Herrich-Schäffer,1855 Larval foodplant(s): *Orobanchaceae*, *Vicia sepium*, *Caragana arborescens* (Fabaceae) (Kuznetsov & Tristan,1985).
- 2381. *Micrurapteryx kollariella* (Zeller,1839)** (Gracillariidae) Synonym(s): *kollariella* Zeller,1839 Larval foodplant(s): *Cytisus scoparius*, *Genista tinctoria*, *Laburnum*, *Sorothamnus*, *Lupinus*, *Laburnocytisus*, *Petteria*, *Coronilla emerus* (Fabaceae) (Mann,1862; et seq.).
- 2382. *Micrurapteryx sophorella* Kuznetsov,1979** (Gracillariidae) Synonym(s): *sophorella* Kuznetsov,1979
- 2383. *Ornixola caudulatella* (Zeller,1839)** (Gracillariidae) Synonym(s): *caudulatella* Zeller,1839; *nigroscripella* Duponchel,1845; *eisendlei* Hauder,1910 Larval foodplant(s): *Salix acutifolia*, *S. caprea* (Salicaceae) (Kuznetsov & Baryshnikova,1998).
- 2384. *Parectopa ononidis* (Zeller,1839)** (Gracillariidae) Synonym(s): *ononidis* Zeller,1839; *ononiella* Duponchel,1845; *moniliella* Tengsöm,1848; *argentipunctella* Stainton,1848; *ononidella* Bruand,1851 Larval foodplant(s): *Ononis spinosa*, *Trifolium pratense* (Fabaceae) (Stainton,1864; et seq.).
- 2385. *Parectopa robiniella* Clemens,1863** (Gracillariidae) Synonym(s): *robiniella* Clemens,1863 larva on *Robinia pseudoacacia*, *R. hispida*, *R. viscosa*, *Desmodium*, *Amorpha fruticosa*, *Galactia volubilis* (Fabaceae) (Clemens,1859; et seq.).
- 2386. *Parornix alni* Kumata,1965** (Gracillariidae) Synonym(s): *alni* Kumata,1965 Larval foodplant(s): *Alnus hirsuta* (Betulaceae) (Kumata,1965).
- 2387. *Parornix anglicella* (Stainton,1850)** (Gracillariidae) Synonym(s): *nebulea* Haworth,1828; *anglicella* Stainton,1850; *fragariae* Stainton,1874; *rubiella* Caradja,1920 Larval foodplant(s): *Crataegus monogyna*, *C. laevigata*, *C. curvisepala*, *Cotoneaster*, *Mespilus*, *Rubus caesius*, *Fragaria vesca*, *Sorbus torminalis* (Rosaceae) (Stainton,1864; et seq.).

- 2388. Parornix anguliferella (Zeller,1847)** (Gracillariidae) Synonym(s): *anguliferella* Zeller,1847 Larval foodplant(s): *Pyrus communis*, *Malus pumila*, *Cydonia oblonga*, *Cerasus*, *Prunus*, *Amelanchier*, *Sorbus aucuparia* (Rosaceae) (Stainton,1864; et seq.).
- 2389. Parornix betulae (Stainton,1854)** (Gracillariidae) Synonym(s): *betulae* Stainton,1854; *scutulatella* Stainton,1854; *betulella* Herrich-Schäffer,1855 Larval foodplant(s): *Betula pendula*, *B. pubescens*, *B. verrucosa*, *B. alba*, *B. mandschurica*, *B. platyphylla* (Betulaceae) (Stainton,1854; et seq.).
- 2390. Parornix carpinella (Frey,1863)** (Gracillariidae) Synonym(s): *carpinella* Frey,1863; *eppelsheimi* Fuchs,1901 Larval foodplant(s): *Carpinus betulus*, *Ostrya carpinifolia* (Frey,1863; et seq.).
- 2391. Parornix devoniella (Stainton,1850)** (Gracillariidae) Synonym(s): *devoniella* Stainton,1850; *avellanella* Stainton,1854; *avellanaecolella* Doubleday,1859; *cotoneastri* Caradja,1920 Larval foodplant(s): *Corylus avellana*, *C. colurna* (Betulaceae) (Stainton,1864; et seq.).
- 2392. Parornix ermolaevi Kuznetsov,1979** (Gracillariidae) Synonym(s): *ermolaevi* Kuznetsov,1979 *Corylus heterophylla* (Betulaceae) (Ermolaev,1981).
- 2393. Parornix fagivora (Frey,1861)** (Gracillariidae) Synonym(s): *fagivora* Frey,1861 Larval foodplant(s): *Fagus sylvatica* (Fagaceae) (Frey,1861).
- 2394. Parornix finitimella (Zeller,1850)** (Gracillariidae) Synonym(s): *finitimella* Zeller,1850 Larval foodplant(s): *Prunus domestica*, *P. spinosa*, *P. divaricata*, *P. cerasifera*, *P. communis*, *P. armeniaca* (Rosaceae) (Stainton,1864; et seq.).
- 2395. Parornix kumatai Ermolaev,1993** (Gracillariidae) Synonym(s): *kumatai* Ermolaev,1993 Larval foodplant(s): *Crataegus maximowiczii* (Rosaceae) (Ermolaev,1993).
- 2396. Parornix loganella (Stainton,1848)** (Gracillariidae) Synonym(s): *loganella* Stainton,1848; *distinctella* Nolcken,1870 Larval foodplant(s): *Betula alba* (Betulaceae) (Stainton,1864; et seq.).
- 2397. Parornix maliphaga Kuznetsov,1979** (Gracillariidae) Synonym(s): *maliphaga* Kuznetsov,1979 Larval foodplant(s): *Malus* (Rosaceae) (Kuznetsov,1979).
- 2398. Parornix petiolella (Frey,1861)** (Gracillariidae) Synonym(s): *petiolella* Frey,1861 Larval foodplant(s): *Malus pumila*, *M. sylvestris*, *Pyrus*, *Persica*, *Armeniaca*, *Prunus domestica*, *P. divaricata*, *P. vulgaris* (Rosaceae) (Frey,1863; et seq.).
- 2399. Parornix polygrammella (Wocke,1862)** (Gracillariidae) Synonym(s): *polygrammella* Wocke,1862 Larval foodplant(s): *Betula nana* (Betulaceae) (Wocke,1862).
- 2400. Parornix scoticella (Stainton,1850)** (Gracillariidae) Synonym(s): *scoticella* Stainton,1850; *canella* Tengström,1859; *alpicola* Wocke,1877; *fulluzella* Chretien,1898; *sauberiella* Sorhagen,1905; *leucostola* Pelham-Clinton,1964 Larval foodplant(s): *Sorbus aucuparia*, *S. aria*, *S. chamaemespilus*, *Dryas octopetala*, *S. amurensis*, *S. commixta*, *Malus*, *Cotoneaster*, *Viburnum lantana*, *Prunus spinosa* (Rosaceae) (Stainton,1850; et seq.).
- 2401. Parornix szoecsi (Gozmany,1952)** (Gracillariidae) Synonym(s): *szoecsi* Gozmany,1952; *amygdalella* Kuznetsov,1978 Larval foodplant(s): *Prunus fruticosa*, *P. tenella* (=Amygdalus nanus) (Rosaceae) (Triberti,1982).
- 2402. Parornix torquillella (Zeller,1850)** (Gracillariidae) Synonym(s): *meleagripennella* Hübner,1796; *torquillella* Zeller,1850; *#torquillella* Doubleday,1859 Larval foodplant(s): *Prunus domestica*, *P. spinosa*, *P. divaricata*, *P. cerasifera*, *Amygdalus*, *Padus racemosa*, *Pyrus communis* (Rosaceae) (Stainton,1864; et seq.).

- 2403. Parornix traugotti Svensson,1976** (Gracillariidae) Synonym(s): *traugotti* Svensson,1976 Larval foodplant(s): *Betula pubescens* (Betulaceae) (Kuznetsov & Baryshnikova,1988).
- 2404. Phyllocnistis extrematrix Martynova,1955** (Gracillariidae) Synonym(s): *extrematrix* Martynova,1955; *almaatensis* Martynova,1955 Larval foodplant(s): *Populus nigra*, *P. balsamifera* (Salicaceae) (Kuznetsov & Baryshnikova,1988).
- 2405. Phyllocnistis labyrinthella (Bjerkander,1790)** (Gracillariidae) Synonym(s): *labyrinthella* Bjerkander,1790; *sorhageniella* Lüders,1900 Larval foodplant(s): *Populus tremula*, *P. alba* (Salicaceae) (Bjerkander,1790).
- 2406. Phyllocnistis saligna (Zeller,1839)** (Gracillariidae) Synonym(s): *saligna* Zeller,1839; *salicifoliella* Duponchel,[1845]; *salignella* Herrich-Schäffer,1855; *lugdunensella* Bruand,1859 Larval foodplant(s): *Salix babylonica*, *S. fragilis*, *S. purpurea*, *S. tetrasperma*, *S. viminalis*, *Populus* (Salicaceae) (Zeller,1839; et seq.).
- 2407. Phyllocnistis unipunctella (Stephens,1834)** (Gracillariidae) Synonym(s): *unipunctella* Stephens,1834; *augustella* Costa,[1836] nec Hübner,1796; *suffusella* Zeller,1848 Larval foodplant(s): *Populus nigra*, *P. balsamifera*, *P. canadensis*, *P. euphratica*, *P. italica*, *P. pyramidalis* (Salicaceae) (Heinemann & Wocke,1877; et seq.).
- 2408. Phyllocnistis valentinensis (M.Hering,1936)** (Gracillariidae) Synonym(s): *valentinensis* M.Hering,1936 Larval foodplant(s): *Salix fragilis* (Salicaceae) (Hering,1936).
- 2409. Phyllocnistis xenia M.Hering,1936** (Gracillariidae) Synonym(s): *xenia* M.Hering,1936 Larval foodplant(s): *Populus alba*, *P. canescens* (Salicaceae) (Hering,1936).
- 2410. Phyllonorycter abrasella (Duponchel,1843)** (Gracillariidae) Synonym(s): *abrasella* Duponchel,1843; *abrasella* Zeller,1846 Larval foodplant(s): *Quercus robur*, *Q. sessiliflora*, *Q. cerris* (Fagaceae) (Wocke,1871; et seq.).
- 2411. Phyllonorycter acaciella (Duponchel,1843)** (Gracillariidae) Synonym(s): *acaciella* Duponchel,1843; *bentivoliella* Costantini,1923 Larval foodplant(s): *Ulmus campestris*, *U. scabra*, *U. foliacea*, *U. carpinifolia*, *U. procera* (Ulmaceae) (Lhomme,1946-1963; et seq.).
- 2412. Phyllonorycter acerifoliella (Zeller,1839)** (Gracillariidae) Synonym(s): *sylvella* Haworth,[1828] nec Hübner,[1813]; *acerifoliella* Zeller,1839; *acernella* Duponchel,[1843]. Larval foodplant(s): *Acer* (Zeller,1839).
- 2413. Phyllonorycter agilella (Zeller,1846)** (Gracillariidae) Synonym(s): *agilella* Zeller,1846
- 2414. Phyllonorycter anderidae (T.B.Fletcher,1875)** (Gracillariidae) Synonym(s): *anderidae* T.B.Fletcher,1875
- 2415. Phyllonorycter apparella (Herrich-Schäffer,1855)** (Gracillariidae) Synonym(s): *apparella* Herrich-Schäffer,1855; *atomariella* Zeller,1875; *tremuloidiella* Braun,1908; *ontario* Freeman,1970 Larval foodplant(s): *Populus alba*, *P. nigra*, *P. pyramidalis*, *P. tremula*, *Salix alba* (Salicaceae) (Reutti,1898; et seq.).
- 2416. Phyllonorycter blancardella (Fabricius,1781)** (Gracillariidae) Synonym(s): *blancardella* Fabricius,1781; *pyrariella* Tutt,1898; *concomitella* Banks,1899
- 2417. Phyllonorycter cavella (Zeller,1846)** (Gracillariidae) Synonym(s): *schreberella* Zeller,1839 nec Fabr.,1781; *cavella* Zeller,1846; *milleri* Povolny & Gregor,1950 Larval foodplant(s): *Betula alba*, *B. pendula*, *B. pubescens*, *B. verrucosa*, *B. platyphylla*, *B. dahurica*, *B. mandchurica*, *B. ermanii*, *Alnus* (Betulaceae), *Salix caprea* (Salicaceae); *Ulmus* (Ulmaceae) (Stainton,1857; et seq.).
- 2418. Phyllonorycter cerasinella (Reutti,1853)** (Gracillariidae) Synonym(s): *cerasinella* Reutti,1853; *quinquenotella* Herrich-Schäffer,1855 Larval foodplant(s): *Genista pilosa*, *G. sagittalis* (Fabaceae) (Stainton,1857; et seq.).

- 2419. Phyllonorycter comparella (Duponchel,1843)** (Gracillariidae)
Synonym(s): *comparella* Duponchel,1843; *cerrutiella* Hartig,1952 Larval foodplant(s):
Populus alba, *P. nigra*, *P. pyramidalis*, *P. tremula* (Salicaceae) (Zeller,1846; et seq.).
- 2420. Phyllonorycter connexella (Zeller,1846)** (Gracillariidae) Synonym(s):
connexella Zeller,1846; *asiatica* Gerasimov,1931 Larval foodplant(s): *Salix alba*, *S. fragilis*,
S. appendiculata, *S. babylonica*, *S. blakii*, *S. pentandra*, *S. viminalis*, *Populus nigra*, *P. canadensis* (Salicaceae) (Heinemann & Wocke,1877; et seq.).
- 2421. Phyllonorycter coryli (Nicelli,1851)** (Gracillariidae) Synonym(s): *coryli*
Nicelli,1851; *corylella* Herrich-Schäffer,1855 Larval foodplant(s): *Corylus avellana*, *C. columnata*, *Ostrya carpinifolia* (Betulaceae) (Nicelli,1851; et seq.).
- 2422. Phyllonorycter corylifoliella (Hübner,1796)** (Gracillariidae)
Synonym(s): *corylifoliella* Hübner,1796; *betulae* Zeller,1839; *betulifoliella* Duponchel,[1845];
caledoniella Stainton,1851; *betulella* Herrich-Schäffer,1855 Larval foodplant(s): *Crataegus oxyacantha*, *C. monogyna*, *Malus sylvestris*, *Pyrus communis*, *Amelanchier vulgaris*, *Cydonia*, *Sorbus aucuparia*, *S. aria*, *S. torminalis* (Rosaceae); *Betula* (Betulaceae); *Fagus* (Fagaceae) (Stainton,1852; et seq.).
- 2423. Phyllonorycter cretata (Kumata,1957)** (Gracillariidae) Synonym(s):
cretata Kumata,1957
- 2424. Phyllonorycter cydoniella ([Denis & Schiffermüller],1775)** (Gracillariidae) Synonym(s): *#cydoniella* [Denis & Schiffermüller],1775; *gregori* Povolny,1949
Larval foodplant(s): *Pyrus*, *Cydonia* ([Denis & Schiffermüller],1775).
- 2425. Phyllonorycter delitella (Duponchel,1844)** (Gracillariidae) Synonym(s):
delitella Duponchel,1844 Larval foodplant(s): *Quercus robur*, *Q. pubescens* (Fagaceae) (Stainton,1857; et seq.).
- 2426. Phyllonorycter distentella (Zeller,1846)** (Gracillariidae) Synonym(s):
distentella Zeller,1846; *manniella* Herrich-Schäffer,1855 Larval foodplant(s): *Quercus pubescens*, *Q. cerris*, *Q. petraea* (Fagaceae) (Stainton,1857; et seq.).
- 2427. Phyllonorycter dubitella (Herrich-Schäffer,1855)** (Gracillariidae)
Synonym(s): *dubitella* Herrich-Schäffer,1855; *spinicolella* Herrich-Schäffer,1855 Larval foodplant(s): *Salix caprea*, *S. alba*, *S. aurita*, *S. fragilis*, *S. cinerea* (Salicaceae) (Stainton,1857; et seq.).
- 2428. Phyllonorycter emberizaepennella (Bouché,1834)** (Gracillariidae)
Synonym(s): *emberizaepennella* Bouché,1834; *pezzolella* Herrich-Schäffer,1855 Larval foodplant(s): *Lonicera xylosteum*, *L. periclymenum*, *L. japonica*, *L. nigra*, *L. alpigena*, *L. caerulea*, *L. tatarica*, *Symphoricarpos racemosus*, *S. albus*, *S. orbiculatus*, *S. rivularis* (Caprifoliaceae) (Bouché,1834; et seq.).
- 2429. Phyllonorycter ermani (Kumata,1963)** (Gracillariidae) Synonym(s):
ermani Kumata,1963 Larval foodplant(s): *Betula ermanii*, *Alnus maximowiczii* (Betulaceae) (Kumata,1963).
- 2430. Phyllonorycter esperella (Goeze,1783)** (Gracillariidae) Synonym(s):
esperella Goeze,1783; *quinnata* Fourcroy,1785; *quinnatella* Villers,1789; *caprinicolella* Stainton,1851
Larval foodplant(s): *Carpinus betulus*, *Ostrya carpinifolia* (Betulaceae) (Stainton,1857).
- 2431. Phyllonorycter fraxinella (Zeller,1846)** (Gracillariidae) Synonym(s):
fraxinella Zeller,1846 Larval foodplant(s): *Genista germanica*, *G. tinctoria* (Fabaceae) (Stainton,1857; et seq.).
- 2432. Phyllonorycter froelichiella (Zeller,1839)** (Gracillariidae) Synonym(s):
froelichiella Zeller,1839 Larval foodplant(s): *Alnus glutinosa*, *A. incana*, *A. subcordata* (Betulaceae) (Stainton,1857; et seq.).

- 2433. Phyllonorycter geniculella (Ragonot,1874)** (Gracillariidae) Synonym(s): *geniculella* Ragonot,1874; *dahmiella* Sorhagen,1900 Larval foodplant(s): *Acer pseudoplatanus* (Aceraceae) (Ragonot,1874).
- 2434. Phyllonorycter harrisella (Linnaeus,1761)** (Gracillariidae) Synonym(s): *harrisella* Linnaeus,1761; *cramerella* Fabricius,1777; *tenella* Duponchel,[1843]. Larval foodplant(s): *Quercus robur*, *Q. petraea*, *Q. ilex*, *Q. cerris* (Fagaceae) (Heinemann & Wocke,1877; et seq.).
- 2435. Phyllonorycter heegeriella (Zeller,1846)** (Gracillariidae) Synonym(s): *heegeriella* Zeller,1846 Larval foodplant(s): *Quercus robur*, *Q. petraea*, *Q. ilex*, *Q. streimii*, *Q. pedunculata* (Fagaceae) (Hartig,1964; et seq.).
- 2436. Phyllonorycter hilarella (Zetterstedt,1839)** (Gracillariidae) Synonym(s): *hilarella* Zetterstedt,1839; *spinoletta* Duponchel,1840 Larval foodplant(s): *Alnus* (Betulaceae); *Populus tremula*, *Salix appendiculata*, *S. arbuscula*, *S. aurita*, *S. caprea*, *S. cinerea*, *S. fragilis*, *S. hastata*, *S. pentandra*, *S. silesiaca* (Salicaceae) (Heinemann & Wocke,1877; et seq.).
- 2437. Phyllonorycter ilicifoliella (Duponchel,1843)** (Gracillariidae) Synonym(s): *ilicifoliella* Duponchel,1843
- 2438. Phyllonorycter insignitella (Zeller,1846)** (Gracillariidae) Synonym(s): *insignitella* Zeller,1846; *bueringerella* Heydenreich,1851
- 2439. Phyllonorycter issikii (Kumata,1963)** (Gracillariidae) Synonym(s): *issikii* Kumata,1963
- 2440. Phyllonorycter junoniella (Zeller,1846)** (Gracillariidae) Synonym(s): *junoniella* Zeller,1846; *vacciniella* Stainton,1855
- 2441. Phyllonorycter kleemannella (Fabricius,1781)** (Gracillariidae) Synonym(s): *kleemannella* Fabricius,1781
- 2442. Phyllonorycter kuhlweiniella (Zeller,1839)** (Gracillariidae) Synonym(s): *hortella* Fabricius,1794 nec Fabricius,1794; *kuhlweiniella* Zeller,1839; *saportella* Duponchel,1840.
- 2443. Phyllonorycter lantanella (Schrank,1802)** (Gracillariidae) Synonym(s): *lantanella* Schrank,1802; *elatella* Zeller,1846; *confertella* Heydenreich,1851 Larval foodplant(s): *Viburnum tinus*, *V. lantana*, *V. opulus* (Caprifoliaceae) (Stainton,1852; et seq.).
- 2444. Phyllonorycter laurocerasi (Kuznetsov,1979)** (Gracillariidae) Synonym(s): *laurocerasi* Kuznetsov,1979 Larval foodplant(s): *Prunus laurocerasus* (Rosaceae) (Kuznetsov,1979).
- 2445. Phyllonorycter lautella (Zeller,1846)** (Gracillariidae) Synonym(s): *lautella* Zeller,1846; *irradiella* Stainton,1854
- 2446. Phyllonorycter macrantherella (Kuznetsov,1961)** (Gracillariidae) Synonym(s): *macrantherella* Kuznetsov,1961 Larval foodplant(s): *Quercus macranthera* (Fagaceae) (Kuznetsov,1961).
- 2447. Phyllonorycter maestingella (Müller,1764)** (Gracillariidae) Synonym(s): *maestingella* Müller,1764; *faginella* Zeller,1846; *securiferella* Stainton,1848; *triguttella* Stainton,1850; *phagophagella* Herrich-Schäffer,1855; *hedemanni* Caradja,1920 Larval foodplant(s): *Fagus sylvatica*, *Wisteria floribunda* (Müller,1764; et seq.).
- 2448. Phyllonorycter malella (Gerasimov,1931)** (Gracillariidae) Synonym(s): *malella* Gerasimov,1931 Larval foodplant(s): *Malus sylvestris*, *Cydonia vulgaris*, *Pyrus communis*, *Crataegus* (Rosaceae) (Gerasimov,1931).
- 2449. Phyllonorycter mannii (Zeller,1846)** (Gracillariidae) Synonym(s): *mannii* Zeller,1846; *manniella* Herrich-Schäffer,1855; *#manni* M.Hering,1934 Larval foodplant(s): *Quercus robur*, *Q. sessiliflora* (Fagaceae) (Herrich-Schäffer,1855).
- 2450. Phyllonorycter medicaginella (Gerasimov,1930)** (Gracillariidae) Synonym(s): *medicaginella* Gerasimov,1930 Larval foodplant(s): *Medicago lupulina*, *Lotus*, *Melilotus albus*, *M. officinalis* (Fabaceae) (Gerasimov,1930; et seq.).

- 2451. Phyllonorycter mespilella (Hübner,[1805])** (Gracillariidae)
Synonym(s): *mespilella* Hübner,[1805]; *pomifoliella* Zeller,1839; *decimella* Stainton,1851; *aureopallidella* Bruand,1859; *pyrivorella* Banks,1899 Larval foodplant(s): Sorbus, Cydonia, Mespilus, Pyrus, Malus, Amelanchier, Cotoneaster (Rosaceae) (Stainton,1857; et seq.).
- 2452. Phyllonorycter messaniella (Zeller,1846)** (Gracillariidae) Synonym(s): *messaniella* Zeller,1846 Larval foodplant(s): Castanea sativa, Quercus, Carpinus, Fagus, Nothofagus procera (Fagaceae), Carya pecan (Juglandaceae), Betula papyrifera (Betulaceae) (Stainton,1852; et seq.).
- 2453. Phyllonorycter millierella (Staudinger,1871)** (Gracillariidae) Synonym(s): *millierella* Staudinger,1871; *celtidella* Rondani,1876 Larval foodplant(s): Celtis caucasica, C. australis (Ulmaceae) (Staudinger,1871).
- 2454. Phyllonorycter muelleriella (Zeller,1839)** (Gracillariidae) Synonym(s): *muelleriella* Zeller,1839; *amyotella* Duponchel,1840 Larval foodplant(s): Quercus robur, Q. petraea (Fagaceae) (Heinemann & Wocke,1877).
- 2455. Phyllonorycter nicellii (Stainton,1851)** (Gracillariidae) Synonym(s): *nicellii* Stainton,1851; *dunningiella* Stainton,1852; *nicelliella* Doubleday,1859 Larval foodplant(s): Corylus avellana, C. columnata (Betulaceae) (Stainton,1857).
- 2456. Phyllonorycter nigrescentella (Logan,1851)** (Gracillariidae) Synonym(s): *nigrescentella* Logan,1851
- 2457. Phyllonorycter orientalis (Kumata,1963)** (Gracillariidae) Synonym(s): *orientalis* Kumata,1963 Larval foodplant(s): Acer mono, A. palmatum, A. carpinifolium, A. pseudosieboldianum, A. pictum (Aceraceae) (Kumata,1963).
- 2458. Phyllonorycter oxyacanthae (Frey,1855)** (Gracillariidae) Synonym(s): *oxyacanthae* Frey,1855 Larval foodplant(s): Crataegus monogyna, C. laevigata, C. curvisepala, C. intricata, C. oxyacantha, Chaenomeles japonica, Pyrus communis, Cydonia (Rosaceae) (Frey,1855).
- 2459. Phyllonorycter parisiella (Wocke,1848)** (Gracillariidae) Synonym(s): *parisiella* Wocke,1848
- 2460. Phyllonorycter pastorella (Zeller,1846)** (Gracillariidae) Synonym(s): *pastorella* Zeller,1846; *fainae* Gerasimov,1931 Larval foodplant(s): Chosenia arbutifolia; Populus koreana, P. tremula, P. laurifolia, P. nigra, Salix alba, S. babylonica, S. caprea, S. fragilis, S. purpurea, S. triandra, S. viminalis (Salicaceae) (Nicelli,1851; et seq.).
- 2461. Phyllonorycter platani (Staudinger,1870)** (Gracillariidae) Synonym(s): *platani* Staudinger,1870; *felinella* Heinrich,1920
- 2462. Phyllonorycter platanoidella (Joannis,1920)** (Gracillariidae) Synonym(s): *platanoidella* Joannis,1920; *joannisii* Le Marchand,1936
- 2463. Phyllonorycter pomiella (Gerasimov,1933)** (Gracillariidae) Synonym(s): *pomiella* Gerasimov,1933
- 2464. Phyllonorycter populialbae (Kuznetsov,1961)** (Gracillariidae) Synonym(s): *populialbae* Kuznetsov,1961 Larval foodplant(s): Populus alba (Salicaceae) (Kuznetsov,1961).
- 2465. Phyllonorycter populifoliella (Treitschke,1833)** (Gracillariidae) Synonym(s): *populifoliella* Treitschke,1833; *fritillella* Koch,1856; *pilosissimella* Bruand,1859; *petrazzaniella* Constantini,1923 Larval foodplant(s): Populus alba, P. balsamifera, P. deltoides, P. laurifolia, P. monilifera, P. nigra, P. tremula (Salicaceae) (Frey,1856; et seq.).
- 2466. Phyllonorycter pseudojezoniella Noreika,1994** (Gracillariidae) Synonym(s): *pseudojezoniella* Noreika,1994
- 2467. Phyllonorycter pyrifoliella (Gerasimov,1933)** (Gracillariidae) Synonym(s): *pyrifoliella* Gerasimov,1933

- 2468. Phyllonorycter quercifoliella (Zeller,1839)** (Gracillariidae) Synonym(s): *quercifoliella* Zeller,1839 Larval foodplant(s): *Quercus ithaburensis*, *Q. cerris*, *Q. robur*, *Q. petraea* (Fagaceae) (Zeller,1839; et seq.).
- 2469. Phyllonorycter quinqueguttella (Stainton,1851)** (Gracillariidae) Synonym(s): *quinqueguttella* Stainton,1851; *repentella* Sorhagen,1900 Larval foodplant(s): *Salix arenaria*, *S. repens*, *S. rosmarinifolia* (Salicaceae) (Stainton,1859; et seq.).
- 2470. Phyllonorycter rajella (Linnaeus,1758)** (Gracillariidae) Synonym(s): *rajella* Linnaeus,1758; *alnifoliella* Hübner,1796; *alniella* Zeller,1839
- 2471. Phyllonorycter roboris (Zeller,1839)** (Gracillariidae) Synonym(s): *roboris* Zeller,1839; *roborifoliella* Duponchel,[1843]; *roborella* Stainton,1848 Larval foodplant(s): *Quercus* (Zeller,1839).
- 2472. Phyllonorycter rolandi (Svensson,1966)** (Gracillariidae) Synonym(s): *rolandi* Svensson,1966 Larval foodplant(s): *Salix lapponum* (Salicaceae) (Svensson,1966).
- 2473. Phyllonorycter sagitella (Bjerkander,1790)** (Gracillariidae) Synonym(s): *sagitella* Bjerkander,1790; *tremulae* Zeller,1846; *tremulella* Herrich-Schäffer,1855 Larval foodplant(s): *Populus davidiana*, *P. tremula*, *P. suaveolens* (Salicaceae) (Frey,1856; et seq.).
- 2474. Phyllonorycter salicicolella (Sircom,1848)** (Gracillariidae) Synonym(s): *salicicolella* Sircom,1848; *subconnexella* Stainton,1849; *capraella* Nicelli,1851; *fusca* Waters,1929 Larval foodplant(s): *Salix aurita*, *S. babylonica*, *S. caprea*, *S. cinerea*, *S. pentandra*, *S. viminalis* (Salicaceae) (Sorhagen,1886; et seq.).
- 2475. Phyllonorycter salictella (Zeller,1846)** (Gracillariidae) Synonym(s): *salictella* Zeller,1846; *viminiella* Sircom,1848; *heringiella* Gronlien,1932; *jaeckhi* M.Hering,1934 Larval foodplant(s): *Salix acutifolia*, *S.amygdalina*, *S.appendiculata*, *S.aurita*, *S.babylonica*, *S.caprea*, *S.cinerea*, *S.daphnoides*, *S.dasyclados*, *S.fragilis*, *S.eleagnos*, *S.nigricans*, *S.pentandra*, *S.rossica*, *S.rosmarinifolia*, *S.sibirica*, *S.viminalis* (Salicaceae) (Frey,1856; et seq.).
- 2476. Phyllonorycter schreberella (Fabricius,1781)** (Gracillariidae) Synonym(s): *schreberella* Fabricius,1781; *ulminella* Zeller,1839; *guicciardiella* Costantini,1923
- 2477. Phyllonorycter scitulella (Duponchel,1843)** (Gracillariidae) Synonym(s): *scitulella* Duponchel,1843
- 2478. Phyllonorycter scopariella (Zeller,1846)** (Gracillariidae) Synonym(s): *scopariella* Zeller,1846
- 2479. Phyllonorycter sorbi (Frey,1855)** (Gracillariidae) Synonym(s): *sorbi* Frey,1855
- 2480. Phyllonorycter spinicolella (Zeller,1846)** (Gracillariidae) Synonym(s): *spinicolella* Zeller,1846; *cerasicolella* Herrich-Schäffer,1855.
- 2481. Phyllonorycter stettinensis (Nicelli,1852)** (Gracillariidae) Synonym(s): *stettinensis* Nicelli,1852; *stettinella* Herrich-Schäffer,1855
- 2482. Phyllonorycter strigulatella (Lienig & Zeller,1846)** (Gracillariidae) Synonym(s): *strigulatella* Lienig & Zeller,1846
- 2483. Phyllonorycter tenerella (Joannis,1915)** (Gracillariidae) Synonym(s): *tenella* Zeller,1846 nec Dup.,1845; *tenerella* Joannis,1915; *albidorsella* Benander,1944
- 2484. Phyllonorycter trifoliella (Gerasimov,1933)** (Gracillariidae) Synonym(s): *trifoliella* Gerasimov,1933
- 2485. Phyllonorycter tristrigella (Haworth,[1828])** (Gracillariidae) Synonym(s): *tristrigella* Haworth,[1828]
- 2486. Phyllonorycter turanica (Gerasimov,1931)** (Gracillariidae) Synonym(s): *turanica* Gerasimov,1931 Larval foodplant(s): *Pyrus malus*, *Cydonia vulgaris*, *Cerasus* (Rosaceae) (Gerasimov,1931; et seq.).
- 2487. Phyllonorycter ulmifoliella (Hübner,[1817])** (Gracillariidae) Synonym(s): *ulmifoliella* Hübner,[1817]

- 2488. *Sauterina hofmanniella* (Schleich,1867)** (Gracillariidae) Synonym(s): *hofmanniella* Schleich,1867
- 2489. *Spulerina astaurota* (Meyrick,1922)** (Gracillariidae) Synonym(s): *astaurota* Meyrick,1922 Larval foodplant(s): *Chaenomeles*, *Malus domestica*, *M. sylvestris*, *M. sieboldii*, *Prunus domestica*, *Pyrus communis*, *P. pyrifolia* (Rosaceae) (Kumata, Kuroko & Ermolaev,1988).
- 2490. *Spulerina corticicola* Kumata,1964** (Gracillariidae) Synonym(s): *corticicola* Kumata,1964 Larval foodplant(s): *Abies sachaliensis*, *Larix leptolepis*, *Pinus parviflora*, *P. pentaphylla*, *P. strobus* (Pinaceae) (Kumata, Kuroko & Ermolaev,1988).
- 2491. *Spulerina dissotoma* (Meyrick,1931)** (Gracillariidae) Synonym(s): *dissotoma* Meyrick,1931; *lespedezifoliella* Kuroko,1982 Larval foodplant(s): *Lespedeza bicolor*, *L. cyrtobotrya*, *Pueraria montana*, *Flemingia lineata* (Fabaceae) (Meyrick,1931; et seq.).
- 2492. *Spulerina simploniella* (Fischer v. Röslerstamm,1840)** (Gracillariidae) Synonym(s): *simploniella* Fischer v. Röslerstamm,1840; *eximiella* Christoph,1888 Larval foodplant(s): *Quercus robur*, *Q. petraea*, *Q. castaneifolia*, *Castanea sativa* (Fagaceae), *Carpinus betulus* (Betulaceae) (Buszko,1990; et seq.).
- 2493. *Stomphastis conflua* (Meyrick,1914)** (Gracillariidae) Synonym(s): *conflua* Meyrick,1914 Larval foodplant(s): *Pouzolzia hypoleuca* (Urticaceae), *Ricinus communis* (Euphorbiaceae) (Vari,1961).
- 2494. *Telamoptilia tiliae* Kumata & Ermolaev,1988** (Gracillariidae) Synonym(s): *tiliae* Kumata & Ermolaev,1988
- 2495. *Heliodines roesella* (Linnaeus,1758)** (Heliodinidae) Synonym(s): *roesella* Linnaeus,1758
- 2496. *Antispila metallella* ([Denis & Schiffermüller],1775)** (Heliozelidae) Synonym(s): *metallella* [Denis & Schiffermüller],1775
- 2497. *Antispila treitschkiella* (Fischer v. Röslerstamm,1843)** (Heliozelidae) Synonym(s): *treitschkiella* Fischer v. Röslerstamm,1843 Larval foodplant(s): *Cornus sanguinea* (Corley,2007).
- 2498. *Heliozela resplendella* (Stainton,1851)** (Heliozelidae) Synonym(s): *resplendella* Stainton,1851
- 2499. *Holocacista rivillei* (Stainton,1855)** (Heliozelidae) Synonym(s): *rivillei* Stainton,1855
- 2500. *Gazoryctra fuscoargenteus* (O.Bang-Haas,1927)** (Hepialidae) Synonym(s): *fuscoargenteus* O.Bang-Haas,1927
- 2501. *Gazoryctra ganna* (Hübner,[1804])** (Hepialidae) Synonym(s): *ganna* Hübner,[1804]; *arcticus* Boheman,1848; *chishimana* Matsumura,1931
- 2502. *Hepialus humuli* (Linnaeus,1758)** (Hepialidae) Synonym(s): *humuli* Linnaeus,1758; *humulator* Haworth,1802
- 2503. *Korscheltellus lupulinus* (Linnaeus,1758)** (Hepialidae) Synonym(s): *lupulinus* Linnaeus,1758; *serraticornis* Gmelin,1790; *obliquus* Fabricius,1794; *cora* Schrank,1801; *lupulator* Haworth,1802; *obliquator* Haworth,1802; *nebulosator* Haworth,1802; *fuscus* Haworth,1809; *angulum* Haworth,1809; *nebulosus* Haworth,1809; *nebulosus* Haworth,1828; *espanoli* Gregorio,1981
- 2504. *Pharmacis carna* ([Denis & Schiffermüller],1775)** (Hepialidae) Synonym(s): *carna* [Denis & Schiffermüller],1775; *carnator* Haworth,1802; *judotta* Hübner,[1808]
- 2505. *Pharmacis fusconebulosa* (De Geer,1778)** (Hepialidae) Synonym(s): *fusconebulosa* De Geer,1778; *mappa* Donovan,1801
- 2506. *Phymatopus hecta* (Linnaeus,1758)** (Hepialidae) Synonym(s): *hecta* Linnaeus,1758; *filina* [Denis & Schiffermüller],1775; *jodutta* [Denis & Schiffermüller],1775; *clavipes* Retzius,1783; *nemorosa* Esper,1786; *hectator* Haworth,1802; *joduttator* Haworth,1802
- 2507. *Triodia amasina* (Herrich-Schäffer,[1851])** (Hepialidae) Synonym(s): *amasina* Herrich-Schäffer,[1851]

- 2508. *Triodia sylvina* (Linnaeus,1761) (Hepialidae) Synonym(s):** *sylvina* Linnaeus,1761; *hamma* [Denis & Schiffermüller],1775; *angulatum* Fabricius,1781; *multicolor* Fourcroy,1785; *crux* Fabricius,1787; *c-album* Villers,1789; *fauna* Schrank,1801; *cruxator* Haworth,1802; *angulator* Haworth,1802; *sylvinator* Haworth,1802; *kruegeri* Turati,1909; *androgynus* Agenjo,1942; *pardoi* Agenjo,1942; *alfaroi* Agenjo,1942; *laincalvo* Agenjo,1942
- 2509. *Aeromachus inachus* (Ménétriés,1858) (Hesperiidae) Synonym(s):** *inachus* Ménétriés,1858
- 2510. *Aeromachus inachus inachus* (Ménétriés,1858) (Hesperiidae) Synonym(s):** *inachus* Ménétriés,1858
- 2511. *Ampittia virgata* Leech,1890 (Hesperiidae) Synonym(s):** *virgata* Leech,1890
- 2512. *Ampittia virgata myakei* Matsumura,1909 (Hesperiidae) Synonym(s):** *myakei* Matsumura,1909; *formosana* Fruhstorfer,1910
- 2513. *Bibasis aquilina* (Speyer,1879) (Hesperiidae) Synonym(s):** *aquilina* Speyer,1879
- 2514. *Bibasis aquilina aquilina* (Speyer,1879) (Hesperiidae) Synonym(s):** *aquilina* Speyer,1879
- 2515. *Carcharodus (Lavatheria) lavatherae* (Esper,[1783]) (Hesperiidae) Synonym(s):** *lavatherae* Esper,[1783]; *australior* Verity,1919; *pyrenaicus* Ricard,1948. Larval foodplant(s): *Stachys recta*, *S. germanica*, *S. arvensis*, *S. plumosa* (Tolman,1997).
- 2516. *Carcharodus (Lavatheria) lavatherae lavatherae* (Esper,[1783]) (Hesperiidae) Synonym(s):** *lavatherae* Esper,[1783]; *australior* Verity,1919; *pyrenaicus* Ricard,1948.
- 2517. *Carcharodus (Lavatheria) stauderi* Reverdin,1913 (Hesperiidae) Synonym(s):** *stauderi* Reverdin,1913. Larval foodplant(s): *Marrubium vulgare*, *Ballota hirsuta*, *Phlomis floccusa*, *P. aurea* (Tolman,1997).
- 2518. *Carcharodus (Reverdinus) flocciferus* (Zeller,1847) (Hesperiidae) Synonym(s):** *flocciferus* Zeller,1847; *altheae* Hübner,[1803] *nec* Esp.,[1783]; *imperator* Hemming,1934; *alchymillae* Hemming,1936; *autumnalis* Verity,1940. Larval foodplant(s): *Stachys recta*, *S. alpina*, *S. officinalis*, *S. germanica*, *S. palustris*, *S. sylvatica*, *S. scardica* (Tolman,1997).
- 2519. *Carcharodus (Reverdinus) flocciferus flocciferus* (Zeller,1847) (Hesperiidae) Synonym(s):** *flocciferus* Zeller,1847; *altheae* Hübner,[1803] *nec* Esp.,[1783]; *imperator* Hemming,1934; *alchymillae* Hemming,1936; *autumnalis* Verity,1940.
- 2520. *Carcharodus (Reverdinus) orientalis* Reverdin,1913 (Hesperiidae) Synonym(s):** *orientalis* Reverdin,1913; *centralanatolica* Pfeiffer,1927; *aestatis* Verity,1928; *postorientalis* Verity,1928; *maccabaeus* Hemming,1932. Larval foodplant(s): *Stachys* sp. (Tolman,1997).
- 2521. *Carcharodus (Reverdinus) orientalis orientalis* Reverdin,1913 (Hesperiidae) Synonym(s):** *orientalis* Reverdin,1913; *centralanatolica* Pfeiffer,1927; *aestatis* Verity,1928; *postorientalis* Verity,1928; *maccabaeus* Hemming,1932.
- 2522. *Carcharodus (s.str.) alceae* (Esper,[1780]) (Hesperiidae) Synonym(s):** *alceae* Esper,[1780]; *malvae* Hufnagel,1766 *nec* Linn.,1758; *malvarum* Hoffmannsegg,1804; *magnaustalis* Verity,1924; *corsicus* Picard,1948. Larval foodplant(s): *Arbuton teophrasti*, *Chrozophora hierosolymitana* (Stshetkin, 1960); *Malva alceae* (Kumakov & Korshunov, 1979); *Althaea officinalis* (Anikin et al., 1993).
- 2523. *Carcharodus (s.str.) alceae alceae* (Esper,[1780]) (Hesperiidae) Synonym(s):** *alceae* Esper,[1780]; *malvae* Hufnagel,1766 *nec* Linn.,1758; *malvarum* Hoffmannsegg,1804; *magnaustalis* Verity,1924; *corsicus* Picard,1948.
- 2524. *Carterocephalus argyrostigma* (Eversmann,1851) (Hesperiidae) Synonym(s):** *argyrostigma* Eversmann,1851; *argenteogutta* Butler,1870.
- 2525. *Carterocephalus argyrostigma argyrostigma* (Eversmann,1851) (Hesperiidae) Synonym(s):** *argyrostigma* Eversmann,1851; *argenteogutta* Butler,1870.
- 2526. *Carterocephalus dieckmanni* Graeser,1888 (Hesperiidae) Synonym(s):** *dieckmanni* Graeser,1888

- 2527. *Carterocephalus dieckmanni dieckmanni* Graeser,1888** (Hesperiidae)
Synonym(s): *dieckmanni* Graeser,1888
- 2528. *Carterocephalus palaemon* (Pallas,1771)** (Hesperiidae) Synonym(s): *palaemon* Pallas,1771; *paniscus* Fabricius,1775; *brontes* [Denis & Schiffermüller],1775; *mesapano* Scudder,1868; *skada* Edwards,1870. Larval foodplant(s): *Molinia caerulea*, *M. c. arundinacea*, *Calamagrostis epigejos*, *Brachypodium sylvaticum*, *B. pinnatum*, *Bromus ramosus*, *Dactylis glomerata*, *Alopecurus pratensis*, *Phleum pratense* (Tolman,1997).
- 2529. *Carterocephalus palaemon albiguttatus* Christoph,1893** (Hesperiidae)
Synonym(s): *albiguttata* Christoph,1893; *brontides* Heyne,[1895]; *murasei* Matsumura,1925.
- 2530. *Carterocephalus palaemon palaemon* (Pallas,1771)** (Hesperiidae)
Synonym(s): *palaemon* Pallas,1771; *paniscus* Fabricius,1775; *brontes* [Denis & Schiffermüller],1775; *mesapano* Scudder,1868; *skada* Edwards,1870.
- 2531. *Carterocephalus silvicola* (Meigen,1829)** (Hesperiidae) Synonym(s): *sylvius* Knoch,1781 nec Poda,1761; *silvicola* Meigen,1829; *silvioides* Müller,1920; *isschikii* Nakahara,1926; *doi* Matsumura,1928. Larval foodplant(s): *Brachypodium sylvaticum*, *Bromus ramosus*, *Milium effusum*? *Cynosurus cristatus* (Tolman,1997).
- 2532. *Carterocephalus silvicola silvicola* (Meigen,1829)** (Hesperiidae)
Synonym(s): *sylvius* Knoch,1781 nec Poda,1761; *silvicola* Meigen,1829; *silvioides* Müller,1920; *isschikii* Nakahara,1926; *doi* Matsumura,1928.
- 2533. *Daimio tethys* (Ménétriés,1857)** (Hesperiidae) Synonym(s): *tethys* Ménétriés,1857; *lineata* Mabilie & Boulet,1916; *daiseni* Riley,1921; *yamashiroensis* Kato,1930.
- 2534. *Daimio tethys tethys* (Ménétriés,1857)** (Hesperiidae) Synonym(s): *tethys* Ménétriés,1857; *lineata* Mabilie & Boulet,1916; *daiseni* Riley,1921; *yamashiroensis* Kato,1930.
- 2535. *Erynnis (Hesperopegasus) marloyi* (Boisduval,[1834])** (Hesperiidae)
Synonym(s): *marloyi* Boisduval,[1834]; *sericea* Freyer,1838; *rustan* Kollar,[1849]. Larval foodplant(s): *Pyrus spinosa* (Lafranchis,2003).
- 2536. *Erynnis (Hesperopegasus) marloyi marloyi* (Boisduval,[1834])** (Hesperiidae) Synonym(s): *marloyi* Boisduval,[1834]; *sericea* Freyer,1838; *rustan* Kollar,[1849]. Larval foodplant(s): *Pyrus spinosa* (Lafranchis,2003).
- 2537. *Erynnis (s.str.) montanus* (Bremer,1861)** (Hesperiidae) Synonym(s): *montanus* Bremer,1861; *rusticanus* Butler,1870.
- 2538. *Erynnis (s.str.) montanus montanus* (Bremer,1861)** (Hesperiidae)
Synonym(s): *montanus* Bremer,1861; *rusticanus* Butler,1870.
- 2539. *Erynnis (s.str.) popoviana* (Nordmann,1851)** (Hesperiidae)
Synonym(s): *popoviana* Nordmann,1851; *sinina* Groum-Grshimailo,1891.
- 2540. *Erynnis (s.str.) popoviana popoviana* (Nordmann,1851)** (Hesperiidae)
Synonym(s): *popoviana* Nordmann,1851; *sinina* Groum-Grshimailo,1891.
- 2541. *Erynnis (s.str.) tages* (Linnaeus,1758)** (Hesperiidae) Synonym(s): *tages* Linnaeus,1758; *morio* Scopoli,1763; *geryon* Rottemburg,1775; *subclarus* Verity,1921. Larval foodplant(s): *Lotus corniculatus*, *L. uliginosus*, *Hippocrepis comosa* (Tolman,1997).
- 2542. *Erynnis (s.str.) tages tages* (Linnaeus,1758)** (Hesperiidae) Synonym(s): *tages* Linnaeus,1758; *morio* Scopoli,1763; *geryon* Rottemburg,1775; *subclarus* Verity,1921.
- 2543. *Hesperia comma* (Linnaeus,1758)** (Hesperiidae) Synonym(s): *comma* Linnaeus,1758; *virgula* Retzius,1783; *alpina* Bath,1896; *galliaemeridiei* Verity,1928; *alpapennina* Verity,1928; *alpiumflava* Verity,1928; *macrocomma* Verity,1928; *superalpina* Verity,1928; *atralpina* Verity,1928. Larval foodplant(s): *Festuca ovina*, *Lolium perenne*, *Lotus corniculatus* (Tolman, 1997).
- 2544. *Hesperia comma comma* (Linnaeus,1758)** (Hesperiidae) Synonym(s): *comma* Linnaeus,1758; *virgula* Retzius,1783; *alpina* Bath,1896; *galliaemeridiei* Verity,1928; *alpapennina* Verity,1928; *alpiumflava* Verity,1928; *macrocomma* Verity,1928; *superalpina* Verity,1928; *atralpina* Verity,1928.

- 2545. *Hesperia comma lena* Korshunov & Gorbunov,1995** (Hesperiidae)
Synonym(s): *lena* Korshunov & Gorbunov,1995
- 2546. *Hesperia comma pallida* (Staudinger,1901)** (Hesperiidae) Synonym(s):
pallida Staudinger,1901
- 2547. *Hesperia comma planula* Korshunov,1995** (Hesperiidae) Synonym(s):
planula Korshunov,1995
- 2548. *Hesperia comma shushkini* Korshunov,1995** (Hesperiidae)
Synonym(s): *shushkini* Korshunov,1995
- 2549. *Hesperia florinda* Butler,1878** (Hesperiidae) Synonym(s): *florinda*
Butler,1878; *repugnans* Staudinger,1892; *mikado* Leech,1895.
- 2550. *Hesperia florinda florinda* Butler,1878** (Hesperiidae) Synonym(s):
florinda Butler,1878; *repugnans* Staudinger,1892; *mikado* Leech,1895.
- 2551. *Heteropterus morpheus* (Pallas,1771)** (Hesperiidae) Synonym(s):
morpheus Pallas,1771; *speculum* Rottemburg,1775; *steropes* Denis & Schiffermüller,1775; *aracanthus*
Fabricius,1777; *speculifer* Fourcroy,1785. Larval foodplant(s): *Calamagrostis canescens*,
Brachypodium sylvaticum, *Molinia caerulea*, *Phragmites australis* (Tolman,1997).
- 2552. *Heteropterus morpheus morpheus* (Pallas,1771)** (Hesperiidae)
Synonym(s): *morpheus* Pallas,1771; *speculum* Rottemburg,1775; *steropes* Denis & Schiffermüller,1775;
aracanthus Fabricius,1777; *speculifer* Fourcroy,1785.
- 2553. *Leptalina unicolor* (Bremer & Grey,[1852])** (Hesperiidae) Synonym(s):
unicolor Bremer & Grey,[1852]; *ornatus* Bremer,1861
- 2554. *Leptalina unicolor unicolor* (Bremer & Grey,[1852])** (Hesperiidae)
Synonym(s): *unicolor* Bremer & Grey,[1852]; *ornatus* Bremer,1861
- 2555. *Lobocla bifasciata* (Bremer & Grey,1853)** (Hesperiidae) Synonym(s):
bifasciata Bremer & Grey,1853; *kodairi* Sonan,1936; *disparalis* Murayama,1995.
- 2556. *Lobocla bifasciata bifasciata* (Bremer & Grey,1853)** (Hesperiidae)
Synonym(s): *bifasciata* Bremer & Grey,1853; *kodairi* Sonan,1936; *disparalis* Murayama,1995.
- 2557. *Muschampia cribrellum* (Eversmann,1841)** (Hesperiidae) Synonym(s):
cribrellum Eversmann,1841 Larval foodplant(s): *Potentilla* sp. (Tolman,1997).
- 2558. *Muschampia cribrellum cribrellum* (Eversmann,1841)** (Hesperiidae)
Synonym(s): *cribrellum* Eversmann,1841
- 2559. *Muschampia cribrellum heilong* (Streltzov & Dubatolov,1997)**
(Hesperiidae) Synonym(s): *heilong* Streltzov & Dubatolov,1997
- 2560. *Muschampia cribrellum obscurior* (Staudinger,1892)** (Hesperiidae)
Synonym(s): *obscurior* Staudinger,1892; *hybrida* Mabilie,1909; *incompleta* B.C.S.Warren,1926.
- 2561. *Muschampia gigas* (Bremer,1864)** (Hesperiidae) Synonym(s): *gigas*
Bremer,1864; *minor* Mabilie,1909
- 2562. *Muschampia gigas gigas* (Bremer,1864)** (Hesperiidae) Synonym(s): *gigas*
Bremer,1864; *minor* Mabilie,1909
- 2563. *Muschampia proteides* (Wagner,1929)** (Hesperiidae) Synonym(s):
proteides Wagner,1929; *lycaonius* Wagner,1929; *sovietica* Sichel,1964; *lycaonius* Benjamini & Avni,2001
[misident.]; *#lycaomius* Benjamini & Avni,2001 Larval foodplant(s): *Phlomis*
chrysophylla, *P. brachyodon*, *P. kurdica* (Benjamini & Avni,2001).
- 2564. *Muschampia proteides proteides* (Wagner,1929)** (Hesperiidae)
Synonym(s): *proteides* Wagner,1929; *lycaonius* Wagner,1929; *sovietica* Sichel,1964; *lycaonius*
Benjamini & Avni,2001 [misident.]; *#lycaomius* Benjamini & Avni,2001 Larval foodplant(s):
Phlomis chrysophylla (Benjamini & Avni,2001).
- 2565. *Muschampia proteus* (Staudinger,1886)** (Hesperiidae) Synonym(s):
proteus Staudinger,1886
- 2566. *Muschampia proteus proteus* (Staudinger,1886)** (Hesperiidae)
Synonym(s): *proteus* Staudinger,1886; *epimetheus* Mabilie,1909.
- 2567. *Muschampia protheon* (Rambur,1858)** (Hesperiidae) Synonym(s):
protheon Rambur,1858.

- 2568. *Muschampia protheon protheon* (Rambur,1858)** (Hesperiidae)
Synonym(s): *protheon* Rambur,1858.
- 2569. *Muschampia tessellum* (Hübner,[1802])** (Hesperiidae) Synonym(s):
tessellum Hübner,[1802]; *hibisci* Böber,1812; *mazzola* Ochsenheimer,1816 Larval foodplant(s):
Phlomis samia (Tolman, 1997); *Phlomis herba-venti* (Koçak, in litt).
- 2570. *Muschampia tessellum cribrelloides* (Gaede,1931)** (Hesperiidae)
Synonym(s): *#cribrelloides* B.C.S.Warren,1926; *cribrelloides* Gaede,1931.
- 2571. *Muschampia tessellum dilutior* (Heyne,[1895])** (Hesperiidae)
Synonym(s): *dilutior* Heyne,[1895]; *fucata* Mabilles,1909; *minor* Mabilles,1909.
- 2572. *Muschampia tessellum nigricans* (Mabilles,1909)** (Hesperiidae)
Synonym(s): *nigricans* Mabilles,1909
- 2573. *Muschampia tessellum tessellum* (Hübner,[1802])** (Hesperiidae)
Synonym(s): *tessellum* Hübner,[1802]; *hibisci* Böber,1812; *mazzola* Ochsenheimer,1816
- 2574. *Ochlodes ochraceus* (Bremer,1861)** (Hesperiidae) Synonym(s): *ochracea*
Bremer,1861; *rikuchina* Butler,1878; *ampittiformis* Matsumura,1919
- 2575. *Ochlodes ochraceus ochraceus* (Bremer,1861)** (Hesperiidae)
Synonym(s): *ochracea* Bremer,1861; *rikuchina* Butler,1878; *ampittiformis* Matsumura,1919
- 2576. *Ochlodes subhyalinus* (Bremer & Grey,1853)** (Hesperiidae)
Synonym(s): *subhyalina* Bremer & Grey,1853; *vivax* Bryk,1946
- 2577. *Ochlodes subhyalinus subhyalinus* (Bremer & Grey,1853)**
(Hesperiidae) Synonym(s): *subhyalina* Bremer & Grey,1853; *vivax* Bryk,1946
- 2578. *Ochlodes venatus* (Bremer & Grey,[1852])** (Hesperiidae) Synonym(s):
venatus Bremer & Grey,[1852] Larval foodplant(s): *Dactylis glomerata*, *Molinia*
caerulea, *Brachypodium pinnatum*, *B. sylvaticum*, *Poa pratensis*, *Festuca*
arundinacea, *Calamagrotis epigejos*, *Luzula pilosa*, *Holcus lanatus*, *Elymus*
repens, *Juncus effusus*, *Agrostis capillaris*, *Phleum pratense*, *Bromus erectus*
(Tolman, 1997).
- 2579. *Ochlodes venatus faunus* (Turati,1905)** (Hesperiidae) Synonym(s):
sylvanus Esper,1777 nec Dru.,[1773]; *melicerta* Bergsträßer,1780 nec Dru.,[1773]; *faunus* Turati,1905;
septentrionalis Verity,1919; *taurica* Gaede,1931; *alexandra* Hemming,1934; *esperii* Verity,1934; *nicaeensis*
Praviel,1948; *concouleuse* Picard,1948; *hesperodora* Kaufman,1956
- 2580. *Ochlodes venatus similis* Leech,1894** (Hesperiidae) Synonym(s): *similis*
Leech,1894
- 2581. *Ochlodes venatus venatus* (Bremer & Grey,[1852])** (Hesperiidae)
Synonym(s): *venatus* Bremer & Grey,[1852]
- 2582. *Parnara guttatus* (Bremer & Grey,[1852])** (Hesperiidae) Synonym(s):
guttatus Bremer & Grey,[1852]; *fortunei* Felder,1862; *wambo* Plötz,1886; *kotoshana* Sonan,1936
- 2583. *Parnara guttatus guttatus* (Bremer & Grey,[1852])** (Hesperiidae)
Synonym(s): *guttatus* Bremer & Grey,[1852]
- 2584. *Polytremis pellucida* (Murray,1875)** (Hesperiidae) Synonym(s): *pellucida*
Murray,1875; *quinquepuncta* Mabilles,1883; *sachaliensis* Matsumura,1925.
- 2585. *Polytremis pellucida pellucida* (Murray,1875)** (Hesperiidae)
Synonym(s): *pellucida* Murray,1875; *quinquepuncta* Mabilles,1883; *sachaliensis* Matsumura,1925.
- 2586. *Polytremis zina* (Evans,1932)** (Hesperiidae) Synonym(s): *zina* Evans,1932;
zinoides Evans,1937
- 2587. *Polytremis zina zina* (Evans,1932)** (Hesperiidae) Synonym(s): *zina*
Evans,1932; *zinoides* Evans,1937
- 2588. *Potanthus flavum* (Murray,1875)** (Hesperiidae) Synonym(s): *flavum*
Murray,1875; *japonica* Mabilles,1883
- 2589. *Potanthus flavum flavum* (Murray,1875)** (Hesperiidae) Synonym(s):
flavum Murray,1875; *japonica* Mabilles,1883
- 2590. *Pyrgus alpinus* (Erschoff,1874)** (Hesperiidae) Synonym(s): *alpinus*
Erschoff,1874

- 2591. *Pyrgus alpinus alpinus* (Erschoff,1874)** (Hesperiidae) Synonym(s): *alpinus* Erschoff,1874.
- 2592. *Pyrgus alveus* (Hübner,[1803])** (Hesperiidae) Synonym(s): *alveus* Hübner,[1803]; *alticolus* Rebel,1910; *ryffelenensis* Oberthür,1910; *claralveus* Verity,1934; *confusa* Renner,1991; *germanica* Renner,1991. Larval foodplant(s): *Potentilla sterilis*, *Helianthemum nummularium* (Tolman, 1997).
- 2593. *Pyrgus alveus alveus* (Hübner,[1803])** (Hesperiidae) Synonym(s): *alveus* Hübner,[1803]; *alticolus* Rebel,1910; *ryffelenensis* Oberthür,1910; *claralveus* Verity,1934; *confusa* Renner,1991; *germanica* Renner,1991.
- 2594. *Pyrgus alveus iliensis* (Reverdin,1912)** (Hesperiidae) Synonym(s): *iliensis* Reverdin,1912 (according to Prins & Poorten,1995, junior subjective synonym of *Pyrgus alveus alveus* Hbn.,1803).
- 2595. *Pyrgus alveus speyeri* (Staudinger,1887)** (Hesperiidae) Synonym(s): *speyeri* Staudinger,1887
- 2596. *Pyrgus andromedae* (Wallengren,1853)** (Hesperiidae) Synonym(s): *andromedae* Wallengren,1853; *striata* Vorbrodt,1912; *perseus* Schawerda,1919. Larval foodplant(s): *Potentilla thuringiaca*, *Alchemilla glomerulans*, *Malva* (Tolman,1997).
- 2597. *Pyrgus andromedae andromedae* (Wallengren,1853)** (Hesperiidae) Synonym(s): *andromedae* Wallengren,1853; *striata* Vorbrodt,1912; *perseus* Schawerda,1919.
- 2598. *Pyrgus armoricanus* (Oberthür,1910)** (Hesperiidae) Synonym(s): *armoricanus* Oberthür,1910; *petheri* Romei,1927. Larval foodplant(s): *Potentilla tabernaemontani*, *P. reptans*, *P. arenaria*, *Fragaria vesca*, *Helianthemum nummularium* (Tolman,1997).
- 2599. *Pyrgus armoricanus persicus* (Reverdin,1913)** (Hesperiidae) Synonym(s): *persicus* Reverdin,1913; *reverdini* le Cerf,1913 nec Oberthür,1912; *prostanæ* Pfeiffer,1927; *lecerfi* Verity,1928; *#poatpersica* Verity,1936.
- 2600. *Pyrgus carthami* (Hübner,[1813])** (Hesperiidae) Synonym(s): *carthami* Hübner,[1813] Larval foodplant(s): *Potentilla tabernaemontani*, *P. cinerea*, *P. arenaria*, *P. heterophylla* (Tolman,1997).
- 2601. *Pyrgus carthami carthami* (Hübner,[1813])** (Hesperiidae) Synonym(s): *carthami* Hübner,[1813]
- 2602. *Pyrgus carthami moeschleri* (Herrich-Schäffer,[1854])** (Hesperiidae) Synonym(s): *moeschleri* Herrich-Schäffer,[1854]
- 2603. *Pyrgus centaureae* (Rambur,[1839])** (Hesperiidae) Synonym(s): *centaureae* Rambur,[1839] Larval foodplant(s): *Rubus chamaemorus* (Tolman,1997).
- 2604. *Pyrgus centaureae centaureae* (Rambur,[1839])** (Hesperiidae) Synonym(s): *centaureae* Rambur,[1839]
- 2605. *Pyrgus centaureae kurenzovi* Korshunov,1995** (Hesperiidae) Synonym(s): *sibirica* Kurenzov,1970 nec Rev.,1911; *kurenzovi* Korshunov,1995.
- 2606. *Pyrgus cinarae* (Rambur,[1839])** (Hesperiidae) Synonym(s): *cinarae* Rambur,[1839]; *cynarae* Boisduval,1840 Larval foodplant(s): *Potentilla recta* (Tolman,1997).
- 2607. *Pyrgus cinarae cinarae* (Rambur,[1839])** (Hesperiidae) Synonym(s): *cinarae* Rambur,[1839]; *cynarae* Boisduval,1840
- 2608. *Pyrgus jupei* (Alberti,1967)** (Hesperiidae) Synonym(s): *jupei* Alberti,1967; *centralasiae* Renner,1991.
- 2609. *Pyrgus jupei jupei* (Alberti,1967)** (Hesperiidae) Synonym(s): *jupei* Alberti,1967; *centralasiae* Renner,1991.
- 2610. *Pyrgus maculatus* (Bremer & Grey,1852)** (Hesperiidae) Synonym(s): *maculatus* Bremer & Grey,1852; *zona* Mabilie,1875; *albistriga* Mabilie,1876.
- 2611. *Pyrgus maculatus maculatus* (Bremer & Grey,1852)** (Hesperiidae) Synonym(s): *maculatus* Bremer & Grey,1852; *zona* Mabilie,1875; *albistriga* Mabilie,1876.

- 2612. *Pyrgus malvae* (Linnaeus,1758)** (Hesperiidae) **Synonym(s):** *malvae* Linnaeus,1758; *minor* Esper,1777; *sao* Bergsträßer,1779; *taras* Bergsträßer,1780; *altheae* Esper,1783; *malvarum* Ochsenheimer,1808; *cardui* Latreille,1823; *elegantior* Verity,1934; *#extrema* Pfeiffer,1938. Larval foodplant(s): *Potentilla sterilis*, *P. recta*, *P. tabernaemontani*, *P. pedata*, *P. palustris*, *P. erecta*, *P. anglica*, *P. argentea*, *Fragaria vesca*, *Agrimonia eupatoria*, *Rubus fruticosus* (Tolman, 1997).
- 2613. *Pyrgus malvae kauffmanni* Alberti,1955** (Hesperiidae) **Synonym(s):** *kauffmanni* Alberti,1955
- 2614. *Pyrgus malvae malvae* (Linnaeus,1758)** (Hesperiidae) **Synonym(s):** *malvae* Linnaeus,1758; *minor* Esper,1777; *sao* Bergsträßer,1779; *taras* Bergsträßer,1780; *altheae* Esper,1783; *malvarum* Ochsenheimer,1808; *cardui* Latreille,1823; *elegantior* Verity,1934; *#extrema* Pfeiffer,1938.
- 2615. *Pyrgus schansiensis* (Reverdin,1915)** (Hesperiidae) **Synonym(s):** *schansiensis* Reverdin,1915
- 2616. *Pyrgus schansiensis schansiensis* (Reverdin,1915)** (Hesperiidae) **Synonym(s):** *schansiensis* Reverdin,1915
- 2617. *Pyrgus serratulae* (Rambur,[1839])** (Hesperiidae) **Synonym(s):** *serratulae* Rambur,[1839]; *caecus* Freyer,1846; *occidentalis* Lucas,1910 *nec* Skinn.,1906; *planorum* Verity,1925; *magnagallica* Verity,1931; *plurisignata* Silbernagel,1946; *arvernensis* Picard,1948. Larval foodplant(s): *Potentilla tabernaemontani*, *P. reptans*, *P. recta*, *P. pedata*, *P. nevadensis* (Tolman,1997).
- 2618. *Pyrgus serratulae sukhshini* Korshunov & Ivonine,1996** (Hesperiidae) **Synonym(s):** *sukhshini* Korshunov & Ivonine,1996
- 2619. *Pyrgus serratulae uralensis* (B.C.S.Warren,1926)** (Hesperiidae) **Synonym(s):** *uralensis* B.C.S.Warren,1926
- 2620. *Pyrgus sibiricus* (Reverdin,1911)** (Hesperiidae) **Synonym(s):** *sibiricus* Reverdin,1911
- 2621. *Pyrgus sibiricus chapmani* B.C.S.Warren,1926** (Hesperiidae) **Synonym(s):** *chapmani* B.C.S.Warren,1926
- 2622. *Pyrgus sibiricus sibiricus* (Reverdin,1911)** (Hesperiidae) **Synonym(s):** *sibiricus* Reverdin,1911
- 2623. *Pyrgus sidae* (Esper,[1784])** (Hesperiidae) **Synonym(s):** *sidae* Esper,[1784] Larval foodplant(s): *Potentilla recta* (Tolman, 1997).
- 2624. *Pyrgus sidae sidae* (Esper,[1784])** (Hesperiidae) **Synonym(s):** *sidae* Esper,[1784]
- 2625. *Satarupa nymphalis* (Speyer,1879)** (Hesperiidae) **Synonym(s):** *nymphalis* Speyer,1879; *sugitanii* Matsumura,1929.
- 2626. *Satarupa nymphalis nymphalis* (Speyer,1879)** (Hesperiidae) **Synonym(s):** *nymphalis* Speyer,1879; *sugitanii* Matsumura,1929.
- 2627. *Spialia* (Neospialia) *orbifer* (Hübner,[1823])** (Hesperiidae) **Synonym(s):** *orbifer* Hübner,[1823]; *tesselloides* Herrich-Schäffer,[1845]. Larval foodplant(s): *Sanguisorba minor*, *Potentilla* sp. (Lorkovic,1973; Anikin et al., 1993).
- 2628. *Spialia* (Neospialia) *orbifer lugens* (Staudinger,1886)** (Hesperiidae) **Synonym(s):** *lugens* Staudinger,1886; *murasaki* Sugitani,1936
- 2629. *Spialia* (Neospialia) *orbifer orbifer* (Hübner,[1823])** (Hesperiidae) **Synonym(s):** *orbifer* Hübner,[1823]; *tesselloides* Herrich-Schäffer,[1845].
- 2630. *Spialia* (Neospialia) *orbifer pseudolugens* Gorbunov,1995** (Hesperiidae) **Synonym(s):** *pseudolugens* Gorbunov,1995
- 2631. *Spialia* (Neospialia) *sertorius* (Hoffmannsegg,1804)** (Hesperiidae) **Synonym(s):** *sertorius* Hoffmannsegg,1804 Larval foodplant(s): *Sanguisorba minor*, *Potentilla verna* ? *Rubus idaeus* ? (Tolman,1997).
- 2632. *Spialia* (Neospialia) *sertorius sertorius* (Hoffmannsegg,1804)** (Hesperiidae) **Synonym(s):** *sertorius* Hoffmannsegg,1804; *hibiscae* Hübner

- 2633. *Thoressa varia* (Murray,1876)** (Hesperiidae) **Synonym(s):** *varia* Murray,1876; *melancholica* Bryk,1942
- 2634. *Thoressa varia varia* (Murray,1876)** (Hesperiidae) **Synonym(s):** *varia* Murray,1876; *melancholica* Bryk,1942
- 2635. *Thymelicus acteon* (Rottemburg,1775)** (Hesperiidae) **Synonym(s):** *acteon* Rottemburg,1775; *heydeni* Plötz,1884; *clara-obsoleta* Tutt,1920; *phoenix* Graves,1925; *aurescens* Verity,1948. **Larval foodplant(s):** *Brachypodium sylvaticum*, *B. pinnatum*, *Elymus repens*, *Calamagrostis epigejos* (Tolman,1997).
- 2636. *Thymelicus acteon acteon* (Rottemburg,1775)** (Hesperiidae) **Synonym(s):** *acteon* Rottemburg,1775; *heydeni* Plötz,1884; *clara-obsoleta* Tutt,1920; *phoenix* Graves,1925; *aurescens* Verity,1948.
- 2637. *Thymelicus leoninus* (Butler,1878)** (Hesperiidae) **Synonym(s):** *leonina* Butler,1878
- 2638. *Thymelicus leoninus leoninus* (Butler,1878)** (Hesperiidae) **Synonym(s):** *leonina* Butler,1878
- 2639. *Thymelicus lineolus* (Ochsenheimer,1808)** (Hesperiidae) **Synonym(s):** *lineolus* Ochsenheimer,1808; *virgula* Hübner,1813 *nec* Retz.,1783; *ludoviciae* Mabilie,1883; *pallida* Tutt,1896; *clara* Tutt,1905; *hemmingi* Romei,1927; *melissus* Zerny,1932; *fornax* Hemming,1934 **Larval foodplant(s):** *Phleum pratense*, *Holcus mollis*, *Calamagrostis epigejos*, *Dactylis glomerata*, *Agrostis capillaris*, *Brachypodium pinnatum*, *B. sylvaticum*, *Arrhenatherum elatius*, *Triticum aestivum*, *Alopecurus pratensis*, *Carex acutiformis*, *Lolium perenne*, *Phalaris arundinacea*, *Anthoxanthum odoratum*, *Elymus repens* (Tolman, 1997).
- 2640. *Thymelicus lineolus lineolus* (Ochsenheimer,1808)** (Hesperiidae) **Synonym(s):** *lineolus* Ochsenheimer,1808; *virgula* Hübner,1813 *nec* Retz.,1783; *ludoviciae* Mabilie,1883; *pallida* Tutt,1896; *clara* Tutt,1905; *hemmingi* Romei,1927; *melissus* Zerny,1932; *fornax* Hemming,1934
- 2641. *Thymelicus sylvaticus* (Bremer,1861)** (Hesperiidae) **Synonym(s):** *sylvatica* Bremer,1861
- 2642. *Thymelicus sylvaticus sylvaticus* (Bremer,1861)** (Hesperiidae) **Synonym(s):** *sylvatica* Bremer,1861
- 2643. *Thymelicus sylvestris* (Poda,1761)** (Hesperiidae) **Synonym(s):** *sylvestris* Poda,1761; *flava* Brünnich,1763; *linea* Müller,1764; *thauas* Hufnagel,1766; *divaricatus* Fourcroy,1785; *venula* Hübner,[1813]; *obscura* Verity,1905 **Larval foodplant(s):** *Brachypodium sylvaticum*, *Holcus lanatus*, *H. mollis*, *Phleum pratense* (Tolman,1997).
- 2644. *Thymelicus sylvestris sylvestris* (Poda,1761)** (Hesperiidae) **Synonym(s):** *sylvestris* Poda,1761; *flava* Brünnich,1763; *linea* Müller,1764; *thauas* Hufnagel,1766; *divaricatus* Fourcroy,1785; *venula* Hübner,[1813]; *obscura* Verity,1905
- 2645. *Alloclemensia mesospilella* (Herrich-Schäffer,1854)** (Incurvariidae) **Synonym(s):** *mesospilella* Herrich-Schäffer,1854; *quadrinaculella* Höfner,1876
- 2646. *Excurvaria praelatella* ([Denis & Schiffermüller],1775)** (Incurvariidae) **Synonym(s):** *praelatella* [Denis & Schiffermüller],1775; *decemguttella* Fabricius,1794.
- 2647. *Incurvaria circulella* (Zetterstedt,1839)** (Incurvariidae) **Synonym(s):** *circulella* Zetterstedt,1839
- 2648. *Incurvaria masculella* ([Denis & Schiffermüller],1775)** (Incurvariidae) **Synonym(s):** *masculella* [Denis & Schiffermüller],1775; *muscula* Haworth,[1828]; *spuria* Haworth,[1828].
- 2649. *Incurvaria oehlmanniella* (Hübner,1796)** (Incurvariidae) **Synonym(s):** *oehlmanniella* Hübner,1796; *oehlmanni* Haworth,1828; *schoenherrella* Zetterstedt,1839; *unitipallidella* Bruand,1859
- 2650. *Incurvaria pectinea* Haworth,[1828]** (Incurvariidae) **Synonym(s):** *pectinella* Fabricius,1787 *nec* [Denis & Schiff.],1775; *pectinea* Haworth,[1828]; *zinckenii* Zeller,1839; *zinckeniella* Duponchel,[1845]; *zinckenella* Doubleday,1859; *tumorigica* Amerling,1860
- 2651. *Incurvaria vetulella* (Zetterstedt,1839)** (Incurvariidae) **Synonym(s):** *vetulella* Zetterstedt,1839

- 2652. *Paraclemensia cyanella* (Zeller,1850)** (Incurvariidae) Synonym(s): *cyanella* Zeller,1850; *europaea* Davis,1975
- 2653. *Amurilla subpurpurea* (Butler,1881)** (Lasiocampidae) Synonym(s): *subpurpurea* Butler,1881
- 2654. *Amurilla subpurpurea dieckmanni* (Graeser,1888)** (Lasiocampidae) Synonym(s): *dieckmanni* Graeser,1888
- 2655. *Amurilla subpurpurea flavopurpurea* (O.Bang-Haas,1927)** (Lasiocampidae) Synonym(s): *flavopurpurea* O.Bang-Haas,1927
- 2656. *Cosmotriche lunigera* (Esper,1784)** (Lasiocampidae) Synonym(s): *#lobulina* [Denis & Schiffermüller],1775; *lunigera* Esper,1784; *mongolica* Grum-Grshimailo,1902; *malchani* O.Bang-Haas,1927; *seitzi* O.Bang-Haas,1927 Larval foodplant(s): *Pinus sylvestris* ([Denis & Schiffermüller],1775 et seq.).
- 2657. *Cosmotriche lunigera lunigera* (Esper,1784)** (Lasiocampidae) Synonym(s): *#lobulina* [Denis & Schiffermüller],1775; *lunigera* Esper,1784; *mongolica* Grum-Grshimailo,1902; *malchani* O.Bang-Haas,1927; *seitzi* O.Bang-Haas,1927
- 2658. *Cosmotriche lunigera takamukuana* (Matsumura,1921)** (Lasiocampidae) Synonym(s): *takamukuana* Matsumura,1921; *pinivora* Matsumura,1927; *sachalinensis* Matsumura,1932
- 2659. *Dendrolimus pini* (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *pini* Linnaeus,1758; *paulae* Daniel,1959; *adriatica* Michieli,1959 Larval foodplant(s): *Cedrus libani* (Daniel,1939).
- 2660. *Dendrolimus pini pini* (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *pini* Linnaeus,1758; *paulae* Daniel,1959; *adriatica* Michieli,1959
- 2661. *Eriogaster henkei* (Staudinger,1879)** (Lasiocampidae) Synonym(s): *henkei* Staudinger,1879 Larval foodplant(s): *Calligonum aphyllum*, *C. griseum* (Zolotuhin,1995).
- 2662. *Eriogaster henkei henkei* (Staudinger,1879)** (Lasiocampidae) Synonym(s): *henkei* Staudinger,1879
- 2663. *Eriogaster lanestris* (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *lanestris* Linnaeus,1758; *senecta* Graeser,1888 Larval foodplant(s): *Acer sempervirens*, *Salix alba*, *S. amygdalia*, *Prunus*, *Cerasus*, *Rosa*, *Crataegus*, *Amygdalus*, *Spiraea*, *Malus* (Rosaceae); *Populus* (Salicaceae); *Ulmus* (Ulmaceae) (Zolotuhin,1995; De Freina,1999).
- 2664. *Eriogaster neogena* (Fischer de Waldheim,1824)** (Lasiocampidae) Synonym(s): *neogena* Fischer de Waldheim,1824 Larval foodplant(s): *Caragana frutex* (Zolotuhin,1995).
- 2665. *Eriogaster neogena neogena* (Fischer de Waldheim,1824)** (Lasiocampidae) Synonym(s): *neogena* Fischer de Waldheim,1824
- 2666. *Eriogaster neogena rueckbeili* (Graeser,1892)** (Lasiocampidae) Synonym(s): *rueckbeili* Graeser,1892; *sokolowi* O.Bang-Haas,1934.
- 2667. *Euthrix albomaculata* (Bremer,1861)** (Lasiocampidae) Synonym(s): *albomaculata* Bremer,1861; *mikado* Bryk,1941
- 2668. *Euthrix laeta* (Walker,1855)** (Lasiocampidae) Synonym(s): *laeta* Walker,1855
- 2669. *Euthrix laeta austrina* (Lajonquière,1978)** (Lasiocampidae) Synonym(s): *austrina* Lajonquière,1978
- 2670. *Euthrix potatoria* (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *potatoria* Linnaeus,1758; *occidentalis* Lempke,1949
- 2671. *Euthrix potatoria askoldensis* (Oberthür,1880)** (Lasiocampidae) Synonym(s): *askoldensis* Oberthür,1880
- 2672. *Euthrix potatoria barabaensis* Dubatolov,1992** (Lasiocampidae) Synonym(s): *barabaensis* Dubatolov,1992
- 2673. *Euthrix potatoria bergmani* (Bryk,1941)** (Lasiocampidae) Synonym(s): *bergmani* Bryk,1941; *midas* Bryk,1941

- 2674. Euthrix potatoria potatoria (Linnaeus,1758)** (Lasiocampidae)
Synonym(s): *potatoria* Linnaeus,1758; *occidentalis* Lempke,1949
- 2675. Gastropacha (s.str.) populifolia (Esper,[1782])** (Lasiocampidae)
Synonym(s): *#populifolia* [Denis & Schiffermüller],1775; *populifolia* Esper,[1782]
- 2676. Gastropacha (s.str.) quercifolia (Linnaeus,1758)** (Lasiocampidae)
Synonym(s): *quercifolia* Linnaeus,1758; *alnifolia* Ochsenheimer,1810; *salicifolia* Staudinger,1892; *meridionalis* Hormuzaki,1897; *sibirica* Krulikowsky,1909
- 2677. Gastropacha (s.str.) quercifolia quercifolia (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *quercifolia* Linnaeus,1758; *alnifolia* Ochsenheimer,1810; *salicifolia* Staudinger,1892; *meridionalis* Hormuzaki,1897; *sibirica* Krulikowsky,1909
- 2678. Kunugia undans (Walker,1855)** (Lasiocampidae) Synonym(s): *undans* Walker,1855
- 2679. Lasiocampa quercus (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *quercus* Linnaeus,1758; *roboris* Fabricius,1793; *spartii* Hübner,[1803]; *guillemontii* Trimoulet,1858; *sicula* Staudinger,1861; *scopariae* Millière,1861; *burdigalensis* Gerhard,1882; *meridionalis* Tutt,1901; *altaica* Grünberg,1911; *balcanoturcica* De Freina,1981 Larval foodplant(s): *Cerasus*, *Quercus* (Linnaeus,1758; Zolotuhin,1995).
- 2680. Lasiocampa quercus quercus (Linnaeus,1758)** (Lasiocampidae)
Synonym(s): *quercus* Linnaeus,1758; *roboris* Fabricius,1793; *spartii* Hübner,[1803]; *guillemontii* Trimoulet,1858; *sicula* Staudinger,1861; *scopariae* Millière,1861; *burdigalensis* Gerhard,1882; *meridionalis* Tutt,1901; *altaica* Grünberg,1911; *balcanoturcica* De Freina,1981
- 2681. Lasiocampa quercus vassilini Sheljuzhko,1943** (Lasiocampidae)
Synonym(s): *vassilini* Sheljuzhko,1943
- 2682. Lasiocampa trifolii ([Denis & Schiffermüller],1775)** (Lasiocampidae)
Synonym(s): *#trifolii* [Denis & Schiffermüller],1775; *medicaginis* Borkhausen,1793; *ratamae* Herrich-Schäffer,1851; *bathseba* Staudinger,1891; *maculosa* Rogenhofer,1891 Larval foodplant(s): *Artemisia*, *Lepidium*, *Quercus*, *Caragana*, *Cytisus*, *Malus*, *Hedysarum*, *Trifolium* ([Denis & Schiffermüller],1775; Zolotuhin,1995).
- 2683. Macrothylacia rubi (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *rubi* Linnaeus,1758
- 2684. Malacosoma castrensis (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *castrensis* Linnaeus,1758; *ksiezopolskii* Sheljuzhko,1943 Larval foodplant(s): *Euphorbia*, *Peucedanum*, *Sarcopoterium spinosum*, *Artemisia*, *Geranium*, *Apiaceae* (Wiltshire,1943; Zolotuhin,1995; De Freina,1999).
- 2685. Malacosoma castrensis castrensis (Linnaeus,1758)** (Lasiocampidae)
Synonym(s): *castrensis* Linnaeus,1758; *ksiezopolskii* Sheljuzhko,1943
- 2686. Malacosoma castrensis kirghisicum (Staudinger,1879)** (Lasiocampidae) Synonym(s): *kirghisicum* Staudinger,1879
- 2687. Malacosoma franconicum ([Denis & Schiffermüller],1775) /prima Staudinger,1887** (Lasiocampidae) Synonym(s): *#franconica* [Denis & Schiffermüller],1775; *grandiella* Boisduval,1840 Larval foodplant(s): *Quercus coccifera*, *Scabiosa*, *Artemisia*, *Achillea*, *Rumex* (Lederer,1865; Zolotuhin,1995).
- 2688. Malacosoma neustrium (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *neustria* Linnaeus,1758; *annularis* Fourcroy,1785; *unicolor* Cyrilli,1787; *bilineatus* Haworth,1803 Larval foodplant(s): *Populus euphratica*, *Salix* (Salicaceae); *Quercus* (Fagaceae); *Betula* (Betulaceae); *Malus*, *Rosa* (Rosaceae) (Zolotuhin,1995; De Freina,1999).
- 2689. Malacosoma squalorum Zolotuhin,1994** (Lasiocampidae) Synonym(s): *squalorum* Zolotuhin,1994
- 2690. Odonestis pruni (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *pruni* Linnaeus,1758
- 2691. Orientrix laeta (Walker,1855)** (Lasiocampidae) Synonym(s): *laeta* Walker,1855
- 2692. Orientrix laeta sulphurea (Aurivillius,1894)** (Lasiocampidae)
Synonym(s): *sulphurea* Aurivillius,1894

- 2693. Paralebeda femorata (Ménétriés,1858)** (Lasiocampidae) Synonym(s): *femorata Ménétriés,1858*
- 2694. Paralebeda femorata femorata (Ménétriés,1858)** (Lasiocampidae) Synonym(s): *femorata Ménétriés,1858*
- 2695. Phyllodesma (s.str.) ilicifolium (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *ilicifolia Linnaeus,1758; betulifolia Esper,1782; foliumsicum Retzius,1783*
- 2696. Phyllodesma (s.str.) japonicum (Leech,1889)** (Lasiocampidae) Synonym(s): *japonica Leech,1889*
- 2697. Phyllodesma (s.str.) tremulifolium (Hübner,[1810])** (Lasiocampidae) Synonym(s): *betulifolium Ochsenheimer,1810 nec Esp.,1782; tremulifolium Hübner,[1810]; danieli De Lajonquière,1963; #tremulifolium De Freina,1999*
- 2698. Phyllodesma (s.str.) tremulifolium tremulifolium (Hübner,[1810])** (Lasiocampidae) Synonym(s): *betulifolium Ochsenheimer,1810 nec Esp.,1782; tremulifolium Hübner,[1810]; danieli De Lajonquière,1963; #tremulifolium De Freina,1999*
- 2699. Poecilocampa populi (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *populi Linnaeus,1758* Larval foodplant(s): *Salix, Quercus (Zolotuhin,1995).*
- 2700. Sena sordida (Erschoff,1874)** (Lasiocampidae) Synonym(s): *sordida Erschoff,1874; cinerascens Oberthür,1916*
- 2701. Streblote stupida (Staudinger,1887)** (Lasiocampidae) Synonym(s): *stupida Staudinger,1887*
- 2702. Takanea excisa (Wileman,1910)** (Lasiocampidae) Synonym(s): *excisa Wileman,1910*
- 2703. Takanea excisa miyakei (Wileman,1915)** (Lasiocampidae) Synonym(s): *miyakei Wileman,1915*
- 2704. Trichiura (s.str.) crataegi (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *crataegi Linnaeus,1758; ariae Hübner,[1824]; scytharum Seitz,1913; albicans Daniel,1956; vallisicola Daniel,1956; griseotincta Daniel,1956; borealis Daniel,1956; #passini Boursin,1957* Larval foodplant(s): "*Escallonia serrata*" [sic!] at Amasia (Staudinger,1879) vide *Cerasus prostrata* (Koçak & Vural,1998, Misc. Pap. 51: 6-7).
- 2705. Ceuthomadarus tenebrionellus Mann,1864** (Lecithoceridae) Synonym(s): *tenebrionellus Mann,1864; monochromella Rebel,1902; crepusculellus Caradja,1920.*
- 2706. Lecithocera nigrana (Duponchel,1836)** (Lecithoceridae) Synonym(s): *nigrana Duponchel,1836; luticornella Zeller,1839; orsoviella Heinemann,1870; #leticornella Staudinger,1880.* Larval foodplant(s): *Rubus (Rosaceae), Quercus (Fagaceae) (Stefani,1947).*
- 2707. Scythropiodes ussuriella Lvovsky,1996** (Lecithoceridae) Synonym(s): *ussuriella Lvovsky,1996*
- 2708. Lemonia ballioni (Christoph,1888)** (Lemoniidae) Synonym(s): *ballioni Christoph,1888*
- 2709. Lemonia dumi (Linnaeus,1761)** (Lemoniidae) Synonym(s): *dumi Linnaeus,1761; dumeti Linnaeus,1767*
- 2710. Lemonia taraxaconis (Gmelin,1790)** (Lemoniidae) Synonym(s): *#taraxaci [Denis & Schiffermüller],1775; taraxaconis Gmelin,1790* Larval foodplant(s): *Leontodon, Taraxacum ([Denis & Schiffermüller],1775 et seq.).*
- 2711. Libythea (s.str.) celtis (Laicharting,1782)** (Libytheidae) Synonym(s): *celtis Laicharting,1782* Larval foodplant(s): *Celtis australis, C. caucasica, C. glabrata, Ulmus (?) minor, U. glabra (Ulmaceae) (Tolman, 1997; Kemal & Koçak).*
- 2712. Libythea (s.str.) celtis celtis (Laicharting,1782)** (Libytheidae) Synonym(s): *celtis Laicharting,1782* Larval foodplant(s): *Celtis australis, C. caucasica, C. glabrata, Ulmus (?) minor, U. glabra (Ulmaceae) (Tolman, 1997; Kemal & Koçak).*

- 2713. Apoda limacodes (Hufnagel,1766)** (Limaconidae) Synonym(s): *limacodes* Hufnagel,1766; *testudo* [Denis & Schiffermüller],1775; *funalis* Donovan,1794; *testudinana* Hübner,[1799]; *avellana* auct.
- 2714. Chibiraga banghaasi (M.Hering & Hopp,1927)** (Limaconidae) Synonym(s): *banghaasi* M.Hering & Hopp,1927; *muramatsui* Kawada,1930; *nantonis* Matsumura,1931
- 2715. Heterogenea asella ([Denis & Schiffermüller],1775)** (Limaconidae) Synonym(s): *#asella* [Denis & Schiffermüller],1775; *cruciata* Knoch,1783; *asellana* Hübner,[1799] Larval foodplant(s): *Betula*, *Carpinus betulus*, *Corylus*, *Fagus*, *Prunus padus*, *Quercus*, *Populus nigra* ([Denis & Schiffermüller],1775; Meyer,1919).
- 2716. Miresa flavidorsalis (Staudinger,1887)** (Limaconidae) Synonym(s): *flavidorsalis* Staudinger,1887; *fuscicostalis* Fixsen,1887
- 2717. Monema flavescens Walker,1855** (Limaconidae) Synonym(s): *flavescens* Walker,1855; *nigrans* De Joannis,1901
- 2718. Parasa hilarata (Staudinger,1887)** (Limaconidae) Synonym(s): *hilarata* Staudinger,1887
- 2719. Phrixolepia nobilis (Staudinger,1887)** (Limaconidae) Synonym(s): *nobilis* Staudinger,1887
- 2720. Phrixolepia sericea Butler,1877** (Limaconidae) Synonym(s): *sericea* Butler,1877; *castaneus* Oberthür,1881
- 2721. Antigius attilia (Bremer,1861)** (Lycaenidae) Synonym(s): *attilia* Bremer,1861
- 2722. Antigius attilia attilia (Bremer,1861)** (Lycaenidae) Synonym(s): *attilia* Bremer,1861
- 2723. Antigius butleri (Fenton,1881)** (Lycaenidae) Synonym(s): *butleri* Fenton,1881
- 2724. Antigius butleri butleri (Fenton,1881)** (Lycaenidae) Synonym(s): *butleri* Fenton,1881
- 2725. Araragi enthea (Janson,1877)** (Lycaenidae) Synonym(s): *enthea* Janson,1877
- 2726. Araragi enthea enthea (Janson,1877)** (Lycaenidae) Synonym(s): *enthea* Janson,1877
- 2727. Artopoetes pryleri (Murray,1873)** (Lycaenidae) Synonym(s): *pryeri* Murray,1873
- 2728. Artopoetes pryleri pryleri (Murray,1873)** (Lycaenidae) Synonym(s): *pryeri* Murray,1873
- 2729. Callophrys butleri Migranov,1992** (Lycaenidae) Synonym(s): *butleri* Migranov,1992; *#butlerovi* Lukhtanov & Lukhtanov,1994.
- 2730. Callophrys butleri butleri Migranov,1992** (Lycaenidae) Synonym(s): *butleri* Migranov,1992; *#butlerovi* Lukhtanov & Lukhtanov,1994.
- 2731. Callophrys chalybeitincta Sovinsky,1905** (Lycaenidae) Synonym(s): *chalybeitincta* Sovinsky,1905; *caerulescens* A.Bang-Haas,1912; *schamyl* Sheldon,1914.
- 2732. Callophrys chalybeitincta chalybeitincta Sovinsky,1905** (Lycaenidae) Synonym(s): *chalybeitincta* Sovinsky,1905; *caerulescens* A.Bang-Haas,1912; *schamyl* Sheldon,1914.
- 2733. Callophrys chalybeitincta eitschbergeri Dantchenko,2000** (Lycaenidae) Synonym(s): *eitschbergeri* Dantchenko,2000
- 2734. Callophrys chalybeitincta nigra Stradomsky,2005** (Lycaenidae) Synonym(s): *nigra* Stradomsky,2005
- 2735. Callophrys frivaldskyi (Lederer,1855)** (Lycaenidae) Synonym(s): *frivaldskyi* Lederer,1855
- 2736. Callophrys frivaldskyi arquata Johnson,1992** (Lycaenidae) Synonym(s): *arquata* Johnson,1992; *#aquilonaria* Korb,2000
- 2737. Callophrys frivaldskyi frivaldskyi (Lederer,1855)** (Lycaenidae) Synonym(s): *frivaldskyi* Lederer,1855
- 2738. Callophrys korea K.Johnson,1992** (Lycaenidae) Synonym(s): *korea* K.Johnson,1992
- 2739. Callophrys korea korea K.Johnson,1992** (Lycaenidae) Synonym(s): *korea* K.Johnson,1992

- 2740. Callophrys rubi (Linnaeus,1758)** (Lycaenidae) Synonym(s): *rubi* Linnaeus,1758; *caecus* Fourcroy,1785; *virgatus* Verity,1913; *herculeana* Pfeiffer,1927 Larval foodplant(s): *Cytisus scoparius*, *C. nigricans*, *C. villosus*, *Genista tinctoria*, *G. angelica*, *G. pilosa*, *G. germanica*, *G. (?) corsica*, *Chamaespartium sagittale*, *Chamaecytisus hirsutus*, *C. iliatus*, *C. eriocarpus*; *Ulex europaeus*, *U. minor*, *Anthyllis vulneraria*, *Dorycnium hirsutum*, *D. suffruticosum*, *Onobrychis viciifolia*, *Helianthemum nummularium*; *ayrica* *Arbutus*, *Vaccinium*, *Rhamnus*, *Frangula*, *Cornus* ve *Rubus*'un çiçek ve meyvaları (Tolman, 1997); *Calophaca soongorica* (Zhdanko, 1997).
- 2741. Callophrys rubi borealis Krulikowsky,1890** (Lycaenidae) Synonym(s): *borealis* Krulikowsky,1890
- 2742. Callophrys rubi rubi (Linnaeus,1758)** (Lycaenidae) Synonym(s): *rubi* Linnaeus,1758; *caecus* Fourcroy,1785; *virgatus* Verity,1913; *herculeana* Pfeiffer,1927
- 2743. Callophrys rubi sibirica (Heyne,[1895])** (Lycaenidae) Synonym(s): *sibirica* Heyne,[1895]
- 2744. Celastrina argiolus (Linnaeus,1758)** (Lycaenidae) Synonym(s): *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 nec Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919. Larval foodplant(s): *Malus sieversii*, *Cuscuta engelmannii* (Zhdanko, 1997); *Rubus fruticosus*, *R. idaeus*, *R. discolor*, *Filipendula ulmaria*, *Discolores*, *Pyracantha coccinea*, *Ulex europaeus*, *Genista tinctoria*, *Spartium junceum*, *Dorycnium pentaphyllum*, *Medicago sativa*, *Astragalus glycyphyllos*, *Melilotus alba*, *M. officinalis*, *Galega officinalis*, *Colutea arborescens*, *Robinia pseudacacia*, *Euonymus europaeus*, *Clematis vitalba*, *Rhamnus cartharticus*, *Frangula alnus*, *Humulus lupulus*, *Calluna vulgaris*, *Erica*, etc. (Tolman,1997).
- 2745. Celastrina argiolus argiolus (Linnaeus,1758)** (Lycaenidae) Synonym(s): *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 nec Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919.
- 2746. Celastrina argiolus bieneri Forster,1941** (Lycaenidae) Synonym(s): *bieneri* Forster,1941
- 2747. Celastrina argiolus hypoleuca (Kollar,[1849])** (Lycaenidae) Synonym(s): *hypoleuca* Kollar,[1849]; *paraleuca* Röber,1897.
- 2748. Celastrina argiolus ladonides (De l'Orza,1869)** (Lycaenidae) Synonym(s): *ladonides* De l'Orza,1869; *levettii* Butler,1883; *sachaliensis* Esaki,1922; *sachaliensis* Matsumura,1925; *heringi* Kardakov,1928; *ussuriensis* Forster,1941.
- 2749. Celastrina fedoseevi Korshunov & Ivonin,1990** (Lycaenidae) Synonym(s): *fedoseevi* Korshunov & Ivonin,1990
- 2750. Celastrina fedoseevi fedoseevi Korshunov & Ivonin,1990** (Lycaenidae) Synonym(s): *fedoseevi* Korshunov & Ivonin,1990
- 2751. Celastrina filipjevi (Riley,1934)** (Lycaenidae) Synonym(s): *filipjevi* Riley,1934
- 2752. Celastrina filipjevi filipjevi (Riley,1934)** (Lycaenidae) Synonym(s): *filipjevi* Riley,1934
- 2753. Celastrina oreas (Leech,1893)** (Lycaenidae) Synonym(s): *oreas* Leech,1893
- 2754. Celastrina oreas mirificus (Sugitani,1936)** (Lycaenidae) Synonym(s): *mirificus* Sugitani,1936
- 2755. Chrysozephyrus smaragdinus (Bremer,1861)** (Lycaenidae) Synonym(s): *smaragdina* Bremer,1861
- 2756. Chrysozephyrus smaragdinus smaragdinus (Bremer,1861)** (Lycaenidae) Synonym(s): *smaragdina* Bremer,1861
- 2757. Coreana raphaelis (Oberthür,1880)** (Lycaenidae) Synonym(s): *raphaelis* Oberthür,1880

- 2758. *Coreana raphaelis raphaelis* (Oberthür,1880) (Lycaenidae)**
Synonym(s): *raphaelis* Oberthür,1880
- 2759. *Cupido (Everes) alcetas (Hoffmannsegg,1804)* (Lycaenidae)**
Synonym(s): *tiresias* Hübner,[1800] nec *tiresias* Rottemburg,1775; *alcetas* Hoffmannsegg,1804; *coretas* Ochsenheimer,1808. Larval foodplant(s): *Coronilla varia*, *Galega officinalis* (Fabaceae) (Tolman,1997).
- 2760. *Cupido (Everes) alcetas alcetas (Hoffmannsegg,1804)* (Lycaenidae)**
Synonym(s): *tiresias* Hübner,[1800] nec *tiresias* Rottemburg,1775; *alcetas* Hoffmannsegg,1804; *coretas* Ochsenheimer,1808.
- 2761. *Cupido (Everes) argiades (Pallas,1771)* (Lycaenidae)** Synonym(s): *argiades* Pallas,1771; *tiresias* Rottemburg,1775; *amyntas* [Denis & Schiffermüller],1775 nec *Poda*,1761; *irenae* Dujardin,1974. Larval foodplant(s): *Lotus corniculatus*, *L. uliginosus*, *Coronilla varia*, *Medicago sativa*, *M. lupulina*, *Trifolium pratense*, *Astragalus glycyphyllos* (Fabaceae) (Zhdanko, 1997; Tolman,1997).
- 2762. *Cupido (Everes) argiades argiades (Pallas,1771)* (Lycaenidae)**
Synonym(s): *argiades* Pallas,1771; *tiresias* Rottemburg,1775; *amyntas* [Denis & Schiffermüller],1775 nec *Poda*,1761; *irenae* Dujardin,1974.
- 2763. *Cupido (Everes) argiades seitzi (Wnukowsky,1928)* (Lycaenidae)**
Synonym(s): *seitzi* Wnukowsky,1928
- 2764. *Cupido (Everes) decoloratus (Staudinger,1886)* (Lycaenidae)**
Synonym(s): *decoloratus* Staudinger,1886. Larval foodplant(s): *Medicago lupulina*, *M. sativa* (Fabaceae) (Tolman,1997).
- 2765. *Cupido (Everes) decoloratus decoloratus (Staudinger,1886)* (Lycaenidae)** Synonym(s): *decoloratus* Staudinger,1886
- 2766. *Cupido (s.str.) minimus (Fuessly,1775)* (Lycaenidae)** Synonym(s): *minimus* Fuessly,1775; *alsus* [Denis & Schiffermüller],1775; *pseudolus* Bersträßer,[1779]; *puer* Schrank,1801. Larval foodplant(s): *Anthyllis vulneraria* (Fabaceae) (Tolman,1997).
- 2767. *Cupido (s.str.) minimus magnus (Staudinger,1892)* (Lycaenidae)**
Synonym(s): *magnus* Staudinger,1892
- 2768. *Cupido (s.str.) minimus minimus (Fuessly,1775)* (Lycaenidae)**
Synonym(s): *minimus* Fuessly,1775; *alsus* [Denis & Schiffermüller],1775; *pseudolus* Bersträßer,[1779]; *puer* Schrank,1801.
- 2769. *Cupido (s.str.) minimus tuzovi Zhdanko,1994* (Lycaenidae)**
Synonym(s): *tuzovi* Zhdanko,1994; *tusovi* Lukhtanov,1994.
- 2770. *Cupido (s.str.) osiris (Meigen,[1829])* (Lycaenidae)** Synonym(s): *osiris* Meigen,[1829]; *saportae* Duponchel,1832; *violacea* Verity,1911; *sebrus* Boisduval,[1833]. Larval foodplant(s): *Onobrychis viciifolia*, *O. montana*, *O. arenaria* (Fabaceae) (Tolman, 1997).
- 2771. *Cupido (s.str.) osiris osiris (Meigen,[1829])* (Lycaenidae)** Synonym(s): *osiris* Meigen,[1829]; *saportae* Duponchel,1832; *violacea* Verity,1911; *sebrus* Boisduval,[1833].
- 2772. *Favonius aquamarinus Dubatolov & Sergeev,1987* (Lycaenidae)**
Synonym(s): *aquamarinus* Dubatolov & Sergeev,1987
- 2773. *Favonius aquamarinus aquamarinus Dubatolov & Sergeev,1987* (Lycaenidae)** Synonym(s): *aquamarinus* Dubatolov & Sergeev,1987
- 2774. *Favonius jezoensis (Matsumura,1915)* (Lycaenidae)** Synonym(s): *jezoensis* Matsumura,1915
- 2775. *Favonius jezoensis jezoensis (Matsumura,1915)* (Lycaenidae)**
Synonym(s): *jezoensis* Matsumura,1915
- 2776. *Favonius korshunovi Dubatolov & Sergeev,1982* (Lycaenidae)**
Synonym(s): *korshunovi* Dubatolov & Sergeev,1982
- 2777. *Favonius korshunovi korshunovi Dubatolov & Sergeev,1982* (Lycaenidae)** Synonym(s): *korshunovi* Dubatolov & Sergeev,1982

- 2778. Favonius latifasciatus (Shirozu & Hayasi,1959)** (Lycaenidae)
Synonym(s): *latifasciatus Shirozu & Hayasi,1959*
- 2779. Favonius latifasciatus latifasciatus (Shirozu & Hayasi,1959)**
(Lycaenidae) Synonym(s): *latifasciatus Shirozu & Hayasi,1959*
- 2780. Favonius orientalis (Murray,1875)** (Lycaenidae) Synonym(s): *orientalis Murray,1875*
- 2781. Favonius orientalis orientalis (Murray,1875)** (Lycaenidae) Synonym(s): *orientalis Murray,1875*
- 2782. Favonius saphirinus (Staudinger,1887)** (Lycaenidae) Synonym(s): *saphirinus Staudinger,1887*
- 2783. Favonius saphirinus saphirinus (Staudinger,1887)** (Lycaenidae)
Synonym(s): *saphirinus Staudinger,1887*
- 2784. Favonius ultramarinus (Fixsen,1887)** (Lycaenidae) Synonym(s): *ultramarinus Fixsen,1887*
- 2785. Favonius ultramarinus ultramarinus (Fixsen,1887)** (Lycaenidae)
Synonym(s): *ultramarinus Fixsen,1887*
- 2786. Glaucopsyche (Bajluana) argali (Elwes,1899)** (Lycaenidae)
Synonym(s): *argali Elwes,1899*
- 2787. Glaucopsyche (Bajluana) argali argali (Elwes,1899)** (Lycaenidae)
Synonym(s): *argali Elwes,1899*
- 2788. Glaucopsyche (s.str.) alexis (Poda,1761)** (Lycaenidae) Synonym(s): *alexis Poda,1761; damaetas [Denis & Schiffermüller,1775; #sublugens Strand,1909; #insulicola Turati & Fiori,1930; mironi Coutsis,1976. Larval foodplant(s): Onobrychis radiata, Astragalus onobrychis, A.glycyphyllos, Galega officinalis, Vicia, Coronilla varia, Calycotome villosa, Spartium junceum, Medicago, Melilotus alba, Cytisus, Colutea arborascens (Fabaceae)(Weidenhoffer & Vanek,1977; Tolman,1997)*
- 2789. Glaucopsyche (s.str.) alexis alexis (Poda,1761)** (Lycaenidae)
Synonym(s): *alexis Poda,1761; damaetas [Denis & Schiffermüller,1775; #sublugens Strand,1909; #insulicola Turati & Fiori,1930; mironi Coutsis,1976.*
- 2790. Glaucopsyche (s.str.) alexis lugens (Caradja,1893)** (Lycaenidae)
Synonym(s): *lugens Caradja,1893*
- 2791. Glaucopsyche (s.str.) lycormas (Butler,1868)** (Lycaenidae)
Synonym(s): *lycormas Butler,1868*
- 2792. Glaucopsyche (s.str.) lycormas lederi (A.Bang-Haas,1907)**
(Lycaenidae) Synonym(s): *lederi A.Bang-Haas,1907*
- 2793. Glaucopsyche (s.str.) lygdamus (Doubleday,1841)** (Lycaenidae)
Synonym(s): *lygdamus Doubleday,1841; nittanyensis Chermock,1944; boydi Clarck,1948*
- 2794. Glaucopsyche (s.str.) lygdamus lygdamus (Doubleday,1841)**
(Lycaenidae) Synonym(s): *lygdamus Doubleday,1841; nittanyensis Chermock,1944; boydi Clarck,1948*
- 2795. Goldia pacifica (Dubatolov & Korshunov,1984)** (Lycaenidae)
Synonym(s): *pacifica Dubatolov & Korshunov,1984*
- 2796. Goldia pacifica pacifica (Dubatolov & Korshunov,1984)** (Lycaenidae)
Synonym(s): *pacifica Dubatolov & Korshunov,1984*
- 2797. Japonica adusta (Riley,1930)** (Lycaenidae) Synonym(s): *adusta Riley,1930*
- 2798. Japonica adusta adusta (Riley,1930)** (Lycaenidae) Synonym(s): *adusta Riley,1930*
- 2799. Japonica lutea (Hewitson,[1865])** (Lycaenidae) Synonym(s): *lutea Hewitson,[1865]*
- 2800. Japonica lutea lutea (Hewitson,[1865])** (Lycaenidae) Synonym(s): *lutea Hewitson,[1865]*
- 2801. Japonica saepestriata (Hewitson,[1865])** (Lycaenidae) Synonym(s): *saepestriata Hewitson,[1865]*

- 2802. *Japanica saepestriata saepestriata* (Hewitson,[1865])** (Lycaenidae)
Synonym(s): *saepestriata* Hewitson,[1865]
- 2803. *Lampides boeticus* (Linnaeus,1767)** (Lycaenidae) Synonym(s): *boeticus* Linnaeus,1767; *damoetes* Fabricius,1775; *coluteae* Fuessly,1775; *pisorum* Fourcroy,1785; *boedicus* Borkhausen,1788; *#baeticus* Latreille,1809; *armeniensis* Gerhard,1886; *bagus* Distant,1886 Larval foodplant(s): *Alhagi*, *Colutea persica*, *C. paulsenii*, *C. cilicica*; *Cassia didymobothrya*, *Pisum sativum*, *Chamaecytisus palmensis*, *Helianthemum helianthemoides*, *Phaseolus vulgaris*, *Cercis siliquastrum*, *Robinia pseudacacia* (Fabaceae) (Zhdanko,1997; Tolman,1997).
- 2804. *Lampides boeticus boeticus* (Linnaeus,1767)** (Lycaenidae) Synonym(s): *boeticus* Linnaeus,1767; *damoetes* Fabricius,1775; *coluteae* Fuessly,1775; *pisorum* Fourcroy,1785; *boedicus* Borkhausen,1788; *#baeticus* Latreille,1809; *armeniensis* Gerhard,1886; *bagus* Distant,1886 Larval foodplant(s): *Alhagi*, *Colutea persica*, *C. paulsenii*, *C. cilicica*; *Cassia didymobothrya*, *Pisum sativum*, *Chamaecytisus palmensis*, *Helianthemum helianthemoides*, *Phaseolus vulgaris*, *Cercis siliquastrum*, *Robinia pseudacacia* (Fabaceae) (Zhdanko,1997; Tolman,1997).
- 2805. *Leptotes pirithous* (Linnaeus,1767)** (Lycaenidae) Synonym(s): *pirithous* Linnaeus,1767; *telicanus* Lang,1789 *tetrica* Sagarra,1925. Larval foodplant(s): *Lythrum salicaria* (Lythraceae); *Calluna vulgaris* (Ericaceae); *Sambucus ebulus*, *Jasminum*, *Quercus suber* (Fagaceae); *Galega officinalis* (Fabaceae) (Tolman,1997).
- 2806. *Leptotes pirithous pirithous* (Linnaeus,1767)** (Lycaenidae)
Synonym(s): *pirithous* Linnaeus,1767; *telicanus* Lang,1789 *tetrica* Sagarra,1925. Larval foodplant(s): *Lythrum salicaria* (Lythraceae); *Calluna vulgaris* (Ericaceae); *Sambucus ebulus*, *Jasminum*, *Quercus suber* (Fagaceae); *Galega officinalis* (Fabaceae) (Tolman,1997).
- 2807. *Lycaena (Alciphronia) alciphron* (Rottemburg,1775)** (Lycaenidae)
Synonym(s): *alciphron* Rottemburg,1775; *lampetie* [Denis & Schiffermüller],1775; *hiere* Fabricius,1787. Larval foodplant(s): *Rumex acetosa*, *R. scutatus* (Kumakov & Korshunov, 1979; Tolman, 1997; Zhdanko, 1997).
- 2808. *Lycaena (Alciphronia) alciphron alciphron* (Rottemburg,1775)** (Lycaenidae) Synonym(s): *alciphron* Rottemburg,1775; *lampetie* [Denis & Schiffermüller],1775; *hiere* Fabricius,1787.
- 2809. *Lycaena (Alciphronia) alciphron naryna* (Oberthür,1910)** (Lycaenidae) Synonym(s): *naryna* Oberthür,1910
- 2810. *Lycaena (Alciphronia) alciphron peride* Koçak & Kemal,2007** (Lycaenidae) Synonym(s): *rubidus* Korshunov,1995 *nec* Behr,1866; *peride* Koçak & Kemal,2007
- 2811. *Lycaena (Helleia) helle* ([Denis & Schiffermüller],1775)** (Lycaenidae)
Synonym(s): *helle* [Denis & Schiffermüller],1775; *amphidamas* Esper,1781; *xanthe* Lang,1789 *nec* [Denis & Schiffermüller],1775. Larval foodplant(s): *Polygonum bistorta*, *P. viviparum*, *P. ?nitens* (Polygonaceae) (Zhdanko,1997; Tolman,1997).
- 2812. *Lycaena (Helleia) helle helle* ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *helle* [Denis & Schiffermüller],1775; *amphidamas* Esper,1781; *xanthe* Lang,1789 *nec* [Denis & Schiffermüller],1775.
- 2813. *Lycaena (Helleia) helle phintonis* (Fruhstorfer,1910)** (Lycaenidae)
Synonym(s): *phintonis* Fruhstorfer,1910
- 2814. *Lycaena (Heodes) virgaureae* (Linnaeus,1758)** (Lycaenidae)
Synonym(s): *virgaureae* Linnaeus,1758; *armeniaca* A.Bang-Haas,1906; *chrysorhoas* Fruhstorfer,1917; *balcanicola* Graves,1928. Larval foodplant(s): *Rumex acetosa* (Polygonaceae) (Tolman,1997).
- 2815. *Lycaena (Heodes) virgaureae alexandrae* (Fruhstorfer,1909)** (Lycaenidae) Synonym(s): *alexandrae* Fruhstorfer,1909

- 2816. *Lycaena* (Heodes) *virgaureae caucasica* (Jachontov,1909)**
(Lycaenidae) Synonym(s): *caucasica* Jachontov,1909
- 2817. *Lycaena* (Heodes) *virgaureae virgaureae* (Linnaeus,1758)**
(Lycaenidae) Synonym(s): *virgaureae* Linnaeus,1758; *armeniaca* A.Bang-Haas,1906; *chrysorhoas* Fruhstorfer,1917; *balcanicola* Graves,1928.
- 2818. *Lycaena* (Heodes) *virgaureae virgaureola* (Staudinger,1892)**
(Lycaenidae) Synonym(s): *virgaureola* Staudinger,1892; *mongolica* Kurensov,1970.
- 2819. *Lycaena* (Loweia) *tityrus* (Poda,1761) (Lycaenidae) Synonym(s): *tityrus* Poda,1761; *acrimon* [Brünnich],1763; *orientalis* Staudinger,1881; *argentifex* Balint,1990. Larval foodplant(s): *Rumex acetosa*, *R. scutatus* (Polygonaceae) (Tolman,1997).**
- 2820. *Lycaena* (Loweia) *tityrus tityrus* (Poda,1761) (Lycaenidae) Synonym(s): *tityrus* Poda,1761; *acrimon* [Brünnich],1763; *orientalis* Staudinger,1881; *argentifex* Balint,1990.**
- 2821. *Lycaena* (Palaeochrysophanus) *hippotoe* (Linnaeus,1761)**
(Lycaenidae) Synonym(s): *hippotoe* Linnaeus,1761; *chryseis* [Denis & Schiffermüller],1775 nec Drury,1773; *euridice* Rottemburg,1775 nec Johansson,1763. Larval foodplant(s): *Polygonum bistorta*, *Rumex acetosa* (Polygonaceae) (Tolman,1997).
- 2822. *Lycaena* (Palaeochrysophanus) *hippotoe amurensis* (Staudinger,1892) (Lycaenidae) Synonym(s): *amurensis* Staudinger,1892**
- 2823. *Lycaena* (Palaeochrysophanus) *hippotoe eurydame* (Hoffmannsegg,1806) (Lycaenidae) Synonym(s): *eurydame* Hoffmannsegg,1806; *eurybia* Ochsenheimer,1808; *cisalpina* Fruhstorfer,1909. Larval foodplant(s): *Polygonum bistorta*, *Rumex acetosa* (Polygonaceae) (Tolman,1997).**
- 2824. *Lycaena* (Palaeochrysophanus) *hippotoe hippotoe* (Linnaeus,1761) (Lycaenidae) Synonym(s): *hippotoe* Linnaeus,1761; *chryseis* [Denis & Schiffermüller],1775 nec Drury,1773; *euridice* Rottemburg,1775 nec Johansson,1763.**
- 2825. *Lycaena* (Palaeochrysophanus) *hippotoe sajana* (Kozhantschikov,1923) (Lycaenidae) Synonym(s): *sajana* Kozhantschikov,1923**
- 2826. *Lycaena* (Palaeochrysophanus) *hippotoe stiberi* (Gerhard,1853) (Lycaenidae) Synonym(s): *stiberi* Gerhard,1853**
- 2827. *Lycaena* (Phoenicurusia) *dimorpha* (Staudinger,1881) (Lycaenidae) Synonym(s): *dimorphus* Staudinger,1881 Larval foodplant(s): *Atraphaxis spinosa*, *A. laetevirens* (Polygonaceae) (Zhdanko,1997).**
- 2828. *Lycaena* (Phoenicurusia) *dimorpha dimorpha* (Staudinger,1881) (Lycaenidae) Synonym(s): *dimorphus* Staudinger,1881**
- 2829. *Lycaena* (Thersamolycaena) *dispar* ([Haworth],1802) (Lycaenidae) Synonym(s): *dispar* [Haworth],1802; *hippotoe* Rottemburg,1775 nec Linnaeus,1761. Larval foodplant(s): *Polygonum undulatum*, *Rumex hydrolapathum*, *R. crispus*, *R. aquaticus*, *R. acetosella* (Kumakov,1977; Tolman,1997; Zhdanko, 1997).**
- 2830. *Lycaena* (Thersamolycaena) *dispar aurata* (Leech,1887) (Lycaenidae) Synonym(s): *aurata* Leech,1887; *borodowskyi* Groum-Grshimailo,1900; *parvus* Kurentzov,1941.**
- 2831. *Lycaena* (Thersamolycaena) *dispar festivus* (Krulikowsky,1909) (Lycaenidae) Synonym(s): *festivus* Krulikowsky,1909**
- 2832. *Lycaena* (Thersamolycaena) *dispar rutilus* (Werneburg,1864) (Lycaenidae) Synonym(s): *hippotoe* Ochsenheimer,1808 nec Linnaeus,1761; *rutilus* Werneburg,1864.**
- 2833. *Lycaena* (Thersamolycaena) *violacea* (Staudinger,1892) (Lycaenidae) Synonym(s): *violacea* Staudinger,1892**
- 2834. *Lycaena* (Thersamolycaena) *violacea violacea* (Staudinger,1892) (Lycaenidae) Synonym(s): *violacea* Staudinger,1892**
- 2835. *Lycaena* (Thersamonia) *thersamon* (Esper,[1784]) (Lycaenidae) Synonym(s): *hyllus* Cramer,[1775]; *thersamon* Esper,[1784]; *omphale* Klug,1834; *persica* Bienert,1870; *#militaris* Graves,1925. Larval foodplant(s): *Polygonum aviculare* (Falkovitsh, 1969;**

- Tolman, 1997); *Sarothamnus scoparius* (Kumakov, 1977); *Polygonum bistorta*, *Atraphaxis laetevirens*, *Artemisia dracunculus* ? (Zhdanko, 1997).
- 2836. *Lycaena* (Thersamonia) thersamon thersamon (Esper,[1784])** (Lycaenidae) Synonym(s): *hyllus* Cramer,[1775]; *thersamon* Esper,[1784]; *omphale* Klug,1834; *persica* Bienert,1870; *#militaris* Graves,1925.
- 2837. *Lycaena* (s.str.) phlaeas (Linnaeus,1761)** (Lycaenidae) Synonym(s): *phlaeas* Linnaeus,1761; *virgaureae* Fourcroy,1785 nec Linn.,1758; *eleus* Fabricius,1798; *aestivus* Zeller,1850; *schmidtii* Gerhard,1853 Larval foodplant(s): *Rumex acetosella*, *R. acetosa*, *R. hydrolapathum*, *R. scutatus*, *R. thyrsoides*, *R. papilio*, *R. vesicarius*, *R. tingitanus*, *R. maderensis*, *Polygonum aviculare* (Polygonaceae) (Tolman, 1997; Zhdanko, 1997).
- 2838. *Lycaena* (s.str.) phlaeas chinensis (C.Felder & R.Felder,1862)** (Lycaenidae) Synonym(s): *chinensis* C.Felder & R.Felder,1862; *matsumurana* Bryk,1946.
- 2839. *Lycaena* (s.str.) phlaeas daimio (Matsumura,1919)** (Lycaenidae) Synonym(s): *#daimio* Seitz,1909; *daimio* Matsumura,1919; *japonica* Ford,1924; *kurilensis* Matsumura,1919; *distalba* Kuway,1926; *kurilphlaeas* Bryk,1942.
- 2840. *Lycaena* (s.str.) phlaeas ganalicus Gorbunov,1995** (Lycaenidae) Synonym(s): *ganalica* Gorbunov,1995
- 2841. *Lycaena* (s.str.) phlaeas phlaeas (Linnaeus,1761)** (Lycaenidae) Synonym(s): *phlaeas* Linnaeus,1761; *virgaureae* Fourcroy,1785 nec Linn.,1758; *eleus* Fabricius,1798; *aestivus* Zeller,1850; *schmidtii* Gerhard,1853
- 2842. *Lycaena* (s.str.) phlaeas polaris Courvoisier,1911** (Lycaenidae) Synonym(s): *polaris* Courvoisier,1911; *hyperborea* Ford,1924
- 2843. *Maculineaalcon* ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *alcon* [Denis & Schiffermüller],1775; *mamers* Bergsträßer,1779. Larval foodplant(s): *Gentiana pneumonanthe*, *G. asclepiacea*, ? *G. cruciata* (Tolman, 1997); *Gentiana tianschanica* (Zhdanko, 1997).
- 2844. *Maculineaalconalcon* ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *alcon* [Denis & Schiffermüller],1775; *mamers* Bergsträßer,1779.
- 2845. *Maculineaalcon* jennissejensis (Sheljuzhko,1928)** (Lycaenidae) Synonym(s): *jennissejensis* Sheljuzhko,1928
- 2846. *Maculineaarion* (Linnaeus,1758)** (Lycaenidae) Synonym(s): *arion* Linnaeus,1758; *telegone* Bergsträßer,1779; *caucasica* Jachontov,1914 nec Led.,1870; *zara* Jachontov,1935. Larval foodplant(s): *Thymus serpyllum*, *T. praecox*, *Ziziphora clinodioides* (Lamiaceae) (Zhdanko,1997; Tolman,1997).
- 2847. *Maculineaarion* (Linnaeus,1758)** (Lycaenidae) Synonym(s): *arion* Linnaeus,1758; *telegone* Bergstr.,1779; *obscura* Christ,1878; *caucasica* Jachontov,1914 nec Lederer,1870; *zara* Jachontov,1935.
- 2848. *Maculineaarion* rueli (Krulikovsky,1882)** (Lycaenidae) Synonym(s): *rueli* Krulikovsky,1882; *baschkiria* Krulikovsky,1897.
- 2849. *Maculineaarionides* (Staudinger,1887)** (Lycaenidae) Synonym(s): *arionides* Staudinger,1887
- 2850. *Maculineaarionides* arionides (Staudinger,1887)** (Lycaenidae) Synonym(s): *arionides* Staudinger,1887
- 2851. *Maculineacyanecula* (Eversmann,1848)** (Lycaenidae) Synonym(s): *cyanecula* Eversmann,1848; *philidor* Fruhstorfer,1915.
- 2852. *Maculineacyanecula* cyanecula (Eversmann,1848)** (Lycaenidae) Synonym(s): *cyanecula* Eversmann,1848; *philidor* Fruhstorfer,1915.
- 2853. *Maculineacyanecula* ussuriensis (Sheljuzhko,1928)** (Lycaenidae) Synonym(s): *ussuriensis* Sheljuzhko,1928
- 2854. *Maculineakurentzovi* Sibatani, Saigusa & Hirowatari,1994** (Lycaenidae) Synonym(s): *kurentzovi* Sibatani, Saigusa & Hirowatari,1994

- 2855. *Maculinea kurentzovi kurentzovi* Sibatani, Saigusa & Hirowatari, 1994** (Lycaenidae) Synonym(s): *kurentzovi* Sibatani, Saigusa & Hirowatari, 1994
- 2856. *Maculinea nausithous* (Bergsträßer, [1779])** (Lycaenidae) Synonym(s): *nausithous* Bergsträßer, [1779]; *arcas* Rottensburg, 1775 nec Dru., 1773; *erebus* Knoch, 1782. Larval foodplant(s): *Sanguisorba officinalis* (Rosaceae) (Tolman, 1997).
- 2857. *Maculinea nausithous nausithous* (Bergsträßer, [1779])** (Lycaenidae) Synonym(s): *nausithous* Bergsträßer, [1779]; *arcas* Rottensburg, 1775 nec Dru., 1773; *erebus* Knoch, 1782. *nausithous* Bergsträsser, 1779; *nausithoe* Bergstr., 1779; *arcas* Rottensburg, 1775 nec Drury, 1773; *erebus* Knoch, 1782.
- 2858. *Maculinea rebeli* (Hirschke, 1904)** (Lycaenidae) Synonym(s): *rebeli* Hirschke, 1904; *coerulea* Vorbrodt, 1912; *latimargo* Courvoisier, 1913; *alpicola* Beuret, 1949; *cruciata* Beuret, 1949; *gadmensis* Beuret, 1949; *magnalpicola* Beuret, 1949. Larval foodplant(s): *Gentiana cruciata*, *G. germanica*, *G. asclepiadea* (Tolman, 1997).
- 2859. *Maculinea rebeli cordidula* (Jachontov, [1909])** (Lycaenidae) Synonym(s): *cordidula* Jachontov, [1909]
- 2860. *Maculinea rebeli monticola* (Staudinger, 1901)** (Lycaenidae) Synonym(s): *monticola* Staudinger, 1901.
- 2861. *Maculinea telejus* (Bergsträßer, [1779])** (Lycaenidae) Synonym(s): *diomedes* Rottensburg, 1775 nec Linn., 1758; *telejus* Bergsträßer, [1779]; *telegonus* Bergsträßer, [1779]; *arctophylax* Bergsträßer, [1779]; *arctophanus* Bergsträßer, [1779]; *euphemus* Hübner, [1800]. Larval foodplant(s): *Sanguisorba officinalis* (Rosaceae) (Tolman, 1997).
- 2862. *Maculinea telejus doli* (Matsumura, 1928)** (Lycaenidae) Synonym(s): *doli* Matsumura, 1928
- 2863. *Maculinea telejus kasamoto* (Druce, 1875)** (Lycaenidae) Synonym(s): *kasamoto* Druce, 1875
- 2864. *Maculinea telejus obscurata* (Staudinger, 1892)** (Lycaenidae) Synonym(s): *obscurata* Staudinger, 1892
- 2865. *Maculinea telejus ogumae* (Matsumura, 1910)** (Lycaenidae) Synonym(s): *ogumae* Matsumura, 1910
- 2866. *Maculinea telejus splendens* (Kozhantshikov, 1924)** (Lycaenidae) Synonym(s): *splendens* Kozhantshikov, 1924
- 2867. *Maculinea telejus telejus* (Bergsträßer, [1779])** (Lycaenidae) Synonym(s): *diomedes* Rottensburg, 1775 nec Linn., 1758; *telejus* Bergsträßer, [1779]; *telegonus* Bergsträßer, [1779]; *arctophylax* Bergsträßer, [1779]; *arctophanus* Bergsträßer, [1779]; *euphemus* Hübner, [1800].
- 2868. *Neolycaena (Rhymnaria) davidi* (Oberthür, 1881)** (Lycaenidae) Synonym(s): *davidi* Oberthür, 1881 Larval foodplant(s): *Caragana pygmaea*, *C. microphylla* (Korshunov & Gorbunov, 1995).
- 2869. *Neolycaena (Rhymnaria) davidi davidi* (Oberthür, 1881)** (Lycaenidae) Synonym(s): *davidi* Oberthür, 1881
- 2870. *Neolycaena (Rhymnaria) falkovitshi* Zhdanko & Korshunov, 1985** (Lycaenidae) Synonym(s): *falkovitshi* Zhdanko & Korshunov, 1985 Larval foodplant(s): *Caragana frutex* ? (Korshunov, 1985).
- 2871. *Neolycaena (Rhymnaria) falkovitshi falkovitshi* Zhdanko & Korshunov, 1985** (Lycaenidae) Synonym(s): *falkovitshi* Zhdanko & Korshunov, 1985
- 2872. *Neolycaena (Rhymnaria) irkuta* Zhdanko, [1996]** (Lycaenidae) Synonym(s): *irkuta* Zhdanko, [1996] Larval foodplant(s): *Caragana* sp. ? (Zhdanko, 2000)
- 2873. *Neolycaena (Rhymnaria) irkuta irkuta* Zhdanko, [1996]** (Lycaenidae) Synonym(s): *irkuta* Zhdanko, [1996]

- 2874. Neolycaena (Rhymnaria) rhymnus (Eversmann,1832)** (Lycaenidae)
Synonym(s): *rhymnus* Eversmann,1832 Larval foodplant(s): *Caragana frutex* (Zhdanko, 1997).
- 2875. Neolycaena (Rhymnaria) rhymnus rhymnus (Eversmann,1832)** (Lycaenidae) Synonym(s): *rhymnus* Eversmann,1832
- 2876. Neolycaena (Rhymnaria) sajana Zhdanko,[1996]** (Lycaenidae)
Synonym(s): *sajana* Zhdanko,[1996] Larval foodplant(s): *Caragana* sp. (Zhdanko,2000).
- 2877. Neolycaena (Rhymnaria) sajana sajana Zhdanko,[1996]** (Lycaenidae)
Synonym(s): *sajana* Zhdanko,[1996]
- 2878. Neozephyrus brilliantinus (Staudinger,1887)** (Lycaenidae) Synonym(s): *brillantinus* Staudinger,1887
- 2879. Neozephyrus brilliantinus brilliantinus (Staudinger,1887)** (Lycaenidae) Synonym(s): *brillantinus* Staudinger,1887
- 2880. Neozephyrus japonicus (Murray,1875)** (Lycaenidae) Synonym(s): *japonica* Murray,1875
- 2881. Neozephyrus japonicus japonicus (Murray,1875)** (Lycaenidae)
Synonym(s): *japonica* Murray,1875
- 2882. Neozephyrus taxilus (Bremer,1861)** (Lycaenidae) Synonym(s): *taxila* Bremer,1861; *sidemina* Kardakoff,1928; *koreana* N.D.Riley,1939; *kawamotoi* Murayama,1956
- 2883. Neozephyrus taxilus sachalinensis (Matsumura,1928)** (Lycaenidae)
Synonym(s): *sachalinensis* Matsumura,1928
- 2884. Neozephyrus taxilus taxilus (Bremer,1861)** (Lycaenidae) Synonym(s): *taxila* Bremer,1861; *sidemina* Kardakoff,1928; *koreana* N.D.Riley,1939; *kawamotoi* Murayama,1956
- 2885. Niphanda fusca (Bremer & Grey,1852)** (Lycaenidae) Synonym(s): *fusca* Bremer & Grey,1852
- 2886. Niphanda fusca fusca (Bremer & Grey,1852)** (Lycaenidae) Synonym(s): *fusca* Bremer & Grey,1852
- 2887. Plebejus (Kretania) carmon (Gerhard,[1851])** (Lycaenidae)
Synonym(s): *carmon* Gerhard,[1851, November]; *eurypilus* Freyer,[1851,December]. Larval foodplant(s): *Astragalus* (*Astracantha*) *rumelica*, *A. gummifera* (Fabaceae) (Tolman,1997).
- 2888. Plebejus (Kretania) carmon carmon (Gerhard,[1851])** (Lycaenidae)
Synonym(s): *carmon* Gerhard,[1851, November]; *eurypilus* Freyer,[1851,December].
- 2889. Plebejus (Kretania) carmon zamotajlovi (Shchurov & Lukhtanov,2001)** (Lycaenidae) Synonym(s): *zamotajlovi* Shchurov & Lukhtanov,2001
- 2890. Plebejus (Lycaeides) argyrognomon (Bergsträßer,[1779])** (Lycaenidae) Synonym(s): *argyrognomon* Bergsträßer,[1779]; *argyrobius* Bergsträßer,[1779]; *argyrocapelus* Bergsträßer,[1779]; *argyrocopus* Bergsträßer,[1779]; *argyroela* Bergsträßer,[1779]; *argyrophylax* Bergsträßer,[1779]; *ismenias* Meigen,1829; *ligurica* Oberthür,1910; *aegus* Chapman,1917
Larval foodplant(s): *Medicago sativa*, *Melilotus officinalis*, *Trifolium repens*, *T. pratense*, *Coronilla varia*, *Astragalus glycyphyllos*, *A. brachilobus*, *A. sogotensis*, *Vicia cracca*, *Lotus corniculatus*, *Onobrychis viciifolia* (Fabaceae) (Malicky,1969; et seq.).
- 2891. Plebejus (Lycaeides) argyrognomon argyrognomon (Bergsträßer,1779)** (Lycaenidae) Synonym(s): *argyrognomon* Bergsträßer,[1779]; *argyrobius* Bergsträßer,[1779]; *argyrocapelus* Bergsträßer,[1779]; *argyrocopus* Bergsträßer,[1779]; *argyroela* Bergsträßer,[1779]; *argyrophylax* Bergsträßer,[1779]; *ismenias* Meigen,1829; *ligurica* Oberthür,1910; *aegus* Chapman,1917
- 2892. Plebejus (Lycaeides) argyrognomon caspicus (Forster,1936)** (Lycaenidae) Synonym(s): *caspica* Forster,1936 Larval foodplant(s): *Vicia cracca*, *Astragalus glycyphyllos* (Fabaceae) (Hesselbarth et al.,1995).
- 2893. Plebejus (Lycaeides) argyrognomon danapriensis (Stempffer & Schmidt)** (Lycaenidae) Synonym(s): *danapriensis* Stempffer & Schmidt

- 2894. Plebejus (Lycaeides) cleobis Bremer,1861** (Lycaenidae) Synonym(s): *cleobis Bremer,1861*
- 2895. Plebejus (Lycaeides) cleobis cleobis Bremer,1861** (Lycaenidae) Synonym(s): *cleobis Bremer,1861*
- 2896. Plebejus (Lycaeides) cleobis kenteanus (Staudinger,1892)** (Lycaenidae) Synonym(s): *kenteanus Staudinger,1892*
- 2897. Plebejus (Lycaeides) cleobis ongodai Tutt,1908** (Lycaenidae) Synonym(s): *ongodai Tutt,1908*
- 2898. Plebejus (Lycaeides) cleobis tancrei (Graeser,1888)** (Lycaenidae) Synonym(s): *tancrei Graeser,1888; ternejanus Kurentzov,1970.*
- 2899. Plebejus (Lycaeides) cleobis verchojanicus (Kurentzov,1970)** (Lycaenidae) Synonym(s): *verchojanicus Kurentzov,1970; caeruleus Gorbunov,1995*
- 2900. Plebejus (Lycaeides) idas (Linnaeus,1761)** (Lycaenidae) Synonym(s): *idas Linnaeus,1761; leodorus Esper,1782; acreon Fabricius,1787; amphion Fabricius,1793.* Larval foodplant(s): *Cytisus scoparius, Genista pilosa, Lotus corniculatus, Melilotus alba, Anthyllis vulneraria, Calluna vulgaris (Tolman,1997); Astragalus alpinus, Cicer flexuosum (Fabaceae) (Zhdanko,1997).*
- 2901. Plebejus (Lycaeides) idas altarmenus (Forster,1936)** (Lycaenidae) Synonym(s): *altarmena Forster,1936*
- 2902. Plebejus (Lycaeides) idas idas (Linnaeus,1761)** (Lycaenidae) Synonym(s): *idas Linnaeus,1761; leodorus Esper,1782; acreon Fabricius,1787; amphion Fabricius,1793.*
- 2903. Plebejus (Lycaeides) maracandicus (Erschoff,1874)** (Lycaenidae) Synonym(s): *maracandica Erschoff,1874; dschagatai Groum-Grshimailo,1887; buchara Forster,1936.* Larval foodplant(s): *Astragalus sogotensis (Fabaceae) (Zhdanko,1997).*
- 2904. Plebejus (Lycaeides) maracandicus caspicus (Forster,1936)** (Lycaenidae) Synonym(s): *caspicus Forster,1936*
- 2905. Plebejus (Lycaeides) maracandicus chalcha (Korshunov,1982)** (Lycaenidae) Synonym(s): *chalcha Korshunov,1982*
- 2906. Plebejus (Lycaeides) maracandicus jakuticus (Kurentzov,1970)** (Lycaenidae) Synonym(s): *jakuticus Kurentzov,1970*
- 2907. Plebejus (Lycaeides) maracandicus transbaicalensis (Kurentzov,1970)** (Lycaenidae) Synonym(s): *transbaicalensis Kurentzov,1970*
- 2908. Plebejus (Lycaeides) mongolicus (Rühl,[1893])** (Lycaenidae) Synonym(s): *mongolicus Rühl,[1893]*
- 2909. Plebejus (Lycaeides) mongolicus mongolicus (Rühl,[1893])** (Lycaenidae) Synonym(s): *mongolicus Rühl,[1893]*
- 2910. Plebejus (Lycaeides) pseudoaegon (Butler,[1882])** (Lycaenidae) Synonym(s): *pseudoaegon Butler,[1882]* Larval foodplant(s): *Vicia amoena (Fabaceae) (Dantchenko, in litt.).*
- 2911. Plebejus (Lycaeides) pseudoaegon ussuricus (Forster,1936)** (Lycaenidae) Synonym(s): *ussurica Forster,1936*
- 2912. Plebejus (Lycaeides) subsolanus (Eversmann,1851)** (Lycaenidae) Synonym(s): *subsolanus Eversmann,1851; cleobis Bremer,1861.*
- 2913. Plebejus (Lycaeides) subsolanus ida (Groum-Grshimailo,1890)** (Lycaenidae) Synonym(s): *ida Groum-Grshimailo,1890; kenteana Staudinger,1892*
- 2914. Plebejus (Lycaeides) subsolanus subsolanus (Eversmann,1851)** (Lycaenidae) Synonym(s): *subsolanus Eversmann,1851; cleobis Bremer,1861.*
- 2915. Plebejus (Plebejides) pylaon (Fischer v. Waldheim,1832)** (Lycaenidae) Synonym(s): *pylaon Fischer v. Waldheim,1832* Larval foodplant(s): *Astragalus exscapus, A. dasyanthus, A. parnassi cyllenus, A. angustifolius, Astracantha rumelica (Tolman, 1997); Astragalus rupifragus (Zhdanko, 1997).*

- 2916. Plebejus (Plebejides) pylaon katunensis Balint & Lukhtanov,1990**
(Lycaenidae) Synonym(s): *katunensis* Balint & Lukhtanov,1990
- 2917. Plebejus (Plebejides) pylaon pylaon (Fischer de Waldheim,1832)**
(Lycaenidae) Synonym(s): *pylaon* Fischer de Waldheim,1832
- 2918. Plebejus (Plebejides) zephyrinus (Christoph,1884) (Lycaenidae)**
Synonym(s): *zephyrinus* Christoph,1884
- 2919. Plebejus (Plebejides) zephyrinus albertii Nekrutenko,1975**
(Lycaenidae) Synonym(s): *albertii* Nekrutenko,1975
- 2920. Plebejus (s.str.) argus (Linnaeus,1758) (Lycaenidae) Synonym(s):** *argus* Linnaeus,1758; *aegon* Denis & Schiffermiller,1775; *plouharnelensis* Oberthür,1926; *pulchrphilonome* Verity,1931. Larval foodplant(s): Lotus, Ulex, Cytisus, Genista, Colutea, Astragalus, Ononis, Medicago, Hippocrepis, Coronilla, Galega, Helianthemum, Calluna vulgaris, ? Erica (Tolman,1997).
- 2921. Plebejus (s.str.) argus aegidion (Meisner,1818) (Lycaenidae)**
Synonym(s): *aegidion* Meisner,1818; *valmasinii* Perlini,1905; *alpina* Courv.,1910 nec Berce,1967; *claraobscura* Verity,1931
- 2922. Plebejus (s.str.) argus bellus (Herrich-Schäffer,[1844]) (Lycaenidae)**
Synonym(s): *bellus* Herrich-Schäffer,[1844]; *tscherkessica* Forster,1936; *#georgica* Forster,1936.
- 2923. Plebejus (s.str.) argus caeruleus Gorbunov,1995 (Lycaenidae)**
Synonym(s): *caeruleus* Gorbunov,1995
- 2924. Plebejus (s.str.) argus clarasiaticus (Verity,1931) (Lycaenidae)**
Synonym(s): *clarasiatica* Verity,1931; *katunica* Standel,1960.
- 2925. Plebejus (s.str.) argus coreanus Tutt,1909 (Lycaenidae) Synonym(s):** *coreanus* Tutt,1909; *orientalis* Kurentzov,1970 nec Tutt,1909; *kurentzovi* Koçak,1980
- 2926. Plebejus (s.str.) argus micrargus (Butler,1873) (Lycaenidae)**
Synonym(s): *micrargus* Butler,1873; *japonica* Oberthür,1910
- 2927. Plebejus (s.str.) argus obensis Forster,1936 (Lycaenidae) Synonym(s):** *obensis* Forster,1936; *korshunovi* Standel,1960.
- 2928. Plebejus (s.str.) argus wolgensis (Forster,1936) (Lycaenidae)**
Synonym(s): *wolgensis* Forster,1936
- 2929. Polyommatus (Agriades (s.str.)) aquilo (Boisduval,1832)**
(Lycaenidae) Synonym(s): *aquilo* Boisduval,1832 Larval foodplant(s): Saxifraga aizoides, S. oppositifolia (Tolman, 1997).
- 2930. Polyommatus (Agriades (s.str.)) aquilo aquilo (Boisduval,1832)**
(Lycaenidae) Synonym(s): *aquilo* Boisduval,1832
- 2931. Polyommatus (Agriades (s.str.)) aquilo wosnesenskyi (Ménétriés,1855) (Lycaenidae) Synonym(s):** *wosnesenskyi* Ménétriés,1855
- 2932. Polyommatus (Agriades (s.str.)) diodorus (Bremer,1861)**
(Lycaenidae) Synonym(s): *diodorus* Bremer,1861. Larval foodplant(s): Saxifraga stelleriana (Korshunov & Gorbunov,1995; Zhdanko,1997).
- 2933. Polyommatus (Agriades (s.str.)) diodorus diodorus (Bremer,1861)**
(Lycaenidae) Synonym(s): *diodorus* Bremer,1861.
- 2934. Polyommatus (Agriades (s.str.)) diodorus orbitulinus (Staudinger,1892) (Lycaenidae) Synonym(s):** *orbitulinus* Staudinger,1892.
- 2935. Polyommatus (Agriades (s.str.)) glandon (De Prunner,1798)**
(Lycaenidae) Synonym(s): *glandon* De Prunner,1798; *meleager* Hübner,[1804] nec Esper,1778; *rustica* Edwards,1864. Larval foodplant(s): Vitaliana [Androsace] primuliflora, Androsace obtusifolia, A. chamaejasme (Tolman, 1997).
- 2936. Polyommatus (Agriades (s.str.)) glandon glandon (De Prunner,1798) (Lycaenidae) Synonym(s):** *glandon* De Prunner,1798; *meleager* Hübner,[1804] nec Esper,1778; *rustica* Edwards,1864.

- 2937. Polyommatus (Agriades (s.str.)) glandon orbitulinus (Staudinger,1892)** (Lycaenidae) **Synonym(s):** *orbitulinus* Staudinger,1892
- 2938. Polyommatus (Agriades (s.str.)) pyrenaicus (Boisduval,1840)** (Lycaenidae) **Synonym(s):** *pyrenaicus* Boisduval,1840; *#pyrenicus* Naderi,2003 Larval foodplant(s): *Androsace villosa* (Tolman,1997).
- 2939. Polyommatus (Agriades (s.str.)) pyrenaicus araraticus (Gerhard,1853)** (Lycaenidae) **Synonym(s):** *araraticus* Gerhard,1853; *latedisjuncta* Alberti,1973; *erzurumensis* Eckweiler & Hesselbarth,1978 (cf. Varga, 1977:274).
- 2940. Polyommatus (Agriades (s.str.)) pyrenaicus ergane (Higgins,1981)** (Lycaenidae) **Synonym(s):** *ergane* Higgins,1981
- 2941. Polyommatus (Albulina (Patricius)) lucifera (Staudinger,1867)** (Lycaenidae) **Synonym(s):** *lucifera* Staudinger,1867; *lornex* Higgins,1982.
- 2942. Polyommatus (Albulina (Patricius)) lucifera lucifera (Staudinger,1867)** (Lycaenidae) **Synonym(s):** *lucifera* Staudinger,1867; *lornex* Higgins,1982.
- 2943. Polyommatus (Albulina (Patricius)) lucifera selengensis (Forster,1940)** (Lycaenidae) **Synonym(s):** *biton* Bremer,1861 (*hom.*); *selengensis* Forster,1940; *otton* Korshunov,1996.
- 2944. Polyommatus (Albulina (Plebejidea)) cyane (Eversmann,1837)** (Lycaenidae) **Synonym(s):** *cyane* Eversmann,1837 Larval foodplant(s): *Goniolimon cuspidatum*, *Limonium leptolobum* (Zhdanko, 1997).
- 2945. Polyommatus (Albulina (Plebejidea)) cyane cyane (Eversmann,1837)** (Lycaenidae) **Synonym(s):** *cyane* Eversmann,1837
- 2946. Polyommatus (Albulina (Plebejidea)) cyane deserticola (Elwes,1899)** (Lycaenidae) **Synonym(s):** *deserticola* Elwes,1899
- 2947. Polyommatus (Albulina (Plebejidea)) cyane kozhantschikovi (Sheljuzhko,1928)** (Lycaenidae) **Synonym(s):** *kozantschikovi* Sheljuzhko,1928
- 2948. Polyommatus (Albulina (Plebejidea)) loewii (Zeller,1847)** (Lycaenidae) **Synonym(s):** *loewii* Zeller,1847; *empyrea* Gerhard,[1851]; *gigas* Staudinger,1871; *#robusta* Turati & Fiori,1930; *germanicae* Pfeiffer,1932; *dzhegamati* Sheljuzhko,1934. Larval foodplant(s): *Astragalus spinosus*, *A. sieberi* (Tolman,1997).
- 2949. Polyommatus (Albulina (Plebejidea)) loewii loewii (Zeller,1847)** (Lycaenidae) **Synonym(s):** *loewii* Zeller,1847; *empyrea* Gerhard,[1851]; *gigas* Staudinger,1871; *#robusta* Turati & Fiori,1930; *germanicae* Pfeiffer,1932; *dzhegamati* Sheljuzhko,1934.
- 2950. Polyommatus (Albulina (Vacciniina)) optilete (Knoch,1781)** (Lycaenidae) **Synonym(s):** *optilete* Knoch,1781 Larval foodplant(s): *Vaccinium uliginosum*, *V. myrtillus*, *V. oxycoccus*, *Erica tetralix* (Tolman, 1997).
- 2951. Polyommatus (Albulina (Vacciniina)) optilete optilete (Knoch,1781)** (Lycaenidae) **Synonym(s):** *optilete* Knoch,1781
- 2952. Polyommatus (Albulina (Vacciniina)) optilete sibiricus (Staudinger,1892)** (Lycaenidae) **Synonym(s):** *sibiricus* Staudinger,1892; *uralensis* Seitz,1909 *nec* Elw.,1899; *medea* Hemming,1934.
- 2953. Polyommatus (Albulina (s.str.)) orbitulus (De Prunner,1798)** (Lycaenidae) **Synonym(s):** *orbitulus* De Prunner,1798; *atys* Hübner,1804 *nec* Cr.,1780; *pheretes* Hoffmannsegg,1804; *pheretes* Hübner,1806. Larval foodplant(s): *Astragalus alpinus* (Tolman, 1997).
- 2954. Polyommatus (Albulina (s.str.)) orbitulus orbitulus (De Prunner,1798)** (Lycaenidae) **Synonym(s):** *orbitulus* De Prunner,1798; *atys* Hübner,1804 *nec* Cr.,1780; *pheretes* Hoffmannsegg,1804; *pheretes* Hübner,1806.
- 2955. Polyommatus (Albulina (s.str.)) orbitulus pheretimus (Staudinger,1892)** (Lycaenidae) **Synonym(s):** *phetimus* Staudinger,1892

- 2956. Polyommatus (Albulina (s.str.)) orbitulus sajanus (Heyne,[1895])**
(Lycaenidae) Synonym(s): *sajanus* Heyne,[1895]
- 2957. Polyommatus (Aricia (Eumedonia)) eumedon (Esper,[1780])**
(Lycaenidae) Synonym(s): *chiron* Rottemburg,1775 nec Fabr.,1775; *eumedon* Esper,[1780]; *osiris* O.Bang-Haas,1927 nec Hopff.,1855; *rumeliensis* Eitschberger & Stein.,1975; *jeanensis* Eitschberger & Stein.,1975; *kagizmanensis* Koçak,1980. Larval foodplant(s): *Geranium sanguineum*, *G. sylvaticum*, *G. tuberosum*, *G. palustre*, *G. pratense*, *G. cinereum* (Tolman, 1997); *Erodium absinthoides armenum* (det. N.Adigüzel) (Koçak, in litt.).
- 2958. Polyommatus (Aricia (Eumedonia)) eumedon eumedon (Esper,[1780])**
(Lycaenidae) Synonym(s): *chiron* Rottemburg,1775 nec Fabr.,1775; *eumedon* Esper,[1780]; *osiris* Bang-Haas,1927 nec Hopffer,1855; *rumeliensis* Eitschberger & Stein.,1975; *jeanensis* Eitschberger & Stein.,1975; *kagizmanensis* Koçak,1980.
- 2959. Polyommatus (Aricia (Eumedonia)) eumedon fylgides (Gorbunov,1995)**
(Lycaenidae) Synonym(s): *fylgides* Gorbunov,1995
- 2960. Polyommatus (Aricia (Pseudoaricia)) nicias (Meigen,1830)**
(Lycaenidae) Synonym(s): *nicias* Meigen,1830; *donzelii* Boisduval,1832. Larval foodplant(s): *Geranium sylvaticum*, *G. pratense* (Tolman, 1997).
- 2961. Polyommatus (Aricia (Pseudoaricia)) nicias bittis (Fruhstorfer,1915)**
(Lycaenidae) Synonym(s): *septentrionalis* Krulikowsky,1908 nec Fuchs,1901; *bittis* Fruhstorfer,1915
- 2962. Polyommatus (Aricia (Pseudoaricia)) nicias kolosovi (Korshunov,1995)**
(Lycaenidae) Synonym(s): *kolosovi* Korshunov,1995
- 2963. Polyommatus (Aricia (Pseudoaricia)) nicias nicias (Meigen,1830)**
(Lycaenidae) Synonym(s): *nicias* Meigen,1830; *donzelii* Boisduval,1832.
- 2964. Polyommatus (Aricia (Pseudoaricia)) teberdinus (Sheljuzhko,1934)**
(Lycaenidae) Synonym(s): *teberdinus* Sheljuzhko,1934
- 2965. Polyommatus (Aricia (Pseudoaricia)) teberdinus teberdinus (Sheljuzhko,1934)**
(Lycaenidae) Synonym(s): *teberdinus* Sheljuzhko,1934
- 2966. Polyommatus (Aricia (Ultraaricia)) anteros (Freyer,[1838])**
(Lycaenidae) Synonym(s): *anteros* Freyer,[1838]; *eroides* Gerhard,[1851] nec Fivaldsky,1835; *orpheus* Nekrutenko,1980. Larval foodplant(s): *Geranium asphodeloides*, *G. sanguineum* [lower altitudes]; *G. macrorrhizum*, *G. cinereum* [upper altitudes] (Tolman, 1997).
- 2967. Polyommatus (Aricia (Ultraaricia)) anteros dombaiensis (Alberti,1969)**
(Lycaenidae) Synonym(s): *dombaiensis* Alberti,1969
- 2968. Polyommatus (Aricia (Umpria)) chinensis (Murray,1874)**
(Lycaenidae) Synonym(s): *chinensis* Murray,1874 Larval foodplant(s): *Erodium oxyrhynchum* (Zhdanko, 1997).
- 2969. Polyommatus (Aricia (Umpria)) chinensis chinensis (Murray,1874)**
(Lycaenidae) Synonym(s): *chinensis* Murray,1874
- 2970. Polyommatus (Aricia (Umpria)) chinensis sibiricanus (Kozhanchikov,1923)**
(Lycaenidae) Synonym(s): *sibiricanus* Kozhanchikov,1923
- 2971. Polyommatus (Aricia (s.str.)) agestis ([Denis & Schiffermüller],1775)**
(Lycaenidae) Synonym(s): *medon* Hufnagel,1766 nec Linn.,1763; *alexis* Rottemburg,1775 nec Poda,1761; *agestis* [Denis & Schiffermüller],1775; *astrarche* Bergsträßer,[1779]. Larval foodplant(s): *Helianthemum nummularium*, *Erodium cicutarium*, *E. ciconium*, *Geranium tuberosum*, *G. asphodeloides*, *G. sanguineum* (Tolman, 1997); *Geranium collinum*, *G. divaricatum* (Zhdanko, 1997).
- 2972. Polyommatus (Aricia (s.str.)) agestis agestis ([Denis & Schiffermüller],1775)**
(Lycaenidae) Synonym(s): *medon* Hufnagel,1766 nec Linn.,1763; *alexis* Rottemburg,1775 nec Poda,1761; *agestis* [Denis & Schiffermüller],1775; *astrarche* Bergsträßer,[1779].

- 2973. Polyommatus (Aricia (s.str.)) artaxerxes (Fabricius,1793)** (Lycaenidae) **Synonym(s):** *artaxerxes Fabricius,1793.* **Larval foodplant(s):** *Helianthemum nummularium* (Tolman, 1997).
- 2974. Polyommatus (Aricia (s.str.)) artaxerxes sarmatis (Groum-Grshimailo,1890)** (Lycaenidae) **Synonym(s):** *sarmatis Groum-Grshimailo,1890; inhonora Jachontov,1909.*
- 2975. Polyommatus (Aricia (s.str.)) artaxerxes sheljuzhkoii (Obraztsov,1935)** (Lycaenidae) **Synonym(s):** *sheljuzhkoii Obraztsov,1935; #azerbajdzhana Obraztsov,1935.*
- 2976. Polyommatus (Aricia (s.str.)) artaxerxes strandi (Obraztsov,1935)** (Lycaenidae) **Synonym(s):** *strandii Obraztsov,1935*
- 2977. Polyommatus (s.str. (Agrodiaetus (Admetusia))) admetus (Esper,[1783])** (Lycaenidae) **Synonym(s):** *admetus Esper,[1783]* **Larval foodplant(s):** *Onobrychis viciifolia*, *O. caput-galli* (Tolman,1997).
- 2978. Polyommatus (s.str. (Agrodiaetus (Admetusia))) admetus admetus (Esper,[1783])** (Lycaenidae) **Synonym(s):** *admetus Esper,[1783]*
- 2979. Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii (Freyer,[1830])** (Lycaenidae) **Synonym(s):** *ripartii Freyer,[1830].* **Larval foodplant(s):** *Onobrychis viciifolia*, *O. arenaria*, *O. saxatilis*, *O. alba*, *O. montana* (Tolman, 1997); *Hedysarum montanum* (Zhdanko, 1997).
- 2980. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) phyllis (Christoph,1877)** (Lycaenidae) **Synonym(s):** *phyllis Christoph,1877*
- 2981. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) phyllis dagestanicus (Forster,1960)** (Lycaenidae) **Synonym(s):** *dagestanica Forster,1960*
- 2982. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) altivagans (Forster,1956)** (Lycaenidae) **Synonym(s):** *altivagans Forster,1956; vaspurakani Lukhtanov & Dantchenko,2003*
- 2983. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) altivagans altivagans (Forster,1956)** (Lycaenidae) **Synonym(s):** *altivagans Forster,1956; vaspurakani Lukhtanov & Dantchenko,2003*
- 2984. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) shamil (Dantchenko,2000)** (Lycaenidae) **Synonym(s):** *shamil Dantchenko,2000* **Larval foodplant(s):** *Onobrychis bobrovii* (Dantchenko,2000).
- 2985. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) shamil shamil (Dantchenko,2000)** (Lycaenidae) **Synonym(s):** *shamil Dantchenko,2000* **Larval foodplant(s):** *Onobrychis bobrovii* (Dantchenko,2000).
- 2986. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) yurinekrutenko Koçak,1996** (Lycaenidae) **Synonym(s):** *ciscaucasicus Forster,1956 nec Jach.,1914; yurinekrutenko Koçak,1996; carmonides Eckweiler,1997.* **Larval foodplant(s):** *Onobrychis vassilczenkoi* (Fabaceae) (Dantchenko,2000).
- 2987. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) yurinekrutenko yurinekrutenko Koçak,1996** (Lycaenidae) **Synonym(s):** *ciscaucasicus Forster,1956 nec Jach.,1914; yurinekrutenko Koçak,1996; carmonides Eckweiler,1997.* **Larval foodplant(s):** *Onobrychis vassilczenkoi* (Fabaceae) (Dantchenko,2000).
- 2988. Polyommatus (s.str. (Agrodiaetus (s.str.))) damocles (Herrich-Schäffer,[1844])** (Lycaenidae) **Synonym(s):** *damocles Herrich-Schäffer,[1844]*
- 2989. Polyommatus (s.str. (Agrodiaetus (s.str.))) damocles damocles (Herrich-Schäffer,[1844])** (Lycaenidae) **Synonym(s):** *damocles Herrich-Schäffer,[1844]*
- 2990. Polyommatus (s.str. (Agrodiaetus (s.str.))) damocles rossicus Dantchenko & Lukhtanov,1993** (Lycaenidae) **Synonym(s):** *rossicus Dantchenko & Lukhtanov,1993*

- 2991. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *damon* [Denis & Schiffermüller],1775
Larval foodplant(s): *Onobrychis alba*, *O. montana* (Tolman, 1997); *Onobrychis ferganica* (Zhdanko, 1997).
- 2992. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon damon ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *damon* [Denis & Schiffermüller],1775
- 2993. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon mongolensis (Koçak,1980)** (Lycaenidae) Synonym(s): *mongolensis* Koçak,1980
- 2994. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon zhicharevi (Sovinsky,[1916])** (Lycaenidae) Synonym(s): *damon zhicharevi* Sovinsky,[1916]
- 2995. Polyommatus (s.str. (Agrodiaetus (s.str.))) damone (Eversmann,1841)** (Lycaenidae) Synonym(s): *damone* Eversmann,1841
- 2996. Polyommatus (s.str. (Agrodiaetus (s.str.))) damone altaicus (Elwes,1899)** (Lycaenidae) Synonym(s): *sibirica* Staudinger,1899 *nec* Staudinger,1892; *altaicus* Elwes,1899; *altaiensis* Forster,1956.
- 2997. Polyommatus (s.str. (Agrodiaetus (s.str.))) damone damone (Eversmann,1841)** (Lycaenidae) Synonym(s): *damone* Eversmann,1841
- 2998. Polyommatus (s.str. (Agrodiaetus (s.str.))) damone irinae Dantchenko,1997** (Lycaenidae) Synonym(s): *irinae* Dantchenko,1997
- 2999. Polyommatus (s.str. (Cyaniris)) semiargus (Rottemburg,1775)** (Lycaenidae) Synonym(s): *semiargus* Rottemburg,1775; *acis* Denis & Schiffermüller,1775 *nec* Dry.,1773; *byzas* Bergsträßer,[1779]; *byze* Bergsträßer,[1779]; *argopoeus* Bergsträßer,[1779]; *byzenus* Bergsträßer,[1779]; *argopoei* Bergsträßer,[1779]; *cimon* Lewin,1795; *argianus* Dalman,1816. Larval foodplant(s): *Trifolium pratense* (Tolman, 1997).
- 3000. Polyommatus (s.str. (Cyaniris)) semiargus altaianus (Tutt,[1909])** (Lycaenidae) Synonym(s): *altaianus* Tutt,[1909]
- 3001. Polyommatus (s.str. (Cyaniris)) semiargus uralensis (Tutt,[1909])** (Lycaenidae) Synonym(s): *uralensis* Tutt,[1909]
- 3002. Polyommatus (s.str. (Lysandra)) bellargus (Rottemburg,1775)** (Lycaenidae) Synonym(s): *bellargus* Rottemburg,1775; *thetis* Rottemburg,1775 *nec* Dru.,1773; *adonis* Denis & Schiffermüller,[1775]; *salacia* Bergsträßer,1779; *venilia* Bergsträßer,1779; *hyacinthus* Lewin,1795; *urania* Gerhard,[1851]; *persemagna* Verity,1937; *arentissima* Verity,1937; *arens* Verity,1937; *arentior* Verity,1937; *antearentior* Verity,1937; *parabellargus* Verity,1939; *shakla* Higgins,1958 Larval foodplant(s): *Hippocrepis comosa*, *Coronilla varia* (Tolman, 1997).
- 3003. Polyommatus (s.str. (Lysandra)) bellargus bellargus (Rottemburg,1775)** (Lycaenidae) Synonym(s): *bellargus* Rottemburg,1775; *thetis* Rottemburg,1775 *nec* Dru.,1773; *adonis* Denis & Schiffermüller,[1775]; *salacia* Bergsträßer,1779; *venilia* Bergsträßer,1779; *hyacinthus* Lewin,1795; *urania* Gerhard,[1851]; *persemagna* Verity,1937; *arentissima* Verity,1937; *arens* Verity,1937; *arentior* Verity,1937; *antearentior* Verity,1937; *parabellargus* Verity,1939; *shakla* Higgins,1958
- 3004. Polyommatus (s.str. (Lysandra)) coridon (Poda,1761)** (Lycaenidae) Synonym(s): *coridon* Poda,1761; *graeca* Heyne,1895; *torgniensis* Haverkamp,1906; *altica* Neustetter,1909; *alpiumpallida* Verity,1926; *jurae* Verity,1926; *insulana* Verity,1926; *galliae* Verity,1926; *narbonensis* Verity,1926; *fumosa* Verity,1926; *italagallica* Verity,1926; *diniae* Verity,1926; *minutepunctata* Verity,1926; *bieneri* Stauder,1924; *nicaeensis* Dujardin,1944. Larval foodplant(s): *Hippocrepis comosa* (Tolman, 1997).
- 3005. Polyommatus (s.str. (Lysandra)) coridon borussius (Dadd,1908)** (Lycaenidae) Synonym(s): *borussia* Dadd,1908; *saxonica* Verity,1919.
- 3006. Polyommatus (s.str. (Lysandra)) corydonius (Herrich-Schäffer,[1852])** (Lycaenidae) Synonym(s): *corydonius* Herrich-Schäffer,[1852]
- 3007. Polyommatus (s.str. (Lysandra)) corydonius ciscaucasicus (Jachontov,1914)** (Lycaenidae) Synonym(s): *#ciscaucasicus* Jachontov,1914; *ciscaucasica* Bollow,1931.

- 3008. Polyommatus (s.str. (Lysandra)) melamarinus (Dantchenko,2000)**
(Lycaenidae) Synonym(s): *melamarina* Dantchenko,2000 Larval foodplant(s):
Hippocrepis emeroides ? (Dantchenko,2000).
- 3009. Polyommatus (s.str. (Lysandra)) melamarinus melamarinus (Dantchenko,2000)**
(Lycaenidae) Synonym(s): *melamarina* Dantchenko,2000
Larval foodplant(s): *Hippocrepis emeroides* ? (Dantchenko,2000).
- 3010. Polyommatus (s.str. (Lysandra)) sheikh (Dantchenko,2000)**
(Lycaenidae) Synonym(s): *sheikh* Dantchenko,2000 Larval foodplant(s): *Securigera varia* ? (Dantchenko,2000).
- 3011. Polyommatus (s.str. (Lysandra)) sheikh sheikh (Dantchenko,2000)**
(Lycaenidae) Synonym(s): *sheikh* Dantchenko,2000 Larval foodplant(s): *Securigera varia* ? (Dantchenko,2000).
- 3012. Polyommatus (s.str. (Meleageria)) daphnis ([Denis & Schiffermüller],1775)**
(Lycaenidae) Synonym(s): *daphnis* [Denis & Schiffermüller],1775;
endymion [Denis & Schiffermüller],1775 nec Fabricius,1775; *meleager* Esper,1778; *dalmatina* Wagner,1909.
Larval foodplant(s): *Coronilla varia* (Tolman, 1997).
- 3013. Polyommatus (s.str. (Meleageria)) daphnis daphnis ([Denis & Schiffermüller],1775)**
(Lycaenidae) Synonym(s): *daphnis* [Denis & Schiffermüller],1775;
endymion [Denis & Schiffermüller],1775 nec Fabricius,1775; *meleager* Esper,1778; *dalmatina* Wagner,1909.
- 3014. Polyommatus (s.str. (Meleageria)) daphnis narsanus (Alberti,1973)**
(Lycaenidae) Synonym(s): *narsana* Alberti,1973
- 3015. Polyommatus (s.str. (Neolysandra)) coelestinus (Eversmann,1843)**
(Lycaenidae) Synonym(s): *coelestinus* Eversmann,1843 Larval foodplant(s): *Vicia cracca stenophylla* (Tolman, 1997).
- 3016. Polyommatus (s.str. (Neolysandra)) coelestinus coelestinus (Eversmann,1843)**
(Lycaenidae) Synonym(s): *coelestinus* Eversmann,1843
- 3017. Polyommatus (s.str. (Plebicula)) amandus (Schneider,1792)**
(Lycaenidae) Synonym(s): *icarius* Esper,1789 nec Rottemburg,1775; *amandus* Schneider,1792
Larval foodplant(s): *Vicia cracca*, *V. villosa*, *V. onobrychoides*, *V. terasperma*, *V. incana*, *V. sibthorpii*, *V. cassubica* (Tolman, 1997); *Vicia kokandica*, *V. costata*,
Medicago romanica (Zhdanko, 1997).
- 3018. Polyommatus (s.str. (Plebicula)) amandus amandus (Schneider,1792)**
(Lycaenidae) Synonym(s): *icarius* Esper,1789 nec Rottemburg,1775;
amandus Schneider,1792.
- 3019. Polyommatus (s.str. (Plebicula)) amandus amurensis (Staudinger,1892)**
(Lycaenidae) Synonym(s): *amurensis* Staudinger,1892
- 3020. Polyommatus (s.str. (Plebicula)) dorylas ([Denis & Schiffermüller],1775)**
(Lycaenidae) Synonym(s): *dorylas* [Denis & Schiffermüller],1775;
hylas Esper,[1778] nec Linnaeus,1758; *argester* Bergsträßer,[1779]; *magna* Balint,1985. Larval
foodplant(s): *Anthyllis vulneraria* (Tolman, 1997).
- 3021. Polyommatus (s.str. (Plebicula)) dorylas dorylas ([Denis & Schiffermüller],1775)**
(Lycaenidae) Synonym(s): *dorylas* [Denis & Schiffermüller],1775;
hylas Esper,[1778] nec Linnaeus,1758; *argester* Bergsträßer,[1779]; *magna* Balint,1985.
- 3022. Polyommatus (s.str. (Plebicula)) escheri (Hübner,[1823])**
(Lycaenidae) Synonym(s): *escheri* Hübner,[1823]; *agestor* Godart,1823. Larval
foodplant(s): *Astragalus monspessulanus*, *A. sempervirens*, *A. exscapus*, *A. incanus* (Tolman,1997).
- 3023. Polyommatus (s.str. (Thersitesia)) thersites (Canterer,[1835])**
(Lycaenidae) Synonym(s): *thersites* Canterer,[1835]; *chapmani* Ball,1914; *meridiana* Verity,1919.
Larval foodplant(s): *Onobrychis caput-galli*, *O.viciifolia*, *O.peduncularis* *O.radiata*
(Weidenhoffer & Vanek,1977; Tolman, 1997; Zhdanko, 1997).

- 3024. Polyommatus (s.str. (Thersitesia)) thersites hypanicus (Obraztsov,1936)** (Lycaenidae) Synonym(s): *hypanica* Obraztsov,1936
- 3025. Polyommatus (s.str. (Thersitesia)) thersites karatshaicus (Obraztsov,1936)** (Lycaenidae) Synonym(s): *karatshaica* Obraztsov,1936
- 3026. Polyommatus (s.str. (Thersitesia)) thersites narzanus (Obraztsov,1936)** (Lycaenidae) Synonym(s): *narzana* Obraztsov,1936
- 3027. Polyommatus (s.str. (Thersitesia)) thersites orientis (Sheljuzhko,1928)** (Lycaenidae) Synonym(s): *orientalis* Chapman,1912 *nec* Staudinger,1901; *orientis* Sheljuzhko,1928.
- 3028. Polyommatus (s.str. (Thersitesia)) thersites rjabovi (Obraztsov,1936)** (Lycaenidae) Synonym(s): *rjabovi* Obraztsov,1936
- 3029. Polyommatus (s.str. (Thersitesia)) thersites zhicharevi (Obraztsov,1936)** (Lycaenidae) Synonym(s): *zhicharevi* Obraztsov,1936
- 3030. Polyommatus (s.str.) boisduvalii (Herrich-Schäffer,[1844])** (Lycaenidae) Synonym(s): *anteros* Boisduval,1840 *nec* Freyer,1839; *boisduvalii* Herrich-Schäffer,[1844] Larval foodplant(s): *Chamaecytisus ruthenicus* (Tusov et al.,2000)
- 3031. Polyommatus (s.str.) boisduvalii krziwitskyi Koçak & Kemal,2001** (Lycaenidae) Synonym(s): *orientalis* Krziwitsky,1983 *nec* Stgr.,1901; *krziwitskyi* Koçak & Kemal,2001
- 3032. Polyommatus (s.str.) eroides (Frivaldsky,1835)** (Lycaenidae) Synonym(s): *eroides* Frivaldsky,1835 Larval foodplant(s): *Genista depressa* (Tolman,1997)
- 3033. Polyommatus (s.str.) eros taimyrensis Korshunov,1982** (Lycaenidae) Synonym(s): *taimyrensis* Korshunov,1982
- 3034. Polyommatus (s.str.) erotides (Staudinger,1892)** (Lycaenidae) Synonym(s): *erotides* Staudinger,1892
- 3035. Polyommatus (s.str.) erotides erotides (Staudinger,1892)** (Lycaenidae) Synonym(s): *erotides* Staudinger,1892
- 3036. Polyommatus (s.str.) icadius (Groum-Grshimailo,1890)** (Lycaenidae) Synonym(s): *icadius* Groum-Grshimailo,1890 Larval foodplant(s): *Cicer songaricum*, *C. flexuosum* (Zhdanko, 1997).
- 3037. Polyommatus (s.str.) icadius cicero Ivonin & Kosterin,2001** (Lycaenidae) Synonym(s): *cicero* Ivonin & Kosterin,2001
- 3038. Polyommatus (s.str.) icarus (Rottemburg,1775)** (Lycaenidae) Synonym(s): *argus* Poda,1761 *nec* Linn.,1758; *alexis* Scopoli,1763 *nec* Pda,1761; *thetis* Esper,1777 *nec* Dru.,1773; *icarus* Rottemburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779; *candaon* Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fusciolus* Fourcroy,1785; *icarinus* Scriba,1795; *pusillus* Gerhard,1851; Larval foodplant(s): *Galega*, *Ononis*, *Lotus corniculatus*, *L. lancerottensis*, *Medicago lupulina*, *Trifolium*, *Melilotus*, *Genista*, *Astragalus*, *Astracantha*, *Onobrychis*, *Anthyllis*, *Coronilla* (Tolman, 1997); *Medicago romanica*, *Trifolium repens* (Zhdanko, 1997).
- 3039. Polyommatus (s.str.) icarus ammosovi (Kurentzov,1970)** (Lycaenidae) Synonym(s): *amosovi* Kurentzov,1970
- 3040. Polyommatus (s.str.) icarus icarus (Rottemburg,1775)** (Lycaenidae) Synonym(s): *argus* Poda,1761 *nec* Linn.,1758; *alexis* Scopoli,1763 *nec* Pda,1761; *thetis* Esper,1777 *nec* Dru.,1773; *icarus* Rottemburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779; *candaon* Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fusciolus* Fourcroy,1785; *icarinus* Scriba,1795; *pusillus* Gerhard,1851;
- 3041. Polyommatus (s.str.) icarus korshunovi Gorbunov,1995** (Lycaenidae) Synonym(s): *korshunovi* Gorbunov,1995
- 3042. Polyommatus (s.str.) icarus omelkoi Dubatolov & Korshunov,1995** (Lycaenidae) Synonym(s): *omelkoi* Dubatolov & Korshunov,1995

- 3043. Polyommatus (s.str.) imanishi (Takeuchi,1936)** (Lycaenidae)
Synonym(s): *imanishi Takeuchi,1936*
- 3044. Polyommatus (s.str.) imanishi imanishi (Takeuchi,1936)**
(Lycaenidae) Synonym(s): *imanishi Takeuchi,1936*
- 3045. Polyommatus (s.str.) kaabaki Korb,2000** (Lycaenidae) Synonym(s):
kaabaki Korb,2000
- 3046. Polyommatus (s.str.) kaabaki kaabaki Korb,2000** (Lycaenidae)
Synonym(s): *kaabaki Korb,2000*
- 3047. Polyommatus (s.str.) kamtschadalis (Sheljuzhko,1933)** (Lycaenidae)
Synonym(s): *kamtschadalis Sheljuzhko,1933*
- 3048. Polyommatus (s.str.) kamtschadalis kamtschadalis (Sheljuzhko,1933)** (Lycaenidae) Synonym(s): *kamtschadalis Sheljuzhko,1933*
- 3049. Polyommatus (s.str.) kamtschadalis taimyrensis Korshunov,1982**
(Lycaenidae) Synonym(s): *taimyrensis Korshunov,1982*
- 3050. Polyommatus (s.str.) meoticus Zhdanko & Stshurov,1998**
(Lycaenidae) Synonym(s): *meoticus Zhdanko & Stshurov,1998* *Astragalus demetrii*
(Zhdanko & Stshurov,1998).
- 3051. Polyommatus (s.str.) meoticus meoticus Zhdanko & Stshurov,1998**
(Lycaenidae) Synonym(s): *meoticus Zhdanko & Stshurov,1998*
- 3052. Polyommatus (s.str.) persicus (Bienert,1870)** (Lycaenidae)
Synonym(s): *persica Bienert,1870; bienerti Balint,[1993]*. Larval foodplant(s): *Trifolium*,
Medicago (Zhdanko, pers.com.).
- 3053. Polyommatus (s.str.) persicus szabokyi (Balint,1990)** (Lycaenidae)
Synonym(s): *szabokyi Balint,1990; korshunovi Gorbunov,1995*.
- 3054. Polyommatus (s.str.) tshetverikovi Nekrutenko,1977** (Lycaenidae)
Synonym(s): *tshetverikovi Nekrutenko,1977*
- 3055. Polyommatus (s.str.) tshetverikovi tshetverikovi Nekrutenko,1977**
(Lycaenidae) Synonym(s): *tshetverikovi Nekrutenko,1977*
- 3056. Polyommatus (s.str.) tsvetaevi (Kurenzov,1970)** (Lycaenidae)
Synonym(s): *tsvetaevi Kurenzov,1970*
- 3057. Polyommatus (s.str.) tsvetaevi tsvetaevi (Kurenzov,1970)**
(Lycaenidae) Synonym(s): *tsvetaevi Kurenzov,1970*
- 3058. Protantigius superans (Oberthür,1914)** (Lycaenidae) Synonym(s):
superans Oberthür,1914
- 3059. Protantigius superans superans (Oberthür,1914)** (Lycaenidae)
Synonym(s): *superans Oberthür,1914*
- 3060. Pseudophilotes jacuticus Korshunov & Viidalepp,1980** (Lycaenidae)
Synonym(s): *jacuticus Korshunov & Viidalepp,1980*
- 3061. Pseudophilotes jacuticus jacuticus Korshunov & Viidalepp,1980**
(Lycaenidae) Synonym(s): *jacuticus Korshunov & Viidalepp,1980*
- 3062. Pseudophilotes vicrama (Moore,1865)** (Lycaenidae) Synonym(s): *vicrama*
Moore,1865 Larval foodplant(s): *Thymus serpyllum* (Kumakov & Korshunov,
1979); *Thymus longicaulis chaubardii*, *T. glabrescens*, *T. (?) comptus*, *T. ocheus*, *T.*
striatus / *atticus*, *Satureja montana*, *S. thymbra* (Tolman, 1997); *Thymus*
marschallianus (Zhdanko, 1997).
- 3063. Pseudophilotes vicrama astabene (Hemming,1932)** (Lycaenidae)
Synonym(s): *clara Staudinger,1901; astabene Hemming,1932*
- 3064. Pseudophilotes vicrama schiffermuelleri (Hemming,1929)**
(Lycaenidae) Synonym(s): *hylas Denis & Schiffermüller,1775 nec Linn.,1758; schiffermuelleri*
Hemming,1929.

- 3065. *Quercusia quercus* (Linnaeus,1758)** (Lycaenidae) Synonym(s): *quercus* Linnaeus,1758 Larval foodplant(s): *Quercus robur*, *Q. ilex*, *Q. coccifera*, *Q. petraea*, *Q. cerris*, *Q. pubescens* (Tolman,1997).
- 3066. *Quercusia quercus quercus* (Linnaeus,1758)** (Lycaenidae) Synonym(s): *quercus* Linnaeus,1758; *longicauda* Riley,1921
- 3067. *Rapala arata* (Bremer,1861)** (Lycaenidae) Synonym(s): *arata* Bremer,1861
- 3068. *Rapala arata arata* (Bremer,1861)** (Lycaenidae) Synonym(s): *arata* Bremer,1861
- 3069. *Rubrapterus bavius* (Eversmann,1832)** (Lycaenidae) Synonym(s): *bavius* Eversmann,1832 Larval foodplant(s): *Salvia nutans*, *S. officinalis*, *S. verbenaca* (Tolman,1997).
- 3070. *Rubrapterus bavius bavius* (Eversmann,1832)** (Lycaenidae) Synonym(s): *bavius* Eversmann,1832
- 3071. *Satyrium (Nordmannia) acaciae* (Fabricius,1787)** (Lycaenidae) Synonym(s): *acaciae* Fabricius,1787; *nostras* Courvoisier,1913; *guichardi* Higgins,1965. Larval foodplant(s): *Prunus spinosa* (Tolman, 1997).
- 3072. *Satyrium (Nordmannia) acaciae acaciae* (Fabricius,1787)** (Lycaenidae) Synonym(s): *acaciae* Fabricius,1787; *nostras* Courvoisier,1913; *guichardi* Higgins,1965.
- 3073. *Satyrium (Nordmannia) herzi* (Fixsen,1887)** (Lycaenidae) Synonym(s): *herzi* Fixsen,1887
- 3074. *Satyrium (Nordmannia) herzi herzi* (Fixsen,1887)** (Lycaenidae) Synonym(s): *herzi* Fixsen,1887
- 3075. *Satyrium (Nordmannia) ilicis* (Esper,[1779])** (Lycaenidae) Synonym(s): *ilicis* Esper,[1779] Larval foodplant(s): *Quercus coccifera*, *Q. ilex*, *Q. robur* (Tolman, 1997); *Quercus pubescens* (Koçak, in litt.).
- 3076. *Satyrium (Nordmannia) ilicis ilicis* (Esper,[1779])** (Lycaenidae) Synonym(s): *ilicis* Esper,[1779]; *linceus* Fabr.,1787; *caudatula* Zeller,1847; *bischoffii* Gerhard,1850; *cilicica* Holtz,1897; *syra* Pfeiffer,1932; *prinoptas* Zerny,1932.
- 3077. *Satyrium (Nordmannia) latior* (Fixsen,1887)** (Lycaenidae) Synonym(s): *latior* Fixsen,1887
- 3078. *Satyrium (Nordmannia) latior latior* (Fixsen,1887)** (Lycaenidae) Synonym(s): *latior* Fixsen,1887
- 3079. *Satyrium (Strymonidia) pruni* (Linnaeus,1758)** (Lycaenidae) Synonym(s): *pruni* Linnaeus,1758 Larval foodplant(s): *Prunus spinosa* (Tolman,1997).
- 3080. *Satyrium (Strymonidia) pruni pruni* (Linnaeus,1758)** (Lycaenidae) Synonym(s): *pruni* Linnaeus,1758 Larval foodplant(s): *Prunus spinosa* (Tolman,1997).
- 3081. *Satyrium (Strymonidia) prunoides* (Staudinger,1887)** (Lycaenidae) Synonym(s): *prunoides* Staudinger,1887
- 3082. *Satyrium (Strymonidia) prunoides prunoides* (Staudinger,1887)** (Lycaenidae) Synonym(s): *prunoides* Staudinger,1887
- 3083. *Satyrium (Strymonidia) spini* (Fabricius,1787)** (Lycaenidae) Synonym(s): *#spini* [Denis & Schiffermüller],1775; *lynceus* Esper,[1779] *nec* Drury,1773; *spini* Fabricius,1787; *cerasi* Herbst,1804 *nec* Fabricius,1787; *#albosparsa* Oberthür,1910; *anatolicus* De Lattin,1950. Larval foodplant(s): *Rhamnus alaternus*, *R. lycioides*, *R. alpinus*, *Paliurus spina-christi* (Tolman, 1997).
- 3084. *Satyrium (Strymonidia) spini spini* (Fabricius,1787)** (Lycaenidae) Synonym(s): *#spini* [Denis & Schiffermüller],1775; *lynceus* Esper,[1779] *nec* Drury,1773; *spini* Fabricius,1787; *cerasi* Herbst,1804 *nec* Fabricius,1787; *melantho* Klug,1834; *#albosparsa* Oberthür,1910; *anatolicus* De Lattin,1950.

- 3085. Satyrium (Strymonidia) w-album (Knoch,1782)** (Lycaenidae)
Synonym(s): *w-album* Knoch,1782; *cerasi* Fabricius,1787; *majuscula* Jachontov,1911. Larval foodplant(s): *Ulmus glabra* (Tolman, 1997).
- 3086. Satyrium (Strymonidia) w-album w-album (Knoch,1782)** (Lycaenidae) Synonym(s): *w-album* Knoch,1782; *cerasi* Fabricius,1787; *majuscula* Jachontov,1911.
- 3087. Scolitantides orion (Pallas,1771)** (Lycaenidae) Synonym(s): *orion* Pallas,1771; *battus* Denis & Schiffermüller,1775; *telephii* Esper,1779; *sedi* Fabricius,1781; *hecateus* Drapiez,1819; *metioche* Fruhstorfer,1910; *lariana* Fruhstorfer,1910; *micrometioche* Verity,1943. Larval foodplant(s): *Sedum album* (Tolman, 1997); *Sedum hybridum* (Zhdanko, 1997).
- 3088. Scolitantides orion orion (Pallas,1771)** (Lycaenidae) Synonym(s): *orion* Pallas,1771; *battus* Denis & Schiffermüller,1775; *telephii* Esper,1779; *sedi* Fabricius,1781; *hecateus* Drapiez,1819; *metioche* Fruhstorfer,1910; *lariana* Fruhstorfer,1910; *micrometioche* Verity,1943.
- 3089. Scolitantides orion orithyia (Groum-Grshimailo,1892)** (Lycaenidae)
Synonym(s): *ornata* Staudinger,1892 *nec* Mabille,1890 *non* Staudinger,1892; *orithyia* Groum-Grshimailo,1892; *coreana* Matsumura,1926; *athene* Hemming,1934; *johanseni* Wnukowsky,1935; *#dageletensis* Seok,1938.
- 3090. Scolitantides orion ultraornata Verity,1937** (Lycaenidae) Synonym(s): *ultraornata* Verity,1937
- 3091. Shijimiaeoides divina (Fixsen,1887)** (Lycaenidae) Synonym(s): *divina* Fixsen,1887
- 3092. Shijimiaeoides divina divina (Fixsen,1887)** (Lycaenidae) Synonym(s): *divina* Fixsen,1887
- 3093. Shirozua jonasi (Janson,1887)** (Lycaenidae) Synonym(s): *jonasi* Janson,1887
- 3094. Shirozua jonasi jonasi (Janson,1887)** (Lycaenidae) Synonym(s): *jonasi* Janson,1887
- 3095. Thecla betulae (Linnaeus,1758)** (Lycaenidae) Synonym(s): *betulae* Linnaeus,1758; *apelles* De Villers,1789; *spinosae* Gerhard,[1850]. Larval foodplant(s): *Prunus spinosa*, *Padus avium*, *P. asiatica*, *Armeniaca mandshurica*, *Corylus avellana*, *Crataegus monogyna* (Kumakov & Korshunov, 1979; Dantchenko et al., 1995; Tolman,1997).
- 3096. Thecla betulae betulae (Linnaeus,1758)** (Lycaenidae) Synonym(s): *betulae* Linnaeus,1758; *apelles* De Villers,1789; *spinosae* Gerhard,[1850].
- 3097. Thecla betulina Staudinger,1887** (Lycaenidae) Synonym(s): *betulina* Staudinger,1887
- 3098. Thecla betulina betulina Staudinger,1887** (Lycaenidae) Synonym(s): *betulina* Staudinger,1887
- 3099. Tomares (nogelii) nogelii (Freyer,[1851])** (Lycaenidae) Synonym(s): *#nogelii* Herrich-Schäffer,[1851]; *nogelii* Freyer,[1851]; *nogelii* Herrich-Schäffer,[1852] Larval foodplant(s): *Astragalus ponticus* (Tolman,1997).
- 3100. Tomares callimachus (Eversmann,1848)** (Lycaenidae) Synonym(s): *callimachus* Eversmann,1848 Larval foodplant(s): *Onobrychis radiata* (Weidenhoffer & Vanek,1977); *Astragalus macropterus* (Zhdanko, 1997).
- 3101. Tomares callimachus callimachus (Eversmann,1848)** (Lycaenidae)
Synonym(s): *callimachus* Eversmann,1848
- 3102. Tongeia fischeri (Eversmann,1843)** (Lycaenidae) Synonym(s): *fischeri* Eversmann,1843 *Orostachis spinosa* (Zhdanko, 1997).
- 3103. Tongeia fischeri fischeri (Eversmann,1843)** (Lycaenidae) Synonym(s): *fischeri* Eversmann,1843
- 3104. Wagimo signata (Butler,1882)** (Lycaenidae) Synonym(s): *signata* Butler,1882
- 3105. Wagimo signata signata (Butler,1882)** (Lycaenidae) Synonym(s): *signata* Butler,1882
- 3106. Arctornis l-nigrum (Müller,1764)** (Lymantriidae) Synonym(s): *l-nigrum* Müller,1764; *v-nigrum* Fabricius,1775; *nivosa* [Denis & Schiffermüller],1775; *vaunigra* Stephens,1828
- 3107. Calliteara lunulata (Butler,1877)** (Lymantriidae) Synonym(s): *lunulata* Butler,1877

- 3108. *Calliteara pudibunda* (Linnaeus,1758)** (Lymantriidae) Synonym(s): *pudibunda* Linnaeus,1758; *scopularia* Linnaeus,1758; *jutica* Müller,1764; *porrectaalba* Retzius,1783; *grandi* Lorkovic,1930
- 3109. *Cifuna eurydice* (Butler,1885)** (Lymantriidae) Synonym(s): *eurydice* Butler,1885; *amata* Staudinger,1887; *ornata* Swinhoe,1923
- 3110. *Cifuna jankowskii* (Oberthür,1884)** (Lymantriidae) Synonym(s): *jankowskii* Oberthür,1884
- 3111. *Cifuna locuples* Walker,1855** (Lymantriidae) Synonym(s): *locuples* Walker,1855
- 3112. *Cifuna locuples confusa* (Bremer,1861)** (Lymantriidae) Synonym(s): *confusa* Bremer,1861
- 3113. *Dasychira sachalinensis* Matsumura,1931** (Lymantriidae) Synonym(s): *sachalinensis* Matsumura,1931
- 3114. *Dasychira virginea* Oberthür,1879** (Lymantriidae) Synonym(s): *virginea* Oberthür,1879
- 3115. *Dicallomera fascelina* (Linnaeus,1758)** (Lymantriidae) Synonym(s): *fascelina* Linnaeus,1758; *medicaginis* Hübner,[1803]; *danieli* De Freina,1979.
- 3116. *Euproctis chrysorrhoea* (Linnaeus,1758)** (Lymantriidae) Synonym(s): *chrysorrhoea* Linnaeus,1758; *phaeorrhoeus* Haworth,1803 Larval foodplant(s): *Quercus* (Fagaceae), *Alnus* (Betulaceae) (Linnaeus,1758).
- 3117. *Euproctis karghalica* Moore,1878** (Lymantriidae) Synonym(s): *karghalica* Moore,1878; *#kargalica* Grum-Grshimailo,1886; *flavosulphurea* Grum-Grshimailo,1886; *#karghalica* Strand,1910; *#deornata* Ebert,1968
- 3118. *Euproctis niphonis* (Butler,1881)** (Lymantriidae) Synonym(s): *niphonis* Butler,1881; *squamosa* Butler,1881; *raddei* Staudinger,1887; *kuronis* Maustumura,1933
- 3119. *Euproctis piperita* (Oberthür,1880)** (Lymantriidae) Synonym(s): *piperita* Oberthür,1880; *snelleni* Staudinger,1887; *staudingeri* Matsumura,1909 nec Lch.,1888
- 3120. *Euproctis similis* (Fuessly,1775)** (Lymantriidae) Synonym(s): *similis* Fuessly,1775; *auriflua* [Denis & Schiffermüller],1775; *cygnea* Thunberg,1788; *rebeli* Habermayer,1902.
- 3121. *Euproctis subflava* (Bremer,1864)** (Lymantriidae) Synonym(s): *flava* Bremer,1861 nec Fabr.,1775; *subflava* (Bremer,1864
- 3122. *Gynaephora selenitica* (Esper,[1789])** (Lymantriidae) Synonym(s): *paradoxa* Fabricius,1787 nec Retz.,1783; *selenitica* Esper,[1789]; *lathyri* Hübner,[1803].
- 3123. *Laelia coenosa* (Hübner,[1808])** (Lymantriidae) Synonym(s): *coenosa* Hübner,[1808]
- 3124. *Leucoma ochropoda* (Eversmann,1847)** (Lymantriidae) Synonym(s): *ochropoda* Eversmann,1847
- 3125. *Leucoma salicis* (Linnaeus,1758)** (Lymantriidae) Synonym(s): *salicis* Linnaeus,1758; *apparens* Retzius,1783; *salicinus* Haworth,1803; *xanthocampa* Dyar,1905; *coreacola* Matsumura,1933; *sjoquisti* Bryk,1942; *variabilis* Bryk,1949
- 3126. *Leucoma salicis candida* Staudinger,1892** (Lymantriidae) Synonym(s): *candida* Staudinger,1892
- 3127. *Leucoma salicis salicis* (Linnaeus,1758)** (Lymantriidae) Synonym(s): *salicis* Linnaeus,1758; *apparens* Retzius,1783; *salicinus* Haworth,1803; *xanthocampa* Dyar,1905; *coreacola* Matsumura,1933; *sjoquisti* Bryk,1942; *variabilis* Bryk,1949
- 3128. *Lymantria dispar* (Linnaeus,1758)** (Lymantriidae) Synonym(s): *dispar* Linnaeus,1758; *disparina* Müller,1802; *japonica* Motschulsky,1860; *disparoides* Mabille,1876; *bordigalensis* Mabille,1876; *asiatica* Wnukowsky,1926
- 3129. *Lymantria monacha* (Linnaeus,1758)** (Lymantriidae) Synonym(s): *monacha* Linnaeus,1758; *heteroclitia* Müller,1764; *chosenibia* Bryk,1949; *matuta* Bryk,1949; *idae* Bryk,1949
- 3130. *Numenes disparilis* Staudinger,1887** (Lymantriidae) Synonym(s): *disparilis* Staudinger,1887; *separata* Leech,1890; *hayashii* Matsumura,1911
- 3131. *Ocneria rubea* ([Denis & Schiffermüller],1775)** (Lymantriidae) Synonym(s): *#rubea* [Denis & Schiffermüller],1775 Larval foodplant(s): *Quercus* ([Denis & Schiffermüller],1775 et seq.).
- 3132. *Orgyia antiqua* (Linnaeus,1758)** (Lymantriidae) Synonym(s): *antiqua* Linnaeus,1758; *gonostigma* Scopoli,1763; *paradoxa* Retzius,1783; *modesta* Heyne,1899; *manchurica* Matsumura,1931;

- 3133. Orgyia antiqua zimmermanni Graeser,1888** (Lymantriidae)
Synonym(s): *zimmermanni* Graeser,1888
- 3134. Orgyia antiquiodes (Hübner,1822)** (Lymantriidae) Synonym(s):
antiquiodes Hübner,1822; *ericae* Germar,1824
- 3135. Orgyia dubia (Tauscher,1806)** (Lymantriidae) Synonym(s): *dubia*
Tauscher,1806 Larval foodplant(s): *Polygonum aviculare* (Polygonaceae);
Chenopodium, *Atriplex halimus* (Chenopodiaceae), *Kochia prostata*, *Astragalus*
(Koçak in litt.; De Freina,1983,1999).
- 3136. Orgyia dubia dubia (Tauscher,1806)** (Lymantriidae) Synonym(s): *dubia*
Tauscher,1806
- 3137. Orgyia flavolimbata Staudinger,1881** (Lymantriidae) Synonym(s):
flavolimbata Staudinger,1881; *tristis* Grun-Grshimailo,1891
- 3138. Orgyia recens (Hübner,[1819])** (Lymantriidae) Synonym(s): *recens*
Hübner,[1819]
- 3139. Parocneria detrita (Esper,[1785])** (Lymantriidae) Synonym(s): *detrita*
Esper,[1785]; *orientalis* Schwingenschuss,1939; *orientis* Daniel,1963
- 3140. Bedellia somnulentella (Zeller,1847)** (Lyonetiidae) Synonym(s):
somnulentella Zeller,1847; *orpheella* Stainton,1849; *convolutella* Heydenreich,1851; *staintoniella*
Clemens,1860; *mnesileuca* Meyrick,1928; *ipomoeae* Bradley,1953 Larval foodplant(s):
Calystegia sepium, *Convolvulus arvensis*, *Ipomoea somnulenta*, *I. batatas*
(Convolvulaceae) (Zeller,1847; Hering,1957; et seq.).
- 3141. Leucoptera heringiella Toll,1938** (Lyonetiidae) Synonym(s): *heringiella*
Toll,1938 Larval foodplant(s): *Cytisus austriacus*, *C. hirsutus*, *C. ratisbonensis*,
C. supinus, *Lembotropis nigricans* (Mey,1994).
- 3142. Leucoptera laburnella (Stainton,1851)** (Lyonetiidae) Synonym(s):
laburnella Stainton,1851; *wailesella* Stainton,1858; *cytisella* Amsel,1939 Larval foodplant(s):
Laburnum anagyroides, *L. alpinum*, *L. coggyria*, *Petteria ramentacea*, *Genista*
tinctoria, *Astragalus* sp. (Stainton,1851; et seq.).
- 3143. Leucoptera lustratella (Herrich-Schäffer,1855)** (Lyonetiidae)
Synonym(s): *lustratella* Herrich-Schäffer,1855 Larval foodplant(s): *Hypericum*
hirsutum, *H. perforatum*, *H. montanum* (Mey,1994).
- 3144. Leucoptera malifoliella (Costa,[1836])** (Lyonetiidae) Synonym(s):
malifoliella Costa,[1836]; *scitella* Zeller,1839. Larval foodplant(s): *Alnus incana*, *Betula*
pendula, *B. pubescens* (Betulaceae); *Amelanchier ovalis*, *Cerasus avium*,
C. fruticosa, *C. vulgaris*, *Cotoneaster integerrimus*, *Crataegus monogyna*, *Cydonia*
oblonga, *Malus domestica*, *M. sylvestris*, *Sorbus aucuparia*, *Prunus domestica*,
P. spinosa, *Pyrus communis* (Rosaceae) (Mey,1994).
- 3145. Leucoptera sinuella (Reutti,1853)** (Lyonetiidae) Synonym(s): *sinuella*
Reutti,1853; *susinella* Herrich-Schäffer,1854 Larval foodplant(s): *Populus alba*, *P. tremula*,
P. nigra, *P. canadensis*, *Salix fragilis* (Salicaceae) (Mey,1994).
- 3146. Leucoptera spartifoliella (Hübner,[1813])** (Lyonetiidae) Synonym(s):
spartifoliella Hübner,[1813]; *punctaurella* Haworth,1828; *cytisanthi* Deschka,1972 Larval
foodplant(s): *Sarothamnus scoparius*, *S. pateus*, *Cytisanthus radiatus* (Mey,1994).
- 3147. Lyonetia clerkella (Linnaeus,1758)** (Lyonetiidae) Synonym(s): *clerkella*
Linnaeus,1758; *penicilla* Borkhausen,1794; *cerasifoliella* Hübner,1796; *malifoliella* Hübner,1796; *malella*
Schrank,1802; *autumnella* Curtis,1829; *unipunctella* Stephens,1829; *semiaurella* Stephens,1829; *nivella*
Stephens,1829; *aereella* Treitschke,1833; *phrynella* Costa,[1836]; *fonscolombella* Duponchel,[1840];
magnimaculella Bruand,1859 Larval foodplant(s): *Amelanchier*, *Betula*, *Chaenomeles*,
Crataegus, *Cydonia*, *Malus*, *Mespilus*, *Prunus*, *Pyrus*, *Pyracantha*, *Humulus*,
Ribes, *Salix*, *Sorbus*, *Cotoneaster*, *Castaneus*, *Cerasus laurocerasus* (Rosaceae)
(Hering,1957; et seq.).
- 3148. Lyonetia ledi Wocke,1859** (Lyonetiidae) Synonym(s): *ledii* Wocke,1859; *candida*
Braun,1916

- 3149. Lyonetia prunifoliella (Hübner,1796)** (Lyonetiidae) Synonym(s): *prunifoliella* Hübner,1796; *padifoliella* Hübner,[1813]; *sittaepenella* Hübner,[1825]; *acerifoliella* Curtis,1850 Larval foodplant(s): Chaenomeles, Cotoneaster, Crataegus, Cydonia, Malus, Mespilus, Prunus, Pyrus, Sorbus, Persica, Amygdalus (Rosaceae); Betula (Betulaceae) (Hering,1957 et seq.).
- 3150. Lyonetia pulverulentella Zeller,1839** (Lyonetiidae) Synonym(s): *pulverulentella* Zeller,1839
- 3151. Lypusa maurella ([Denis & Schiffermüller],1775)** (Lypusidae) Synonym(s): *maurella* [Denis & Schiffermüller],1775
- 3152. Micropterix aruncella (Scopoli,1763)** (Micropterigidae) Synonym(s): *aruncella* Scopoli,1763; *seppella* Fabricius,1787; *podevinella* Hübner,[1813]; *concinella* Stephens,1834; *eximiella* Zeller,1850; *atricapila* Wocke,1877; *nuraghella* Amsel,1936
- 3153. Micropterix aureatella (Scopoli,1763)** (Micropterigidae) Synonym(s): *aureatella* Scopoli,1763; *ammanella* Hübner,[1813]; *allionella* sensu Stainton,1850
- 3154. Micropterix calthella (Linnaeus,1761)** (Micropterigidae) Synonym(s): *calthella* Linnaeus,1761; *urticella* Costa,[1836]; *sulcatella* Bentley,1845; *silesiaca* Toll,1942
- 3155. Micropterix mansuetella (Zeller,1844)** (Micropterigidae) Synonym(s): *mansuetella* Zeller,1844
- 3156. Micropterix maschukella Alpheraky,1876** (Micropterigidae) Synonym(s): *maschukella* Alpheraky,1876 Adults feed on pollen of Sambucus nigra (Koçak).
- 3157. Micropterix montosiella Zagulyaev,1983** (Micropterigidae) Synonym(s): *montosiella* Zagulyaev,1983
- 3158. Mirina christophi Staudinger,1887** (Mirinidae) Synonym(s): *christophi* Staudinger,1887 Larval foodplant(s): Lonicera, Veigella (ex Graeser, Seitz,1911; Zolotuhin & Witt,2000).
- 3159. Coccidiphila gerasimovi Danilevsky,1950** (Mompidae) Synonym(s): *gerasimovi* Danilevsky,1950 Larval foodplant(s): Pseudococcus maritimus, Lecanium prunastri (Homoptera, Coccoidea) (Riedl,1969).
- 3160. Mompha (Anybia) epilobiella (Roemer,1794)** (Mompidae) Synonym(s): *epilobiella* Roemer,1794; *langiella* Hübner,1796; *niveipunctella* Stainton,1849; *fulicella* Herrich-Schäffer,1853. Larval foodplant(s): Chamaenrion angustifolium, Epilobium montanum, E. hirsutum, E. palustre (Riedl,1969).
- 3161. Mompha (Cyphophora) idaei (Zeller,1839)** (Mompidae) Synonym(s): *idaei* Zeller,1839; *idaella* Duponchel,[1845]; *grandisella* Chambers,1875; *tricristella* Chambers,1875; *subiridescens* Walsingham,1882; *polaris* Sinev,1986 Larval foodplant(s): Chamaenrion angustifolium, Epilobium spicatum (Riedl,1969).
- 3162. Mompha (Lophoptilus) miscella ([Denis & Schiffermüller],1775)** (Mompidae) Synonym(s): *miscella* [Denis & Schiffermüller],1775; *staintoni* Sircom,1848; *opacella* Müller-Rutz,1934. Larval foodplant(s): Helianthemum vulgare, H. polifolium, H. ovatum (Riedl,1969).
- 3163. Mompha (Psacaphora) locupletella ([Denis & Schiffermüller],1775)** (Mompidae) Synonym(s): *locupletella* [Denis & Schiffermüller],1775; *schrunkella* Hübner,1805; *quadrilobella* Herrich-Schäffer,1853. Larval foodplant(s): Chamaenrion angustifolium, Epilobium montanum, E. alpinum, E. palustre, E. alpestre (Riedl,1969).
- 3164. Mompha (Psacaphora) raschkiella (Zeller,1839)** (Mompidae) Synonym(s): *raschkiella* Zeller,1839 Larval foodplant(s): Chamaenrion angustifolium, Epilobium hirsutum, E. spicatum (Riedl,1969).
- 3165. Mompha (Psacaphora) sexstrigella (Braun,1921)** (Mompidae) Synonym(s): *sexstrigella* Braun,1921; *complexa* Svensson,1982 Larval foodplant(s): Chamaenrion angustifolium (Svensson,1982).
- 3166. Mompha (Psacaphora) terminella (Humphreys & Westwood,1845)** (Mompidae) Synonym(s): *terminella* Humphreys & Westwood,1845; *patriciella* Stainton,1849;

- chrysargyrella* Herrich-Schäffer,[1854]; *engelella* Busck,1906 Larval foodplant(s): *Circaea lutetiana*, *C.alpina* (Riedl,1969; et seq.).
- 3167. Mompha (s.str.) conturbatella (Hübner,[1819])** (Mompidae)
Synonym(s): *conturbatella* Hübner,[1819]; *elegantella* Zetterstedt,[1839] Larval foodplant(s): *Chamaenerion angustifolium*, *Epilobium montanum*, *E. spicatum* (Riedl,1969).
- 3168. Mompha (s.str.) divisella Herrich-Schäffer,1854** (Mompidae)
Synonym(s): *divisella* Herrich-Schäffer,1854; *decorella* Stainton,1854. Larval foodplant(s): *Epilobium montanum*, *E. palustre*, *E. lanceolatum*, *Chamaenerion angustifolium* (Riedl,1969).
- 3169. Mompha (s.str.) fulvescens (Haworth,[1828])** (Mompidae)
Synonym(s): *#epilobiella* [Denis & Schiffermüller],1775; *epilobiella* Schrank,1802 nec Roemer,1794; *fulvescens* Haworth,[1828]; *nebulella* Stephens,1834. Larval foodplant(s): *Epilobium hirsutum*, *E. palustre*, *E. parviflorum* ([Denis & Schiffermüller],1775; Riedl,1969).
- 3170. Mompha (s.str.) lacteella (Stephens,1834)** (Mompidae) Synonym(s): *lacteella* Stephens,1834; *gibbiferella* Zeller,1839; *basipallidella* Stainton,1849 Larval foodplant(s): *Epilobium hirsutum*, *E. montanum* (Riedl,1969).
- 3171. Mompha (s.str.) meritionella Koster & Sinev,2003** (Mompidae)
Synonym(s): *meritionella* Koster & Sinev,2003
- 3172. Mompha (s.str.) ochraceella (Curtis,1839)** (Mompidae) Synonym(s): *ochraceella* Curtis,1839 Larval foodplant(s): *Epilobium hirsutum* (Riedl,1969).
- 3173. Mompha (s.str.) propinquella (Stainton,1851)** (Mompidae)
Synonym(s): *propinquella* Stainton,1851; *paludicolella* Doubleday,1859 Larval foodplant(s): *Epilobium hirsutum*, *E.montanum*, *E.palustre* (Stainton,1870 et seq.).
- 3174. Mompha (s.str.) sturnipennella (Treitschke,1833)** (Mompidae)
Synonym(s): *sturnipennella* Treitschke,1833; *permutatella* Herrich-Schäffer,1853; *nodicolella* Fuchs,1902. Larval foodplant(s): *Chamaenerion angustifolium* (Riedl,1969).
- 3175. Mompha (s.str.) subbistrigella (Haworth,[1828])** (Mompidae)
Synonym(s): *subbistrigella* Haworth,[1828] Larval foodplant(s): *Epilobium montanum*, *E. palustre*, *E. parviflorum*, *Chamaenerion angustifolium* (Riedl,1969).
- 3176. Bohemannia pulverosella (Stainton,1849)** (Nepticulidae) Synonym(s): *pulverosella* Stainton,1849
- 3177. Ectoedemia (Etainia) decentella (Herrich-Schäffer,1855)** (Nepticulidae) Synonym(s): *decentella* Herrich-Schäffer,1855
- 3178. Ectoedemia (Etainia) lousella (Sircom,1849)** (Nepticulidae)
Synonym(s): *lousella* Sircom,1849 Larval foodplant(s): *Acer campestre* (Sircom,1849).
- 3179. Ectoedemia (Etainia) sericopeza (Zeller,1839)** (Nepticulidae)
Synonym(s): *sericopeza* Zeller,1839 Larval foodplant(s): *Acer platanoides* (Zeller,1839).
- 3180. Ectoedemia (Fomoria) hypericifolia (Kuroko,1982)** (Nepticulidae)
Synonym(s): *hypericifolia* Kuroko,1982 Larval foodplant(s): *Hypericum attenuatum*, *H. ascyron*, *H. erectum* (Hypericaceae) (Kuroko,1982).
- 3181. Ectoedemia (Fomoria) permira (Puplesis,1984)** (Nepticulidae)
Synonym(s): *permira* Puplesis,1984 Larval foodplant(s): *Hypericum attenuatum* (Hypericaceae) (Nieukerken,2008).
- 3182. Ectoedemia (Fomoria) septembrella (Stainton,1849)** (Nepticulidae)
Synonym(s): *septembrella* Stainton,1849 Larval foodplant(s): *Hypericum nummularium*, *H. undulatum* (Hypericaceae) (Nieukerken et al.,2004).

- 3183. Ectoedemia (Fomoria) weaveri (Stainton,1855)** (Nepticulidae)
Synonym(s): *weaveri* Stainton,1855 Larval foodplant(s): *Vaccinium vitis-idaea* (Ericaceae) (Nieukerken,2008).
- 3184. Ectoedemia (Zimmermannia) atrifrontella (Stainton,1851)** (Nepticulidae) Synonym(s): *atrifrontella* Stainton,1851
- 3185. Ectoedemia (Zimmermannia) longicaudella Klimesch,1953** (Nepticulidae) Synonym(s): *longicaudella* Klimesch,1953
- 3186. Ectoedemia (s.str.) agrimoniae (Frey,1858)** (Nepticulidae) Synonym(s): *agrimoniae* Frey,1858
- 3187. Ectoedemia (s.str.) albifasciella (Heinemann,1871)** (Nepticulidae)
Synonym(s): *albifasciella* Heinemann,1871 Larval foodplant(s): *Quercus pyrenaica* (Fagaceae) (Nieukerken et al.,2004).
- 3188. Ectoedemia (s.str.) angulifasciella (Stainton,1849)** (Nepticulidae)
Synonym(s): *angulifasciella* Stainton,1849 Larval foodplant(s): *Rosa* (Rosaceae) (Nieukerken et al.,2004).
- 3189. Ectoedemia (s.str.) arcuatella (Herrich-Schäffer,1855)** (Nepticulidae)
Synonym(s): *arcuatella* Herrich-Schäffer,1855
- 3190. Ectoedemia (s.str.) argyropeza (Zeller,1839)** (Nepticulidae)
Synonym(s): *argyropeza* Zeller,1839
- 3191. Ectoedemia (s.str.) atricollis (Stainton,1857)** (Nepticulidae)
Synonym(s): *atricollis* Stainton,1857
- 3192. Ectoedemia (s.str.) caradjai (M.Hering,1932)** (Nepticulidae)
Synonym(s): *caradjai* M.Hering,1932 Larval foodplant(s): *Quercus pyrenaica* (Fagaceae) (Nieukerken et al.,2004).
- 3193. Ectoedemia (s.str.) contorta Van Nieukerken,1985** (Nepticulidae)
Synonym(s): *contorta* van Nieukerken,1985
- 3194. Ectoedemia (s.str.) hannoverella (Glitz,1872)** (Nepticulidae)
Synonym(s): *hannoverella* Glitz,1872 Larval foodplant(s): *Populus nigra* (Salicaceae) (Nieukerken et al.,2004).
- 3195. Ectoedemia (s.str.) heringi (Toll,1934)** (Nepticulidae) Synonym(s): *heringi* Toll,1934 Larval foodplant(s): *Quercus faginea* (Fagaceae) (Nieukerken et al.,2004).
- 3196. Ectoedemia (s.str.) intimella (Zeller,1848)** (Nepticulidae) Synonym(s): *intimella* Zeller,1848
- 3197. Ectoedemia (s.str.) minimella (Zetterstedt,1839)** (Nepticulidae)
Synonym(s): *minimella* Zetterstedt,1839
- 3198. Ectoedemia (s.str.) occultella (Linnaeus,1767)** (Nepticulidae)
Synonym(s): *occultella* Linnaeus,1767; *flexuosella* Fologne,1861
- 3199. Ectoedemia (s.str.) rubivora (Wocke,1860)** (Nepticulidae) Synonym(s): *rubivora* Wocke,1860
- 3200. Ectoedemia (s.str.) similignea Puplesis,1994** (Nepticulidae)
Synonym(s): *similignea* Puplesis,1994
- 3201. Ectoedemia (s.str.) subbimaculella (Haworth,1828)** (Nepticulidae)
Synonym(s): *subbimaculella* Haworth,1828; *bistrimaculella* Heyden,1861 Larval foodplant(s): *Quercus pyrenaica* (Fagaceae) (Nieukerken et al.,2004).
- 3202. Ectoedemia (s.str.) turbidella (Zeller,1848)** (Nepticulidae) Synonym(s): *turbidella* Zeller,1848
- 3203. Enteucha acetosae (Stainton,1854)** (Nepticulidae) Synonym(s): *acetosae* Stainton,1854 Larval foodplant(s): *Rumex acetosa* (Polygonaceae) (Stainton,1854).
- 3204. Simplimorpha promissa (Staudinger,1871)** (Nepticulidae) Synonym(s): *promissa* Staudinger,1871 Larval foodplant(s): *Pistacia terebinthus* (Agenjo,1964).

- 3205. *Stigmella aceris* (Frey,1857)** (Nepticulidae) Synonym(s): *aceris* Frey,1857; *penicillata* Heinemann & Wocke,1877
- 3206. *Stigmella aeneofasciella* (Herrich-Schäffer,1855)** (Nepticulidae) Synonym(s): *aeneofasciella* Herrich-Schäffer,1855
- 3207. *Stigmella alnetella* (Stainton,1856)** (Nepticulidae) Synonym(s): *alnetella* Stainton,1856 Larval foodplant(s): *Alnus glutinosa* (Stainton,1856).
- 3208. *Stigmella anomalella* (Goeze,1783)** (Nepticulidae) Synonym(s): *anomalella* Goeze,1783; *rubicurrens* Walsingham,1907; *rosarum* Sorhagen,1922; *helbigi* Hartig,1941
- 3209. *Stigmella assimilella* (Zeller,1848)** (Nepticulidae) Synonym(s): *assimilella* Zeller,1848 Larval foodplant(s): *Populus tremula*, *P. alba* (Salicaceae) (Hering,1935, et seq.).
- 3210. *Stigmella atricapitella* (Haworth,1828)** (Nepticulidae) Synonym(s): *atricapitella* Haworth,1828; *discrepans* Sorhagen,1922 larva leafmines on *Quercus cerris*, *Q. petraea*, *Q. pubescens*, *Q. pyrenaica*, *Q. robur* (Fagaceae) (Szöcs,1977 et seq.).
- 3211. *Stigmella aurella* (Fabricius,1775)** (Nepticulidae) Synonym(s): *aurella* Fabricius,1775 Larval foodplant(s): *Rubus* (Rosaceae) (Nieukerken et al.,2004).
- 3212. *Stigmella aurora* Puplesis,1984** (Nepticulidae) Synonym(s): *aurora* Puplesis,1984
- 3213. *Stigmella basiguttella* (Heinemann,1862)** (Nepticulidae) Synonym(s): *basiguttella* Heinemann,1862
- 3214. *Stigmella betulicola* (Stainton,1856)** (Nepticulidae) Synonym(s): *betulicola* Stainton,1856
- 3215. *Stigmella carpinella* (Heinemann,1862)** (Nepticulidae) Synonym(s): *carpinella* Heinemann,1862 Larval foodplant(s): *Carpinus* (Heinemann,1852; Staudinger,1880).
- 3216. *Stigmella catharticella* (Stainton,1853)** (Nepticulidae) Synonym(s): *catharticella* Stainton,1853
- 3217. *Stigmella centifoliella* (Zeller,1848)** (Nepticulidae) Synonym(s): *centifoliella* Zeller,1848 Larval foodplant(s): *Sanguisorba hybrida*, *Rosa* (Rosaceae) (Nieukerken et al.,2004).
- 3218. *Stigmella confusella* (Wood & Walsingham,1894)** (Nepticulidae) Synonym(s): *confusella* Wood & Walsingham,1894
- 3219. *Stigmella continuella* (Stainton,1856)** (Nepticulidae) Synonym(s): *continuella* Stainton,1856
- 3220. *Stigmella desperatella* (Frey,1856)** (Nepticulidae) Synonym(s): *desperatella* Frey,1856
- 3221. *Stigmella dorsiguttella* (Johansson,1971)** (Nepticulidae) Synonym(s): *dorsiguttella* Johansson,1971
- 3222. *Stigmella floslactella* (Haworth,1828)** (Nepticulidae) Synonym(s): *floslactella* Haworth,1828; *saxatilella* Grönlén,1932 Larval foodplant(s): *Carpinus*, *Corylus avellana* (Mendes,1918; Nieukerken et al.,2004).
- 3223. *Stigmella freyella* (Heyden,1858)** (Nepticulidae) Synonym(s): *freyella* Heyden,1858 Larval foodplant(s): *Convolvulus elegans* (Convolvulaceae) (Nieukerken et al.,2004).
- 3224. *Stigmella glutinosae* (Stainton,1858)** (Nepticulidae) Synonym(s): *glutinosae* Stainton,1858; *glutinosella* Doubleday,1859; *distinguenda* Heinemann,1862; *rubescens* Heinemann,1871 Larval foodplant(s): *Alnus glutinosa* (Stainton,1858).
- 3225. *Stigmella hemargyrella* (Kollar,1832)** (Nepticulidae) Synonym(s): *hemargyrella* Kollar,1832; *basalella* Herrich-Schäffer,1855; *fagella* Herrich-Schäffer,1855; *fagi* Frey,1856; *nobilella* Heinemann & Wocke,[1876]; *fulgens* Stainton,1888 Larval foodplant(s): *Fagus sylvatica* (Fagaceae) (Nieukerken et al.,2004).
- 3226. *Stigmella hybnerella* (Hübner,[1813])** (Nepticulidae) Synonym(s): *hybnerella* Hübner,[1813] Larval foodplant(s): *Crataegus monogyna* (Rosaceae) (Nieukerken et al.,2004).

- 3227. *Stigmella incognitella* (Herrich-Schäffer,1855)** (Nepticulidae)
Synonym(s): *incognitella* Herrich-Schäffer,1855
- 3228. *Stigmella irregularis* Puplesis,1994** (Nepticulidae) Synonym(s): *irregularis* Puplesis,1994
- 3229. *Stigmella juryi* Puplesis,1991** (Nepticulidae) Synonym(s): *juryi* Puplesis,1991
- 3230. *Stigmella kazakhstanica* Puplesis,1991** (Nepticulidae) Synonym(s): *kazakhstanica* Puplesis,1991
- 3231. *Stigmella lapponica* (Wocke,1862)** (Nepticulidae) Synonym(s): *lapponica* Wocke,1862; *lapponicella* Porritt,1883; *lusatica* Schütze,1904; *vossensis* Grönlien,1928 Larval foodplant(s): *Betula pubescens* (Nieukerken et al.,2004).
- 3232. *Stigmella lediella* (Schleich,1867)** (Nepticulidae) Synonym(s): *lediella* Schleich,1867
- 3233. *Stigmella lemniscella* (Zeller,1839)** (Nepticulidae) Synonym(s): *lemniscella* Zeller,1839; *marginicolella* Stainton,1853; *suberosella* Toll,1934; *#fulvomacula* Skala,1936
- 3234. *Stigmella lonicerarum* (Frey,1856)** (Nepticulidae) Synonym(s): *lonicerarum* Frey,1856
- 3235. *Stigmella luteella* (Stainton,1857)** (Nepticulidae) Synonym(s): *luteella* Stainton,1857
- 3236. *Stigmella magdalenae* (Klimesch,1950)** (Nepticulidae) Synonym(s): *magdalenae* Klimesch,1950
- 3237. *Stigmella malella* (Stainton,1854)** (Nepticulidae) Synonym(s): *malella* Stainton,1854; *angustella* Heinemann & Wocke,[1876]; *nigrobrunella* Groschke,1939
- 3238. *Stigmella mespilicola* (Frey,1856)** (Nepticulidae) Synonym(s): *mespilicola* Frey,1856; *ariella* Herrich-Schäffer,1860 Larval foodplant(s): *Sorbus aria*, *S. torminalis*, *Cotoneaster* (Rosaceae) (Nieukerken et al.,2004).
- 3239. *Stigmella microtheriella* (Stainton,1854)** (Nepticulidae) Synonym(s): *microtheriella* Stainton,1854
- 3240. *Stigmella minusculella* (Herrich-Schäffer,1855)** (Nepticulidae)
Synonym(s): *minusculella* Herrich-Schäffer,1855; *stettinensis* Heinemann,1871; *chalybeia* Braun,1914; *embonella* Klimesch,1978
- 3241. *Stigmella myrtillella* (Stainton,1857)** (Nepticulidae) Synonym(s): *myrtillella* Stainton,1857
- 3242. *Stigmella nylandriella* (Tengström,1848)** (Nepticulidae) Synonym(s): *nylandriella* Tengström,1848; *aucupariae* Frey,1857; *aucupariella* Herrich-Schäffer,1862
- 3243. *Stigmella obliquella* (Heinemann,1862)** (Nepticulidae) Synonym(s): *obliquella* Heinemann,1862; *wockeella* Heinemann,1871; *diversa* Glitz,1872; *babylonicae* Hartig,1942 Larval foodplant(s): *Salix fragilis* (Salicaceae) (Mendes,1905).
- 3244. *Stigmella oxyacanthella* (Stainton,1854)** (Nepticulidae) Synonym(s): *oxyacanthella* Stainton,1854
- 3245. *Stigmella paliurella* (Klimesch,1940)** (Nepticulidae) Synonym(s): *paliurella* Klimesch,1940
- 3246. *Stigmella paradoxa* (Frey,1858)** (Nepticulidae) Synonym(s): *paradoxa* Frey,1858 Larval foodplant(s): *Crataegus monogyna* (Rosaceae) (Nieukerken et al.,2004).
- 3247. *Stigmella perpygmaeella* (Doubleday,1859)** (Nepticulidae) Synonym(s): *pygmaeella* Haworth,1828 *nec* [Denis & Schiff.],1775; *perpygmaeella* Doubleday,1859 Larval foodplant(s): *Crataegus monogyna* (Rosaceae) (Nieukerken et al.,2004).
- 3248. *Stigmella plagicolella* (Stainton,1854)** (Nepticulidae) Synonym(s): *plagicolella* Stainton,1854 Larval foodplant(s): *Prunus spinosa*, *P. domestica* (Rosaceae) (Nieukerken et al.,2004).
- 3249. *Stigmella poterii* (Stainton,1857)** (Nepticulidae) Synonym(s): *poterii* Stainton,1857; *poteriella* Doubleday,1859; *comari* Wocke,1862; *geminella* Frey,1870; *palustrella* Frey,1870; *tengstroemi* Nolcken,1871; *occultella* Heinemann,1871; *potentillae* Glitz,1872; *diffinis* Wocke,1874; *serella* Stainton,1888; *elisabethella* Szöcs,1957

- 3250. *Stigmella prunetorum* (Stainton,1855)** (Nepticulidae) Synonym(s): *prunetorum* Stainton,1855; *dimidiatella* Herrich-Schäffer,1855; *perpusillella* Herrich-Schäffer,1855; *prunetella* Doubleday,1859; *ligustrella* Rössler,1866; *punctella* Threfall,1884.
- 3251. *Stigmella pyri* (Glitz,1865)** (Nepticulidae) Synonym(s): *pyri* Glitz,1865
- 3252. *Stigmella regiella* (Herrich-Schäffer,1855)** (Nepticulidae) Synonym(s): *regiella* Herrich-Schäffer,1855; *#corvimontana* Hering,1935 Larval foodplant(s): *Crataegus monogyna* (Rosaceae) (Nieukerken et al.,2004).
- 3253. *Stigmella rhamnella* (Herrich-Schäffer,1860)** (Nepticulidae) Synonym(s): *rhamnella* Herrich-Schäffer,1860 Larval foodplant(s): *Rhamnus alpinus*, *R. catharticus*, *Frangula alnus* (Nieukerken et al., 2004).
- 3254. *Stigmella roborella* (Johansson,1971)** (Nepticulidae) Synonym(s): *roborella* Johansson,1971 Larval foodplant(s): *Quercus cerris*, *Q. pubescens*, *Q. petraea*, *Q. robur* (Fagaceae) (Johansson,1971; Szöcs,1977).
- 3255. *Stigmella rolandi* Nieukerken,1990** (Nepticulidae) Synonym(s): *rolandi* Nieukerken,1990 Larval foodplant(s): *Sanguisorba*, *Rosa* (Rosaceae) (Nieukerken et al.,2004).
- 3256. *Stigmella ruficapitella* (Haworth,[1828])** (Nepticulidae) Synonym(s): *ruficapitella* Haworth,[1828]; *? violacella* Haworth,[1828]; *lamprotornella* Bruand,1859 Larval foodplant(s): *Quercus ithaburensis* (Fagaceae) (Sternlicht,1968).
- 3257. *Stigmella sakhalinella* Puplesis,1984** (Nepticulidae) Synonym(s): *sakhalinella* Puplesis,1984; *discidia* Schoorl & Wilkinson,1986
- 3258. *Stigmella salicis* (Stainton,1854)** (Nepticulidae) Synonym(s): *salicis* Stainton,1854 Larval foodplant(s): *Salix cinerea*, *S. aurita* (Salicaceae) (Stainton,1854; Zerkowitz,1946).
- 3259. *Stigmella samiatella* (Zeller,1839)** (Nepticulidae) Synonym(s): *samiatella* Zeller,1839 larva leafmines on *Castanea sativa*, *Quercus ithaburensis* ssp.*macrolepis*, *Q.petraea*, *Q.pubescens*, *Q. pyrenaica*, *Q. robur* (Fagaceae) (Nieukerken & Johansson,2003).
- 3260. *Stigmella sorbi* (Stainton,1861)** (Nepticulidae) Synonym(s): *sorbi* Stainton,1861 Larval foodplant(s): *Sorbus aucuparia* (Stainton,1861).
- 3261. *Stigmella speciosa* (Frey,1857)** (Nepticulidae) Synonym(s): *speciosa* Frey,1857; *pseudoplatanella* Weber,1937 Larval foodplant(s): *Acer pseudoplatanus*, *A. monspessulanum*, *A. opalus* (Nieukerken et al.,2004).
- 3262. *Stigmella splendidissimella* (Herrich-Schäffer,1855)** (Nepticulidae) Synonym(s): *splendidissimella* Herrich-Schäffer,1855
- 3263. *Stigmella svenssoni* (Johansson,1971)** (Nepticulidae) Synonym(s): *svenssoni* Johansson,1971
- 3264. *Stigmella szoeciella* (Borkowski,1972)** (Nepticulidae) Synonym(s): *szoeciella* Borkowski,1972
- 3265. *Stigmella thuringiaca* (Petry,1904)** (Nepticulidae) Synonym(s): *thuringiaca* Petry,1904 Larval foodplant(s): *Sanguisorba*, *Potentilla* (Rosaceae) (Nieukerken et al.,2004).
- 3266. *Stigmella tiliae* (Frey,1856)** (Nepticulidae) Synonym(s): *tiliae* Frey,1856 Larval foodplant(s): *Tilia* (Frey,1856).
- 3267. *Stigmella tityrella* (Stainton,1854)** (Nepticulidae) Synonym(s): *tityrella* Stainton,1854; *turicella* Herrich-Schäffer,1855; *turicensis* Frey,1856; *castanella* Stainton,1859 Larval foodplant(s): *Crataegus* (Rosaceae), *Fagus sylvatica* (Fagaceae) (Mendes,1918; Nieukerken et al.,2004).
- 3268. *Stigmella trimaculella* (Haworth,1828)** (Nepticulidae) Synonym(s): *trimaculella* Haworth,1828; *rufella* Zeller,1839; *populella* Herrich-Schäffer,1855; *albicornella* Kollar,1860; *gilvella* Rössler,1866; *populicola* Sorhagen,1922; *subtrimaculella* Dufrane,1949 Larval foodplant(s): *Populus nigra* (Salicaceae) (Nieukerken et al.,2004).

- 3269. *Stigmella ulmivora* (Fologne,1860)** (Nepticulidae) Synonym(s): *ulmivora* Fologne,1860. Larval foodplant(s): *Ulmus* (Ulmaceae) (Fologne,1860).
- 3270. *Stigmella viscerella* (Stainton,1853)** (Nepticulidae) Synonym(s): *viscerella* Stainton,1853
- 3271. *Trifurcula (Glaucolepis) bleonella* (Chrétien,1904)** (Nepticulidae) Synonym(s): *bleonella* Chrétien,1904 Larval foodplant(s): *Linum narbonense* (Nieukerken et al.,2004).
- 3272. *Trifurcula (Glaucolepis) headleyella* (Stainton,1854)** (Nepticulidae) Synonym(s): *headleyella* Stainton,1854; *argyrostigma* Frey,1856; *argyrostigmella* Herrich-Schäffer,1862; *dubiella* Hauder,1912; *rodella* Svensson,1982 Larval foodplant(s): *Prunella* (Nieukerken et al.,2004).
- 3273. *Trifurcula (Glaucolepis) melanoptera* van Nieukerken & Puplesis,1991** (Nepticulidae) Synonym(s): *melanoptera* van Nieukerken & Puplesis,1991
- 3274. *Trifurcula (s.str.) josefklimeschi* Van Nieukerken,1990** (Nepticulidae) Synonym(s): *josefklimeschi* Van Nieukerken,1990 Larval foodplant(s): *Dorycnium pentaphyllum* (Nieukerken et al.,2004).
- 3275. *Trifurcula (s.str.) pallidella* (Duponchel,1843)** (Nepticulidae) Synonym(s): *pallidella* Duponchel,1843
- 3276. *Trifurcula (s.str.) puplesisi* Van Nieukerken,1990** (Nepticulidae) Synonym(s): *puplesisi* Van Nieukerken,1990
- 3277. *Trifurcula (s.str.) silviae* Van Nieukerken,1990** (Nepticulidae) Synonym(s): *silviae* Van Nieukerken,1990
- 3278. *Trifurcula (s.str.) subnitidella* (Duponchel,1843)** (Nepticulidae) Synonym(s): *subnitidella* Duponchel,1843; *griseella* Wolff,1957 Larval foodplant(s): *Lotus corniculatus* (Fabaceae) (Nieukerken et al.,2004).
- 3279. *Abrostola agnorista* Dufay,1956** (Noctuidae) Synonym(s): *agnorista* Dufay,1956
- 3280. *Abrostola asclepiadis* (Lang,1789)** (Noctuidae) Synonym(s): *#asclepiadis* [Denis & Schiffermüller],1775; *asclepiadis* Lang,1789. Larval foodplant(s): *Vincetoxicum officinale* (Beck,1960).
- 3281. *Abrostola clarissa* (Staudinger,1900)** (Noctuidae) Synonym(s): *clarissa* Staudinger,1900
- 3282. *Abrostola tripartita* (Hufnagel,1766)** (Noctuidae) Synonym(s): *tripartita* Hufnagel,1766; *conspicillum* Retzius,1783; *urticae* Hübner,[1817]
- 3283. *Abrostola triplasia* (Linnaeus,1758)** (Noctuidae) Synonym(s): *triplasia* Linnaeus,1758; *trigemina* Werneburg,1864. Larval foodplant(s): *Parietaria*, *Urtica* (Mann,1862; Calle et al., 2000).
- 3284. *Acantholipes regularis* (Hübner,[1813])** (Noctuidae) Synonym(s): *regularis* Hübner,[1813] Larval foodplant(s): *Glycyrrhiza* (Meyer,1919; Wiltshire,1957).
- 3285. *Acantholipes regularis regularis* (Hübner,[1813])** (Noctuidae) Synonym(s): *regularis* Hübner,[1813] Larval foodplant(s): *Glycyrrhiza* (Meyer,1919; Wiltshire,1957).
- 3286. *Acontia lucida* (Hufnagel,1766)** (Noctuidae) Synonym(s): *lucida* Hufnagel,1766; *solaris* [Denis & Schiffermüller],1775; *albicollis* Fabricius,1781; *rupicola* Borkhausen,1792; *insolatrix* Hübner,[1822]; *lugens* Alpheraky,1889. Larval foodplant(s): *Althaea cannabina*, *Chenopodium*, *Convolvulus*, *Glechoma*, *Malva rotundifolia*, *Taraxacum*, *Trifolium* (Meyer,1919; Wiltshire,1957; Calle et al., 2000).
- 3287. *Acontia melanura* (Tauscher,1809)** (Noctuidae) Synonym(s): *titania sensu auct. nec Esp.*,[1798]; *melanura* Tauscher,1809.
- 3288. *Acontia olivacea* (Hampson,1891)** (Noctuidae) Synonym(s): *olivacea* Hampson,1891

- 3289. *Acontia olivacea umbrosa* (O.Bang-Haas,1927)** (Noctuidae)
Synonym(s): *umbrosa* O.Bang-Haas,1927
- 3290. *Acontia titania* (Esper,[1798])** (Noctuidae) Synonym(s): *titania* Esper,[1798];
urania Frivaldsky,1835; *eversmanni* Kolenati,1846. Larval foodplant(s): *Althaea*
(Meyer,1919; Wiltshire,1957).
- 3291. *Acosmetia caliginosa* (Hübner,[1813])** (Noctuidae) Synonym(s):
caliginosa Hübner,[1813] Larval foodplant(s): *Serratula tinctoria* (Meyer,1919).
- 3292. *Acronicta (Hyboma) strigosa* ([Denis & Schiffermüller],1775)**
(Noctuidae) Synonym(s): *strigosa* [Denis & Schiffermüller],1775 Larval foodplant(s):
Crataegus, *Prunus domestica* (Rosaceae); *Rhamnus* (Rhamnaceae) (Meyer,1919).
- 3293. *Acronicta (Hyboma) strigosa strigosa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *strigosa* [Denis & Schiffermüller],1775
- 3294. *Acronicta (Subacronicta) megacephala* (Fabricius,1787)** (Noctuidae)
Synonym(s): *megacephala* Fabricius,1787; *ankarensis* Hering,1933. Larval foodplant(s):
Populus, *Salix* (Meyer,1919).
- 3295. *Acronicta (Triaena) aceris* (Linnaeus,1758)** (Noctuidae) Synonym(s):
aceris Linnaeus,1758 Larval foodplant(s): *Acer campestre*, *A. pseudoplatanus*,
Aesculus, *Corylus*, *Juglans*, *Quercus*, *Populus euphratica*, *Rosa* (Linnaeus,1758;
Blaschke,1914; Meyer,1919; Wiltshire,1957).
- 3296. *Acronicta (Triaena) aceris aceris* (Linnaeus,1758)** (Noctuidae)
Synonym(s): *aceris* Linnaeus,1758 Larval foodplant(s): *Acer campestre*, *A.*
pseudoplatanus, *Aesculus*, *Corylus*, *Juglans*, *Quercus*, *Populus euphratica*, *Rosa*
(Linnaeus,1758; Blaschke,1914; Meyer,1919; Wiltshire,1957).
- 3297. *Acronicta (Triaena) alni* (Linnaeus,1767)** (Noctuidae) Synonym(s): *alni*
Linnaeus,1767 Larval foodplant(s): *Alnus*, *Betula*, *Corylus avellana*, *Juglans regia*,
Populus tremula, *Prunus cerasus*, *Quercus*, *Rosa*, *Salix*, *Tilia* (Linnaeus,1758;
Romanoff,1885; Meyer,1919).
- 3298. *Acronicta (Triaena) cuspis* (Hübner,[1813])** (Noctuidae) Synonym(s):
cuspis Hübner,[1813] Larval foodplant(s): *Alnus*, *Corylus avellana* (Romanoff,1885;
Meyer,1919).
- 3299. *Acronicta (Triaena) cuspis cuspis* (Hübner,[1813])** (Noctuidae)
Synonym(s): *cuspis* Hübner,[1813]
- 3300. *Acronicta (Triaena) intermedia* (W.Warren,1909)** (Noctuidae)
Synonym(s): *increta* Butler,1878 *nec* Morr.,1875; *intermedia* W.Warren,1909; *incretata*
Hampson,1909; *jezoensis* Matsumura,1925; *formosana* Matsumura,1928
- 3301. *Acronicta (Triaena) psi* (Linnaeus,1758)** (Noctuidae) Synonym(s): *psi*
Linnaeus,1758 Larval foodplant(s): *Alnus*, *Corylus*, *Crataegus*, *Pyrus malus*,
Populus, *Prunus*, *Quercus*, *Rhamnus*, *Sorbus*, *Tilia* (Linnaeus,1758; Meyer,1919).
- 3302. *Acronicta (Triaena) psi psi* (Linnaeus,1758)** (Noctuidae) Synonym(s):
psi Linnaeus,1758
- 3303. *Acronicta (Triaena) tridens* ([Denis & Schiffermüller],1775)**
(Noctuidae) Synonym(s): *tridens* [Denis & Schiffermüller],1775; *karghalika* Moore,1878.
Larval foodplant(s): *Alnus*, *Betula*, *Crataegus*, *Malus*, *Prunus*, *Quercus*, *Rhamnus*,
Rosa, *Salix*, (Meyer,1919; Calle et al., 2000).
- 3304. *Acronicta (Viminia) auricoma* (Fabricius,1787)** (Noctuidae)
Synonym(s): *#auricoma* [Denis & Schiffermüller],1775; *auricoma* Fabricius,1787; *lapathi*
Schrank,1801; *similis* Haworth,1809; *pepli* Hübner,[1813]; *alpina* Freyer,1858 Larval
foodplant(s): *Betula*, *Rubus caesius*, *R. fruticosus*, *Vaccinium vitis-idaea*
(Meyer,1919).
- 3305. *Acronicta (Viminia) euphorbiae* (Denis,1785)** (Noctuidae) Synonym(s):
#euphorbiae [Denis & Schiffermüller],1775; *euphorbiae* Denis,1785; *montivaga* Guenée,1852; *ottomana*
Draudt,1931; *garbowski* Wojtusiak & Niesiolowski,1946. Larval foodplant(s): *Buxus*

sempervirens, Euphorbia, Euphrasia lutea, Gentiana, Onobrychis, Rumex, Thymus (Denis & Schiffermüller,1775; Meyer,1919; Staudinger,1879; Calle et al., 2000; Koçak, in. litt.).

3306. Acronicta (Viminia) menyanthidis (Esper,[1789]) (Noctuidae)
Synonym(s): *menyanthidis* Esper,[1789]

3307. Acronicta (Viminia) menyanthidis menyanthidis (Esper,[1789]) (Noctuidae) Synonym(s): *menyanthidis* Esper,[1789] Larval foodplant(s): Lysimachia, Menyanthes trifoliata, Myrica gale, Oxyococcus microcarpus, Salix caprea (Meyer,1919).

3308. Acronicta (Viminia) rumicis (Linnaeus,1758) (Noctuidae) Synonym(s): *rumicis* Linnaeus,1758; *litterata* Panzer,1804; *salicis* Curtis,1826; *diffusa* Walker,1857 Larval foodplant(s): Euphorbia, Euphrasia lutea, Mahonia aquifolium, Prunus, Polygonum, Rosa, Rumex, Sonchus, Syringa, Thymus, Urtica (Linnaeus,1758; Meyer,1919; Wiltshire,1957; Calle et al., 2000).

3309. Acronicta (Viminia) rumicis rumicis (Linnaeus,1758) (Noctuidae)
Synonym(s): *rumicis* Linnaeus,1758; *litterata* Panzer,1804; *salicis* Curtis,1826; *diffusa* Walker,1857

3310. Acronicta (s.str.) leporina (Linnaeus,1758) (Noctuidae) Synonym(s): *leporina* Linnaeus,1758 Larval foodplant(s): Alnus, Betula, Salix (Linnaeus,1758; Meyer,1919).

3311. Acronicta (s.str.) leporina leporina (Linnaeus,1758) (Noctuidae)
Synonym(s): *leporina* Linnaeus,1758 Larval foodplant(s): Alnus, Betula, Salix (Linnaeus,1758; Meyer,1919).

3312. Acronicta cinerea (Hufnagel,1766) (Noctuidae) Synonym(s): *cinerea* Hufnagel,1766; *abscondita* Treitschke,1825

3313. Actebia fennica (Tauscher,1837) (Noctuidae) Synonym(s): *fennica* Tauscher,1837

3314. Actebia praecox (Linnaeus,1758) (Noctuidae) Synonym(s): *praecox* Linnaeus,1758; *praeceps* Denis & Schiffermüller,[1775]; *pomacea* Fourcroy,1785 Larval foodplant(s): Artemisia, Echium vulgare, Euphorbia, Plantago, Rumex acetosella, Sonchus (Meyer,1919).

3315. Actebia praecox praecox (Linnaeus,1758) (Noctuidae) Synonym(s): *praecox* Linnaeus,1758; *praeceps* Denis & Schiffermüller,[1775]; *pomacea* Fourcroy,1785

3316. Actinotia intermediata (Bremer,1861) (Noctuidae) Synonym(s): *intermediata* Bremer,1861

3317. Actinotia polyodon (Clerck,1759) (Noctuidae) Synonym(s): *#polyodon* Clerck,1759; *perspicillaris* Linnaeus,1761. Larval foodplant(s): Hypericum (Hampson,1903; Meyer,1919).

3318. Actinotia radiosa (Esper,[1804]) (Noctuidae) Synonym(s): *radiosa* Esper,[1804]; *lyncea* Hübner,[1809] (*praeocc.*) Larval foodplant(s): Hypericum (Meyer,1919).

3319. Aedia funesta (Esper,[1786]) (Noctuidae) Synonym(s): *funesta* Esper,[1786]; *quadrimaculata* Scopoli,1786 Larval foodplant(s): Convolvulus sepium (Meyer,1919).

3320. Aedia leucomelas (Linnaeus,1758) (Noctuidae) Synonym(s): *leucomelas* Linnaeus,1758; *ramburi* Boisduval,1829; *adepta* Geyer,1832; *olivascens* Guenée,1852; *limitaris* Walker,[1863]; *shisa* Strand,1920; *thomae* A.E.Prout,1927; *albodiscalis* Roepke,1932; *ermanniae* Berio,1989 Larval foodplant(s): Convolvulus, Calystegia (Spuler,1906, Calle et al.,2000).

3321. Aedophron phlebophora Lederer,1858 (Noctuidae) Synonym(s): *phlebophora* Lederer,1858 Larval foodplant(s): Phlomis (Staudinger,1879; Warren,1911; Schwingenschuss,1938).

- 3322. Aedophron rhodites (Eversmann,1851)** (Noctuidae) **Synonym(s):** *rhodites* Eversmann,1851; *aurorina* Herrich-Schäffer,[1852]. **Larval foodplant(s):** *Phlomis herba-venti* (Meyer,1919).
- 3323. Aegle kaekeritziana (Hübner,[1799])** (Noctuidae) **Synonym(s):** *kaekeritziana* Hübner,[1799]; *flava* Hübner,[1809]; *flavida* Ochsenheimer,1816.
- 3324. Agrapha albostrata (Bremer & Grey,1853)** (Noctuidae) **Synonym(s):** *albostrata* Bremer & Grey,1853; *subchalybaea* Walker,1865; *nubila* Moore,1887; *oxygramma* Hampson,1894; *transfixa* auct. **Larval foodplant(s):** *Symphytum* (Boraginaceae), *Calystegia* (Convolvulaceae), *Aster*, *Dichrocephala*, *Elephantopus*, *Erigeron*, *Calendula*, *Callistephium*, *Dahlia*, *Solidago* (Asteraceae) (Holloway,1985).
- 3325. Agrochola (Alpichola) egorovi (O.Bang-Haas,1934)** (Noctuidae) **Synonym(s):** *egorovi* O.Bang-Haas,1934
- 3326. Agrochola (Alpichola) egorovi egorovi (O.Bang-Haas,1934)** (Noctuidae) **Synonym(s):** *egorovi* O.Bang-Haas,1934
- 3327. Agrochola (Anchoscelis) helvola (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *helvola* Linnaeus,1758; *rufina* Linnaeus,1758; *#fulvago* Clerck,1759
- 3328. Agrochola (Anchoscelis) helvola helvola (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *helvola* Linnaeus,1758; *rufina* Linnaeus,1758; *#fulvago* Clerck,1759
- 3329. Agrochola (Anchoscelis) humilis (Fabricius,1787)** (Noctuidae) **Synonym(s):** *#humilis* [Denis & Schiffermüller],1775; *humilis* Fabricius,1787 **Larval foodplant(s):** *Carduus acanthoides*, *Leontodon taraxacum*, *Sonchus oleraceus* (Meyer,1919).
- 3330. Agrochola (Anchoscelis) humilis humilis (Fabricius,1787)** (Noctuidae) **Synonym(s):** *#humilis* [Denis & Schiffermüller],1775; *humilis* Fabricius,1787
- 3331. Agrochola (Anchoscelis) litura (Linnaeus,1761)** (Noctuidae) **Synonym(s):** *litura* Linnaeus,1761 **Larval foodplant(s):** *Lamium* (Meyer,1919).
- 3332. Agrochola (Anchoscelis) litura litura (Linnaeus,1761)** (Noctuidae) **Synonym(s):** *litura* Linnaeus,1761
- 3333. Agrochola (Anchoscelis) lota (Clerck,1759)** (Noctuidae) **Synonym(s):** *#lota* Clerck,1759; *hippophae* Goerze,1781; *hippophaes* Retzius,1783; *americana* Morris,1876 **Larval foodplant(s):** *Salix*, *Populus*, *Alnus* (Spuler,1907).
- 3334. Agrochola (Anchoscelis) lota lota (Clerck,1759)** (Noctuidae) **Synonym(s):** *#lota* Clerck,1759; *hippophae* Goerze,1781; *hippophaes* Retzius,1783; *americana* Morris,1876 **Larval foodplant(s):** *Salix*, *Populus*, *Alnus* (Spuler,1907).
- 3335. Agrochola (Anchoscelis) luteogrisea (W.Warren,1911)** (Noctuidae) **Synonym(s):** *luteogrisea* W.Warren,1911
- 3336. Agrochola (Anchoscelis) macilenta (Hübner,[1809])** (Noctuidae) **Synonym(s):** *macilenta* Hübner,[1809]
- 3337. Agrochola (Anchoscelis) macilenta macilenta (Hübner,[1809])** (Noctuidae) **Synonym(s):** *macilenta* Hübner,[1809] **Larval foodplant(s):** *Fagus sylvatica*, *Quercus* (Spuler,1907).
- 3338. Agrochola (Anchoscelis) nitida (Fabricius,1787)** (Noctuidae) **Synonym(s):** *#nitida* [Denis & Schiffermüller],1775; *nitida* Fabricius,1787
- 3339. Agrochola (Propenistra) laevis (Hübner,[1803])** (Noctuidae) **Synonym(s):** *laevis* Hübner,[1803] **Larval foodplant(s):** *Lamium*, *Leontodon taraxacum* (Meyer,1919).
- 3340. Agrochola (Sunira) circellaris (Hufnagel,1766)** (Noctuidae) **Synonym(s):** *circellaris* Hufnagel,1766
- 3341. Agrochola (s.str.) pistacina (Goeze,1781)** (Noctuidae) **Synonym(s):** *#lychnidis* [Denis & Schiffermüller],1775; *pistacina* Goeze,1781; *rubetra* Esper,[1791]; *canaria* Esper,[1791]; *serina* Esper,[1791]; *lineola* Donovan,1801 *nec* Panzer,1785; *sphaerulatina* Haworth,1809; *venosa*

- Haworth,1809 nec Hw.1809.* Larval foodplant(s): *Centaurea* (Asteraceae) (Meyer,1919).
- 3342. *Agrochola* (s.str.) *pistacina* *pistacina* (Goeze,1781) (Noctuidae)**
Synonym(s): *#lychnidis* [Denis & Schiffermüller],1775; *pistacina* Goeze,1781; *rubetra* Esper,[1791]; *canaria* Esper,[1791]; *serina* Esper,[1791]; *lineola* Donovan,1801 *nec* Panzer,1785; *sphaerulatina* Haworth,1809; *venosa* Haworth,1809 *nec* Hw.1809.
- 3343. *Agrotis* (Crassagrotis) *bigramma* (Esper,[1790]) (Noctuidae)**
Synonym(s): *bigramma* Esper,[1790]; *crassa* Hübner,[1803]; *lata* Treitschke,1835; *golickei* Erschoff,1872; *huguenini* Rühl,1891.
- 3344. *Agrotis* (Crassagrotis) *obesa* (Boisduval,1829) (Noctuidae)**
Synonym(s): *obesa* Boisduval,1840 Larval foodplant(s): *Pterotheca nemaucensis* (Hampson,1903).
- 3345. *Agrotis* (Crassagrotis) *obesa scytha* Alpheraky,1889 (Noctuidae)**
Synonym(s): *scytha* Alpheraky,1889; *nivea* Caradja,1932.
- 3346. *Agrotis* (Putagrotis) *puta* (Hübner,[1803]) (Noctuidae)** Synonym(s): *puta* Hübner,[1803]; *radius* Haworth,1803; *renitens* Hübner,[1824]; *lignosa* Godart,1825; *erythroxylea* Treit.,1826; *radiola* Stephens,1829; *catalaunensis* Milliere,1873; *meridionalis* Spuler,1905; *andreasii*, *minima*, *silvestrii* Turati,1924; *insula* Richardson,1958.
- 3347. *Agrotis* (s.str.) *characteristica* Alpheraky,1892 (Noctuidae)**
Synonym(s): *characteristica* Alpheraky,1892; *mirifica* Wagner,1913; *robustana* Poole,1988.
- 3348. *Agrotis* (s.str.) *characteristica* *characteristica* Alpheraky,1892 (Noctuidae)** Synonym(s): *characteristica* Alpheraky,1892; *mirifica* Wagner,1913; *robustana* Poole,1988.
- 3349. *Agrotis* (s.str.) *cinerea* ([Denis & Schiffermüller],1775) (Noctuidae)**
Synonym(s): *cinerea* [Denis & Schiffermüller],1775; *obscura* Hübner,[1803]; *dentimaculatus* Haworth,1803; *fusca* Boisduval,[1837]; *murina* Eversmann,1848; *livonica* Teich,1886; *alpigena* Calberla,1888; *tephrina* Staudinger,1901; *eximia* Culot,1910.
- 3350. *Agrotis* (s.str.) *clavis* (Hufnagel,1766) (Noctuidae)** Synonym(s): *clavis* Hufnagel,1766; *corticea* [Denis & Schiffermüller],1775; *clavigerus* Haworth,1803; *subfuscus* Haworth,1803; *sincerii* Freyer,1849; *transversa* Walker,[1857]; *neocomensis* Rougemont,1902.
- 3351. *Agrotis* (s.str.) *clavis amurensis* (Staudinger,1892) (Noctuidae)**
Synonym(s): *amurensis* Staudinger,1892; *praedicta* Corti,1932
- 3352. *Agrotis* (s.str.) *clavis clavis* (Hufnagel,1766) (Noctuidae)** Synonym(s): *clavis* Hufnagel,1766; *corticea* [Denis & Schiffermüller],1775; *clavigerus* Haworth,1803; *subfuscus* Haworth,1803; *sincerii* Freyer,1849; *transversa* Walker,[1857]; *neocomensis* Rougemont,1902.
- 3353. *Agrotis* (s.str.) *desertorum* Boisduval,1840 (Noctuidae)** Synonym(s): *desertorum* Boisduval,1840; *deserticola* Eversmann,1842
- 3354. *Agrotis* (s.str.) *desertorum* *desertorum* Boisduval,1840 (Noctuidae)**
Synonym(s): *desertorum* Boisduval,1840; *deserticola* Eversmann,1842
- 3355. *Agrotis* (s.str.) *exclamationis* (Linnaeus,1758) (Noctuidae)**
Synonym(s): *exclamationis* Linnaeus,1758; *clavus* Hufnagel,1766; *murina* Goeze,1781 *nec* Hufnagel,1766; *bimaculata* Geoffroy,1785; *picea* Haworth,1809; *plaga* Stephens,1835; *haruspex* Le Cerf,1924; *nigriorbis* Zerny,1934.
- 3356. *Agrotis* (s.str.) *fatidica* (Hübner,[1824]) (Noctuidae)** Synonym(s): *fatidica* Hübner,[1824]; *heydenreichii* Germar,[1844]; *incurva* Herrich-Schäffer,[1852].
- 3357. *Agrotis* (s.str.) *ipsilon* (Hufnagel,1766) (Noctuidae)** Synonym(s): *ipsilon* Hufnagel,1766; *suffusa* [Denis & Schiffermüller],1775; *idonea* Cramer,[1780]; *spinula* Esper,[1786]; *spinifera* Villers,1789.
- 3358. *Agrotis* (s.str.) *iremeli* Nupponen, Ahola & Kullberg,2001 (Noctuidae)** Synonym(s): *iremeli* Nupponen, Ahola & Kullberg,2001
- 3359. *Agrotis* (s.str.) *murinoides* Poole,1989 (Noctuidae)** Synonym(s): *murina* A.Bang-Haas,1907 *nec* Gz.,1781 *non* Eversm.,1848; *murinoides* Poole,1989
- 3360. *Agrotis* (s.str.) *quadrigera* Corti,1932 (Noctuidae)** Synonym(s): *quadrigera* Corti,1932
- 3361. *Agrotis* (s.str.) *riparae* (Hübner,[1823]) (Noctuidae)** Synonym(s): *riparae* Hübner,[1823]; *nebulosa* Stephens,1829; *desillii* Pierret,1839; *weissenbornii* Freyer,1845; *obotritica*

Schmidt,1858; farinosa Stgr.,1888; alexandriensis Bethune-Baker,1894; psammodes Staudinger,1895; punica Pinker,1979.

- 3362. *Agrotis (s.str.) ripae ripae* (Hübner,[1823])** (Noctuidae) **Synonym(s):** *ripae* Hübner,[1823]; *nebulosa* Stephens,1829; *desillii* Pierret,1839; *weissenbornii* Freyer,1845; *obotritica* Schmidt,1858; *farinosa* Stgr.,1888; *alexandriensis* Bethune-Baker,1894; *psammodes* Staudinger,1895; *punica* Pinker,1979.
- 3363. *Agrotis (s.str.) robustana* Poole,1989** (Noctuidae) **Synonym(s):** *robusta* Eversmann,1856 nec Blanch.,1852; *robustana* Poole,1989
- 3364. *Agrotis (s.str.) robustana* Poole,1989** (Noctuidae) **Synonym(s):** *robusta* Eversmann,1856 nec Blanch.,1852; *robustana* Poole,1989.
- 3365. *Agrotis (s.str.) ruta* (Eversmann,1851)** (Noctuidae) **Synonym(s):** *ruta* Eversmann,1851
- 3366. *Agrotis (s.str.) scotacra* (Filipjev,1927)** (Noctuidae) **Synonym(s):** *scotacra* Filipjev,1927; *kaolifeltia* Bryk,1949
- 3367. *Agrotis (s.str.) segetum* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *segetum* [Denis & Schiffermüller],1775; *sordida* [Denis & Schiffermüller],1775; *undulatus* Goeze,1781 (praeocc.); *nigricornis* Villers,1789; *segetis* Fabricius,1794; *catenatus* Haworth,1803; *monileus* Haworth,1803; *pectinatus* Haworth,1803; *connexus* Haworth,1803; *subatratus* Haworth,1803; *nigricornutus* Haworth,1803; *praecox* Hübner,[1808]; *fervida* Hübner,[1824]; *affinis* Stephens,1829; *sicula* Boisduval,1840; *dimidia* Zeller,1847; *sicania* Guenée,1852; *marginalis* Walker,1857; *aversus* Walker,1857; *correctus* Walker,1857; *obliviosus* Walker,1857; *denticulosus* Wallengren,1860; *certificatus* Walker,1865; *conspurcatus* Walker,1865; *repulsus* Walker,1865; *ingratus* Butler,1878; *pallidus* Staudinger,1881; *lassa* Swinhoe,1886.
- 3368. *Agrotis (s.str.) trifurca* Eversmann,1837** (Noctuidae) **Synonym(s):** *trifurca* Eversmann,1837
- 3369. *Agrotis (s.str.) trux* (Hübner,[1824])** (Noctuidae) **Synonym(s):** *trux* Hübner,[1824]; *lenticulosa* Duponchel,1826; *lunigera* Stephens,1829; *terranea* Freyer,1831; *amasina* Staudinger,1901; *subalba* Corti & Draudt,1933; *adolphi* Corti & Draudt,1933.
- 3370. *Agrotis (s.str.) trux trux* (Hübner,[1824])** (Noctuidae) **Synonym(s):** *trux* Hübner,[1824]; *lenticulosa* Duponchel,1826; *lunigera* Stephens,1829; *terranea* Freyer,1831; *amasina* Staudinger,1901; *subalba* Corti & Draudt,1933; *adolphi* Corti & Draudt,1933.
- 3371. *Agrotis (s.str.) vestigialis* (Hufnagel,1766)** (Noctuidae) **Synonym(s):** *vestigialis* Hufnagel,1766
- 3372. *Agrotis (s.str.) vestigialis vestigialis* (Hufnagel,1766)** (Noctuidae) **Synonym(s):** *vestigialis* Hufnagel,1766
- 3373. *Albocosta musiva* (Hübner,[1803])** (Noctuidae) **Synonym(s):** *musiva* Hübner,[1803]
- 3374. *Albocosta musiva musiva* (Hübner,[1803])** (Noctuidae) **Synonym(s):** *musiva* Hübner,[1803]
- 3375. *Albocosta stentzi* (Lederer,1853)** (Noctuidae) **Synonym(s):** *stentzi* Lederer,1853; *triangularis* Moore,1867; *stentsi* Hampson,1903
- 3376. *Allophyas oxyacanthae* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *oxyacanthae* Linnaeus,1758; *capucina* Millière,1870; *corsica* Spuler,1905; *alfaroi* Agenjo,1951; *powelli* Rungs,[1953]; *protai* Boursin,1966; *dujardini* Boursin,1968; *parenzani* De Laever,1977.
- 3377. *Ammoconia caecimacula* (Fabricius,1787)** (Noctuidae) **Synonym(s):** *caecimacula* Fabricius,1787; *millegrana* Esper,[1790]; *respersa* Brahm,1791; *rhaeticaria* Dannehl,1926; *marsicaria* Dannehl,1929
- 3378. *Ammoconia caecimacula caecimacula* (Fabricius,1787)** (Noctuidae) **Synonym(s):** *caecimacula* Fabricius,1787; *millegrana* Esper,[1790]; *respersa* Brahm,1791; *rhaeticaria* Dannehl,1926; *marsicaria* Dannehl,1929
- 3379. *Ammoconia caecimacula sibirica* Staudinger,1882** (Noctuidae) **Synonym(s):** *sibirica* Staudinger,1882
- 3380. *Ammoconia senex* (Geyer,[1828])** (Noctuidae) **Synonym(s):** *senex* Geyer,[1828].
- 3381. *Ammoconia senex rjabovi* Ronkay & Varga,1984** (Noctuidae) **Synonym(s):** *rjabovi* Ronkay & Varga,1984
- 3382. *Amphipoea asiatica* (Burrows,1911)** (Noctuidae) **Synonym(s):** *asiatica* Burrows,1911

- 3383. *Amphipoea aslanbeki* L.Ronkay & Kerczig,1991** (Noctuidae)
Synonym(s): *aslanbeki* L.Ronkay & Kerczig,1991
- 3384. *Amphipoea crinanensis* (Burrows,1908)** (Noctuidae) Synonym(s):
crinanensis Burrows,1908
- 3385. *Amphipoea fucosa* (Freyer,1830)** (Noctuidae) Synonym(s): *fucosa*
Freyer,1830; *paludis* Tutt,1888
- 3386. *Amphipoea lucens* (Freyer,1845)** (Noctuidae) Synonym(s): *lucens*
Freyer,1845
- 3387. *Amphipoea oculea* (Linnaeus,1761)** (Noctuidae) Synonym(s): *oculea*
Linnaeus,1761; *nictitans* Linnaeus,1767; *chrysographa* [Denis & Schiffermüller],1775; *splendens*
Borkhausen,1792; *myopa* Fabricius,1794; *cinerago* Fabricius,1798; *auricula* Donovan,1807; *erythrostigma*
Haworth,1809; *struvei* Oberthür,1918.
- 3388. *Amphipoea oculea oculea* (Linnaeus,1761)** (Noctuidae) Synonym(s):
oculea Linnaeus,1761; *nictitans* Linnaeus,1767; *chrysographa* [Denis & Schiffermüller],1775; *splendens*
Borkhausen,1792; *myopa* Fabricius,1794; *cinerago* Fabricius,1798; *auricula* Donovan,1807; *erythrostigma*
Haworth,1809; *struvei* Oberthür,1918.
- 3389. *Amphipoea oculea pallescens* (Staudinger,[1900])** (Noctuidae)
Synonym(s): *pallescens* Staudinger,[1900]
- 3390. *Amphipoea ussuriensis* (Petersen,1914)** (Noctuidae) Synonym(s):
ussuriensis Petersen,1914
- 3391. *Amphipyra berbera* Rungs,1949** (Noctuidae) Synonym(s): *#variegata*
W.Warren,1911; *berbera* Rungs,1949
- 3392. *Amphipyra berbera svenssoni* D.S.Fletcher,1968** (Noctuidae)
Synonym(s): *svenssoni* D.S.Fletcher,1968
- 3393. *Amphipyra livida* ([Denis & Schiffermüller],1775)** (Noctuidae)
Synonym(s): *livida* [Denis & Schiffermüller],1775 Larval foodplant(s): *Taraxacum*,
Hieracium (Hacker,1989).
- 3394. *Amphipyra molybdea* Christoph,1867** (Noctuidae) Synonym(s): *molybdea*
Christoph,1867
- 3395. *Amphipyra perflua* (Fabricius,1787)** (Noctuidae) Synonym(s): *perflua*
Fabricius,1787; *ulmea* Schrank,1801; *pyramidina* Esper,[1803]. Larval foodplant(s): *Salix*,
Ulmus, *Malus* (Hacker,1989).
- 3396. *Amphipyra pyramidea* (Linnaeus,1758)** (Noctuidae) Synonym(s):
pyramidea Linnaeus,1758 Larval foodplant(s): *Quercus*, *Tilia*, *Crataegus*, *Prunus*,
Fraxinus (Wiltshire,1957; Hacker,1989).
- 3397. *Amphipyra submicans* Kuznetsov,1958** (Noctuidae) Synonym(s):
submicans Kuznetsov,1958
- 3398. *Amphipyra tetra* (Fabricius,1787)** (Noctuidae) Synonym(s): *tetra*
Fabricius,1787
- 3399. *Amphipyra tetra pallida* Staudinger,1901** (Noctuidae) Synonym(s):
pallida Staudinger,1901
- 3400. *Amphipyra tragopoginis* (Clerck,1759)** (Noctuidae) Synonym(s):
#tragopoginis Clerck,1759; *luciola* Hufnagel,1766.
- 3401. *Anacronycta nitida* (Butler,1878)** (Noctuidae) Synonym(s): *nitida*
Butler,1878; *moupinensis* Leech,1900; *kurilensis* Bryk,1941
- 3402. *Anadevidia hebetata* (Butler,1889)** (Noctuidae) Synonym(s): *hebetata*
Butler,1889
- 3403. *Anadevidia peponis* (Fabricius,1775)** (Noctuidae) Synonym(s): *peponis*
Fabricius,1775; *agramma* Guenée,1852; *inchoata* Walker,1865; *fumifera* Graeser,[1890]
- 3404. *Anaplectoides prasina* (Goeze,1781)** (Noctuidae) Synonym(s): *#prasina*
[Denis & Schiffermüller],1775; *#hebrida* [Denis & Schiffermüller],1775; *prasina* Goeze,1781; *egregia*
Esper,[1787]; *jaspidea* Borkhausen,1792 nec De Vill.,1789; *mixta* Haworth,1809 nec Fabr.,1787; *herbacea*
Guenée,1852; *albimacula* Hormuzaki,1894
- 3405. *Anarta cordigera* (Thunberg,1788)** (Noctuidae) Synonym(s): *cordigera*
Thunberg,1788
- 3406. *Anarta fumida* Graeser,1888** (Noctuidae) Synonym(s): *fumida* Graeser,1888

- 3407. *Anarta lapponica* (Thunberg,1792)** (Noctuidae) Synonym(s): *lapponica* Thunberg,1792
- 3408. *Anarta myrtilli* (Linnaeus,1761)** (Noctuidae) Synonym(s): *myrtilli* Linnaeus,1761; *ericae* Hufnagel,1766
- 3409. *Anarta richardsoni* Curtis,1834** (Noctuidae) Synonym(s): *richardsoni* Curtis,1834
- 3410. *Anartomima secedens* (Walker,1858)** (Noctuidae) Synonym(s): *secedens* Walker,1858
- 3411. *Anomis flava* (Fabricius,1775)** (Noctuidae) Synonym(s): *flava* Fabricius,1775; *stigmatizans* Fabricius,1775; *fimbriago* Stephens,1829; *xanthindyma* Boisduval,1833; *auragoides* Guenée,1852; *indica* Guenée,1852; *variolora* Walker,1857; *edentata* Walker,1857; *aurantiaca* Prittwitz,1867; *serrata* Barnes & McDunnough,1913 Larval foodplant(s): *Hibiscus cannabinum*, *Gossypium herbaceum* (Malvaceae).
- 3412. *Anomis involuta* (Walker,[1858])** (Noctuidae) Synonym(s): *involuta* Walker,[1858]; *basalis* Walker,[1858]; *colligata* Walker,1865; *vitiensis* Butler,1886; *dona* Swinhoe,1919; *brima* Swinhoe,1920
- 3413. *Anomis mesogona* (Walker,1858)** (Noctuidae) Synonym(s): *mesogona* Walker,1858
- 3414. *Anomis privata* (Walker,1865)** (Noctuidae) Synonym(s): *privata* Walker,1865; *commoda* Butler,1878; *subfulvida* W.Warren,1913; *griseolineata* W.Warren,1913
- 3415. *Antarchaea conicephala* (Staudinger,1870)** (Noctuidae) Synonym(s): *conicephala* Staudinger,1870; *fumicollis* Rogenhofer,1873.
- 3416. *Antitype chi* (Linnaeus,1758)** (Noctuidae) Synonym(s): *chi* Linnaeus,1758; *olivacea* Stephens,1829; *marsicana* Dannehl,1929.
- 3417. *Anumeta atrosignata* Walker,1858** (Noctuidae) Synonym(s): *atrosignata* Walker,1858; *arenosa* Brandt,1939
- 3418. *Anumeta cestis* (Ménétriés,1848)** (Noctuidae) Synonym(s): *cestis* Ménétriés,1848; *punctata* Ménétriés,1848.
- 3419. *Anumeta henkei* (Staudinger,1877)** (Noctuidae) Synonym(s): *henkei* Staudinger,1877
- 3420. *Anumeta spilota* (Erschoff,1874)** (Noctuidae) Synonym(s): *spilota* Erschoff,1874
- 3421. *Anumeta spilota spilota* (Erschoff,1874)** (Noctuidae) Synonym(s): *spilota* Erschoff,1874
- 3422. *Apamea altijuga* (Kozhantschikov,1925)** (Noctuidae) Synonym(s): *altijuga* Kozhantschikov,1925
- 3423. *Apamea anceps* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *anceps* [Denis & Schiffermüller],1775
- 3424. *Apamea aquila* Donzel,1837** (Noctuidae) Synonym(s): *aquila* Donzel,1837
- 3425. *Apamea crenata* (Hufnagel,1766)** (Noctuidae) Synonym(s): *crenata* Hufnagel,1766; *rurea* Fabricius,1775; *alopecurus* Esper,[1788]; *combusta* Hübner,[1808]; *hirticornus* Haworth,1812.
- 3426. *Apamea epomidion* (Haworth,1809)** (Noctuidae) Synonym(s): *characteraea* auct. nec [Denis & Schiff.],1775; *epomidion* Haworth,1809
- 3427. *Apamea ferrago* (Eversmann,1837)** (Noctuidae) Synonym(s): *ferrago* Eversmann,1837
- 3428. *Apamea ferrago ferrago* (Eversmann,1837)** (Noctuidae) Synonym(s): *ferrago* Eversmann,1837
- 3429. *Apamea furva* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#furva* [Denis & Schiffermüller],1775 Larval foodplant(s): *Arctium* ([Denis & Schiffermüller],1775 et seq.).
- 3430. *Apamea furva furva* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#furva* [Denis & Schiffermüller],1775 Larval foodplant(s): *Arctium* ([Denis & Schiffermüller],1775 et seq.).
- 3431. *Apamea illyria* Freyer,1846** (Noctuidae) Synonym(s): *illyria* Freyer,1846
- 3432. *Apamea lateritia* (Hufnagel,1766)** (Noctuidae) Synonym(s): *lateritia* Hufnagel,1766; *molochina* Hübner,[1803].

- 3433. *Apamea lateritia lateritia* (Hufnagel,1766)** (Noctuidae) Synonym(s): *lateritia* Hufnagel,1766; *molochina* Hübner,[1803].
- 3434. *Apamea leucodon* (Eversmann,1837)** (Noctuidae) Synonym(s): *leucodon* Eversmann,1837
- 3435. *Apamea leucodon leucodon* (Eversmann,1837)** (Noctuidae) Synonym(s): *leucodon* Eversmann,1837
- 3436. *Apamea lithoxylaea* (Fabricius,1787)** (Noctuidae) Synonym(s): *#lithoxylaea* [Denis & Schiffermüller],1775; *lithoxylaea* Fabricius,1787.
- 3437. *Apamea lithoxylaea lithoxylaea* (Fabricius,1787)** (Noctuidae) Synonym(s): *#lithoxylaea* [Denis & Schiffermüller],1775; *lithoxylaea* Fabricius,1787.
- 3438. *Apamea maillardi* (Geyer,1834)** (Noctuidae) Synonym(s): *maillardi* Geyer,1834
- 3439. *Apamea maillardi schildei* (Staudinger,1901)** (Noctuidae) Synonym(s): *schildei* Staudinger,1901
- 3440. *Apamea monoglypha* (Hufnagel,1766)** (Noctuidae) Synonym(s): *polyodon* Linnaeus,1761 nec Cl.,1759; *monoglypha* Hufnagel,1766.
- 3441. *Apamea oblonga* (Haworth,[1809])** (Noctuidae) Synonym(s): *oblonga* Haworth,[1809]; *abjecta* Hübner,[1813].
- 3442. *Apamea ophiogramma* (Esper,1794)** (Noctuidae) Synonym(s): *ophiogramma* Esper,1794
- 3443. *Apamea platinea* (Treitschke,1825)** (Noctuidae) Synonym(s): *platinea* Treitschke,1825; *grisescens* Touleschkov,1951 nec Stgr.,1889; *touleschkoffi* Koçak,1980.
- 3444. *Apamea platinea montana* (Herrich-Schäffer,1852)** (Noctuidae) Synonym(s): *montana* Herrich-Schäffer,1852; *farinulenta* Christoph,1893; *pentheri* Rebel,1905.
- 3445. *Apamea pyxina* (A.Bang-Haas,1910)** (Noctuidae) Synonym(s): *pyxina* A.Bang-Haas,1910.
- 3446. *Apamea pyxina pyxina* (A.Bang-Haas,1910)** (Noctuidae) Synonym(s): *pyxina* A.Bang-Haas,1910
- 3447. *Apamea remissa* (Hübner,[1809])** (Noctuidae) Synonym(s): *remissa* Hübner,[1809]
- 3448. *Apamea rjaboviana* Mikkola, Varga & Lafontaine,** (Noctuidae) Synonym(s):
- 3449. *Apamea rubrireana* (Treitschke,1825)** (Noctuidae) Synonym(s): *rubrireana* Treitschke,1825
- 3450. *Apamea rubrireana rubrireana* (Treitschke,1825)** (Noctuidae) Synonym(s): *rubrireana* Treitschke,1825
- 3451. *Apamea scolopacina* (Esper,1788)** (Noctuidae) Synonym(s): *scolopacina* Esper,1788
- 3452. *Apamea sordens* (Hufnagel,1766)** (Noctuidae) Synonym(s): *sordens* Hufnagel,1766
- 3453. *Apamea sublustris* (Esper,[1788])** (Noctuidae) Synonym(s): *sublustris* Esper,[1788]
- 3454. *Apamea unanimitis* (Hübner,[1813])** (Noctuidae) Synonym(s): *unanimitis* Hübner,[1813]
- 3455. *Apamea zeta* (Treitschke,1825)** (Noctuidae) Synonym(s): *zeta* Treitschke,1825
- 3456. *Apamea zeta marmorata* (Zetterstedt,[1839])** (Noctuidae) Synonym(s): *marmorata* Zetterstedt,[1839]
- 3457. *Apaustis rupicola* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *rupicola* [Denis & Schiffermüller],1775; *palliata* Fabricius,1787; *pallium* Borkhausen,1792; *heliophila* Hübner,[1803]
- 3458. *Apopestes noe* L.Ronkay,1990** (Noctuidae) Synonym(s): *noe* Ronkay,1990
- 3459. *Apopestes phantasma* (Eversmann,1843)** (Noctuidae) Synonym(s): *phantasma* Eversmann,1843; *centralasiae* W.Warren,1913.
- 3460. *Apopestes spectrum* (Esper,[1787])** (Noctuidae) Synonym(s): *spectrum* Esper,[1787] Larval foodplant(s): *Spartium junceum*, *Glycyrrhiza* (Lederer,1865; Wiltshire,1957).

- 3461. *Aporophyla lutulenta* ([Denis & Schiffermüller],1775)** (Noctuidae)
Synonym(s): *lutulenta* [Denis & Schiffermüller],1775; *electrica* Fabricius,1794; *fuscus* Haworth,1803; *consimilis* Stephens,1829; *orthostigma* Stephens,1829; *sedi* Duponchel,1836; *tripuncta* Freyer,1848; *brunnea* Schawerda,1929; *aterrima* Warnecke,1936; *insularis* Hansson,1952
- 3462. *Aporophyla nigra* (Haworth,[1809])** (Noctuidae) Synonym(s): *lunula* Ström,1783 *nec* Hfn.,1766; *nigra* Haworth,[1809]; *nigricans* Hbn.,[1813]; *aethiops* Ochsenheimer,1816; *seileri* Fuchs,1901 Larval foodplant(s): *Calluna*, *Rumex*, *Plantago*, *Stellaria*, *Deschampsia*, *Epilobium*, *Genista*, *Oxalis* (Hacker,2001).
- 3463. *Aporophyla nigra nigra* (Haworth,1809)** (Noctuidae) Synonym(s): *lunula* Ström,1783 *nec* Hfn.,1766; *nigra* Haworth,[1809]; *nigricans* Hbn.,[1813]; *aethiops* Ochsenheimer,1816; *seileri* Fuchs,1901
- 3464. *Archanara algae* (Esper,[1789])** (Noctuidae) Synonym(s): *algae* Esper,[1789]
Larval foodplant(s): *Typha*, *Sparganium*, *Scirpus*, *Phragmites*, *Glyceria* (Hacker,1989).
- 3465. *Archanara dissoluta* (Treitschke,1825)** (Noctuidae) Synonym(s): *dissoluta* Treitschke,1825
- 3466. *Archanara geminipuncta* (Haworth,1809)** (Noctuidae) Synonym(s): *geminipuncta* Haworth,1809; *paludicola* Hübner,[1817]. Larval foodplant(s): *Phragmites* (Wiltshire,1957).
- 3467. *Archanara geminipuncta geminipuncta* (Haworth,1809)** (Noctuidae)
Synonym(s): *geminipuncta* Haworth,1809; *paludicola* Hübner,[1817].
- 3468. *Archanara neurica* (Hübner,[1808])** (Noctuidae) Synonym(s): *neurica* Hübner,[1808]; *edelsteni* Tutt,1908 Larval foodplant(s): *Phragmites communis*, *Phalaris arundinacea* (Hacker,1989).
- 3469. *Archanara sparganii* (Esper,[1790])** (Noctuidae) Synonym(s): *sparganii* Esper,[1790]; *strigosa* Staudinger,1892. Larval foodplant(s): *Typha*, *Sparganium*, *Iris pseudacorus* (Esper,[1790]; Hacker,1989).
- 3470. *Archanara sparganii sparganii* (Esper,[1790])** (Noctuidae)
Synonym(s): *sparganii* Esper,[1790]
- 3471. *Arcte coerula* (Guenée,1852)** (Noctuidae) Synonym(s): *coerula* Guenée,1852
- 3472. *Arenostola phragmitidis* (Hübner,[1803])** (Noctuidae) Synonym(s): *phragmitidis* Hübner,[1803] Larval foodplant(s): *Phragmites communis* (Hübner,[1803]; Wiltshire,1957; Hacker,1989).
- 3473. *Argyrospila succinea* (Esper,[1798])** (Noctuidae) Synonym(s): *succinea* Esper,[1798]
- 3474. *Armada panaceorum* (Ménétriés,1849)** (Noctuidae) Synonym(s): *panaceorum* Ménétriés,1849; *distincta* Rothschild,1915.
- 3475. *Armada panaceorum panaceorum* (Ménétriés,1849)** (Noctuidae)
Synonym(s): *panaceorum* Ménétriés,1849; *distincta* Rothschild,1915.
- 3476. *Artena dotata* (Fabricius,1794)** (Noctuidae) Synonym(s): *dotata* Fabricius,1794
- 3477. *Arytrura musculus* (Ménétriés,1859)** (Noctuidae) Synonym(s): *musculus* Ménétriés,1859
- 3478. *Asteroscopus sphinx* (Hufnagel,1766)** (Noctuidae) Synonym(s): *sphinx* Hufnagel,1766; *cassinia* [Denis & Schiffermüller],1775; *alpina* Seifers,1916.
- 3479. *Atethmia ambusta* (Fabricius,1787)** (Noctuidae) Synonym(s): *#ambusta* [Denis & Schiffermüller],1775; *ambusta* Fabricius,1787; *xerampelina* Esper,1793 Larval foodplant(s): *Pyrus*, *Malus* (Rosaceae) (Hofmann,1893).
- 3480. *Atethmia ambusta ambusta* (Fabricius,1787)** (Noctuidae) Synonym(s): *#ambusta* [Denis & Schiffermüller],1775; *ambusta* Fabricius,1787; *xerampelina* Esper,1793
- 3481. *Atethmia centrargo* (Haworth,[1809])** (Noctuidae) Synonym(s): *centrargo* Haworth,[1809]. Larval foodplant(s): *Fraxinus* (Hampson,1906; Spuler,1907).
- 3482. *Atethmia centrargo borjomensis* (Romanoff,1885)** (Noctuidae)
Synonym(s): *borjomensis* Romanoff,1885

- 3483. *Athaumasta expressa* (Lederer,1855)** (Noctuidae) Synonym(s): *expressa* Lederer,1855; *ochracea* Staudinger,1881
- 3484. *Athaumasta siderigera* (Christoph,1893)** (Noctuidae) Synonym(s): *siderigera* Christoph,1893
- 3485. *Athetis funesta* (Staudinger,1888)** (Noctuidae) Synonym(s): *funesta* Staudinger,1888
- 3486. *Athetis furvula* (Hübner,[1808])** (Noctuidae) Synonym(s): *furvula* Hübner,[1808]; *dasychira* Hübner,[1817]; *lenta* Treitschke,1825. Larval foodplant(s): *Rumex* (Hacker,1989).
- 3487. *Athetis gluteosa* (Treitschke,1835)** (Noctuidae) Synonym(s): *gluteosa* Treitschke,1835
- 3488. *Athetis pallustris* (Hübner,[1808])** (Noctuidae) Synonym(s): *pallustris* Hübner,[1808]; *#palustris* Lederer,1870
- 3489. *Atypha pulmonaris* (Esper,[1790])** (Noctuidae) Synonym(s): *pulmonaris* Esper,[1790] Larval foodplant(s): *Pulmonaria officinalis*, *Symphytum* (Esper,[1790], Hacker,1989).
- 3490. *Atypha pulmonaris promethea* Boursin,1944** (Noctuidae) Synonym(s): *promethea* Boursin,1944
- 3491. *Atypha pulmonaris pulmonaris* (Esper,[1790])** (Noctuidae) Synonym(s): *pulmonaris* Esper,[1790]
- 3492. *Auchmis* (s.str.) *detersa* (Esper,[1791])** (Noctuidae) Synonym(s): *comma* [Denis & Schiffermüller],1775; *detersa* Esper,[1791] Larval foodplant(s): *Berberis vulgaris* (Hacker,1989).
- 3493. *Auchmis* (s.str.) *detersa detersa* (Esper,[1791])** (Noctuidae) Synonym(s): *comma* [Denis & Schiffermüller],1775; *detersa* Esper,[1791]
- 3494. *Auchmis* (s.str.) *peterseni* (Christoph,1887)** (Noctuidae) Synonym(s): *peterseni* Christoph,1887
- 3495. *Autographa bractea* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *bractea* [Denis & Schiffermüller],1775
- 3496. *Autographa buraetica* (Staudinger,1892)** (Noctuidae) Synonym(s): *buraetica* Staudinger,1892
- 3497. *Autographa excelsa* (Kretschmar,1862)** (Noctuidae) Synonym(s): *excelsa* Kretschmar,1862
- 3498. *Autographa gamma* (Linnaeus,1758)** (Noctuidae) Synonym(s): *gamma* Linnaeus,1758; *messmeri* Schädewald,1992; *voelkeri* Schädewald,1992.
- 3499. *Autographa jota* (Linnaeus,1758)** (Noctuidae) Synonym(s): *jota* Linnaeus,1758; *protea* Stoll,1782; *inscripta* Esper,1787; *gammaaurina* Haworth,1809; *percontationis* Ochsenheimer,1816; *aurigutta* Hübner,[1821]; *ancora* Freyer,1832; *bartholomaei* Ménétriés,1859; *anatolica* Schwingenschuss,1938
- 3500. *Autographa macrogamma* (Eversmann,1842)** (Noctuidae) Synonym(s): *macrogamma* Eversmann,1842
- 3501. *Autographa mandarina* (Freyer,1845)** (Noctuidae) Synonym(s): *mandarina* Freyer,1845
- 3502. *Autographa pulchrina* (Haworth,1809)** (Noctuidae) Synonym(s): *pulchrina* Haworth,1809; *v-aureum* Guenée,1852; *percontratrix* Aurivillius,1891
- 3503. *Autophila* (Cheirophean) *cataphanes* (Hübner,[1813])** (Noctuidae) Synonym(s): *cataphanes* Hübner,[1813] Larval foodplant(s): *Genista* (Calle et al., 2000).
- 3504. *Autophila* (Cheirophean) *cataphanes cataphanes* (Hübner,[1813])** (Noctuidae) Synonym(s): *cataphanes* Hübner,[1813]
- 3505. *Autophila* (Cheirophean) *chamaephean* Boursin,1940** (Noctuidae) Synonym(s): *chamaephean* Boursin,1940
- 3506. *Autophila* (Cheirophean) *chamaephean chamaephean* Boursin,1940** (Noctuidae) Synonym(s): *chamaephean* Boursin,1940

- 3507. Autophila (Cheirophanes) ligaminosa (Eversmann,1851)** (Noctuidae)
Synonym(s): *ligaminosa* Eversmann,1851; *caucasica* Herz,1904.
- 3508. Autophila (Cheirophanes) ligaminosa ligaminosa (Eversmann,1851)** (Noctuidae) Synonym(s): *ligaminosa* Eversmann,1851; *caucasica* Herz,1904.
- 3509. Autophila (Cheirophanes) sinuata (Fischer de Waldheim,1820)** (Noctuidae) Synonym(s): *sinuata* Fischer de Waldheim,1820
- 3510. Autophila (s.str.) asiatica (Staudinger,1888)** (Noctuidae) Synonym(s): *asiatica* Staudinger,1888
- 3511. Autophila (s.str.) asiatica asiatica (Staudinger,1888)** (Noctuidae)
Synonym(s): *asiatica* Staudinger,1888
- 3512. Autophila (s.str.) dilucida (Hübner,[1808])** (Noctuidae) Synonym(s): *dilucida* Hübner,[1808]; *praeclara* Schawerda,1918; *argentea* Caradja,1930; *troniceki* Reisser,1958.
Larval foodplant(s): *Onobrychis sativa* (Calle et al., 2000).
- 3513. Autophila (s.str.) einsleri Amsel,1935** (Noctuidae) Synonym(s): *#luxuriosa* Zerny,1933; *einsleri* Amsel,1935; *luxuriosa* Schwingenschuss,1939.
- 3514. Autophila (s.str.) einsleri taurica Boursin,1940** (Noctuidae)
Synonym(s): *taurica* Boursin,1940
- 3515. Autophila (s.str.) glebicolor (Erschoff,1874)** (Noctuidae) Synonym(s): *glebicolor* Erschoff,1874
- 3516. Autophila (s.str.) inconspicua (Butler,1881)** (Noctuidae) Synonym(s): *inconspicua* Butler,1881; *praeligaminosa* Staudinger,1888
- 3517. Autophila (s.str.) inconspicua altaica L.Ronkay,1989** (Noctuidae)
Synonym(s): *altaica* L.Ronkay,1989
- 3518. Autophila (s.str.) limbata (Staudinger,1871)** (Noctuidae) Synonym(s): *limbata* Staudinger,1871 Larval foodplant(s): *Astragalus echinus* (Staudinger,1879).
- 3519. Autophila (s.str.) limbata limbata (Staudinger,1871)** (Noctuidae)
Synonym(s): *limbata* Staudinger,1871 Larval foodplant(s): *Astragalus echinus* (Staudinger,1879).
- 3520. Axylia putris (Linnaeus,1761)** (Noctuidae) Synonym(s): *putris* Linnaeus,1761; *subcorticalis* Hufnagel,1766; *pallium* Villers,1789; *lignosa* Hübner,[1803]; *mundipennis* W.Warren,1912
- 3521. Basistriga flammatra ([Denis & Schiffermüller],1775)** (Noctuidae)
Synonym(s): *flammatra* [Denis & Schiffermüller],1775; *bimaculata* Milliere,1885.
- 3522. Basistriga flammatra flammatra ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *flammatra* [Denis & Schiffermüller],1775; *bimaculata* Milliere,1885.
- 3523. Bastilla maturata (Walker,1858)** (Noctuidae) Synonym(s): *maturata* Walker,1858; *falcata* Moore,1882 Larval foodplant(s): *Vitis* (Vitaceae) (Holloway & Miller,2003).
- 3524. Behounekia freyeri (Frivaldsky,1835)** (Noctuidae) Synonym(s): *freyeri* Frivaldsky,1835; *linthea* Freyer,1842; *orontii* Herrich-Schäffer,[1851]; *senescens* Eversmann,1856; *#linthea* Lederer,1870
- 3525. Bena bicolorana (Fuessly,1775)** (Noctuidae) Synonym(s): *prasinana* auct. nec Linn.,1758; *bicolorana* Fuessly,1775; *quercana* Denis & Schiffermüller,1775; *conspersa* W.Warren,1913.
- 3526. Blepharita amica (Treitschke,1825)** (Noctuidae) Synonym(s): *amica* Treitschke,1825
- 3527. Blepharita satura ([Denis & Schiffermüller],1775)** (Noctuidae)
Synonym(s): *satura* [Denis & Schiffermüller],1775
- 3528. Brachionycha nubeculosa (Esper,[1785])** (Noctuidae) Synonym(s): *nubeculosa* Esper,[1785]
- 3529. Brachionycha nubeculosa nubeculosa (Esper,[1785])** (Noctuidae)
Synonym(s): *nubeculosa* Esper,[1785]
- 3530. Brachionycha sajana Draudt,1934** (Noctuidae) Synonym(s): *sajana* Draudt,1934

- 3531. *Brachylomia uralensis* (W.Warren,1910)** (Noctuidae) **Synonym(s):** *uralensis* W.Warren,1910
- 3532. *Brachylomia uralensis uralensis* (W.Warren,1910)** (Noctuidae) **Synonym(s):** *uralensis* W.Warren,1910
- 3533. *Brachylomia viminalis* (Fabricius,1777)** (Noctuidae) **Synonym(s):** *viminalis* Fabricius,1777; *stricta* Esper,[1789]; *saliceti* Borkhausen,1792; *scripta* Hübner,[1803].
- 3534. *Brachyxanthia zelotypa* (Lederer,1853)** (Noctuidae) **Synonym(s):** *zelotypa* Lederer,1853
- 3535. *Calamia staudingeri* Warnecke,1941** (Noctuidae) **Synonym(s):** *staudingeri* Warnecke,1941
- 3536. *Calamia tridens* (Hufnagel,1766)** (Noctuidae) **Synonym(s):** *tridens* Hufnagel,1766; *virens* Linnaeus,1767; *immaculata* Staudinger,1871.
- 3537. *Callistege mi* (Clerck,1759)** (Noctuidae) **Synonym(s):** *#mi* Clerck,1759; *graminis* Hufnagel,1766; *albolineata* Goeze,1781; *litterata* Cyrilli,1787 nec Sc.,1763
- 3538. *Callopietria albolineola* (Graeser,1889)** (Noctuidae) **Synonym(s):** *albolineola* Graeser,1889
- 3539. *Callopietria argyrosticta* (Butler,1881)** (Noctuidae) **Synonym(s):** *argyrosticta* Butler,1881; *venus* Staudinger,1888; *argentata* Graeser,1889
- 3540. *Callopietria juvenina* (Stoll,[1782])** (Noctuidae) **Synonym(s):** *juvenina* Stoll,[1782]; *purpureofasciata* Piller & Mitterpacher,1783; *lagopus* Esper,[1788]; *pteridis* Thunberg,1788; *manicata* Villers,1789; *formissimalis* Hübner,1796; *obscura* Butler,1878
- 3541. *Callopietria latreillei* (Duponchel,1827)** (Noctuidae) **Synonym(s):** *latreillei* Duponchel,1827; *quieta* Treitschke,1826; *roseitulum* Walker,[1858]; *rakoto* Viette,1865; *rechingeri* Koutsaftikis,1973.
- 3542. *Calophasia lunula* (Hufnagel,1766)** (Noctuidae) **Synonym(s):** *lunula* Hufnagel,1766; *linariae* [Denis & Schiffermüller],1775.
- 3543. *Calophasia lunula lunula* (Hufnagel,1766)** (Noctuidae) **Synonym(s):** *lunula* Hufnagel,1766; *linariae* [Denis & Schiffermüller],1775.
- 3544. *Calophasia opalina* (Esper,[1796])** (Noctuidae) **Synonym(s):** *casta* Borkhausen,1793 nec Pall.,1767; *opalina* Esper,[1796]; *biroi* Aigner,1901; *naruenensis* Spuler,1910; *castior* Stauder,1923.
- 3545. *Calophasia platyptera* (Esper,[1788])** (Noctuidae) **Synonym(s):** *platyptera* Esper,[1788]; *canterius* De Villers,1789; *tenera* Hübner,[1803]; *olbiena* Duponchel,1842; *subalbida* Staudinger,1901. **Larval foodplant(s):** *Anthirrhinum*, *Linaria* (Calle et al., 2000).
- 3546. *Calophasia hohenwarthi* (Hochenwarth,1785)** (Noctuidae) **Synonym(s):** *hochenwarthi* Hochenwarth,1785; *divergens* Fabricius,1787; *insignata* Reuter,1893; *tibetana* Staudinger,1895; *alaica* Galvagni,1906; *cuprina* W.Warren,1913; *hochenwarthi* Hampson,1913; *laponaris* Schulte,1952
- 3547. *Calophasia hohenwarthi hohenwarthi* (Hochenwarth,1785)** (Noctuidae) **Synonym(s):** *hochenwarthi* Hochenwarth,1785; *divergens* Fabricius,1787; *insignata* Reuter,1893; *tibetana* Staudinger,1895; *alaica* Galvagni,1906; *cuprina* W.Warren,1913; *hochenwarthi* Hampson,1913; *laponaris* Schulte,1952
- 3548. *Calymma communimacula* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *communimacula* [Denis & Schiffermüller],1775 **larva lives in soft cases on Coccids on Sloe, Prunus (Hacker,2001).**
- 3549. *Calymma communimacula communimacula* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *communimacula* [Denis & Schiffermüller],1775
- 3550. *Calyptra thalictri* (Borkhausen,1790)** (Noctuidae) **Synonym(s):** *capucina* Esper,1789 nec Linn.,1767; *thalictri* Borkhausen,1790; *sodalis* Butler,1878; *#thalactri* Moore,1882; *#intensiva* W.Warren,1914; *#capuzina* Dannehl,1925; *#centralitalica* Dannehl,1925; *pallida* Schwingenschuss,1938
- 3551. *Caradrina* (Eremodrina) *expansa* (Alpheraky,1887)** (Noctuidae) **Synonym(s):** *expansa* Alpheraky,1887
- 3552. *Caradrina* (Eremodrina) *ferghana* (Staudinger,1892)** (Noctuidae) **Synonym(s):** *ferghana* Staudinger,1892

- 3553. Caradrina (Eremodrina) inumbrata (Staudinger,1900)** (Noctuidae)
Synonym(s): *inumbrata* Staudinger,1900; *inumbratella* Pinker,1980
- 3554. Caradrina (Eremodrina) inumbrata obfuscata Hacker,2004**
(Noctuidae) Synonym(s): *obfuscata* Hacker,2004
- 3555. Caradrina (Eremodrina) melanura (Alpheraky,1897)** (Noctuidae)
Synonym(s): *melanura* Alpheraky,1897; *samurana* Boursin,1939; *samurana* Boursin,1940
- 3556. Caradrina (Eremodrina) morosa (Lederer,1853)** (Noctuidae)
Synonym(s): *morosa* Lederer,1853; *permorosa* Bryk,1949
- 3557. Caradrina (Eremodrina) pertinax (Staudinger,1879)** (Noctuidae)
Synonym(s): *pertinax* Staudinger,1879; *argentea* Caradja,1930.
- 3558. Caradrina (Eremodrina) vicina (Staudinger,1870)** (Noctuidae)
Synonym(s): *vicina* Staudinger,1870; *perspicua* W.Warren,1911
- 3559. Caradrina (Eremodrina) vicina vicina (Staudinger,1870)** (Noctuidae)
Synonym(s): *vicina* Staudinger,1870; *perspicua* W.Warren,1911
- 3560. Caradrina (Eremodrina) zernyi (Boursin,1936)** (Noctuidae)
Synonym(s): *zernyi* Boursin,1936; *signata* Boursin,1936
- 3561. Caradrina (Eremodrina) zernyi zernyi (Boursin,1936)** (Noctuidae)
Synonym(s): *zernyi* Boursin,1936; *signata* Boursin,1936
- 3562. Caradrina (Paradrina) clavipalpis (Scopoli,1763)** (Noctuidae)
Synonym(s): *clavipalpis* Scopoli,1763; *grisea* Hufnagel,1766; *quadripunctata* Fabricius,1775; *cubicularis* [Denis & Schiffermüller],1775; *leucoptera* Thunberg,1791; *milleri* Schultz,1862; *avicula* Krulikovskiy,1909; *teidovolans* Pinker,1974; *pinkeri* Kobes,1975 Larval foodplant(s):
Campanula, Cichorium, Lactuca, Lamium, Plantago, Rumex, Taraxacum (Calle et al., 2000).
- 3563. Caradrina (Paradrina) flavirena (Guenée,1852)** (Noctuidae)
Synonym(s): *flavirena* Guenée,1852; *minor* Staudinger,1897; *subdita* W.Warren,1911; *muricolor* Boursin,1933; *subdita* Leraut,1980
- 3564. Caradrina (Paradrina) selini (Boisduval,1840)** (Noctuidae)
Synonym(s): *selini* Boisduval,1840; *selinoides* Bellier,1862; *milleri* Schultz,1862; *jurassica* Rikkenbach-Stehlin,1876; *minor* Staudinger,1897; *#puengeleri* Draudt,1934; *telekii* Dioszeghy,[1935]
- 3565. Caradrina (Paradrina) selini selini (Boisduval,1840)** (Noctuidae)
Synonym(s): *selini* Boisduval,1840; *selinoides* Bellier,1862; *milleri* Schultz,1862; *jurassica* Rikkenbach-Stehlin,1876; *minor* Staudinger,1897; *#puengeleri* Draudt,1934; *telekii* Dioszeghy,[1935]
- 3566. Caradrina (Platyperigea) albina (Eversmann,1848)** (Noctuidae)
Synonym(s): *albina* Eversmann,1848; *congesta* Lederer,1853; *tenera* A.Bang-Haas,1912
- 3567. Caradrina (Platyperigea) albina albina (Eversmann,1848)**
(Noctuidae) Synonym(s): *albina* Eversmann,1848; *congesta* Lederer,1853; *tenera* A.Bang-Haas,1912
- 3568. Caradrina (Platyperigea) aspersa (Rambur,1834)** (Noctuidae)
Synonym(s): *aspersa* Rambur,1834; *anceps* Herrich-Schäffer,1849; *culoti* Turati,1913. larva
polyphag (Hacker,1989).
- 3569. Caradrina (Platyperigea) kadenii (Freyer,1836)** (Noctuidae)
Synonym(s): *kadenii* Freyer,1836
- 3570. Caradrina (Platyperigea) montana (Bremer,1861)** (Noctuidae)
Synonym(s): *montana* Bremer,1861; *apatetica* Püngeler,1914; *sachalinensis* Matsumura,1925; *melancholica* Draudt,1934; *kaolina* Bryk,1949
- 3571. Caradrina (Platyperigea) montana montana (Bremer,1861)**
(Noctuidae) Synonym(s): *montana* Bremer,1861; *apatetica* Püngeler,1914; *sachalinensis* Matsumura,1925; *melancholica* Draudt,1934; *kaolina* Bryk,1949
- 3572. Caradrina (Platyperigea) montana rougemonti Spuler,1908**
(Noctuidae) Synonym(s): *rougemonti* Spuler,1908
- 3573. Caradrina (Platyperigea) petraea Tengström,1869** (Noctuidae)
Synonym(s): *grisea* Eversmann,1848 nec Hfn.,1766; *petraea* Tengström,1869; *#tunkuna* Draudt,1934

- 3574. Caradrina (Platyperigea) sogdiana (Boursin,1936)** (Noctuidae)
Synonym(s): *sogdiana* Boursin,1936
- 3575. Caradrina (Platyperigea) terrea (Freyer,[1840])** (Noctuidae)
Synonym(s): *terrea* Freyer,[1840]; *ustirena* Boisduval,1840
- 3576. Caradrina (Platyperigea) terrea matrona (Ronkay & Varga,1985)**
(Noctuidae) Synonym(s): *matrona* Ronkay & Varga,1985
- 3577. Caradrina (s.str.) amurensis (Staudinger,1892)** (Noctuidae)
Synonym(s): *amurensis* Staudinger,1892; *sabulosa* Graeser,1892.
- 3578. Caradrina (s.str.) morpheus (Hufnagel,1766)** (Noctuidae) Synonym(s):
morpheus Hufnagel,1766; *pulla* Beckwith,1794 *nec* Esp.,[1785]; *sepia* Hübner,[1803]; *dresnayi* D.Lucas,1933; *alpina* Hartig,[1938]
- 3579. Cardepi helix (Boursin,1962)** (Noctuidae) Synonym(s): *helix* Boursin,1962
- 3580. Cardepi irrisor (Erschoff,1874)** (Noctuidae) Synonym(s): *irrisor* Erschoff,1874; *irrisoria* Erschoff,1874; *albipicta* Christoph,1884 Larval foodplant(s): *Atriplex* (Heydemann et al.,1963).
- 3581. Cardepi sociabilis (Graslin,1850)** (Noctuidae) Synonym(s): *sociabilis* Graslin,1850; *ghigii* Turati,1926; *pedrosai* Monteiro,1972; *grisea* Berio,1986.
- 3582. Cardepi sociabilis socialis Hacker,1998** (Noctuidae) Synonym(s):
socialis Hacker,1998
- 3583. Catephia alchymista ([Denis & Schiffermüller],1775)** (Noctuidae)
Synonym(s): *alchymista* [Denis & Schiffermüller],1775 Larval foodplant(s): *Quercus*,
Ulmus (Calle et al., 2000).
- 3584. Catephia alchymista alchymista ([Denis & Schiffermüller],1775)**
(Noctuidae) Synonym(s): *alchymista* [Denis & Schiffermüller],1775
- 3585. Catocala (Ephesia) nymphaea (Esper,[1787])** (Noctuidae) Synonym(s):
nymphaea Esper,[1787]; *vestalis* Geyer,[1835]. Larval foodplant(s): *Quercus ilex*
(Fagaceae) (Robinson et al.).
- 3586. Catocala (Ephesia) nymphaea nymphaea (Esper,[1787])** (Noctuidae)
Synonym(s): *nymphaea* Esper,[1787]; *vestalis* Geyer,[1835].
- 3587. Catocala (s.str.) adultera Ménétriés,1856** (Noctuidae) Synonym(s):
adultera Ménétriés,1856
- 3588. Catocala (s.str.) conversa (Esper,1783)** (Noctuidae) Synonym(s): *conversa* Esper,[1787]; *pasythea* Hübner,[1809]; *agamos* Hübner,[1813] Larval foodplant(s): *Quercus rotundifolia* (Fagaceae) (Robinson et al.).
- 3589. Catocala (s.str.) deducta Eversmann,1843** (Noctuidae) Synonym(s):
deducta Eversmann,1843
- 3590. Catocala (s.str.) dilecta (Hübner,[1808])** (Noctuidae) Synonym(s):
dilecta Hübner,[1808]; *laetitia* Schawerda,1931 Larval foodplant(s): *Quercus* (Fagaceae)
(Robinson et al.).
- 3591. Catocala (s.str.) disjuncta (Geyer,[1828])** (Noctuidae) Synonym(s):
disjuncta Geyer,[1828]; *separata* Freyer,1848; *luctuosa* Staudinger,1901 *nec* Hulst,1884; *fumigata* Kuznetsov,1903. Larval foodplant(s): *Quercus coccifera* (Staudinger,1879).
- 3592. Catocala (s.str.) diversa (Geyer,[1828])** (Noctuidae) Synonym(s): *diversa* Geyer,[1828]; *callinympha* Boisduval,[1828]; *#divera* Hacker,1988 Larval foodplant(s):
Quercus (Wiltshire,1948).
- 3593. Catocala (s.str.) electa (Vieweg,1790)** (Noctuidae) Synonym(s): *electa* Vieweg,1790 Larval foodplant(s): *Salix* (Salicaceae) (Robinson et al.).
- 3594. Catocala (s.str.) elocata (Esper,[1787])** (Noctuidae) Synonym(s): *elocata* Esper,[1787]; *marita* Hübner,[1813]; *nurus* Hübner,[1822] Larval foodplant(s): *Populus*,
Salix (Salicaceae) (Robinson et al.).
- 3595. Catocala (s.str.) elocata elocata (Esper,[1787])** (Noctuidae)
Synonym(s): *elocata* Esper,[1787]; *marita* Hübner,[1813]; *nurus* Hübner,[1822]

- 3596. *Catocala (s.str.) fraxini* (Linnaeus,1758)** (Noctuidae) Synonym(s): *fraxini* Linnaeus,1758 Larval foodplant(s): *Fraxinus excelsior* (Oleaceae), *Betula* (Betulaceae), *Populus tremula*, *Salix* (Salicaceae) (Robinson et al.).
- 3597. *Catocala (s.str.) fulminea* (Scopoli,1763)** (Noctuidae) Synonym(s): *fulminea* Scopoli,1763; *manturna* Hufnagel,1766; *paranympha* Linnaeus,1767. Larval foodplant(s): *Crataegus*, *Prunus spinosa*, *Pyrus* (Rosaceae), *Quercus cerris* (Fagaceae) (Robinson et al.).
- 3598. *Catocala (s.str.) hymenaea* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#hymenaea* [Denis & Schiffermüller],1775 Larval foodplant(s): *Prunus spinosa* (Rosaceae) ([Denis & Schiffermüller],1775 et seq.).
- 3599. *Catocala (s.str.) lupina* Herrich-Schäffer,[1851]** (Noctuidae) Synonym(s): *lupina* Herrich-Schäffer,[1851] Larval foodplant(s): *Populus*, *Salix* (Salicaceae) (Robinson et al.).
- 3600. *Catocala (s.str.) lupina lupina* Herrich-Schäffer,[1851]** (Noctuidae) Synonym(s): *lupina* Herrich-Schäffer,[1851]
- 3601. *Catocala (s.str.) moltrechti* O.Bang-Haas,1927** (Noctuidae) Synonym(s): *moltrechti* O.Bang-Haas,1927
- 3602. *Catocala (s.str.) neonympha* (Esper,[1805])** (Noctuidae) Synonym(s): *neonympha* Esper,[1805] Larval foodplant(s): *Glycyrrhiza* (Fabaceae), *Quercus* (Fagaceae), *Populus* (Salicaceae) (Warren,1913; et seq.).
- 3603. *Catocala (s.str.) neonympha neonympha* (Esper,[1805])** (Noctuidae) Synonym(s): *neonympha* Esper,[1805]
- 3604. *Catocala (s.str.) nupta* (Linnaeus,1767)** (Noctuidae) Synonym(s): *nupta* Linnaeus,1767; *concubina* Hübner,[1803] Larval foodplant(s): *Fraxinus* (Oleaceae), *Populus*, *Salix* (Salicaceae) (Robinson et al.).
- 3605. *Catocala (s.str.) nupta centralasiae* Kuznezov,1903** (Noctuidae) Synonym(s): *nuptialis* Staudinger,1901 nec Wlk.,1857; *centralasiae* Kuznezov,1903
- 3606. *Catocala (s.str.) nupta nupta* (Linnaeus,1767)** (Noctuidae) Synonym(s): *nupta* Linnaeus,1767; *concubina* Hübner,[1803]
- 3607. *Catocala (s.str.) nupta obscurata* Oberthür,1880** (Noctuidae) Synonym(s): *obscurata* Oberthür,1880
- 3608. *Catocala (s.str.) nymphaeoides* Herrich-Schäffer,1852** (Noctuidae) Synonym(s): *nymphaeoides* Herrich-Schäffer,1852
- 3609. *Catocala (s.str.) nymphagoga* (Esper,[1787])** (Noctuidae) Synonym(s): *nymphagoga* Esper,[1787]; *v-nigrum* Villers,1789; *tmolia* Lederer,1865 Larval foodplant(s): *Quercus rotundifolia*, *Q. ilex*, *Q. suber* (Fagaceae) (Robinson et al.).
- 3610. *Catocala (s.str.) nymphagoga nymphagoga* (Esper,[1787])** (Noctuidae) Synonym(s): *nymphagoga* Esper,[1787]; *v-nigrum* Villers,1789; *tmolia* Lederer,1865
- 3611. *Catocala (s.str.) orientalis* Staudinger,1877** (Noctuidae) Synonym(s): *orientalis* Staudinger,1877
- 3612. *Catocala (s.str.) pacta* (Linnaeus,1758)** (Noctuidae) Synonym(s): *pacta* Linnaeus,1758
- 3613. *Catocala (s.str.) promissa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#promissa* [Denis & Schiffermüller],1775; *mneste* Hübner,[1813] Larval foodplant(s): *Quercus robur*, *Castanea* (Fagaceae) ([Denis & Schiffermüller],1775 et seq.).
- 3614. *Catocala (s.str.) puerpera* (Giorna,1791)** (Noctuidae) Synonym(s): *puerpera* Giorna,1791; *amasia* Esper,[1804] nec Sm.,1797; *pelleus* Hübner,[1809]; *romana* Schultz,1909 Larval foodplant(s): *Populus* (Salicaceae) (Robinson et al.).
- 3615. *Catocala (s.str.) puerpera puerpera* (Giorna,1791)** (Noctuidae) Synonym(s): *puerpera* Giorna,1791

- 3616. Catocala (s.str.) sponsa (Linnaeus,1767)** (Noctuidae) Synonym(s): *sponsa* Linnaeus,1767; *rejecta* Fischer v. Waldheim,1820 Larval foodplant(s): *Quercus robur* (Fagaceae) (Robinson et al.).
- 3617. Celaena haworthii (Curtis,1829)** (Noctuidae) Synonym(s): *haworthii* Curtis,1829; *hibernica* Stephens,1829; *lancea* Stephens,1829
- 3618. Celaena leucostigma (Hübner,[1808])** (Noctuidae) Synonym(s): *leucostigma* Hübner,[1808]; *fibrosa* Hübner,[1808] *lumina* Haworth,1809; *laevis* Butler,1881
- 3619. Cerapteryx graminis (Linnaeus,1758)** (Noctuidae) Synonym(s): *graminis* Linnaeus,1758; *tricuspis* Esper,[1786]; *hibernicus* Curtis,1833; *albinea* Boisduval,[1837].
- 3620. Cerapteryx graminis graminis (Linnaeus,1758)** (Noctuidae) Synonym(s): *graminis* Linnaeus,1758; *tricuspis* Esper,[1786]; *hibernicus* Curtis,1833; *albinea* Boisduval,[1837].
- 3621. Cerapteryx megala (Alpheraky,1882)** (Noctuidae) Synonym(s): *megala* Alpheraky,1882.
- 3622. Cerapteryx megala tugani Ronkay,1990** (Noctuidae) Synonym(s): *tugani* Ronkay,1990
- 3623. Cerastis leucographa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *leucographa* [Denis & Schiffermüller],1775; *cervina* Hübner,[1821]; *lepetitii* Boisduval,1832
- 3624. Cerastis rubricosa (Fabricius,1787)** (Noctuidae) Synonym(s): *#rubricosa* [Denis & Schiffermüller],1775; *rubricosa* Fabricius,1787; *mucida* Esper,[1790]; *pilicornis* Brahm,1791; *rufa* Haworth,1809; *mista* Hübner,[1813].
- 3625. Chandata bella (Butler,1881)** (Noctuidae) Synonym(s): *bella* Butler,1881; *graeseri* Staudinger,1892
- 3626. Charanyca trigrammica (Hufnagel,1766)** (Noctuidae) Synonym(s): *trigrammica* Hufnagel,1766; *asiaminorica* Pinker,1980.
- 3627. Chasminodes albonitens (Bremer,1861)** (Noctuidae) Synonym(s): *albonitens* Bremer,1861; *albipalpis* Bryk,1948; *harutai* Sugi,1955
- 3628. Chasminodes sugii Kononenko,1981** (Noctuidae) Synonym(s): *sugii* Kononenko,1981
- 3629. Chasminodes ussurica Kononenko,1982** (Noctuidae) Synonym(s): *ussurica* Kononenko,1982
- 3630. Chazaria incarnata (Freyer,1838)** (Noctuidae) Synonym(s): *incarnata* Freyer,1838; *boisduvali* Boisduval,1840. Larval foodplant(s): *Silene* (Staudinger,1879).
- 3631. Chersotis (Cyrebia) anachoreta (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *anachoreta* Herrich-Schäffer,[1851]; *niesiolowskii* Koçak,1987
- 3632. Chersotis (Cyrebia) anachoreta anachoreta (Herrich-Schäffer,1851)** (Noctuidae) Synonym(s): *anachoreta* Herrich-Schäffer,[1851]; *niesiolowskii* Koçak,1987; *taurica* Hacker,1996
- 3633. Chersotis (Cyrebia) luperinoides Guenée,1852** (Noctuidae) Synonym(s): *luperinoides* Guenée,1852
- 3634. Chersotis (s.str.) alpestris (Boisduval,[1837])** (Noctuidae) Synonym(s): *alpestris* Boisduval,[1837]
- 3635. Chersotis (s.str.) alpestris ponticola (Draudt,1936)** (Noctuidae) Synonym(s): *ponticola* Draudt,1936
- 3636. Chersotis (s.str.) anatolica (Draudt,1936)** (Noctuidae) Synonym(s): *anatolica* Draudt,1936; *elegantula* Boursin,1945.
- 3637. Chersotis (s.str.) andereggii (Boisduval,[1837])** (Noctuidae) Synonym(s): *andereggii* Boisduval,[1837]
- 3638. Chersotis (s.str.) andereggii exclamans (Eversmann,1841)** (Noctuidae) Synonym(s): *exclamans* Eversmann,1841
- 3639. Chersotis (s.str.) capnistis (Lederer,1872)** (Noctuidae) Synonym(s): *capnistis* Lederer,1872; *neara* Püngeler,1902.
- 3640. Chersotis (s.str.) capnistis capnistis (Lederer,1872)** (Noctuidae) Synonym(s): *capnistis* Lederer,1872; *neara* Püngeler,1902.

- 3641. Chersotis (s.str.) capnistis glabripennis (Corti,1926)** (Noctuidae)
Synonym(s): *glabripennis* Corti,1926; *guberlae* Corti,1930
- 3642. Chersotis (s.str.) cuprea ([Denis & Schiffermüller],1775)** (Noctuidae)
Synonym(s): *cuprea* [Denis & Schiffermüller],1775; *haematitedea* Esper,[1794]; *palustris* Osthelder,1927; *jordanovi* Touleschkov,1951.
- 3643. Chersotis (s.str.) cuprea cuprea ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *cuprea* [Denis & Schiffermüller],1775; *haematitedea* Esper,[1794]; *palustris* Osthelder,1927; *pertexta* Draudt,1936; *jordanovi* Touleschkov,1951.
- 3644. Chersotis (s.str.) deplana (Freyer,1831)** (Noctuidae) Synonym(s): *deplana* Freyer,1831
- 3645. Chersotis (s.str.) deplanata (Eversmann,1843)** (Noctuidae)
Synonym(s): *deplanata* Eversmann,1843; ? *bardana* Freyer,1845; *autumnalis* Oberthür,1880; *sachalinensis* Matsumura,1925; *columbina* Bryk,1949
- 3646. Chersotis (s.str.) elegans (Eversmann,1837)** (Noctuidae) Synonym(s): *elegans* Eversmann,1837; *grammiptera* Rambur,[1839].
- 3647. Chersotis (s.str.) fimbriola (Esper,[1798])** (Noctuidae) Synonym(s): *fimbriola* Esper,[1798]
- 3648. Chersotis (s.str.) fimbriola raddei (Christoph,1877)** (Noctuidae)
Synonym(s): *raddei* Christoph,1877
- 3649. Chersotis (s.str.) laeta (Rebel,1904)** (Noctuidae) Synonym(s): *laeta* Rebel,1904
- 3650. Chersotis (s.str.) larixia (Guenée,1852)** (Noctuidae) Synonym(s): *larixia* Guenée,1852.
- 3651. Chersotis (s.str.) margaritacea (Villers,1789)** (Noctuidae) Synonym(s): *margaritacea* Villers,1789; *i-intactum* Hübner,[1803]; *#abruzzensis* Corti & Draudt,1933; *espinensis* Calle,1982
- 3652. Chersotis (s.str.) margaritacea margaritacea (Villers,1789)** (Noctuidae) Synonym(s): *margaritacea* Villers,1789; *i-intactum* Hübner,[1803]; *#abruzzensis* Corti & Draudt,1933; *espinensis* Calle,1982 *punensis* Calle,1982
- 3653. Chersotis (s.str.) multangula (Hübner,[1803])** (Noctuidae)
Synonym(s): *multangula* Hübner,[1803]; *dissoluta* Staudinger,1900; *travunia* Schawerda,1912; *stojanovi* Touleschkov,1951.
- 3654. Chersotis (s.str.) multangula multangula (Hübner,[1803])** (Noctuidae) Synonym(s): *multangula* Hübner,[1803]; *dissoluta* Staudinger,1900; *travunia* Schawerda,1912; *stojanovi* Touleschkov,1951.
- 3655. Chersotis (s.str.) ocellina ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *ocellina* [Denis & Schiffermüller],1775; *phytheumae* Esper,[1803]
- 3656. Chersotis (s.str.) rectangula (Fabricius,1787)** (Noctuidae) Synonym(s): *rectangula* Fabricius,1787.
- 3657. Chersotis (s.str.) rectangula rectangula (Fabricius,1787)** (Noctuidae)
Synonym(s): *rectangula* Fabricius,1787.
- 3658. Chersotis (s.str.) semna (Püngeler,1906)** (Noctuidae) Synonym(s): *semna* Püngeler,1906
- 3659. Chersotis (s.str.) transiens (Staudinger,1897)** (Noctuidae) Synonym(s): *transiens* Staudinger,1897; *altajensis* Rezbanyai-Reser,1997; *uralica* Rezbanyai-Reser,1997
- 3660. Chilodes distracta (Eversmann,1848)** (Noctuidae) Synonym(s): *distracta* Eversmann,1848; *cinerea* Alpheraky,1889; *mollicella* Püngeler,1907.
- 3661. Chilodes maritima (Tauscher,1806)** (Noctuidae) Synonym(s): *maritima* Tauscher,1806; *bipunctana* Haworth,1812.
- 3662. Chloantha hypericii (Fabricius,1787)** (Noctuidae) Synonym(s): *#hypericii* [Denis & Schiffermüller],1775; *hypericii* Fabricius,1787 Larval foodplant(s): *Hypericum perforatum* (Hampson,1903; Meyer,1919; Wiltshire,1957).
- 3663. Chloantha hypericii hypericii (Fabricius,1787)** (Noctuidae)
Synonym(s): *#hypericii* [Denis & Schiffermüller],1775; *hypericii* Fabricius,1787 Larval

- foodplant(s): *Hypericum perforatum* (Hampson,1903; Meyer,1919; Wiltshire,1957).
- 3664. *Chortodes abrupta* (Eversmann,1854)** (Noctuidae) Synonym(s): *abrupta* Eversmann,1854
- 3665. *Chortodes brevilinea* (Fenn,1864)** (Noctuidae) Synonym(s): *brevilinea* Fenn,1864
- 3666. *Chortodes elymi* (Treitschke,1825)** (Noctuidae) Synonym(s): *elymi* Treitschke,1825
- 3667. *Chortodes pygmina* (Haworth,1809)** (Noctuidae) Synonym(s): *pygmina* Haworth,1809; *fulva* Hübner,[1813].
- 3668. *Chortodes stigmatica* (Eversmann,1855)** (Noctuidae) Synonym(s): *stigmatica* Eversmann,1855
- 3669. *Chrysodeixis chalcites* (Esper,[1789])** (Noctuidae) Synonym(s): *chalcites* Esper,[1789]; *chalsytis* Hübner,1790; *bengalensis* Rossi,1794; *quaestionis* Fabricius,1794; *verticillata* Guenée,1852; *integra* Walker,1858; *adjuncta* Walker,1865 Larval foodplant(s): *Convolvulus*, *Heliotropium*, *Parietaria*, *Solanum* (Calle et al., 2000).
- 3670. *Cleoceris scoriacea* (Esper,[1789])** (Noctuidae) Synonym(s): *scoriacea* Esper,[1789]; *capreae* Hübner,[1803].
- 3671. *Cleoceris scoriacea scoriacea* (Esper,[1789])** (Noctuidae) Synonym(s): *scoriacea* Esper,[1789]; *capreae* Hübner,[1803].
- 3672. *Cleonymia* (s.str.) *baetica* (Rambur,1837)** (Noctuidae) Synonym(s): *baetica* Rambur,1837 Larval foodplant(s): *Helianthemum* (Hofmann,1893; Spuler,1893).
- 3673. *Cleonymia* (s.str.) *baetica orientalis* G.Ronkay & L.Ronkay,1995** (Noctuidae) Synonym(s): *orientalis* G.Ronkay & L.Ronkay,1995; *klapperichi* Hacker,2001
- 3674. *Clytie* (s.str.) *delunaris* (Staudinger,1889)** (Noctuidae) Synonym(s): *delunaris* Staudinger,1889; *luteonigra* W.Warren,1913.
- 3675. *Clytie* (s.str.) *gracilis* (A.Bang-Haas,1907)** (Noctuidae) Synonym(s): *gracilis* A.Bang-Haas,1907; *syrdaja* Hampson,1913.
- 3676. *Clytie* (s.str.) *gracilis gracilis* (A.Bang-Haas,1907)** (Noctuidae) Synonym(s): *gracilis* A.Bang-Haas,1907; *syrdaja* Hampson,1913.
- 3677. *Clytie* (s.str.) *syriaca* (Bugnion,1837)** (Noctuidae) Synonym(s): *syriaca* Bugnion,1837; *gentilitia* Freyer,1848. Larval foodplant(s): *Tamarix gallica*, *T. ramosissima* (Wiltshire, 1939,1957; Rakosy,1996).
- 3678. *Clytie* (s.str.) *terrulenta* (Christoph,1893)** (Noctuidae) Synonym(s): *terrulenta* Christoph,1893 Larval foodplant(s): *Tamarix* (Wiltshire, 1939,1957).
- 3679. *Clytie* (s.str.) *terrulenta terrulenta* (Christoph,1893)** (Noctuidae) Synonym(s): *terrulenta* Christoph,1893
- 3680. *Coenophila miniago* (Freyer,[1839])** (Noctuidae) Synonym(s): *miniago* Freyer,[1839]
- 3681. *Colobochyla* (s.str.) *salicalis* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *salicalis* [Denis & Schiffermüller],1775; *salicatus* Haworth,1809; *cinerea* Butler,1879.
- 3682. *Colocasia coryli* (Linnaeus,1758)** (Noctuidae) Synonym(s): *coryli* Linnaeus,1758; *gibbosa* Miller,1764
- 3683. *Conistra* (*Dasycampa*) *erythrocephala* (Fabricius,1787)** (Noctuidae) Synonym(s): *#erythrocephala* [Denis & Schiffermüller],1775; *erythrocephala* Fabricius,1787.
- 3684. *Conistra* (*Dasycampa*) *rubiginea* (Fabricius,1787)** (Noctuidae) Synonym(s): *#rubiginea* [Denis & Schiffermüller],1775; *rubiginea* Fabricius,1787; *tigerina* Esper,[1791]; *pulverea* Hübner,[1803]
- 3685. *Conistra* (s.str.) *ligula* (Esper,1791)** (Noctuidae) Synonym(s): *ligula* Esper,[1791]
- 3686. *Conistra* (s.str.) *rubiginosa* (Scopoli,1763)** (Noctuidae) Synonym(s): *rubiginosa* Scopoli,1763; *silene* [Denis & Schiffermüller],1775; *vaupunctatum* Esper,[1786].

- 3687. Conistra (s.str.) vaccinii (Linnaeus,1761)** (Noctuidae) Synonym(s): *vaccinii* Linnaeus,1761; *polita* [Denis & Schiffermüller],1775; *spadicea* [Denis & Schiffermüller],1775
- 3688. Conistra (s.str.) veronicae (Hübner,[1813])** (Noctuidae) Synonym(s): *veronicae* Hübner,[1813] Larval foodplant(s): *Prunus* (Rosaceae) (Hofmann,1893).
- 3689. Cornutiplusia circumflexa (Linnaeus,1767)** (Noctuidae) Synonym(s): *circumflexa* Linnaeus,1767; *lunata* Fabricius,1787; *flexuosa* Donovan,1807; *daubii* Freyer,1838; *graphica* Herrich-Schäffer,1851; *patefacta* Walker,[1858]; *reticulata* Moore,1882; *clarescens* Pinker & Bacallado,1975; *#unata* Kononenko & Pinratana,2005
- 3690. Cosmia (Calymnia) trapezina (Linnaeus,1758)** (Noctuidae) Synonym(s): *trapezina* Linnaeus,1758 Larval foodplant(s): *Quercus* (Hacker,1989).
- 3691. Cosmia (s.str.) affinis (Linnaeus,1767)** (Noctuidae) Synonym(s): *affinis* Linnaeus,1767 Larval foodplant(s): *Quercus*, *Ulmus* (Blaschke,1914; Hacker,1989).
- 3692. Cosmia (s.str.) diffinis (Linnaeus,1767)** (Noctuidae) Synonym(s): *diffinis* Linnaeus,1767 Larval foodplant(s): *Ulmus* (Hacker,1989).
- 3693. Cosmia (s.str.) pyralina ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *pyralina* [Denis & Schiffermüller],1775 Larval foodplant(s): *Ulmus* (Hacker,1989).
- 3694. Craniophora ligustri (Fabricius,1787)** (Noctuidae) Synonym(s): *#ligustri* [Denis & Schiffermüller],1775; *ligustri* Fabricius,1787. Larval foodplant(s): *Fraxinus*, *Ligustrum vulgare* (Fabricius,1787; Meyer,1919).
- 3695. Craniophora ligustri ligustri (Fabricius,1787)** (Noctuidae) Synonym(s): *#ligustri* [Denis & Schiffermüller],1775; *ligustri* Fabricius,1787.
- 3696. Craniophora pontica (Staudinger,1879)** (Noctuidae) Synonym(s): *pontica* Staudinger,1879 Larval foodplant(s): ? *Fraxinus* (Wiltshire,1957).
- 3697. Craniophora pontica pontica (Staudinger,1879)** (Noctuidae) Synonym(s): *pontica* Staudinger,1879
- 3698. Cryphia (Bryoleuca) orthogramma Boursin,1954** (Noctuidae) Synonym(s): *orthogramma* Boursin,1954; *aksuensis* Boursin,1954; *ammochroa* Boursin,1954; *taishanensis* Boursin,1954; *#radiata* Boursin,1954
- 3699. Cryphia (Bryoleuca) petricolor (Lederer,1870)** (Noctuidae) Synonym(s): *petricolor* Lederer,1870; *iranica* Schwingenschuss,1937; *#solimana* Draudt,1937.
- 3700. Cryphia (Bryoleuca) petricolor petricolor (Lederer,1870)** (Noctuidae) Synonym(s): *petricolor* Lederer,1870; *iranica* Schwingenschuss,1937; *#solimana* Draudt,1937.
- 3701. Cryphia (Bryoleuca) raptricula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *raptricula* [Denis & Schiffermüller],1775; *divisa* Esper,[1791]; *palliola* Borkhausen,1792; *pomula* Borkhausen,1792; *deceptricula* Hübner,[1803]; *carbonis* Freyer,1849; *felina* Eversmann,1852; *#striata* Staudinger,1879; *#persica* Strand,1915; *cretica* Reisser,1962
- 3702. Cryphia (Bryoleuca) raptricula raptricula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *raptricula* [Denis & Schiffermüller],1775; *divisa* Esper,[1791]; *palliola* Borkhausen,1792; *pomula* Borkhausen,1792; *deceptricula* Hübner,[1803]; *carbonis* Freyer,1849; *felina* Eversmann,1852; *#striata* Staudinger,1879; *#persica* Strand,1915; *cretica* Reisser,1962
- 3703. Cryphia (Bryoleuca) ravula (Hübner,[1813])** (Noctuidae) Synonym(s): *ravula* Hübner,[1813]; *lupula* Hübner,[1813]; *troglydyta* Freyer,1832.
- 3704. Cryphia (Bryoleuca) seladona (Christoph,1885)** (Noctuidae) Synonym(s): *seladona* Christoph,1885; *umovii* auct.
- 3705. Cryphia (Bryoleuca) seladona seladona (Christoph,1885)** (Noctuidae) Synonym(s): *seladona* Christoph,1885; *umovii* auct.
- 3706. Cryphia (Bryophila) domestica (Hufnagel,1766)** (Noctuidae) Synonym(s): *domestica* Hufnagel,1766; *perla* [Denis & Schiffermüller],1775. Larval foodplant(s): some lichenes (*Xanthoria*, *Lecidea*) (Calle et al., 2000).
- 3707. Cryphia (Bryopsis) amasina (Draudt,1931)** (Noctuidae) Synonym(s): *amasina* Draudt,1931

- 3708. Cryphia (Bryopsis) muralis (Forster,1771)** (Noctuidae) Synonym(s): *muralis* Forster,1771; *lichenis* Fabricius,1775; *glandifera* [Denis & Schiffermüller],1775; *par* Hübner,[1813]; *viridior* Schawerda,1932
- 3709. Cryphia (Euthales) algae (Fabricius,1775)** (Noctuidae) Synonym(s): *algae* Fabricius,1775; *degener* [Denis & Schiffermüller],1775; *alni* Fabricius,1787; *calligrapha* Borkhausen,1792; *mendacula* Hübner,[1813].
- 3710. Cryphia (Euthales) ochsi (Boursin,1941)** (Noctuidae) Synonym(s): *ochsi* Boursin,1941; *#badiofasciata* Boursin,1952
- 3711. Cryphia (s.str.) fraudatricula (Hübner,[1803])** (Noctuidae) Synonym(s): *fraudatricula* Hübner,[1803]
- 3712. Cryphia (s.str.) receptricula (Hübner,[1803])** (Noctuidae) Synonym(s): *strigula* Borkhausen,1792 *nec* Thunb.,1788; *receptricula* Hübner,[1803]; *stictica* Ménétries,1859.
- 3713. Cryphia uzahovi L.Ronkay & Herczig,1991** (Noctuidae) Synonym(s): *uzahovi* L.Ronkay & Herczig,1991
- 3714. Cryptocala chardinyi (Boisduval,1829)** (Noctuidae) Synonym(s): *chardinyi* Boisduval,1829
- 3715. Cucullia (Shargacucullia) blattariae (Esper,[1790])** (Noctuidae) Synonym(s): *blattariae* Esper,[1790] Larval foodplant(s): Scrophularia at Amasia (Staudinger,1879).
- 3716. Cucullia (Shargacucullia) lanceolata (Villers,1789)** (Noctuidae) Synonym(s): *lanceolata* Villers,1789; *thapsiphaga* Treitschke,1826
- 3717. Cucullia (Shargacucullia) lychnitis (Rambur,1833)** (Noctuidae) Synonym(s): *lychnitis* Rambur,1833 Larval foodplant(s): Celsia, Scrophularia, Verbascum (Staudinger,1879; Wiltshire,1957; Calle et al., 2000).
- 3718. Cucullia (Shargacucullia) prenanthis Boisduval,1840** (Noctuidae) Synonym(s): *prenanthis* Boisduval,1840; *ceramanthea* Freyer,1844.
- 3719. Cucullia (Shargacucullia) scrophulariae ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *scrophulariae* [Denis & Schiffermüller],1775; *rivulorum* Guenée,1852 Larval foodplant(s): Scrophularia at Amasia (Staudinger,1879).
- 3720. Cucullia (Shargacucullia) strigicosta Boursin,1940** (Noctuidae) Synonym(s): *strigicosta* Boursin,1940 Larval foodplant(s): Scrophularia (Wiltshire, 1941, 1957).
- 3721. Cucullia (Shargacucullia) verbasci (Linnaeus,1758)** (Noctuidae) Synonym(s): *verbasci* Linnaeus,1758; *oberthueri* Rothschild,1911. Larval foodplant(s): Celsia, Scrophularia, Verbascum tripolitanum (Staudinger,1879; Wiltshire,1957; Calle et al., 2000).
- 3722. Cucullia (s.str.) absinthii (Linnaeus,1761)** (Noctuidae) Synonym(s): *absinthii* Linnaeus,1761; *punctigera* Hufnagel,1766; *clausa* Walker,1857 Larval foodplant(s): Artemisia absinthium (Blaschke,1914).
- 3723. Cucullia (s.str.) anifurca (Goeze,1781)** (Noctuidae) Synonym(s): *#lactucae* [Denis & Schiffermüller],1775; *anifurca* Goeze,1781. Larval foodplant(s): Lactuca muralis, Mycelis, Sonchus, Hieracium, Prenanthus purpurea, Taraxacum (Asteraceae) (Denis & Schiffermüller,1775; et seq.).
- 3724. Cucullia (s.str.) anifurca anifurca (Goeze,1781)** (Noctuidae) Synonym(s): *#lactucae* [Denis & Schiffermüller],1775; *anifurca* Goeze,1781. Larval foodplant(s): Lactuca muralis, Mycelis, Sonchus, Hieracium, Prenanthus purpurea, Taraxacum (Asteraceae) (Denis & Schiffermüller,1775; et seq.).
- 3725. Cucullia (s.str.) anifurca pustulata Eversmann,1842** (Noctuidae) Synonym(s): *pustulata* Eversmann,1842
- 3726. Cucullia (s.str.) argentea (Hufnagel,1766)** (Noctuidae) Synonym(s): *argentea* Hufnagel,1766

- 3727. *Cucullia* (s.str.) *argentea argentea* (Hufnagel,1766)** (Noctuidae)
Synonym(s): *argentea* Hufnagel,1766
- 3728. *Cucullia* (s.str.) *argentina* (Fabricius,1787)** (Noctuidae) Synonym(s):
argentina Fabricius,1787; *achalina* Püngeler,1900; *grisea* F.Wagner,1931 nec Lch.,1900; *anatoliensis* Koçak,1980.
- 3729. *Cucullia* (s.str.) *artemisiae* (Hufnagel,1766)** (Noctuidae) Synonym(s):
artemisiae Hufnagel,1766; *abrotani* [Denis & Schiffermüller],1775
- 3730. *Cucullia* (s.str.) *artemisiae artemisiae* (Hufnagel,1766)** (Noctuidae)
Synonym(s): *artemisiae* Hufnagel,1766; *abrotani* [Denis & Schiffermüller],1775
- 3731. *Cucullia* (s.str.) *asteris* ([Denis & Schiffermüller],1775)** (Noctuidae)
Synonym(s): *#asteris* [Denis & Schiffermüller],1775 Larval foodplant(s): *Asteris chinensis* ([Denis & Schiffermüller],1775 et seq.).
- 3732. *Cucullia* (s.str.) *balsamitae* Boisduval,1840** (Noctuidae) Synonym(s):
balsamitae Boisduval,1840
- 3733. *Cucullia* (s.str.) *balsamitae balsamitae* Boisduval,1840** (Noctuidae)
Synonym(s): *balsamitae* Boisduval,1840
- 3734. *Cucullia* (s.str.) *behouneki* Hacker & Ronkay,1988** (Noctuidae)
Synonym(s): *behouneki* Hacker & Ronkay,1988
- 3735. *Cucullia* (s.str.) *behouneki korsosi* Ronkay,1990** (Noctuidae)
Synonym(s): *korsosi* Ronkay,1990
- 3736. *Cucullia* (s.str.) *biornata* Fischer v. Waldheim,1840** (Noctuidae)
Synonym(s): *biornata* Fischer v. Waldheim,1840; *#lobnorica* Draudt,1934
- 3737. *Cucullia* (s.str.) *boryphora* Fischer v. Waldheim,1840** (Noctuidae)
Synonym(s): *boryphora* Fischer & Waldheim,1840
- 3738. *Cucullia* (s.str.) *campanulae* Freyer,1831** (Noctuidae) Synonym(s):
campanulae Freyer,1831
- 3739. *Cucullia* (s.str.) *chamomillae* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *chamomillae* [Denis & Schiffermüller],1775; *fissina* Haworth,1809; *chrysanthemi* Hübner,[1822]. Larval foodplant(s): *Achillea*, *Anthemis*, *Calendula*, *Chrysanthemum*, *Matricaria* (Calle et al., 2000).
- 3740. *Cucullia* (s.str.) *chamomillae chamomillae* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *chamomillae* [Denis & Schiffermüller],1775; *fissina* Haworth,1809; *chrysanthemi* Hübner,[1822]. Larval foodplant(s): *Achillea*, *Anthemis*, *Calendula*, *Chrysanthemum*, *Matricaria* (Calle et al., 2000).
- 3741. *Cucullia* (s.str.) *cineracea* Freyer,1841** (Noctuidae) Synonym(s): *cineracea* Freyer,1841
- 3742. *Cucullia* (s.str.) *cineracea cineracea* Freyer,1841** (Noctuidae)
Synonym(s): *cineracea* Freyer,1841
- 3743. *Cucullia* (s.str.) *defecta* Staudinger,1897** (Noctuidae) Synonym(s):
defecta Staudinger,1897
- 3744. *Cucullia* (s.str.) *distinguenda* Staudinger,1892** (Noctuidae)
Synonym(s): *distinguenda* Staudinger,1892
- 3745. *Cucullia* (s.str.) *dracunculi* (Hübner,[1813])** (Noctuidae) Synonym(s):
dracunculi Hübner,[1813]; *incana* Eversmann,1842; *anthemidis* Guenée,1852; *linosyridis* Fuchs,1903.
- 3746. *Cucullia* (s.str.) *fraterna* Butler,1878** (Noctuidae) Synonym(s): *fraterna* Butler,1878
- 3747. *Cucullia* (s.str.) *fraudatrix* Eversmann,1837** (Noctuidae) Synonym(s):
fraudatrix Eversmann,1837; *pontica* Boisduval,1840.
- 3748. *Cucullia* (s.str.) *fuchsiana* Eversmann,1842** (Noctuidae) Synonym(s):
fuchsiana Eversmann,1842
- 3749. *Cucullia* (s.str.) *gnaphalii* (Hübner,[1813])** (Noctuidae) Synonym(s):
gnaphalii Hübner,[1813]; *occidentalis* Boursin,1945.
- 3750. *Cucullia* (s.str.) *inderiensis* Herrich-Schäffer,[1856]** (Noctuidae)
Synonym(s): *inderiensis* Herrich-Schäffer,[1856]

- 3751. *Cucullia* (s.str.) *lactea* (Fabricius,1787)** (Noctuidae) Synonym(s): *lactea* Fabricius,1787
- 3752. *Cucullia* (s.str.) *lindei* Heyne,1899** (Noctuidae) Synonym(s): *lindei* Heyne,1899
- 3753. *Cucullia* (s.str.) *lucifuga* (Hübner,[1803])** (Noctuidae) Synonym(s): *lucifuga* Hübner,[1803].
- 3754. *Cucullia* (s.str.) *magnifica* Freyer,1839** (Noctuidae) Synonym(s): *magnifica* Freyer,1839
- 3755. *Cucullia* (s.str.) *mixta* Freyer,1841** (Noctuidae) Synonym(s): *mixta* Freyer,1841; *consors* Eversmann,1846
- 3756. *Cucullia* (s.str.) *naruenensis* Staudinger,1879** (Noctuidae) Synonym(s): *naruenensis* Staudinger,1879; *eumorpha* Alpheraky,[1894].
- 3757. *Cucullia* (s.str.) *praecana* Eversmann,1843** (Noctuidae) Synonym(s): *praecana* Eversmann,1843
- 3758. *Cucullia* (s.str.) *propinqua* Eversmann,1842** (Noctuidae) Synonym(s): *propinqua* Eversmann,1842
- 3759. *Cucullia* (s.str.) *sabulosa* Staudinger,1879** (Noctuidae) Synonym(s): *sabulosa* Staudinger,1879
- 3760. *Cucullia* (s.str.) *santonici* (Hübner,[1813])** (Noctuidae) Synonym(s): *santonici* Hübner,[1813]; *yuennanensis* Boursin,1941
- 3761. *Cucullia* (s.str.) *scopariae* Dorfmeister,1853** (Noctuidae) Synonym(s): *scopariae* Dorfmeister,1853
- 3762. *Cucullia* (s.str.) *spectabilisoides* Poole,1989** (Noctuidae) Synonym(s): *spectabilis* Hübner,[1813] (*praeocc.*); *spectabilisoides* Poole,1989
- 3763. *Cucullia* (s.str.) *splendida* (Stoll,1782)** (Noctuidae) Synonym(s): *splendida* Stoll,1782
- 3764. *Cucullia* (s.str.) *tanaceti* (Goeze,1781)** (Noctuidae) Synonym(s): *tanaceti* Goeze,1781 Larval foodplant(s): Anthemis, Matricaria, Santolina, Tanacetum (Calle et al., 2000).
- 3765. *Cucullia* (s.str.) *tiefi* Tshetverikov,1956** (Noctuidae) Synonym(s): *tiefi* Tshetverikov,1956
- 3766. *Cucullia* (s.str.) *umbratica* (Linnaeus,1758)** (Noctuidae) Synonym(s): *umbratica* Linnaeus,1758; *sonchi* Heinemann,1859.
- 3767. *Cucullia* (s.str.) *umbratica umbratica* (Linnaeus,1758)** (Noctuidae) Synonym(s): *umbratica* Linnaeus,1758; *sonchi* Heinemann,1859.
- 3768. *Cucullia* (s.str.) *virgaureae* Boisduval,1840** (Noctuidae) Synonym(s): *virgaureae* Boisduval,1840
- 3769. *Cucullia* (s.str.) *virgaureae virgaureae* Boisduval,1840** (Noctuidae) Synonym(s): *virgaureae* Boisduval,1840
- 3770. *Cucullia* (s.str.) *xeranthemi* Boisduval,1840** (Noctuidae) Synonym(s): *xeranthemi* Boisduval,1840
- 3771. *Cymatophoropsis trimaculata* (Bremer,1861)** (Noctuidae) Synonym(s): *trimaculata* Bremer,1861; *formosana* Matsumura,1927; *tripunctata* O.Bang-Haas,1927
- 3772. *Daddala lucilla* (Butler,1881)** (Noctuidae) Synonym(s): *lucilla* Butler,1881; *obscurata* Butler,1881
- 3773. *Dasypolia* (s.str.) *fani* Staudinger,1892** (Noctuidae) Synonym(s): *fani* Staudinger,1892; *lama* Staudinger,1896; *asiatica* Alpheraky,1897; *ogasawarae* Matsumura,931.
- 3774. *Dasypolia* (s.str.) *templi* (Thunberg,1792)** (Noctuidae) Synonym(s): *templi* Thunberg,1792; *alpina* Rogenhofer,1866; *caflischi* Rühl,1892; *banghaasi* Turati,1909.
- 3775. *Dasypolia* (s.str.) *templi templi* (Thunberg,1792)** (Noctuidae) Synonym(s): *templi* Thunberg,1792; *alpina* Rogenhofer,1866; *caflischi* Rühl,1892; *banghaasi* Turati,1909.
- 3776. *Deltote bankiana* (Fabricius,1775)** (Noctuidae) Synonym(s): *bankiana* Fabricius,1775; *olivana* [Denis & Schiffermüller],1775; *olivea* Hübner,[1813]; *amurula* Staudinger,1892; *albescens* Draudt,1935; *uniformis* Draudt,1935.
- 3777. *Deltote delicatula* (Christoph,1882)** (Noctuidae) Synonym(s): *delicatula* Christoph,1882

- 3778. Deltote uncula (Clerck,1759)** (Noctuidae) **Synonym(s):** *uncula* Clerck,1759
- 3779. Diachrysia chrysitis (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *chrysitis* Linnaeus,1758 Larval foodplant(s): *Urtica dioica* (Urticaceae), *Lamium*, *Galeopsis*, *Mentha* (Lamiaceae), *Cirsium*, *Arctium*, *Achillea* (Asteraceae) (Hacker,2001).
- 3780. Diachrysia chrysitis chrysitis (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *chrysitis* Linnaeus,1758 Larval foodplant(s): *Urtica dioica* (Urticaceae), *Lamium*, *Galeopsis*, *Mentha* (Lamiaceae), *Cirsium*, *Arctium*, *Achillea* (Asteraceae) (Hacker,2001).
- 3781. Diachrysia chrysitis generosa (Staudinger,1900)** (Noctuidae) **Synonym(s):** *generosa* Staudinger,1900 Larval foodplant(s): *Urtica dioica* (Urticaceae), *Lamium*, *Galeopsis*, *Mentha* (Lamiaceae), *Cirsium*, *Arctium*, *Achillea* (Asteraceae) (Hacker,2001).
- 3782. Diachrysia chryson (Esper,[1789])** (Noctuidae) **Synonym(s):** *chryson* Esper,[1789]; *aerifera* Sowerby,1805
- 3783. Diachrysia nadeja (Oberthür,1880)** (Noctuidae) **Synonym(s):** *nadeja* Oberthür,1880
- 3784. Diachrysia tutti (Kostrowicki,1961)** (Noctuidae) **Synonym(s):** *tutti* Kostrowicki,1961
- 3785. Diachrysia zosimi (Hübner,[1822])** (Noctuidae) **Synonym(s):** *zosimi* Hübner,[1822]
- 3786. Diarsia albipennis (Butler,1889)** (Noctuidae) **Synonym(s):** *albipennis* Butler,1889; *sugitanii* Matsumura,1931; *usuriensis* Matsumura,1931
- 3787. Diarsia brunnea ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *#brunnea* [Denis & Schiffermüller],1775 Larval foodplant(s): *Pisum* ([Denis & Schiffermüller],1775 et seq.).
- 3788. Diarsia dahlia (Hübner,[1813])** (Noctuidae) **Synonym(s):** *dahlia* Hübner,[1813]
- 3789. Diarsia florida (Schmidt,1859)** (Noctuidae) **Synonym(s):** *florida* Schmidt,1859
- 3790. Diarsia mendica (Fabricius,1775)** (Noctuidae) **Synonym(s):** *mendica* Fabricius,1775; *festiva* [Denis & Schiffermüller],1775; *primulae* Esper,[1788]; *subrufa* Haworth,1809; *conflua* Treitschke,1827; *dannehli* Corti & Draudt,1933.
- 3791. Diarsia mendica mendica (Fabricius,1775)** (Noctuidae) **Synonym(s):** *mendica* Fabricius,1775; *festiva* [Denis & Schiffermüller],1775; *primulae* Esper,[1788]; *subrufa* Haworth,1809; *conflua* Treitschke,1827; *dannehli* Corti & Draudt,1933.
- 3792. Diarsia rubi (Vieweg,1790)** (Noctuidae) **Synonym(s):** *rubi* Vieweg,1790; *radica* Esper,[1790]; *bella* Borkhausen,1792 nec Linn.,1758; *quadratum* Hübner,[1813]; *posticata* Walker,[1858].
- 3793. Dichagyris (Grisyigoga) candelisequa ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *candelisequa* [Denis & Schiffermüller],1775; *sagittifera* Hübner,[1813]; *piemonticola* Schwingenschuss,1954; *zapateri* Schwingenschuss,1962.
- 3794. Dichagyris (Grisyigoga) candelisequa candelisequa ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *candelisequa* [Denis & Schiffermüller],1775; *sagittifera* Hübner,[1813]; *piemonticola* Schwingenschuss,1954; *zapateri* Schwingenschuss,1962.
- 3795. Dichagyris (Grisyigoga) candelisequa rana (Lederer,1853)** (Noctuidae) **Synonym(s):** *rana* Lederer,1853
- 3796. Dichagyris (Yigoga) celsicola (Bellier,1858)** (Noctuidae) **Synonym(s):** *celsicola* Bellier,1858
- 3797. Dichagyris (Yigoga) eureteocles (Boursin,1940)** (Noctuidae) **Synonym(s):** *eureteocles* Boursin,1940
- 3798. Dichagyris (Yigoga) flavina (Herrich-Schäffer,[1852])** (Noctuidae) **Synonym(s):** *flavina* Herrich-Schäffer,[1852]; *ochrina* Staudinger,1898; *pretiosa* Caradja,1931.
- 3799. Dichagyris (Yigoga) flavina flavina (Herrich-Schäffer,1852)** (Noctuidae) **Synonym(s):** *flavina* Herrich-Schäffer,[1852]; *ochrina* Staudinger,1898.

- 3800. Dichagyris (Yigoga) forcipula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *forcipula* [Denis & Schiffermüller],1775; *denticulosa* Esper,[1794]; *bornicensis* Fuchs,1884; *helladica* Rebel,1905; *samnitica* Dannehl,1933; *romanoi* Berio,1980.
- 3801. Dichagyris (Yigoga) forcipula forcipula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *forcipula* [Denis & Schiffermüller],1775; *denticulosa* Esper,[1794]; *bornicensis* Fuchs,1884; *helladica* Rebel,1905; *samnitica* Dannehl,1933; *romanoi* Berio,1980.
- 3802. Dichagyris (Yigoga) iranica (Koçak,1980)** (Noctuidae) Synonym(s): *hyrcana* Corti & Draudt,1933 nec Stgr.,1900; *iranica* Koçak,1980.
- 3803. Dichagyris (Yigoga) lutescens (Eversmann,1844)** (Noctuidae) Synonym(s): *lutescens* Eversmann,1844; *dilucida* Eversmann,1844; *leonina* Staudinger,1877.
- 3804. Dichagyris (Yigoga) nigrescens (Hofner,1888)** (Noctuidae) Synonym(s): *nigrescens* Höfner,1888
- 3805. Dichagyris (Yigoga) nigrescens nigrescens (Höfner,1888)** (Noctuidae) Synonym(s): *nigrescens* Höfner,1888
- 3806. Dichagyris (Yigoga) orientis (Alpheraky,1882)** (Noctuidae) Synonym(s): *orientis* Alpheraky,1882; *improcera* Staudinger,1888; *imitata* Corti & Draudt,1933.
- 3807. Dichagyris (Yigoga) orientis orientis (Alpheraky,1882)** (Noctuidae) Synonym(s): *orientis* Alpheraky,1882; *improcera* Staudinger,1888; *imitata* Corti & Draudt,1933.
- 3808. Dichagyris (Yigoga) orientis pygmaea (Hampson,1903)** (Noctuidae) Synonym(s): *pygmaea* Hampson,1903; *caroli* Culot,1909; *#rubra* A.Bang-Haas,1910; *pseudosignifera* Boursin,1942.
- 3809. Dichagyris (Yigoga) signifera ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#signifera* [Denis & Schiffermüller],1775
- 3810. Dichagyris (Yigoga) truculenta (Lederer,1853)** (Noctuidae) Synonym(s): *truculenta* Lederer,1853
- 3811. Dichagyris (Yigoga) truculenta truculenta (Lederer,1853)** (Noctuidae) Synonym(s): *truculenta* Lederer,1853
- 3812. Dichagyris (s.str.) celebrata (Alpheraky,1897)** (Noctuidae) Synonym(s): *celebrata* Alpheraky,1897
- 3813. Dichagyris (s.str.) celebrata celebrata (Alpheraky,1897)** (Noctuidae) Synonym(s): *celebrata* Alpheraky,1897
- 3814. Dichagyris (s.str.) duskei Moberg & Fibiger,1990** (Noctuidae) Synonym(s): *duskei* Moberg & Fibiger,1990
- 3815. Dichagyris (s.str.) eremicola (Standfuss,1888)** (Noctuidae) Synonym(s): *eremicola* Standfuss,1888
- 3816. Dichagyris (s.str.) forficula (Eversmann,1851)** (Noctuidae) Synonym(s): *forficula* Eversmann,1851
- 3817. Dichagyris (s.str.) leucomelas Brandt,1941** (Noctuidae) Synonym(s): *leucomelas* Brandt,1941
- 3818. Dichagyris (s.str.) lux Fibiger & Nupponen,2002** (Noctuidae) Synonym(s): *lux* Fibiger & Nupponen,2002
- 3819. Dichagyris (s.str.) melanura (Kollar,1846)** (Noctuidae) Synonym(s): *melanura* Kollar,1846
- 3820. Dichagyris (s.str.) melanura melanura (Kollar,1846)** (Noctuidae) Synonym(s): *melanura* Kollar,1846
- 3821. Dichagyris (s.str.) multicuspis (Eversmann,1852)** (Noctuidae) Synonym(s): *multicuspis* Eversmann,1852; *spinosa* Staudinger,1877; *issykula* Staudinger,1889; *aequicuspis* Staudinger,1895; *issycula* Hampson,1903
- 3822. Dichagyris (s.str.) renigera (Hübner,[1808])** (Noctuidae) Synonym(s): *renigera* Hübner,[1808]; *dumosa* Donzel,1837; *caucasica* Staudinger,1877; *funebria* Staudinger,1892; *nigrescens* Kitt,1925 nec Höfner,1888; *funestissima* Bubacek,1926; *argentina* Caradja,1930.

- 3823. *Dichagyris* (s.str.) *renigera renigera* (Hübner,[1808])** (Noctuidae)
Synonym(s): *renigera* Hübner,[1808]; *dumosa* Donzel,1837; *caucasica* Staudinger,1877; *funebria* Staudinger,1892; *nigrescens* Kitt,1925 nec Höfner,1888; *funestissima* Bubacek,1926; *argentina* Caradja,1930.
- 3824. *Dichagyris* (s.str.) *squalidior* (Staudinger,1901)** (Noctuidae)
Synonym(s): *squalidior* Staudinger,1901
- 3825. *Dichagyris* (s.str.) *squalidior squalidior* (Staudinger,1901)** (Noctuidae) Synonym(s): *squalidior* Staudinger,1901
- 3826. *Dichagyris* (s.str.) *squalorum* (Eversmann,1856)** (Noctuidae)
Synonym(s): *squalorum* Eversmann,1856
- 3827. *Dichagyris* (s.str.) *squalorum squalorum* (Eversmann,1856)** (Noctuidae) Synonym(s): *squalorum* Eversmann,1856
- 3828. *Dichagyris* (s.str.) *terminicincta* (Corti & Draudt,1933)** (Noctuidae)
Synonym(s): *terminicincta* Corti & Draudt,1933; *maraschi* Corti & Draudt,1933.
- 3829. *Dichagyris* (s.str.) *terminicincta phaenotaenia* (Boursin,1940)** (Noctuidae) Synonym(s): *phaenotaenia* Boursin,1940
- 3830. *Dichagyris* (s.str.) *tyrannus* (A.Bang-Haas,1912)** (Noctuidae)
Synonym(s): *tyrannus* A.Bang-Haas,1912
- 3831. *Dichagyris* (s.str.) *tyrannus tyrannus* (A.Bang-Haas,1912)** (Noctuidae) Synonym(s): *tyrannus* A.Bang-Haas,1912
- 3832. *Dichagyris* (s.str.) *vallesiaca* (Boisduval,[1837])** (Noctuidae)
Synonym(s): *vallesiaca* Boisduval,[1837]
- 3833. *Dichagyris* (s.str.) *vallesiaca subsqualorum* Kozhantshikov,1929** (Noctuidae) Synonym(s): *subsqualorum* Kozhantshikov,1929
- 3834. *Dichagyris* *hymalayensis* Turati,1933** (Noctuidae) Synonym(s): *hymalayensis* Turati,1933
- 3835. *Dichonia* (Gripesia) *aprilina* (Linnaeus,1758)** (Noctuidae) Synonym(s): *aprilina* Linnaeus,1758; *runica* [Denis & Schiffermüller],1775; *obscurior* Wolfsberger,1969.
- 3836. *Dichonia* (Gripesia) *aprilina aprilina* (Linnaeus,1758)** (Noctuidae)
Synonym(s): *aprilina* Linnaeus,1758; *runica* [Denis & Schiffermüller],1775; *obscurior* Wolfsberger,1969.
- 3837. *Dichonia* (Gripesia) *pinker* Kobes,1973** (Noctuidae) Synonym(s): *pinker* Kobes,1973
- 3838. *Dichonia* (s.str.) *convergens* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#convergens* [Denis & Schiffermüller],1775; *spicula* Esper,[1791]
Larval foodplant(s): *Quercus robur* ([Denis & Schiffermüller],1775 et seq.).
- 3839. *Dichonia* (s.str.) *convergens convergens* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#convergens* [Denis & Schiffermüller],1775; *spicula* Esper,[1791]
Larval foodplant(s): *Quercus robur* ([Denis & Schiffermüller],1775 et seq.).
- 3840. *Dicycla* *oo* (Linnaeus,1758)** (Noctuidae) Synonym(s): *oo* Linnaeus,1758; *ferruginago* Hübner,[1803].
Larval foodplant(s): *Quercus* (Wiltshire,1957).
- 3841. *Diloba* *caeruleocephala* (Linnaeus,1758)** (Noctuidae) Synonym(s): *caeruleocephala* Linnaeus,1758
Larval foodplant(s): *Amygdalus*, *Quercus coccifera*, *Crataegus*, *Prunus spinosa*, *Malus* (Staudinger,1879; Spuler,1903 et seq.).
- 3842. *Diloba* *caeruleocephala caeruleocephala* (Linnaeus,1758)** (Noctuidae) Synonym(s): *caeruleocephala* Linnaeus,1758
- 3843. *Drasteria* *cailino* (Lefèbvre,1827)** (Noctuidae) Synonym(s): *cailino* Lefèbvre,1827
Larval foodplant(s): *Salix*, *Zizyphus lotus* (Calle et al., 2000).
- 3844. *Drasteria* *cailino cailino* (Lefèbvre,1827)** (Noctuidae) Synonym(s): *cailino* Lefèbvre,1827
- 3845. *Drasteria* *cailino obscura* (Staudinger,1901)** (Noctuidae) Synonym(s): *obscura* Staudinger,1901

- 3846. *Drasteria caucasica* (Kolenati,1846)** (Noctuidae) **Synonym(s):** *caucasica* Kolenati,1846; *astrida* Eversmann,1856; *aksuensis* Fuchs,1903.
- 3847. *Drasteria flexuosa* (Ménétriés,1848)** (Noctuidae) **Synonym(s):** *flexuosa* Ménétriés,1848; *singularis* Kollar,[1849]; *inepta* Butler,1881.
- 3848. *Drasteria flexuosa flexuosa* (Ménétriés,1848)** (Noctuidae) **Synonym(s):** *flexuosa* Ménétriés,1848; *singularis* Kollar,[1849]; *inepta* Butler,1881.
- 3849. *Drasteria herzi* (Alpheraky,1895)** (Noctuidae) **Synonym(s):** *herzi* Alpheraky,1895
- 3850. *Drasteria herzi herzi* (Alpheraky,1895)** (Noctuidae) **Synonym(s):** *herzi* Alpheraky,1895
- 3851. *Drasteria picta* (Christoph,1877)** (Noctuidae) **Synonym(s):** *picta* Christoph,1877; *radapicta* Staudinger,1901.
- 3852. *Drasteria rada* (Boisduval,1848)** (Noctuidae) **Synonym(s):** *rada* Boisduval,1848; *roda* Herrich-Schäffer,1851.
- 3853. *Drasteria saisani* (Staudinger,1882)** (Noctuidae) **Synonym(s):** *saisani* Staudinger,1882; *clara* Staudinger,1895; *#zaisani* John,1910.
- 3854. *Drasteria sesquistria* (Eversmann,1854)** (Noctuidae) **Synonym(s):** *sesquistria* Eversmann,1854
- 3855. *Drasteria tenera* (Staudinger,1877)** (Noctuidae) **Synonym(s):** *tenera* Staudinger,1877; *antiqua* Staudinger,1889.
- 3856. *Dryobotodes* (s.str.) *eremita* (Fabricius,1775)** (Noctuidae) **Synonym(s):** *eremita* Fabricius,1775; *protea* [Denis & Schiffermüller],1775; *seladonia* Fabricius,1794; *corsica* Spuler,1905; *#dejecta* W.Warren,1911; *#grisea* W.Warren,1911 **Larval foodplant(s):** *Quercus robor* (Hacker,2001).
- 3857. *Dryobotodes* (s.str.) *monochroma* (Esper,1790)** (Noctuidae) **Synonym(s):** *monochroma* Esper,[1790]; *distans* Hübner,[1813]; *suberis* Duponchel,1827
- 3858. *Dypterygia scabriuscula* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *scabriuscula* Linnaeus,1758; *pinastri* Linnaeus,1761. **Larval foodplant(s):** "*Escallonia serrata*" at Amasia (Staudinger,1879) vide *Cerasus prostrata* (Koçak & Vural,1998, Misc. Pap. 51: 6-7); *Rumex*, *Polygonum* (*Polygonaceae*) (Hampson,1908).
- 3859. *Dysaletia inanis* (Oberthür,1880)** (Noctuidae) **Synonym(s):** *inanis* Oberthür,1880; *grandis* Staudinger,1892 nec Butl.,1878; *gigas* Staudinger,1901; *mesotrostina* Draudt,1950
- 3860. *Earias clorana* (Linnaeus,1761)** (Noctuidae) **Synonym(s):** *clorana* Linnaeus,1761; *viride* Retzius,1783 **Larval foodplant(s):** *Salix* (Wiltshire,1957).
- 3861. *Earias insulana* (Boisduval,1833)** (Noctuidae) **Synonym(s):** *insulana* Boisduval,1833; *smaragdinana* Zeller,1852; *frondosana* Walker,1863; *xanthophila* Walker,1863; *siliquana* Stainton,1865; *simillima* Walker,1866; *gossypii* Frauenfeld,1867; *anthophilana* Snellen,1879; *trigostrigosa* Butler,1881. **Larval foodplant(s):** *Abutilon theophrasti*, *Althaea*, *Ceratonia siliqua*, *Gossypium herbaceum*, *Hibiscus esculentus*, *H. rosasinensis*, *H. cannabinus*; *Lavatera*, *Malva parviflora*, *Populus*, *Zea mays* (Wiltshire,1957; Calle et al., 2000).
- 3862. *Earias pudicana* Staudinger,1887** (Noctuidae) **Synonym(s):** *pudicana* Staudinger,1887
- 3863. *Earias vernana* (Fabricius,1787)** (Noctuidae) **Synonym(s):** *vernana* Fabricius,1787; *obliterata* Bartel,1914
- 3864. *Egira anatolica* (Hering,1933)** (Noctuidae) **Synonym(s):** *anatolica* Hering,1933; *#metaxys* Boursin,1966; *#leucomelas* Boursin,1966
- 3865. *Egira conspicillaris* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *conspicillaris* Linnaeus,1758
- 3866. *Elaphria venustula* (Hübner,1790)** (Noctuidae) **Synonym(s):** *venustula* Hübner,1790
- 3867. *Emmelia trabealis* (Scopoli,1763)** (Noctuidae) **Synonym(s):** *trabealis* Scopoli,1763; *sulphuralis* Linnaeus,1767; *sulphurea* [Denis & Schiffermüller],1775; *lugubris* Fabricius,1777; *histrionella* Goeze,1783; *arlequinetta* Fourcroy,1785; *trabeata* Borkhausen,1790; *pardalina* Walker,1865 **Larval foodplant(s):** *Convolvulus arvensis*, *Gossypium herbaceum* (Wiltshire,1957; Calle et al., 2000).

- 3868. *Enargia abluta* (Hübner,[1808])** (Noctuidae) Synonym(s): *abluta* Hübner,[1808]; *imbuta* Boisduval,1840. Larval foodplant(s): *Populus*, *Salix*, *Quercus* (Blaschke,1914; Hacker,1989).
- 3869. *Enargia abluta abluta* (Hübner,[1808])** (Noctuidae) Synonym(s): *abluta* Hübner,[1808]; *imbuta* Boisduval,1840. Larval foodplant(s): *Populus*, *Salix*, *Quercus* (Blaschke,1914; Hacker,1989).
- 3870. *Enargia abluta arenaria* (Bartel,1903)** (Noctuidae) Synonym(s): *arenaria* Bartel,1903
- 3871. *Enargia paleacea* (Esper,[1788])** (Noctuidae) Synonym(s): *paleacea* Esper,[1788]. Larval foodplant(s): *Betula*, *Populus*, *Alnus* (Hacker,1989).
- 3872. *Eogena contaminei* (Eversmann,1847)** (Noctuidae) Synonym(s): *contaminei* Eversmann,1847
- 3873. *Epilecta linogrisea* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *linogrisea* [Denis & Schiffermüller],1775; *lutosa* Staudinger,1901. Larval foodplant(s): *Primula acaulis* (Primulaceae) (Warren,1909).
- 3874. *Epimecia ustula* (Freyer,1835)** (Noctuidae) Synonym(s): *ustula* Freyer,1835 Larval foodplant(s): *Scabiosa* (Hacker,1989).
- 3875. *Epipsammia accurata* (Christoph,1882)** (Noctuidae) Synonym(s): *accurata* Christoph,1882 o
- 3876. *Epipsammia deserticola* Staudinger,1879** (Noctuidae) Synonym(s): *deserticola* Staudinger,1879
- 3877. *Episema glaucina* (Esper,[1789])** (Noctuidae) Synonym(s): *glaucina* Esper,[1789]; *dentimacula* Hübner,1790; *unicolor* Duponchel,1835; *hispana* Boisduval,[1837]; *meridionalis* Calberla,1888; *abruzzorum* Dannehl,1929.
- 3878. *Episema korsakovi* (Christoph,1885)** (Noctuidae) Synonym(s): *korsakovi* Christoph,1885; *paenulata* Christoph,1885.
- 3879. *Episema korsakovi korsakovi* (Christoph,1885)** (Noctuidae) Synonym(s): *korsakovi* Christoph,1885; *paenulata* Christoph,1885.
- 3880. *Episema lederi* Christoph,1885** (Noctuidae) Synonym(s): *lederi* Christoph,1885; *sareptana* Alpheraky,1897; *#lederi* Wiltshire,1937.
- 3881. *Episema melanogona* (Tauscher,1809)** (Noctuidae) Synonym(s): *melanogona* Tauscher,1809
- 3882. *Episema tersa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *tersa* [Denis & Schiffermüller],1775; *trimacula* [Denis & Schiffermüller],1775; *swiderskii* Kostrowicki,1956. Larval foodplant(s): *Anthericum* (Liliaceae) (Pinker,1962).
- 3883. *Erebus macrops* (Linnaeus,1768)** (Noctuidae) Synonym(s): *macrops* Linnaeus,1768; *bubo* Fabricius,1775; *boopis* Guenée,1852; *walkeri* Butler,1875.
- 3884. *Eremobia deccerti* Hampson,1908** (Noctuidae) Synonym(s): *deccerti* Hampson,1908; *pseudotrachea* Krulikowsky,1909.
- 3885. *Eremobia decipiens* (Alpheraky,1895)** (Noctuidae) Synonym(s): *decipiens* Alpheraky,1895
- 3886. *Eremobia ochroleuca* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *ochroleuca* [Denis & Schiffermüller],1775; *citrina* Donovan,1801; *bifasciosa* Haworth,1809.
- 3887. *Eremobia ochroleuca ochroleuca* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *ochroleuca* [Denis & Schiffermüller],1775; *citrina* Donovan,1801; *bifasciosa* Haworth,1809.
- 3888. *Eremobina pabulatricula* (Brahm,1791)** (Noctuidae) Synonym(s): *pabulatricula* Brahm,1791
- 3889. *Eriopygodes imbecilla* (Fabricius,1794)** (Noctuidae) Synonym(s): *imbecilla* Fabricius,1794; *alpina* Hübner,1793; *aliena* Hübner,[1808]; *disparilis* Ochsenheimer,1816.
- 3890. *Eriopygodes impar* (Staudinger,1870)** (Noctuidae) Synonym(s): *impar* Staudinger,1870
- 3891. *Erythroplusia pyropia* (Butler,1879)** (Noctuidae) Synonym(s): *pyropia* Butler,1879; *pseudopyropia* Chou & Lu,1978

- 3892. Estimata magadanica Kononenko,1981** (Noctuidae) Synonym(s): *magadanica Kononenko,1981*
- 3893. Estimata oschi (Kozhantshikov,1937)** (Noctuidae) Synonym(s): *oschi Kozhantshikov,1937*
- 3894. Eublemma (Glossodice) gratiosa (Eversmann,1854)** (Noctuidae) Synonym(s): *gratiosa Eversmann,1854; epigramma Staudinger,1889.*
- 3895. Eublemma (Glossodice) polygramma (Duponchel,[1842])** (Noctuidae) Synonym(s): *polygramma Duponchel,[1842]; argillacea Eversmann,1844; nuda Christoph,1862; pudorina Staudinger,1889; violetta Staudinger,1889.* larval foodplant unknown (Calle et al., 2000).
- 3896. Eublemma (albida-gr.) hansa (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *hansa Herrich-Schäffer,[1851]* Larval foodplant(s): *Echinops* (Lederer,1869, 1870).
- 3897. Eublemma (albida-gr.) hansa hansa (Herrich-Schäffer,1851)** (Noctuidae) Synonym(s): *hansa Herrich-Schäffer,[1851]*
- 3898. Eublemma (candidana-gr.) minutata (Fabricius,1794)** (Noctuidae) Synonym(s): *minutata Fabricius,1794; noctualis Hübner,1796; paula Hübner,[1809].*
- 3899. Eublemma (candidana-gr.) minutata minutata (Fabricius,1794)** (Noctuidae) Synonym(s): *minutata Fabricius,1794; noctualis Hübner,1796; paula Hübner,[1809].*
- 3900. Eublemma (candidana-gr.) viridula (Guenée,1841)** (Noctuidae) Synonym(s): *viridula Guenée,1841; minuta Freyer,1849; dalmatina Herrich-Schäffer,[1851]; caprearum Draudt,1933.* Larval foodplant(s): *Helichrysum* (Mann,1862).
- 3901. Eublemma (debilis-gr.) debilis (Christoph,1884)** (Noctuidae) Synonym(s): *debilis Christoph,1884*
- 3902. Eublemma (ostrina-gr.) ostrina (Hübner,[1808])** (Noctuidae) Synonym(s): *ostrina Hübner,[1808]; carthami Herrich-Schäffer,[1851]; aestivalis Guenée,1852; numida Lucas,1849; thasia Koutsaftikis,1973.* Larval foodplant(s): *Carduus, Carlina, Cynara, Echinops, Helichrysum* (Wiltshire,1957; Calle et al., 2000).
- 3903. Eublemma (pallidula-gr.) pallidula (Herrich-Schäffer,1856)** (Noctuidae) Synonym(s): *pallidula Herrich-Schäffer,1856*
- 3904. Eublemma (pallidula-gr.) pallidula pallidula (Herrich-Schäffer,1856)** (Noctuidae) Synonym(s): *pallidula Herrich-Schäffer,1856*
- 3905. Eublemma (parva-gr.) parva (Hübner,[1808])** (Noctuidae) Synonym(s): *parva Hübner,[1808]; rubefacta Mabilie,1869; chalybea Swinhoe,1884; nymphodora Meyrick,1902.* Larval foodplant(s): *Carduus, Centaurea, Inula, Carlina, Cynara* (Calle et al., 2000).
- 3906. Eublemma (rosina-gr.) amoena (Hübner,[1803])** (Noctuidae) Synonym(s): *respersa Hübner,1790; amoena Hübner,[1803]; bithynica Bethune-Baker,1888.* Larval foodplant(s): *Onopordum acanthium* (Calle et al., 2000).
- 3907. Eublemma (rosina-gr.) panonica (Freyer,1840)** (Noctuidae) Synonym(s): *panonica Freyer,1840; kindermannii Boisduval,1840.*
- 3908. Eublemma (rosina-gr.) panonica lenis (Eversmann,1844)** (Noctuidae) Synonym(s): *lenis Eversmann,1844*
- 3909. Eublemma (rosina-gr.) panonica panonica (Freyer,1840)** (Noctuidae) Synonym(s): *panonica Freyer,1840; kindermannii Boisduval,1840.*
- 3910. Eublemma (rosina-gr.) parallela (Freyer,1842)** (Noctuidae) Synonym(s): *parallela Freyer,1842; concinnula Herrich-Schäffer,1851; #densata W.Warren,1912.*
- 3911. Eublemma (rosina-gr.) purpurina ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *purpurina [Denis & Schiffermüller],1775; secunda Staudinger,1901.* Larval foodplant(s): *Cirsium* (Calle et al., 2000).

- 3912. Eublemma (rosina-gr.) pusilla (Eversmann,1834)** (Noctuidae)
Synonym(s): *pusilla* Eversmann,1834
- 3913. Eublemma (rosina-gr.) rosina (Hübner,[1803])** (Noctuidae)
Synonym(s): *rosea* Hübner,1790 nec Fourcroy,1785; *rosina* Hübner,[1803]; *decolorata* Wagner,1913; *sinuata* Schwingenschuss,1938.
- 3914. Eublemma (rosina-gr.) rosina rosina (Hübner,[1803])** (Noctuidae)
Synonym(s): *rosea* Hübner,1790 nec Fourcroy,1785; *rosina* Hübner,[1803]; *decolorata* Wagner,1913; *sinuata* Schwingenschuss,1938.
- 3915. Eublemma amasina (Eversmann,1842)** (Noctuidae) Synonym(s):
amasina Eversmann,1842
- 3916. Eublemma porphyria (Freyer,1845)** (Noctuidae) Synonym(s):
porphyria Freyer,1845
- 3917. Eucarta amethystina (Hübner,[1803])** (Noctuidae) Synonym(s):
amethystina Hübner,[1803]; *austera* W.Warren,1911. Larval foodplant(s): *Daucus*, *Silaus*,
Peucedanum (Hacker,1989).
- 3918. Eucarta virgo (Treitschke,1835)** (Noctuidae) Synonym(s): *virgo*
Treitschke,1835; *virginalis* Bryk,1949; *griseofulgens* Kovacs,1968. Larval foodplant(s):
Chrysanthemum vulgare, *Mentha aquatica*, *Salix viminalis*, *Taraxacum*
(Hacker,1989).
- 3919. Eucarta virgo roseonitens (Sheljuzhko,1927)** (Noctuidae) Synonym(s):
roseonitens Sheljuzhko,1927
- 3920. Euchalcia (s.str.) altaica Dufay,1968** (Noctuidae) Synonym(s): *altaica*
Dufay,1968
- 3921. Euchalcia (s.str.) biezankoi (Alberti,1965)** (Noctuidae) Synonym(s):
biezankoi Alberti,1965; *#bienzankoi* Hacker,[1987].
- 3922. Euchalcia (s.str.) biezankoi biezankoi (Alberti,1965)** (Noctuidae)
Synonym(s): *biezankoi* Alberti,1965; *#bienzankoi* Hacker,[1987].
- 3923. Euchalcia (s.str.) consona (Fabricius,1787)** (Noctuidae) Synonym(s):
consona Fabricius,1787
- 3924. Euchalcia (s.str.) cuprescens Dufay,1966** (Noctuidae) Synonym(s):
cuprescens Dufay,1966
- 3925. Euchalcia (s.str.) modestoides Poole,1989** (Noctuidae) Synonym(s):
modesta Hübner,1787 nec Müll.,1764; *modestoides* Poole,1989
- 3926. Euchalcia (s.str.) siderifera (Eversmann,1846)** (Noctuidae)
Synonym(s): *siderifera* Eversmann,1846
- 3927. Euchalcia (s.str.) uralensis (Eversmann,1842)** (Noctuidae)
Synonym(s): *uralensis* Eversmann,1842
- 3928. Euchalcia (s.str.) variabilis (Piller & Mitterpacher,1783)** (Noctuidae)
Synonym(s): *variabilis* Piller & Mitterpacher,1783; *cuprea* Esper,1787; *illustris* Fabricius,1787
- 3929. Euchalcia (s.str.) variabilis mongolica (Staudinger & Rebel,1901)**
(Noctuidae) Synonym(s): *mongolica* Staudinger & Rebel,1901
- 3930. Euchalcia (s.str.) variabilis obscurior (Alberti,1965)** (Noctuidae)
Synonym(s): *obscurior* Alberti,1965.
- 3931. Euclidia fortalitium (Tauscher,1809)** (Noctuidae) Synonym(s): *fortalitium*
Tauscher,1809; *flexuosa* Eversmann,1832.
- 3932. Euclidia glyphica (Linnaeus,1758)** (Noctuidae) Synonym(s): *glyphica*
Linnaeus,1758; *pratensis* Müller,1764
- 3933. Eudocima phalonia (Linnaeus,1763)** (Noctuidae) Synonym(s): *phalonia*
Linnaeus,1763; *fullonia* Clerck,[1764]; *dioscoreae* Fabricius,1775; *pomona* Cramer,1776; *princeps*
Guenée,1852; *obliterans* Walker,1858 Larval foodplant(s): *Tinospora crispa* [bora phet],
T.cordifolia, *T.baenzigeri* [chingcha chali], *Tiliacora trianda* [thao yanang]
(Menispermaceae), *Calamus* (Palmaceae) (Lewvanich,2001).
- 3934. Eugnorisma (Metagnorisma) depuncta (Linnaeus,1761)** (Noctuidae)
Synonym(s): *depuncta* Linnaeus,1761; *meridionalis* Dannehl,1925.

- 3935. Eugnorisma (s.str.) chaldaica (Boisduval,1840)** (Noctuidae)
Synonym(s): *chaldaica* Boisduval,1840
- 3936. Eugnorisma (s.str.) eminens (Lederer,1855)** (Noctuidae) Synonym(s):
eminens Lederer,1855; *excellens* Staudinger,1867
- 3937. Eugnorisma (s.str.) insignata (Lederer,1853)** (Noctuidae) Synonym(s):
insignata Lederer,1853; *intermedia* Eversmann,1855.
- 3938. Eugnorisma (s.str.) insignata insignata (Lederer,1853)** (Noctuidae)
Synonym(s): *insignata* Lederer,1853; *intermedia* Eversmann,1855.
- 3939. Eugnorisma (s.str.) puengeleri Varga & Ronkay,1987** (Noctuidae)
Synonym(s): *puengeleri* Varga & Ronkay,1987
- 3940. Eugnorisma ignoratum Varga & L. Ronkay,1994** (Noctuidae)
Synonym(s): *ignoratum* Varga & L. Ronkay,1994
- 3941. Eugraphe sigma ([Denis & Schiffermüller],1775)** (Noctuidae)
Synonym(s): *#sigma* [Denis & Schiffermüller],1775; *charactera* [Denis & Schiffermüller],1775;
ditrapezum Esper,[1786]; *nubila* Esper,[1786]; *signum* Fabricius,1787; *umbra* Vieweg,1789; *signa*
Hampson,1903; *terminalis* Strand,1915 Larval foodplant(s): *Atriplex* ([Denis &
Schiffermüller],1775 et seq.).
- 3942. Eulocastra diaphora (Staudinger,1879)** (Noctuidae) Synonym(s):
diaphora Staudinger,1879; *triangularis* W.Warren,1888; *atribasalis* Hampson,1896; *laticincta*
Staudinger,1898.
- 3943. Euplexia lucipara (Linnaeus,1758)** (Noctuidae) Synonym(s): *lucipara*
Linnaeus,1758; *dubia* Hufnagel,1766; *leonhardi* Rebel,1909; *britannica* Turner,1943 Larval
foodplant(s): *Rubus* (Rosaceae), *Athyrium*, *Aspidum*, *Pteridium*, *Urtica*
(Urticaceae); *Stachys*, *Lamium* (Lamiaceae); *Epilobium*, *Impatiens*, *Senecio*,
Actaea (Asteraceae); *Atropa*, *Aconitum*, *Chelidonium*, *Aquilegia* (Beck,1960).
- 3944. Eupsilia transversa (Hufnagel,1766)** (Noctuidae) Synonym(s): *transversa*
Hufnagel,1766; *satellitica* Linnaeus,1767 Larval foodplant(s): *Quercus*, *Fagus* (Fagaceae);
Ulmus (Ulmaceae); *Prunus* (Rosaceae); *Salix* (Salicaceae); *Tilia* (Tiliaceae); *Acer*
(Aceraceae); *Carpinus*.
- 3945. Eurois occulta (Linnaeus,1758)** (Noctuidae) Synonym(s): *occulta*
Linnaeus,1758; *implicata* Lefebvre,1836; *extricata* Zetterstedt,[1839]; *prolixa* Zetterstedt,[1839]; *puncticosa*
Zetterstedt,[1839]; *roseovirgata* Dannehl,1929; *fumea* Corti & Draudt,1933; *tibetica* Corti & Draudt,1933
- 3946. Eurois occulta occulta (Linnaeus,1758)** (Noctuidae) Synonym(s): *occulta*
Linnaeus,1758; *implicata* Lefebvre,1836; *extricata* Zetterstedt,[1839]; *prolixa* Zetterstedt,[1839]; *puncticosa*
Zetterstedt,[1839]; *roseovirgata* Dannehl,1929.
- 3947. Eutelia adoratrix (Staudinger,1892)** (Noctuidae) Synonym(s): *adoratrix*
Staudinger,1892 Larval foodplant(s): *Pistacia terebinthus*, *P. lentiscus*
(Anacardiaceae) (Wagner,1925).
- 3948. Eutelia adulatricoides (Mell,1943)** (Noctuidae) Synonym(s): *blandiatrice*
Hampson,1912 nec Gn.,1852; *adulatricoides* Mell,1943; *indica* Mell,1943 nec Mre,1867; *cantonensis* Chu &
Chen,1962
- 3949. Eutelia adulatrix (Hübner,[1813])** (Noctuidae) Synonym(s): *adulatrix*
Hübner,[1813] Larval foodplant(s): *Rhus cotinus*, *Pistacia lentiscus*, *P. vera*,
Schinus molle, *Cotinus coggygia* (Anacardiaceae); *Merula* (Capparaceae), *Pinus*
radiata (Pinaceae) (Staudinger,1879; Blaschke,1914; de Freina & Behounek,1996;
Calle et al., 2000; et seq.).
- 3950. Eutelia geyeri (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s):
geyeri R.Felder & Rogenhofer,1874; *inextricata* Moore,1882
- 3951. Euxoa (Chorisagrotis) adumbrata (Eversmann,1842)** (Noctuidae)
Synonym(s): *adumbrata* Eversmann,1842; *polygonides* Staudinger,1874; *variegata* Wagner,1913;
pamiricola Kozhantshikov,1937.
- 3952. Euxoa (Chorizagrotis) adumbrata adumbrata (Eversmann,1842)**
(Noctuidae) Synonym(s): *adumbrata* Eversmann,1842; *polygonides* Staudinger,1874; *variegata*
Wagner,1913; *pamiricola* Kozhanchikov,1937.

- 3953. Euxoa (Chorizagrotis) lidia (Stoll,1782)** (Noctuidae) **Synonym(s):** *lidia* Stoll,[1782].
- 3954. Euxoa (Orosagrotis) acuminifera (Eversmann,1854)** (Noctuidae) **Synonym(s):** *acuminifera* Eversmann,1854
- 3955. Euxoa (Orosagrotis) foeda (Lederer,1855)** (Noctuidae) **Synonym(s):** *foeda* Lederer,1855; *enitens* Corti,1926; *marmorosa* Corti,1927; *vanensis* Draudt,1937.
- 3956. Euxoa (Orosagrotis) tristis (Staudinger,1898)** (Noctuidae) **Synonym(s):** *varia* Alpheraky,1889 nec Walk.,1865; *tristis* Staudinger,1898; *deficiens* Wagner,1913; *distracta* Corti,1932; *opportuna* Corti,1932.
- 3957. Euxoa (Pleonectopoda) hilaris (Freyer,1838)** (Noctuidae) **Synonym(s):** *hilaris* Freyer,1838
- 3958. Euxoa (Pleonectopoda) hilaris hilaris (Freyer,1838)** (Noctuidae) **Synonym(s):** *hilaris* Freyer,1838
- 3959. Euxoa (Pleonectopoda) rjabovi Kozhantshikov,1929** (Noctuidae) **Synonym(s):** *rjabovi* Kozhantshikov,1929; *inclusa* Corti,1931
- 3960. Euxoa (s.str.) amplexa Corti,1931** (Noctuidae) **Synonym(s):** *amplexa* Corti,1931.
- 3961. Euxoa (s.str.) anatolica Draudt,1936** (Noctuidae) **Synonym(s):** *anatolica* Draudt,1936.
- 3962. Euxoa (s.str.) aquilina ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *aquilina* [Denis & Schiffermüller],1775; *fictilis* Hübner,[1813]; *unicolor* Hübner,[1813]; *petrina* Mayer,1937.
- 3963. Euxoa (s.str.) aquilina actinea Kozhantshikov,1929** (Noctuidae) **Synonym(s):** *actinea* Kozhantshikov,1929; *quassa* Corti,1931; *terrestris* Corti,1931; *corporea* Corti,1931; *punctifera* Corti,1931; *rangnowi* Corti,1932.
- 3964. Euxoa (s.str.) aquilina aquilina ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *aquilina* [Denis & Schiffermüller],1775; *fictilis* Hübner,[1813]; *unicolor* Hübner,[1813]; *petrina* Mayer,1937.
- 3965. Euxoa (s.str.) armena (Eversmann,1856)** (Noctuidae) **Synonym(s):** *armena* Eversmann,1856; *deserta* Staudinger,1870
- 3966. Euxoa (s.str.) armena armena (Eversmann,1856)** (Noctuidae) **Synonym(s):** *armena* Eversmann,1856; *deserta* Staudinger,1870
- 3967. Euxoa (s.str.) basigramma (Staudinger,1870)** (Noctuidae) **Synonym(s):** *basigramma* Staudinger,1870
- 3968. Euxoa (s.str.) basigramma basigramma Staudinger,1870** (Noctuidae) **Synonym(s):** *basigramma* Staudinger,1870
- 3969. Euxoa (s.str.) birivia ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *birivia* [Denis & Schiffermüller],1775; *honnoratina* Donzel,1837; *cuprina* Staudinger,1900; *sudeticola* Skala,1929; *caucasica* Spuler,1908; *flavisignata* Corti,1932.
- 3970. Euxoa (s.str.) christophi (Staudinger,1870)** (Noctuidae) **Synonym(s):** *christophi* Staudinger,1870
- 3971. Euxoa (s.str.) christophi christophi (Staudinger,1870)** (Noctuidae) **Synonym(s):** *christophi* Staudinger,1870.
- 3972. Euxoa (s.str.) conifera (Christoph,1877)** (Noctuidae) **Synonym(s):** *conifera* Christoph,1877
- 3973. Euxoa (s.str.) conspicua (Hübner,[1824])** (Noctuidae) **Synonym(s):** *conspicua* Hübner,[1824]; *agricola* Boisduval,1829; *lycarum* Herrich-Schäffer,1846; *abdita* De Joannis,1891; *#indistincta* Strand,1915; *osthelderi* Corti,1931; *complicata* Corti,1931.
- 3974. Euxoa (s.str.) cos (Hübner,[1824])** (Noctuidae) **Synonym(s):** *cos* Hübner,[1824]; *tephra* Boisduval,1840; *nagyagensis* Freyer,1845; *vacillans* Herrich-Schäffer,[1850]; *millierei* Staudinger,1870; *cycladum* Staudinger,1871; *aphe* Mabilie,1885; *crimaea* A.Bang-Haas,1906; *mesopotamica* A.Bang-Haas,1912; *rubra* Corti,1933.
- 3975. Euxoa (s.str.) cos cos (Hübner,[1824])** (Noctuidae) **Synonym(s):** *cos* Hübner,[1824]; *tephra* Boisduval,1840; *nagyagensis* Freyer,1845; *vacillans* Herrich-Schäffer,[1850]; *millierei* Staudinger,1870; *cycladum* Staudinger,1871; *aphe* Mabilie,1885; *crimaea* A.Bang-Haas,1906; *mesopotamica* A.Bang-Haas,1912; *rubra* Corti,1933.

- 3976. Euxoa (s.str.) cursoria (Hufnagel,1766)** (Noctuidae) Synonym(s): *cursoria* Hufnagel,1766
- 3977. Euxoa (s.str.) decora ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *decora* [Denis & Schiffermüller],1775
- 3978. Euxoa (s.str.) decora kuruschensis Boursin,1940** (Noctuidae) Synonym(s): *kuruschensis* Boursin,1940
- 3979. Euxoa (s.str.) diaphora Boursin,1928** (Noctuidae) Synonym(s): *diaphora* Boursin,1928; *philippsi* Corti,1928; *claricostata* Corti,1932.
- 3980. Euxoa (s.str.) distinguenda (Lederer,1857)** (Noctuidae) Synonym(s): *distinguenda* Lederer,1857.
- 3981. Euxoa (s.str.) distinguenda distincta (Staudinger,1892)** (Noctuidae) Synonym(s): *distincta* Staudinger,1892; *uralensis* Corti,1926; *amplexa* Corti,1931; *akschehirensis* Corti,1932; *rumelica* Boursin,1935; *#aksehiresis* Ebert & Hacker,2002
- 3982. Euxoa (s.str.) dsheiron Brandt,1938** (Noctuidae) Synonym(s): *dsheiron* Brandt,1938.
- 3983. Euxoa (s.str.) fallax (Eversmann,1854)** (Noctuidae) Synonym(s): *fallax* Eversmann,1854
- 3984. Euxoa (s.str.) glabella (Wagner,1930)** (Noctuidae) Synonym(s): *glabella* Wagner,1930
- 3985. Euxoa (s.str.) hastifera (Donzel,1847)** (Noctuidae) Synonym(s): *hastifera* Donzel,1837; *proleuca* Hampson,1903; *pomazensis* Kovacs,1952; *hungarica* Kovacs,1952.
- 3986. Euxoa (s.str.) hastifera hastifera (Donzel,1837)** (Noctuidae) Synonym(s): *hastifera* Donzel,1837; *proleuca* Hampson,1903; *pomazensis* Kovacs,1952; *hungarica* Kovacs,1952.
- 3987. Euxoa (s.str.) heringi Christoph,1877** (Noctuidae) Synonym(s): *heringi* Christoph,1877; *marcens* Staudinger,1893; *signata* Staudinger,1900; *achyricola* Corti,1931.
- 3988. Euxoa (s.str.) heringi heringi (Christoph,1877)** (Noctuidae) Synonym(s): *heringi* Christoph,1877; *marcens* Staudinger,1893; *signata* Staudinger,1900; *achyricola* Corti,1931.
- 3989. Euxoa (s.str.) inexpectata Alpheraky,1897** (Noctuidae) Synonym(s): *inexpectata* Alpheraky,1897; *expugnata* Corti,1932.
- 3990. Euxoa (s.str.) intolerabilis (Püngeler,1895)** (Noctuidae) Synonym(s): *intolerabilis* Püngeler,1895; *predotae* Schawerda,1922; *arida* Corti & Draudt,1933.
- 3991. Euxoa (s.str.) mustelina (Christoph,1877)** (Noctuidae) Synonym(s): *mustelina* Christoph,1877
- 3992. Euxoa (s.str.) mustelina centralis (Staudinger,1889)** (Noctuidae) Synonym(s): *centralis* Staudinger,1889; *mustaga* Corti,1932.
- 3993. Euxoa (s.str.) nigricans (Linnaeus,1761)** (Noctuidae) Synonym(s): *nigricans* Linnaeus,1761; *fumosa* [Denis & Schiffermüller],1775; *rubricans* Esper,[1788]; *dubia* Haworth,1809; *vilis*, *fuliginea* Hübner,[1813]; *carbonea* Hübner,[1823]; *ursina* Godart,1825; *rustica* Eversmann,1842; *oppidicola* Krulikowsky,1907.
- 3994. Euxoa (s.str.) nigrofusca (Esper,[1788])** (Noctuidae) Synonym(s): *tritici sensu auct. nec Linn.*,1761; *nigrofusca* Esper,[1788]; *praticola* Borkhausen,1792; *domestica* Fabricius,1794; *pupillata* Haworth,1803; *venosus* Haworth,1803; *pusillus* Haworth,1803; *lineolata* Haworth,1809; *sordida* Haworth,1809; *albilinea* Haworth,1809; *hortorum* Stephens,1829; *cuneigera* Stephens,1829; *nigrina* Staudinger,1867; *pygmaea* Hampson,1903; *privigna* Püngeler,1906; *fumosoides* Culot,1909
- 3995. Euxoa (s.str.) obelisca ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *obelisca* [Denis & Schiffermüller],1775; *praticola* Hübner,[1813]; *plectoides* Guenée,1852; *grisea* Tutt,1892; *#carbonis* W.Warren,1909; *stephensii* Heyd.,1933; *salioclitana* Boursin,1934.
- 3996. Euxoa (s.str.) obelisca obelisca ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *obelisca* [Denis & Schiffermüller],1775; *praticola* Hübner,[1813]; *plectoides* Guenée,1852; *grisea* Tutt,1892; *#carbonis* W.Warren,1909; *stephensii* Heyd.,1933; *salioclitana* Boursin,1934.
- 3997. Euxoa (s.str.) ochrogaster (Guenée,1852)** (Noctuidae) Synonym(s): *ochrogaster* Guenée,1852

- 3998. Euxoa (s.str.) ochrogaster rossica (Staudinger,1881)** (Noctuidae)
Synonym(s): *rossica* Staudinger,1881; *sublata* Corti,1932; *derasa* Corti,1932; *yarkenda* Corti,1932; *deserticola* Kozhantshikov,1937.
- 3999. Euxoa (s.str.) recussa (Hübner,[1817])** (Noctuidae) Synonym(s): *recussa* Hübner,[1817]; *telifera* Donzel,1837; *transsylvania* Herrich-Schäffer,[1851]; *florigera* Eversmann,1856; *latebrosa* Corti,1931.
- 4000. Euxoa (s.str.) recussa tetrastigma (Zetterstedt,1840)** (Noctuidae)
Synonym(s): *tetrastigma* Zetterstedt,1840; *florigera* Eversmann,1844.
- 4001. Euxoa (s.str.) sabuletorum (Boisduval,1840)** (Noctuidae) Synonym(s): *sabuletorum* Boisduval,1840.
- 4002. Euxoa (s.str.) segnilis (Duponchel,1836)** (Noctuidae) Synonym(s): *segnilis* Duponchel,1836; *seliginis* Duponchel,1836; *siliginis* Guenée,1852; *#huebneroides* Boursin,1940; *adriatica* Fiori,1957.
- 4003. Euxoa (s.str.) segnilis riphaea (Bartel,1907)** (Noctuidae) Synonym(s): *riphaea* Bartel,1907; *sparsa* Corti,1932.
- 4004. Euxoa (s.str.) segnilis segnilis (Duponchel,1836)** (Noctuidae)
Synonym(s): *segnilis* Duponchel,1836; *seliginis* Duponchel,1836; *siliginis* Guenée,1852; *#huebneroides* Boursin,1940; *adriatica* Fiori,1957.
- 4005. Euxoa (s.str.) temera (Hübner,[1808])** (Noctuidae) Synonym(s): *temera* Hübner,[1808]; *ruris* Hübner,[1808]; *villiersii* Guenée,1837; *declarans* Walker,[1857]; *hemispherica* Hampson,1903; *alphonsina* Fernald,1918; *boursini* Schawerda,1931; *perambulans* Corti,1931; *leucotera* Bytinski-Salz & Brandt,1937.
- 4006. Euxoa (s.str.) triaena Kozhantshikov,1929** (Noctuidae) Synonym(s): *triaena* Kozhantshikov,1929
- 4007. Euxoa (s.str.) tritici (Linnaeus,1761)** (Noctuidae) Synonym(s): *tritici* Linnaeus,1761
- 4008. Euxoa (s.str.) tritici tritici (Linnaeus,1761)** (Noctuidae) Synonym(s): *tritici* Linnaeus,1761
- 4009. Euxoa (s.str.) uncarpa Kozhantshikov,1929** (Noctuidae) Synonym(s): *uncarpa* Kozhantshikov,1929
- 4010. Euxoa (s.str.) vitta (Esper,[1789])** (Noctuidae) Synonym(s): *vitta* Esper,[1789]
- 4011. Euxoa (s.str.) vitta hercegoviensis (Schawerda,1938)** (Noctuidae)
Synonym(s): *hercegoviensis* Schawerda,1938.
- 4012. Euxoa (s.str.) zernyi Boursin,1944** (Noctuidae) Synonym(s): *zernyi* Boursin,1944.
- 4013. Exophyla rectangularis (Geyer,[1828])** (Noctuidae) Synonym(s): *rectangularis* Geyer,[1828]; *#rctangularis* Lehmann, Hacker et al.,1998 Larval foodplant(s): *Celtis australis*, *C. centralis* (Ulmaceae) (Lederer,1870; Staudinger,1879; et seq.).
- 4014. Feralia sauberi (Graeser,1892)** (Noctuidae) Synonym(s): *sauberi* Graeser,1892
- 4015. Gonospileia munita (Hübner,[1813])** (Noctuidae) Synonym(s): *munita* Hübner,[1813]; *angulosa* Eversmann,1832.
- 4016. Gonospileia triquetra ([Denis & Schiffermüller],1775)** (Noctuidae)
Synonym(s): *triquetra* [Denis & Schiffermüller],1775; *aurantiaca* Staudinger,1881.
- 4017. Gonospileia triquetra triquetra ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *triquetra* [Denis & Schiffermüller],1775; *aurantiaca* Staudinger,1881.
- 4018. Gortyna borelii (Pierret,1837)** (Noctuidae) Synonym(s): *borelii* Pierret,1837
Larval foodplant(s): *Peucedanum officinale* (Hacker,1989).
- 4019. Gortyna cervago Eversmann,1844** (Noctuidae) Synonym(s): *cervago* Eversmann,1844; *#argillago* Draudt,1936.
- 4020. Gortyna flavago ([Denis & Schiffermüller],1775)** (Noctuidae)
Synonym(s): *flavago* [Denis & Schiffermüller],1775
- 4021. Grammodes bifasciata (Petagna,1786)** (Noctuidae) Synonym(s): *geometrica* auct.; *bifasciata* Petagna,1786; *linearis* Hübner,1790; *parallela* Cyrillo,1790; *chalciptera*

- Borkhausen,1792; parallelaris Hübner,[1803]. Larval foodplant(s): Cistus salvifolius, Polygonum, Smilax, Rubus (Hofmann,1893) et seq.*
- 4022. Grammodes stolidus (Fabricius,1775) (Noctuidae)** *stolidus Fabricius,1775; cingularis Hübner,[1808]; stupida Herrich-Schäffer,1851; curvilinea Walker,1869.* Larval foodplant(s): Rubus, Quercus, Paliurus, Tribulus, Coriaria, Zizyphus lotus (Wiltshire,1957; Calle et al., 2000; Hacker,2001).
- 4023. Graphiphora augur (Fabricius,1775) (Noctuidae)** *augur Fabricius,1775*
- 4024. Hada persa (Alpheraky,1897) (Noctuidae)** *persa Alpheraky,1897*
- 4025. Hada persa televisana Schintlmeiser & Poltawski,1986 (Noctuidae)**
Synonym(s): *televisana Schintlmeiser & Poltawski,1986*
- 4026. Hada plebeja (Linnaeus,1761) (Noctuidae)** *plebeja Linnaeus,1761; nana Hufnagel,1766; dentina [Denis & Schiffermüller],1775; leucostigma Haworth,1809; odontides Boisduval,1829; latenai Pierret,1837; hilaris Zetterstedt,[1839]; reducta Rebel & Zerny,[1932]; littoralis Schawerda,1938; gredensis Schawerda,1938; nevadensis Schawerda,1938; hawelkae Schawerda,1938* Larval foodplant(s): Taraxacum (Hampson,1905).
- 4027. Hadenia (Anepia) aberrans (Eversmann,1856) (Noctuidae)**
Synonym(s): *aberrans Eversmann,1856; admiranda Oberthür,1880; claripennis Butler,1886*
- 4028. Hadenia (Anepia) christophi (Möschler,1862) (Noctuidae)** *christophi Möschler,1862*
- 4029. Hadenia (Anepia) corrupta (Herz,1898) (Noctuidae)** *corrupta Herz,1898; subviolacea Matsumura,1925; siculimima Bryk,1949.*
- 4030. Hadenia (Anepia) corrupta corrupta (Herz,1898) (Noctuidae)**
Synonym(s): *corrupta Herz,1898; subviolacea Matsumura,1925; siculimima Bryk,1949.*
- 4031. Hadenia (Anepia) dianthoecioides (Boursin,1940) (Noctuidae)**
Synonym(s): *dianthoecioides Boursin,1940; #dinthoecioides Boursin,1940*
- 4032. Hadenia (Anepia) irregularis (Hufnagel,1766) (Noctuidae)** *irregularis Hufnagel,1766; echii Borkhausen,1792; syngenesiae Borkhausen,1793; brecciaeformis Esper,[1805].* Larval foodplant(s): Silene otites, Gypsophila paniculata (Hampson,1905).
- 4033. Hadenia (Anepia) perplexa ([Denis & Schiffermüller],1775) (Noctuidae)** *perplexa [Denis & Schiffermüller],1775; lepida Esper,[1790] nec Cr.,[1779]; carpophaga Brahm,1791; ochracea Haworth,1809; capsophila Boisduval,1840; nesus Germar,[1842]; repanda Herrich-Schäffer,[1850]; atlas A.E.Prout,1929; sicula Draudt,1933* Larval foodplant(s): Silene inflata, S. maritima, S. nutans (Hampson,1905; Warren,1909).
- 4034. Hadenia (Anepia) perplexa perplexa ([Denis & Schiffermüller],1775) (Noctuidae)** *perplexa [Denis & Schiffermüller],1775; lepida Esper,[1790] nec Cr.,[1779]; carpophaga Brahm,1791; ochracea Haworth,1809; capsophila Boisduval,1840; nesus Germar,[1842]; repanda Herrich-Schäffer,[1850]; atlas A.E.Prout,1929; sicula Draudt,1933* Larval foodplant(s): Silene inflata, S. maritima, S. nutans (Hampson,1905; Warren,1909).
- 4035. Hadenia (Anepia) silenes (Hübner,[1822]) (Noctuidae)** *silenes Hübner,[1822]; sejuncta Herrich-Schäffer,[1850].*
- 4036. Hadenia (Anepia) silenes silenes (Hübner,[1822]) (Noctuidae)**
Synonym(s): *silenes Hübner,[1822]; sejuncta Herrich-Schäffer,[1850].*
- 4037. Hadenia (Anepia) syriaca (Osthelder,1933) (Noctuidae)** *syriaca Osthelder,1933; osthelderi Draudt,1933.*
- 4038. Hadenia (Anepia) syriaca syriaca (Osthelder,1933) (Noctuidae)**
Synonym(s): *syriaca Osthelder,1933; osthelderi Draudt,1933.*
- 4039. Hadenia (Enterpia) laudeti (Boisduval,1840) (Noctuidae)** *laudeti Boisduval,1840* Larval foodplant(s): Silene, Gypsophila (Staudinger,1879; Wiltshire,1957).

- 4040. Haden** (**Enterpia**) **laudeti orientis** **Hacker,1996** (Noctuidae)
Synonym(s): *orientis* *Hacker,1996* Larval foodplant(s): *Silene* (*Staudinger,1879*).
- 4041. Haden** (**Enterpia**) **picturata** (**Alpheraky,1882**) (Noctuidae)
Synonym(s): *picturata* *Alpheraky,1882*
- 4042. Haden** (**Maschukia**) **pumila** (**Staudinger,1879**) (Noctuidae)
Synonym(s): *pumila* *Staudinger,1879*
- 4043. Haden** (**Maschukia**) **pumila pumila** (**Staudinger,1879**) (Noctuidae)
Synonym(s): *pumila* *Staudinger,1879*
- 4044. Haden** (**Maschukia**) **scythia** **Kljutschko & Hacker,1996** (Noctuidae)
Synonym(s): *scythia* *Kljutschko & Hacker,1996*
- 4045. Haden** (**Pinkericola**) **tephroleuca** (**Boisduval,1833**) (Noctuidae)
Synonym(s): *tephroleuca* *Boisduval,1833*
- 4046. Haden** (**Pinkericola**) **tephroleuca asiatica** (**F.Wagner,1931**) (Noctuidae)
Synonym(s): *asiatica* *F.Wagner,1931*
- 4047. Haden** (**s.str.(Albimaculia)**) **albimacula** (**Borkhausen,1792**) (Noctuidae)
Synonym(s): *albimacula* *Borkhausen,1792*; *concinna* *Hübner,[1803]*; *conserta* *Hübner,[1820]*. Larval foodplant(s): seed-capsules of *Silene nutans* (*Hampson,1905*).
- 4048. Haden** (**s.str.(Albimaculia)**) **albimacula albimacula** (**Borkhausen,1792**) (Noctuidae)
Synonym(s): *albimacula* *Borkhausen,1792*; *concinna* *Hübner,[1803]*; *conserta* *Hübner,[1820]*. Larval foodplant(s): seed-capsules of *Silene nutans* (*Hampson,1905*).
- 4049. Haden** (**s.str.(Albimaculia)**) **defreinai** **Hacker, Kuhna & Gross,1986** (Noctuidae)
Synonym(s): *grisea* *Idrisov,1961*; *defreinai* *Hacker, Kuhna & Gross,1986*
- 4050. Haden** (**s.str.(Albimaculia)**) **defreinai defreinai** **Hacker, Kuhna & Gross,1986** (Noctuidae)
Synonym(s): *grisea* *Idrisov,1961*; *defreinai* *Hacker, Kuhna & Gross,1986*
- 4051. Haden** (**s.str.(Albimaculia)**) **humilis** (**Christoph,1893**) (Noctuidae)
Synonym(s): *humilis* *Christoph,1893*; *stenoptera* *Rebel,1933*.
- 4052. Haden** (**s.str.(Albimaculia)**) **secreta** **Hacker,1996** (Noctuidae)
Synonym(s): *secreta* *Hacker,1996*
- 4053. Haden** (**s.str.(Anatolidena)**) **staudingeri** (**F.Wagner,1931**) (Noctuidae)
Synonym(s): *staudingeri* *F.Wagner,1931*
- 4054. Haden** (**s.str.(Caeshadena)**) **caesia** (**[Denis & Schiffermüller],1775**) (Noctuidae)
Synonym(s): *caesia* *[Denis & Schiffermüller],1775*; *dichroma* *Esp.,[1790]*.
- 4055. Haden** (**s.str.(Clarhadena)**) **clara** (**Staudinger,1901**) (Noctuidae)
Synonym(s): *clara* *Staudinger,1901*; *hyrcana* *Draudt,1933*; *transiens* *Draudt,1938*.
- 4056. Haden** (**s.str.(Clarhadena)**) **clara kuruschensis** **Boursin,1959** (Noctuidae)
Synonym(s): *kuruschensis* *Boursin,1959*
- 4057. Haden** (**s.str.(Clarhadena)**) **clara weissi** (**Draudt,1934**) (Noctuidae)
Synonym(s): *weissi* *Draudt,1934*
- 4058. Haden** (**s.str.(Dianthoecia)**) **impressa** (**Esper,[1790]**) (Noctuidae)
Synonym(s): *#capsincola* *[Denis & Schiffermüller],1775*; *impressa* *Esper,[1790]*.
- 4059. Haden** (**s.str.(Filograna)**) **filograna** (**Esper,[1788]**) (Noctuidae)
Synonym(s): *filograna* *Esper,[1788]*; *filigrama* *auct.*; *polymita* *Hübner,[1803]*; *xanthocyanea* *Hübner,[1819]*; *flavivibica* *Hübner,[1821]*. Larval foodplant(s): *Silene nutans* (*Hampson,1905*).
- 4060. Haden** (**s.str.(Filograna)**) **filograna filograna** (**Esper,[1788]**) (Noctuidae)
Synonym(s): *filograna* *Esper,[1788]*; *filigrama* *auct.*; *polymita* *Hübner,[1803]*;

- xanthocyanea* Hübner,[1819]; *flavivibica* Hübner,[1821]. Larval foodplant(s): *Silene nutans* (Hampson,1905).
- 4061. Haden** (s.str.(*Hadenobilis*)) **albertii** Hacker,1996 (Noctuidae)
Synonym(s): *albertii* Hacker,1996
- 4062. Haden** (s.str.(*Hadenobilis*)) **kurajica** Hacker,1996 (Noctuidae)
Synonym(s): *kurajica* Hacker,1996
- 4063. Haden** (s.str.(*Hadenobilis*)) **melanochroa** (Staudinger,1892) (Noctuidae) Synonym(s): *melanochroa* Staudinger,1892
- 4064. Haden** (s.str.(*Hadenobilis*)) **melanochroa melanochroa** (Staudinger,1892) (Noctuidae) Synonym(s): *melanochroa* Staudinger,1892
- 4065. Haden** (s.str.(*Hadenobilis*)) **vulcanica** (Turati,1907) (Noctuidae)
Synonym(s): *vulcanica* Turati,1907
- 4066. Haden** (s.str.(*Hadenobilis*)) **vulcanica urumovi** (Drenowski,1931) (Noctuidae) Synonym(s): *urumovi* Drenowski,1931
- 4067. Haden** (s.str.(*Luteocincta*)) **femina** Hacker,1996 (Noctuidae)
Synonym(s): *femina* Hacker,1996
- 4068. Haden** (s.str.(*Luteocincta*)) **luteocincta** (Rambur,1834) (Noctuidae)
Synonym(s): *luteocincta* Rambur,1834; *capsophoba* Rambur,1858; *kruegeri* Turati,1908; *dubia* Turati,1911; *schawerdae* Krüger,1914.
- 4069. Haden** (s.str.(*Luteocincta*)) **luteocincta luteocincta** (Rambur,1834) (Noctuidae) Synonym(s): *luteocincta* Rambur,1834; *capsophoba* Rambur,1858; *kruegeri* Turati,1908; *dubia* Turati,1911; *schawerdae* Krüger,1914.
- 4070. Haden** (s.str.(*Luteocincta*)) **persimilis** Hacker,1996 (Noctuidae)
Synonym(s): *persimilis* Hacker,1996
- 4071. Haden** (s.str.(*Magnolihadena*)) **magnolii** (Boisduval,1828) (Noctuidae) Synonym(s): *magnolii* Boisduval,1828; *nummosa* Eversmann,1844. Larval foodplant(s): *Silene nutans* (Hampson,1905; Warren,1909).
- 4072. Haden** (s.str.(*Miselia*)) **compta** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *compta* [Denis & Schiffermüller],1775; *viscaria* Guenée,1852; *galactina* Turati,1908. Larval foodplant(s): seed capsules of *Silene*, *Dianthus carthusianorum* (Hampson,1905; Warren,1910).
- 4073. Haden** (s.str.(*Miselia*)) **compta armeriae** (Guenée,1852) (Noctuidae)
Synonym(s): *armeriae* Guenée,1852
- 4074. Haden** (s.str.(*Miselia*)) **compta compta** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *compta* [Denis & Schiffermüller],1775; *viscaria* Guenée,1852; *galactina* Turati,1908. Larval foodplant(s): seed capsules of *Silene*, *Dianthus carthusianorum* (Hampson,1905; Warren,1910).
- 4075. Haden** (s.str.(*Montanohadena*)) **montana** (Brandt,1941) (Noctuidae) Synonym(s): *montana* Brandt,1941
- 4076. Haden** (s.str.(*Montanohadena*)) **montana kruschensis** Boursin,1959 (Noctuidae) Synonym(s): *kruschensis* Boursin,1959
- 4077. Haden** (s.str.(*Montanohadena*)) **pseudohyrcana** De Freina & Hacker,1985 (Noctuidae) Synonym(s): *pseudohyrcana* De Freina & Hacker,1985.
- 4078. Haden** (s.str.(*Zeteolyga*)) **confusa** (Hufnagel,1766) (Noctuidae)
Synonym(s): *confusa* Hufnagel,1766; *conspersa* [Denis & Schiffermüller],1775; *nana* Rottemburg,1776 nec Hufnagel,1766; *annulata* Fabricius,1781; *x-scriptum* Sowerby,1806; *fasciata* Tutt,1902; *suffusa* Tutt,1902; *intermedia* Tutt,1902. Larval foodplant(s): seed capsules of *Lychnis*, *Silene* (Hampson,1905).
- 4079. Haden** (s.str.(*Zeteolyga*)) **confusa confusa** (Hufnagel,1766) (Noctuidae) Synonym(s): *confusa* Hufnagel,1766; *conspersa* [Denis & Schiffermüller],1775; *nana* Rottemburg,1776 nec Hufnagel,1766; *annulata* Fabricius,1781; *x-scriptum* Sowerby,1806; *fasciata*

- Tutt,1902; suffusa Tutt,1902; intermedia Tutt,1902.* Larval foodplant(s): seed capsules of *Lychnis*, *Silene* (Hampson,1905).
- 4080. *Hadena* (s.str.(Zeteolyga)) *confusa herczigi* Hacker,1996** (Noctuidae)
Synonym(s): *herczigi* Hacker,1996
- 4081. *Hadena* (s.str.(Zeteolyga)) *confusa iliensis* Hacker,1996** (Noctuidae)
Synonym(s): *iliensis* Hacker,1996
- 4082. *Hadena* (s.str.(Zeteolyga)) *pseudodealbata* Hacker,1988** (Noctuidae)
Synonym(s): *pseudodealbata* Hacker,1988
- 4083. *Hadena* (s.str.(Zeteolyga)) *variolata* (Smith,1888)** (Noctuidae)
Synonym(s): *variolata* Smith,1888.
- 4084. *Hadena* (s.str.(Zeteolyga)) *variolata dealbata* (Staudinger,1892)** (Noctuidae) Synonym(s): *dealbata* Staudinger,1892
- 4085. *Haderonia tiefi* (Püngeler,1914)** (Noctuidae) Synonym(s): *tiefi* Püngeler,1914
- 4086. *Hadula* (*Calocestra* (*Dianthus*)) *dianthi* (Tauscher,1809)** (Noctuidae)
Synonym(s): *dianthi* Tauscher,1809; *dentigera* Eversmann,1837; *actinobola* Eversmann,1837; *furculoides* F.Wagner,1930.
- 4087. *Hadula* (*Calocestra* (*Dianthus*)) *dianthi dianthi* (Tauscher,1809)** (Noctuidae) Synonym(s): *dianthi* Tauscher,1809; *dentigera* Eversmann,1837; *actinobola* Eversmann,1837; *furculoides* F.Wagner,1930.
- 4088. *Hadula* (*Calocestra* (*Dianthus*)) *nupponenorum* Hacker & Fibiger,2002** (Noctuidae) Synonym(s): *nupponenorum* Hacker & Fibiger,2002
- 4089. *Hadula* (*Calocestra* (*Hadufurca*)) *colletti* (Schneider,1876)** (Noctuidae) Synonym(s): *colletti* Schneider,1876
- 4090. *Hadula* (*Calocestra* (*Hadufurca*)) *colletti colletti* (Schneider,1876)** (Noctuidae) Synonym(s): *colletti* Schneider,1876
- 4091. *Hadula* (*Calocestra* (*Hadufurca*)) *farnhami* (Grote,1873)** (Noctuidae)
Synonym(s): *farnhami* Grote,1873
- 4092. *Hadula* (*Calocestra* (*Hadufurca*)) *farnhami palaeartica* Hacker,1998** (Noctuidae) Synonym(s): *palaeartica* Hacker,1998
- 4093. *Hadula* (*Calocestra* (*Hadufurca*)) *furca* (Eversmann,1852)** (Noctuidae) Synonym(s): *furca* Eversmann,1852
- 4094. *Hadula* (*Calocestra* (*Hadufurca*)) *furca furca* (Eversmann,1852)** (Noctuidae) Synonym(s): *furca* Eversmann,1852
- 4095. *Hadula* (*Calocestra* (*Hadufurca*)) *inperspicua* Hacker,1998** (Noctuidae) Synonym(s): *inperspicua* Hacker,1998
- 4096. *Hadula* (*Calocestra* (*Hadufurca*)) *inperspicua manschurica* Hacker,1998** (Noctuidae) Synonym(s): *manschurica* Hacker,1998
- 4097. *Hadula* (*Calocestra* (*Hadumelanopa*)) *militzae* (Kozhantshikov,1947)** (Noctuidae) Synonym(s): *militzae* Kozhantshikov,1947
- 4098. *Hadula* (*Calocestra* (*Hadumendax*)) *hoplites* (Staudinger,1901)** (Noctuidae) Synonym(s): *hoplites* Staudinger,1901
- 4099. *Hadula* (*Calocestra* (*Hadumendax*)) *hoplites hoplites* (Staudinger,1901)** (Noctuidae) Synonym(s): *hoplites* Staudinger,1901
- 4100. *Hadula* (*Calocestra* (*Hadupugnax*)) *latemarginata* (Wiltshire,1976)** (Noctuidae) Synonym(s): *latemarginata* Wiltshire,1976; *baksana* Schintlmeister & Poltawski,1986.
- 4101. *Hadula* (*Calocestra* (*Hadupugnax*)) *odontites* (Boisduval,1829)** (Noctuidae) Synonym(s): *odontites* Boisduval,1829; *microdon* Guenée,1852; *dalmatina* Schwingenschuss,1926; *asturica* Agenjo,1941.
- 4102. *Hadula* (*Calocestra* (*Hadupugnax*)) *odontites boisduvali* Hacker,1998** (Noctuidae) Synonym(s): *boisduvali* Hacker,1998

- 4103. Hadula (Calocestra (Hadupugnax)) odontites odontites (Boisduval,1829)** (Noctuidae) **Synonym(s):** *odontites Boisduval,1829; microdon Guenée,1852; dalmatina Schwingenschuss,1926; asturica Agenjo,1941.*
- 4104. Hadula (Calocestra (Hadupugnax)) schawyra (O.Bang-Haas,1927)** (Noctuidae) **Synonym(s):** *schawyra O.Bang-Haas,1927*
- 4105. Hadula (Calocestra (Hadutrifolium)) trifolii (Hufnagel,1766)** (Noctuidae) **Synonym(s):** *trifolii Hufnagel,1766; chenopodii [Denis & Schiffermüller],1775; verna Esper,[1787]; saucia Esper,[1790]; infraina Haworth,1809; contribulis Duponchel,1827; farkasii Treitschke,1835; inquieta Walker,1857; albifusa Walker,1857; cinnamomina Rothschild,1913; taylori Rothschild,1921* Larval foodplant(s): *Atriplex, Chenopodium (Wiltshire,1957).*
- 4106. Hadula (Calocestra (Stigmosa)) stigmosa (Christoph,1887)** (Noctuidae) **Synonym(s):** *stigmosa Christoph,1887.* Larval foodplant(s): *Salsola (Amaranthaceae); Chenopodium maritimum, Atriplex littoralis (Chenopodiaceae) (Hacker,1989).*
- 4107. Hadula (Calocestra (Stigmosa)) stigmosa stigmosa (Christoph,1887)** (Noctuidae) **Synonym(s):** *stigmosa Christoph,1887.*
- 4108. Hadula (Cardiestra) vassilini (O.Bang-Haas,1927)** (Noctuidae) **Synonym(s):** *vassilini O.Bang-Haas,1927*
- 4109. Hebdomochondra syrticola Staudinger,1879** (Noctuidae) **Synonym(s):** *syrticola Staudinger,1879*
- 4110. Hecatera bicolorata (Hufnagel,1766)** (Noctuidae) **Synonym(s):** *bicolorata Hufnagel,1766; serena [Denis & Schiffermüller],1775; placida Esper,[1791]; hieracii Bkh.,1793; par Donovan,1801; monticola Dup.,1826; leuconota Eversmann,1837; intermedia Walker,[1858]; obscura Staudinger,1861.* Larval foodplant(s): *flowers of Sonchus, Lactuca, Hieracium (Asteraceae) (Hampson,1905; Warren,1909); Alnus (Betulaceae), Prunus domestica, P. spinosa, Rosa (Rosaceae); Salix (Salicaceae) (Meyer,1919).*
- 4111. Hecatera cappa (Hübner,[1809])** (Noctuidae) **Synonym(s):** *cappa Hübner,[1809]* Larval foodplant(s): *Delphinium ajacis, D. staphysagria (Hampson,1905).*
- 4112. Hecatera digramme (Fischer v. Waldheim,1820)** (Noctuidae) **Synonym(s):** *digramme Fischer v. Waldheim,1820*
- 4113. Hecatera spinaciae (Vieweg,1790)** (Noctuidae) **Synonym(s):** *#dysodea [Denis & Schiffermüller],1775; spinaciae Vieweg,1790; ornata De Villiers,1789; chrysozona Borkhausen,1792; ranunculina Haworth,1809; caduca Herrich-Schaffer,[1851]; innocens Staudinger,1871; subflava W.Warren,1910.* Larval foodplant(s): *flowers of Sonchus and Lactuca scarioloides (Hampson,1905; Wiltshire,1957).*
- 4114. Helicoverpa armigera (Hübner,[1808])** (Noctuidae) **Synonym(s):** *obsoleta auct. nec Fabr.,1775; barbara Fabricius,1794 [rejected]; armigera Hübner,[1808]; pulverosa Walker,[1857]; uniformis Wallengren,1860; rama Bhattacherjee & Gupta,1972.* Larval foodplant(s): *Inula, Medicago, Plantago, Ulex, Hyoscyamus niger (Lederer,1865; Calle et al., 2000).*
- 4115. Helicoverpa armigera armigera (Hübner,[1808])** (Noctuidae) **Synonym(s):** *obsoleta auct. nec Fabr.,1775; barbara Fabricius,1794 [rejected]; armigera Hübner,[1808]; pulverosa Walker,[1857]; uniformis Wallengren,1860; rama Bhattacherjee & Gupta,1972.*
- 4116. Heliophobus kitti (Schawerda,1914)** (Noctuidae) **Synonym(s):** *kitti Schawerda,1914; #silbernageli Tykac,1940*
- 4117. Heliophobus reticulata (Goeze,1781)** (Noctuidae) **Synonym(s):** *calcatrippae Vieweg,1790; saponariae Borkhausen,1792; marginosa Haworth,1809; hibernica Cockayne,1944.*
- 4118. Heliophobus reticulata reticulata (Goeze,1781)** (Noctuidae) **Synonym(s):** *calcatrippae Vieweg,1790; saponariae Borkhausen,1792; marginosa Haworth,1809; hibernica Cockayne,1944.*
- 4119. Heliothis maritima Graslin,1855** (Noctuidae) **Synonym(s):** *maritima Graslin,1855*
- 4120. Heliothis maritima bulgarica (Draudt,1938)** (Noctuidae) **Synonym(s):** *bulgarica Draudt,1938*

- 4121. *Heliothis nubigera* Herrich-Schäffer,[1851]** (Noctuidae) **Synonym(s):** *nubigera* Herrich-Schäffer,[1851]; *perigeoides* Moore,1881; *deserta* Sohn-Rethel,1929; *minutier* Thurner,1938. Larval foodplant(s): *Lonicera implexa* (Calle et al., 2000).
- 4122. *Heliothis ononis* (Fabricius,1787)** (Noctuidae) **Synonym(s):** *#ononis* [Denis & Schiffermüller],1775; *ononis* Fabricius,1787; *ononidis* Guenée,1852.
- 4123. *Heliothis peltigera* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *peltigera* [Denis & Schiffermüller],1775; *alpheia* Cramer,1780; *florentina* Esper,[1788]; *charmione* Stoll,1790; *straminea* Donovan,1793; *insulata* Navas,1924. Larval foodplant(s): *Bellis*, *Calendula*, *Carthamus*, *Hyoscyamus*, *Malva*, *Salvia*, *Senecio*, *Ulex* (Calle et al., 2000).
- 4124. *Heliothis viriplaca* (Hufnagel,1766)** (Noctuidae) **Synonym(s):** *viriplaca* Hufnagel,1766; *dipsacea* Linnaeus,1767; *spergulariae* Lederer,1857; *#dispaceus* Alpheraky,1882; *salamantina* Fernald,1928. Larval foodplant(s): *Linaria*, *Centaurea*, *Ononis* (Hampson,1903); *Silene* (Calle et al., 2000).
- 4125. *Hepatica anceps* Staudinger,1892** (Noctuidae) **Synonym(s):** *anceps* Staudinger,1892
- 4126. *Herminia grisealis* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *nemoralis* Fabricius,1775 *nec* Scop.,1763; *grisealis* [Denis & Schiffermüller],1775; *sulzeriana* Scopoli,1786; *nemorum* Fabricius,1798; *nemoratus* Haworth,1809
- 4127. *Herminia tarsicrinalis* (Knoch,1782)** (Noctuidae) **Synonym(s):** *tarsicrinalis* Knoch,1782; *tarsicrinatus* Haworth,1809
- 4128. *Herminia tarsipennalis* Treitschke,1835** (Noctuidae) **Synonym(s):** *tarsipennalis* Treitschke,1835
- 4129. *Hermonassa albifurca* (Erschoff,1877)** (Noctuidae) **Synonym(s):** *albifurca* Erschoff,1877
- 4130. *Hermonassa arenosa* (Butler,1881)** (Noctuidae) **Synonym(s):** *arenosa* Butler,1881; *amurensis* Kozhantschikov,1935; *yeterofuna* Bryk,1942
- 4131. *Hermonassa difficilis* (Erschoff,1887)** (Noctuidae) **Synonym(s):** *difficilis* Erschoff,1887; *albivenata* Staudinger,1892; *alpherakii* Christoph,1893
- 4132. *Hermonassa ononensis* (Bremer,1861)** (Noctuidae) **Synonym(s):** *ononensis* Bremer,1861; *scaramangae* Alpheraky,1882.
- 4133. *Hillia iris* (Zetterstedt,1839)** (Noctuidae) **Synonym(s):**
- 4134. *Hoplodrina ambigua* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *ambigua* [Denis & Schiffermüller],1775; *plantaginis* Hübner,[1813]; *uniformis* Swinhoe,1885 larva *Lactuca*, *Plantago*, *Taraxacum*, *Urtica*, *Viola* (Calle et al., 2000).
- 4135. *Hoplodrina ambigua ambigua* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *ambigua* [Denis & Schiffermüller],1775; *plantaginis* Hübner,[1813]; *uniformis* Swinhoe,1885 larva *Lactuca*, *Plantago*, *Taraxacum*, *Urtica*, *Viola* (Calle et al., 2000).
- 4136. *Hoplodrina blanda* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *blanda* [Denis & Schiffermüller],1775; *redacta* Haworth,1809; *taraxaci* Hübner,[1813].
- 4137. *Hoplodrina blanda blanda* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *blanda* [Denis & Schiffermüller],1775; *redacta* Haworth,1809; *taraxaci* Hübner,[1813].
- 4138. *Hoplodrina octogenaria* (Goeze,1781)** (Noctuidae) **Synonym(s):** *octogenaria* Goeze,1781; *alsines* Brahm,1791; *sordida* Haworth,1809 *nec* Hübn.,[1803]
- 4139. *Hoplodrina pfeifferi* (Boursin,1932)** (Noctuidae) **Synonym(s):** *pfeifferi* Boursin,1932.
- 4140. *Hoplodrina respersa* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *respersa* [Denis & Schiffermüller],1775; *margaritacea* Borkhausen,1792 *nec* Vill.,1789
- 4141. *Hoplodrina superstes* (Ochsenheimer,1816)** (Noctuidae) **Synonym(s):** *superstes* Ochsenheimer,1816
- 4142. *Hydraecia micacea* (Esper,1789)** (Noctuidae) **Synonym(s):** *micacea* Esper,1789; *cypriaca* Hübner,[1803].

- 4143. *Hydraecia mongoliensis* Urbahn,1967** (Noctuidae) Synonym(s): *mongoliensis* Urbahn,1967
- 4144. *Hydraecia nordstroemi* Horke,1952** (Noctuidae) Synonym(s): *nordstroemi* Horke,1952
- 4145. *Hydraecia osseola* (Staudinger,1882)** (Noctuidae) Synonym(s): *osseola* Staudinger,1882
- 4146. *Hydraecia petasitis* Doubleday,1847** (Noctuidae) Synonym(s): *petasitis* Doubleday,1847
- 4147. *Hydraecia praecipua* Hacker & Nekrasov,2001** (Noctuidae) Synonym(s): *praecipua* Hacker & Nekrasov,2001
- 4148. *Hydraecia ultima* Holst,1965** (Noctuidae) Synonym(s): *ultima* Holst,1965
- 4149. *Hypena (Ophiuche) lividalis* (Hübner,1796)** (Noctuidae) Synonym(s): *lividalis* Hübner,1796; *diagonalis* Fabricius,1794; *simplicalis* Zeller,1852; *abjuris* Walker,[1859]; *scissalis* Walker,[1866]; ? *perna* R.Felder & Rogenhofer,1873; ?*bipartita* Smith,1900. Larval foodplant(s): *Urtica*, *Parietaria* (Lödl,1994).
- 4150. *Hypena (Ophiuche) lividalis lividalis* (Hübner,1796)** (Noctuidae) Synonym(s): *lividalis* Hübner,1796; *diagonalis* Fabricius,1794; *simplicalis* Zeller,1852; *abjuris* Walker,[1859]; *scissalis* Walker,[1866]; ? *perna* R.Felder & Rogenhofer,1873; ?*bipartita* Smith,1900. Larval foodplant(s): *Urtica*, *Parietaria* (Lödl,1994).
- 4151. *Hypena crassalis* (Fabricius,1787)** (Noctuidae) Synonym(s): *crassalis* Fabricius,1787
- 4152. *Hypena munitalis* Mann,1861** (Noctuidae) Synonym(s): *munitalis* Mann,1861. Larval foodplant(s): *Vincetoxicum tmoicum* in "Lydien" (Lederer,1865; Seven & Bakowski,1996).
- 4153. *Hypena obesalis* Treitschke,1829** (Noctuidae) Synonym(s): *obesalis* Treitschke,1829 Larval foodplant(s): *Urtica* (Wiltshire,1957).
- 4154. *Hypena opulenta* (Christoph,1877)** (Noctuidae) Synonym(s): *opulenta* Christoph,1877
- 4155. *Hypena palpalis* (Hübner,1796)** (Noctuidae) Synonym(s): *palpalis* Hübner,1796; *extensalis* Guenée,1854; *armenialis* Staudinger,1901. Larval foodplant(s): *Parietaria* (Wiltshire,1957).
- 4156. *Hypena proboscidalis* (Linnaeus,1758)** (Noctuidae) Synonym(s): *proboscidalis* Linnaeus,1758
- 4157. *Hypena rostralis* (Linnaeus,1758)** (Noctuidae) Synonym(s): *rostralis* Linnaeus,1758.
- 4158. *Hypenodes humidalis* Doubleday,1850** (Noctuidae) Synonym(s): *humidalis* Doubleday,1850
- 4159. *Hypenodes orientalis* Staudinger,1901** (Noctuidae) Synonym(s): *orientalis* Staudinger,1901; *nesiota* Rebel,1916.
- 4160. *Hypobarathra icterias* (Eversmann,1843)** (Noctuidae) Synonym(s): *icterias* Eversmann,1843
- 4161. *Hypocala deflorata* (Fabricius,1794)** (Noctuidae) Synonym(s): *deflorata* Fabricius,1794; *australasiae* Butler,1892; *moorei* Butler,1892.
- 4162. *Hypocala subsatura* Guenée,1852** (Noctuidae) Synonym(s): *subsatura* Guenée,1852; *aspersa* Butler,1883; *limbata* Butler,1889; *tungusa* Graeser,1890
- 4163. *Hyppa rectilinea* (Esper,[1788])** (Noctuidae) Synonym(s): *rectilinea* Esper,[1788]; *albopicta* Matsumura,1952 Larval foodplant(s): *Vaccinium*, *Rubus*, etc. (Hacker,1989).
- 4164. *Hyssia cavernosa* (Eversmann,1852)** (Noctuidae) Synonym(s): *cavernosa* Eversmann,1852 Larval foodplant(s): *Silene*, *Aristolochia* (auct.).
- 4165. *Hyssia cavernosa cavernosa* (Eversmann,1842)** (Noctuidae) Synonym(s): *cavernosa* Eversmann,1852
- 4166. *Hyssia cavernosa gozmanyi* Kovacs,1968** (Noctuidae) Synonym(s): *gozmanyi* Kovacs,1968

- 4167. *Idia calvaria* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *calvaria* [Denis & Schiffermüller],1775
- 4168. *Idia calvaria calvaria* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *calvaria* [Denis & Schiffermüller],1775
- 4169. *Ipimorpha contusa* (Freyer,1849)** (Noctuidae) **Synonym(s):** *contusa* Freyer,1849
- 4170. *Ipimorpha retusa* (Linnaeus,1761)** (Noctuidae) **Synonym(s):** *retusa* Linnaeus,1761; *chreysoglossa* Beckwith,1794; *gracilis* Haworth,1809. **Larval foodplant(s):** *Salix*, *Populus*, *Alnus* (Hacker,1989).
- 4171. *Ipimorpha subtusa* (Fabricius,1787)** (Noctuidae) **Synonym(s):** *#subtusa* [Denis & Schiffermüller],1775; *subtusa* Fabricius,1787. **Larval foodplant(s):** *Populus* (Hacker,1989).
- 4172. *Isochlora daghestana* Hreblay & L.Ronkay,1998** (Noctuidae) **Synonym(s):** *daghestana* Hreblay & L.Ronkay,1998
- 4173. *Janthinea friwaldskii* (Duponchel,1835)** (Noctuidae) **Synonym(s):** *friwaldskii* Duponchel,1835; *viola* Freyer,1836; *#violacea* Staudinger,1879; *friwaldszci* Hampson,1910.
- 4174. *Janthinea friwaldszkii friwaldszkii* (Duponchel,1835)** (Noctuidae) **Synonym(s):** *friwaldskii* Duponchel,1835; *viola* Freyer,1836; *#violacea* Staudinger,1879; *friwaldszci* Hampson,1910.
- 4175. *Jodia croceago* (Fabricius,1787)** (Noctuidae) **Synonym(s):** *#croceago* [Denis & Schiffermüller],1775; *croceago* Fabricius,1787; *aurantiagio* Donovan,1796; *corsica* Mabilille,1868 **Larval foodplant(s):** *Quercus* (Wiltshire,1957).
- 4176. *Karana laetevirens* (Oberthür,1884)** (Noctuidae) **Synonym(s):** *laetevirens* Oberthür,1884
- 4177. *Lacanobia* (Dianobia) *dissimilis* (Knoch,1781)** (Noctuidae) **Synonym(s):** *#suasa* [Denis & Schiffermüller],1775; *dissimilis* Knoch,1781; *leucographa* Esper,[1790]; *denscanis* Haworth,1809; *permixta* Geyer,[1833]; *pavida* Boisduval,1840; *confluens* Eversmann,1844; *laeta* Reuter,1893. **Larval foodplant(s):** *Rumex*, *Chenopodium*, *Plantago* (Hampson,1905).
- 4178. *Lacanobia* (Dianobia) *histrion* (Goeze,1781)** (Noctuidae) **Synonym(s):** *#contigua* [Denis & Schiffermüller],1775; *histrion* Goeze,1781; *ariae* Esper,[1786]; *spartii* Brahm,1791; *dives*, *pulchellina* Haworth,1809; *subcontigua* Eversmann,1852, etc.
- 4179. *Lacanobia* (Dianobia) *obvia* (Eversmann,1856)** (Noctuidae) **Synonym(s):** *obvia* Eversmann,1856
- 4180. *Lacanobia* (Dianobia) *thalassina* (Hufnagel,1766)** (Noctuidae) **Synonym(s):** *thalassina* Hufnagel,1766; *humeralis* Haworth,1809; *achates* Hübner,[1813].
- 4181. *Lacanobia* (Diataraxia) *aliena* (Hübner,[1809])** (Noctuidae) **Synonym(s):** *aliena* Hübner,[1809] **Larval foodplant(s):** *Trifolium montanum*, *Cytisus nigricans*, *Anthyllis vulneraria* (Hampson,1905).
- 4182. *Lacanobia* (Diataraxia) *blenna* (Hübner,[1824])** (Noctuidae) **Synonym(s):** *blenna* Hübner,[1824]; *peregrina* Treitschke,1825; *trimenda* Geyer,[1832]; *guenei* Bruand,1850.
- 4183. *Lacanobia* (Diataraxia) *oleracea* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *oleracea* Linnaeus,1758; *spinaciae* Borkhausen,1792; *variegata* Austaut,1885; *essoni* Hampson,1909; *albolineata* Matsumura,1926; *#pallida* Bytinski-Salz & Brandt,1937 **Larval foodplant(s):** *Atriplex*, *Chenopodium*, *Urtica*, *Rumex*, *Ulmus*, *Brassica* (Hampson,1905; Wiltshire,1957).
- 4184. *Lacanobia* (Diataraxia) *praedita* (Hübner,[1813])** (Noctuidae) **Synonym(s):** *praedita* Hübner,[1813]
- 4185. *Lacanobia* (Diataraxia) *splendens* (Hübner,[1808])** (Noctuidae) **Synonym(s):** *splendens* Hübner,[1808]
- 4186. *Lacanobia* (s.str.) *w-latinum* (Hufnagel,1766)** (Noctuidae) **Synonym(s):** *w-latinum* Hufnagel,1766; *genistae* Borkhausen,1792; *dives* Donovan,1801; *umbrosa* Bytinski-Salz & Brandt,1937; *diniensis* Heinrich,1938; *caerulescens* Schwingenschuss,1962.

- 4187. Lamprotes c-aureum (Knoch,1781)** (Noctuidae) Synonym(s): *c-aureum* Knoch,1781; *concha* Fabricius,1787
- 4188. Lamprotes c-aureum c-aureum (Knoch,1781)** (Noctuidae) Synonym(s): *c-aureum* Knoch,1781; *concha* Fabricius,1787
- 4189. Lasionycta dovrensis (Wocke,1864)** (Noctuidae) Synonym(s): *dovrensis* Wocke,1864
- 4190. Lasionycta dovrensis altaica (Hampson,1905)** (Noctuidae) Synonym(s): *altaica* Hampson,1905
- 4191. Lasionycta draudti (F.Wagner,1936)** (Noctuidae) Synonym(s): *draudti* F.Wagner,1936
- 4192. Lasionycta proxima (Hübner,[1809])** (Noctuidae) Synonym(s): *proxima* Hübner,[1809]; *cana* Eversmann,1841; *ochrostigma* Eversmann,1842; *extensa* Eversmann,1844; *nevadensis* Reisser,1926; *noguera* De Laever,1976.
- 4193. Lasionycta skraelingia (Herrich-Schäffer,1852)** (Noctuidae) Synonym(s): *skraelingia* Herrich-Schäffer,1852
- 4194. Laspeyria flexula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *flexula* [Denis & Schiffermüller],1775
- 4195. Ledereragrotis multifida (Lederer,1870)** (Noctuidae) Synonym(s): *multifida* Lederer,1870; *sanctimoritzii* A.Bang-Haas,1906
- 4196. Ledereragrotis multifida multifida (Lederer,1870)** (Noctuidae) Synonym(s): *multifida* Lederer,1870; *sanctimoritzii* A.Bang-Haas,1906
- 4197. Leucania comma (Linnaeus,1761)** (Noctuidae) Synonym(s): *comma* Linnaeus,1761; *turbida* Hübner,[1803]; *congener* Hübner,[1817]; *rhodocomma* Püngeler,1900; *engadinensis* Wagner,1909.
- 4198. Leucania comma comma (Linnaeus,1761)** (Noctuidae) Synonym(s): *comma* Linnaeus,1761; *turbida* Hübner,[1803]; *congener* Hübner,[1817]; *engadinensis* F.Wagner,1909.
- 4199. Leucania herrichi Herrich-Schäffer,[1849]** (Noctuidae) Synonym(s): *herrichi* Herrich-Schäffer,[1849]
- 4200. Leucania loreyi (Duponchel,1827)** (Noctuidae) Synonym(s): *loreyi* Duponchel,1827; *caricis* Walker,1856; *collecta* Walker,1856; *curcula* Walker,1856; *denotata* Walker,1856; *designata* Walker,1856; *exterior* Walker,1856; *thoracica* Walker,1856.
- 4201. Leucania obsoleta (Hübner,[1803])** (Noctuidae) Synonym(s): *obsoleta* Hübner,[1803]; *insecuta* Walker,1865; *intermissa* Walker,1865; *nohirae* Matsumura,1926; *griseola* Matsumura,1926 Larval foodplant(s): *Phragmites* (Hampson,1905).
- 4202. Leucania punctosa (Treitschke,1825)** (Noctuidae) Synonym(s): *punctosa* Treitschke,1825
- 4203. Leucania punctosa punctosa (Treitschke,1825)** (Noctuidae) Synonym(s): *punctosa* Treitschke,1825
- 4204. Leucania putrescens (Hübner,[1824])** (Noctuidae) Synonym(s): *putrescens* Hübner,[1824]; *boisduvalii* Duponchel,1827; *valletai* Boursin,1952
- 4205. Leucania zaeae (Duponchel,1827)** (Noctuidae) Synonym(s): *zaeae* Duponchel,1827; *indistincta* Christoph,1887; *putrida* Staudinger,1889; *cinerea* Lucas,1948
- 4206. Leucochlaena fallax (Staudinger,1870)** (Noctuidae) Synonym(s): *fallax* Staudinger,1870
- 4207. Leucochlaena muscosa (Staudinger,1892)** (Noctuidae) Synonym(s): *muscosa* Staudinger,1892; *hirsutus* Staudinger,1892
- 4208. Lithacodia wiskotti (Staudinger,1888)** (Noctuidae) Synonym(s): *wiskotti* Staudinger,1888; *viscotti* Hampson,1910
- 4209. Lithomoia solidaginis (Hübner,[1803])** (Noctuidae) Synonym(s): *solidaginis* Hübner,[1803]
- 4210. Lithomoia solidaginis solidaginis (Hübner,[1803])** (Noctuidae) Synonym(s): *solidaginis* Hübner,[1803]
- 4211. Lithophane consocia (Borkhausen,1792)** (Noctuidae) Synonym(s): *consocia* Borkhausen,1792; *infrica* Herrich-Schäffer,1850; *jezoensis* Matsumura,1931.
- 4212. Lithophane furcifera (Hufnagel,1766)** (Noctuidae) Synonym(s): *furcifera* Hufnagel,1766; *conformis* [Denis & Schiffermüller],1775.

- 4213. Lithophane lamda (Fabricius,1787)** (Noctuidae) Synonym(s): *lamda* Fabricius,1787
- 4214. Lithophane ornitopus (Hufnagel,1766)** (Noctuidae) Synonym(s): *ornitopus* Hufnagel,1766; *rhizolitha* [Denis & Schiffermüller],1775; *pitzalisi* Hartig,1976
- 4215. Lithophane semibrunnea (Haworth,1809)** (Noctuidae) Synonym(s): *semibrunnea* Haworth,[1809]; *oculata* Sommer,[1824]. Larval foodplant(s): *Fraxinus* (Hampson,1906; Spuler,1907).
- 4216. Lithophane semibrunnea semibrunnea (Haworth,1809)** (Noctuidae) Synonym(s): *semibrunnea* Haworth,[1809]; *oculata* Sommer,[1824].
- 4217. Lithophane socia (Hufnagel,1766)** (Noctuidae) Synonym(s): *socia* Hufnagel,1766
- 4218. Luperina dumerilii (Duponchel,1826)** (Noctuidae) Synonym(s): *dumerilii* Duponchel,1826
- 4219. Luperina rjabovi (Kljutschko,1967)** (Noctuidae) Synonym(s): *rjabovi* Kljutschko,1967
- 4220. Luperina rubella (Duponchel,1835)** (Noctuidae) Synonym(s): *mediosignata* Turati,1930; *sericea* Caradja,1932; *thurneri* Schawerda,1938.
- 4221. Luperina rubella rubella (Duponchel,1835)** (Noctuidae) Synonym(s): *mediosignata* Turati,1930; *sericea* Caradja,1932; *thurneri* Schawerda,1938.
- 4222. Luperina taurica (Kljutschko,1967)** (Noctuidae) Synonym(s): *taurica* Kljutschko,1967
- 4223. Luperina testacea ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *testacea* [Denis & Schiffermüller],1775
- 4224. Luperina zollikoferi (Freyer,1836)** (Noctuidae) Synonym(s): *zollikoferi* Freyer,1836
- 4225. Lycophorus villosus (Alpheraky,1887)** (Noctuidae) Synonym(s): *villosus* Alpheraky,1887; *benigna* Corti,1926
- 4226. Lycophotia cissigma (Ménétriés,1859)** (Noctuidae) Synonym(s): *cissigma* Ménétriés,1859; *umbra* Staudinger,1892
- 4227. Lycophotia porphyrea ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *porphyrea* [Denis & Schiffermüller],1775; *lepida* Esper,1786 nec Cr.,[1779]; *strigula* Thunberg,1788 (praeocc.); *varia* Villers,1789; *concinna* Esper,1790; *picta* Fabricius,1794; *arnicae* Fabricius,1794; *ericae* Donovan,1801 (praeocc.); *marmorea* Graslin,1863
- 4228. Lygephila craccae (Fabricius,1787)** (Noctuidae) Synonym(s): *#craccae* [Denis & Schiffermüller],1775; *riata* Rungs,1952; *craccae* Fabricius,1787; *#craccae* Hacker & Kautt,1999. Larval foodplant(s): *Astragalus*, *Coronilla*, *Genista*, *Lathyrus*, *Ulex*, *Vicia* (Calle et al., 2000).
- 4229. Lygephila craccae craccae (Fabricius,1787)** (Noctuidae) Synonym(s): *#craccae* [Denis & Schiffermüller],1775; *riata* Rungs,1952; *craccae* Fabricius,1787; *#craccae* Hacker & Kautt,1999.
- 4230. Lygephila emaculata (Graeser,1892)** (Noctuidae) Synonym(s): *emaculata* Graeser,1892
- 4231. Lygephila ichinosawana (Matsumura,1925)** (Noctuidae) Synonym(s): *ichinosawana* Matsumura,1925
- 4232. Lygephila lubrica (Freyer,1842)** (Noctuidae) Synonym(s): *lubrica* Freyer,1842
- 4233. Lygephila lubrica lubrica (Freyer,1846)** (Noctuidae) Synonym(s): *lubrica* Freyer,1842
- 4234. Lygephila ludicra (Hübner,1790)** (Noctuidae) Synonym(s): *ludicra* Hübner,1790
- 4235. Lygephila lupina (Graeser,1890)** (Noctuidae) Synonym(s): *lupina* Graeser,1890
- 4236. Lygephila lusoria (Linnaeus,1758)** (Noctuidae) Synonym(s): *lusoria* Linnaeus,1758 Larval foodplant(s): *Vicia*, *Astragalus* (Spuler,1907).
- 4237. Lygephila lusoria lusoria (Linnaeus,1758)** (Noctuidae) Synonym(s): *lusoria* Linnaeus,1758

- 4238. *Lygephila pastinum* (Treitschke,1826)** (Noctuidae) Synonym(s): *pastinum* Treitschke,1826; *dilutior* Staudinger,1892.
- 4239. *Lygephila procax* (Hübner,[1813])** (Noctuidae) Synonym(s): *procax* Hübner,[1813]; *limosa* Treitschke,1826.
- 4240. *Lygephila viciae* (Hübner,[1822])** (Noctuidae) Synonym(s): *viciae* Hübner,[1822]; *violaceogrisea* Draudt,1950
- 4241. *Macdunnoughia confusa* (Stephens,1850)** (Noctuidae) Synonym(s): *confusa* Stephens,1850; *gutta* Guenée,1852. Larval foodplant(s): *Achillea*, *Matricaria*, *Mentha* (Calle et al., 2000).
- 4242. *Macrochilo cribrumalis* (Hübner,1793)** (Noctuidae) Synonym(s): *cribrumalis* Hübner,1793
- 4243. *Mamestra brassicae* (Linnaeus,1758)** (Noctuidae) Synonym(s): *brassicae* Linnaeus,1758; *omicron* Geoffroy,1785; *albidilinea* Haworth,1809; *andalusica* Staudinger,1871; *decolorata* Staudinger,1889.
- 4244. *Mamestra brassicae brassicae* (Linnaeus,1758)** (Noctuidae) Synonym(s): *brassicae* Linnaeus,1758; *omicron* Geoffroy,1785; *albidilinea* Haworth,1809; *andalusica* Staudinger,1871; *decolorata* Staudinger,1889.
- 4245. *Maraschia grisescens* Osthelder,1933** (Noctuidae) Synonym(s): *grisescens* Osthelder,1933 Larval foodplant(s): *Acer pseudoplatanus* (Kasy,1958).
- 4246. *Megalodes eximia* (Freyer,1845)** (Noctuidae) Synonym(s): *eximia* Freyer,1845 Larval foodplant(s): *Malva*, *Althea* (Malvaceae) (Staudinger,1879).
- 4247. *Megalodes eximia eximia* (Freyer,1845)** (Noctuidae) Synonym(s): *eximia* Freyer,1845 Larval foodplant(s): *Malva*, *Althea* (Malvaceae) (Staudinger,1879).
- 4248. *Meganephria bimaculosa* (Linnaeus,1767)** (Noctuidae) Synonym(s): *bimaculosa* Linnaeus,1767; *italica* Esper,[1791]; *binubeculosa* Esper,[1804].
- 4249. *Meganephria bimaculosa bimaculosa* (Linnaeus,1767)** (Noctuidae) Synonym(s): *bimaculosa* Linnaeus,1767; *italica* Esper,[1791]; *binubeculosa* Esper,[1804].
- 4250. *Meganola albula* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#albula* [Denis & Schiffermüller],1775 Larval foodplant(s): *Mentha aquatica* ([Denis & Schiffermüller],1775 et seq.).
- 4251. *Meganola strigula* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#strigula* [Denis & Schiffermüller],1775 Larval foodplant(s): *Quercus robur* ([Denis & Schiffermüller],1775; Wiltshire,1957).
- 4252. *Meganola togatulalis* (Hübner,1796)** (Noctuidae) Synonym(s): *togatulalis* Hübner,1796; *togatulana* Duponchel,1845 Larval foodplant(s): *Quercus* (Fagaceae), *Prunus* (Rosaceae) (Calle et al., 2000).
- 4253. *Melanchra persicariae* (Linnaeus,1761)** (Noctuidae) Synonym(s): *persicariae* Linnaeus,1761; *sambuci* Hufnagel,1766; *graphica* Geoffroy,1785; *accipitrina* Esper,[1788]. Larval foodplant(s): *Rumex*, *Pteris*, *Chrysanthemum* (Hampson,1905).
- 4254. *Melanchra persicariae persicariae* (Linnaeus,1761)** (Noctuidae) Synonym(s): *persicariae* Linnaeus,1761; *sambuci* Hufnagel,1766; *graphica* Geoffroy,1785; *accipitrina* Esper,[1788].
- 4255. *Melanchra pisi* (Linnaeus,1758)** (Noctuidae) Synonym(s): *psi* Linnaeus,1758; *rukavaarae* Hoffmann,1893; *pardoi* Agenjo,1945. Larval foodplant(s): *Pteris*, *Cytisus*, *Scabiosa* (Hampson,1905).
- 4256. *Mesapamea (Resapamea) hedeni* (Graeser,1888)** (Noctuidae) Synonym(s): *hedeni* Graeser,1888; *radicosa* Graeser,1892; *subornata* Staudinger,1896.
- 4257. *Mesapamea (Resapamea) hedeni hedeni* (Graeser,1888)** (Noctuidae) Synonym(s): *hedeni* Graeser,1888; *radicosa* Graeser,1892; *subornata* Staudinger,1896.
- 4258. *Mesapamea (s.str.) didyma* (Esper,[1788])** (Noctuidae) Synonym(s): *didyma* Esper,[1788]; *secalella* Remm,1983.
- 4259. *Mesapamea (s.str.) moderata* (Eversmann,1843)** (Noctuidae) Synonym(s): *moderata* Eversmann,1843

- 4260. Mesapamea (s.str.) secalis (Linnaeus,1758)** (Noctuidae) Synonym(s): *secalis* Linnaeus,1758 Larval foodplant(s): *Dactylis glomerata* (Poaceae).
- 4261. Mesogona acetosellae (Goeze,1781)** (Noctuidae) Synonym(s): *#acetosellae* [Denis & Schiffermüller],1775; *acetosellae* Goeze,1781; *vorbrodti* Wehrli,1917; *grisea* Dannehl,1929; *pallida* Dannehl,1929; *segoviensis* Calle,1982; *#clarescens* Calle,1982 Larval foodplant(s): *Prunus spinosa*, *Quercus* (Blaschke,1914).
- 4262. Mesogona oxalina (Hübner,[1803])** (Noctuidae) Synonym(s): *oxalina* Hübner,[1803]
- 4263. Mesolia furuncula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *furuncula* [Denis & Schiffermüller],1775; *spoliaticula* [Denis & Schiffermüller],1775; *bicoloria* Villers,1789; *vinctuncula* Hübner,[1803]; *humeralis* Haworth,1809; *terminalis* Haworth,1809; *rufuncula* Haworth,1809
- 4264. Mesolia literosa (Haworth,[1809])** (Noctuidae) Synonym(s): *literosa* Haworth,[1809]; *erraticula* Hübner,[1813]; *faroulti* Rothschild,1914; *powelli* Oberthür,1918 larva feeds on *Elymus arenaria*, *Dactylis glomerata*, *Carex* (Poaceae) (Spuler,1903).
- 4265. Mesolia literosa literosa (Haworth,[1809])** (Noctuidae) Synonym(s): *literosa* Haworth,[1809]
- 4266. Mesotrosta signalis (Treitschke,1829)** (Noctuidae) Synonym(s): *signalis* Treitschke,1829 Larval foodplant(s): *Inula* (Hacker,1989).
- 4267. Metopoplus excelsa (Christoph,1885)** (Noctuidae) Synonym(s): *excelsa* Christoph,1885
- 4268. Mimeusemia persimilis Butler,1875** (Noctuidae) Synonym(s): *persimilis* Butler,1875
- 4269. Mniotype adusta (Esper,[1790])** (Noctuidae) Synonym(s): *adusta* Esper,[1790]; *duplex* Haworth,1809; *valida* Hübner,[1813]; *vultarina* Freyer,1832; *chardinyi* Duponchel,[1838]; *pavida* Boisduval,1840; *baltica* Hering,1846; *vulturinea* Herrich-Schäffer,[1850]; *vicina* Alpheraky,1882; *grisea* Standfuss,1893; *aterrima* Costantin.,1916; *carpathica* Kaucki Larval foodplant(s): *Galium mollugo*, *Solidago* (Blaschke,1914).
- 4270. Mniotype bathensis (Lutzu,1901)** (Noctuidae) Synonym(s): *bathensis* Lutzu,1901
- 4271. Mocis undata (Fabricius,1775)** (Noctuidae) Synonym(s): *undata* Fabricius,1775; *archesia* Cramer,1780; *vibria* Cramer,1780; *gregalis* Guenée,1852; *velata* Walker,[1863]; *bifasciata* Walker,1865. Larval foodplant(s): *Nephelium lappaceum* (Sapindaceae), *Glycine max*, *Phaseolus aureus* (Fabaceae) (Kuroko & Lewvanich,1993).
- 4272. Moma alpium (Osbeck,1778)** (Noctuidae) Synonym(s): *alpium* Osbeck,1778 Larval foodplant(s): *Quercus*, *Fagus*, *Betula*, *Populus* (Hacker,1989).
- 4273. Mormo maura (Linnaeus,1758)** (Noctuidae) Synonym(s): *maura* Linnaeus,1758; *lemur* Meinecke,1775; *usta* Fourcroy,1785; *deusta* Geoffroy,1799; *cypriaca* Hacker,1996 Larval foodplant(s): *Rubus*, *Crataegus* (Rosaceae); *Rumex* (Polygonaceae); *Lamium*, *Stellaria* (Lamiaceae); *Salix* (Salicaceae) (Hampson,1908; Wiltshire,1957; Hacker,1989; Calle et al., 2000).
- 4274. Mycteroplus puniceago (Boisduval,1840)** (Noctuidae) Synonym(s): *puniceago* Boisduval,1840 Larval foodplant(s): *Atriplex*, *Chenopodium* (Hacker,1989).
- 4275. Mythimna (Aletia) albiradosa (Eversmann,1852)** (Noctuidae) Synonym(s): *albiradosa* Eversmann,1852
- 4276. Mythimna (Aletia) albiradosa albiradosa (Eversmann,1852)** (Noctuidae) Synonym(s): *albiradosa* Eversmann,1852
- 4277. Mythimna (Aletia) alopecuri (Boisduval,1840)** (Noctuidae) Synonym(s): *alopecuri* Boisduval,1840; *syriaca* Osthelder,1933
- 4278. Mythimna (Aletia) andereggii (Boisduval,1840)** (Noctuidae) Synonym(s): *andereggii* Boisduval,1840
- 4279. Mythimna (Aletia) anderreggii anderreggii (Boisduval,1840)** (Noctuidae) Synonym(s): *andereggii* Boisduval,1840

- 4280. *Mythimna (Aletia) anderreggii lineata* (Eversmann,1842)**
(Noctuidae) **Synonym(s):** *lineata* Eversmann,1842
- 4281. *Mythimna (Aletia) atrata* (Remm & Viidalepp,1979)** (Noctuidae)
Synonym(s): *atrata* Remm & Viidalepp,1979; *jutka* Hreblay,1989
- 4282. *Mythimna (Aletia) congrua* (Hübner,[1817])** (Noctuidae) **Synonym(s):**
congrua Hübner,[1817]; *amnicola* Rambur,1829.
- 4283. *Mythimna (Aletia) conigera* ([Denis & Schiffermüller],1775)**
(Noctuidae) **Synonym(s):** *conigera* [Denis & Schiffermüller],1775; *floccida* Esper,[1788].
- 4284. *Mythimna (Aletia) deserticola* (Bartel,1903)** (Noctuidae) **Synonym(s):**
deserticola Bartel,1903
- 4285. *Mythimna (Aletia) flavostigma* (Bremer,1861)** (Noctuidae)
Synonym(s): *flavo-stigma* Bremer,1861; *macaria* Rebel,1916.
- 4286. *Mythimna (Aletia) impura* (Hübner,[1808])** (Noctuidae) **Synonym(s):**
impura Hübner,[1808]; *fuliginosa* Haworth,1809; *punctina* Haworth,1809; *amurensis* Staudinger,1892;
transbaikalensis Staudinger,1892; *fuscipennis* W.Warren,1910
- 4287. *Mythimna (Aletia) impura impura* (Hübner,[1808])** (Noctuidae)
Synonym(s): *impura* Hübner,[1808]; *fuliginosa* Haworth,1809; *punctina* Haworth,1809; *amurensis*
Staudinger,1892; *transbaikalensis* Staudinger,1892; *fuscipennis* W.Warren,1910
- 4288. *Mythimna (Aletia) l-album* (Linnaeus,1767)** (Noctuidae) **Synonym(s):** *l-*
album Linnaeus,1767; *penicillata* Moore,1881
- 4289. *Mythimna (Aletia) pallens* (Linnaeus,1758)** (Noctuidae) **Synonym(s):**
pallens Linnaeus,1758; *ectypa* Hübner,[1803]; *rufescens* Haworth,1803; *arcuata* Stephens,1829; *ochracea*
Stephens,1829; *suffusa* Stephens,1829.
- 4290. *Mythimna (Aletia) pudorina* ([Denis & Schiffermüller],1775)**
(Noctuidae) **Synonym(s):** *pudorina* [Denis & Schiffermüller],1775; *impudens* Hübner,[1803].
Larval foodplant(s): *Phragmites* (Hampson,1905).
- 4291. *Mythimna (Aletia) sassanidica* (Hacker,1986)** (Noctuidae) **Synonym(s):**
sassanidica Hacker,1986
- 4292. *Mythimna (Aletia) straminea* (Treitschke,1825)** (Noctuidae)
Synonym(s): *straminea* Treitschke,1825
- 4293. *Mythimna (Aletia) velutina* (Eversmann,1856)** (Noctuidae)
Synonym(s): *velutina* Eversmann,1846
- 4294. *Mythimna (Aletia) velutina velutina* (Eversmann,1846)** (Noctuidae)
Synonym(s): *velutina* Eversmann,1846
- 4295. *Mythimna (Aletia) vitellina* (Hübner,[1808])** (Noctuidae) **Synonym(s):**
vitellina Hübner,[1808]; *#vitellena* Lederer,1870; *decolorata* Dannehl,1929; *saturator* Dannehl,1929;
grisea Dannehl,1929.
- 4296. *Mythimna (Aletia) vulpecula* (Eversmann,1852)** (Noctuidae)
Synonym(s): *velutina* Eversmann,1846
- 4297. *Mythimna (Hyphilare) albipuncta* (Fabricius,1787)** (Noctuidae)
Synonym(s): *#albipuncta* [Denis & Schiffermüller],1775; *albipuncta* (Fabricius,1787; *rufotincta*
Wagner,1921. **Larval foodplant(s):** *Helescharis palustris* (Blaschke,1914).
- 4298. *Mythimna (Hyphilare) ferrago* (Fabricius,1787)** (Noctuidae)
Synonym(s): *ferrago* Fabricius,1787; *lithargyria* Esper,[1788]; *grisea* Stephens,1829; *anargyria*
Boisduval,1840; *argyristis* Rambur,1858; *meridionalis* Dannehl,1926
- 4299. *Mythimna (Hyphilare) litoralis* (Curtis,1827)** (Noctuidae) **Synonym(s):**
litoralis Curtis,1827
- 4300. *Mythimna (Hyphilare) radiata* (Bremer,1861)** (Noctuidae) **Synonym(s):**
radiata Bremer,1861; *stellata* Hampson,1905
- 4301. *Mythimna (Pseudaletia) unipuncta* (Haworth,[1809])** (Noctuidae)
Synonym(s): *unipuncta* Haworth,[1809]; *extranea* Guenée,1852; *antica* Walker,1856; *tseki*
Koutsafikis,1974.
- 4302. *Mythimna (s.str.) turca* (Linnaeus,1761)** (Noctuidae) **Synonym(s):** *turca*
Linnaeus,1761; *volupia* Hufnagel,1766; *camuna* Turati,1914. **Larval foodplant(s):** *Luzula*
(Warren,1910).

- 4303. *Mythimna flammea* (Curtis,1828)** (Noctuidae) Synonym(s): *flammea* Curtis,1828
- 4304. *Mythimna opaca* (Staudinger,1899)** (Noctuidae) Synonym(s): *opaca* Staudinger,1899
- 4305. *Nacna malachistis* (Oberthür,1880)** (Noctuidae) Synonym(s): *malachistis* Oberthür,1880
- 4306. *Naenia typica* (Linnaeus,1758)** (Noctuidae) Synonym(s): *typica* Linnaeus,1758; *filicis* Goeze,1781; *venosa* Hübner,[1803]; *excusa* Esper,[1805]; *claricolor* Schawerda,1928.
- 4307. *Naganoella timandra* (Alpheraky,1897)** (Noctuidae) Synonym(s): *timandra* Alpheraky,1897; *pvilcherina* Nagano,1918
- 4308. *Netrocerocora quadrangula* (Eversmann,1844)** (Noctuidae) Synonym(s): *quadrangula* Eversmann,1844; *coraxa* Püngeler,1898; *oblongula* Staudinger,1901; *quadriplaga* Bartel,1902
- 4309. *Noctua (Euschesis) janthina* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *janthina* [Denis & Schiffermüller],1775; *latimarginata* Röber,1900.
- 4310. *Noctua (Lampra) fimbriata* (Schreber,1759)** (Noctuidae) Synonym(s): *fimbriata* Schreber,1759; *domiduca* Hufnagel,1766; *fimbria* Linnaeus,1767; *solani* Fabricius,1787.
- 4311. *Noctua (Latanoctua) orbona* (Hufnagel,1766)** (Noctuidae) Synonym(s): *orbona* Hufnagel,1766; *subsequa* [Denis & Schiffermüller],1775; *caroni* Lempke,1964.
- 4312. *Noctua (Paranoctua) comes* (Hübner,[1813])** (Noctuidae) Synonym(s): *orbona* Fabricius,1787 nec Hufn.,1767; *comes* Hübner,[1813]; *adsequa* Treitschke,1825; *prosequa* Treitschke,1825; *bergensis* Sp.-Schn.,1901.
- 4313. *Noctua (Paranoctua) interposita* (Hübner,1790)** (Noctuidae) Synonym(s): *interposita* Hübner,1790; *consequa* Hübner,[1803]; *sarmata* Rambur,1871; *nigra* Pieszczyk,1908; *baraudi* Boursin,1963; *lajonquierrei* Boursin,1963; *terracotta* Boursin,1963
- 4314. *Noctua (Paranoctua) interposita interposita* (Hübner,1790)** (Noctuidae) Synonym(s): *interposita* Hübner,1790; *consequa* Hübner,[1803]; *sarmata* Rambur,1871; *nigra* Pieszczyk,1908; *baraudi* Boursin,1963; *lajonquierrei* Boursin,1963; *terracotta* Boursin,1963
- 4315. *Noctua (s.str.) pronuba* (Linnaeus,1758)** (Noctuidae) Synonym(s): *pronuba* Linnaeus,1758; *connuba* Hübner,[1822]; *innuba* Treitschke,1825; *hoegei* Herrich-Schäffer,1861; *nigra* Krausse,1912 nec Piesz.,1908; *decolorata* Turati,1923.
- 4316. *Nola aerugula* (Hübner,1793)** (Noctuidae) Synonym(s): *aerugula* Hübner,1793; *centonalis* Hübner,1796; *centonana* Hübner,[1825]; *littoralis* Paux,1901; *contrarialis* Heydemann,1934; *trituberculana* Heslop,1959.
- 4317. *Nola confusalis* (Herrich-Schäffer,1847)** (Noctuidae) Synonym(s): *confusalis* Herrich-Schäffer,1847; *fumosalis* Daniel,1957.
- 4318. *Nola cucullatella* (Linnaeus,1758)** (Noctuidae) Synonym(s): *cucullatella* Linnaeus,1758; *ludvigella* Müller,1764; *palliola* [Denis & Schiffermüller],1775; *pygmaria* Fabricius,1794; *palliotalis* Hübner,1796; *cucullatalis* Haworth,1811; *cucullatana* Hübner,[1825]; *fuliginialis* Stephens,1834
- 4319. *Nola karelica* (Tengström,1869)** (Noctuidae) Synonym(s): *karelica* Tengström,1869
- 4320. *Nola karelica amuricola* (Warnecke,1938)** (Noctuidae) Synonym(s): *amuricola* Warnecke,1938
- 4321. *Nonagria puengeleri* (Schawerda,1924)** (Noctuidae) Synonym(s): *puengeleri* Schawerda,1924; *albipuncta* O.Bang-Haas,1927
- 4322. *Nonagria puengeleri puengeleri* (Schawerda,1924)** (Noctuidae) Synonym(s): *puengeleri* Schawerda,1924; *albipuncta* O.Bang-Haas,1927
- 4323. *Nonagria typhae* (Thunberg,1784)** (Noctuidae) Synonym(s): *typhae* Thunberg,1784; *arundinis* Fabricius,1787. Larval foodplant(s): *Typha* stem (Thunberg,1784).
- 4324. *Nycteola asiatica* (Krulikovsky,1904)** (Noctuidae) Synonym(s): *asiatica* Krulikovsky,1904; *populana* Patočka,1953; *hungarica* Kovacs,1954.
- 4325. *Nycteola columbana* (Turner,1925)** (Noctuidae) Synonym(s): *columbana* Thurner,1925; *gallicana* Aubert,1957; *#apicistrigata* Dufay,1958. Larval foodplant(s): *Quercus* (Calle et al., 2000).

- 4326. *Nycteola degenerana* (Hübner,[1799])** (Noctuidae) Synonym(s): *degenerana* Hübner,[1799]
- 4327. *Nycteola degenerana degenerana* (Hübner,[1799])** (Noctuidae) Synonym(s): *degenerana* Hübner,[1799]
- 4328. *Nycteola degenerana eurasiatica* Dufay,1961** (Noctuidae) Synonym(s): *eurasiatica* Dufay,1961
- 4329. *Nycteola kuldzhana* Obraztsov,1954** (Noctuidae) Synonym(s): *kuldzhana* Obraztsov,1954
- 4330. *Nycteola revayana* (Scopoli,1772)** (Noctuidae) Synonym(s): *revayana* Scopoli,1772; *duplana* Fabricius,1777; *ilicana* Fabricius,1781; *fasciatum* Retzius,1783; *punctana* Thunberg,1784; *anglica* Fourcroy,1785; *rivagana* Fabricius,1787; *ramosana* Hübner,1793; *undulana* Hübner,[1799]; *bifasciana* Donovan,1801 nec Hbn.,1787 Larval foodplant(s): *Quercus* (Calle et al., 2000).
- 4331. *Nycteola siculana* (Fuchs,1899)** (Noctuidae) Synonym(s): *siculana* Fuchs,1899; *cuneana* Patočka,1953; *pseudodilutana* Obraztsov,1954. Larval foodplant(s): *Populus*, *Salix* (Hacker,1989; Calle et al., 2000).
- 4332. *Nyssocnemis eversmanni* (Lederer,1853)** (Noctuidae) Synonym(s): *obesa* Eversmann,1846 nec Bsd.,1829; *eversmanni* Lederer,1853
- 4333. *Ochropleura arctica* Kononenko,1981** (Noctuidae) Synonym(s): *arctica* Kononenko,1981
- 4334. *Ochropleura leucogaster* (Freyer,1831)** (Noctuidae) Synonym(s): *leucogaster* Freyer,1831
- 4335. *Ochropleura plecta* (Linnaeus,1761)** (Noctuidae) Synonym(s): *plecta* Linnaeus,1761; *unimacula* Staudinger,1859; *anderssoni* Lampa,1885; *glaucimacula* Graeser,[1889]; *unupplecta* Bryk,1942.
- 4336. *Odice arcuinna* (Hübner,1790)** (Noctuidae) Synonym(s): *arcuinna* Hübner,1790; *inamoena* Hübner,[1803].
- 4337. *Odice arcuinna arcuinna* (Hübner,[1790])** (Noctuidae) Synonym(s): *arcuinna* Hübner,1790; *inamoena* Hübner,[1803].
- 4338. *Oligia dubia* (Heydemann,1942)** (Noctuidae) Synonym(s): *dubia* Heydemann,1942
- 4339. *Oligia fasciuncula* (Haworth,1809)** (Noctuidae) Synonym(s): *fasciuncula* Haworth,1809
- 4340. *Oligia fodinae* (Oberthür,1880)** (Noctuidae) Synonym(s): *fodinae* Oberthür,1880; *subfasciata* Butler,1881
- 4341. *Oligia latruncula* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *latruncula* [Denis & Schiffermüller],1775 Larval foodplant(s): *Dactylis glomerata* (Bretherton et al.,1983).
- 4342. *Oligia latruncula latruncula* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *latruncula* [Denis & Schiffermüller],1775
- 4343. *Oligia leuconephra* Hampson,1908** (Noctuidae) Synonym(s): *leuconephra* Hampson,1908
- 4344. *Oligia pseudodubia* Rezbanyai-Reser,1997** (Noctuidae) Synonym(s): *pseudodubia* Rezbanyai-Reser,1997
- 4345. *Oligia rufata* Kardakoff,1928** (Noctuidae) Synonym(s): *rufata* Kardakoff,1928
- 4346. *Oligia strigilis* (Linnaeus,1758)** (Noctuidae) Synonym(s): *strigilis* Linnaeus,1758; *praeduncula* [Denis & Schiffermüller],1775.
- 4347. *Oligia versicolor* (Borkhausen,1792)** (Noctuidae) Synonym(s): *versicolor* Borkhausen,1792; *vojnitsi* Kovacs,1967; *nerminae* Koçak,1982.
- 4348. *Olivenebula oberthueri* (Staudinger,1892)** (Noctuidae) Synonym(s): *oberthueri* Staudinger,1892
- 4349. *Omphalophana antirrhinii* (Hübner,[1803])** (Noctuidae) Synonym(s): *antirrhinii* Hübner,[1803] Larval foodplant(s): *Scabiosa leucantha* (Dipsacaceae); *Antirrhinum* (Scrophulariaceae) (Lederer,1865; et seq.).
- 4350. *Omphalophana antirrhinii antirrhinii* (Hübner,[1803])** (Noctuidae) Synonym(s): *antirrhinii* Hübner,[1803]

- 4351. *Oncocnemis campicola* Lederer,1853** (Noctuidae) Synonym(s): *campicola* Lederer,1853; *#campiola* Ebert,1978
- 4352. *Oncocnemis confusa* (Freyer,[1839])** (Noctuidae) Synonym(s): *confusa* Freyer,[1839].
- 4353. *Oncocnemis nigricula* (Eversmann,1847)** (Noctuidae) Synonym(s): *nigricula* Eversmann,1847
- 4354. *Oncocnemis nigricula araratica* G.Ronkay & L.Ronkay,1995** (Noctuidae) Synonym(s): *araratica* G.Ronkay & L.Ronkay,1995
- 4355. *Oncocnemis senica* (Eversmann,1856)** (Noctuidae) Synonym(s): *senica* Eversmann,1856; *literata* Bremer,1864; *x-signata* Staudinger,1898; *boursini* Ronkay,1988.
- 4356. *Oncocnemis strioligera* Lederer,1853** (Noctuidae) Synonym(s): *strioligera* Lederer,1853
- 4357. *Oncocnemis strioligera strioligera* Lederer,1853** (Noctuidae) Synonym(s): *strioligera* Lederer,1853
- 4358. *Ophiusa lunaris* (Goeze,1781)** (Noctuidae) Synonym(s): *#lunaris* [Denis & Schiffermüller],1775; *lunaris* Goeze,1781; *undosa* Goeze,1781; *ventrilabris* Fabricius,1787; *tarsiplumalis* Hübner,1796; *chosensis* Bryk,1949. Larval foodplant(s): *Quercus* (Fagaceae) (Robinson et al.,2005).
- 4359. *Ophiusa lunaris lunaris* (Goeze,1781)** (Noctuidae) Synonym(s): *#lunaris* [Denis & Schiffermüller],1775; *lunaris* Goeze,1781; *undosa* Goeze,1781; *ventrilabris* Fabricius,1787; *tarsiplumalis* Hübner,1796; *chosensis* Bryk,1949. Larval foodplant(s): *Quercus* (Fagaceae) (Robinson et al.,2005).
- 4360. *Opigena albifurca* (Erschoff,1877)** (Noctuidae) Synonym(s): *albifurca* Erschoff,1877; *costata* Staudinger,1877 nec Grt.,1876
- 4361. *Opigena polygona* (Fabricius,1787)** (Noctuidae) Synonym(s): *#polygona* [Denis & Schiffermüller],1775; *polygona* Fabricius,1787; *nigrofulva* Esper,[1788]; *pyramis* Borkhausen,1792.
- 4362. *Opigena polygona polygona* (Fabricius,1787)** (Noctuidae) Synonym(s): *#polygona* [Denis & Schiffermüller],1775; *polygona* Fabricius,1787; *nigrofulva* Esper,[1788]; *pyramis* Borkhausen,1792.
- 4363. *Oraesia emarginata* (Fabricius,1794)** (Noctuidae) Synonym(s): *emarginata* Fabricius,1794; *metallescens* Guenée,1852; *tentans* Walker,[1858]; *alliciens* Walker,[1858]
- 4364. *Orbona fragariae* (Vieweg,1790)** (Noctuidae) Synonym(s): *#brunnea* [Denis & Schiffermüller],1775; *brunnea* Goeze,1781 nec Hufnagel,1767; *lucifera* Esp.,[1789]; *arvensis* Gmelin,[1790]; *carnea* Thunberg,1792; *fragariae* Borkhausen,1792; *serotina* Ochsenheimer,1816.
- 4365. *Orectis proboscidata* (Herrich-Schäffer,1851)** (Noctuidae) Synonym(s): *proboscidata* Herrich-Schäffer,[1851]; *barteli* Turati,1907.
- 4366. *Oria musculosa* (Hübner,[1808])** (Noctuidae) Synonym(s): *musculosa* Hübner,[1808]; *laeta* Alpheraky,1889.
- 4367. *Orthosia* (Cororthosia) *ella* (Butler,1878)** (Noctuidae) Synonym(s): *ella* Butler,1878
- 4368. *Orthosia* (Monima) *cerasi* (Fabricius,1775)** (Noctuidae) Synonym(s): *cerasi* Fabricius,1775; *stabilis* [Denis & Schiffermüller],1775; *obliqua* de Villers,1789; *junctus* Haworth,1803; *pallida* Haworth,1809; *rufannulata* Haworth,1809.
- 4369. *Orthosia* (Monima) *opima* (Hübner,[1809])** (Noctuidae) Synonym(s): *opima* Hübner,[1809] Larval foodplant(s): *Salix*, *Rosa* (Hampson,1905).
- 4370. *Orthosia* (Monima) *populeti* (Fabricius,1781)** (Noctuidae) Synonym(s): *populeti* Fabricius,1781; *populi* Ström,1783; *subplumbeus* Haworth,1803; *intermedia* Stephens,1829; *ocularis* Freyer,1833; *tremuleti* Tetens,1876.
- 4371. *Orthosia* (Monima) *pulverulenta* (Esper,[1786])** (Noctuidae) Synonym(s): *#cruda* [Denis & Schiffermüller],1775; *pulverulenta* Esper,[1786]; *corticina* Villers,1789; *nanus* Haworth,[1803].
- 4372. *Orthosia* (Monima) *sordescens* Hreblay,1993** (Noctuidae) Synonym(s): *sordescens* Hreblay,1993
- 4373. *Orthosia* (Semiophora) *gothica* (Linnaeus,1758)** (Noctuidae) Synonym(s): *gothica* Linnaeus,1758; *nunatrum* [Denis & Schiffermüller],1775; *gothicina* Herrich-Schäffer,[1849].

- 4374. *Orthosia (s.str.) incerta (Hufnagel,1766)*** (Noctuidae) Synonym(s): *incerta* Hufnagel,1766; *instabilis* [Denis & Schiffermüller],1775; *collinita* Esper,[1790]; *contracta* Esper,[1790]; *trigutta* Esper,[1790]; *nebulosus* Haworth,1803; *subsetaceus* Haworth,1803; *angustus* Haworth,1803; *fuscatus* Haworth,1803; *pallida* Lampa,1885 nec Hw.,1809; *pallidior* Staudinger,1901 nec Stgr.,1888 Larval foodplant(s): *Quercus*, *Populus* (Hampson,1905).
- 4375. *Orthosia gracilis (Fabricius,1787)*** (Noctuidae) Synonym(s): *#gracilis* [Denis & Schiffermüller],1775; *gracilis* Fabricius,1787; *lepida* Brahm,1791; *sparsus* Haworth,1803; *pallidior* Staudinger,1888. Larval foodplant(s): *Salix*, *Carduus*, *Lysimachia* (Hampson,1905).
- 4376. *Orthosia rubricosa (Esper,[1786])*** (Noctuidae) Synonym(s): *#miniosa* [Denis & Schiffermüller],1775; *rubricosa* Esper, [1786]. Larval foodplant(s): *Quercus* (Fagaceae) (Kemal,2008).
- 4377. *Osmanosizikia vulnerata (Butler,1878)*** (Noctuidae) Synonym(s): *vulnerata* Butler,1878; *christophi* Staudinger,1888 nec Alph.,1888; *doerriesi* Staudinger,1892
- 4378. *Oxicesta geographica (Fabricius,1787)*** (Noctuidae) Synonym(s): *geographica* Fabricius,1787 Larval foodplant(s): *Euphorbia cyparissias* (Hacker,1989).
- 4379. *Oxytripia orbiculosa (Esper,1799)*** (Noctuidae) Synonym(s): *orbiculosa* Esper,1799
- 4380. *Oxytripia orbiculosa orbiculosa (Esper,[1799])*** (Noctuidae) Synonym(s): *orbiculosa* Esper,1799
- 4381. *Ozarba moldavicola (Herrich-Schäffer,[1851])*** (Noctuidae) Synonym(s): *moldavicola* Herrich-Schäffer,[1851]; *euboica* Mill.,1874
- 4382. *Palaeagrotis inops (Lederer,1853)*** (Noctuidae) Synonym(s): *inops* Lederer,1853
- 4383. *Panchrysia aurea (Hübner,[1803])*** (Noctuidae) Synonym(s): *deaurata* Esper,[1787] nec Goeze,1981; *chryson* Borkhausen,1792 nec Esp.,[1789]; *aurea* Hübner,[1803].
- 4384. *Panchrysia v-argenteum (Esper,[1798])*** (Noctuidae) Synonym(s): *v-argenteum* Esper,[1798]; *mya* Hübner,[1821]
- 4385. *Panchrysia v-argenteum dives (Eversmann,1844)*** (Noctuidae) Synonym(s): *dives* Eversmann,1844
- 4386. *Panemeria tenebrata (Scopoli,1763)*** (Noctuidae) Synonym(s): *tenebrata* Scopoli,1763
- 4387. *Pangrapta griseola Staudinger,1892*** (Noctuidae) Synonym(s): *griseola* Staudinger,1892
- 4388. *Panolis flammea ([Denis & Schiffermüller],1775)*** (Noctuidae) Synonym(s): *flammea* [Denis & Schiffermüller],1775
- 4389. *Panthea coenobita (Esper,1785)*** (Noctuidae) Synonym(s): *coenobita* Esper,1785
- 4390. *Papestra biren (Goeze,1781)*** (Noctuidae) Synonym(s): *biren* Goeze,1781; *glaucia* Kleemann,1792; *lappo* Duponchel,1827; *aperta* Geyer,[1832]; *quadriposita* Zetterstedt,[1839]; *poliostigma* Hampson,1894; *tanensis* Fuchs,1899; *paupercula* Püngeler,1902; *frustrata* McDunnough,1946. Larval foodplant(s): *Salix*, *Tussilago* (Hampson,1905).
- 4391. *Paracolax tristalis (Fabricius,1794)*** (Noctuidae) Synonym(s): *tristalis* Fabricius,1794; *derivalis* Hübner,1796.
- 4392. *Paradiarsia coturnicola (Graeser,1892)*** (Noctuidae) Synonym(s): *coturnicola* Graeser,1892; *herzi* Christoph,1893
- 4393. *Paradiarsia coturnicola altaica Hacker,1998*** (Noctuidae) Synonym(s): *altaica* Hacker,1998
- 4394. *Paradiarsia coturnicola coturnicola (Graeser,1892)*** (Noctuidae) Synonym(s): *coturnicola* Graeser,1892; *herzi* Christoph,1893
- 4395. *Paradiarsia punicea (Hübner,[1803])*** (Noctuidae) Synonym(s): *punicea* Hübner,[1803]; *exustiformis* Matsumura,1925
- 4396. *Parallelia algira (Linnaeus,1767)*** (Noctuidae) Synonym(s): *algira* Linnaeus,1767; *achatina* Sulzer,1776; *alterna* Villers,1789; *triangularis* Hübner,[1803] nec Thunb.,1784; *albivitta* Guenée,1852; *festina* Walker,1858; *europaea* Schawerda,1912 Larval foodplant(s):

- Genista, Punica granatum, Rubus, Salix, Lythrum, Ricinus, Parietaria (Wiltshire,1957; Calle et al., 2000; Hacker,2001).
- 4397. Parallelia arctotaenia (Guenée,1852)** (Noctuidae) **Synonym(s):** *arctotaenia* Guenée,1852
- 4398. Parallelia rogenhoferi (Bohatsch,1880)** (Noctuidae) **Synonym(s):** *rogenhoferi* Bohatsch,1880; *mirabilis* Romanoff,1885; *triangulata* Swinhoe,1889. Larval foodplant(s): Tamarix (Wiltshire,1939).
- 4399. Parallelia stuposa (Fabricius,1794)** (Noctuidae) **Synonym(s):** *stuposa* Fabricius,1794; *festinata* Walker,1858; *japonibia* Bryk,1948; *sinica* Bryk,1948
- 4400. Parascotia fuliginaria (Linnaeus,1761)** (Noctuidae) **Synonym(s):** *fuliginaria* Linnaeus,1761; *lunulata* Fabricius,1775; *carbonaria* Denis & Schifferrmüller,1775; *lignaria* Fabricius,1794
- 4401. Parastichtis corticea (Esper,[1800])** (Noctuidae) **Synonym(s):** *#ypsillon* [Denis & Schifferrmüller],1775; *ipsilon* Goeze,1781 *nec* Hufn.,1766; *corticea* Esper,[1800]; *fissipuncta* Haworth,1809; *upsilon* Curtis,1828. Larval foodplant(s): Populus (Hacker,1989).
- 4402. Parastichtis corticea corticea (Esper,[1800])** (Noctuidae) **Synonym(s):** *#ypsillon* [Denis & Schifferrmüller],1775; *ipsilon* Goeze,1781 *nec* Hufnagel,1766; *fissipuncta* Haworth,1809; *upsilon* Curtis,1828.
- 4403. Parastichtis suspecta (Hübner,[1817])** (Noctuidae) **Synonym(s):** *suspecta* Hübner,[1817]
- 4404. Parexarnis fugax (Treitschke,1825)** (Noctuidae) **Synonym(s):** *fugax* Treitschke,1825.
- 4405. Parexarnis squalida (Guenée,1852)** (Noctuidae) **Synonym(s):** *squalida* Guenée,1852
- 4406. Parexarnis taurica (Staudinger,1879)** (Noctuidae) **Synonym(s):** *taurica* Staudinger,1879; *pseudosollers* Boursin,1940.
- 4407. Pechipogo strigilata (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *strigilata* Linnaeus,1758; *#barbalis* Clerck,1759; *palpalis* Fabricius,1775; *pectitalis* Hübner,1796; *barbatus* Fabricius,1798; *palpata* Haworth,1809.
- 4408. Pericyma albidentaria (Freyer,1842)** (Noctuidae) **Synonym(s):** *albidentaria* Freyer,1842 Larval foodplant(s): Alhagi (Hofmann,1893 et seq.).
- 4409. Peridroma saucia (Hübner,[1808])** (Noctuidae) **Synonym(s):** *saucia* Hübner,[1808]; *majuscula* Haworth,1809; *margaritosa* Haworth,1809; *aequa* Hübner,[1813]; *orophila* Geyer,1837; *inermis* Harrison,1841; *infusata* Blanchard,1852; *stictica* Blanchard,1852; *ambrosioides* Walker,[1857]; *impacta* Walker,[1857]; *intecta* Walker,[1857]; *angulifera* Wallengren,1860; *ortonii* Packard,1869; *phillipsi* Caspari,1899; *ochronota* Hampson,1903; *cyrnaea* Spuler,1908; *tenebricosa* Schawerda,1929.
- 4410. Perigrapha (Anorthoa) munda ([Denis & Schifferrmüller],1775)** (Noctuidae) **Synonym(s):** *#munda* [Denis & Schifferrmüller],1775 Larval foodplant(s): Pyrus communis ([Denis & Schifferrmüller],1775 et seq.).
- 4411. Perigrapha (Harutaeographa) hoenei Püngeler,1914** (Noctuidae) **Synonym(s):** *hoenei* Püngeler,1914; *triangulifera* W.Warren,1915
- 4412. Perigrapha (s.str.) circumducta (Lederer,1855)** (Noctuidae) **Synonym(s):** *circumducta* Lederer,1855
- 4413. Perigrapha (s.str.) i-cinctum ([Denis & Schifferrmüller],1775)** (Noctuidae) **Synonym(s):** *i-cinctum* [Denis & Schifferrmüller],1775; *cincta* Fabricius,1787; *slovenica* Michieli,1966.
- 4414. Perigrapha (s.str.) i-cinctum i-cinctum ([Denis & Schifferrmüller],1775)** (Noctuidae) **Synonym(s):** *i-cinctum* [Denis & Schifferrmüller],1775; *cincta* Fabricius,1787; *slovenica* Michieli,1966.
- 4415. Periphanes delphinii (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *delphinii* Linnaeus,1758; *darollesi* Oberthür,1876; *delphini* Hampson,1903. Larval foodplant(s): flowers and seed of Delphinium, Consolida, Acontium (Linnaeus,1758; Hampson,1903; Hacker,2001).
- 4416. Periphanes delphinii delphinii (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *delphinii* Linnaeus,1758; *darollesi* Oberthür,1876; *delphini* Hampson,1903.

- 4417. *Periphanes victorina* (Sodoffsky,1849)** (Noctuidae) Synonym(s): *victorina* Sodoffsky,1849 Larval foodplant(s): *Salvia* at Amasia (Staudinger,1879).
- 4418. *Phlogophora meticulosa* (Linnaeus,1758)** (Noctuidae) Synonym(s): *meticulosa* Linnaeus,1758; *lamii* Schadewald,1993 Larval foodplant(s): *Chrysanthemum*, *Cyclamen*, *Dahlia*, *Lamium*, *Plantago*, *Primula*, *Urtica*, *Viola* (Calle et al., 2000).
- 4419. *Phlogophora scita* (Hübner,1790)** (Noctuidae) Synonym(s): *scita* Hübner,1790
- 4420. *Phoebophilus veteriosa* (Püngeler,1907)** (Noctuidae) Synonym(s): *veteriosa* Püngeler,1907
- 4421. *Photedes captiuncula* (Treitschke,1825)** (Noctuidae) Synonym(s): *captiuncula* Treitschke,1825; *unica* Freyer,1858; *tincta* Kane,1895; *delattini* Varga,1970 nec Wiltshire,1953; *kasyi* Varga,1970.
- 4422. *Photedes extrema* (Hübner,[1809])** (Noctuidae) Synonym(s): *extrema* Hübner,[1809]; *concolor* Guenée,1852; *calamoxantha* Varga,1982.
- 4423. *Photedes fluxa* (Hübner,[1809])** (Noctuidae) Synonym(s): *fluxa* Hübner,[1809]
- 4424. *Photedes minima* (Haworth,1809)** (Noctuidae) Synonym(s): *minima* Haworth,1809; *arcuosa* Haworth,1809.
- 4425. *Photedes stigmatica* (Eversmann,1855)** (Noctuidae) Synonym(s): *stigmatica* Eversmann,1855; *lagunica* Graeser,1889.
- 4426. *Phragmatiphila nexa* (Hübner,[1808])** (Noctuidae) Synonym(s): *nexa* Hübner,[1808]; *insularis* Turati,1913.
- 4427. *Phyllophila oblitterata* (Rambur,1833)** (Noctuidae) Synonym(s): *oblitterata* Rambur,1833; *wimmerii* Treitschke,1835; *recta* Eversmann,1844; *cretacea* Butler,1879; *venerica* Bryk,1949.
- 4428. *Phytometra viridaria* (Clerck,1759)** (Noctuidae) Synonym(s): *viridaria* Clerck,1759
- 4429. *Plusia festucae* (Linnaeus,1758)** (Noctuidae) Synonym(s): *festucae* Linnaeus,1758; *aureoargentea* Retzius,1783; *yokohamensis* Bryk,1949; *japonibia* Bryk,1949
- 4430. *Plusia putnami* (Grote,1873)** (Noctuidae) Synonym(s): *putnami* Grote,1873
- 4431. *Plusidia cheiranthi* (Tauscher,1809)** (Noctuidae) Synonym(s): *cheiranthi* Tauscher,1809; *eygenia* Eversmann,1841; *abrostoloides* Butler,1879; *separanda* W.Warren,1913.
- 4432. *Polia altaica* (Lederer,1855)** (Noctuidae) Synonym(s): *altaica* Lederer,1855
- 4433. *Polia bombycina* (Hufnagel,1766)** (Noctuidae) Synonym(s): *bombycina* Hufnagel,1766; *advena* [Denis & Schiffermüller],1775; *tincta* Brahm,1791; *nitens* Haworth,1809. Larval foodplant(s): *Sonchus*, *Achillea*, *Polygonum* (Hampson,1905); *Betula*, *Ononis spinosa*, *Taraxacum*, *Vaccinium myrtillus* (Blaschke,1914).
- 4434. *Polia bombycina bombycina* (Hufnagel,1766)** (Noctuidae) Synonym(s): *bombycina* Hufnagel,1766; *advena* [Denis & Schiffermüller],1775; *tincta* Brahm,1791; *nitens* Haworth,1809.
- 4435. *Polia bombycina grisea* (Butler,1878)** (Noctuidae) Synonym(s): *grisea* Butler,1878; *adjuncta* Staudinger,1888; *etrica* Graeser,1889; *advenina* Bryk,1949; *korealgenia* Bryk,1949
- 4436. *Polia bombycina mongolica* (Staudinger,1896)** (Noctuidae) Synonym(s): *mongolica* Staudinger,1896
- 4437. *Polia hepatica* (Clerck,1759)** (Noctuidae) Synonym(s): *hepatica* Clerck,1759; *socia* Hufnagel,1766; *petrificata* [Denis & Schiffermüller],1775; *tincta* Brahm,1791; *petrificosa* Hübner,[1803]; *petroliginea* Hübner,[1821]; *incognita* Butler,1885. Larval foodplant(s): *Betula*, *Vaccinium* (Hampson,1905).
- 4438. *Polia malchani* (Draudt,1934)** (Noctuidae) Synonym(s): *malchani* Draudt,1934
- 4439. *Polia nebulosa* (Hufnagel,1766)** (Noctuidae) Synonym(s): *nebulosa* Hufnagel,1766; *bimaculosa* Esper,1788 nec Linn.,1767; *thapsi* Brahm,1791; *grandis* Donovan,1801; *plebeja* Hübner,[1803]. Larval foodplant(s): *Betula*, *Salix*, *Ulmus* (Hampson,1905).
- 4440. *Polia sagittigera* (Hufnagel,1766)** (Noctuidae) Synonym(s): *sagittigera* Hufnagel,1766; *leucophaea* [Denis & Schiffermüller],1775; *fulminea* Fabricius,1781; *vestigialis* Esper,[1785]; *ravida* Esper,[1789]; *pyrenaica* Oberthür,1884; *incana* Millière,1885.
- 4441. *Polia sagittigera sagittigera* (Hufnagel,1766)** (Noctuidae) Synonym(s): *sagittigera* Hufnagel,1766; *leucophaea* [Denis & Schiffermüller],1775; *fulminea* Fabricius,1781; *vestigialis* Esper,[1785]; *ravida* Esper,[1789]; *pyrenaica* Oberthür,1884; *incana* Millière,1885.

- 4442. *Polia sagittigera uighur* Koçak & Kemal,2001** (Noctuidae) Synonym(s): *bombycina* Eversmann,1847 nec Hufn.,1766; *uighur* Koçak & Kemal,2001
- 4443. *Polia serratilinea* Ochsenheimer,1816** (Noctuidae) Synonym(s): *serratilinea* Ochsenheimer,1816; *helvetica* Schawerda,1925; *kowatschevi* Drenowski,1931; *pinkeri* Varga,1974.
- 4444. *Polia serratilinea spalax* (Alpheraky,1897)** (Noctuidae) Synonym(s): *spalax* Alpheraky,1897
- 4445. *Polia vespertilio* (Draudt,1934)** (Noctuidae) Synonym(s): *vespertilio* Draudt,1934
- 4446. *Polychrysia esmeralda* (Oberthür,1880)** (Noctuidae) Synonym(s): *esmeralda* Oberthür,1880
- 4447. *Polychrysia moneta* (Fabricius,1787)** (Noctuidae) Synonym(s): *moneta* Fabricius,1787; *argyritis* Esper,1787; *napelli* Villers,1789 Larval foodplant(s): *Aconitum napellus*, *A. lycoctonum* (Warren,1913).
- 4448. *Polymixis (Myxinia) rufocincta* (Geyer,1828)** (Noctuidae) Synonym(s): *rufocincta* Geyer,[1828]; *farinosa* Freyer,1848; *mucida* Guenée,1852.
- 4449. *Polymixis (Myxinia) rufocincta rufocincta* (Geyer,[1828])** (Noctuidae) Synonym(s): *rufocincta* Geyer,[1828]; *farinosa* Freyer,1848; *mucida* Guenée,1852.
- 4450. *Polymixis (Parabrachionycha) trisignata* (Ménétriés,1847)** (Noctuidae) Synonym(s): *trisignata* Ménétriés,1847; *leuconota* Herrich-Schäffer,[1850]; *nasamonius* Turati,1924
- 4451. *Polymixis (s.str.) polymita* (Linnaeus,1761)** (Noctuidae) Synonym(s): *viridiobscura* Goeze,1781; *ridens* Hübner,[1803]; *aithalodes* Dannehl,1929
- 4452. *Polymixis gemmea* (Treitschke,1825)** (Noctuidae) Synonym(s): *gemmea* Treitschke,1825
- 4453. *Polyphaenis viridis* (De Villers,1789)** (Noctuidae) Synonym(s): *sericata* Esper,[1787] nec ; *viridis* De Villers,1789. Larval foodplant(s): *Ligustrum vulgare*, *Cornus*, *Lonicera* (Hacker,1989).
- 4454. *Polypogon gryphalis* (Herrich-Schäffer,1851)** (Noctuidae) Synonym(s): *gryphalis* Herrich-Schäffer,1851
- 4455. *Polypogon lunalis* (Scopoli,1763)** (Noctuidae) Synonym(s): *lunalis* Scopoli,1763
- 4456. *Polypogon plumigeralis* (Hübner,[1825])** (Noctuidae) Synonym(s): *plumigeralis* Hübner,[1825]; *crinalis* Treitschke,1829.
- 4457. *Polypogon tentacularia* (Linnaeus,1758)** (Noctuidae) Synonym(s): *tentacularia* Linnaeus,1758
- 4458. *Polypogon zelleralis* (Wocke,1850)** (Noctuidae) Synonym(s): *zelleralis* Wocke,1850; *tarsicristalis* Herrich-Schäffer,1851.
- 4459. *Protodeltote pygarga* (Hufnagel,1766)** (Noctuidae) Synonym(s): *pygarga* Hufnagel,1766
- 4460. *Protolampra sobrina* (Duponchel,[1843])** (Noctuidae) Synonym(s): *sobrina* Duponchel,[1843]; *mista* Freyer,[1844]; *lapponica* Freyer,1845; *gruneri* Guenée,1852
- 4461. *Protoschinia scutosa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#scutosa* [Denis & Schiffermüller],1775; *nuchalis* Grote,1878 Larval foodplant(s): *Artemisia campestris* ([Denis & Schiffermüller],1775; Hampson,1903).
- 4462. *Proxenus hospes* (Freyer,[1831])** (Noctuidae) Synonym(s): *hospes* Freyer,[1831] Larval foodplant(s): *Plantago* (Calle et al., 2000).
- 4463. *Proxenus lepigone* (Möschler,1860)** (Noctuidae) Synonym(s): *lepigone* Möschler,1860
- 4464. *Pseudeustrotia candidula* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *candidula* [Denis & Schiffermüller],1775; *pusilla* Vieweg,1789
- 4465. *Pseudeustrotia deceptoria* (Scopoli,1763)** (Noctuidae) Synonym(s): *deceptoria* Scopoli,1763; *tineodes* Hufnagel,1766; *atrátula* [Denis & Schiffermüller],1775
- 4466. *Pseudohadena (Jaxartia) cymatodes* (Boursin,1954)** (Noctuidae) Synonym(s): *cymatodes* Boursin,1954

- 4467. Pseudohadena (Pseudopseustis) argyllostigma Varga & L.Ronkay,1991** (Noctuidae) **Synonym(s):** *argyllostigma* Varga & L.Ronkay,1991
- 4468. Pseudohadena (s.str.) gnorima (Püngeler,1907)** (Noctuidae)
Synonym(s): *gnorima* Püngeler,1907
- 4469. Pseudohadena (s.str.) gnorima hololampra Ronkay & Varga,1989** (Noctuidae) **Synonym(s):** *hololampra* Ronkay & Varga,1989
- 4470. Pseudohadena (s.str.) immunda (Eversmann,1842)** (Noctuidae)
Synonym(s): *immunda* Eversmann,1842 **Larval foodplant(s):** *Atriplex halimus* (Hampson,1908).
- 4471. Pseudohadena (s.str.) immunis (Staudinger,1889)** (Noctuidae)
Synonym(s): *immunis* Staudinger,1889
- 4472. Pseudohadena (s.str.) immunis lesghica Boursin,1944** (Noctuidae)
Synonym(s): *lesghica* Boursin,1944
- 4473. Pseudohadena (s.str.) indigna (Christoph,1887)** (Noctuidae)
Synonym(s): *indigna* Christoph,1887; *restricta* Sukhareva,1976.
- 4474. Pseudohadena (s.str.) stenoptera Boursin,1970** (Noctuidae)
Synonym(s): *stenoptera* Boursin,1970
- 4475. Pseudoips prasinana (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *prasinana* Linnaeus,1758; *fagana* Fabricius,1781; *sylvana* Fabricius,1794; *britannica* W.Warren,1913.
- 4476. Pyrocleptria cora (Eversmann,1837)** (Noctuidae) **Synonym(s):** *cora* Eversmann,1837
- 4477. Pyrrhia purpurina (Esper,[1804])** (Noctuidae) **Synonym(s):** *purpurina* Esper,[1804].
- 4478. Pyrrhia treitschkii (Frivaldszky,1835)** (Noctuidae) **Synonym(s):** *treitschkii* Frivaldszky,1835. **Larval foodplant(s):** *Scutellaria peregrina* (Lamiaceae) (Rebel,1903).
- 4479. Pyrrhia umbra (Hufnagel,1766)** (Noctuidae) **Synonym(s):** *umbra* Hufnagel,1766; *marginata* Fabricius,1775; *rutilago* [Denis & Schiffermüller],1775; *conspicua* Borkhausen,1792; *umbrago* Esper,[1796]; *marginago* Haworth,1809; *aconiti* Hölzermann,1902.
- 4480. Rhizedra lutosa (Hübner,[1803])** (Noctuidae) **Synonym(s):** *lutosa* Hübner,[1803] **Larval foodplant(s):** *Phragmites communis* (Hacker,1989).
- 4481. Rhizedra lutosa lutosa (Hübner,[1803])** (Noctuidae) **Synonym(s):** *lutosa* Hübner,[1803]
- 4482. Rhyacia (Epipsilia) grisescens (Fabricius,1794)** (Noctuidae)
Synonym(s): *grisescens* Fabricius,1794; *ignicola* Hübner,[1813]; *corrosa* Herrich-Schäffer,1850; *defasciata* Wendlandt,1902; *fasciata* Vorbrodt,1917; *albescens* Rohn-Rethel,1929; *coralita* Hospital,1948; *obscurata* Feichtenberger,1962; *lucida* Feichtenberger,1962
- 4483. Rhyacia (Epipsilia) grisescens grisescens (Fabricius,1794)** (Noctuidae) **Synonym(s):** *grisescens* Fabricius,1794; *ignicola* Hübner,[1813]; *corrosa* Herrich-Schäffer,1850; *defasciata* Wendlandt,1902; *fasciata* Vorbrodt,1917; *albescens* Rohn-Rethel,1929; *coralita* Hospital,1948; *obscurata* Feichtenberger,1962; *lucida* Feichtenberger,1962
- 4484. Rhyacia (Epipsilia) latens (Hübner,[1809])** (Noctuidae) **Synonym(s):** *latens* Hübner,[1809]; *murina* Freyer,1842; *latitans* Guenée,1852; *apennina* Sohn-Rethel,1929.
- 4485. Rhyacia (s.str.) arenacea (Hampson,1907)** (Noctuidae) **Synonym(s):** *arenacea* Hampson,1907; *pseudosimulans* Kozhantschikov,1929.
- 4486. Rhyacia (s.str.) caradrinoides (Staudinger,1896)** (Noctuidae)
Synonym(s): *caradrinoides* Staudinger,1896; *hydrillodes* Alpheraky,1897.
- 4487. Rhyacia (s.str.) helvetina (Boisduval,1833)** (Noctuidae) **Synonym(s):** *helvetina* Boisduval,1833; *livia* Freyer,1836
- 4488. Rhyacia (s.str.) helvetina rjabovi Boursin,1940** (Noctuidae)
Synonym(s): *rjabovi* Boursin,1940.
- 4489. Rhyacia (s.str.) ledereri (Erschoff,1870)** (Noctuidae) **Synonym(s):** *ledereri* Erschoff,1870; *mus* Alpheraky,1882; *punctinotata* W.Warren,1914.

- 4490. Rhyacia (s.str.) lucipeta ([Denis & Schiffermüller],1775)** (Noctuidae)
Synonym(s): *lucipeta* [Denis & Schiffermüller],1775.
- 4491. Rhyacia (s.str.) nyctimerides (O.Bang-Haas,1922)** (Noctuidae)
Synonym(s): *nyctimerides* O.Bang-Haas,1922; *stavroitiacus* Tuleschhoff,1951; *alagesica* Boursin,1962; *#nyctomerides* Hacker,[1987]
- 4492. Rhyacia (s.str.) reticulata Kozhantshikov,1923** (Noctuidae)
Synonym(s): *reticulata* Kozhantshikov,1923
- 4493. Rhyacia (s.str.) simulans (Hufnagel,1766)** (Noctuidae) Synonym(s): *simulans* Hufnagel,1766; *tristis* Fabricius,1775; *pyrophila* [Denis & Schiffermüller],1775; *radicea* Esper,[1789]; *obscurata* Staudinger,1901; *augurides* Rothschild,1914
- 4494. Rivula sericealis (Scopoli,1763)** (Noctuidae) Synonym(s): *sericealis* Scopoli,1763; *munda* Hufnagel,1767; *lunatralis* Denis & Schiffermüller,1775; *leeana* Fabricius,1777; *ocellaris* Thunberg,1784; *centralis* Villers,1789.
- 4495. Rusina ferruginea (Esper,[1785])** (Noctuidae) Synonym(s): *umbratica* Goeze,1781; *ferruginea* Esper,[1785]; *tenebrosa* Hübner,[1803]; *phaeus* Haworth,1803; *obsoletissima* Haworth,1809.
- 4496. Saragossa porosa (Eversmann,1854)** (Noctuidae) Synonym(s): *porosa* Eversmann,1854
- 4497. Saragossa siccanorum (Staudinger,1870)** (Noctuidae) Synonym(s): *siccanorum* Staudinger,1870
- 4498. Saragossa siccanorum siccanorum (Staudinger,1870)** (Noctuidae)
Synonym(s): *siccanorum* Staudinger,1870
- 4499. Saragossa uralica Hacker & Fibiger,2002** (Noctuidae) Synonym(s): *uralica* Hacker & Fibiger,2002
- 4500. Sarbanissa subflava Moore,1877** (Noctuidae) Synonym(s): *subflava* Moore,1877; *jankowskii* Alpheraky,1897
- 4501. Schinia cardui (Hübner,1790)** (Noctuidae) Synonym(s): *cardui* Hübner,1790; *purpurata* Staudinger,1901; *majellana* Dannehl,1933.
- 4502. Schinia cognata (Freyer,[1833])** (Noctuidae) Synonym(s): *cognata* Freyer,[1833]
- 4503. Schinia imperialis (Staudinger,1871)** (Noctuidae) Synonym(s): *imperialis* Staudinger,1871 Larval foodplant(s): the capsules of *Cephalaria procera* (Hampson,1903).
- 4504. Schinia purpurascens (Tauscher,1809)** (Noctuidae) Synonym(s): *purpurascens* Tauscher,1809; *pulchra* Eversmann,1842 Larval foodplant(s): the capsules of *Cephalaria tartarica* (Hampson,1903).
- 4505. Schoeyenia arctica Aurivillius,1883** (Noctuidae) Synonym(s): *arctica* Aurivillius,1883
- 4506. Schrankia balneorum (Alpheraky,1880)** (Noctuidae) Synonym(s): *balneorum* Alpheraky,1880
- 4507. Schrankia costaestrigalis (Stephens,1834)** (Noctuidae) Synonym(s): *costaestrigalis* Stephens,1834; *hartigi* Berio,1991.
- 4508. Schrankia taenialis (Hübner,[1809])** (Noctuidae) Synonym(s): *taenialis* Hübner,[1809]
- 4509. Sclerogenia jessica (Butler,1878)** (Noctuidae) Synonym(s): *jessica* Butler,1878; *serena* Butler,1879
- 4510. Scoliopteryx libatrix (Linnaeus,1758)** (Noctuidae) Synonym(s): *libatrix* Linnaeus,1758; *salictaria* Poda,1761; *modesta* Müller,1764; *delicatula* Retzius,1783; *libatrix* Haworth,1809 Larval foodplant(s): *Salix*, *Populus* (Salicaceae) (Poda,1761; Wiltshire,1957).
- 4511. Scotochrosta pulla ([Denis & Schiffermüller],1775)** (Noctuidae)
Synonym(s): *#pulla* [Denis & Schiffermüller],1775 Larval foodplant(s): *Quercus robur* ([Denis & Schiffermüller],1775 et seq.).
- 4512. Scotochrosta pulla pulla ([Denis & Schiffermüller],1775)** (Noctuidae)
Synonym(s): *#pulla* [Denis & Schiffermüller],1775

- 4513. *Scythocentropus scripturosa* (Eversmann,1854)** (Noctuidae)
Synonym(s): *scripturosa* Eversmann,1854
- 4514. *Scythocentropus misella* (Püngeler,1907)** (Noctuidae) Synonym(s):
misella Püngeler,1907
- 4515. *Scythocentropus misella daghestanica* (Boursin,1944)** (Noctuidae)
Synonym(s): *daghestanica* Boursin,1944
- 4516. *Scythocentropus misella misella* (Püngeler,1907)** (Noctuidae)
Synonym(s): *misella* Püngeler,1907
- 4517. *Sedina buettneri* (O.Hering,1858)** (Noctuidae) Synonym(s): *buettneri*
O.Hering,1858 Larval foodplant(s): *Carex acutiformis* (Hacker,1989).
- 4518. *Serrodes campana* Guenée,1852** (Noctuidae) Synonym(s): *campana*
Guenée,1852; *nigha* Guenée,1852; *callipepla* A.E.Prout,1929 Larval foodplant(s): *Nephelium lappaceum* [rambutan], *Schleichera oleosa* [Ceylan oak], *Lepisanthes rubiginosa* [ma huat], *Sapindus rarak* [ma kham di kwai] (Sapindaceae) (Kuroko & Lewvanich,1993).
- 4519. *Sesamia cretica* Lederer,1857** (Noctuidae) Synonym(s): *cretica* Lederer,1857
Larval foodplant(s): *Zea mays*, *Sorghum halepense*, *Pennisetum typhoideum*, *Saccharum spontaneum*, *Saccharum aegyptiacum*, *Idhrah sufra* (Balachowsky & Mesnil,1936; Wiltshire,1957; Hacker,1989).
- 4520. *Sidemia spilogramma* (Rambur,1871)** (Noctuidae) Synonym(s):
spilogramma Rambur,1871
- 4521. *Sideridis (Aneda) rivularis* (Fabricius,1775)** (Noctuidae) Synonym(s):
rivularis Fabricius,1775; *cucubali* [Denis & Schiffermüller],1775; *rivosa* Ström,1783; *behenis* Freyer,1845.
Larval foodplant(s): leaves, seed-capsules of *Silene*, *Lychnis* (Hampson,1905; Warren,1909).
- 4522. *Sideridis (Conisania) arida* (Lederer,1855)** (Noctuidae) Synonym(s):
arida Lederer,1855
- 4523. *Sideridis (Conisania) capsivora* (Draudt,1933)** (Noctuidae)
Synonym(s): *capsivora* Draudt,1933
- 4524. *Sideridis (Conisania) leineri* (Freyer,1836)** (Noctuidae) Synonym(s):
leineri Freyer,1836 Larval foodplant(s): *Artemisia campestris*, *A. maritima* (Asteraceae) (Warren,1910).
- 4525. *Sideridis (Conisania) leineri furcata* (Eversmann,1837)** (Noctuidae)
Synonym(s): *furcata* Eversmann,1837
- 4526. *Sideridis (Conisania) poelli* (Stertz,1915)** (Noctuidae) Synonym(s): *poelli*
Stertz,1915
- 4527. *Sideridis (Conisania) poelli ostrogovichi* Draudt,1933** (Noctuidae)
Synonym(s): *ostrogovichi* Draudt,1933
- 4528. *Sideridis (Luteohadena) literata* (Fischer v. Waldheim,1840)** (Noctuidae) Synonym(s): *literata* Fischer v. Waldheim,1840; *suffusa* De Freina,1983.
- 4529. *Sideridis (Luteohadena) literata literata* (Fischer de Waldheim,1840)** (Noctuidae) Synonym(s): *literata* Fischer v. Waldheim,1840; *suffusa* De Freina,1983.
- 4530. *Sideridis (Luteohadena) luteago* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *luteago* [Denis & Schiffermüller],1775; *brunneago* Esper,[1804]; *nigrescens* Wagner,1926 (praeocc.); *ottomana* Koçak,1990. Larval foodplant(s): the root of *Silene maritima* and *S. inflata* (Staudinger,1881).
- 4531. *Sideridis (Luteohadena) luteago luteago* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *luteago* [Denis & Schiffermüller],1775; *brunneago* Esper,[1804]; *nigrescens* Wagner,1926 (praeocc.); *ottomana* Koçak,1990.
- 4532. *Sideridis (s.str.) egena* (Lederer,1853)** (Noctuidae) Synonym(s): *egenae*
Lederer,1853; ? *stoliczkana* Moore,1878

- 4533. *Sideridis (s.str.) implexa* (Hübner,[1809])** (Noctuidae) **Synonym(s):** *implexa* Hübner,[1809]
- 4534. *Sideridis (s.str.) lampra* (Schawerda,1913)** (Noctuidae) **Synonym(s):** *evidens* Hübner,[1808] *nec* Thunb.,1784; *lampra* Schawerda,1913; *anapheles* Nye,1975
- 4535. *Sideridis (s.str.) turbida* (Esper,[1790])** (Noctuidae) **Synonym(s):** *turbida* Esper,[1790]; *albicolon* Hübner,[1813] Larval foodplant(s): *Nicotiana tabacum*, *Plantago*, *Taraxacum officinale* (Blaschke,1914).
- 4536. *Simplicia rectalis* (Eversmann,1842)** (Noctuidae) **Synonym(s):** *rectalis* Eversmann,1842
- 4537. *Simyra albovenosa* (Goeze,1781)** (Noctuidae) **Synonym(s):** *albovenosa* Goeze,1781; *venosa* Borkhausen,1792; *atomina* Haworth,1809.
- 4538. *Simyra albovenosa albovenosa* (Goeze,1781)** (Noctuidae) **Synonym(s):** *albovenosa* Goeze,1781
- 4539. *Simyra albovenosa cretacea* (F.Wagner,1929)** (Noctuidae) **Synonym(s):** *cretacea* F.Wagner,1929
- 4540. *Simyra dentinosa* Freyer,1839** (Noctuidae) **Synonym(s):** *dentinosa* Freyer,1839; *leucaspis* Fischer v. Waldheim,1840; *zeliha* Kornosor & Lödl,1990 Larval foodplant(s): *Euphorbia macroclada*, *E. myrsinites*, *E. esuloides* (Euphorbiaceae) (Staudinger,1879; Zerny,1933; Hacker,1989; Koçak & Kemal, in litt.).
- 4541. *Simyra nervosa* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *nervosa* [Denis & Schiffermüller],1775.
- 4542. *Simyra nervosa nervosa* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *nervosa* [Denis & Schiffermüller],1775.
- 4543. *Spaelotis clandestina* (Harris,1841)** (Noctuidae) **Synonym(s):** *clandestina* Harris,1841; *unicolor* Walker,1856; *nigriceps* Walker,1865.
- 4544. *Spaelotis deplorata* (Staudinger,1897)** (Noctuidae) **Synonym(s):** *deplorata* Staudinger,1897; *defuncta* Staudinger,1897; *spania* Püngeler,1906
- 4545. *Spaelotis dominans* (Corti & Draudt,1933)** (Noctuidae) **Synonym(s):** *dominans* Corti & Draudt,1933
- 4546. *Spaelotis ravida* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *ravida* [Denis & Schiffermüller],1775; *austera* Esper,[1789]; *obducta* Esper,[1789]; *bigramma* Esper,[1790]; *obscura* Brahm,1791 *nec* Cramer,1780; *salva* Corti & Draudt,1933.
- 4547. *Spaelotis ravida ravida* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *ravida* [Denis & Schiffermüller],1775; *austera* Esper,[1789]; *obducta* Esper,[1789]; *bigramma* Esper,[1790]; *obscura* Brahm,1791 *nec* Cramer,1780; *salva* Corti & Draudt,1933.
- 4548. *Spirama helicina* (Hübner,1831)** (Noctuidae) **Synonym(s):** *helicina* Hübner,1831; *japonica* Guenée,1852; *aegrota* Butler,1881
- 4549. *Spodoptera exiguum* (Hübner,[1808])** (Noctuidae) **Synonym(s):** *exigua* Hübner,[1808]; *fulgens* Geyer,[1832]; *pygmaea* Rambur,1834; *junceti* Zeller,1847; *caradrinoides* Walker,1856; *flavimaculata* Harvey,1876; *venosa* Butler,1880; *sebghana* Austaut,1880; *antipodea* W.Warren,1914; *protector* De Laever,1985.
- 4550. *Spudaea castanea* Osthelder,1933** (Noctuidae) **Synonym(s):** *#castanea* W.Warren,1911; *castanea* Osthelder,1933; *pontica* Kljutshko,1968 Larval foodplant(s): *Quercus coccifera* (Wiltshire,1948).
- 4551. *Standfussiana lucerneae* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *lucernea* Linnaeus,1758
- 4552. *Standfussiana lucerneae kuruschicola* (Boursin,1940)** (Noctuidae) **Synonym(s):** *kuruschicola* Boursin,1940
- 4553. *Standfussiana nictymera* (Boisduval,[1837])** (Noctuidae) **Synonym(s):** *nictymera* Boisduval,[1837]; *carriei* Boursin,1948.
- 4554. *Standfussiana nictymera osmana* (F.Wagner,1929)** (Noctuidae) **Synonym(s):** *osmana* F.Wagner,1929
- 4555. *Staurophora celsia* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *celsia* Linnaeus,1758
- 4556. *Stenodrina aeschista* Boursin,1937** (Noctuidae) **Synonym(s):** *aeschista* Boursin,1937; *#aeshita* Poltavsky & Nekrasov,2002

- 4557. *Stenosomides spissilinea* Staudinger,1896** (Noctuidae) Synonym(s): *spissilinea* Staudinger,1896.
- 4558. *Sympistis funebris* (Hübner,[1809])** (Noctuidae) Synonym(s): *funebris* Hübner,[1809]
- 4559. *Sympistis heliophila* (Paykull,1793)** (Noctuidae) Synonym(s): *heliophila* Paykull,1793
- 4560. *Sympistis lapponica* (Thunberg,1791)** (Noctuidae) Synonym(s): *lapponica* Thunberg,1791
- 4561. *Sympistis nigrita* (Boisduval,1840)** (Noctuidae) Synonym(s): *nigrita* Boisduval,1840
- 4562. *Sympistis nigrita sibirica* (Alpheraky,1895)** (Noctuidae) Synonym(s): *sibirica* Alpheraky,1895
- 4563. *Syngrapha ain* (Hochenwarth,1785)** (Noctuidae) Synonym(s): *ain* Hochenwarth,1785 Larval foodplant(s): *Larix decidua*, *Pinus* (Blaschke,1914).
- 4564. *Syngrapha devergens* (Hübner,[1813])** (Noctuidae) Synonym(s): *devergens* Hübner,[1813]
- 4565. *Syngrapha interrogationis* (Linnaeus,1758)** (Noctuidae) Synonym(s): *interrogationis* Linnaeus,1758; *aurosignata* Donovan,1808
- 4566. *Syngrapha microgamma* (Hübner,[1823])** (Noctuidae) Synonym(s): *microgamma* Hübner,[1823]
- 4567. *Thalpophila matura* (Hufnagel,1766)** (Noctuidae) Synonym(s): *matura* Hufnagel,1766; *texta* Esper,[1787]; *cytherea* Fabricius,1794; *provincialis* Culot,1912. Larval foodplant(s): *Lolium*, *Poa* (Hacker,1989; Calle et al., 2000).
- 4568. *Thalpophila matura matura* (Hufnagel,1766)** (Noctuidae) Synonym(s): *matura* Hufnagel,1766; *texta* Esper,[1787]; *cytherea* Fabricius,1794; *provincialis* Culot,1912. Larval foodplant(s): *Lolium*, *Poa* (Hacker,1989; Calle et al., 2000).
- 4569. *Tholera cespitis* (Goeze,1781)** (Noctuidae) Synonym(s): *#cespitis* [Denis & Schiffermüller],1775; *cespitis* Goeze,1781; *hordei* Schrank,1801; *autumnalis* Curtis,1827; *confinis* Stephens,1829; *desylessi* Boisduval,1840; *chloris* Milliere,1883; *decolor* Sohn,1896.
- 4570. *Tholera cespitis cespitis* (Goeze,1781)** (Noctuidae) Synonym(s): *#cespitis* [Denis & Schiffermüller],1775; *cespitis* Goeze,1781; *hordei* Schrank,1801; *autumnalis* Curtis,1827; *confinis* Stephens,1829; *desylessi* Boisduval,1840; *chloris* Milliere,1883; *decolor* Sohn,1896.
- 4571. *Tholera decimalis* (Poda,1761)** (Noctuidae) Synonym(s): *decimalis* Poda,1761; *popularis* Fabricius,1775; *lolii* Esper,[1785]; *typicoides* Donovan,1811; *nervosa* Zerny,1927; *chebka* Rungs,1940
- 4572. *Tholera hilaris* (Staudinger,1901)** (Noctuidae) Synonym(s): *hilaris* Staudinger,1901; *gracilis* Kostrowicki,1963
- 4573. *Thyas juno* (Dalman,1823)** (Noctuidae) Synonym(s): *juno* Dalman,1823; *elegans* Hoeven,1840; *multicolor* Guenée,1852; *bella* Bremer & Grey,1853; *#renalis* Bryk,1948
- 4574. *Thysanoplusia* (s.str.) *intermixta* (W.Warren,1913)** (Noctuidae) Synonym(s): *intermixta* W.Warren,1913; *brachycalcea* Hampson,1913
- 4575. *Trachea atriplicis* (Linnaeus,1758)** (Noctuidae) Synonym(s): *atriplicis* Linnaeus,1758 Larval foodplant(s): *Atriplex*, *Chenopodium*, *Polygonum*, *Rumex* (Linnaeus,1758; Hacker,1989).
- 4576. *Trichoplusia ni* (Hübner,[1803])** (Noctuidae) Synonym(s): *ni* Hübner,[1803]; *humilis* Walker,1858; *extrahens* Walker,1858; *brassicae* Riley,1870; *echinocystidis* Strecker,1874. Larval foodplant(s): *Chenopodium*, *Crepis*, *Nicotiana*, *Reseda*, *Rumex*, *Senecio*, *Solanum*, *Taraxacum*, *Urtica* (Calle et al., 2000).
- 4577. *Trichosea champa* (Moore,1879)** (Noctuidae) Synonym(s): *champa* Moore,1879
- 4578. *Trichosea ludifica* (Linnaeus,1758)** (Noctuidae) Synonym(s): *ludifica* Linnaeus,1758
- 4579. *Trichosilia plumbea* (Alpheraky,1887)** (Noctuidae) Synonym(s): *plumbea* Alpheraky,1887; *arschanica* Corti & Draudt,1933.
- 4580. *Trichospolas arterialis* Draudt,1936** (Noctuidae) Synonym(s): *arterialis* Draudt,1936.

- 4581. *Trigonophora flammea* (Esper,1785)** (Noctuidae) Synonym(s): *flammea* Esper,1785; *empyrea* Hübner,[1803].
- 4582. *Trisateles emortualis* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *emortualis* [Denis & Schiffermüller],1775
- 4583. *Tyta luctuosa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *luctuosa* [Denis & Schiffermüller],1775; *italica* Fabricius,1781; *atra* Goeze,1781 nec Linn.,1767; *astroites* Fourcroy,1785; *maculosa* Villers,1789 Larval foodplant(s): *Convolvulus arvensis* (Convolvulaceae), *Malva* (Malvaceae), *Linum* (Linaceae), *Plantago* (Plantaginaceae) (Spuler,1906; Calle et al., 2000).
- 4584. *Ulochlaena hirta* (Hübner,[1813])** (Noctuidae) Synonym(s): *hirta* Hübner,[1813]
- 4585. *Victrix (Poliobrya) umovii* (Eversmann,1846)** (Noctuidae) Synonym(s): *umovii* Eversmann,1846
- 4586. *Xanthia (Cirrhia) gilvago* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *gilvago* [Denis & Schiffermüller],1775.
- 4587. *Xanthia (Cirrhia) gilvago gilvago* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *gilvago* [Denis & Schiffermüller],1775.
- 4588. *Xanthia (Cirrhia) ocellaris* (Borkhausen,1792)** (Noctuidae) Synonym(s): *ocellaris* Borkhausen,1792; *palleago* Hübner,[1803]. Larval foodplant(s): *Populus* (Hampson,1906).
- 4589. *Xanthia (Cirrhia) ocellaris ocellaris* (Borkhausen,1792)** (Noctuidae) Synonym(s): *ocellaris* Borkhausen,1792; *palleago* Hübner,[1803].
- 4590. *Xanthia (Tiliacea) aurago* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *aurago* [Denis & Schiffermüller],1775; *rutilago* [Denis & Schiffermüller],1775; *fuscata* Esper,1788 nec Hufn.,1766
- 4591. *Xanthia (Tiliacea) citrigo* (Linnaeus,1758)** (Noctuidae) Synonym(s): *citrigo* Linnaeus,1758; *flavastrigata* Retzius,1783
- 4592. *Xanthia icteritia* (Hufnagel,1766)** (Noctuidae) Synonym(s): *icteritia* Hufnagel,1766; *cerago* [Denis & Schiffermüller],1775; *flavescens* Esper,[1788].
- 4593. *Xanthia sulphurago* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#fulvago* Clerk,1759; *sulphurago* [Denis & Schiffermüller],1775; *ochrago* Fabricius,1791; *#sulfurago* Poltavsky & Nekrasov,2002
- 4594. *Xanthia togata* (Esper,1788)** (Noctuidae) Synonym(s): *lutea* Ström,1783; *flavago* Fabricius,1787; *togata* Esper,1788; *rubago* Donovan,1801; *silago* Hübner,[1803].
- 4595. *Xanthomanthus cornelia* (Staudinger,1888)** (Noctuidae) Synonym(s): *cornelia* Staudinger,1888; *honrathii* Graeser,[1889]
- 4596. *Xestia (Anomogyna) alpicola* (Zetterstedt,1839)** (Noctuidae) Synonym(s): *alpicola* Zetterstedt,1839; *hyperborea* Zetterstedt,1839; *aquilonaris* Zetterstedt,1839; *norvegica* Strand,1904
- 4597. *Xestia (Anomogyna) sincera* (Herrich-Schäffer,1851)** (Noctuidae) Synonym(s): *sincera* Herrich-Schäffer,1851
- 4598. *Xestia (Anomogyna) speciosa* (Hübner,[1813])** (Noctuidae) Synonym(s): *speciosa* Hübner,[1813]
- 4599. *Xestia (Megasema) ashworthii* (Doubleday,1855)** (Noctuidae) Synonym(s): *ashworthii* Doubleday,1855 Larval foodplant(s): *Helianthemum*, *Hieracium*; *Salix* (Salicaceae) (Hampson,1903).
- 4600. *Xestia (Megasema) ashworthii candelarum* (Staudinger,1871)** (Noctuidae) Synonym(s): *candelarum* Staudinger,1871; *nivescens* Rebel,1907.
- 4601. *Xestia (Megasema) c-nigrum* (Linnaeus,1758)** (Noctuidae) Synonym(s): *c-nigrum* Linnaeus,1758; *nunatrum* Esper,[1786]; *singularis* Esper,[1786]; *degenerata* Staudinger,1889; *depravata* A.Bang-Haas,1912; *kurilana* Bryk,1942; *ignorata* Eitschberger,1972.
- 4602. *Xestia (Megasema) ditrapezium* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#ditrapezium* [Denis & Schiffermüller],1775 Larval foodplant(s): *Melampyrum arvensis* ([Denis & Schiffermüller],1775 et seq.).

- 4603. *Xestia* (*Megasema*) *triangulum* (Hufnagel,1766)** (Noctuidae)
Synonym(s): *triangulum* Hufnagel,1766; *rhomboidea* Esper,[1790].
- 4604. *Xestia* (*Pachnobia*) *lorezi* (Staudinger,1891)** (Noctuidae) Synonym(s):
lorezi Staudinger,1891
- 4605. *Xestia* (*Pachnobia*) *senescens* (Staudinger,1881)** (Noctuidae)
Synonym(s): *senescens* Staudinger,1881; *kungessi* Alpheraky,1882; *senilis* Staudinger,1888; *cungessi* Hampson,1908
- 4606. *Xestia* (*Pachnobia*) *tecta* (Hübner,[1808])** (Noctuidae) Synonym(s):
tecta Hübner,[1808]; *ampla* Hübner,[1809]; *roosta* Smith,1903; *nolens* Corti & Draudt,1933
- 4607. *Xestia* (s.str.) *albuncula* (Eversmann,1851)** (Noctuidae) Synonym(s):
albuncula Eversmann,1851
- 4608. *Xestia* (s.str.) *baja* ([Denis & Schiffermüller],1775)** (Noctuidae)
Synonym(s): *baja* [Denis & Schiffermüller],1775
- 4609. *Xestia* (s.str.) *brachiptera* (Kononenko,1981)** (Noctuidae) Synonym(s):
brachiptera Kononenko,1981
- 4610. *Xestia* (s.str.) *castanea* (Esper,[1798])** (Noctuidae) Synonym(s): *castanea* Esper,[1798]; *neglecta* Hübner,[1803]; *cerasina* Freyer,1840; *xanthe* Woodf.,1901; *obsolescens* W.Petersen,1905; *alliatai* Hartig,1949.
- 4611. *Xestia* (s.str.) *castanea castanea* (Esper,[1798])** (Noctuidae)
Synonym(s): *castanea* Esper,[1798]; *neglecta* Hübner,[1803]; *cerasina* Freyer,1840; *xanthe* Woodf.,1901; *obsolescens* W.Petersen,1905; *alliatai* Hartig,1949.
- 4612. *Xestia* (s.str.) *cohaesa* (Herrich-Schäffer,[1849])** (Noctuidae)
Synonym(s): *cohaesa* Herrich-Schäffer,[1849]
- 4613. *Xestia* (s.str.) *collina* (Boisduval,1840)** (Noctuidae) Synonym(s): *collina* Boisduval,1840; *montana* Freyer,1845; *kenteana* Staudinger,1892; *eversmanni* Petersen,1905; *peterseni* Krulikowsky,1909; *nigromaculata* Hoffmann,1917; *roegeri* Schawerda,1919; *loebeli* Rebel,1920
- 4614. *Xestia* (s.str.) *distensa* (Eversmann,1851)** (Noctuidae) Synonym(s):
distensa Eversmann,1851
- 4615. *Xestia* (s.str.) *kollari* (Lederer,1853)** (Noctuidae) Synonym(s): *kollari* Lederer,1853; *collari* Hampson,1903
- 4616. *Xestia* (s.str.) *laetabilis* (Zetterstedt,1839)** (Noctuidae) Synonym(s):
laetabilis Zetterstedt,1839
- 4617. *Xestia* (s.str.) *liquidaria* (Eversmann,1844)** (Noctuidae) Synonym(s):
liquidaria Eversmann,1844
- 4618. *Xestia* (s.str.) *ochreago* (Hübner,[1809])** (Noctuidae) Synonym(s):
ochreago Hübner,[1809]; *ochrojois* Hbn.,[1821]; *habichi* Rebel,1909.
- 4619. *Xestia* (s.str.) *rhomboidea* (Esper,[1790])** (Noctuidae) Synonym(s):
rhomboidea Esper,[1790]; *stigmatica* Hbn.,[1813].
- 4620. *Xestia* (s.str.) *sareptana* (Herrich-Schäffer,[1851])** (Noctuidae)
Synonym(s): *sareptana* Herrich-Schäffer,[1851]; *iobaphes* Boursin,1936
- 4621. *Xestia* (s.str.) *sareptana sareptana* (Herrich-Schäffer,[1851])**
(Noctuidae) Synonym(s): *sareptana* Herrich-Schäffer,[1851]; *iobaphes* Boursin,1936
- 4622. *Xestia* (s.str.) *sexstrigata* (Haworth,1809)** (Noctuidae) Synonym(s):
sexstrigata Haworth,1809
- 4623. *Xestia* (s.str.) *trifida* (Fischer v. Waldheim,1820)** (Noctuidae)
Synonym(s): *trifida* Fischer v. Waldheim,1820.
- 4624. *Xestia* (s.str.) *xanthographa* ([Denis & Schiffermüller],1775)**
(Noctuidae) Synonym(s): *xanthographa* [Denis & Schiffermüller],1775; *tetragona* Haworth,1809; *budensis* Freyer,1838; *elutior* Alpheraky,1887; *lepida* Constantino,1922.
- 4625. *Xylena* *exsoleta* (Linnaeus,1758)** (Noctuidae) Synonym(s): *exsoleta* Linnaeus,1758; *exoleta* Fabricius,1787 Larval foodplant(s): *Alisma plantago-aquatica* (Alismataceae); *Allium cepa* (Alliaceae); *Anthriscus sylvestris* (Apiaceae); *Asparagus* (Asparagaceae); *Beta vulgaris*, *Spinacia oleracea* (Chenopodiaceae); *Brassica rapa*, *Hesperis matronalis* (Brassicaceae); *Caltha palustris* (Ranunculaceae); *Carduus*, *Leucanthemum vulgare*, *Taraxacum officinale*

(Asteraceae); *Epilobium angustifolium* (Oenagraceae); *Galium verum* (Rubiaceae); *Humulus lupulus* (Cannabaceae); *Iris pseudacorus* (Iridaceae); *Lathyrus pratensis*, *Pisum sativum* (Fabaceae); *Linum usitatissimum* (Linaceae); *Malus pumila*, *Rubus idaeus*, *Prunus* (Rosaceae); *Rumex longifolius* (Polygonaceae); *Papaver* (Papaveraceae); *Phlox* (Polemoniaceae); *Salix* (Salicaceae); *Sempervivum* (Crassulaceae); *Vaccinium myrtillus* (Ericaceae), *Vitis* (Vitaceae); *Ononis* (Boraginaceae); *Euphorbia* (Euphorbiaceae); *Rheum ribes* (Polygalaceae) (Hampson,1906; Spuler,1907; et seq.).

4626. *Xylena exsoleta exsoleta* (Linnaeus,1758) (Noctuidae) Synonym(s): *exsoleta* Linnaeus,1758; *exoleta* Fabricius,1787 Larval foodplant(s): *Alisma plantago-aquatica* (Alismataceae); *Allium cepa* (Alliaceae); *Anthriscus sylvestris* (Apiaceae); *Asparagus* (Asparagaceae); *Beta vulgaris*, *Spinacia oleracea* (Chenopodiaceae); *Brassica rapa*, *Hesperis matronalis* (Brassicaceae); *Caltha palustris* (Ranunculaceae); *Carduus*, *Leucanthemum vulgare*, *Taraxacum officinale* (Asteraceae); *Epilobium angustifolium* (Oenagraceae); *Galium verum* (Rubiaceae); *Humulus lupulus* (Cannabaceae); *Iris pseudacorus* (Iridaceae); *Lathyrus pratensis*, *Pisum sativum* (Fabaceae); *Linum usitatissimum* (Linaceae); *Malus pumila*, *Rubus idaeus*, *Prunus* (Rosaceae); *Rumex longifolius* (Polygonaceae); *Papaver* (Papaveraceae); *Phlox* (Polemoniaceae); *Salix* (Salicaceae); *Sempervivum* (Crassulaceae); *Vaccinium myrtillus* (Ericaceae), *Vitis* (Vitaceae); *Ononis* (Boraginaceae); *Euphorbia* (Euphorbiaceae); *Rheum ribes* (Polygalaceae) (Hampson,1906; Spuler,1907; et seq.).

4627. *Xylena vetusta* (Hübner,[1813]) (Noctuidae) Synonym(s): *vetusta* Hübner,[1813]

4628. *Xylocampa areola* (Esper,[1789]) (Noctuidae) Synonym(s): *areola* Esper,[1789]; *lithorhiza* Borkhausen,1792; *operosa* Hübner,[1808] Larval foodplant(s): *Lonicera*.

4629. *Xylomoia graminea* (Graeser,1889) (Noctuidae) Synonym(s): *graminea* Graeser,1889; *separata* Staudinger,1892

4630. *Xylomoia retinax* Mikkola,1998 (Noctuidae) Synonym(s): *retinax* Mikkola,1998

4631. *Xylomoia strix* Mikkola,1980 (Noctuidae) Synonym(s):

4632. *Zanclognatha reticulatis* (Leech,1900) (Noctuidae) Synonym(s): *reticulatis* Leech,1900

4633. *Zekelita (Ravalita) ravalis* (Herrich-Schäffer,[1852]) (Noctuidae) Synonym(s): *ravalis* Herrich-Schäffer,[1852]; *revolutalis* Zeller,1852; *eremialis* Swinhoe,1889 *nec* Walk.,1859; *centralis* Staudinger,1892; *syriacalis* Staudinger,1892; *extorris* W.Warren,1913; *#pallida* Schawerda,1929; *#transcaspica* Brandt,1941.

4634. *Zekelita (Rhynchodontodes) antiqualis* (Hübner,[1809]) (Noctuidae) Synonym(s): *antiqualis* Hübner,[1809]; *anatolica* Wagner,1931; *#antiquilis* Zukowsky,1941

4635. *Zekelita (Rhynchodontodes) ravulalis* (Staudinger,1879) (Noctuidae) Synonym(s): *ravulalis* Staudinger,1879

4636. *Zekelita (Rhynchodontodes) ravulalis ravulalis* (Staudinger,1879) (Noctuidae) Synonym(s): *ravulalis* Staudinger,1879

4637. *Cerura (s.str.) erminea* (Esper,1783) (Notodontidae) Synonym(s): *erminea* Esper,1783

4638. *Cerura (s.str.) erminea erminea* (Esper,1783) (Notodontidae) Synonym(s): *erminea* Esper,1783

4639. *Cerura (s.str.) vinula* (Linnaeus,1758) (Notodontidae) Synonym(s): *vinula* Linnaeus,1758; *minax* Hübner,[1803]; *teberdina* Kornejev,1939

4640. *Cerura (s.str.) vinula vinula* (Linnaeus,1758) (Notodontidae) Synonym(s): *vinula* Linnaeus,1758; *minax* Hübner,[1803]; *teberdina* Kornejev,1939

- 4641. *Clostera anachoreta* (Fabricius,1787) (Notodontidae)** Synonym(s):
#*anachoreta* [Denis & Schiffermüller],1775; *anachoreta* Fabricius,1787; *pallida* Staudinger,1887 *nee* Wlk.,1855; *albidior* Pfitze,1901; *erema* Bryk,1942; *lundquisti* Bryk,1942; *mahatma* Bryk,1949
- 4642. *Clostera anastomosis* (Linnaeus,1758) (Notodontidae)** Synonym(s):
anastomosis Linnaeus,1758; *alticaudagrisea* Retzius,1783; *orientalis* Fixsen,1887; *kononis* Matsumura,1929; *insignior* Kiriakoff,1963
- 4643. *Clostera anastomosis anastomosis* (Linnaeus,1758) (Notodontidae)**
Synonym(s): *anastomosis* Linnaeus,1758; *alticaudagrisea* Retzius,1783; *orientalis* Fixsen,1887; *kononis* Matsumura,1929; *insignior* Kiriakoff,1963
- 4644. *Clostera anastomosis tristis* (Staudinger,1887) (Notodontidae)**
Synonym(s): *tristis* Staudinger,1887
- 4645. *Clostera curtula* (Linnaeus,1758) (Notodontidae)** Synonym(s): *curtula* Linnaeus,1758; *albicaudaalba* Retzius,1783
- 4646. *Clostera curtula curtula* (Linnaeus,1758) (Notodontidae)** Synonym(s):
curtula Linnaeus,1758; *albicaudaalba* Retzius,1783
- 4647. *Clostera pigra* (Hufnagel,1766) (Notodontidae)** Synonym(s): *pigra* Hufnagel,1766; *reclusa* [Denis & Schiffermüller],1775; *alticaudafurcata* Retzius,1783; *suffusa* Stephens,1835; *superior* Rangnow,1935; #*flavidior* Bytinski-Salz,1936 Larval foodplant(s):
Populus, *Salix* (Wiltshire,1957).
- 4648. *Clostera pigra pigra* (Hufnagel,1766) (Notodontidae)** Synonym(s): *pigra* Hufnagel,1766; *reclusa* [Denis & Schiffermüller],1775; *alticaudafurcata* Retzius,1783; *suffusa* Stephens,1835; *superior* Rangnow,1935; #*flavidior* Bytinski-Salz,1936
- 4649. *Drymonia dodonaea* ([Denis & Schiffermüller],1775) (Notodontidae)**
Synonym(s): #*dodonaea* [Denis & Schiffermüller],1775; *trimacula* Esper,[1785]; *lunata* Villers,1789; *poltawskii* Schintlmeister,1981; *wageneri* De Freina,1981 Larval foodplant(s): *Quercus robur* ([Denis & Schiffermüller],1775 et seq.).
- 4650. *Drymonia ruficornis* (Hufnagel,1766) (Notodontidae)** Synonym(s):
ruficornis Hufnagel,1766; *confusa* Hufnagel,1767; *chaonia* [Denis & Schiffermüller],1775; *roboris* Fabricius,1777; *ilicis* Fabricius,1793; *roboreus* Haworth,1803; *querneus* Haworth,1803 Larval foodplant(s): *Quercus* (Fagaceae).
- 4651. *Drymonia ruficornis ruficornis* (Hufnagel,1766) (Notodontidae)**
Synonym(s): *ruficornis* Hufnagel,1766; *confusa* Hufnagel,1767; *chaonia* [Denis & Schiffermüller],1775; *roboris* Fabricius,1777; *ilicis* Fabricius,1793; *roboreus* Haworth,1803; *querneus* Haworth,1803 Larval foodplant(s): *Quercus* (Fagaceae).
- 4652. *Eguria ornata* (Oberthür,1884) (Notodontidae)** Synonym(s): *ornata* Oberthür,1884; *macrodonta* Butler,1885
- 4653. *Ellida viridimixta* (Bremer,1861) (Notodontidae)** Synonym(s): *viridimixta* Bremer,1861
- 4654. *Euhampsonia cristata* (Butler,1877) (Notodontidae)** Synonym(s): *cristata* Butler,1877
- 4655. *Euhampsonia splendida* (Oberthür,1881) (Notodontidae)** Synonym(s):
splendida Oberthür,1881; *chosennadata* Bryk,1949
- 4656. *Furcula aeruginosa* (Christoph,1873) (Notodontidae)** Synonym(s):
aeruginosa Christoph,1873
- 4657. *Furcula aeruginosa aeruginosa* (Christoph,1873) (Notodontidae)**
Synonym(s): *aeruginosa* Christoph,1873
- 4658. *Furcula aeruginosa sibirica* (Daniel,1965) (Notodontidae)** Synonym(s):
sibirica Daniel,1965
- 4659. *Furcula bicuspis* (Borkhausen,1790) (Notodontidae)** Synonym(s): *bicuspis* Borkhausen,1790; *borealis* Boisduval,1829; *infumata* Staudinger,1887; *transiens* Krulikowsky,1909
- 4660. *Furcula bicuspis bicuspis* (Borkhausen,1790) (Notodontidae)**
Synonym(s): *bicuspis* Borkhausen,1790; *borealis* Boisduval,1829; *infumata* Staudinger,1887; *transiens* Krulikowsky,1909
- 4661. *Furcula bicuspis kurilensis* (Matsumura,1929) (Notodontidae)**
Synonym(s): *kurilensis* Matsumura,1929

- 4662. Furcula bifida (Brahm,1787)** (Notodontidae) **Synonym(s):** *hermelina* Goeze,1781 nec Gz.,1781; *bifida* Brahm,1787; *latifascia* Curtis,1827; *arcuata* Stephens,1828; *mucronata* Meigen,1830; *urocera* Boisduval,1840; *lype* Seifers,1933; *beida* Rungs,1956
- 4663. Furcula bifida bifida (Brahm,1787)** (Notodontidae) **Synonym(s):** *hermelina* Goeze,1781 nec Gz.,1781; *bifida* Brahm,1787; *latifascia* Curtis,1827; *arcuata* Stephens,1828; *mucronata* Meigen,1830; *urocera* Boisduval,1840; *lype* Seifers,1933; *beida* Rungs,1956
- 4664. Furcula furcula (Linnaeus,1761)** (Notodontidae) **Synonym(s):** *#furcula* Clerck,1759; *furcula* Linnaeus,1761; *salicis* Lamarck,1816; *nordlandica* Daniel,1965; *atlantica* Daniel,1965.
- 4665. Furcula furcula altaica Schintlmeister,1998** (Notodontidae) **Synonym(s):** *altaica* Schintlmeister,1998
- 4666. Furcula furcula forficula (Fischer v. Waldheim,1820)** (Notodontidae) **Synonym(s):** *forficula* Fischer v. Waldheim,1820
- 4667. Furcula furcula furcula (Linnaeus,1761)** (Notodontidae) **Synonym(s):** *#furcula* Clerck,1759; *furcula* Linnaeus,1761; *salicis* Lamarck,1816; *nordlandica* Daniel,1965; *atlantica* Daniel,1965.
- 4668. Furcula furcula persica (Gaede,1933)** (Notodontidae) **Synonym(s):** *persica* Gaede,1933; *pseudobicuspis* Daniel,1935
- 4669. Furcula furcula pulviger (Staudinger,1901)** (Notodontidae) **Synonym(s):** *pulviger* Staudinger,1901; *songuldakensis* Daniel,1938; *caucasica* Schintlmeister,1981
- 4670. Furcula furcula sangaica (Moore,1877)** (Notodontidae) **Synonym(s):** *sangaica* Moore,1877; *lanigera* Butler,1877; *japonica* Grünberg,1912; *urupura* Bryk,1941.
- 4671. Furcula interrupta Christoph,1867** (Notodontidae) **Synonym(s):** *interrupta* Christoph,1867; *leucotera* Stichel,1911; *sureyae* Rebel,1933; *hoeferi* Bytinski-Salz,1936; *leucotera* Lenek,1969; *#syreyae* Schintlmeister,1989.
- 4672. Furcula interrupta interrupta Christoph,1867** (Notodontidae) **Synonym(s):** *interrupta* Christoph,1867; *leucotera* Stichel,1911; *sureyae* Rebel,1933; *hoeferi* Bytinski-Salz,1936; *leucotera* Lenek,1969; *#syreyae* Schintlmeister,1989.
- 4673. Furcula interrupta syra Groum-Grshimailo,1899** (Notodontidae) **Synonym(s):** *syra* Groum-Grshimailo,1899 **Larval foodplant(s):** *Populus* in Lebanon (Wiltshire,1943).
- 4674. Furcula petri petri (Alpheraky,1882)** (Notodontidae) **Synonym(s):** *petri* Alpheraky,1882
- 4675. Furcula terminata (Wiltshire,1958)** (Notodontidae) **Synonym(s):** *terminata* Wiltshire,1958
- 4676. Gluphisia crenata (Esper,1785)** (Notodontidae) **Synonym(s):** *crenata* Esper,1785; *rurea* Fabricius,1787; *varia* Fabricius,1794; *crenosa* Hübner,[1803]; *amurensis* Grünberg,1912
- 4677. Hagapteryx mirabilior (Oberthür,1911)** (Notodontidae) **Synonym(s):** *mirabilior* Oberthür,1911
- 4678. Harpyia milhauseri (Fabricius,1775)** (Notodontidae) **Synonym(s):** *milhauseri* Fabricius,1775; *terrifica* [Denis & Schiffermüller],1775; *vidua* Knoch,1781; *albida* Daniel,1932 **Larval foodplant(s):** *Quercus* (Staudinger,1879).
- 4679. Hemifentonia mandschurica (Oberthür,1911)** (Notodontidae) **Synonym(s):** *mandschurica* Oberthür,1911; *fasciculata* Filipjev,1927; *styxana* Schaus,1928; *inconspicua* Kiriakoff,1963.
- 4680. Hexafrenum leucodera (Staudinger,1887)** (Notodontidae) **Synonym(s):** *leucodera* Staudinger,1887; *yamamotoi* Nakamura,1978
- 4681. Himeropteryx miraculosa Staudinger,1887** (Notodontidae) **Synonym(s):** *miraculosa* Staudinger,1887; *yui* Okano,1960
- 4682. Hupodonta corticalis Butler,1877** (Notodontidae) **Synonym(s):** *corticalis* Butler,1877
- 4683. Leucodonta bicoloria ([Denis & Schiffermüller],1775)** (Notodontidae) **Synonym(s):** *bicoloria* [Denis & Schiffermüller],1775; *tormentaria* Goeze,1781; *albida* Boisduval,1834; *teneana* Matsumura,1920; *nivalis* Matsumura,1925; *nipponica* Matsumura,1931; *citrominus* Nakamura,1978
- 4684. Notodonta dromedarius (Linnaeus,1758)** (Notodontidae) **Synonym(s):** *dromedarius* Linnaeus,1758; *dromedarulus* Haworth,1803; *zebu* Donovan,1807; *perfusca* Stephens,1828; *frigida* Rangnow,1932; *westfalica* Brandt,1936; *schintlmeisteri* Witt,1980

- 4685. Notodonta torvus (Hübner,[1803])** (Notodontidae) Synonym(s): *tritophus* Esper,1786 nec Denis & Schiff.,1775; *torva* Hübner,[1803]; *balsaminifera* Brahm,1791; *simpliaria* Graef,1881; *lappona* Rangnow,1923; *sugitanii* Matsumura,1924; *musculus* Kiriakoff,1963; *tarburi* Eitschberger,1981
- 4686. Notodonta tritophus ([Denis & Schiffermüller],1775)** (Notodontidae) Synonym(s): *#tritophus* [Denis & Schiffermüller],1775; *phoebe* Siebert,1790; *perfuscus* Haworth,1803; *irfana* De Freina,1983. Larval foodplant(s): *Populus tremula* (Salicaceae) ([Denis & Schiffermüller],1775 et seq.).
- 4687. Notodonta ziczac (Linnaeus,1758)** (Notodontidae) Synonym(s): *ziczac* Linnaeus,1758; *venosa* Fourcroy,1785; *monticola* Dannehl,1925; *lapponica* Rangnow,1935; *dimorpha* Rangnow,1935; *reisseri* Rungs,1956
- 4688. Notodonta ziczac gigantea Schintlmeister,1981** (Notodontidae) Synonym(s): *gigantea* Schintlmeister,1981
- 4689. Notodonta ziczac ziczac (Linnaeus,1758)** (Notodontidae) Synonym(s): *ziczac* Linnaeus,1758; *venosa* Fourcroy,1785; *monticola* Dannehl,1925; *lapponica* Rangnow,1935; *dimorpha* Rangnow,1935; *reisseri* Rungs,1956
- 4690. Odontosia carmelita (Esper,[1789])** (Notodontidae) Synonym(s): *carmelita* Esper,[1789]
- 4691. Odontosia sieversii (Ménétriés,1856)** (Notodontidae) Synonym(s): *sieversii* Ménétriés,1856
- 4692. Peridea anceps (Goeze,1781)** (Notodontidae) Synonym(s): *anceps* Goeze,1781; *trepida* Esper,1786; *serrata* Thunberg,1792; *tremula* Hübner,[1800]; *baetica* Zerny,1927; *agenjoi* Schawerda,1938; *mesatlantica* Rungs,1940; *albertiana* Witt,1974.
- 4693. Periergos straminea** (Notodontidae) Synonym(s):
- 4694. Periergos straminea harakiri (Bryk,1942)** (Notodontidae) Synonym(s): *harakiri* Bryk,1942
- 4695. Phalera bucephala (Linnaeus,1758)** (Notodontidae) Synonym(s): *bucephala* Linnaeus,1758; *lunula* Retzius,1783 nec Hufn.,1766 non Strm,1768.
- 4696. Pheosia gnoma (Fabricius,1777)** (Notodontidae) Synonym(s): *gnoma* Fabricius,1777; *dictaeoides* Esper,[1789]
- 4697. Pheosia tremula (Linnaeus,1761)** (Notodontidae) Synonym(s): *#tremula* Clerck,1759; *tremula* Linnaeus,1761; *dictaea* Linnaeus,1767; *turcica* De Freina,1979; *#turica* Schintlmeister,1989
- 4698. Pterostoma palpinum (Linnaeus,1761)** (Notodontidae) Synonym(s): *palpina* Linnaeus,1761; *caudapiscina* Goeze,1783; *salicis* Germar,1812.
- 4699. Ptilodon capucina (Linnaeus,1758)** (Notodontidae) Synonym(s): *capucina* Linnaeus,1758
- 4700. Ptilodon hoegei (Graeser,1892)** (Notodontidae) Synonym(s): *hoegei* Graeser,1892
- 4701. Ptilophora plumigera ([Denis & Schiffermüller],1775)** (Notodontidae) Synonym(s): *#plumigera* [Denis & Schiffermüller],1775; *variegata* Villers,1789 nec Sc.,1763 Larval foodplant(s): *Acer campestre* ([Denis & Schiffermüller],1775 et seq.).
- 4702. Pygaera timon (Hübner,[1803])** (Notodontidae) Synonym(s): *timon* Hübner,[1803]
- 4703. Spatalia dives Oberthür,1884** (Notodontidae) Synonym(s): *dives* Oberthür,1884; *angustipennis* Okano,1959
- 4704. Stauropus basalis Moore,1877** (Notodontidae) Synonym(s): *basalis* Moore,1877; *taczanowskii* Oberthür,1879; *mediolinea* Rothschild,1917; *koreharpyia* Bryk,1948
- 4705. Stauropus basalis basalis Moore,1877** (Notodontidae) Synonym(s): *basalis* Moore,1877; *taczanowskii* Oberthür,1879; *mediolinea* Rothschild,1917; *koreharpyia* Bryk,1948
- 4706. Stauropus fagi (Linnaeus,1758)** (Notodontidae) Synonym(s): *fagi* Linnaeus,1758
- 4707. Stauropus fagi fagi (Linnaeus,1758)** (Notodontidae) Synonym(s): *fagi* Linnaeus,1758
- 4708. Zaranga tukuringra Streltsov & Yakovlev,2007** (Notodontidae) Synonym(s): *tukuringra* Streltsov & Yakovlev,2007

- 4709. Agonopterix adpersella (Kollar,1832)** (Oecophoridae) Synonym(s): *adpersella* Kollar,1832; *athamanticella* Heinemann,1870; *amanthicella* Staudinger,1901; *sabulatella* Turati,1919; *karmeliella* Amsel,1933
- 4710. Agonopterix alstromeriana (Clerck,1759)** (Oecophoridae) Synonym(s): *alstromeriana* Clerck,1759; *monilella* [Denis & Schiffermüller],1775; *puella* Hübner,1796; *alstroemeri* Haworth,1811; *alstroemerella* Hübner,[825]; *albidella* Eversmann,1844; *alstroemeriella* Doubleday,1859
Larval foodplant(s): *Conium maculatum* (Apiaceae) (Parenti,2000).
- 4711. Agonopterix angelicella (Hübner,[1813])** (Oecophoridae) Synonym(s): *angelicella* Hübner,[1813]
- 4712. Agonopterix arctica (Strand,1902)** (Oecophoridae) Synonym(s): *arctica* Strand,1902
- 4713. Agonopterix arenella ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *arenella* [Denis & Schiffermüller],1775; *gilvella* Hübner,1796; *gilvosa* Haworth,1811; *immaculana* Stephens,1834
Larval foodplant(s): *Carduus*, *Cirsium*, *Serratula*, *Arctium*, *Centaurea* (Asteraceae) (Parenti,2000; et seq.).
- 4714. Agonopterix assimilella (Treitschke,1832)** (Oecophoridae) Synonym(s): *assimilella* Treitschke,1832; *irrorella* Stephens,1834; *reticulatella* Bruand,1850
Larval foodplant(s): *Cytisus*, *Genista* (Fabaceae) (Parenti,2000).
- 4715. Agonopterix astantiae (Heinemann,1870)** (Oecophoridae) Synonym(s): *astantiae* Heinemann,1870
- 4716. Agonopterix atomella ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *atomella* [Denis & Schiffermüller],1775; *atomosa* Haworth,1811
- 4717. Agonopterix capreolella (Zeller,1839)** (Oecophoridae) Synonym(s): *capreolella* Zeller,1839; *caprella* Stainton,1849
- 4718. Agonopterix carduella (Hübner,[1817])** (Oecophoridae) Synonym(s): *carduella* Hübner,[1817]
- 4719. Agonopterix ciliella (Stainton,1849)** (Oecophoridae) Synonym(s): *ciliella* Stainton,1849; *annexella* Zeller,1868
- 4720. Agonopterix cnicella (Treitschke,1832)** (Oecophoridae) Synonym(s): *cnicella* Treitschke,1832
Larval foodplant(s): *Eryngium amethystinum*, *E. campestre* (Apiaceae) (Parenti,2000).
- 4721. Agonopterix conterminella (Zeller,1839)** (Oecophoridae) Synonym(s): *conterminella* Zeller,1839
Larval foodplant(s): *Salix* (Salicaceae) (Parenti,2000).
- 4722. Agonopterix costaemaculella (Christoph,1882)** (Oecophoridae) Synonym(s): *costaemaculella* Christoph,1882
- 4723. Agonopterix curvipunctosa (Haworth,[1811])** (Oecophoridae) Synonym(s): *curvipunctosa* Haworth,[1811]; *zephyrella* Hübner,[1813]; *granulosella* Stainton,1854; *doubledayella* Bruand,1859; *amasina* Mann,1861.
- 4724. Agonopterix doricella (Wocke,1849)** (Oecophoridae) Synonym(s): *doricella* Wocke,1849
- 4725. Agonopterix dubatolovi Lvovsky,1995** (Oecophoridae) Synonym(s): *dubatolovi* Lvovsky,1995
- 4726. Agonopterix furvella (Treitschke,1832)** (Oecophoridae) Synonym(s): *furvella* Treitschke,1832
Larval foodplant(s): *Dictamnus albus* (Rutaceae) (Parenti,2000).
- 4727. Agonopterix heracleana (Linnaeus,1758)** (Oecophoridae) Synonym(s): *heracliana* Linnaeus,1758; *punctata* Clerck,1759; *applanata* Fabricius,1777; *cerefolii* Retzius,1783; *vinalis* Villers,1789; *applanella* Fabricius,1798; *umbellella* Coquebert,1801 nec F.,1798; *heraclei* Haworth,1811; *cicutella* Hübner,[1813]; *heraclilla* Hübner,[1825]; *heracleella* Zetterstedt,1839
- 4728. Agonopterix hippomarathri (Nickerl,1864)** (Oecophoridae) Synonym(s): *hippomarathri* Nickerl,1864
- 4729. Agonopterix hypericella (Hübner,1796)** (Oecophoridae) Synonym(s): *hypericella* Hübner,1796
Larval foodplant(s): *Hypericum* (Guttiferae) (Parenti,2000).

- 4730. Agonopterix irrorata (Staudinger,1870)** (Oecophoridae) Synonym(s): *irrorata* Staudinger,1870; *rubrociliella* Ragonot,1877; *anthriscella* Brown,1886
- 4731. Agonopterix kaekeritziana (Linnaeus,1767)** (Oecophoridae) Synonym(s): *kaekeritziana* Linnaeus,1767; *litarella* [Denis & Schiffermüller],1775; *hirudinella* Goeze,1783; *sparmanniana* Swederus,1787; *flavella* Hübner,1796; *bimaculella* Schrank,1802 *nec* Thunb.,1784; *flavosa* Haworth,1811; *montanella* Lhomme,1929. Larval foodplant(s): *Centaurea*, *Cirsium*, *Inula* (Asteraceae) (Parenti,2000).
- 4732. Agonopterix kuznetzovi Lvovsky,1983** (Oecophoridae) Synonym(s): *kuznetzovi* Lvovsky,1983
- 4733. Agonopterix laterella ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *laterella* [Denis & Schiffermüller],1775
- 4734. Agonopterix liturosa (Haworth,1811)** (Oecophoridae) Synonym(s): *litarella* Hübner,1796 *nec* [Denis & Schiff.],1775; *liturosa* Haworth,1811; *huebneri* Bradley,1966 Larval foodplant(s): *Hypericum*.
- 4735. Agonopterix melancholica (Rebel,1917)** (Oecophoridae) Synonym(s): *melancholica* Rebel,1917
- 4736. Agonopterix multiplicella (Erschoff,1877)** (Oecophoridae) Synonym(s): *multiplicella* Erschoff,1877
- 4737. Agonopterix nanatella (Stainton,1849)** (Oecophoridae) Synonym(s): *nanatella* Stainton,1849
- 4738. Agonopterix nervosa (Haworth,[1811])** (Oecophoridae) Synonym(s): *nervosa* Haworth,[1811]; *costosa* Haworth,1811; *depunctella* Hübner,[1825]; *boieella* Freyer,1835; *costella* Doubleday,1859; *nervosella* Doubleday,1859; *nervosella* Bruand,1859; *costosella* Bruand,1859; *dryadoxena* Meyrick,1920; *blackmori* Busck,1922; *venosata* Kautz,1930
- 4739. Agonopterix ocellana (Fabricius,1775)** (Oecophoridae) Synonym(s): *ocellana* Fabricius,1775; *characterella* [Denis & Schiffermüller],1775; *signella* Hübner,1796; *signana* Hübner,1796; *signosa* Haworth,1811; *characterosa* Haworth,1811; *rubrolineella* Bruand,1850; *ocellella* Doubleday,1859 Larval foodplant(s): *Salix* (Salicaceae).
- 4740. Agonopterix pallorella (Zeller,1839)** (Oecophoridae) Synonym(s): *pallorella* Zeller,1839; *subpallorella* Staudinger,1871 Larval foodplant(s): *Centaurea*, *Serratula* (Asteraceae) (Parenti,2000).
- 4741. Agonopterix parilella (Treitschke,1835)** (Oecophoridae) Synonym(s): *parilella* Treitschke,1835; *humerella* Duponchel,1840 Larval foodplant(s): *Peucedanum*, *Selinum*, *Seseli* (Apiaceae) (Parenti,2000).
- 4742. Agonopterix petasitis (Standfuss,1851)** (Oecophoridae) Synonym(s): *petasitis* Standfuss,1851; *petasites* Herrich-Schäffer,1854; *theophilella* Bruand,1855; *petasitella* Herrich-Schäffer,1862; *petasitae* Heinemann,1870
- 4743. Agonopterix propinquella (Treitschke,1835)** (Oecophoridae) Synonym(s): *propinquella* Treitschke,1835
- 4744. Agonopterix purpurea (Haworth,[1811])** (Oecophoridae) Synonym(s): *purpurea* Haworth,[1811]
- 4745. Agonopterix quadripunctata (Wocke,1857)** (Oecophoridae) Synonym(s): *quadripunctata* Wocke,1857
- 4746. Agonopterix rimulella (Caradja,1920)** (Oecophoridae) Synonym(s): *rimulella* Caradja,1920
- 4747. Agonopterix scopariella (Heinemann,1870)** (Oecophoridae) Synonym(s): *scopariella* Heinemann,1870
- 4748. Agonopterix selini (Heinemann,1870)** (Oecophoridae) Synonym(s): *selini* Heinemann,1870 Larval foodplant(s): *Peucedanum cervaria*, *P. palustre*, *Selinum carvifolia* (Apiaceae) (Heinemann,1870; et seq.).
- 4749. Agonopterix senecionis (Nickerl,1864)** (Oecophoridae) Synonym(s): *senecionis* Nickerl,1864; *cotoneastri* Nickerl,1864; *sarracenella* Rössler,1866; *marmotella* Frey,1868
- 4750. Agonopterix subpropinquella (Stainton,1849)** (Oecophoridae) Synonym(s): *subpropinquella* Stainton,1849; *rhodochrella* Herrich-Schäffer,[1854]; *thoracica*

Lederer,1855; sublutella Staudinger,1859; variabilis Heinemann,1870; crispella Lhomme,1929; amilcarella Lucas,1951.

- 4751. Agonopterix yeatiana (Fabricius,1781) (Oecophoridae)** Synonym(s): *yeatiana Fabricius,1781; albidana Donovan,1806; yeatsii Haworth,1811; yeatseana Stephens,1834; ventosella Reutti,1853; altricornella Mann,1855; yeatiella Doubleday,1859; oplatella Chrétien,1915*
- 4752. Alabonia staintoniella (Zeller,1850) (Oecophoridae)** Synonym(s): *staintoniella Zeller,1850*
- 4753. Amphisbatis incongruella (Stainton,1849) (Oecophoridae)** Synonym(s): *incongruella Stainton,1849*
- 4754. Anchinia cristalis (Scopoli,1763) (Oecophoridae)** Synonym(s): *cristalis Scopoli,1763; verrucella [Denis & Schiffermüller],1775; hepaticella Hübner,1796; verrucea Haworth,1811; cneorella Hübner,[1813]*
- 4755. Anchinia daphnella ([Denis & Schiffermüller],1775) (Oecophoridae)** Synonym(s): *#daphnella [Denis & Schiffermüller],1775; rufella Panzer,1804*
- 4756. Aplota kadeniella (Herrich-Schäffer,1851) (Oecophoridae)** Synonym(s): *kadeniella Herrich-Schäffer,1851*
- 4757. Aplota palpella (Haworth,1828) (Oecophoridae)** Synonym(s): *palpella Haworth,1828*
- 4758. Batia lunaris (Haworth,[1828]) (Oecophoridae)** Synonym(s): *lunaris Haworth,[1828]*
- 4759. Bisigna procerella ([Denis & Schiffermüller],1775) (Oecophoridae)** Synonym(s): *procerella [Denis & Schiffermüller],1775*
- 4760. Borkhausenia fuscescens (Haworth,1828) (Oecophoridae)** Synonym(s): *fuscescens Haworth,1828*
- 4761. Borkhausenia luridicomella (Herrich-Schäffer,1856) (Oecophoridae)** Synonym(s): *luridicomella Herrich-Schäffer,1856*
- 4762. Borkhausenia minutella (Linnaeus,1758) (Oecophoridae)** Synonym(s): *minutella Linnaeus,1758*
- 4763. Buvatina iremella Junnilainen & Nupponen,1999 (Oecophoridae)** Synonym(s): *iremella Junnilainen & Nupponen,1999*
- 4764. Buvatina obscurella (Brandt,1937) (Oecophoridae)** Synonym(s): *obscurella Brandt,1937*
- 4765. Buvatina stroemella (Fabricius,1779) (Oecophoridae)** Synonym(s): *stroemella Fabricius,1779*
- 4766. Carcina quercana (Fabricius,1775) (Oecophoridae)** Synonym(s): *quercana Fabricius,1775*
- 4767. Cephalispheira denisella ([Denis & Schiffermüller],1775) (Oecophoridae)** Synonym(s): *denisella [Denis & Schiffermüller],1775*
- 4768. Cephalispheira ferrugella ([Denis & Schiffermüller],1775) (Oecophoridae)** Synonym(s): *ferrugella [Denis & Schiffermüller],1775*
- 4769. Cephalispheira sareptensis Möschler,1862 (Oecophoridae)** Synonym(s): *sareptensis Möschler,1862*
- 4770. Cephalispheira sordidella (Hübner,1796) (Oecophoridae)** Synonym(s): *sordidella Hübner,1796*
- 4771. Crassa tinctella (Hübner,1796) (Oecophoridae)** Synonym(s): *tinctella Hübner,1796*
- 4772. Crassa unitella (Hübner,1796) (Oecophoridae)** Synonym(s): *unitella Hübner,1796*
- 4773. Dasytroma salicella (Hübner,1796) (Oecophoridae)** Synonym(s): *salicella Hübner,1796; salicis Haworth,1828; rufocrinitalis Zetterstedt,1839*
- 4774. Decantha borkhausenii (Zeller,1839) (Oecophoridae)** Synonym(s): *borkhausenii Zeller,1839*
- 4775. Denisia luticiliella (Erschoff,1877) (Oecophoridae)** Synonym(s): *luticiliella Erschoff,1877*
- 4776. Denisia similella (Hübner,1796) (Oecophoridae)** Synonym(s): *similella Hübner,1796*

- 4777. *Denisia stipella* (Linnaeus,1758)** (Oecophoridae) Synonym(s): *stipella* Linnaeus,1758; *accessella* [Denis & Schiffermüller],1775; *sulphurella* Hübner,[1813]; *tigrella* Hübner,[1813]; *westernmannella* Zetterstedt,1839; *stipivicinella* Bruand,1859; *haydenella* Chambers,1877
- 4778. *Depressaria absynthiella* Herrich-Schäffer,1865** (Oecophoridae) Synonym(s): *absynthiella* Herrich-Schäffer,1865 Larval foodplant(s): *Aetemisias absinthium*, *A.canareiensis*, *A.frigida* (Herrich-Schäffer,1865; et seq.).
- 4779. *Depressaria albipunctella* ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *albipunctella* [Denis & Schiffermüller],1775; *albipuncta* Haworth,1811; *aegopodiella* Hübner,[1825] Larval foodplant(s): *Anthriscus*, *Chaerophyllum*, *Conium*, *Torilis*, *Pimpinella*, *Seseli*, *Daucus* (Apiaceae) (Lvovsky,2001).
- 4780. *Depressaria altaica* Zeller,1854** (Oecophoridae) Synonym(s): *altaica* Zeller,1854 Larval foodplant(s): *Prangos pabularia* (Apiaceae) (Lvovsky,2001).
- 4781. *Depressaria artemisiae* Nickerl,1864** (Oecophoridae) Synonym(s): *artemisiae* Nickerl,1864 Larval foodplant(s): *Artemisia* (Nickerl,1864).
- 4782. *Depressaria artemisiae orientella* Lvovsky,2001** (Oecophoridae) Synonym(s): *orientella* Lvovsky,2001
- 4783. *Depressaria badiella* (Hübner,1796)** (Oecophoridae) Synonym(s): *badiella* Hübner,1796; *badia* Haworth,1811; *aurantiella* Tutt,1893; *frigidella* Turati,1919 Larval foodplant(s): *Heracleum* (Apiaceae), *Pastinaca*; *Sonchus*, *Taraxacum*, *Hypochoeris* (Asteraceae) (Spuler,1908; Jacobs,1951, et seq.).
- 4784. *Depressaria bupleurella* Heinemann,1870** (Oecophoridae) Synonym(s): *bupleurella* Heinemann,1870 Larval foodplant(s): *Bupleurum falcatum* (Apiaceae) (Heinemann,1870).
- 4785. *Depressaria cervicella* Herrich-Schäffer,1854** (Oecophoridae) Synonym(s): *cervicella* Herrich-Schäffer,1854
- 4786. *Depressaria chaerophylli* Zeller,1839** (Oecophoridae) Synonym(s): *chaerophylli* Zeller,1839 Larval foodplant(s): *Chaerophyllum bulbosum*, *Anthriscus* (Apiaceae) (Zeller,1839; et seq.).
- 4787. *Depressaria daucella* ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *#daucella* [Denis & Schiffermüller],1775; *rubricella* [Denis & Schiffermüller],1775; *apiella* Hübner,1796; *apiana* Haworth,1802; *apiosa* Haworth,1811 Larval foodplant(s): *Daucus carota*, *Pastinaca*, *Cicuta*, *Oenanthe*, *Sium*, *Chaerophyllum*, *Petroselinum*, *Apium* (Apiaceae) ([Denis & Schiffermüller],1775 et seq.).
- 4788. *Depressaria depressana* (Fabricius,1775)** (Oecophoridae) Synonym(s): *depressana* Fabricius,1775; *anethana* Brahm,1791; *depressella* Fabricius,1798; *bluntii* Curtis,1828; *collarella* Zetterstedt,1839. Larval foodplant(s): *Pimpinella*, *Peucedanum*, *Daucus*, *Pastinaca*, *Heracleum*, *Angelica*, *Libanotis*, *Coriandrum*, *Foeniculum*, *Carum*, *Anethum* (Apiaceae) (Lvovsky,2001).
- 4789. *Depressaria djakonovi* Lvovsky,1981** (Oecophoridae) Synonym(s): *djakonovi* Lvovsky,1981
- 4790. *Depressaria douglasella* Stainton,1849** (Oecophoridae) Synonym(s): *douglasella* Stainton,1849 Larval foodplant(s): *Daucus*, *Carum*, *Libanotis*, *Anthriscus*, *Pastinaca* (Apiaceae) (Lvovsky,2001).
- 4791. *Depressaria emeritella* Stainton,1849** (Oecophoridae) Synonym(s): *emeritella* Stainton,1849 Larval foodplant(s): *Tanacetum vulgare* (Asteraceae) (Lvovsky,2001).
- 4792. *Depressaria falkovitshi* Lvovsky,1990** (Oecophoridae) Synonym(s): *falkovitshi* Lvovsky,1990
- 4793. *Depressaria filipjevi* Lvovsky,1981** (Oecophoridae) Synonym(s): *filipjevi* Lvovsky,1981 Larval foodplant(s): *Artemisia* (Lvovsky,2001)

- 4794. *Depressaria fuscovirgatella* Heinemann, 1967** (Oecophoridae)
Synonym(s): *fuscovirgatella* Heinemann, 1967; *pagmanella* Amsel, 1972
- 4795. *Depressaria golovushkini* Lvovsky, 1995** (Oecophoridae) Synonym(s):
golovushkini Lvovsky, 1995
- 4796. *Depressaria hannemanniana* Lvovsky, 1990** (Oecophoridae)
Synonym(s): *hannemanniana* Lvovsky, 1990 Larval foodplant(s): *Ferula litwinowiana* (Apiaceae) (Lvovsky, 2001).
- 4797. *Depressaria hofmanni* Stainton, 1861** (Oecophoridae) Synonym(s):
hofmanni Stainton, 1861 Larval foodplant(s): *Libanotis*, *Pastinaca* (Apiaceae) (Lvovsky, 2001).
- 4798. *Depressaria indecorella* Rebel, 1917** (Oecophoridae) Synonym(s):
indecorella Rebel, 1917
- 4799. *Depressaria irregularis* Matsumura, 1931** (Oecophoridae) Synonym(s):
irregularis Matsumura, 1931 Larval foodplant(s): *Quercus mongolica* (Fagaceae) (Lvovsky, 2001).
- 4800. *Depressaria leucocephala* Snellen, 1884** (Oecophoridae) Synonym(s):
leucocephala Snellen, 1884
- 4801. *Depressaria libanotidella* Schläger, 1849** (Oecophoridae) Synonym(s):
libanotidella Schläger, 1849; *laserpitii* Nickerl, 1864
- 4802. *Depressaria olerella* Zeller, 1854** (Oecophoridae) Synonym(s): *olerella* Zeller, 1854
- 4803. *Depressaria pastinacella* (Duponchel, 1838)** (Oecophoridae)
Synonym(s): *pastinacella* Duponchel, 1838 Larval foodplant(s): *Pastinaca*, *Daucus*, *Apium*, *Heracleum* (Apiaceae) (Duponchel, 1838 et seq.).
- 4804. *Depressaria pimpinellae* Zeller, 1839** (Oecophoridae) Synonym(s):
pimpinellae Zeller, 1839; *pimpinella* Duponchel, [1843]; *pimpinellella* Duponchel, [1845]; *reichlini* Heinemann, 1870
- 4805. *Depressaria pulcherrimella* Stainton, 1849** (Oecophoridae) Synonym(s):
pulcherrimella Stainton, 1849
- 4806. *Depressaria sordidatella* Tengström, 1848** (Oecophoridae) Synonym(s):
sordidatella Tengström, 1848; *weirella* Stainton, 1849.
- 4807. *Depressaria ultimella* Stainton, 1849** (Oecophoridae) Synonym(s):
ultimella Stainton, 1849
- 4808. *Deuterogonia pudorina* (Wocke, 1857)** (Oecophoridae) Synonym(s):
pudorina Wocke, 1857
- 4809. *Diurnea fagella* ([Denis & Schiffermüller], 1775)** (Oecophoridae)
Synonym(s): *#fagella* [Denis & Schiffermüller], 1775; *pilosella* Thunberg, 1788; *atomana* Brahm, 1791; *fagi* Fabricius, 1798; *disparella* Schrank, 1802; *dormoyella* Duponchel, 1838; *nolckenella* Millière, 1881
- 4810. *Diurnea lipsiella* ([Denis & Schiffermüller], 1775)** (Oecophoridae)
Synonym(s): *lipsiella* [Denis & Schiffermüller], 1775; *phryganella* Hübner, 1796; *autumnalis* Fabricius, 1798; *novembris* Haworth, 1811; *phryganea* Haworth, 1811
- 4811. *Endrosis sarcitrella* (Linnaeus, 1758)** (Oecophoridae) Synonym(s):
sarcitrella Linnaeus, 1758; *luridella* Scopoli, 1763; *lacteella* [Denis & Schiffermüller], 1775; *scapulata* Fourcroy, 1785; *betulinella* Fabricius, 1787; *scapulatella* Villers, 1789; *atratus* Panzer, 1804; *sarcitea* Haworth, 1828; *kennicottella* Clemens, 1860; *subditella* Walker, 1863; *antarctica* Staudinger, 1899.
- 4812. *Epicallima formosella* ([Denis & Schiffermüller], 1775)** (Oecophoridae) Synonym(s): *formosella* [Denis & Schiffermüller], 1775
- 4813. *Esperia oliviella* (Fabricius, 1794)** (Oecophoridae) Synonym(s): *oliviella* Fabricius, 1794
- 4814. *Exaeretia allisella* Stainton, 1849** (Oecophoridae) Synonym(s): *allisella* Stainton, 1849 Larval foodplant(s): *Artemisia vulgaris* (Asteraceae) (Parenti, 2000).
- 4815. *Exaeretia ciniflonella* (Lienig & Zeller, 1846)** (Oecophoridae)
Synonym(s): *ciniflonella* Lienig & Zeller, 1846
- 4816. *Exaeretia lepidella* (Christoph, 1872)** (Oecophoridae) Synonym(s):
lepidella Christoph, 1872

- 4817. Exaeretia mongolicella (Christoph,1882)** (Oecophoridae) Synonym(s): *mongolicella* Christoph,1882
- 4818. Exaeretia niviferella (Christoph,1872)** (Oecophoridae) Synonym(s): *niviferella* Christoph,1872
- 4819. Exaeretia praeustella (Rebel,1917)** (Oecophoridae) Synonym(s): *praeustella* Rebel,1917
- 4820. Harpella forficella (Scopoli,1763)** (Oecophoridae) Synonym(s): *forficella* Scopoli,1763
- 4821. Hofmannophila pseudospretella (Stainton,1849)** (Oecophoridae) Synonym(s): *pseudospretella* Stainton,1849; *punctipinguinella* Bruand,1856; *improbella* Walker,1869
Larval foodplant(s): stored cereals, dried fruits, seeds, fabrics, furs, etc. (Parenti,2000).
- 4822. Holoscolia huebneri Koçak,1980** (Oecophoridae) Synonym(s): *forficella* Hübner,[1813] nec Thunb.,1794; *huebneri* Koçak,1980
- 4823. Horridopalpus hysticella (Möschler,1860)** (Oecophoridae) Synonym(s): *hysticella* Möschler,1860
- 4824. Hypercallia citrinalis (Scopoli,1763)** (Oecophoridae) Synonym(s): *citrinalis* Scopoli,1763; *christiannana* Linnaeus,1767; *thoracella* Goeze,1783; *thoracica* Fourcroy,1785; *christiannella* Hübner,[1824]; *christiella* Hübner,[1825]; *christiannini* Zeller,1839
- 4825. Levipalpus hepatariella (Lienig & Zeller,1846)** (Oecophoridae) Synonym(s): *hepatariella* Lienig & Zeller,1846
- 4826. Luquetia lobella ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *lobella* [Denis & Schiffermüller],1775 Larval foodplant(s): *Prunus spinosa* (Rosaceae) (Parenti,2000).
- 4827. Metalampra caucasica Lvovsky,1995** (Oecophoridae) Synonym(s): *caucasica* Lvovsky,1995
- 4828. Metalampra cinnamomea (Zeller,1839)** (Oecophoridae) Synonym(s): *cinnamomea* Zeller,1839
- 4829. Minetia adamczewskii (Toll,1956)** (Oecophoridae) Synonym(s): *adamczewskii* Toll,1956
- 4830. Minetia crinitus (Fabricius,1798)** (Oecophoridae) Synonym(s): *crinitus* Fabricius,1798
- 4831. Oecophora (s.str.) bractella (Linnaeus,1758)** (Oecophoridae) Synonym(s): *bractella* Linnaeus,1758
- 4832. Pleurota aorsella Christoph,1872** (Oecophoridae) Synonym(s): *aorsella* Christoph,1872
- 4833. Pleurota aristella (Linnaeus,1767)** (Oecophoridae) Synonym(s): *aristella* Linnaeus,1767; *corniculata* Villers,1789; *cornicella* Villers,1789; *schlaegerella* Zeller,1847; *argentistrigella* Mann,1854
- 4834. Pleurota bicostella (Clerck,1759)** (Oecophoridae) Synonym(s): *bicostella* Clerck,1759; *bipunctella* Hübner,1793; *bicostatus* Fabricius,1798
- 4835. Pleurota bicostella bicostella (Clerck,1759)** (Oecophoridae) Synonym(s): *bicostella* Clerck,1759; *bipunctella* Hübner,1793; *bicostatus* Fabricius,1798
- 4836. Pleurota contignatella Christoph,1872** (Oecophoridae) Synonym(s): *contignatella* Christoph,1872
- 4837. Pleurota issicella Staudinger,1880** (Oecophoridae) Synonym(s): *issicella* Staudinger,1880
- 4838. Pleurota malatya H.Back,1973** (Oecophoridae) Synonym(s): *malatya* H.Back,1973
- 4839. Pleurota marginella ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *marginella* [Denis & Schiffermüller],1775
- 4840. Pleurota monotonia Filipjev,1930** (Oecophoridae) Synonym(s): *monotonia* Filipjev,1930
- 4841. Pleurota neurograpta Filipjev,1930** (Oecophoridae) Synonym(s): *neurograpta* Filipjev,1930

- 4842. Pleurota pungitiella Herrich-Schäffer,[1854]** (Oecophoridae)
Synonym(s): *pungitiella* Herrich-Schäffer,[1854]
- 4843. Pleurota pyropella ([Denis & Schiffermüller],1775)** (Oecophoridae)
Synonym(s): *pyropella* [Denis & Schiffermüller],1775 Larval foodplant(s): *Salvia* (Mann,1862).
- 4844. Promalactis venustella (Christoph,1882)** (Oecophoridae) Synonym(s):
venustella Christoph,1882
- 4845. Pseudatemelia elsaе Svensson,1982** (Oecophoridae) Synonym(s):
- 4846. Schiffermuelleria schaefferella (Linnaeus,1758)** (Oecophoridae)
Synonym(s): *schaefferella* Linnaeus,1758; *hermannella* Fabricius,1781; *lucidula* Fourcroy,1785.
- 4847. Semioscopis avellanella (Hübner,1793)** (Oecophoridae) Synonym(s):
avellanella Hübner,1793 Larval foodplant(s): *Betula* (Betulaceae); *Carpinus* (Corylaceae); *Tilia cordata* (Tiliaceae) (Parenti,2000).
- 4848. Semioscopis oculella (Thunberg,1794)** (Oecophoridae) Synonym(s): ?
alienella [Denis & Schiffermüller,1775; *oculella* Thunberg,1794; *anella* Hübner,1796 nec [Denis & Schiffer.],1775 Larval foodplant(s): *Betula* (Betulaceae) (Parenti,2000).
- 4849. Semioscopis steinkellneriana ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s):
steinkellneriana [Denis & Schiffermüller],1775; *steinkellneri* Haworth,1811; *steinkellnerella* Hübner,[1825]; *steinkellneriella* Guenée,1845 Larval foodplant(s):
Crataegus, *Prunus spinosa*, *Sorbus* (Rosaceae); *Fraxinus* (Oleaceae) (Parenti,2000).
- 4850. Semioscopis strigulana (Fabricius,1787)** (Oecophoridae) Synonym(s):
#strigulana [Denis & Schiffermüller],1775; *strigulana* Fabricius,1787; *avellanella* Hübner,1793; *atomella* Thunberg,1794 nec [Denis & Schiffer.],1775; *consimilella* Hübner,[1825]; *strigulella* Herrich-Schäffer,1862
Larval foodplant(s): *Populus tremula* (Salicaceae) (Parenti,2000).
- 4851. Telechrysis tripuncta (Haworth,[1828])** (Oecophoridae) Synonym(s):
tripuncta Haworth,[1828]; *tripunctella* Stephens,1834; *scyllaella* Costa,[1836]; *trisinella* Zeller,1839;
trimaculella Duponchel,[1840]
- 4852. Tubuliferodes josephinae (Toll,1956)** (Oecophoridae) Synonym(s):
josephinae Toll,1956
- 4853. Tubuliferola flavifrontella ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *flavifrontella* [Denis & Schiffermüller],1775
- 4854. Opostega salaciella (Treitschke,1833)** (Opostegidae) Synonym(s):
salaciella Treitschke,1833; *reliquella* Zeller,1848
- 4855. Opostega spatulella Herrich-Schäffer,[1855]** (Opostegidae)
Synonym(s): *spatulella* Herrich-Schäffer,[1855]; *nepticulella* Bruand,1859; *bimaculatella* Rothschild,1912; *costantiniella* Costantini,1923; *angulata* Gerasimov,1930; *heringiella* Mariani,1937
Larval foodplant(s): *Salix* and barkmines (Salicaceae) (Puplesis & Diskus,2003).
- 4856. Pseudopostega auritella (Hübner,[1813])** (Opostegidae) Synonym(s):
auritella Hübner,[1813]
- 4857. Pseudopostega crepusculella (Zeller,1839)** (Opostegidae) Synonym(s):
crepusculella Zeller,1839; *lvovskyi* Kozlov,1985
- 4858. Atrophaneura (s.str. (Byasa)) alcinous (Klug,1836)** (Papilionidae)
Synonym(s): *alcinous* Klug,1836; *spathatus* Butler,1881; *haemotostictus* Butler,1881.
- 4859. Atrophaneura (s.str. (Byasa)) mencijs (Felder,1862)** (Papilionidae)
Synonym(s): *mencijs* Felder,1862
- 4860. Atrophaneura (s.str. (Byasa)) mencijs mencijs (Felder,1862)** (Papilionidae) Synonym(s): *mencijs* Felder,1862
- 4861. Iphiclides podalirius (Linnaeus,1758)** (Papilionidae) Synonym(s):
podalirius Linnaeus,1758; *sinon* Poda,1761; *flammeus* Fourcroy,1785; *inalpinus* Verity,1911; *valesiaca* Verity,1911; *zanclaeides* Verity,1911; *pseudopersica* Rocci,1926. Larval foodplant(s): *Prunus spinosa*, *P. amygdalus*, *P. avium*, *P. domestica*, *P. persica*, *P. armeniaca*, *P. mahaleb*, *P. padus*, *Pyrus communis*, *P. amygdaliformis*, *P. longipes*, *Malus*

- domestica, Crataegus monogyna C. oxycantha, Sorbus acuparia (Rosaceae) (Tolman,1997).
- 4862. Iphiclides podalirius podalirius (Linnaeus,1758) (Papilionidae)**
Synonym(s): *podalirius* Linnaeus,1758; *sinon* Poda,1761; *flammeus* Fourcroy,1785; *inalpinus* Verity,1911; *valesiaca* Verity,1911; *zancleides* Verity,1911; *pseudopersica* Rocci,1926.
- 4863. Luehdorfia puziloi (Erschoff,1872) (Papilionidae)** Synonym(s): *puziloi* Erschoff,1872; *eximia* Crüger,1878.
- 4864. Luehdorfia puziloi puziloi (Erschoff,1872) (Papilionidae)** Synonym(s): *puziloi* Erschoff,1872; *eximia* Crüger,1878.
- 4865. Papilio (s.str.) machaon Linnaeus,1758 (Papilionidae)** Synonym(s): *machaon* Linnaeus,1758; *reginae* Retzius,1783; *umbellatarum* Fabricius,1807; *aurantiaca* Speyer,1858. Larval foodplant(s): *Foeniculum vulgare*, *Peucedanum palustre*, *P.cervaria*, *P.oreoselinum*, *P.officinale*, *Trinia glauca*, *Laserpitium halleri*, *L.latifolium*, *Angelica sylvestris*, *A.archangelica*, *Aegopodium podagraria*, *Anethum graveolens*, *Pimpinella saxifraga*, *Carum carvi*, *Ammi*, *Ridolfia*, *Ruta*, *Silaum silaus*, *Daucus carota*, *Seseli varium*, *S. libanotis*, *Bupleurum frutescens*, *B. falcatum*, *Petroselinum crispum*, *Crithmum maritimum*, *Ferula*, *Falcaria*, *Meum*, *Selinum*, *Levisticum*, *Heracleum*, *Haplophyllum* (Tolman,1997).
- 4866. Papilio (s.str.) machaon chishimana Matsumura,1928 (Papilionidae)**
Synonym(s): *septentrionalis* Verity,[1911] *nec* Roth.,1895; *chishimana* Matsumura,1928.
- 4867. Papilio (s.str.) machaon gorganus Fruhstorfer,1922 (Papilionidae)**
Synonym(s): *gorganus* Fruhstorfer,1922
- 4868. Papilio (s.str.) machaon kamtschadalus Alpheraky,1897 (Papilionidae)** Synonym(s): *kamtschadalus* Alpheraky,1897
- 4869. Papilio (s.str.) machaon machaon Linnaeus,1758 (Papilionidae)**
Synonym(s): *machaon* Linnaeus,1758; *reginae* Retzius,1783; *umbellatarum* Fabricius,1807; *aurantiaca* Speyer,1858.
- 4870. Papilio (s.str.) machaon orientis Verity,[1911] (Papilionidae)**
Synonym(s): *orientis* Verity,[1911]
- 4871. Parnassius (Driopa) ariadne Lederer,1853 (Papilionidae)** Synonym(s): *ariadne* Lederer,1853; *clarius* Eversmann,1843 *nec* Hübner,[1806] *Corydalis nobilis* (Gorbunov & Korshunov, 1995).
- 4872. Parnassius (Driopa) ariadne ariadne Lederer,1853 (Papilionidae)**
Synonym(s): *ariadne* Lederer,1853; *clarius* Eversmann,1843 *nec* Hübner,[1806]
- 4873. Parnassius (Driopa) eversmanni [Ménétriés],1850 (Papilionidae)**
Synonym(s): *eversmanni* [Ménétriés],1850 Larval foodplant(s): *Corydalis pauciflora* (Lukhtanov & Lukhtanov,1994).
- 4874. Parnassius (Driopa) eversmanni eversmanni [Ménétriés],1850 (Papilionidae)** Synonym(s): *eversmanni* [Ménétriés],1850
- 4875. Parnassius (Driopa) eversmanni felderi Bremer,1861 (Papilionidae)**
Synonym(s): *felderi* Bremer,1861
- 4876. Parnassius (Driopa) eversmanni lacinia Hemming,1934 (Papilionidae)** Synonym(s): *lacinia* Hemming,1934 Larval foodplant(s): *Corydalis pauciflora* (Lukhtanov & Lukhtanov,1994).
- 4877. Parnassius (Driopa) eversmanni litoreus Stichel,1907 (Papilionidae)**
Synonym(s): *litoreus* Stichel,1907
- 4878. Parnassius (Driopa) hoenei (Schweitzer,1912) (Papilionidae)**
Synonym(s): *hoenei* Schweitzer,1912
- 4879. Parnassius (Driopa) hoenei hoenei (Schweitzer,1912) (Papilionidae)**
Synonym(s): *hoenei* Schweitzer,1912

- 4880. Parnassius (Driopa) mnemosyne (Linnaeus,1758)** (Papilionidae)
Synonym(s): *mnemosyne* Linnaeus,1758 Larval foodplant(s): *Corydalis ledebouriana* (Lukhtanov & Lukhtanov,1994).
- 4881. Parnassius (Driopa) mnemosyne caucasia Verity,[1911]** (Papilionidae) Synonym(s): *caucasia* Verity,[1911]; *angora* Bryk & Eisner,1931; *schweigeri* Eisner,1966; *kocaki* Eisner,1978; *bithyniae* Betti,1989.
- 4882. Parnassius (Driopa) mnemosyne craspedontis Fruhstorfer,1909** (Papilionidae) Synonym(s): *craspedontis* Fruhstorfer,1909
- 4883. Parnassius (Driopa) mnemosyne daghestanus Bryk & Eisner,1934** (Papilionidae) Synonym(s): *daghestanus* Bryk & Eisner,1934
- 4884. Parnassius (Driopa) mnemosyne teberdaensis Eisner,1954** (Papilionidae) Synonym(s): *teberdaensis* Eisner,1954
- 4885. Parnassius (Driopa) mnemosyne tjumensis Kreuzberg,1989** (Papilionidae) Synonym(s): *tjumensis* Kreuzberg,1989
- 4886. Parnassius (Driopa) mnemosyne ugrjumovi Bryk,1914** (Papilionidae)
Synonym(s): *ugrjumovi* Bryk,1914
- 4887. Parnassius (Driopa) mnemosyne uralka Bryk,1921** (Papilionidae)
Synonym(s): *uralka* Bryk,1921
- 4888. Parnassius (Driopa) nordmanni [Ménétries],[1850]** (Papilionidae)
Synonym(s): *clarius* Eversmann,1845 *nec* Evers.,1843; *nordmanni* [Menetries],[1850]; *patareaus* Westwood,1852; *minima* Honrath,1885; *christophi* Bryk & Eisner,1932; *bogosi* O.Bang-Haas,1934; *#fasciata* Sheljuzhko,1935; *#cohaerens* Sheljuzhko,1935; *#flavomaculata* Sheljuzhko,1935
- 4889. Parnassius (Driopa) nordmanni nordmanni [Ménétries],[1850]** (Papilionidae) Synonym(s): *clarius* Eversmann,1845 *nec* Evers.,1843; *nordmanni* [Menetries],[1850]; *patareaus* Westwood,1852; *minima* Honrath,1885; *christophi* Bryk & Eisner,1932; *bogosi* O.Bang-Haas,1934; *#fasciata* Sheljuzhko,1935; *#cohaerens* Sheljuzhko,1935; *#flavomaculata* Sheljuzhko,1935
- 4890. Parnassius (Driopa) stubbendorffii Ménétriés,1849** (Papilionidae)
Synonym(s): *stubbendorffii* Ménétriés,1849
- 4891. Parnassius (Driopa) stubbendorffii kosterini Kreuzberg & Pljustsh,1992** (Papilionidae) Synonym(s): *kosterini* Kreuzberg & Pljustsh,1992
- 4892. Parnassius (Driopa) stubbendorffii stubbendorffii Ménétriés,1849** (Papilionidae) Synonym(s): *stubbendorffii* Ménétriés,1849
- 4893. Parnassius (Driopa) stubbendorffii typicus Bryk,1914** (Papilionidae)
Synonym(s): *typicus* Bryk,1914
- 4894. Parnassius (Sachaia) arcticus (Eisner,1968)** (Papilionidae)
Synonym(s): *arctica* Eisner,1968; ? *ammosovi* Korshunov,1988
- 4895. Parnassius (Sachaia) arcticus arcticus (Eisner,1968)** (Papilionidae)
Synonym(s): *arctica* Eisner,1968; ? *ammosovi* Korshunov,1988
- 4896. Parnassius (Sachaia) tenedius Eversmann,1851** (Papilionidae)
Synonym(s): *tenedius* Eversmann,1851 *Corydalis sibirica*, *C. capnoides* (Gorbunov & Korshunov, 1995).
- 4897. Parnassius (Sachaia) tenedius sceptica Bryk & Eisner,1932** (Papilionidae) Synonym(s): *sceptica* Bryk & Eisner,1932
- 4898. Parnassius (Sachaia) tenedius tenedius Eversmann,1851** (Papilionidae) Synonym(s): *tenedius* Eversmann,1851
- 4899. Parnassius (Sachaia) tenedius vulcanus Bryk & Eisner,1932** (Papilionidae) Synonym(s): *vulcanus* Bryk & Eisner,1932
- 4900. Parnassius (s.str.) apollo (Linnaeus,1758)** (Papilionidae) Synonym(s): *apollo* Linnaeus,1758 Larval foodplant(s): *Sedum ewersii*, *S. hybridum*, *S. album* (Lukhtanov & Lukhtanov,1994; Koçak,).

- 4901. Parnassius (s.str.) apollo alpherakyi Krulikowsky,1906** (Papilionidae)
Synonym(s): *alpherakyi* Krulikowsky,1906
- 4902. Parnassius (s.str.) apollo ciscaucasicus Sheljuzhko,1924**
(Papilionidae) Synonym(s): *ciscaucasicus* Sheljuzhko,1924
- 4903. Parnassius (s.str.) apollo democratus Krulikowsky,1906**
(Papilionidae) Synonym(s): *democratus* Krulikowsky,1906
- 4904. Parnassius (s.str.) apollo finmarchicus Rothschild,1909**
(Papilionidae) Synonym(s): *finmarchicus* Rothschild,1909; *fennicus* Bryk,1911.
- 4905. Parnassius (s.str.) apollo hesebolus Nordmann,1851** (Papilionidae)
Synonym(s): *hesebolus* Nordmann,1851
- 4906. Parnassius (s.str.) apollo limicola Stichel,1906** (Papilionidae)
Synonym(s): *limicola* Stichel,1906
- 4907. Parnassius (s.str.) apollo meinhardi Sheljuzhko,1924** (Papilionidae)
Synonym(s): *meinhardi* Sheljuzhko,1924
- 4908. Parnassius (s.str.) apollo moskovitus Bryk & Eisner,1938**
(Papilionidae) Synonym(s): *moskovitus* Bryk & Eisner,1938
- 4909. Parnassius (s.str.) apollo pseudosibiricus Bryk & Eisner,1938**
(Papilionidae) Synonym(s): *pseudosibiricus* Bryk & Eisner,1938
- 4910. Parnassius (s.str.) apollo sajoticus Bryk,1912** (Papilionidae)
Synonym(s): *sajoticus* Bryk,1912
- 4911. Parnassius (s.str.) apollo sibiricus (Nordmann,1851)** (Papilionidae)
Synonym(s): *sibiricus* Nordmann,1851
- 4912. Parnassius (s.str.) bremeri Bremer,1864** (Papilionidae) Synonym(s):
bremeri Bremer,1864 Sedum aizoon, S. ussuriensis, S. ishida (Graeser, 1888;
Kurentzov, 1970); Orostachys malacophylla (Dantchenko & Nikolaevsky, in litt.).
- 4913. Parnassius (s.str.) bremeri bremeri Bremer,1864** (Papilionidae)
Synonym(s): *bremeri* Bremer,1864
- 4914. Parnassius (s.str.) bremeri conjuncta Staudinger,1901** (Papilionidae)
Synonym(s): *conjuncta* Staudinger,1901; *moltrechti* Bryk,1914
- 4915. Parnassius (s.str.) bremeri graeseri Honrath,1885** (Papilionidae)
Synonym(s): *graeseri* Honrath,1885
- 4916. Parnassius (s.str.) bremeri jaetensis O.Bang-Haas,1927**
(Papilionidae) Synonym(s): *jaetensis* O.Bang-Haas,1927
- 4917. Parnassius (s.str.) bremeri orotschonica O.Bang-Haas,1927**
(Papilionidae) Synonym(s): *orotschonica* O.Bang-Haas,1927
- 4918. Parnassius (s.str.) nomion Fischer de Waldheim,1823** (Papilionidae)
Synonym(s): *nomion* Fischer de Waldheim,1823 Sedum, Orostachys (Graeser, 1888;
Gorbunov & Korshunov, 1995).
- 4919. Parnassius (s.str.) nomion aurora Bang-Haas,1937** (Papilionidae)
Synonym(s): *aurora* Bang-Haas,1937
- 4920. Parnassius (s.str.) nomion dis Bryk & Eisner,1937** (Papilionidae)
Synonym(s): *dis* Bryk & Eisner,1937
- 4921. Parnassius (s.str.) nomion korshunovi Kreuzberg & Pljustsh,1992**
(Papilionidae) Synonym(s): *korshunovi* Kreuzberg & Pljustsh,1992
- 4922. Parnassius (s.str.) nomion nominulus Staudinger,[1895]**
(Papilionidae) Synonym(s): *nominulus* Staudinger,[1895]
- 4923. Parnassius (s.str.) nomion nomion Fischer de Waldheim,1823**
(Papilionidae) Synonym(s): *nomion* Fischer de Waldheim,1823
- 4924. Parnassius (s.str.) nomion titan Fruhstorfer,1903** (Papilionidae)
Synonym(s): *titan* Fruhstorfer,1903

- 4925. Parnassius (s.str.) nomion transbaicalensis Verity,[1911]**
(Papilionidae) Synonym(s): *transbaicalensis* Verity,[1911]
- 4926. Parnassius (s.str.) phoebus (Fabricius,1793) (Papilionidae)**
Synonym(s): *phoebus* Fabricius,1793; *altaicus* Ménéttriés,1859; *#alpestris* Verity,[1911].
- 4927. Parnassius (s.str.) phoebus amalthea Bryk & Eisner,1935**
(Papilionidae) Synonym(s): *amalthea* Bryk & Eisner,1935
- 4928. Parnassius (s.str.) phoebus fortuna O.Bang-Haas,1935 (Papilionidae)**
Synonym(s): *fortuna* O.Bang-Haas,1935
- 4929. Parnassius (s.str.) phoebus intermedius [Ménéttriés],1850**
(Papilionidae) Synonym(s): *intermedius* [Ménéttriés],1850
- 4930. Parnassius (s.str.) phoebus phoebus (Fabricius,1793) (Papilionidae)**
Synonym(s): *phoebus* Fabricius,1793; *altaicus* Ménéttriés,1859; *#alpestris* Verity,[1911].
- 4931. Parnassius (s.str.) phoebus uralensis Kirby,1871 (Papilionidae)**
Synonym(s): *#uralensis* Ménéttriés,1859; *uralensis* Kirby,1871.
- 4932. Parnassius (s.str.) phoebus zamolodtschikovi Belik,1996**
(Papilionidae) Synonym(s): *zamolodtschikovi* Belik,1996
- 4933. Princeps (Sinoprinceps) xuthus (Linnaeus,1767) (Papilionidae)**
Synonym(s): *xuthus* Linnaeus,1767; *xuthulus* Bremer,1861
- 4934. Princeps (Sinoprinceps) xuthus xuthus (Linnaeus,1767)**
(Papilionidae) Synonym(s): *xuthus* Linnaeus,1767; *xuthulus* Bremer,1861
- 4935. Princeps (s.str. (Achillides)) bianor (Cramer,[1777]) (Papilionidae)**
Synonym(s): *bianor* Cramer,[1777]; *connectens* Mell,1938 nec Fruhst.,1906; *elegans* Chou et al.,2000; *pulcher* Chou et al.,2000; *longimacula* Wang & Niu,2002
- 4936. Princeps (s.str. (Achillides)) bianor bianor (Cramer,[1777])**
(Papilionidae) Synonym(s): *bianor* Cramer,[1777]; *connectens* Mell,1938 nec Fruhst.,1906; *elegans* Chou et al.,2000; *pulcher* Chou et al.,2000; *longimacula* Wang & Niu,2002
- 4937. Princeps (s.str. (Achillides)) bianor nakaharae (Matsumura,1929)**
(Papilionidae) Synonym(s): *paradoxa* Nakahara,1924 nec Zinck.,1831; *sachalinensis* Matsumura,1925 nec Matsumura,1911; *nakaharae* Matsumura,1929.
- 4938. Princeps (s.str. (Achillides)) maacki (Ménéttriés,1858) (Papilionidae)**
Synonym(s): *maacki* Ménéttriés,1858; *raddei* Bremer,1864
- 4939. Princeps (s.str. (Achillides)) maacki maacki (Ménéttriés,1858)**
(Papilionidae) Synonym(s): *maacki* Ménéttriés,1858; *raddei* Bremer,1864
- 4940. Princeps (s.str. (Achillides)) maacki tutanus (Fenton,1881)**
(Papilionidae) Synonym(s): *tutanus* Fenton,1881; *kurilensis* Matsumura,1928.
- 4941. Sericinus montela Gray,[1853] (Papilionidae) Synonym(s): telamon**
Donovan,1798 nec Linnaeus,1758; montela Gray,[1853]; *fortunei* Gray,1852; *telmona* Gray,1852.
- 4942. Sericinus montela amurensis Staudinger,1892 (Papilionidae)**
Synonym(s): *amurensis* Staudinger,1892
- 4943. Zerynthia (Allancastris) caucasica (Lederer,1864) (Papilionidae)**
Synonym(s): *caucasica* Lederer,1864; *tkatshukovi* Sheljuzhko,1927; *cachetica* Sheljuzhko,1927; *#caucasica* Bernardi,1970. Larval foodplant(s): *Aristolochia pontica*, *A. pallida* (Koçak, in litt.; Hensle,1993).
- 4944. Zerynthia (Allancastris) caucasica caucasica (Lederer,1864)**
(Papilionidae) Synonym(s): *caucasica* Lederer,1864; *tkatshukovi* Sheljuzhko,1927; *cachetica* Sheljuzhko,1927; *#caucasica* Bernardi,1970.
- 4945. Zerynthia (s.str.) polyxena ([Denis & Schiffermüller],1775)**
(Papilionidae) Synonym(s): *hypermnestra* Scopoli,1763 nec Linn.,1763; *polyxena* [Denis & Schiffermüller],1775; *hypsipyle* Fabricius,1777; *aristolochiae* Schneider,1787 nec Fabricius,1775. Larval foodplant(s): *Aristolochia clematitis*, *A. rotunda*, *A. pallida*, *A. pistolochia* (Tolman,1997).

- 4946. Zerynthia (s.str.) polyxena thesto Fruhstorfer,1908** (Papilionidae)
Synonym(s): *thesto Fruhstorfer,1908*
- 4947. Anthocharis cardamines (Linnaeus,1758)** (Pieridae) Synonym(s):
cardamines Linnaeus,1758; hesperides Newman,1894; britannica Verity,1908; meridionalis Verity,1908
nec Lederer,1852; montivaga Turati & Verity,1911 Larval foodplant(s): *Cardamines*
pratensis, Alliaria petiolata, Arabis turrita, Lunaria annua, Biscutella mollis,
Hesperis lacinata (Tolman, 1997).
- 4948. Anthocharis cardamines cardamines (Linnaeus,1758)** (Pieridae)
Synonym(s): *cardamines Linnaeus,1758; hesperides Newman,1894; britannica Verity,1908;*
meridionalis Verity,1908 nec Lederer,1852; montivaga Turati & Verity,1911
- 4949. Anthocharis cardamines progressa (Sovinsky,1905)** (Pieridae)
Synonym(s): *progressa Sovinsky,1905; sajana Röber,1907; sibirica Haanus,1920.*
- 4950. Anthocharis cardamines septentrionalis Wnukowsky,1927** (Pieridae)
Synonym(s): *septentrionalis Wnukowsky,1929*
- 4951. Anthocharis cardamines sheldoni (Hemming,1934)** (Pieridae)
Synonym(s): *volgensis Sheldon,1914 nec Krulikowsky,1901; sheldoni Hemming,1934.*
- 4952. Aporia (s.str.) crataegi (Linnaeus,1758)** (Pieridae) Synonym(s): *crataegi*
Linnaeus,1758; nigronevrosus Retzius,1783; minor Verity,1907; basanius Fruhstorfer,1910;
crataegiaugusta Verity,1937. Larval foodplant(s): *Prunus spinosa, P. domestica, P.*
avium, P. persica, P. armeniaca, P. amygdalus, P. mahaleb, P. padus, Crataegus
monogyna, C. pycnoloba, C. laciniata, C. sanguinea, Pyrus communis, Malus
domestica, Sorbus aucuparia (Anikin,1993; Tolman,1997).
- 4953. Aporia (s.str.) crataegi colona Krulikowsky,1909** (Pieridae)
Synonym(s): *colona Krulikowsky,1909*
- 4954. Aporia (s.str.) crataegi sajana (Verity,1911)** (Pieridae) Synonym(s):
sajana Verity,1911
- 4955. Aporia (s.str.) crataegi ussurica Kardakoff,1928** (Pieridae)
Synonym(s): *ussurica Kardakoff,1928*
- 4956. Aporia (s.str.) hippia Bremer,1861** (Pieridae) Synonym(s): *hippia*
Bremer,1861; crataegioides Lucas,1865.
- 4957. Aporia (s.str.) hippia hippia Bremer,1861** (Pieridae) Synonym(s): *hippia*
Bremer,1861; crataegioides Lucas,1865.
- 4958. Aporia (s.str.) hippia occidentalis O.Bang-Haas,1927** (Pieridae)
Synonym(s): *occidentalis O.Bang-Haas,1927*
- 4959. Colias (Eriocolias) chrysotheme (Esper,[1781])** (Pieridae) Synonym(s):
chrysotheme Esper,[1781] Larval foodplant(s): *Vicia hirsuta, Astragalus austriacus*
(Tolman,1997).
- 4960. Colias (Eriocolias) chrysotheme audre Hemming,1933** (Pieridae)
Synonym(s): *sibirica Groum-Grshimailo,1893; #standfussi Groum-Grshimailo,1893; audre*
Hemming,1933.
- 4961. Colias (Eriocolias) chrysotheme chrysotheme (Esper,[1781])**
(Pieridae) Synonym(s): *chrysotheme Esper,[1781]*
- 4962. Colias (Eriocolias) chrysotheme schugorowi Krulikowsky,1906**
(Pieridae) Synonym(s): *#schugorowi Krulikowsky,1906; schugurowi Verity,[1911].*
- 4963. Colias (Eriocolias) crocea (Fourcroy,1785)** (Pieridae) Synonym(s):
crocea Fourcroy,1785; pyrenaica Groum-Grshimailo,1893. Larval foodplant(s): *Medicago*
sativa, M. lupulina, M. polymorpha, M. lappaea, M. hispida, M. sulcata, Trifolium
pratense, Onobrychis viciifolia, Lotus, Coronilla, Melilotus, Hippocrepis,
Astragalus, Astracanthus, Vicia, Colutea, Anthyllis, Erophaca, Acanthyllis,
Chamaecytisus (Tolman,1997).
- 4964. Colias (Eriocolias) crocea crocea (Fourcroy,1785)** (Pieridae)
Synonym(s): *crocea Fourcroy,1785; pyrenaica Groum-Grshimailo,1893.* Larval foodplant(s):
Medicago sativa, M. lupulina, M. polymorpha, M. lappaea, M. hispida, M. sulcata,

Trifolium pratense, *Onobrychis viciifolia*, *Lotus*, *Coronilla*, *Melilotus*, *Hippocrepis*, *Astragalus*, *Astracanthus*, *Vicia*, *Colutea*, *Anthyllis*, *Erophaca*, *Acanthyllis*, *Chamaecytisus* (Tolman,1997).

- 4965. *Colias (Eriocolias) elena* Gorbunov,1995** (Pieridae) Synonym(s): *elena* Gorbunov,1995
- 4966. *Colias (Eriocolias) elena elena* Gorbunov,1995** (Pieridae) Synonym(s): *elena* Gorbunov,1995
- 4967. *Colias (Eriocolias) heos* (Herbst,1792)** (Pieridae) Synonym(s): *aurora* Esper,1784 nec Cr.,1780; *heos* Herbst,1792; *chloe* Eversmann,1847; *sibirica* Lederer,1852; *semenovi* Stander,1960.
- 4968. *Colias (Eriocolias) heos alpina* Verity,[1911]** (Pieridae) Synonym(s): *alpina* Verity,[1911]
- 4969. *Colias (Eriocolias) heos decolorata* Staudinger,1897** (Pieridae) Synonym(s): *decolorata* Staudinger,1897
- 4970. *Colias (Eriocolias) heos heos* (Herbst,1792)** (Pieridae) Synonym(s): *aurora* Esper,1784 nec Cr.,1780; *heos* Herbst,1792; *chloe* Eversmann,1847; *sibirica* Lederer,1852.
- 4971. *Colias (Eriocolias) thisoa* Ménétériés,1832** (Pieridae) Synonym(s): *thisoa* Ménétériés,1832; *helenia* Herrich-Schäffer,[1844]; *eos* Herrich-Schäffer,[1848]; *#ludmilla* Schulte,1989. Larval foodplant(s): *Astragalus* sp. (Nekrutenko, 1990).
- 4972. *Colias (Eriocolias) thisoa nikolaevi* Korshunov,1998** (Pieridae) Synonym(s): *nikolaevi* Korshunov,1998
- 4973. *Colias (Eriocolias) thisoa thisoa* Ménétériés,1832** (Pieridae) Synonym(s): *thisoa* Ménétériés,1832; *helenia* Herrich-Schäffer,[1844]; *eos* Herrich-Schäffer,[1848]; *#ludmilla* Schulte,1989.
- 4974. *Colias (Eriocolias) viluensis* Ménétériés,1858** (Pieridae) Synonym(s): *viluensis* Ménétériés,1858
- 4975. *Colias (Eriocolias) viluensis viluensis* Ménétériés,1858** (Pieridae) Synonym(s): *viluensis* Ménétériés,1858
- 4976. *Colias (Eucolias) hecla* Lefèbvre,1836** (Pieridae) Synonym(s): *hecla* Lefèbvre,1836; *groenlandica* Heyne,1893 Larval foodplant(s): *Astragalus alpinus* (Tolman,1997).
- 4977. *Colias (Eucolias) hecla hecla* Lefèbvre,1836** (Pieridae) Synonym(s): *hecla* Lefèbvre,1836 Larval foodplant(s): *Astragalus alpinus* (Tolman,1997).
- 4978. *Colias (Eucolias) hecla sulitelma* Aurivillius,1890** (Pieridae) Synonym(s): *sulitelma* Aurivillius,1890
- 4979. *Colias (Eucolias) hyperborea* Groum-Grshimailo,1899** (Pieridae) Synonym(s): *hyperborea* Groum-Grshimailo,1899
- 4980. *Colias (Eucolias) hyperborea hyperborea* Groum-Grshimailo,1899** (Pieridae) Synonym(s): *hyperborea* Groum-Grshimailo,1899
- 4981. *Colias (Eucolias) nastes* Boisduval,1832** (Pieridae) Synonym(s): *nastes* Boisduval,1832 Larval foodplant(s): *Vaccinium*, *Astragalus alpinus* (Tolman,1997).
- 4982. *Colias (Eucolias) nastes dezhnevi* Korshunov,1995** (Pieridae) Synonym(s): *sibirica* Korshunov,1970 nec Lederer,1852; *dezhnevi* Korshunov,1995
- 4983. *Colias (Eucolias) nastes flinti* Churkin, Grieshuber et al.,2001** (Pieridae) Synonym(s): *flinti* Churkin, Grieshuber et al.,2001
- 4984. *Colias (Eucolias) nastes jacutica* Kurentsov,1970** (Pieridae) Synonym(s): *jacutica* Kurentsov,1970; *jacuttica* Ferris,1985; *jacuticola* Weiss & Mracek,1989.
- 4985. *Colias (Eucolias) nastes magadanica* Churkin, Grieshuber et al.,2001** (Pieridae) Synonym(s): *magadanica* Churkin, Grieshuber et al.,2001
- 4986. *Colias (Eucolias) nastes nastes* Boisduval,1832** (Pieridae) Synonym(s): *nastes* Boisduval,1832
- 4987. *Colias (Eucolias) nastes werdandi* Zetterstedt,1840** (Pieridae) Synonym(s): *werdandi* Zetterstedt,1840

- 4988. Colias (Eucolias) palaeno (Linnaeus,1761)** (Pieridae) Synonym(s): *palaeno* Linnaeus,1761 Larval foodplant(s): *Vaccinium uliginosum*, *V. myrtillus* (Tolman,1997).
- 4989. Colias (Eucolias) palaeno gomojunovae Korshunov,1996** (Pieridae) Synonym(s): *gomojunovae* Korshunov,1996
- 4990. Colias (Eucolias) palaeno orientalis Staudinger,1892** (Pieridae) Synonym(s): *orientalis* Staudinger,1892; *#arctica* Verity,1908; *sachalinensis* Matsumura,1925
- 4991. Colias (Eucolias) palaeno palaeno (Linnaeus,1761)** (Pieridae) Synonym(s): *palaeno* Linnaeus,1761
- 4992. Colias (Eucolias) tyche (Boeber,1812)** (Pieridae) Synonym(s): *tyche* Boeber,1812; *melinos* Eversmann,1847; *chloe* Eversmann,1847
- 4993. Colias (Eucolias) tyche herzi Staudinger,1901** (Pieridae) Synonym(s): *herzi* Staudinger,1901
- 4994. Colias (Eucolias) tyche kolosovae Churkin et al.,2001** (Pieridae) Synonym(s): *olga* Churkin et al.,2001 *nec Rom.*,1882; *kolosovae* Churkin et al.,2001
- 4995. Colias (Eucolias) tyche tyche (Boeber,1812)** (Pieridae) Synonym(s): *tyche* Boeber,1812; *melinos* Eversmann,1847; *chloe* Eversmann,1847
- 4996. Colias (Neocolias) aurorina Herrich-Schäffer,[1850]** (Pieridae) Synonym(s): *aurorina* Herrich-Schäffer,[1850] Larval foodplant(s): *Astracantha* [Astragalus] *caucasica*, *A. denudata*, *A. rumelica*, *A. parnassi cyllenus* (Nekrutenko, 1990; Tolman,1997).
- 4997. Colias (Neocolias) aurorina anna Gerhard,1882** (Pieridae) Synonym(s): *anna* Gerhard,1882; *daghestanica* Verhulst,1994
- 4998. Colias (Neocolias) erate (Esper,[1805])** (Pieridae) Synonym(s): *erate* Esper,[1805]; *afghana* O.Bang-Haas,1927 Larval foodplant(s): *Medicago sativa*, *Trifolium*, *Obobrychis*, *Melilotus* (Bartel, 1914).
- 4999. Colias (Neocolias) erate erate (Esper,[1805])** (Pieridae) Synonym(s): *erate* Esper,[1805]; *afghana* O.Bang-Haas,1927
- 5000. Colias (Neocolias) myrmidone (Esper,[1781])** (Pieridae) Synonym(s): *myrmidone* Esper,[1781] Larval foodplant(s): *Cytisus ratisbonensis*, *C. capitatus* (Tolman,1997).
- 5001. Colias (Neocolias) myrmidone ermak Groum-Grshimailo,1890** (Pieridae) Synonym(s): *ermak* Groum-Grshimailo,1890
- 5002. Colias (Neocolias) myrmidone myrmidone (Esper,[1781])** (Pieridae) Synonym(s): *myrmidone* Esper,[1781]
- 5003. Colias (s.str.) hyale (Linnaeus,1758)** (Pieridae) Synonym(s): *hyale* Linnaeus,1758; *#amdensis* Verity,[1911]. Larval foodplant(s): *Medicago sativa*, *M. lupulina*, *Lotus corniculatus*, *Trifolium pratense*, *Hippocrepis comosa*, *Securigera varia*, *Vicia cracca*, *Cytisus*, *Coronilla* (Eckstein, 1913; Tolman, 1997).
- 5004. Colias (s.str.) hyale altaica Verity,[1911]** (Pieridae) Synonym(s): *altaica* Verity,[1911]
- 5005. Colias (s.str.) hyale hyale (Linnaeus,1758)** (Pieridae) Synonym(s): *hyale* Linnaeus,1758 Larval foodplant(s): *Medicago sativa*, *M. lupulina*, *Lotus corniculatus*, *Trifolium pratense*, *Hippocrepis comosa*, *Securigera varia*, *Vicia cracca*, *Cytisus*, *Coronilla* (Eckstein, 1913; Tolman, 1997).
- 5006. Colias (s.str.) hyale irkutskana Stauder,1924** (Pieridae) Synonym(s): *irkutskana* Stauder,1924
- 5007. Colias (s.str.) sareptensis Staudinger,1881** (Pieridae) Synonym(s): *#sareptensis* Staudinger,1871; *sareptensis* Staudinger,1881. Larval foodplant(s): *Hippocrepis comosa*, *Coronilla varia* (Tolman,1997).
- 5008. Colias (s.str.) sareptensis sareptensis Staudinger,1881** (Pieridae) Synonym(s): *#sareptensis* Staudinger,1871; *sareptensis* Staudinger,1881; *remota* Reissinger,1989.

- 5009. *Colias aquilonaris* Groum-Grshimailo,1899** (Pieridae) Synonym(s): *aquilonaris* Groum-Grshimailo,1899
- 5010. *Colias aquilonaris aquilonaris* Groum-Grshimailo,1899** (Pieridae) Synonym(s): *aquilonaris* Groum-Grshimailo,1899
- 5011. *Colias mongola* Alpheraky,1897** (Pieridae) Synonym(s): *mongola* Alpheraky,1897; *sidonia* Weiss,1968.
- 5012. *Colias mongola mongola* Alpheraky,1897** (Pieridae) Synonym(s): *mongola* Alpheraky,1897; *sidonia* Weiss,1968.
- 5013. *Colias mongola ukokana* Korb & Yakovlev,2000** (Pieridae) Synonym(s): *ukokana* Korb & Yakovlev,2000
- 5014. *Colias poliographus* Motschulsky,1860** (Pieridae) Synonym(s): *poliographus* Motschulsky,1860 Frifolium, Vicia, Glycine max (sometimes pest) (Kurentzov, 1970; Fukuda et al., 1982).
- 5015. *Colias poliographus inversa* Alpheraky,1881** (Pieridae) Synonym(s): *#inversa* Alpheraky,1881
- 5016. *Colias poliographus poliographus* Motschulsky,1860** (Pieridae) Synonym(s): *poliographus* Motschulsky,1860
- 5017. *Euchloe (s.str.) ausonia* (Hübner,[1804])** (Pieridae) Synonym(s): *ausonia* Hübner,[1804]; *marchandae* Geyer,[1832]. Larval foodplant(s): *Sinapis arvensis*, *Isatis tinctoria*, *I. glauca*, *Aethionema saxatile*, *Iberis sempervirens*, *Biscutella mollis*, *B. laevigata*, *Bunias erucago*, *Alyssum saxatile* (Tolman, 1997).
- 5018. *Euchloe (s.str.) ausonia dubatolovi* Korshunov,1995** (Pieridae) Synonym(s): *dubatolovi* Korshunov,1995
- 5019. *Euchloe (s.str.) ausonia volgensis* Krulikowsky,1897** (Pieridae) Synonym(s): *volgensis* Krulikowsky,1897; *uralensis* Bartel,1902; *pfaffi* Trautman,1927.
- 5020. *Euchloe (s.str.) creusa* (Doubleday & Hewitson,1847)** (Pieridae) Synonym(s): *creusa* Doubleday & Hewitson,1847
- 5021. *Euchloe (s.str.) creusa kurentzovi* Beljaev,1986** (Pieridae) Synonym(s): *kurentzovi* Beljaev,1986
- 5022. *Euchloe (s.str.) creusa nemoralis* Beljaev,1986** (Pieridae) Synonym(s): *nemoralis* Beljaev,1986
- 5023. *Euchloe (s.str.) creusa orientalis* (Bremer,1864)** (Pieridae) Synonym(s): *orientalis* Bremer,1864; *emiorientalis* Verity,1911.
- 5024. *Euchloe (s.str.) naina* Kozhantshikov,1923** (Pieridae) Synonym(s): *naina* Kozhantshikov,1923
- 5025. *Euchloe (s.str.) naina kusnezovi* Korshunov,1995** (Pieridae) Synonym(s): *kusnezovi* Korshunov,1995
- 5026. *Euchloe (s.str.) naina naina* Kozhantshikov,1923** (Pieridae) Synonym(s): *naina* Kozhantshikov,1923
- 5027. *Gonepteryx (s.str.) aspasia* (Ménétriés,1859)** (Pieridae) Synonym(s): *aspasia* Ménétriés,1859; *acuminata* Matsumura,1929.
- 5028. *Gonepteryx (s.str.) aspasia aspasia* (Ménétriés,1859)** (Pieridae) Synonym(s): *aspasia* Ménétriés,1859; *acuminata* Matsumura,1929.
- 5029. *Gonepteryx (s.str.) maxima* (Butler,1885)** (Pieridae) Synonym(s): *maxima* Butler,1885
- 5030. *Gonepteryx (s.str.) maxima amurensis* (Graeser,1888)** (Pieridae) Synonym(s): *amurensis* Graeser,1888
- 5031. *Gonepteryx (s.str.) rhamni* (Linnaeus,1758)** (Pieridae) Synonym(s): *rhamni* Linnaeus,1758; *gravesi* Huggins,1956. Larval foodplant(s): *Frangula alnus*, *Rhamnus catharticus*, *R. alaternus*, *R. alpinus* (?) *alpinus*, *R. a. fallax*, *R. myrtifolia*, *R. oleoides* (Linnaeus,1758; Tolman, 1997).
- 5032. *Gonepteryx (s.str.) rhamni nana* Wnukowsky,1935** (Pieridae) Synonym(s): *nana* Wnukowsky,1935

- 5033. Gonepteryx (s.str.) rhamni rhamni (Linnaeus,1758) (Pieridae)**
Synonym(s): *rhamni* Linnaeus,1758; *gravesi* Huggins,1956.
- 5034. Leptidea amurensis (Ménétriés,1858) (Pieridae)** Synonym(s): *amurensis* Ménétriés,1858
- 5035. Leptidea amurensis amurensis (Ménétriés,1858) (Pieridae)**
Synonym(s): *amurensis* Ménétriés,1858
- 5036. Leptidea amurensis emisinapis Verity,1911 (Pieridae)** Synonym(s): *emisinapis* Verity,1911
- 5037. Leptidea amurensis jacutia Gorbunov & Korshunov,1995 (Pieridae)**
Synonym(s): *jacutia* Gorbunov & Korshunov,1995
- 5038. Leptidea morsei (Fenton,1881) (Pieridae)** Synonym(s): *morsei* Fenton,1882
Larval foodplant(s): *Lathyrus verna*, *L. niger* (Tolman,1997).
- 5039. Leptidea morsei major Lorkovic,1927 (Pieridae)** Synonym(s): *#major* Grund,1905; *#morseides* Verity,[1911]; *major* Lorkovic,1927
- 5040. Leptidea reali Reissinger,1989 (Pieridae)** Synonym(s): *lorkovicii* Reissinger,1988 nec Pfeiffer,1932; *reali* Reissinger,1989.
- 5041. Leptidea reali reali Reissinger,1989 (Pieridae)** Synonym(s): *lorkovicii* Reissinger,1988 nec Pfeiffer,1932; *reali* Reissinger,1989.
- 5042. Leptidea sinapis (Linnaeus,1758) (Pieridae)** Synonym(s): *sinapis* Linnaeus,1758; *candidus* Retzius,1783; *erysimi* Borkhausen,1788; *lathyri* Hübner,[1819]; *loti* Rennie,1832; *umbratica* Trimoulet,1858; *sartha* Rühl,1893; *stabiaram* Stauder,1914; *nigrescens* Verity,1919; *patunae* Stauder,1922; *lathyricana* Verity,1952. Larval foodplant(s): *Lathyrus pratensis*, *L. grandiflorus*, *L. tuberosus*, *L. montanus*, *L. linifolius*, *L. vernus*, *L. niger*, *L. aphaca*, *Lotus uliginosus*, *L. corniculatus* (Tolman, 1997).
- 5043. Leptidea sinapis sinapis (Linnaeus,1758) (Pieridae)** Synonym(s): *sinapis* Linnaeus,1758; *candidus* Retzius,1783; *erysimi* Borkhausen,1788; *lathyri* Hübner,[1819]; *loti* Rennie,1832; *umbratica* Trimoulet,1858; *sartha* Rühl,1893; *stabiaram* Stauder,1914; *nigrescens* Verity,1919; *patunae* Stauder,1922; *lathyricana* Verity,1952.
- 5044. Microzegrus pyrothoe (Eversmann,1832) (Pieridae)** Synonym(s): *pyrothoe* Eversmann,1832 -.
- 5045. Microzegrus pyrothoe pyrothoe (Eversmann,1832) (Pieridae)**
Synonym(s): *pyrothoe* Eversmann,1832
- 5046. Paramidea scolymus (Butler,[1866]) (Pieridae)** Synonym(s): *scolymus* Butler,[1866]; *#discalis* Bryk,1946.
- 5047. Paramidea scolymus mandschurica (Bollow,1930) (Pieridae)**
Synonym(s): *mandschurica* Bollow,1930
- 5048. Pieris (Artogeia) bryoniae (Hübner,[1804]) (Pieridae)** Synonym(s): *bryoniae* Hübner,[1804]; *neobryoniae* Miller,1933; *wolfsbergeri* Eitschberger,[1984]; *debrosi* Eitschberger,[1984] (cf. Leraut,1997). Larval foodplant(s): *Cardamine bellidifolia alpina*, *C. resedifolia*, *Biscutella laevigata*, *Thlaspi alpinum*, *T. montanum* (Tolman, 1997).
- 5049. Pieris (Artogeia) bryoniae bryoniae (Hübner,[1804]) (Pieridae)**
Synonym(s): *bryoniae* Hübner,[1804]; *neobryoniae* Miller,1933; *wolfsbergeri* Eitschberger,[1984]; *debrosi* Eitschberger,[1984] (cf. Leraut,1997).
- 5050. Pieris (Artogeia) bryoniae heptapotamica Krulikowsky,1904 (Pieridae)** Synonym(s): *heptapotamica* Krulikowsky,1904; *bryonides* Sheljuzhko,1910
- 5051. Pieris (Artogeia) bryoniae sheljuzhkoi Eitschberger,1984 (Pieridae)**
Synonym(s): *sheljuzhkoi* Eitschberger,1984
- 5052. Pieris (Artogeia) canidia (Sparrman,1768) (Pieridae)** Synonym(s): *canidia* Sparrman,1768
- 5053. Pieris (Artogeia) dulcinea Butler,1882 (Pieridae)** Synonym(s): *dulcinea* Butler,1882; *sichotensis* Kurentzov,1941; *sulphurea* Sheljuzhko,1961.
- 5054. Pieris (Artogeia) dulcinea dulcinea Butler,1882 (Pieridae)** Synonym(s): *dulcinea* Butler,1882; *sichotensis* Kurentzov,1941; *sulphurea* Sheljuzhko,1961.
- 5055. Pieris (Artogeia) dulcinea saghalensis Nakahara,1926 (Pieridae)**
Synonym(s): *saghalensis* Nakahara,1926

- 5056. *Pieris (Artogeia) euorientis* Verity,[1908]** (Pieridae) Synonym(s): *euorientis* Verity,[1908]
- 5057. *Pieris (Artogeia) eurorientis euorientis* Verity,[1908]** (Pieridae) Synonym(s): *euorientis* Verity,[1908]
- 5058. *Pieris (Artogeia) mannii* (Mayer,1851)** (Pieridae) Synonym(s): *mannii* Mayer,1851; *manni* Verity,1908; *alpigena* Verity,1911; *roberti* Eitschberger & Steiniger,1973. Larval foodplant(s): *Iberis sempervirens*, *I. saxatilis* (Tolman,1997).
- 5059. *Pieris (Artogeia) mannii mannii* (Mayer,1851)** (Pieridae) Synonym(s): *mannii* Mayer,1851; *manni* Verity,1908; *alpigena* Verity,1911; *roberti* Eitschberger & Steiniger,1973.
- 5060. *Pieris (Artogeia) melete* Ménétriés,1857** (Pieridae) Synonym(s): *melete* Ménétriés,1857 *Arabis sagittata*, *A. glauca*, *Cardamine leucanthe*, *Sisymbrium officinale* (Kurentzov, 1970).
- 5061. *Pieris (Artogeia) melete orientis* Oberthür,1880** (Pieridae) Synonym(s): *orientis* Oberthür,1880; *erutae* Poujade,1880; *transiens* Verity,1908; *amuri* Sheljuzhko,1960.
- 5062. *Pieris (Artogeia) napi* (Linnaeus,1758)** (Pieridae) Synonym(s): *napi* Linn.,1758; *napaeae* Esper,[1804]; *dubiosa* Röber,1907; *napoleon* Eitschb.,1990 *Cardamine pratensis*, *C. amara*, *C. palustris*, *Nasturtium officinale*, *Lepidium heterophyllum*, *Lunaria rediviva*, *Hesperia matronalis*, *Arabis turrita*, *A. glabra*, *A. hirsuta*, *Sisymbrium officinale*, *Alliaria petiolata*, *Sinapis arvensis*, *Alyssum spinosum*, *A. saxatile*, *Cheiranthus cheiri* (Tolman, 1997).
- 5063. *Pieris (Artogeia) napi napi* (Linnaeus,1758)** (Pieridae) Synonym(s): *napi* Linn.,1758; *napaeae* Esper,[1804]; *dubiosa* Röber,1907; *napoleon* Eitschb.,1990
- 5064. *Pieris (Artogeia) napi orientis* Oberthür,1880** (Pieridae) Synonym(s): *orientis* Oberthür,1880
- 5065. *Pieris (Artogeia) nesis* Fruhstorfer,1909** (Pieridae) Synonym(s): *nesis* Fruhstorfer,1909
- 5066. *Pieris (Artogeia) nesis nesis* Fruhstorfer,1909** (Pieridae) Synonym(s): *nesis* Fruhstorfer,1909
- 5067. *Pieris (Artogeia) pseudorapae* Verity,1908** (Pieridae) Synonym(s): *pseudorapae* Verity,1908
- 5068. *Pieris (Artogeia) pseudorapae suffusa* Sheljuzhko,1931** (Pieridae) Synonym(s): *suffusa* Sheljuzhko,1931
- 5069. *Pieris (Artogeia) rapae* (Linnaeus,1758)** (Pieridae) Synonym(s): *rapae* Linnaeus,1758; *nelo* Bergsträßer,1780; *metra* Stephens,1827; *alpica* Rossi,1929. Larval foodplant(s): leaf of *Rapa* (Brassicaceae), *Capparis spinosa* (Capparaceae), *Atriplex* (Chenopodiaceae) (Tolman,1997); *Cleome ruditosperma* (Capparaceae) (Kemal,2006).
- 5070. *Pieris (Artogeia) rapae crucivora* Boisduval,1836** (Pieridae) Synonym(s): *crucivora* Boisduval,1836
- 5071. *Pieris (Artogeia) rapae orientalis* Oberthür,1880** (Pieridae) Synonym(s): *orientalis* Oberthür,1880; *mandschurica* Speyer,1882
- 5072. *Pieris (Artogeia) rapae rapae* (Linnaeus,1758)** (Pieridae) Synonym(s): *rapae* Linnaeus,1758; *nelo* Bergsträßer,1780; *metra* Stephens,1827; *alpica* Rossi,1929; *pulverea* Verity,[1911].
- 5073. *Pieris (Artogeia) tomariana* Matsumura,1928** (Pieridae) Synonym(s): *tomariana* Matsumura,1928; *kurilica* Bryk,1942.
- 5074. *Pieris (s.str.) brassicae* (Linnaeus,1758)** (Pieridae) Synonym(s): *brassicae* Linnaeus,1758; *chariclea* Stephens,1827; *#venata* Verity,1908; *cyniphia* Turati,1924. Larval foodplant(s): *Brassica*, *Capparis spinosa*, *Tropaeolum majus* (Tolman,1997).
- 5075. *Pieris (s.str.) brassicae brassicae* (Linnaeus,1758)** (Pieridae) Synonym(s): *brassicae* Linnaeus,1758; *chariclea* Stephens,1827; *#venata* Verity,1908; *cyniphia* Turati,1924.

- 5076. *Pontia callidice* (Hübner,[1800])** (Pieridae) Synonym(s): *callidice* Hübner,[1800]; *callidice* Esper,[1803]. Larval foodplant(s): *Erysimum helveticum*, *Reseda glauca*, *Cardamine bellidifolia*, *Hutchinsia alpina* (Tolman, 1997).
- 5077. *Pontia callidice chrysidice* (Herrich-Schäffer,[1844])** (Pieridae) Synonym(s): *chrysidice* Herrich-Schäffer,[1844]
- 5078. *Pontia chloridice* (Hübner,[1813])** (Pieridae) Synonym(s): *russiae* Esper,[1784] nec *russiae* Esper,[1783]; *chloridice* Hübner,[1813]; *#aestuosa* Staudinger,1901; *albidice* Staudinger,1901 nec Oberthür,1881. Larval foodplant(s): *Cymatocarpus popovi*, *Sisymbrium polymorphum*, *S. junceum*, *Descurainia sophia* (Bartel, 1914; Korshunov, 1981; Tolman, 1997).
- 5079. *Pontia chloridice chloridice* (Hübner,[1813])** (Pieridae) Synonym(s): *russiae* Esper,[1784] nec *russiae* Esper,[1783]; *chloridice* Hübner,[1813]; *#aestuosa* Staudinger,1901; *albidice* Staudinger,1901 nec Oberthür,1881.
- 5080. *Pontia daplidice* (Linnaeus,1758)** (Pieridae) Synonym(s): *daplidice* Linnaeus,1758; *belemida* Geyer,[1832]; *albidice* Oberthür,1881; *iberidice* Bryk,1940. Larval foodplant(s): *Reseda luteola*, *R. alba*, *R. lutea*, *Sisymbrium*, *Erysimum*, *Ptilotrichum*, *Arabis*, *Moricandia*, *Alyssum*, *Sinapis*, *Iberis*, *Diplotaxis*, *Descurainia*, *Lepidium*, *Raphanus*, *Thlaspi*, *Fibigia* (Tolman,1997).
- 5081. *Pontia daplidice daplidice* (Linnaeus,1758)** (Pieridae) Synonym(s): *daplidice* Linnaeus,1758; *belemida* Geyer,[1832]; *albidice* Oberthür,1881; *iberidice* Bryk,1940.
- 5082. *Pontia edusa* (Fabricius,1777)** (Pieridae) Synonym(s): *edusa* Fabricius,1777; *bellidice* Ochsenheimer,1808; *persica* Bienert,1869; *#nitida* Verity,[1908]. Larval foodplant(s): *Reseda alba*, *R. lutea*, *R. luteola*, *Descurainia sophia*, *Diplotaxis*, *Thlaspi*, *Teesdalia nudicaulis*, *Turritis*, *Lepidium* sp., *Isatis tinctoria* (Lavroff, 1927; Falkovitsh, 1969; Tolman, 1997).
- 5083. *Pontia edusa edusa* (Fabricius,1777)** (Pieridae) Synonym(s): *edusa* Fabricius,1777; *bellidice* Ochsenheimer,1808; *persica* Bienert,1870; *#nitida* Verity,[1908].
- 5084. *Zegris eupheme* (Esper,[1804])** (Pieridae) Synonym(s): *eupheme* Esper,[1804]; *erithoe* Eversmann,1832; *tschudica* Herrich-Schäffer,[1851]. Larval foodplant(s): *Biscutella*, *Sinapis*, *Raphanus*, *Sisymbrium polymorphum*, *Camelina laxa*, *Hirschfeldia incana*, *Isatis tinctoria* (Nekrutenko, 1990; Tolman, 1997; Calle et al.,2000).
- 5085. *Zegris eupheme eupheme* (Esper,[1804])** (Pieridae) Synonym(s): *eupheme* Esper,[1804]; *erithoe* Eversmann,1832; *tschudica* Herrich-Schäffer,[1851].
- 5086. *Lampronia aeneella* (Heinemann,1870)** (Prodoxidae) Synonym(s): *aeneella* Heinemann,1870
- 5087. *Lampronia altaica* Zagulyaev,1992** (Prodoxidae) Synonym(s): *altaica* Zagulyaev,1992
- 5088. *Lampronia argillella* (Zeller,1851)** (Prodoxidae) Synonym(s): *argillella* Zeller,1851
- 5089. *Lampronia flavimitrella* (Hübner,[1817])** (Prodoxidae) Synonym(s): *flavimitrella* Hübner,[1817]
- 5090. *Lampronia fuscata* (Tengström,1848)** (Prodoxidae) Synonym(s): *fuscata* Tengström,1848
- 5091. *Lampronia koernerella* (Zeller,1839)** (Prodoxidae) Synonym(s): *koernerella* Zeller,1839; *albicostella* Duponchel,[1845]
- 5092. *Lampronia luzella* (Hübner,[1817])** (Prodoxidae) Synonym(s): *luzella* Hübner,[1817]
- 5093. *Lampronia morosa* Zeller,1852** (Prodoxidae) Synonym(s): *morosa* Zeller,1852
- 5094. *Lampronia provectella* (Heyden,1865)** (Prodoxidae) Synonym(s): *provectella* Heyden,1865
- 5095. *Lampronia redimitella* (Lienig & Zeller,1846)** (Prodoxidae) Synonym(s): *redimitella* Lienig & Zeller,1846
- 5096. *Lampronia splendidella* (Heinemann,1870)** (Prodoxidae) Synonym(s): *splendidella* Heinemann,1870

- 5097. *Lampronia standfussiella* Zeller,1852** (Prodoxidae) Synonym(s): *standfussiella* Zeller,1852
- 5098. *Acanthopsyche atra* (Linnaeus,1767)** (Psychidae) Synonym(s): *atra* Linnaeus,1767; *stigmatella* Zetterstedt,1839; *opacella* Herrich-Schäffer,1846.
- 5099. *Acanthopsyche ecksteini* (Lederer,1855)** (Psychidae) Synonym(s): *ecksteini* Lederer,1855; *erksteiniella* Bruand,1858.
- 5100. *Acanthopsyche incana* Kozhantshikov,1956** (Psychidae) Synonym(s): *incana* Kozhantshikov,1956
- 5101. *Acanthopsyche uralensis* (Freyer,1852)** (Psychidae) Synonym(s): *uralensis* Freyer,1852
- 5102. *Acentra subvestalis* (Wehrli,1933)** (Psychidae) Synonym(s): *subvestalis* Wehrli,1933
- 5103. *Acentra vestalis* (Staudinger,1871)** (Psychidae) Synonym(s): *vestalis* Staudinger,1871
- 5104. *Apterona crenulella* (Bruand,1853)** (Psychidae) Synonym(s): *crenulella* Bruand,1853
- 5105. *Apterona helicoidella* (Vallot,1827)** (Psychidae) Synonym(s): *helicoidella* Vallot,1827; *resedella* Vallot,1843; *helix* Siebold,[1851].
- 5106. *Bacotia claustralla* (Bruand,1845)** (Psychidae) Synonym(s): *claustralla* Bruand,1845
- 5107. *Bijugis bombycella* ([Denis & Schiffermüller],1775)** (Psychidae) Synonym(s): *bombycella* [Denis & Schiffermüller],1775
- 5108. *Bijugis pectinella* ([Denis & Schiffermüller],1775)** (Psychidae) Synonym(s): *pectinella* [Denis & Schiffermüller],1775
- 5109. *Bijugis subgrisea* Kozhantshikov,1956** (Psychidae) Synonym(s): *subgrisea* Kozhantshikov,1956
- 5110. *Bruandia elongatella* (Kozhantshikov,1956)** (Psychidae) Synonym(s): *elongatella* Kozhantshikov,1956
- 5111. *Canephora borealis* (Kozhantshikov,1956)** (Psychidae) Synonym(s): *borealis* Kozhantshikov,1956
- 5112. *Canephora hirsuta* (Poda,1761)** (Psychidae) Synonym(s): *hirsuta* Poda,1761; *dubia* Scopoli,1763; *unicolor* Hufnagel,1766; *xylophthorum* Pallas,1767; *vestita* Fabricius,1775; *fasciculifera* Fourcroy,1785; *quercus* Schrank,1802; *vestitella* Hübner,[1825]; *asiatica* Staudinger,1887.
- 5113. *Canephora lutea* (Staudinger,1871)** (Psychidae) Synonym(s): *lutea* Staudinger,1871
- 5114. *Canephora senex* (Staudinger,1871)** (Psychidae) Synonym(s): *senex* Staudinger,1871
- 5115. *Canephora simulans* (Kozhantshikov,1956)** (Psychidae) Synonym(s): *simulans* Kozhantshikov,1956
- 5116. *Canephora villosella* (Ochsenheimer,1810)** (Psychidae) Synonym(s): *villosella* Ochsenheimer,1810
- 5117. *Canephora villosella villosella* (Ochsenheimer,1810)** (Psychidae) Synonym(s): *villosella* Ochsenheimer,1810
- 5118. *Dahlica lichenella* (Linnaeus,1761)** (Psychidae) Synonym(s): *lichenella* Linnaeus,1761
- 5119. *Dahlica triquetrella* (Hübner,[1813])** (Psychidae) Synonym(s): *triquetrella* Hübner,[1813]
- 5120. *Diplodoma caucasica* Zagulyaev,1985** (Psychidae) Synonym(s): *caucasica* Zagulyaev,1985
- 5121. *Diplodoma laichartingella* (Goeze,1783)** (Psychidae) Synonym(s): *laichartingella* Goeze,1783; *herminata* Fourcroy,1785; *herminatella* Villers,1789; *marginepunctella* Stephens,1835; *siderella* Zeller,1839.
- 5122. *Diplodoma taurica* Zagulyaev,1985** (Psychidae) Synonym(s): *taurica* Zagulyaev,1985
- 5123. *Eosolenobia grisea* Filipjev,1924** (Psychidae) Synonym(s): *grisea* Filipjev,1924
- 5124. *Eosolenobia suifunella* (Christoph,1881)** (Psychidae) Synonym(s): *suifunella* Christoph,1881

- 5125. *Epichnopterix moskvensis* Solyanikov,2001** (Psychidae) Synonym(s): *moskvensis* Solyanikov,2001
- 5126. *Epichnopterix plumella* ([Denis & Schiffermüller],1775)** (Psychidae) Synonym(s): *plumella* [Denis & Schiffermüller],1775; *pulla* Esper,[1785]
- 5127. *Epichnopterix sieboldi* (Reutti,1853)** (Psychidae) Synonym(s): *sieboldi* Reutti,1853
- 5128. *Eumasia parietariella* (Heydenreich,1851)** (Psychidae) Synonym(s): *parietariella* Heydenreich,1851; *crepusculella* Müller-Rutz,1920.
- 5129. *Eumelasina ardua* Kozhantshikov,1956** (Psychidae) Synonym(s): *ardua* Kozhantshikov,1956
- 5130. *Eumelasina multivenosa* (Kozhantshikov,1956)** (Psychidae) Synonym(s): *multivenosa* Kozhantshikov,1956
- 5131. *Eumeta variegata* (Snellen,1879)** (Psychidae) Synonym(s): *variegata* Snellen,1879; *layardii* Moore,1881; *pryeri* Leech,1888; *sikkima* Moore,1891; *wallacei* Swinhoe,1892
- 5132. *Lepidoscioptera hirsutella* ([Denis & Schiffermüller],1775)** (Psychidae) Synonym(s): *hirsutella* [Denis & Schiffermüller],1775
- 5133. *Lepidoscioptera plumistrella* (Hübner,1793)** (Psychidae) Synonym(s): *plumistrella* Hübner,1793
- 5134. *Megalophanes viciella* ([Denis & Schiffermüller],1775)** (Psychidae) Synonym(s): *viciella* [Denis & Schiffermüller],1775; *orientalis* Dierl,1977.
- 5135. *Melasina korbi* Rebel,1906** (Psychidae) Synonym(s): *korbi* Rebel,1906
- 5136. *Melasina lugubris* (Hübner,1793)** (Psychidae) Synonym(s): *lugubris* Hübner,1793; *ciliaris* Ochsenheimer,1810; *lugubris* Hübner,[1808] *nec* Fabricius,1777; *aequalis* Osthelder,1938
- 5137. *Melasina punctata* (Herrich-Schäffer,[1855])** (Psychidae) Synonym(s): *punctata* Herrich-Schäffer,[1855]
- 5138. *Narycia duplicella* (Goeze,1783)** (Psychidae) Synonym(s): *duplicella* Goeze,1783; *monilifera* Geoffroy,1785.
- 5139. *Phalacropterix graslinella* (Boisduval,1852)** (Psychidae) Synonym(s): *graslinella* Boisduval,1852; *atribombycella* Bruand,1853
- 5140. *Praesolenobia desertella* (Rebel,1919)** (Psychidae) Synonym(s): *desertella* Rebel,1919
- 5141. *Proutia betulina* (Zeller,1839)** (Psychidae) Synonym(s): *betulina* Zeller,1839; *salicicolella* Bruand,1853; *rouasti* Heylaerts,1879; *eppingella* Tutt,1900.
- 5142. *Psyche casta* (Pallas,1767)** (Psychidae) Synonym(s): *casta* Pallas,1767; *nitidella* Hübner,1793; *germanica* Chapman,1900; *minor* Chapman,1900; *bowerella* Chapman,1900; *mitterdella* Chapman,1900; *niphonica* Hori,1926; *ussuriensis* Kozhantshikov,1956.
- 5143. *Psyche caucasica* (Solyanikov,1991)** (Psychidae) Synonym(s): *caucasica* Solyanikov,1991
- 5144. *Psyche crassiorella* (Bruand,[1851])** (Psychidae) Synonym(s): *crassiorella* Bruand,[1851]; *intermediella* Bruand,1853; *affinis* Reutti,1853; *subflavella* Milliere,1876; *ciliella* Chapman,1900; *danieli* Siedler,1958.
- 5145. *Psyche ghilarovi* (Solyanikov,1991)** (Psychidae) Synonym(s): *ghilarovi* Solyanikov,1991
- 5146. *Ptilocephala (Deuterohyalina) kahri* (Lederer,1857)** (Psychidae) Synonym(s): *kahri* Lederer,1857
- 5147. *Ptilocephala (gr.4) plumifera* (Ochsenheimer,1810)** (Psychidae) Synonym(s): *plumifera* Ochsenheimer,1810; *mediterranea* Lederer,1853.
- 5148. *Ptilocephala (s.str.) muscella* ([Denis & Schiffermüller],1775)** (Psychidae) Synonym(s): *muscella* [Denis & Schiffermüller],1775
- 5149. *Rebelia herrichiella* Strand,1912** (Psychidae) Synonym(s): *herrichiella* Strand,1912
- 5150. *Rebelia nocturnella* (Alpheraky,1876)** (Psychidae) Synonym(s): *nocturnella* Alpheraky,1876
- 5151. *Reisseronia staudingeri* (Heylaerts,1879)** (Psychidae) Synonym(s): *staudingeri* Heylaerts,1879

- 5152. *Siederia listerella* (Linnaeus,1758)** (Psychidae) **Synonym(s):** *listerella* Linnaeus,1758; *cembrella* Linnaeus,1761; *cembrae* Haworth,1811; *listeri* Haworth,1828; *cembralis* Guenée,1854.
- 5153. *Sterrhopterix fusca* (Haworth,1809)** (Psychidae) **Synonym(s):** *fusca* Haworth,1809; *calvella* Ochsenheimer,1810; *fuscella* Meigen,1832; *gozmanyi* Kovacs,1953
- 5154. *Sterrhopterix standfussi* (Wocke,1851)** (Psychidae) **Synonym(s):** *standfussi* Wocke,1851
- 5155. *Taleporia borealis* Wocke,1862** (Psychidae) **Synonym(s):** *borealis* Wocke,1862
- 5156. *Taleporia euxina* Zagulyaev,1997** (Psychidae) **Synonym(s):** *euxina* Zagulyaev,1997
- 5157. *Taleporia pallidella* (Zagulyaev,1997)** (Psychidae) **Synonym(s):** *pallidella* Zagulyaev,1997
- 5158. *Taleporia politella* (Ochsenheimer,1816)** (Psychidae) **Synonym(s):** *politella* Ochsenheimer,1816; *lefevriella* Duponchel,1842; *minorella* Duponchel,1842
- 5159. *Taleporia tubulosa* (Retzius,1783)** (Psychidae) **Synonym(s):** *tubulosa* Retzius,1783; *pseudobombycella* Hübner,1796; *glabrella* Ochsenheimer,1816; *tessellea* Haworth,1828; *tesserella* Stephens,1829; *anderreggella* Duponchel,1842; *guenei* Zeller,1852; *hirta* Bartosova & Duskova,1958
- 5160. *Whittleia undulella* (Fischer v. Röslerstamm,1837)** (Psychidae) **Synonym(s):** *undulella* Fischer v. Röslerstamm,1837
- 5161. *Adaina microdactyla* (Hübner,[1813])** (Pterophoridae) **Synonym(s):** *microdactyla* Hübner,[1813]; *carphodactylus* Stephens,1834; *subflavescens* Meyrick,1930; *montivola* Meyrick,1937. **Larval foodplant(s):** *Eupatorium cannabinum* (Beirne,1954).
- 5162. *Agdistis* (Adenistis) *caradjai* Arenberger,1975** (Pterophoridae) **Synonym(s):** *caradjai* Arenberger,1975; *dagestanica* Zagulyaev & Filippova,1976.
- 5163. *Agdistis* (Adenistis) *falkovitshi* Zagulyaev,1986** (Pterophoridae) **Synonym(s):** *falkovitshi* Zagulyaev,1986
- 5164. *Agdistis* (Adenistis) *rubasiensis* Zagulyaev,1985** (Pterophoridae) **Synonym(s):** *rubasiensis* Zagulyaev,1985
- 5165. *Agdistis* (Frankistis) *frankeniae* (Zeller,1847)** (Pterophoridae) **Synonym(s):** *frankeniae* Zeller,1847; *lerinsis* Millière,1876; *bahrlutia* Amsel,1955; *tondeuri* Bigot,1963; *rupestris* Bigot,1974; *rjabovi* Zagulyaev & Filippova,1976; *kulunda* Ustjuzhanin,1991.
- 5166. *Agdistis* (Frankistis) *mevlaniella* Arenberger,1972** (Pterophoridae) **Synonym(s):** *mevlaniella* Arenberger,1972
- 5167. *Agdistis* (Meridistis) *intermedia* Caradja,1920** (Pterophoridae) **Synonym(s):** *intermedia* Caradja,1920; *hungarica* Amsel,1955.
- 5168. *Agdistis* (Meridistis) *singula* Arenberger,1995** (Pterophoridae) **Synonym(s):** *singula* Arenberger,1995
- 5169. *Agdistis* (Tamaristis) *ingens* Christoph,1887** (Pterophoridae) **Synonym(s):** *ingens* Christoph,1887.
- 5170. *Agdistis* (Tamaristis) *tamaricis* (Zeller,1847)** (Pterophoridae) **Synonym(s):** *tamaricis* Zeller,1847; *bagdadiensis* Amsel,1949; *xinjiangsis* Qin & Zheng,1997. **Larval foodplant(s):** *Tamarix gallica*, *Myricaria germanica* (sensu auctorum).
- 5171. *Agdistis* (s.str.) *adactyla* (Hübner,[1819])** (Pterophoridae) **Synonym(s):** *adactyla* Hübner,[1819]; *huebneri* Curtis,1834; *delphinensella* Bruand,1858; *shaanxisis* Qin & Zheng,1997. **Larval foodplant(s):** *Artemisia campestris*, *A. scoparia*, *Chenopodium fruticosum*, *Erica cinerea*, *Santolina chamaecyparissus* (sensu auctorum).
- 5172. *Agdistis* (s.str.) *satanas* Millière,1876** (Pterophoridae) **Synonym(s):** *satanas* Millière,1876; *nanus* Turati,1924; *pseudosatanas* Amsel,1952.
- 5173. *Agdistis* *rjabovi* Zagulyaev & Filippova,1976** (Pterophoridae) **Synonym(s):** *rjabovi* Zagulyaev & Filippova,1976
- 5174. *Amblyptilia acanthadactyla* (Hübner,[1813])** (Pterophoridae) **Synonym(s):** *acanthadactyla* Hübner,[1813]; *odontodactyla* Charpentier,1821; *calaminthae* Frey,1886; *tetralicella* Hofmann,1895. **Larval foodplant(s):** *Stachys sylvatica*, *Ononis natrix*, *O.*

- repens, *O. spinosa*, *Mentha*, *Euphrasia*, *Salvia*, *Teucrium scorodonia*, *Calluna vulgaris*, *Geranium robertianum*, *Bartsia*, *Erica tetralix*, *Carlina*, *Lavandula stoechas*, *Vaccinium oxycoccus*, *Jurinea*, *Nepeta* (auct.).
- 5175. *Amblyptilia punctidactyla* (Haworth,1811)** (Pterophoridae) Synonym(s): *punctidactyla* Haworth,1811; *cosmodactyla* Hübner,[1819]; *ulodactyla* Zetterstedt,1839; *stachydalis* Frey,1870; *nivea* Bankes,1906; *moerens* Snellen,1884; *jezoensis* Matsumura,1931; *bella* Yano,1963. Larval foodplant(s): *Stachys sylvatica*, *Aquilegia vulgaris*, *Geranium pratense*, *Erodium cicutarium*, *Salvia glutinosa*, *Primula*, *Ononis spinosa*, *Prunella* (sensu auctorum).
- 5176. *Buckleria paludum* (Zeller,1839)** (Pterophoridae) Synonym(s): *paludum* Zeller,1839; *paludidactylus* Bruand,1859; *paludicola* Flethcer,1907; *dolichos* Matsumura,1931. Larval foodplant(s): *Drosera rotundifolia*, *D. burmanni*, *D. spathulata*, *D. indica* (sensu auctorum).
- 5177. *Buszkoiana capnodactyla* (Zeller,1841)** (Pterophoridae) Synonym(s): *capnodactylus* Zeller,1841 Larval foodplant(s): *Petasites hybridus* (Asteraceae) (Wolf,1953; Spronck,2001).
- 5178. *Calyciphora homiodactyla* (Kasy,1960)** (Pterophoridae) Synonym(s): *homiodactyla* Kasy,1960
- 5179. *Calyciphora nephelodactyla* (Eversmann,1844)** (Pterophoridae) Synonym(s): *nephelodactyla* Eversmann,1844; *apollina* Millièrre,1882; *extensa* Zagulyaev,1986.
- 5180. *Calyciphora xanthodactyla* (Treitschke,1833)** (Pterophoridae) Synonym(s): *xanthodactyla* Treitschke,1833
- 5181. *Calyciphora xerodactyla* (Zeller,1841)** (Pterophoridae) Synonym(s): *xerodactyla* Zeller,1841; *sicula* Fuchs,1901.
- 5182. *Capperia britanniodactyla* (Gregson,1869)** (Pterophoridae) Synonym(s): *britanniodactyla* Gregson,1869; *teucii* Jordan,1869. Larval foodplant(s): *Teucrium scorodonia* (Beirne,1954; et seq.)
- 5183. *Capperia celeusi* (Frey,1886)** (Pterophoridae) Synonym(s): *celeusi* Frey,1886; *intercisus* Meyrick,1930; *belutschistanella* Amsel,1959; *karakalensis* Gibeaux,1997. Larval foodplant(s): *Teucrium chamaedrys* (Frey,1886 et seq.).
- 5184. *Capperia fusca* (Hofmann,1898)** (Pterophoridae) Synonym(s): *fusca* Hofmann,1898; *marrubii* Adamczewski,1951 Larval foodplant(s): *Stachys alpina*, *Marrubium vulgare* (Hofmann,1898; Adamczewski,1951; et seq.).
- 5185. *Capperia lorana* (Fuchs,1895)** (Pterophoridae) Synonym(s): *loranus* Fuchs,1895; *sequanensis* Gibeaux,1990 Larval foodplant(s): ? *Teucrium botrys* (Arenberger,1990).
- 5186. *Capperia maratonica* Adamczewski,1951** (Pterophoridae) Synonym(s): *maratonica* Adamczewski,1951 Larval foodplant(s): *Teucrium scordium* ssp. *scordioides* (Buszko,1979; et seq.).
- 5187. *Capperia taurica* Zagulyaev,1987** (Pterophoridae) Synonym(s): *taurica* Zagulyaev,1987; *irkutica* Arenberger,1989.
- 5188. *Capperia trichodactyla* ([Denis & Schiffermüller],1775)** (Pterophoridae) Synonym(s): *trichodactyla* [Denis & Schiffermüller],1775; *leonuri* Stange,1882; *affinis* Müller-Rutz,1933. Larval foodplant(s): *Leonurus cardiaca* (Mittelberger,1912; et seq.).
- 5189. *Cnaemidophorus rhododactylus* (Fabricius,1787)** (Pterophoridae) Synonym(s): *#rhododactyla* [Denis & Schiffermüller],1775; *rhododactylus* Fabricius,1787; *koreana* Matsumura,1931. Larval foodplant(s): *Rosa canina*, *R. spinosissima* (sensu auctorum).
- 5190. *Crombrugghia distans* (Zeller,1847)** (Pterophoridae) Synonym(s): *distans* Zeller,1847; *distantidactyla* Bruand,1858; *geodactylus* Fuchs,1903; *lactucae* Fletcher,1920; *clarisignis* Myerick,1924; *buvati* Bigot & Picard,1988; *pravieli* Bigot & Picard,1989; *gibeauxi* Bigot et al.,1990; *supplementum* Gibeaux,1997. Larval foodplant(s): *Sonchus arvensis*, *S. asper*, *Andryala*

pinnatifida, A.integrifolia, A.sinuata, Crepis tectorum, C.capillaris, C.virens, C.succisaefolia, C.conyzaefolia, C.grandiflora, C.albida, Hieracium pilosella, Picris hieracioides, Lactuca, Cichorium (sensu auct.).

- 5191. Crombrugghia kollari (Stainton,1851)** (Pterophoridae) Synonym(s): *kollari* Stainton,1851
- 5192. Crombrugghia tristis (Zeller,1839)** (Pterophoridae) Synonym(s): *tristis* Zeller,1839; *tristidactyla* Bruand,1858; *adamczewskii* Bigot & Picard,1988.
- 5193. Emmelina monodactyla (Linnaeus,1758)** (Pterophoridae) Synonym(s): *monodactyla* Linnaeus,1758; *sibiricus* Caradja,1920. Larval foodplant(s): *Convolvulus arvensis*, *C.spithamea*, *C.microphyllus*, *C.cantabrica*, *C.althaeoides*, *C.floridus*, *Calystegia sepium*, *C.soldanella*, *Calluna*, *Erica*, *Vaccinium*, *Chenopodium*, *Antirrhinum*, *Ipomoea batatas*, *I.hispida*, *I.purpurea*, *Hyocyamus niger*, *Datura*.
- 5194. Fuscoptilia emarginata (Snellen,1884)** (Pterophoridae) Synonym(s): *emarginata* Snellen,1884; *nakanensis* Matsumura,1931; *sapporensis* Matsumura,1931. Larval foodplant(s): *Lespedeza bicolor*.
- 5195. Geina didactyla (Linnaeus,1758)** (Pterophoridae) Synonym(s): *didactyla* Linnaeus,1758; *brunneodactyla* Millière,1854.
- 5196. Hellinsia albidactyla (Yano,1963)** (Pterophoridae) Synonym(s): *albidactyla* Yano,1963
- 5197. Hellinsia carphodactyla (Hübner,[1813])** (Pterophoridae) Synonym(s): *carphodactylus* Hübner,[1813]; *citridactylus* Stephens,1834; *infirma* Heydenreich,1851; *buphthalmi* Hofmann,1898; *inulaevorus* Gibeaux,1989; *alpinus* Gibeaux & Picard,1992 Larval foodplant(s): *Inula conyza*, *I. bifrons*, *I. montana*, *I. hirta*, *Bupththalmum salicifolium*, *Carlina vulgaris* (auct.).
- 5198. Hellinsia chrysocomae (Ragonot,1875)** (Pterophoridae) Synonym(s): *chrysocomae* Ragonot,1875; *bowesi* Whalley,1960; *gozmanyi* Bigot,1970.
- 5199. Hellinsia distincta (Herrich-Schäffer,1855)** (Pterophoridae) Synonym(s): *distinctus* Herrich-Schäffer,1855; *sibiricus* Caradja,1921; *zermattensis* Müller-Rutz,1930; *acutus* Yano,1963. Larval foodplant(s): *Omalotheca sylvatica*, *Gnaphalium dioicum*, *Artemisia absinthium* (sensu auct.).
- 5200. Hellinsia excors (Meyrick,1930)** (Pterophoridae) Synonym(s): *excors* Meyrick,1930
- 5201. Hellinsia innocens (Snellen,1884)** (Pterophoridae) Synonym(s): *innocens* Snellen,1884
- 5202. Hellinsia inulae (Zeller,1852)** (Pterophoridae) Synonym(s): *inulae* Zeller,1852; *coniodactylus* Staudinger,1859; *alpinus* Gibeaux & Picard,1992. Larval foodplant(s): *Inula britannica*, *I.salicina*, *I.montana*, *I.hirta*, *Dittrichia viscosa* (sensu auct.).
- 5203. Hellinsia lienigiana (Zeller,1852)** (Pterophoridae) Synonym(s): *lienigianus* Zeller,1852; *melinodactylus* Herrich-Schäffer,1855; *scarodactylus* Becker,1861; *serindibanus* Moore,1886; *victorianus* Strand,1913; *catharodactylus* Caradja,1920; *hirosakianus* Matsumura,1931; *mutuurai* Yano,1963.
- 5204. Hellinsia mongolica (Zagulyaev & Pentschukowskaja,1972)** (Pterophoridae) Synonym(s): *mongolicus* Zagulyaev & Pentschukowskaja,1972
- 5205. Hellinsia osteodactylus (Zeller,1841)** (Pterophoridae) Synonym(s): *microdactyla* Zetterstedt,1839 nec Hübner,[1813]; *osteodactylus* Zeller,1841; *trimmatodactylus* Christoph,1872; *cinerariae* Millière,1874; *chrysocomae* Ragonot,1875; *korbi* Caradja,1920; *turbidellus* Caradja,1920; *sophronistes* Meyrick,1938. Larval foodplant(s): *Solidago virgaurea*, *Senecio bicolor*, *S.nemoralis*, *S.fuchsii*, *Aster linosyris*, *Achillea millefolium*, *Artemisia vulgaris* (sensu auct.).
- 5206. Hellinsia pectodactyla (Staudinger,1859)** (Pterophoridae) Synonym(s): *pectodactylus* Staudinger,1859; *angustus* Walsingham,1880; *stramineus* Walsingham,1880; *melanoschisma* Walsingham,1908.
- 5207. Hellinsia tephradactyla (Hübner,[1813])** (Pterophoridae) Synonym(s): *tephradactylus* Hübner,[1813]; *inframaculella* Bruand,1850.

- 5208. *Hellinsia wrangeliensis* (Zagulyaev,1985)** (Pterophoridae) Synonym(s): *wrangeliensis* Zagulyaev,1985
- 5209. *Marasmarcha cinnamomea* (Staudinger,1870)** (Pterophoridae) Synonym(s): *cinnamomea* Staudinger,1870; *glycyrrhizae* Zagulyaev,1969.
- 5210. *Marasmarcha lunaedactyla* (Haworth,[1811])** (Pterophoridae) Synonym(s): *lunaedactyla* Haworth,[1811]; *phaeodactyla* Hübner,[1813]; *agrorum* Herrich-Schäffer,1855; *fauna* Millière,1876; *altaica* Krulikowsky,1906; *tuttodactyla* Chapman,1906
- 5211. *Marasmarcha rhypodactyla* (Staudinger,1871)** (Pterophoridae) Synonym(s): *rhypodactyla* Staudinger,1871; *uralski* Caradja,1920.
- 5212. *Marasmarsha colossa* Caradja,1920** (Pterophoridae) Synonym(s): *colossa* Caradja,1920
- 5213. *Merrifieldia baliodactyla* (Zeller,1841)** (Pterophoridae) Synonym(s): *baliodactyla* Zeller,1841; *tridactylus* Stephens,1834; *dalioidactylus* Bruand,1850; *meridionalis* Staudinger,1880. Larval foodplant(s): *Origanum vulgare*.
- 5214. *Merrifieldia calcaria* (Lederer,1870)** (Pterophoridae) Synonym(s): *calcaria* Lederer,1870
- 5215. *Merrifieldia leucodactyla* ([Denis & Schiffermüller],1775)** (Pterophoridae) Synonym(s): *#leucodactyla* [Denis & Schiffermüller],1775; *theiodactyla* Hübner,[1825]; *wernickei* Wocke,1897; *fitzi* Rebel,1912; *flavella* Chrétien,1923; *dryogramma* Meyrick,1930. Larval foodplant(s): *Thymus vulgaris*, *T.serpyllum*, *T.pulegioides*, *T.praecox arcticus*, *Origanum vulgare*, *Pulmonaria officinalis* ([Denis & Schiffermüller],1775 et seq.).
- 5216. *Merrifieldia malacodactyla* (Zeller,1847)** (Pterophoridae) Synonym(s): *malacodactyla* Zeller,1847; *meridionalis* Staudinger,1880; *indocta* Meyrick,1913; *subtilis* Caradja,1920; *parca* Meyrick,1921; *subcretosa* Meyrick,1922; *phaeoschista* Meyrick,1923; *luteodactyla* Turati,1926; *rayatella* Amsel,1959; *insularis* Bigot,1961; *livadiensis* Zagulyaev & Filippova,1976; *transdanubinus* Fazekas,1986; *garrigae* Bigot & Picard,1989; *moulinieri* Nel,1991; *inopinata* Bigot, Nel & Picard,1993
- 5217. *Merrifieldia tridactyla* (Linnaeus,1758)** (Pterophoridae) Synonym(s): *tridactyla* Linnaeus,1758; *tetradactyla* Linnaeus,1758; *niveidactylus* Stephens,1829; *fuscolimbatus* Duponchel,1844; *exilidactyla* Buszko,1975.
- 5218. *Oidaematophorus constanti* (Ragonot,1876)** (Pterophoridae) Synonym(s): *constanti* Ragonot,1876
- 5219. *Oidaematophorus didactylites* (Ström,1783)** (Pterophoridae) Synonym(s): *didactylites* Ström,1783; *scarodactyla* Hübner,[1813]; *icarodactyla* Treitschke,1833; *catharodactylus* Caradja,1921. Larval foodplant(s): *Hieracium umbellatum*, *H.lachenalii*, *H.pilosella*, *H.boreale*, *H.murorum*, *H.prenanthoides*, *H.amplexicaule*, *Artemisia campestris* (sensu auct.).
- 5220. *Oidaematophorus lithodactylus* (Treitschke,1833)** (Pterophoridae) Synonym(s): *lithodactylus* Treitschke,1833; *septodactylus* Treitschke,1833; *similidactylus* Dale,1834; *lithoxyloactylus* Duponchel,[1840]. Larval foodplant(s): *Inula conyza*, *I.salicina*, *I.germanica*, *I.montana*, *I.hirta*, *Pulicaria dyicaria*, *Conyza squarrosa*, *Bupthalmum salicifolium* (sensu auct.).
- 5221. *Oidaematophorus rogenhoferi* (Mann,1871)** (Pterophoridae) Synonym(s): *rogenhoferi* Mann,1871 Larval foodplant(s): *Erigeron alpinus* E.acer angulosus, *E.acer politus*, *E.glabratus*, *E.uniflorus*, *Inula montana* (sensu auct.).
- 5222. *Oxyptilus chrysodactylus* ([Denis & Schiffermüller],1775)** (Pterophoridae) Synonym(s): *chrysodactylus* [Denis & Schiffermüller],1775; *hieracii* Zeller,1841; *hieracidactyla* Bruand,1858; *perunovi* Ustjuzhanin,1996. Larval foodplant(s): *Hieracium umbellatum*, *H.sabaudum*, *Picris hieracioides*, *Teucrium scorodonium* (sensu auct.).
- 5223. *Oxyptilus ericetorum* (Zeller,1844)** (Pterophoridae) Synonym(s): *ericetorum* Zeller,1844; *ericetidactyla* Bruand,1859.
- 5224. *Oxyptilus parvidactylus* (Haworth,[1811])** (Pterophoridae) Synonym(s): *parvidactylus* Haworth,[1811]; *microdactylus* Samouelle,1819; *obscurus* Zeller,1841; *hemididactylus* Selys-

- Longchamps*,1845; *dentellus* Zeller,1852; *obscuridactyla* Bruand,1859; *hofmannseggii* Möschler,1866; *maroocanensis* Amsel,1956. Larval foodplant(s): *Pilosella* (Corley et al.,2007).
- 5225. *Oxyptilus pilosellae* (Zeller,1841) (Pterophoridae)** Synonym(s): *pilosellae* Zeller,1841; *pilosellidactyla* Bruand,1859; *bohemanii* Wallengren,1862. Larval foodplant(s): *Hieracium pilosella* (Zeller,1841).
- 5226. *Paraplatyptilia carelica* (Zagulyaev,1983) (Pterophoridae)** Synonym(s): *carelica* Zagulyaev,1983
- 5227. *Paraplatyptilia metzneri* (Zeller,1841) (Pterophoridae)** Synonym(s): *metzneri* Zeller,1841; *bolli* Frey,1856.
- 5228. *Paraplatyptilia sahlbergi* (Poppius,1906) (Pterophoridae)** Synonym(s): *sahlbergi* Poppius,1906
- 5229. *Platyptilia calodactyla* ([Denis & Schiffermüller],1775) (Pterophoridae)** Synonym(s): *calodactyla* [Denis & Schiffermüller],1775; *petradactyla* Hübner,[1819]; *zetterstedtii* Zeller,1841; *taeniadactylus* South,1882; *doronicella* Fuchs,1902; *leucorrhincha* Meyrick,1902.
- 5230. *Platyptilia cinnamomea* Staudinger,1870 (Pterophoridae)** Synonym(s): *cinnamomea* Staudinger,1870
- 5231. *Platyptilia diversicilia* Filipjev,1931 (Pterophoridae)** Synonym(s): *diversicilia* Filipjev,1931
- 5232. *Platyptilia farfarella* Zeller,1867 (Pterophoridae)** Synonym(s): *farfarella* Zeller,1867; *gonodactyla* Hori,1934 nec [Denis & Schiffermüller],1775.
- 5233. *Platyptilia gonodactyla* ([Denis & Schiffermüller],1775) (Pterophoridae)** Synonym(s): *gonodactyla* [Denis & Schiffermüller],1775; *megalodactyla* [Denis & Schiffermüller],1775; *diptera* Sulzer,1776; *trigonodactyla* Haworth,1811; *farfara* Gregson,1885; *albidior* Caradja,1920.
- 5234. *Platyptilia isodactylus* (Zeller,1852) (Pterophoridae)** Synonym(s): *isodactylus* Zeller,1852
- 5235. *Platyptilia macrornis* Meyrick,1930 (Pterophoridae)** Synonym(s): *macrornis* Meyrick,1930; *kerzhneri* Zagulyaev & Pentschukowskaja,1972.
- 5236. *Platyptilia miantodactylus* (Zeller,1841) (Pterophoridae)** Synonym(s): *miantodactylus* Zeller,1841
- 5237. *Platyptilia nemoralis* (Zeller,1841) (Pterophoridae)** Synonym(s): *nemoralis* Zeller,1841; *nemoralidactyla* Bruand,1859; *graafii* Zeller,1873; *sinuosa* Yano,1960.
- 5238. *Platyptilia pallidactyla* (Haworth,1811) (Pterophoridae)** Synonym(s): *pallidactyla* Haworth,1811; *marginidactylus* Fitch,1854; *nebulaedactylus* Fitch,1854; *bertrami* Rössler,1864; *bischoffi* Zeller,1867; *cervinidactylus* Packard,1873; *adustus* Walsingham,1880; *chapmani* Tutt,1896; *sachalinensis* Matsumura,1931.
- 5239. *Platyptilia tesseradactyla* (Linnaeus,1761) (Pterophoridae)** Synonym(s): *tesseradactyla* Linnaeus,1761; *fischeri* Zeller,1841; *hibernica* Tutt,1906.
- 5240. *Platyptilia tetradactyla* (Linnaeus,1758) (Pterophoridae)** Synonym(s): *tetradactyla* Linnaeus,1758
- 5241. *Platyptilia ussuriensis* Caradja,1920 (Pterophoridae)** Synonym(s): *ussuriensis* Caradja,1920
- 5242. *Platyptilia vesta* (Ustjuzhanin,1996) (Pterophoridae)** Synonym(s): *vesta* Ustjuzhanin,1996
- 5243. *Porritia galactodactyla* ([Denis & Schiffermüller],1775) (Pterophoridae)** Synonym(s): *galactodactyla* [Denis & Schiffermüller],1775; *albodactylus* Fabricius,1794.
- 5244. *Procapperia kuldschaensis* (Rebel,1914) (Pterophoridae)** Synonym(s): *kuldschaensis* Rebel,1914; *asiatica* Zagulyaev,1986.
- 5245. *Procapperia maculata* (Constant,1865) (Pterophoridae)** Synonym(s): *maculata* Constant,1865; *croatica* Adamczewski,1951.
- 5246. *Pselnophorus heterodactylus* (Müller,1764) (Pterophoridae)** Synonym(s): *heterodactylus* Müller,1764; *brachydactylus* Kollar,1832; *aetodactylus* Duponchel,1840.
- 5247. *Pselnophorus poggei* (Mann,1862) (Pterophoridae)** Synonym(s): *poggei* Mann,1862; *minutus* Alpheraky,1876; *borzhomi* Zagulyaev,1987.

- 5248. *Pselnophorus vilis* (Butler,1881)** (Pterophoridae) **Synonym(s):** *vilis* Butler,1881; *amurensis* Christoph,1882. **Larval foodplant(s):** *Ligularia tussilaginea*, *Petasites japonicus* (sensu auct.).
- 5249. *Pterophorus ischnodactylus* (Treitschke,1835)** (Pterophoridae) **Synonym(s):** *ischnodactyla* Treitschke,1835; *actinodactyla* Chrétien,1891; *eburnella* Amsel,1968.
- 5250. *Pterophorus pentadactylus* (Linnaeus,1758)** (Pterophoridae) **Synonym(s):** *pentadactylus* Linnaeus,1758; *tridactyla* Scopoli,1763; *sulphurea* Staudinger,1880. **Larval foodplant(s):** *Convolvulus arvensis*, *Calystegia sepium* (Convolvulaceae) (sensu auct.).
- 5251. *Pterophorus volgensis* (Möschler,1862)** (Pterophoridae) **Synonym(s):** *volgensis* Möschler,1862
- 5252. *Stenoptilia admiranda* Yano,1963** (Pterophoridae) **Synonym(s):** *admiranda* Yano,1963
- 5253. *Stenoptilia bipunctidactyla* (Scopoli,1763)** (Pterophoridae) **Synonym(s):** *bipunctidactyla* Scopoli,1763; *#pallida* Tutt,1906; *arida* Caradja,1920 *nec* Zell.,1847.
- 5254. *Stenoptilia coprodactyla* (Stainton,1851)** (Pterophoridae) **Synonym(s):** *coprodactyla* Stainton,1851; *zalocrossa* Meyrick,1907.
- 5255. *Stenoptilia eborinodactyla* Zagulyaev,1986** (Pterophoridae) **Synonym(s):** *eborinodactyla* Zagulyaev,1986
- 5256. *Stenoptilia graphodactyla* (Treitschke,1833)** (Pterophoridae) **Synonym(s):** *graphodactyla* Treitschke,1833. **Larval foodplant(s):** *Gentiana lutea*, *G. verna*, *G. clusii*, *G. asclepiadea*, *G. pneumonanthe* (sensu auct.).
- 5257. *Stenoptilia islandicus* (Staudinger,1857)** (Pterophoridae) **Synonym(s):** *islandicus* Staudinger,1857
- 5258. *Stenoptilia jacutica* Ustjuzhanin,1996** (Pterophoridae) **Synonym(s):** *jacutica* Ustjuzhanin,1996
- 5259. *Stenoptilia luteocinerea* (Snellen,1884)** (Pterophoridae) **Synonym(s):** *luteocinerea* Snellen,1884
- 5260. *Stenoptilia mannii* (Zeller,1852)** (Pterophoridae) **Synonym(s):** *mannii* Zeller,1852; *megalochroa* Meyrick,1930. **Larval foodplant(s):** *Nepeta nuda* (Lamiaceae) (Nel,1995).
- 5261. *Stenoptilia nolckeni* (Tengström,1869)** (Pterophoridae) **Synonym(s):** *nolckeni* Tengström,1869
- 5262. *Stenoptilia pelidnodactyla* (Stein,1837)** (Pterophoridae) **Synonym(s):** *pelidnodactyla* Stein,1837
- 5263. *Stenoptilia pneumonanthes* (Büttner,1880)** (Pterophoridae) **Synonym(s):** *pneumonantes* Büttner,1880; *nelorum* Gibeaux,1989; *arenbergeri* Gibeaux,1990.
- 5264. *Stenoptilia pterodactyla* (Linnaeus,1761)** (Pterophoridae) **Synonym(s):** *pterodactyla* Linnaeus,1761; *#pallida* Tutt,1906
- 5265. *Stenoptilia stigmatodactyla* (Zeller,1852)** (Pterophoridae) **Synonym(s):** *stigmatodactyla* Zeller,1852 **Larval foodplant(s):** *Thymus vulgaris*, *Scabiosa ochroleuca*, *S. lucida*, *Knautia arvensis* (Buszko,1986; Nel,1987, et seq.).
- 5266. *Stenoptilia veronicae* Karvonen,1932** (Pterophoridae) **Synonym(s):** *veronicae* Karvonen,1932
- 5267. *Stenoptilia zophodactyla* (Duponchel,1838)** (Pterophoridae) **Synonym(s):** *zophodactyla* Duponchel,1838; *loewii* Zeller,1847; *oreodactyla* Bruand,1850; *loividactyla* Bruand,1859; *canalis* Walker,1864; *semicostatus* Zeller,1873.
- 5268. *Tabulaephorus decipiens* (Lederer,1870)** (Pterophoridae) **Synonym(s):** *decipiens* Lederer,1870
- 5269. *Tabulaephorus marptys* (Christoph,1872)** (Pterophoridae) **Synonym(s):** *marptys* Christoph,1872; *kaszabi* Bigot,1967.
- 5270. *Tabulaephorus ussuriensis* (Caradja,1920)** (Pterophoridae) **Synonym(s):** *ussuriensis* Caradja,1920
- 5271. *Wheeleria obsoleta* (Zeller,1841)** (Pterophoridae) **Synonym(s):** *obsoleta* Zeller,1841; *confusa* Herrich-Schäffer,1855; *marrubii* Wasserthal,1970.

- 5272. *Wheeleria phlomidis* (Staudinger,1871)** (Pterophoridae) Synonym(s): *phlomidis* Staudinger,1871 Larval foodplant(s): *Phlomis orientalis* (Staudinger,1871,1880; Arenberger,1981).
- 5273. *Wheeleria spilodactyla* (Curtis,1827)** (Pterophoridae) Synonym(s): *spilodactyla* Curtis,1827; *marrubii* Heydenreich,1851. Larval foodplant(s): *Marrubium* (Staudinger,1880).
- 5274. *Acentria ephemerella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *ephemerella* [Denis & Schiffermüller],1775 Larval foodplant(s): *Ceratophyllum* (Ceratophyllaceae), *Elodea* (Hydrocharitaceae), *Potamogetonaceae*, *Characeae* (Green algae) (Parenti,2000).
- 5275. *Achroia grisella* (Fabricius,1794)** (Pyralidae) Synonym(s): *grisella* Fabricius,1794; *alvearia* Fabricius,1798; *cinereola* Hübner,[1803]; *alvea* Haworth,1811; *alveariella* Guenée,1845; *anticella* Walker,1863; *obscurivittella* Ragonot,1901; #major Dufrane,1930. Larval foodplant(s): wax, organic detritus in bee-hives, dried fruits, dried insects (Parenti,2000).
- 5276. *Achyra ochrofascialis* (Christoph,1882)** (Pyralidae) Synonym(s): *ochrofascialis* Christoph,1882; #ochrifascialis Wiltshire,1957.
- 5277. *Acrobasis consociella* (Hübner,[1813])** (Pyralidae) Synonym(s): *consociella* Hübner,[1813]; *consocialis* Hübner,[1825]; *tumidella* Duponchel,1836; *oberthuerei* Lucas,1914.
- 5278. *Acrobasis consociella consociella* (Hübner,[1813])** (Pyralidae) Synonym(s): *consociella* Hübner,[1813]; *consocialis* Hübner,[1825]; *tumidella* Duponchel,1836; *oberthuerei* Lucas,1914.
- 5279. *Acrobasis glaucella* Staudinger,1859** (Pyralidae) Synonym(s): *glaucella* Staudinger,1859; *fallouella* Ragonot,1871; *anatolica* Caradja,1910. Larval foodplant(s): *Quercus* (Fagaceae) (Parenti,2000).
- 5280. *Acrobasis glaucella glaucella* Staudinger,1859** (Pyralidae) Synonym(s): *glaucella* Staudinger,1859; *fallouella* Ragonot,1871; *anatolica* Caradja,1916.
- 5281. *Acrobasis obrutella* (Christoph,1881)** (Pyralidae) Synonym(s): *obrutella* Christoph,1881
- 5282. *Acrobasis obtusella* (Hübner,1796)** (Pyralidae) Synonym(s): *obtusella* Hübner,1796; *obtusella* Haworth,1811; *obtusalis* Hübner,[1825]. Larval foodplant(s): *Malus*, *Prunus domestica*, *P. spinosa*, *Pyrus communis* (Rosaceae), *Quercus* (Fagaceae), *Betula* (Betulaceae) (Huemer,1988).
- 5283. *Acrobasis obtusella obtusella* (Hübner,1796)** (Pyralidae) Synonym(s): *obtusella* Hübner,1796; *obtusella* Haworth,1811; *obtusalis* Hübner,[1825].
- 5284. *Acrobasis porphyrella* (Duponchel,1836)** (Pyralidae) Synonym(s): *porphyrella* Duponchel,1836 Larval foodplant(s): *Erica arborea*, *E. scoparia* (Ericaceae) (Parenti,2000).
- 5285. *Acrobasis sodalella* Zeller,1848** (Pyralidae) Synonym(s): *sodalella* Zeller,1848
- 5286. *Acropentias aureus* (Butler,1890)** (Pyralidae) Synonym(s): *aureus* Butler,1890
- 5287. *Aeschremon conchylialis* (Christoph,1872)** (Pyralidae) Synonym(s): *conchylialis* Christoph,1872
- 5288. *Aglossa pinguinalis* (Linnaeus,1758)** (Pyralidae) Synonym(s): *pinguinalis* Linnaeus,1758; *marmorella* Geoffroy,1785; *marmoratella* Villers,1789; *pinguiculatus* Haworth,1809; *pinguinatus* Haworth,1809; *guicciardii* Constantino,1922 Larval foodplant(s): cereal refuse, dried seeds, dried vegetable, animal dung (Parenti,2000).
- 5289. *Agriphila aeneociliella* (Eversmann,1844)** (Pyralidae) Synonym(s): *aeneociliella* Eversmann,1844; *quadridellus* Lederer,1853; *bivittellus* Wileman,1911; *trifidalis* Wileman,1911
- 5290. *Agriphila biarmica* (Tengström,1865)** (Pyralidae) Synonym(s): *biarmica* Tengström,1865; *illatella* Fuchs,1902; *alpina* Bleszynski,1957.
- 5291. *Agriphila brionella* (Zerny,1914)** (Pyralidae) Synonym(s): *brioniella* Zerny,1914; #subbrioniella Amsel,1959.

- 5292. *Agriphila deliella* (Hübner,[1813])** (Pyralidae) Synonym(s): *deliella* Hübner,[1813]; *delialis* Hübner,[1825]
- 5293. *Agriphila deliella deliella* (Hübner,[1813])** (Pyralidae) Synonym(s): *deliella* Hübner,[1813]; *delialis* Hübner,[1825]
- 5294. *Agriphila geniculea* (Haworth,[1811])** (Pyralidae) Synonym(s): *geniculea* Haworth,[1811]; *imistella* Hübner,[1813]; *angulatellus* Duponchel,1836; *suspectellus* Zeller,1839.
- 5295. *Agriphila geniculea geniculea* (Haworth,[1811])** (Pyralidae) Synonym(s): *geniculea* Haworth,[1811]; *imistella* Hübner,[1813]; *angulatellus* Duponchel,1836; *suspectellus* Zeller,1839.
- 5296. *Agriphila inquinatella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *inquinatella* [Denis & Schiffermüller],1775; ? *arbustella* Schrank,1802; *nevadensis* Caradja,1910. Larval foodplant(s): *Festuca*, *Poa* (Poaceae), *Barbula muralis* (Bryaceae) (Parenti,2000).
- 5297. *Agriphila inquinatella inquinatella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *inquinatella* [Denis & Schiffermüller],1775; ? *arbustella* Schrank,1802; *nevadensis* Caradja,1910.
- 5298. *Agriphila latistria* (Haworth,[1811])** (Pyralidae) Synonym(s): *latistria* Haworth,[1811]; *gueneellus* Duponchel,1836; *monotaeniellus* Herrich-Schäffer,[1852]; *vectifer* Zeller,1863; *vallicolella* Costa,1885.
- 5299. *Agriphila poliella* (Treitschke,1832)** (Pyralidae) Synonym(s): *poliella* Treitschke,1832
- 5300. *Agriphila selasella* (Hübner,[1813])** (Pyralidae) Synonym(s): *selasella* Hübner,[1813]; *obtusellus* Stephens,1834 Larval foodplant(s): *Festuca*, *Glyceria*, *Hordeum*, *Poa*, *Puccinella* (Poaceae) (Parenti,2000).
- 5301. *Agriphila straminella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *straminella* [Denis & Schiffermüller],1775 *marginella* Stephens,1834. Larval foodplant(s): *Festula*, *Poa* (Poaceae), *Barbula muralis* (Mosses) (Parenti,2000).
- 5302. *Agriphila tolli* (Bleszynski,1952)** (Pyralidae) Synonym(s): *tollu* Bleszynski,1952 Larval foodplant(s): Poaceae (Parenti,2000).
- 5303. *Agriphila tristella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *tristella* [Denis & Schiffermüller],1775; *ferruginella* Thunberg,1788; *paleella* Hübner,1796; *aquilella* Hübner,1796; *moerens* Fabricius,1798; *fuscinella* Schrank,1802; *fuscelinellus* Stephens,1834; *ribbeellus* Caradja,1910; *discistrigatus* Hampson,1919. Larval foodplant(s): *Deschampsia*, *Poa* (Poaceae) (Parenti,2000).
- 5304. *Agriphila tristella tristella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *tristella* [Denis & Schiffermüller],1775; *ferruginella* Thunberg,1788; *paleella* Hübner,1796; *aquilella* Hübner,1796; *moerens* Fabricius,1798; *fuscinella* Schrank,1802; *fuscelinellus* Stephens,1834; *ribbeellus* Caradja,1910; *discistrigatus* Hampson,1919.
- 5305. *Agrotera nemoralis* (Scopoli,1763)** (Pyralidae) Synonym(s): *nemoralis* Scopoli,1763 Larval foodplant(s): *Betula nana* (Betulaceae), *Carpinus* (Corylaceae), *Castanea*, *Quercus* (Fagaceae) (Parenti,2000).
- 5306. *Algedonia* (s.str.) *luctualis* (Hübner,1793)** (Pyralidae) Synonym(s): *luctualis* Hübner,1793 Larval foodplant(s): *Cimifuga europaea* (Ranunculaceae) (Parenti,2000).
- 5307. *Alophia combustella* (Herrich-Schäffer,[1855])** (Pyralidae) Synonym(s): *combustella* Herrich-Schäffer,[1855]; *incinerella* Caradja,1910.
- 5308. *Amaurophanes stigmosalis* (Herrich-Schäffer,[1848])** (Pyralidae) Synonym(s): *stigmosalis* Herrich-Schäffer,[1848]
- 5309. *Ambia colonialis* (Bremer,1864)** (Pyralidae) Synonym(s): *colonialis* Bremer,1864; *locuples* Butler,1889; *dives* Butler,1889
- 5310. *Anania funebris* (Ström,1768)** (Pyralidae) Synonym(s): *funebris* Ström,1768; *octomaculata* Linnaeus,1771; *funeraria* Müller,1764; *atralis* Fabricius,1775; *guttalis* [Denis & Schiffermüller],1775; *octomaculalis* Treitschke,1828. Larval foodplant(s): *Cytisus*, *Genista* (Fabaceae), *Solidago virgaurea* (Asteraceae) (Parenti,2000).

- 5311. *Anarpia incertalis* (Duponchel,1832)** (Pyralidae) **Synonym(s):** *incertalis* Duponchel,1832; *pyrenaealis* Duponchel,1842; *incertella* Duponchel,[1845]; *pyrenaeella* Duponchel,[1845]; *pyrenaicalis* Guenée,1846
- 5312. *Anarpia incertalis incertalis* (Duponchel,1832)** (Pyralidae) **Synonym(s):** *incertalis* Duponchel,1832; *pyrenaealis* Duponchel,1842; *incertella* Duponchel,[1845]; *pyrenaeella* Duponchel,[1845]; *pyrenaicalis* Guenée,1846
- 5313. *Ancylodes staminella* (Christoph,1877)** (Pyralidae) **Synonym(s):** *staminella* Christoph,1877; *nervulatella* Turati,1926; *kerbelella* Amsel,1949
- 5314. *Ancylolomia japonica* Zeller,1877** (Pyralidae) **Synonym(s):** *japonica* Zeller,1877
- 5315. *Ancylolomia palpella* ([Denis & Schiffermüller],1775)** (Pyralidae) **Synonym(s):** *palpella* [Denis & Schiffermüller],1775; *sovinskyi* Krulikovsky,1909
- 5316. *Ancylolomia tentaculella* (Hübner,1796)** (Pyralidae) **Synonym(s):** *tentaculella* Hübner,1796; *irakella* Amsel,1949.
- 5317. *Ancylosis (Cabotia) lacteicostella* (Ragonot,1887)** (Pyralidae) **Synonym(s):** *lacteicostella* Ragonot,1887; *fulvobasella* Ragonot,1887; *aegyptiacella* Ragonot,1901; *spatzi* Rothschild,1915.
- 5318. *Ancylosis (Cabotia) leucocephala* (Staudinger,1879)** (Pyralidae) **Synonym(s):** *leucocephala* Staudinger,1879
- 5319. *Ancylosis (Cabotia) oblitella* (Zeller,1848)** (Pyralidae) **Synonym(s):** *oblitella* Zeller,1848; *homographis* Hampson,1930; *ischnopsis* Meyrick,1937; *major* Lucas,1948; *ochraeella* Lucas,1948; *boitella* Lucas,1950; *calaritalella* Amsel,1951; *indistinctella* Lucas,1955. **Larval foodplant(s):** *Acacia tortilis*, *A. farnesiana*, *Suaeda maritima* (Chrétien,1917; Glaser,1960).
- 5320. *Ancylosis (Heterographis) albicosta* (Staudinger,1870)** (Pyralidae) **Synonym(s):** *albicosta* Staudinger,1870; *delimitella* Ragonot,1887; *niveicostella* Ragonot,1901.
- 5321. *Ancylosis (Heterographis) faustinella* (Zeller,1867)** (Pyralidae) **Synonym(s):** *faustinella* Zeller,1867; *staudingeri* Christoph,1877; *rubripictella* Hampson,1896; *thalerella* Mabilie,1908; *variabilis* Rothschild,1915; *airensis* Rothschild,1921; *bilineella* Amsel,1935; *damascenella* Amsel,1952.
- 5322. *Ancylosis (Heterographis) nervosella* (Zerny,1914)** (Pyralidae) **Synonym(s):** *nervosella* Zerny,1914; *transcaspiella* Amsel,1958.
- 5323. *Ancylosis (Heterographis) nervosella nervosella* (Zerny,1914)** (Pyralidae) **Synonym(s):** *nervosella* Zerny,1914; *transcaspiella* Amsel,1958.
- 5324. *Ancylosis (Heterographis) nigripunctella* (Staudinger,1879)** (Pyralidae) **Synonym(s):** *nigripunctella* Staudinger,1879; *wockeella* Ragonot,1887; *carnibasalis* Hampson,1896.
- 5325. *Ancylosis (Heterographis) pallida* (Staudinger,1870)** (Pyralidae) **Synonym(s):** *pallida* Staudinger,1870
- 5326. *Ancylosis (Heterographis) plumbatella* (Ragonot,1888)** (Pyralidae) **Synonym(s):** *plumbatella* Ragonot,1888
- 5327. *Ancylosis (Heterographis) pyrethrella* (Herrich-Schäffer,1860)** (Pyralidae) **Synonym(s):** *pyrethrella* Herrich-Schäffer,1860; *strictella* Mann,1861; *ignibasella* Ragonot,1887; *inflammata* Ragonot,1901; *trilineata* Amsel,1961.
- 5328. *Ancylosis (Heterographis) rhodochrella* (Herrich-Schäffer,1855)** (Pyralidae) **Synonym(s):** *rhodochrella* Herrich-Schäffer,1855; *delicatella* Möschler,1860; *ciliatella* Zeller,1872; *lucida* W.Warren,1888; *microstictella* Hampson,1903; *ciliella* Amsel,1961.
- 5329. *Ancylosis (Heterographis) roscidella* (Eversmann,1844)** (Pyralidae) **Synonym(s):** *roscidella* Eversmann,1844; *cinerella* Stainton,1859; *ephedrella* Herrich-Schäffer,1860; *neglectella* Heinemann,1864; *blandella* Ragonot,1887; *zobrella* Oberthür,1888; *carnea* W.Warren,1888; *barteleva* Caradja,1910; *benderella* Amsel,1961.
- 5330. *Ancylosis (Heterographis) sabulosella* (Staudinger,1879)** (Pyralidae) **Synonym(s):** *sabulosella* Staudinger,1879; *decolorella* Ragonot,1901.
- 5331. *Ancylosis (Heterographis) samaritanella* (Zeller,1867)** (Pyralidae) **Synonym(s):** *samaritanella* Zeller,1867; *urbicella* Erschoff,1874; *biligulella* Ragonot,1887;

- flavescentella* Chrétien,1910; *diminutella* Chrétien,1910; *cinnamomeifascia* Rothschild,1915; *lacroixella* Lucas,1939; *brevipalpella* Amsel,1954.
- 5332. Ancylosis (Heterographis) syrtella (Ragonot,1887) (Pyralidae)**
Synonym(s): *syrtella* Ragonot,1887; *costalbella* Amsel,1954.
- 5333. Ancylosis (Heterographis) xylinella (Staudinger,1870) (Pyralidae)**
Synonym(s): *xylinella* Staudinger,1870; *sablonella* Rothschild,1915; *molochinella* Zerny,1929.
- 5334. Ancylosis (Syria) citrinella (Ragonot,1887) (Pyralidae)** Synonym(s):
citrinella Ragonot,1887; *agraphella* Ragonot,1901
- 5335. Ancylosis (s.str.) anguinosa Zeller,1848 (Pyralidae)** Synonym(s):
anguinosa Zeller,1848; *ledereriella* Herrich-Schäffer,1852.
- 5336. Ancylosis (s.str.) cinnamomella (Duponchel,1836) (Pyralidae)**
Synonym(s): *dilutella* Tr.,1832 [n.o.]; *cinnamomella* Dup.,1836; *labeomella* Staudinger,1859; *lafauryella* Rag.,1887; *byzacaeniella* Rag.,1887; *roseopennella* Rag.,1901; *tunesella* Caradja,1910; *fuliginosa* Rothschild,1913; *pictella* Tur.,1922; *ferrugineolineella* Tur.,1924. Larval foodplant(s):
Sedum (Crassulaceae), *Globularia* (Globulariaceae), *Artemisia* (Asteraceae) (Parenti,2000).
- 5337. Ancylosis (s.str.) cinnamomella bichordella (Ragonot,1887) (Pyralidae)** Synonym(s):
bichordella Ragonot,1887; *lividella* Ragonot,1887; *flammella* Ragonot,1887; *cephella* Ragonot,1901; *ciliciella* Caradja,1910; *nigrella* Caradja,1916; *persicolella* Amsel,1951; *ormuzdella* Amsel,1954; *ecbataniella* Amsel,1961.
- 5338. Ancylosis (s.str.) cinnamomella cinnamomella (Duponchel,1836) (Pyralidae)** Synonym(s):
dilutella Tr.,1832 [n.o.]; *cinnamomella* Dup.,1836; *labeomella* Staudinger,1859; *lafauryella* Rag.,1887; *byzacaeniella* Rag.,1887; *roseopennella* Rag.,1901; *tunesella* Caradja,1910; *fuliginosa* Rothschild,1913; *pictella* Tur.,1922; *ferrugineolineella* Tur.,1924.
- 5339. Ancylosis (s.str.) dryadella (Ragonot,1887) (Pyralidae)** Synonym(s):
dryadella Ragonot,1887; *sefidella* Amsel,1951.
- 5340. Ancylosis (s.str.) maculifera Staudinger,1870 (Pyralidae)** Synonym(s):
maculifera Staudinger,1870; *ifraneella* Lucas,1954.
- 5341. Ancylosis (s.str.) maculifera maculifera Staudinger,1870 (Pyralidae)**
Synonym(s): *maculifera* Staudinger,1870; *ifraneella* Lucas,1954.
- 5342. Ancylosis (s.str.) maculifera signosella Ragonot,1887 (Pyralidae)**
Synonym(s): *signosella* Ragonot,1887; *formosae* Strand,1922; *longipennella* Caradja,1937.
- 5343. Ancylosis (s.str.) sareptella (Herrich-Schäffer,1860) (Pyralidae)**
Synonym(s): *sareptella* Herrich-Schäffer,1860; *barbella* Lederer,1863.
- 5344. Ancylosoma substratellum (Christoph,1877) (Pyralidae)** Synonym(s):
substratella Christoph,1877
- 5345. Anerastia dubia Gerasimov,1929 (Pyralidae)** Synonym(s): *dubia* Gerasimov,1929
- 5346. Anerastia lotella (Hübner,[1813]) (Pyralidae)** Synonym(s): *lotella* Hübner,[1813]
- 5347. Anthophilopsis moeschleri (Christoph,1862) (Pyralidae)** Synonym(s):
moeschleri Christoph,1862
- 5348. Aphomia curvicoellus (Zerny,1914) (Pyralidae)** Synonym(s):
curvicoellus Zerny,1914
- 5349. Aphomia foedella (Zeller,1839) (Pyralidae)** Synonym(s): *foedella* Zeller,1839
- 5350. Aphomia sociella (Linnaeus,1758) (Pyralidae)** Synonym(s): *sociella* Linnaeus,1758; *colonella* Linnaeus,1758; *tribunella* [Denis & Schiffermüller],1775; *viridella* Goeze,1783; *inaequalis* Villers,1789; *socia* Fabricius,1798; *bipunctana* Curtis,1828; *asiatica* Caradja,1916; *pedemontana*, *eritrella* Della Beffa,1941. Larval foodplant(s): old cells, debris and larvae in nests of wasps and humble-bees (Parenti,2000).
- 5351. Aphomia unicolor (Staudinger,1880) (Pyralidae)** Synonym(s): *unicolor* Staudinger,1880
- 5352. Aphomia zelleri (Joannis,1932) (Pyralidae)** Synonym(s): *zelleri* Joannis,1932
Larval foodplant(s): *Ammophila*, *Brachythecium albicans* (Poaceae) (Parenti,2000).

- 5353. Apomyelois bistriatella (Hulst,1887)** (Pyralidae) Synonym(s): *bistriatella* Hulst,1887
- 5354. Apomyelois ceratoniae (Zeller,1839)** (Pyralidae) Synonym(s): *ceratoniae* Zeller,1839; *ceratoniella* Fischer Röslerstamm,1839; *pryerella* Vaughan,1870; *tuerckheimiella* Sorhagen,1881; *dentilinella* Hampson,1896; *psarella* Hampson,1903; *rivularis* W.Warren & Rothschild,1905; *oporedestella* Dyar,1911; *phoenicis* Durrant,1915; *durandi* Lucas,1950 Larval foodplant(s): dried fruits, seeds, nuts (Beirne,1954).
- 5355. Apomyelois cognata (Staudinger,1871)** (Pyralidae) Synonym(s): *cognata* Staudinger,1871
- 5356. Arsissa ramosella (Herrich-Schäffer,[1855])** (Pyralidae) Synonym(s): *ramosella* Herrich-Schäffer,[1855]; *albiramosella* Caradja,1916; *caradjaella* Zerny,1939.
- 5357. Asalebria (Exophora) florella (Mann,1862)** (Pyralidae) Synonym(s): *florella* Mann,1862 Larval foodplant(s): *Genista scoparius* (Fabaceae) (Roesler,1993).
- 5358. Asalebria (Exophora) florella florella (Mann,1862)** (Pyralidae) Synonym(s): *florella* Mann,1862
- 5359. Asalebria (s.str.) venustella (Ragonot,1887)** (Pyralidae) Synonym(s): *venustella* Ragonot,1887; *hilarella* Caradja,1916; *palella* Caradja,1916 Larval foodplant(s): *Genista scoparius* (Fabaceae) (Roesler,1993).
- 5360. Assara korbi (Caradja,1910)** (Pyralidae) Synonym(s): *korbi* Caradja,1910
- 5361. Assara terebrella (Zincken,1818)** (Pyralidae) Synonym(s): *terebrella* Zincken,1818 Larval foodplant(s): *Abies*, *Picea*, *Pinus* (Pinaceae) (Parenti,2000).
- 5362. Atralata albofascialis (Treitschke,1829)** (Pyralidae) Synonym(s): *albofascialis* Treitschke,1829 Larval foodplant(s): *Erigeron*, *Inula* (Asteraceae) (Parenti,2000).
- 5363. Bazaria sieversi (Christoph,1877)** (Pyralidae) Synonym(s): *sieversi* Christoph,1877
- 5364. Bazaria turensis Ragonot,1887** (Pyralidae) Synonym(s): *turensis* Ragonot,1887 Larval foodplant(s): *Nitraria schoberi*, *N. tridentata* (Zygophyllaceae) (Roesler,1993).
- 5365. Boreophila ehippialis (Zetterstedt,1839)** (Pyralidae) Synonym(s): *ehippialis* Zetterstedt,1839
- 5366. Boreophila manualis (Geyer,[1832])** (Pyralidae) Synonym(s): *manualis* Geyer,[1832] Larval foodplant(s): *Achillea millefolium* (Asteraceae) (Parenti,2000).
- 5367. Bradyrrhoa confiniella Zeller,1848** (Pyralidae) Synonym(s): *confiniella* Zeller,1848; *remotella* Mann,1867; *nubigerella* Ragonot,1893; *ifraneella* Lucas,1956; *ebertella* Roesler,1969
- 5368. Bradyrrhoa gilveolella (Treitschke,1833)** (Pyralidae) Synonym(s): *gilveolella* Treitschke,1833 Larval foodplant(s): *Chondrilla ambigua* (= *C. pauciflora*), *C. brevirostris*, *C. cyanorostris*, *C. juncea*, *C. kuznetsovi*, *C. mujunkumensis* (Asteraceae) (Roesler,1993).
- 5369. Cadra calidella (Guenée,1845)** (Pyralidae) Synonym(s): *calidella* Guenée,1845; *#ficella* Douglas,1851; *xanthotricha* Staudinger,1859.
- 5370. Cadra cautella (Walker,1863)** (Pyralidae) Synonym(s): *cautella* Walker,1863; *defectella* Walker,1864; *desuetella* Walker,1866; *passulella* Barrett,1875; *formosella* Wileman & South,1918; *rotundatella* Turati,1930; *pelopis* Turner,1947; *irakella* Amsel,1959 Larval foodplant(s): dried fruits, beans, seeds (Parenti,2000).
- 5371. Cadra figulilella (Gregson,1871)** (Pyralidae) Synonym(s): *figulilella* Gregson,1871; *milleri* Zeller,1876; *gypsella* Ragonot,1887; *venosella* Turati,1926; *ernestinella* Turati,1927; *#halfaella* Roesler,1965.
- 5372. Cadra furcatella (Herrich-Schäffer,[1849])** (Pyralidae) Synonym(s): *furcatella* Herrich-Schäffer,[1849]

- 5373. *Cadra furcatella furcatella* (Herrich-Schäffer,[1849])** (Pyralidae)
Synonym(s): *furcatella* Herrich-Schäffer,[1849]; *reductella* Mann,1864; *inductella* Staudinger,1879; *irroratella* Ragonot,1887; *constrictella* Caradja,1929; *zenggiella* Amsel,1955.
- 5374. *Calamochrous acutellus* (Eversmann,1842)** (Pyralidae) Synonym(s):
acutellus Eversmann,1842; *acutalis* Guenée,1854
- 5375. *Calamotropha aureliella* (Fischer v. Röslerstamm,[1841])** (Pyralidae)
Synonym(s): *aureliella* Fischer v. Röslerstamm,[1841]; *fulvilineata* Okano,1958.
- 5376. *Calamotropha aureliella korbi* (Caradja,1910)** (Pyralidae) Synonym(s):
korbi Caradja,1910
- 5377. *Calamotropha fulvifusalis* (Hampson,1900)** (Pyralidae) Synonym(s):
fulvifusalis Hampson,1900; *shibuyae* Matsumura,1927; *asagirii* Okano,1959.
- 5378. *Calamotropha paludella* (Hübner,[1824])** (Pyralidae) Synonym(s):
paludella Hübner,[1824]; *obtusellus* Stainton,1856; *paramattellus* Meyrick,1879; *carpherus* Hampson,1898; *nivellus* Rebel,1914; *calamosus* Hampson,1919; *durandi* Lucas,1931; *typhivorus* Meyrick,1932; *#digitatus* Osthelder,1937; *afghanistanica* Bleszynski,1959. Larval foodplant(s):
Typha (Typhaceae) (Parenti,2000).
- 5379. *Cataclysta lemnata* (Linnaeus,1758)** (Pyralidae) Synonym(s): *lemnata* Linnaeus,1758; *lemnalis* [Denis & Schiffermüller],1775; *uliginata* Fabricius,1794; *confirmata* Krulikowsky,1909; *brunneospersa* Osthelder,1935. Larval foodplant(s): Lemna (Lemnaceae) Typha (Typhaceae), Sparganium (Sparganiaceae) (Parenti,2000).
- 5380. *Cataclysta midas* Butler,1881** (Pyralidae) Synonym(s): *midas* Butler,1881
- 5381. *Catastia kistrandella* Opheim,1963** (Pyralidae) Synonym(s): *kistrandella* Opheim,1963
- 5382. *Catastia marginea* ([Denis & Schiffermüller],1775)** (Pyralidae)
Synonym(s): *marginea* [Denis & Schiffermüller],1775. Larval foodplant(s): Alchemilla vulgaris, Potentilla (Rosaceae) (Hannemann,1964).
- 5383. *Catoptria aurora* Bleszynski,1965** (Pyralidae) Synonym(s): *aurora* Bleszynski,1965
- 5384. *Catoptria caucasica* (Alpheraky,1878)** (Pyralidae) Synonym(s): *caucasica* Alpheraky,1878
- 5385. *Catoptria conchella* ([Denis & Schiffermüller],1775)** (Pyralidae)
Synonym(s): *conchella* [Denis & Schiffermüller],1775; *stentziellus* Treitschke,1835.
- 5386. *Catoptria dagestanica* Bleszynski,1965** (Pyralidae) Synonym(s):
dagestanica Bleszynski,1965
- 5387. *Catoptria falsella* ([Denis & Schiffermüller],1775)** (Pyralidae)
Synonym(s): *falsella* [Denis & Schiffermüller],1775; *abruptella* Thunberg,1794; *persephone* Bleszynski,1956. Larval foodplant(s): Barbula muralis (Bryaceae) (Parenti,2000).
- 5388. *Catoptria falsella falsella* ([Denis & Schiffermüller],1775)** (Pyralidae)
Synonym(s): *falsella* [Denis & Schiffermüller],1775; *abruptella* Thunberg,1794; *persephone* Bleszynski,1956.
- 5389. *Catoptria fenestratella* (Caradja,1928)** (Pyralidae) Synonym(s):
fenestratella Caradja,1928
- 5390. *Catoptria fulgidella* (Hübner,[1813])** (Pyralidae) Synonym(s): *fulgidella* Hübner,[1813] Larval foodplant(s): Festuca (Poaceae), Carex arenaria (Cyperaceae), Antennaria (Asteraceae) (Parenti,2000).
- 5391. *Catoptria furcatella* (Zetterstedt,1839)** (Pyralidae) Synonym(s): *furcatellus* Zetterstedt,1839; *radiolellus* Herrich-Schäffer,[1848]; *lapponicellus* Duponchel,1844.
- 5392. *Catoptria furciferalis* (Hampson,1900)** (Pyralidae) Synonym(s):
furciferalis Hampson,1900
- 5393. *Catoptria languidella* (Zeller,1863)** (Pyralidae) Synonym(s): *languidellus* Zeller,1863
- 5394. *Catoptria lithargyrella* (Hübner,1796)** (Pyralidae) Synonym(s):
lithargyrella Hübner,1796
- 5395. *Catoptria maculalis* (Zetterstedt,1839)** (Pyralidae) Synonym(s): *maculalis* Zetterstedt,1839; *cacuminellus* Zeller,1850.

- 5396. *Catoptria margaritella* ([Denis & Schiffermüller],1775)** (Pyralidae)
Synonym(s): *margaritella* [Denis & Schiffermüller],1775; *montanicella* Bleszynski,1948 Larval foodplant(s): Bryaceae (Parenti,2000).
- 5397. *Catoptria mytilella* (Hübner,[1805])** (Pyralidae) Synonym(s): *mytilella* Hübner,[1805]; *vilarrubiae* Agenjo,1954.
- 5398. *Catoptria permiaca* (Petersen,1924)** (Pyralidae) Synonym(s): *permiacus* Petersen,1924; *antipinellus* Inoue,1955.
- 5399. *Catoptria permutatella* (Herrich-Schäffer,[1848])** (Pyralidae)
Synonym(s): *permutatellus* Herrich-Schäffer,[1848]; *hercyniae* Heinemann,1854; *uralensis* Petersen,1924. Larval foodplant(s): Bryaceae (Parenti,2000).
- 5400. *Catoptria permutatella permutatella* (Herrich-Schäffer,[1848])** (Pyralidae) Synonym(s): *permutatellus* Herrich-Schäffer,[1848]; *hercyniae* Heinemann,1854; *uralensis* Petersen,1924.
- 5401. *Catoptria pinella* (Linnaeus,1758)** (Pyralidae) Synonym(s): *pinella* Linnaeus,1758; *virginella* Scopoli,1763. Larval foodplant(s): *Deschampsia* (Poaceae), *Carex* (Cyperaceae), *Eriophorum vaginatum* (Bryaceae) (Parenti,2000).
- 5402. *Catoptria pinella pinella* (Linnaeus,1758)** (Pyralidae) Synonym(s): *pinella* Linnaeus,1758; *virginella* Scopoli,1763.
- 5403. *Catoptria profluxella* (Christoph,1887)** (Pyralidae) Synonym(s): *profluxella* Christoph,1887; *pseudociliciella* Bleszynski,1957.
- 5404. *Catoptria spodiella* (Rebel,1916)** (Pyralidae) Synonym(s): *spodiella* Rebel,1916; *plumbellus* Caradja,1933.
- 5405. *Catoptria trichostoma* (Christoph,1858)** (Pyralidae) Synonym(s): *trichostomus* Christoph,1858
- 5406. *Catoptria verella* (Zincken,1817)** (Pyralidae) Synonym(s): *verellus* Zincken,1817; *radiolana* Eversmann,1844. Larval foodplant(s): Bryaceae (Parenti,2000).
- 5407. *Catoptria witimella* Bleszynski,1965** (Pyralidae) Synonym(s): *witimella* Bleszynski,1965
- 5408. *Chilo christophi* Bleszynski,1965** (Pyralidae) Synonym(s): *christophi* Bleszynski,1965
- 5409. *Chilo hyrax* Bleszynski,1965** (Pyralidae) Synonym(s): *hyrax* Bleszynski,1965
- 5410. *Chilo hyrax hyrax* Bleszynski,1965** (Pyralidae) Synonym(s): *hyrax* Bleszynski,1965
- 5411. *Chilo infuscatellus* Snellen,1891** (Pyralidae) Synonym(s): *infuscatellus* Snellen,1891; *sticticraspis* Hampson,1919; *coniorta* Hampson,1919; *calamina* Hampson,1919; *shariinensis* Eguchi,1933; *tadzhikiellus* Gerasimov,1949.
- 5412. *Chilo luteellus* (Motschulsky,1866)** (Pyralidae) Synonym(s): *lutellus* Motschulsky,1860 nec [Denis & Schiff.],1775; *luteellus* Motschulsky,1866; *concolorellus* Christoph,1885; *gensamellus* Leech,1889; *dubia* Bethune-Baker,1894; *boxanus* Hering,1903; *plumbosellus* Chrétien,1910; *molydellus* Zerny,1935; *molybdellus* Zerny,1941.
- 5413. *Chilo phragmitellus* (Hübner,[1810])** (Pyralidae) Synonym(s): *phragmitellus* Hübner,[1810]; *rhombea* Haworth,[1811]. Larval foodplant(s): *Glyceria maxima*, *Phragmites* (Poaceae) (Parenti,2000).
- 5414. *Chilo pulverosellus* Ragonot,1895** (Pyralidae) Synonym(s): *pulverosellus* Ragonot,1895; *brevipalpellus* Zerny,1914; *fernandezi* Joannis,1932; *lemarchandellus* Lucas,1945. Larval foodplant(s): *Zea mays* (Bodenheimer,1930; Bleszynski,1965).
- 5415. *Christophia ectypella* (Ragonot,1888)** (Pyralidae) Synonym(s): *ectypella* Ragonot,1888
- 5416. *Chrysocrambus craterellus* (Scopoli,1763)** (Pyralidae) Synonym(s): *craterellus* Scopoli,1763; *rorella* Linnaeus,1767; *klimeschi* Toll,1938; *alpinus* Bleszynski,1958; *abruzzellus* Bleszynski,1958.
- 5417. *Chrysoteuchia culmella* (Linnaeus,1758)** (Pyralidae) Synonym(s): *culmella* Linnaeus,1758; *strigella* Fabricius,1781; *hortuella* Hübner,1796; *cespitella* Hübner,1796; *caricetalis* Hübner,[1825]; *#hortellus* Zerny,1914; *#brunnea* Dufrane,1942. Larval foodplant(s): *Festuca*, *Agrostis*, *Dactylis* (Poaceae) (Parenti,2000).

- 5418. Chrysoteuchia culmella culmella (Linnaeus,1758)** (Pyralidae)
Synonym(s): *culmella* Linnaeus,1758; *strigella* Fabricius,1781; *hortuella* Hübner,1796; *cespitella* Hübner,1796; *caricetalis* Hübner,[1825]; *#brunnea* Dufrane,1942.
- 5419. Chrysoteuchia culmella uralella (Krulikowsky,1909)** (Pyralidae)
Synonym(s): *uralella* Krulikowsky,1909
- 5420. Chrysoteuchia culmella ussuriella (Bleszynski,1962)** (Pyralidae)
Synonym(s): *ussuriella* Bleszynski,1962
- 5421. Chrysoteuchia diplogramma (Zeller,1863)** (Pyralidae) Synonym(s):
diplogramma Zeller,1863; *textellus* Christoph,1881.
- 5422. Chrysoteuchia distinctella (Leech,1889)** (Pyralidae) Synonym(s):
distinctella Leech,1889
- 5423. Chrysoteuchia gregorella Bleszynski,1965** (Pyralidae) Synonym(s):
gregorella Bleszynski,1965
- 5424. Chrysoteuchia mandschurica (Christoph,1881)** (Pyralidae)
Synonym(s): *mandschurica* Christoph,1881
- 5425. Chrysoteuchia porcelanella (Motschulsky,1860)** (Pyralidae)
Synonym(s): *porcelanella* Motschulsky,1860; *vigens* Butler,1879; *fucatellus* Christoph,1881.
- 5426. Chrysoteuchia pseudodiplogramma (Okano,1962)** (Pyralidae)
Synonym(s): *pseudodiplogramma* Okano,1962
- 5427. Chrysoteuchia pyraustoides (Erschoff,1877)** (Pyralidae) Synonym(s):
pyraustoides Erschoff,1877
- 5428. Cnaphalocrocis medinalis (Guenée,1854)** (Pyralidae) Synonym(s):
medinalis Guenée,1854; *nurscialis* Walker,1859 Larval foodplant(s): *Oryza sativa*
(Poaceae) (Robinson et al.,1994).
- 5429. Conobathra repandana (Fabricius,1798)** (Pyralidae) Synonym(s):
repandana Fabricius,1798; *tumidella* Zincken,1818; *zelleri* Ragonot,1888. Larval foodplant(s):
Quercus (Fagaceae) (Parenti,2000).
- 5430. Conobathra tumidana ([Denis & Schiffermüller],1775)** (Pyralidae)
Synonym(s): *tumidana* [Denis & Schiffermüller],1775; *tumidalis* Hübner,[1825]; *rubrotibiella* Fischer
v. *Roeslerstamm*,1839. Larval foodplant(s): *Quercus* (Fagaceae) (Parenti,2000).
- 5431. Crambus alienellus (Germar & Kaulfuss,1817)** (Pyralidae) Synonym(s):
alienellus Germar & Kaulfuss,1817; *zinckenellus* Sodoffsky,1830; *tigurinellus* Duponchel,1836; *ocellellus*
Zetterstedt,1840.
- 5432. Crambus diplogrammus Zeller,1863** (Pyralidae) Synonym(s):
diplogrammus Zeller,1863
- 5433. Crambus ericellus (Hübner,[1813])** (Pyralidae) Synonym(s): *ericellus*
Hübner,[1813] Larval foodplant(s): *Corynephorus*, *Deschampsia* (Poaceae)
(Parenti,2000).
- 5434. Crambus hamellus (Thunberg,1788)** (Pyralidae) Synonym(s): *hamellus*
Thunberg,1788; *baccaestrius* Haworth,[1811]; *ensigerellus* Hübner,[1813].
- 5435. Crambus hamellus hamellus (Thunberg,1788)** (Pyralidae) Synonym(s):
hamellus Thunberg,1788; *baccaestrius* Haworth,[1811]; *ensigerellus* Hübner,[1813].
- 5436. Crambus heringiellus Herrich-Schäffer,[1848]** (Pyralidae)
Synonym(s): *heringiellus* Herrich-Schäffer,[1848]; *#hemigiellus* Hampson,1896.
- 5437. Crambus humidellus Zeller,1877** (Pyralidae) Synonym(s): *humidellus*
Zeller,1877; *yokohamae* Butler,1879; *splendidellus* Christoph,1881.
- 5438. Crambus isshiki Matsumura,1925** (Pyralidae) Synonym(s): *isshiki*
Matsumura,1925
- 5439. Crambus lathoniellus (Zincken,1817)** (Pyralidae) Synonym(s): *nemorellus*
Hübner,[1813] *nec* Thunb.,1788; *lathoniellus* Zincken,1817; *angustellus* Stephens,1834; *alfacarellus*
Staudinger,1859; *altivolens* Schawerda,1913; *marpurgensis* Strand,1920. Larval foodplant(s):
Deschampsia cespitosa (Poaceae) (Parenti,2000).
- 5440. Crambus monochromellus Herrich-Schäffer,[1852]** (Pyralidae)
Synonym(s): *monochromellus* Herrich-Schäffer,[1852]; *rostellus* Laharpe,1855.

- 5441. *Crambus pascuella* (Linnaeus,1758)** (Pyralidae) Synonym(s): *pascuella* Linnaeus,1758; *scirpellus* Laharpe,1864; *fumipalpellus* Mann,1871; *acutulellus* Chrétien,1896. Larval foodplant(s): *Poa* (Poaceae) (Parenti,2000).
- 5442. *Crambus perlellus* (Scopoli,1763)** (Pyralidae) Synonym(s): *perlellus* Scopoli,1763; *dealbellus* Thunberg,1788; *warringtonellus* Stainton,1849. Larval foodplant(s): *Deschampsia*, *Festuca* (Poaceae) (Parenti,2000).
- 5443. *Crambus perlellus cupriacellus* Zerny,1914** (Pyralidae) Synonym(s): *cupriacellus* Zerny,1914
- 5444. *Crambus perlellus nigerrimus* Caradja,1917** (Pyralidae) Synonym(s): *nigerrimus* Caradja,1917
- 5445. *Crambus perlellus perlellus* (Scopoli,1763)** (Pyralidae) Synonym(s): *perlellus* Scopoli,1763; *dealbellus* Thunberg,1788; *warringtonellus* Stainton,1849.
- 5446. *Crambus pratellus* (Linnaeus,1758)** (Pyralidae) Synonym(s): *pratellus* Linnaeus,1758; *dumetellus* Hübner,[1813]; *saltalis* Hübner,[1825]. Larval foodplant(s): *Deschampsia cespitosa* (Poaceae) (Parenti,2000).
- 5447. *Crambus pseudargyrophorus* Okano,1960** (Pyralidae) Synonym(s): *pseudargyrophorus* Okano,1960
- 5448. *Crambus sakayehamanus* Matsumura,1925** (Pyralidae) Synonym(s): *sakayehamanus* Matsumura,1925
- 5449. *Crambus scoticus* Westwood,1849** (Pyralidae) Synonym(s): *scoticus* Westwood,1849; *uliginosellus* Zeller,1850; *#infuscatellus* Caradja,1910
- 5450. *Crambus sibiricus* Alpheraky,1897** (Pyralidae) Synonym(s): *sibiricus* Alpheraky,1897
- 5451. *Crambus silvellus* (Hübner,[1813])** (Pyralidae) Synonym(s): *silvellus* Hübner,[1813]; *adippellus* Zincken,1817; *#adippalis* Hübner,[1825].
- 5452. *Cremnophila sedakovella* (Eversmann,1851)** (Pyralidae) Synonym(s): *sedakovella* Eversmann,1851
- 5453. *Cryptoblabes bistriga* (Haworth,1811)** (Pyralidae) Synonym(s): *bistriga* Haworth,1811
- 5454. *Cryptoblabes loxiella* Ragonot,1887** (Pyralidae) Synonym(s): *loxiella* Ragonot,1887
- 5455. *Cynaeda dentalis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *dentalis* [Denis & Schiffermüller],1775; *ramalis* Fabricius,1787; *radiata* Esper,1788; *fulminans* Fabricius,1794; *dilutalis* De Lattin,1959 Larval foodplant(s): *Onosma stellulata*, *Anchusa officinalis*, *Echium vulgare*, *E. gaditanum* (Boraginaceae) (Staudinger,1879; et seq.).
- 5456. *Cynaeda dentalis dentalis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *dentalis* [Denis & Schiffermüller],1775; *ramalis* Fabricius,1787; *radiata* Esper,1788; *fulminans* Fabricius,1794; *dilutalis* De Lattin,1959
- 5457. *Cynaeda forsteri* De Lattin,1951** (Pyralidae) Synonym(s): *forsteri* De Lattin,1951
- 5458. *Cynaeda forsteri forsteri* De Lattin,1951** (Pyralidae) Synonym(s): *forsteri* De Lattin,1951
- 5459. *Daria coenosella* Ragonot,1888** (Pyralidae) Synonym(s): *coenosella* Ragonot,1888; *tshetverikovi* Kusnesov,1908.
- 5460. *Diasemia reticularis* (Linnaeus,1761)** (Pyralidae) Synonym(s): *reticularis* Linnaeus,1761; *litterata* Scopoli,1763 Larval foodplant(s): *Plantago* (Plantaginaceae), *Cichorium*, *Hieracium*, *Picris* (Asteraceae) (Parenti,2000).
- 5461. *Dioryctria abietella* (Fabricius,1787)** (Pyralidae) Synonym(s): *#abietella* [Denis & Schiffermüller],1775; *abietella* Fabricius,1787
- 5462. *Dioryctria schuetzeella* Fuchs,1899** (Pyralidae) Synonym(s): *schuetzeella* Fuchs,1899
- 5463. *Dioryctria simplicella* Heinemann,1863** (Pyralidae) Synonym(s): *simplicella* Heinemann,1863; *mutatella* Fuchs,1903.

- 5464. Dioryctria sylvestrella (Ratzeburg,1840)** (Pyralidae) Synonym(s): *sylvestrella* Ratzeburg,1840; *splendidella* sensu auct. Larval foodplant(s): *Pinus* (Pinaceae), *Betula* (Betulaceae) (Parenti,2000).
- 5465. Dipleurina lacustrata (Panzer,1804)** (Pyralidae) Synonym(s): *crataegella* sensu Hübner,1796 nec Linn.,1767; *lacustrata* Panzer,1804; *pusilla* Westwood,1845.
- 5466. Dipleurina lacustrata lacustrata (Panzer,1804)** (Pyralidae) Synonym(s): *crataegella* sensu Hübner,1796 nec Linn.,1767; *lacustrata* Panzer,1804; *pusilla* Westwood,1845.
- 5467. Donacula mucronella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *mucronella* [Denis & Schiffermüller],1775
- 5468. Ebulea crocealis (Hübner,1796)** (Pyralidae) Synonym(s): *crocealis* Hübner,1796
- 5469. Eccopisa effractella Zeller,1848** (Pyralidae) Synonym(s): *effractella* Zeller,1848 Larval foodplant(s): *Corylus* (Corylaceae), *Malus sylvestris*, *Prunus* (Rosaceae) (Hannemann,1964).
- 5470. Ecpyrrhorhoe rubiginalis (Hübner,1796)** (Pyralidae) Synonym(s): *rubiginalis* Hübner,1796 Larval foodplant(s): *Ballota*, *Galeopsis tetrahit*, *Stachys officinalis* (Lamiaceae) (Parenti,2000).
- 5471. Elegia similella (Zincken,1818)** (Pyralidae) Synonym(s): *similella* Zincken,1818 Larval foodplant(s): *Quercus* (Fagaceae) (Parenti,2000).
- 5472. Elophila nymphaeata (Linnaeus,1758)** (Pyralidae) Synonym(s): *nymphaeata* Linnaeus,1758; *potamogata* Linnaeus,1758; *rivulata* Scopoli,1763; *nymphaealis* [Denis & Schiffermüller],1775; *potamogalis* [Denis & Schiffermüller],1775; *obscuralis* Selys-Longchamps,1845; *potamogetalis* Reutti,1898 Larval foodplant(s): *Nuphar*, *Nymphaea* (Nymphaeaceae) (Parenti,2000).
- 5473. Ematheudes punctellus (Treitschke,1833)** (Pyralidae) Synonym(s): *punctella* Treitschke,1833
- 5474. Endotricha admirabilis Kirpichnikova,2003** (Pyralidae) Synonym(s): *admirabilis* Kirpichnikova,2003
- 5475. Endotricha costaemaculalis Christoph,1881** (Pyralidae) Synonym(s): *costaemaculalis* Christoph,1881
- 5476. Endotricha costaemaculalis costaemaculalis Christoph,1881** (Pyralidae) Synonym(s): *costaemaculalis* Christoph,1881
- 5477. Endotricha flammealis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *flammealis* [Denis & Schiffermüller],1775; *carnealis* De Lattin,1951. Larval foodplant(s): *Salix* (Salicaceae), *Quercus* (Fagaceae), *Agrimonia* (Rosaceae), *Lotus* (Fabaceae), *Vaccinium* (Ericaceae) (Parenti,2000).
- 5478. Endotricha kuznetsovi Whalley,1963** (Pyralidae) Synonym(s): *kuznetsovi* Whalley,1963
- 5479. Endotricha olivacealis (Bremer,1864)** (Pyralidae) Synonym(s): *olivacealis* Bremer,1864
- 5480. Endotricha valentis Kirpichnikova,2003** (Pyralidae) Synonym(s): *valentis* Kirpichnikova,2003
- 5481. Epascestria pustulalis (Hübner,[1823])** (Pyralidae) Synonym(s): *pustulalis* Hübner,[1823]; *orientalis* Caradja,1917. larva mines in *Anchusa officinalis*, *Echium* (Boraginaceae) (Wiltshire,1957; Parenti,2000).
- 5482. Ephestia (Anagasta) kuehniella Zeller,1879** (Pyralidae) Synonym(s): *kuehniella* Zeller,1879; *fuscifasciella* Ragonot,1887; *gitoniella* Druce,1896; *lunella* Noel,1904; *ischnomorpha* Meyrick,1931; *#kueniella* Hutacharern & Tubtim,1995 Larval foodplant(s): stored cereals, cereal products, stored nuts, dried fruits (Parenti,2000).
- 5483. Ephestia (Anagasta) welseriella (Zeller,1848)** (Pyralidae) Synonym(s): *welseriella* Zeller,1848; *modestella* Lederer,1863; *tephrinella* Lederer,1870; *rhenanella* Fuchs,1877; *suffusella* Ragonot,1901; *immodestella* Rebel,1916; *superbella* Lucas,1954; *capricola* Hampson,1927. Larval foodplant(s): *Allium* (Liliaceae) (Parenti,2000).

- 5484. *Ephestia* (s.str.) *elutella* (Hübner,1796)** (Pyralidae) **Synonym(s):** *elutella* Hübner,1796; *semirufa* Haworth,1811; *rufa* Haworth,1811; *angusta* Haworth,1811; *sericarium* Scott,1859; *roxburghii* Gregson,1873; *infumatella* Ragonot,1887; *affusella* Ragonot,1888; *icosiella* Ragonot,1888; *amarella* Dyar,1904; *pterogrisella* Roesler,1965 **Larval foodplant(s):** stored cereals, dried fruits, nuts, oilseeds, tobacco (Parenti,2000).
- 5485. *Ephestia* (s.str.) *parasitella* Staudinger,1859** (Pyralidae) **Synonym(s):** *parasitella* Staudinger,1859; *bimaculella* Lucas,1955. **Larval foodplant(s):** dried vegetable matter (Parenti,2000).
- 5486. *Ephestia* (s.str.) *parasitella unicolorella* Staudinger,1881** (Pyralidae) **Synonym(s):** *unicorella* Staudinger,1881; *personata* Gerasimov,1930; *intermediella* Amsel,1961.
- 5487. *Epidauria* *strigosa* (Staudinger,1879)** (Pyralidae) **Synonym(s):** *strigosa* Staudinger,1879
- 5488. *Epischnia* *adultella* (Zeller,1848)** (Pyralidae) **Synonym(s):** *adultella* Zeller,1848
- 5489. *Epischnia* *cretaciella* Mann,1869** (Pyralidae) **Synonym(s):** *cretaciella* Mann,1869; *demartinella* Turati,1922.
- 5490. *Epischnia* *cuculliella* Ragonot,1887** (Pyralidae) **Synonym(s):** *cuculliella* Ragonot,1887
- 5491. *Epischnia* *glyphella* Ragonot,1887** (Pyralidae) **Synonym(s):** *glyphella* Ragonot,1887
- 5492. *Epischnia* *illotella* Zeller,1839** (Pyralidae) **Synonym(s):** *illotella* Zeller,1839 **Larval foodplant(s):** *Asteriscus*, *Inula* (Asteraceae) (Parenti,2000).
- 5493. *Epischnia* *leucoloma* (Herrich-Schäffer,[1849])** (Pyralidae) **Synonym(s):** *leucoloma* Herrich-Schäffer,[1849]
- 5494. *Epischnia* *prodromella* (Hübner,[1799])** (Pyralidae) **Synonym(s):** *prodromella* Hübner,[1799] **Larval foodplant(s):** *Knautia*, *Scabiosa* (Dipsacaceae), *Centaurea* (Asteraceae) (Parenti,2000).
- 5495. *Episcythrastis* *tabidella* (Mann,1864)** (Pyralidae) **Synonym(s):** *tabidella* Mann,1864; *griseella* Ragonot,1887; *constanti* Ragonot,1893; *heringi* Hartig,1938; *demawendella* Zerny,1939
- 5496. *Episcythrastis* *tetricella* ([Denis & Schiffermüller],1775)** (Pyralidae) **Synonym(s):** *tetricella* [Denis & Schiffermüller],1775; *tetrix* Fabricius,1798; *chrysorrhoeella* Zincken,1818; *plumbaginella* Eversmann,1844; *amurensis* Ragonot,1887; *alternella* Lewin,1942
- 5497. *Etiella* *zinckenella* (Treitschke,1832)** (Pyralidae) **Synonym(s):** *marginella* Fabricius,1781 nec Den. & Schiff.,1775; *zinckenella* Treitschke,1832; *etiella* Treitschke,1835; *majorellus* Costa,1836; *colonnellus* Costa,1836; *dymnusalis* Walker,1859; *heraldella* Guenée,1862; *anticalis* Walker,1863; *indicatalis* Walker,1863; *hastiferella* Walker,1866; *decipiens* Staudinger,1870; *spartiella* Rondani,1876; *sabulinus* Butler,1879; *madagascariensis* Saalmüller,1880; *schisticolor* Zeller,1881; *villosella* Hulst,1887; *rubribasella* Hulst,1890; *#tiella* Pinhey,1975. **Larval foodplant(s):** *Colutea*, *Lupinus*, *Phaseolus* (Fabaceae) (Parenti,2000).
- 5498. *Eucampyla* *dealbatella* (Erschoff,1874)** (Pyralidae) **Synonym(s):** *dealbatella* Erschoff,1874; *staminella* Christoph,1877; *nervulatella* Turati,1926; *kerbelella* Amsel,1949; *gigantella* Roesler,1965.
- 5499. *Eucarphia* *vinetella* (Fabricius,1787)** (Pyralidae) **Synonym(s):** *vinetella* Fabricius,1787; *vinetorum* Fabricius,1798; *vinetalis* Hübner,[1825]. **Larval foodplant(s):** *Potentilla arenaria* (Rosaceae) (Roesler,1993).
- 5500. *Eucarphia* *vinetella* *vinetella* (Fabricius,1787)** (Pyralidae) **Synonym(s):** *vinetella* Fabricius,1787; *vinetorum* Fabricius,1798; *vinetalis* Hübner,[1825].
- 5501. *Euchromius* *bellus* (Hübner,1796)** (Pyralidae) **Synonym(s):** *bella* Hübner,1796; *bellalis* Hübner,[1825]. **Larval foodplant(s):** *Scabiosa* (Dipsacaceae), *Picris* (Asteraceae).
- 5502. *Euchromius* *bleszynskiellus* Popescu-Gorj,1964** (Pyralidae) **Synonym(s):** *bleszynskiellus* Popescu-Gorj,1964
- 5503. *Euchromius* *gratiosellus* (Caradja,1910)** (Pyralidae) **Synonym(s):** *gratiosella* Caradja,1910

- 5504. *Euchromius mouchai* Bleszynski,1961** (Pyralidae) Synonym(s): *mouchai* Bleszynski,1961
- 5505. *Euchromius ocellus* (Haworth,[1811])** (Pyralidae) Synonym(s): *ocellea* Haworth,[1811]; *cyrilli* Costa,1832; *fumiculella* Treitschke,1832; *texana* Robinson,1870; *gigantea* Turati,1924; *quadrii* Ahmad,Zaidi & Kamaluddin,1982
- 5506. *Euchromius ramburiellus* (Duponchel,1836)** (Pyralidae) Synonym(s): *ramburiellus* Duponchel,1836; *zonellus* Zeller,1847; *luteella* Caradja,1910; *#ramburellus* Rothschild,1924; *islamella* Amsel,1949.
- 5507. *Euchromius rayatellus* (Amsel,1949)** (Pyralidae) Synonym(s): *rayatella* Amsel,1949
- 5508. *Euchromius roxanus* Bleszynski,1965** (Pyralidae) Synonym(s): *roxanus* Bleszynski,1965
- 5509. *Euchromius superbellus* (Zeller,1849)** (Pyralidae) Synonym(s): *superbellus* Zeller,1849; *wockeella* Zeller,1863; *cypriusella* Amsel,1958.
- 5510. *Euclasta* (s.str.) *splendidalis* (Herrich-Schäffer,[1848])** (Pyralidae) Synonym(s): *splendidalis* Herrich-Schäffer,[1848]
- 5511. *Eudonia alpina* (Curtis,1850)** (Pyralidae) Synonym(s): *alpina* Curtis,1850
- 5512. *Eudonia delunella* (Stainton,1849)** (Pyralidae) Synonym(s): *resinea* auct.; *delunella* Stainton,1849; *vandaliella* Herrich-Schäffer,1851; *vandalialis* Herrich-Schäffer,1862; *pernigralis* Turati,1923
- 5513. *Eudonia delunella delunella* (Stainton,1849)** (Pyralidae) Synonym(s): *resinea* auct.; *delunella* Stainton,1849; *vandaliella* Herrich-Schäffer,1851; *vandalialis* Herrich-Schäffer,1862; *pernigralis* Turati,1923
- 5514. *Eudonia delunella orientalis* (Alpheraky,1878)** (Pyralidae) Synonym(s): *orientalis* Alpheraky,1878
- 5515. *Eudonia laetella* (Zeller,1846)** (Pyralidae) Synonym(s): *laetella* Zeller,1846
- 5516. *Eudonia mercurella* (Linnaeus,1758)** (Pyralidae) Synonym(s): *mercurella* Linnaeus,1758; *mercurii* Fabricius,1798; *mercurea* Haworth,1811; *mercuralis* Hübner,[1825]; *portlandica* Westwood,1845; *frequentella* Stainton,1849; *concinella* Curtis,1850; *frequentalis* Herrich-Schäffer,1862
- 5517. *Eudonia mercurella mercurella* (Linnaeus,1758)** (Pyralidae) Synonym(s): *mercurella* Linnaeus,1758; *mercurii* Fabricius,1798; *mercurea* Haworth,1811; *mercuralis* Hübner,[1825]; *portlandica* Westwood,1845; *frequentella* Stainton,1849; *concinella* Curtis,1850; *frequentalis* Herrich-Schäffer,1862
- 5518. *Eudonia murana* (Curtis,1827)** (Pyralidae) Synonym(s): *murana* Curtis,1827; *muralis* Doubleday,1850; *delphinatalis* Guenée,1854; *muranela* La Harpe,1855; *pseudomurana* Müller-Rutz,1925
- 5519. *Eudonia murana murana* (Curtis,1827)** (Pyralidae) Synonym(s): *murana* Curtis,1827; *muralis* Doubleday,1850; *delphinatalis* Guenée,1854; *muranela* La Harpe,1855; *pseudomurana* Müller-Rutz,1925
- 5520. *Eudonia sudetica* (Zeller,1839)** (Pyralidae) Synonym(s): *sudetica* Zeller,1839; *livonica* Zeller,1846; *luzialis* Guenée,1854
- 5521. *Eudonia truncicolella* (Stainton,1849)** (Pyralidae) Synonym(s): *truncicolella* Stainton,1849; *pallida* Banks,1895 *nec* Curt.,1827; *#minor* Dufrane,1960; *#fusca* Dufrane,1960
- 5522. *Eudonia vallesialis* (Duponchel,1832)** (Pyralidae) Synonym(s): *vallesialis* Duponchel,1832
- 5523. *Eurhodope* (s.str.) *cirrigerella* (Zincken,1818)** (Pyralidae) Synonym(s): *cirrigerella* Zincken,1818; *infuscata* Staudinger,1879
- 5524. *Eurrhyncha hortulata* (Linnaeus,1758)** (Pyralidae) Synonym(s): *hortulata* Linnaeus,1758; *urticata* Linnaeus,1761; *urticalis* [Denis & Schiffermüller],1775; *flavicauda* Retzius,1783; *hortulana* Fourcroy,1785. Larval foodplant(s): *Urtica dioica* (Urticaceae), *Mentha*, *Marrubium vulgare*, *Stachys*, *Ballota* (Lamiaceae), *Convolvulus* (Convolvulaceae) (Linnaeus,1758; Parenti,2000).
- 5525. *Eurrhyncha contortalis* (Hampson,1900)** (Pyralidae) Synonym(s): *contortalis* Hampson,1900
- 5526. *Eurrhyncha cacuminalis* (Eversmann,1843)** (Pyralidae) Synonym(s): *cacuminalis* Eversmann,1843

- 5527. Eurrhysis pollinalis ([Denis & Schiffermüller],1775)** (Pyrilidae)
Synonym(s): *pollinalis* [Denis & Schiffermüller],1775; *bigutta* Esper,[1791]; *melissalis* Walker,1859; *flavinotalis* Grote,1881; *#obcaecatalis* Leraut & Luquet,1985 Larval foodplant(s): *Cytisus*, *Genista*, *Lembotropis nigricans*, *Ononis* (Fabaceae) (Leraut & Luquet,1982; Parenti,2000).
- 5528. Eurrhysis pollinalis pollinalis ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *pollinalis* [Denis & Schiffermüller],1775; *bigutta* Esper,[1791]; *melissalis* Walker,1859; *flavinotalis* Grote,1881; *#obcaecatalis* Leraut & Luquet,1985 Larval foodplant(s): *Cytisus*, *Genista*, *Lembotropis nigricans*, *Ononis* (Fabaceae) (Leraut & Luquet,1982; Parenti,2000).
- 5529. Eurrhysis sartalis (Hübner,[1813])** (Pyrilidae) Synonym(s): *sartalis* Hübner,[1813].
- 5530. Euzophera (Cymbalorissa) fuliginosella (Heinemann,1865)** (Pyrilidae) Synonym(s): *fuliginosella* Heinemann,1865; *polyxenella* Millièrè,1872.
- 5531. Euzophera (s.str.) afflictella Ragonot,1887** (Pyrilidae) Synonym(s): *afflictella* Ragonot,1887; *aethaloneuria* Filipjev,1924.
- 5532. Euzophera (s.str.) albicostalis Hampson,1903** (Pyrilidae) Synonym(s): *albicostalis* Hampson,1903; *albicostalis* Amsel,1949; *#albocostalis* Wiltshire,1957
- 5533. Euzophera (s.str.) bigella (Zeller,1848)** (Pyrilidae) Synonym(s): *bigella* Zeller,1848; *stenoptycha* Herrich-Schäffer,1855; *bisinuella* Ragonot,1887; *punicaeella* Moore,1891; *immundella* Ragonot,1901; *angulella* Chrétien,1922; *renulella* Constantini,1922 Larval foodplant(s): *Ulmus* (Ulmaceae), *Juglans* (Juglandaceae), *Cydonia*, *Malus*, *Pirus*, *Prunus armeniaca* (Rosaceae), *Punica* (Punicaceae), *Salix* (Salicaceae) (Huemer,1988; Parenti,2000).
- 5534. Euzophera (s.str.) cinerosella (Zeller,1839)** (Pyrilidae) Synonym(s): *cinerosella* Zeller,1839; *incanella* Eversmann,1844; *artemisiella* Stainton,1859; *pimelella* Zerny,1934.
- 5535. Euzophera (s.str.) cinerosella cinerosella (Zeller,1839)** (Pyrilidae) Synonym(s): *cinerosella* Zeller,1839; *incanella* Eversmann,1844; *artemisiella* Stainton,1859; *pimelella* Zerny,1934.
- 5536. Euzophera (s.str.) colon (Christoph,1881)** (Pyrilidae) Synonym(s): *colon* Christoph,1881
- 5537. Euzophera (s.str.) costivittella Ragonot,1887** (Pyrilidae) Synonym(s): *costivittella* Ragonot,1887
- 5538. Euzophera (s.str.) formosella (Rebel,1910)** (Pyrilidae) Synonym(s): *formosella* Rebel,1910
- 5539. Euzophera (s.str.) pinguis (Haworth,[1811])** (Pyrilidae) Synonym(s): *pinguis* Haworth,[1811]; *fischeri* Zeller,1846; *splendidella* Herrich-Schäffer,1848.
- 5540. Euzophera (s.str.) pinguis pinguis (Haworth,[1811])** (Pyrilidae) Synonym(s): *pinguis* Haworth,[1811]; *fischeri* Zeller,1846; *splendidella* Herrich-Schäffer,1848.
- 5541. Euzophera (s.str.) rubricetella (Herrich-Schäffer,1855)** (Pyrilidae) Synonym(s): *rubricetella* Herrich-Schäffer,[1856]
- 5542. Euzophera (s.str.) tetragramma (Rebel,1910)** (Pyrilidae) Synonym(s): *tetragramma* Rebel,1910
- 5543. Euzopherodes lutisignella (Mann,1869)** (Pyrilidae) Synonym(s): *lutisignella* Mann,1869; *leonhardi* Rebel,1910; *scipionella* Turati,1924; *battella* Turati,1924.
- 5544. Euzopherodes lutisignella lutisignella (Mann,1869)** (Pyrilidae) Synonym(s): *lutisignella* Mann,1869; *leonhardi* Rebel,1910; *scipionella* Turati,1924; *battella* Turati,1924.
- 5545. Evergestis aenealis ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *aenealis* [Denis & Schiffermüller],1775; *furvalis* Hübner,1796; *rufimitralis* Hübner,1796; *nigralis* Schrank,1802; *mitralis* Hübner,[1825] Larval foodplant(s): Brassicaceae (Parenti,2000).
- 5546. Evergestis dilutalis (Herrich-Schäffer,[1848])** (Pyrilidae) Synonym(s): *dilutalis* Herrich-Schäffer,[1848]

- 5547. Evergestis extimalis (Scopoli,1763)** (Pyralidae) Synonym(s): *extimalis* Scopoli,1763; *margaritalis* [Denis & Schiffermüller],1775; *flavofusca* Retzius,1783; *mediella* Goeze,1783; *intermediata* Fourcroy,1785; *erucalis* Hübner,1796 Larval foodplant(s): Brassica, Diplotaxis, Iberis, Sinapis, Sisymbrium (Brassicaceae) (Parenti,2000).
- 5548. Evergestis forficalis (Linnaeus,1758)** (Pyralidae) Synonym(s): *forficalis* Linnaeus,1758; *trivialis* Scopoli,1763; *forficatus* Fabricius,1798; *sodalis* Butler,1878 Larval foodplant(s): Brassica, Raphanus, Armoracia, Sinapis, Apium (Brassicaceae) (Parenti,2000).
- 5549. Evergestis frumentalis (Linnaeus,1761)** (Pyralidae) Synonym(s): *frumentalis* Linnaeus,1761
- 5550. Evergestis frumentalis frumentalis (Linnaeus,1761)** (Pyralidae) Synonym(s): *frumentalis* Linnaeus,1761
- 5551. Evergestis nomadalis Lederer,1871** (Pyralidae) Synonym(s): *nomadalis* Lederer,1871
- 5552. Evergestis orientalis (Eversmann,1851)** (Pyralidae) Synonym(s): *orientalis* Eversmann,1851
- 5553. Evergestis pallidata (Hufnagel,1767)** (Pyralidae) Synonym(s): *pallidata* Hufnagel,1767; *straminalis* Hübner,1793; *stramentalis* Hübner,[1825] Larval foodplant(s): Barbarea vulgaris, Brassica, Cardamine, Diplotaxis, Sinapis (Brassicaceae) (Parenti,2000).
- 5554. Evergestis plumbofascialis (Ragonot,1894)** (Pyralidae) Synonym(s): *plumbofascialis* Ragonot,1894
- 5555. Flavocrambus picassensis Bleszynski,1965** (Pyralidae) Synonym(s): *picassensis* Bleszynski,1965
- 5556. Friedlanderia cicatricella (Hübner,[1824])** (Pyralidae) Synonym(s): *cicatricella* Hübner,[1824]; *strigellus* Treitschke,1833; *treitschkeella* Freyer,1836 nec Sodoffsky,1830.
- 5557. Galleria mellonella (Linnaeus,1758)** (Pyralidae) Synonym(s): *mellonella* Linnaeus,1758; *cereana* Blom,1764; *cerella* Fabricius,1775; *cerea* Haworth,1811; *cerealis* Hübner,[1825]; *obliquella* Walker,1866; *austrina* R.Felder & Rogenhofer,1875; *#crombrugheella* Dufrane,1930. Larval foodplant(s): homeycombs in bee-hives (Parenti,2000).
- 5558. Gesneria centuriella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *centuriella* [Denis & Schiffermüller],1775; *centurionalis* Hübner,[1825]; *numeralis* Zetterstedt,[1839]; *quadratella* Zetterstedt,[1839]; *centurialis* Guenée,1854; *obscura* Caradja,1919
- 5559. Glaucocharis exsectella (Christoph,1881)** (Pyralidae) Synonym(s): *exsectella* Christoph,1881; *japonica* Inoue,1955.
- 5560. Glyptoteles leucacrinella Zeller,1848** (Pyralidae) Synonym(s): *leucacrinella* Zeller,1848; *macra* Staudinger,1870. Larval foodplant(s): dry leaves of Alnus, plant litter (Parenti,2000).
- 5561. Gymnancyla (Dentinodia) craticulella (Ragonot,1887)** (Pyralidae) Synonym(s): *craticulella* Ragonot,1887; *erschoffi* Ragonot,1887.
- 5562. Gymnancyla (Spermatophthora) hornigii (Lederer,1852)** (Pyralidae) Synonym(s): *hornigii* Lederer,1852; *#hornigi* Hannemann,1964.
- 5563. Gymnancyla (s.str.) canella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *canella* [Denis & Schiffermüller],1775; *depositella* Zincken,1818; *canellaris* Hübner,[1825].
- 5564. Haritalodes derogata (Fabricius,1775)** (Pyralidae) Synonym(s): *derogata* Fabricius,1775; *multilinealis* Guenée,1854; *salomealis* Walker,1859; *otysalis* Walker,1859; *basipunctalis* Bremer,1864; *anuligeralis* Walker,[1866]; *obliquialis* Lucas,1898 Larval foodplant(s): leaf of Gossypium herbaceum [cotton], Abelmoschus esculentus [okra], Hibiscus sabdariffa [roselle], Abutilon persicum [kong khao ton] (Malvaceae); Lagerstroemia balansae [ta baek] (Lythraceae); Musa [banana] (Musaceae) (Lewvanich,2001).

- 5565. *Heliothela wulfeniana* (Scopoli,1763) (Pyralidae)** Synonym(s): *wulfeniana* Scopoli,1763; *atralis* Hübner,1788 *nec* Fabr.,1775; *coerulealis* Caradja,1917; *huebneri* Koçak,1980. Larval foodplant(s): Lamiaceae, Viola (Violaceae) (Parenti,2000).
- 5566. *Homoeosoma* (Anhomoeosoma) *nimbellum* (Duponchel,1837) (Pyralidae)** Synonym(s): *nimbella* Duponchel,1837; *homoeosomella* Zerny,1926; *snellenella* Benthick,1930.
- 5567. *Homoeosoma* (s.str.) *calcellum* Ragonot,1887 (Pyralidae)** Synonym(s): *calcella* Ragonot,1887
- 5568. *Homoeosoma* (s.str.) *caradjaellum* Roesler,1965 (Pyralidae)** Synonym(s): *caradjaellum* Roesler,1965
- 5569. *Homoeosoma* (s.str.) *heidiellum* Roesler,1967 (Pyralidae)** Synonym(s): *heidiellum* Roesler,1967
- 5570. *Homoeosoma* (s.str.) *inustellum* Ragonot,1884 (Pyralidae)** Synonym(s): *inustella* Ragonot,1884; *compsitella* Rebel,1914.
- 5571. *Homoeosoma* (s.str.) *nebulellum* ([Denis & Schiffermüller],1775) (Pyralidae)** Synonym(s): *nebulella* [Denis & Schiffermüller],1775; *nebulea* Haworth,1811; *muscerdalis* Hübner,[1813].
- 5572. *Homoeosoma* (s.str.) *punctistrigellum* Ragonot,1888 (Pyralidae)** Synonym(s): *punctistrigellum* Ragonot,1888
- 5573. *Homoeosoma* (s.str.) *sinuellum* (Fabricius,1794) (Pyralidae)** Synonym(s): *sinuella* Fabricius,1794; *sinuatus* Fabricius,1794; *elongella* Hübner,[1813]; *gemina* Haworth,1811; *flavella* Duponchel,1836; *gioferella* Turati,1934. Larval foodplant(s): *Chenopodium album* (Chenopodiaceae), *Plantago* (Plantaginaceae) (Parenti,2000).
- 5574. *Homoeosoma* (s.str.) *sinuellum sinuellum* (Fabricius,1794) (Pyralidae)** Synonym(s): *sinuella* Fabricius,1794; *sinuatus* Fabricius,1794; *elongella* Hübner,[1813]; *gemina* Haworth,1811; *flavella* Duponchel,1836; *gioferella* Turati,1934.
- 5575. *Hypochalcia ahenella* ([Denis & Schiffermüller],1775) (Pyralidae)** Synonym(s): *ahenella* [Denis & Schiffermüller],1775; *aeneella* Hübner,1796; *obscuratus* Haworth,1809; *tetrix* Haworth,1811; *ahenalis* Hübner,[1825]; *rubiginella* Treitschke,1833; *bistrigella* Duponchel,1836; *luridella* Schläger,1845; *caucasica* Ragonot,1893; *lugubrella* Hering,1924 Larval foodplant(s): *Helianthemum* (Cistaceae), *Artemisia*, *Hieracium pilosella* (Asteraceae) (Beirne,1954; Parenti,2000).
- 5576. *Hypochalcia decorella* (Hübner,[1810]) (Pyralidae)** Synonym(s): *decorella* Hübner,[1810]; *indecoralis* Hübner,[1825].
- 5577. *Hypochalcia dignella* (Hübner,1796) (Pyralidae)** Synonym(s): *dignella* Hübner,1796; *dignalis* Hübner,[1825]
- 5578. *Hypochalcia disjunctella* Zeller,1848 (Pyralidae)** Synonym(s): *disjunctella* Zeller,1848; *dispunctella* Herrich-Schäffer,1849
- 5579. *Hypochalcia griseoaenella* Ragonot,1887 (Pyralidae)** Synonym(s): *griseoaenella* Ragonot,1887
- 5580. *Hypochalcia lignella* (Hübner,1796) (Pyralidae)** Synonym(s): *lignella* Hübner,1796; *lignalis* Hübner,[1825]; *melanella* Treitschke,1832; *bruneoviolaceella* Bruand,1850; *delineata* Filipjev,1927
- 5581. *Hypochalcia propinquella* (Eversmann,1842) (Pyralidae)** Synonym(s): *propinquella* Eversmann,1842
- 5582. *Hypochalcia robustella* Toll,1938 (Pyralidae)** Synonym(s): *robustella* Toll,1938
- 5583. *Hyporatasa allotriella* (Herrich-Schäffer,1855) (Pyralidae)** Synonym(s): *allotriella* Herrich-Schäffer,1855
- 5584. *Hypotia colchicalis* (Herrich-Schäffer,[1855]) (Pyralidae)** Synonym(s): *colchicalis* Herrich-Schäffer,[1855]; *numidalis* Hampson,1900.
- 5585. *Hypsopygia costalis* (Fabricius,1775) (Pyralidae)** Synonym(s): *costalis* Fabricius,1775; *#lugens* Rebel,1903; *syriaca* Zerny,1914; *lugens* Caradja,1917. Larval foodplant(s): hay, dried vegetable, animal matter (Parenti,2000).

- 5586. Isauria dilucidella (Duponchel,1836)** (Pyralidae) Synonym(s): *dilucidella* Duponchel,1836; *ilignella* Zeller,1839; *laternella* Eversmann,1844; *crepusculella* Lederer,1870; *incredibilis* Staudinger,1879; *subsortitella* Ragonot,1887; *satanella* Ragonot,1887; *odontella* Ragonot,1893; *ledereri* Ragonot,1893; *cuencella* Caradja,1916; *gabalitella* Chrétien,1931; *griseus* Lucas,1950; *parvella* Amsel,1951; *shahidanella* Amsel,1970 Larval foodplant(s): *Astragalus monspessulanus*, *Lotus corniculatus* (Fabaceae) (Roesler,1993; Parenti,2000).
- 5587. Jacutscia strigata Hampson,1930** (Pyralidae) Synonym(s): *strigata* Hampson,1930
- 5588. Japonichilo bleszynskii Okano,1962** (Pyralidae) Synonym(s): *bleszynskii* Okano,1962
- 5589. Kasania arundinalis (Eversmann,1842)** (Pyralidae) Synonym(s): *arundinalis* Eversmann,1842
- 5590. Keradere tengstroemiella (Erschoff,1874)** (Pyralidae) Synonym(s): *tengstroemiella* Erschoff,1874; *noctivaga* Staudinger,1879.
- 5591. Khorassania compositella (Treitschke,1835)** (Pyralidae) Synonym(s): *compositella* Treitschke,1835; *murinella* Heinemann,1865; *senescens* Heinemann,1865; *kalischiella* Staudinger,1870; *iconiensis* Caradja,1910. Larval foodplant(s): *Helianthemum* (Cistaceae), *Artemisia campestris* (Asteraceae) (Parenti,2000).
- 5592. Khorassania imitatella (Ragonot,1893)** (Pyralidae) Synonym(s): *imitatella* Ragonot,1893
- 5593. Lamoria anella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *anella* [Denis & Schiffermüller],1775 Larval foodplant(s): *Aster*, *Inula* (Asteraceae), Mooses, wasp nests (Parenti,2000).
- 5594. Lamoria ruficostella Ragonot,1888** (Pyralidae) Synonym(s): *ruficostella* Ragonot,1888
- 5595. Lamprosema tristrialis (Bremer,1864)** (Pyralidae) Synonym(s): *tristrialis* Bremer,1864
- 5596. Laodamia faecella (Zeller,1839)** (Pyralidae) Synonym(s): *faecella* Zeller,1839
- 5597. Lepidogma tamaricalis (Mann,1873)** (Pyralidae) Synonym(s): *tamaricalis* Mann,1873; *obatalis* Christoph,1876; *vafera* Swinhoe,1884 Larval foodplant(s): *Tamarix* (Mann,1873; Amsel,1949).
- 5598. Lista ficki Christoph,1881** (Pyralidae) Synonym(s): *ficki* Christoph,1881
- 5599. Loxostege clathralis (Hübner,[1813])** (Pyralidae) Synonym(s): *clathralis* (Hübner,[1813]; *comptalis* Lederer,1855 nec Frr.,[1848]; *#nivalis* Caradja,1916
- 5600. Loxostege commixtalis (Walker,1865)** (Pyralidae) Synonym(s): *commixtalis* Walker,1865; *indotatellus* Walker,1866; *septentrionalis* Tengström,1869 Larval foodplant(s): *Aster novae-angliae* (Asteraceae), *Beta vulgaris* (Chenopodiaceae), *Medicago sativa* (Fabaceae) (Robinson, et al.,2007).
- 5601. Loxostege comptalis (Freyer,[1848])** (Pyralidae) Synonym(s): *comptalis* Freyer,[1848]
- 5602. Loxostege delibatica Szent-Ivány & Uhrik-Meszáros,1942** (Pyralidae) Synonym(s): *sulphuralis* Hübner,[1813] nec Thunb.,1784; *delibatica* Szent-Ivány & Uhrik-Meszáros,1942; *huebneri* Koçak,1980
- 5603. Loxostege dilutalis (Herrich-Schäffer,1849)** (Pyralidae) Synonym(s): *dilutalis* Herrich-Schäffer,1849
- 5604. Loxostege peltalis (Eversmann,1842)** (Pyralidae) Synonym(s): *peltalis* Eversmann,1842
- 5605. Loxostege sticticalis (Linnaeus,1761)** (Pyralidae) Synonym(s): *lupulina* Clerk,1759 nec Linn.,1758; *sticticalis* Linnaeus,1761; *miana* Müller,1764; *sylvata* Panzer,1804; *tetragonalis* Haworth,1811 Larval foodplant(s): *Spinacia*, *Salsola*, *Beta*, *Chenopodium album* (Chenopodiaceae), *Medicago sativa*, *Pisum sativum*, *Phaseolus vulgaris*, *Onobrychis viciifolia*, *Trifolium* (Fabaceae); *Brassica oleracea* (Brassicaceae), *Artemisia vulgaris*, *A.campestris*, *Helianthus annuus* (Asteraceae); *Allium cepa* (Alliaceae); *Cannabis sativa* (Cannabaceae); *Cucurbita* (Cucurbitaceae); *Cyperus* (Cyperaceae); *Daucus carota*, *Foeniculum vulgare* (Apiaceae); *Gossypium*

(Malvaceae); *Linum usitatissimum* (Linaceae); *Lycopersicon*, *Nicotiana*, *Solanum tuberosum* (Solanaceae); *Malus pumila*, *Prunus*, *Rosa*, *Sorbus* (Rosaceae); *Ricinus* (Euphorbiaceae); *Salvia* (Lamiaceae); *Triticum*, *Zea mays* (Poaceae) (Parenti,2000; et seq.).

- 5606. *Loxostege turbidalis* (Treitschke,1829)** (Pyralidae) Synonym(s): *turbidalis* Treitschke,1829
- 5607. *Lymphia chalybella* (Eversmann,1844)** (Pyralidae) Synonym(s): *chalybella* Eversmann,1844
- 5608. *Mecyna flavalis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *flavalis* [Denis & Schiffermüller],1775.
- 5609. *Megasis rippertella* (Zeller,1839)** (Pyralidae) Synonym(s): *rippertella* Zeller,1839 Larval foodplant(s): *Onobrychis saxatilis* (Fabaceae) (Roesler,1993).
- 5610. *Megasis rippertella rippertella* (Zeller,1839)** (Pyralidae) Synonym(s): *rippertella* Zeller,1839
- 5611. *Merulempista cingillella* (Zeller,1846)** (Pyralidae) Synonym(s): *cingillella* Zeller,1846; *verruculella* Ragonot,1887.
- 5612. *Mesocrambus candidellus* (Herrich-Schäffer,[1848])** (Pyralidae) Synonym(s): *candidellus* Herrich-Schäffer,[1848]; *#candiellus* Bleszynski,1965.
- 5613. *Metacrambus carectellus* (Zeller,1847)** (Pyralidae) Synonym(s): *carectellus* Zeller,1847; *lugdunellus* Millière,1868; *truncatellus* Caradja,1916.
- 5614. *Metaxmeste phrygialis* (Hübner,1796)** (Pyralidae) Synonym(s): *phrygialis* Hübner,1796
- 5615. *Mimudea affinialis* (Zerny,1914)** (Pyralidae) Synonym(s): *affinialis* Zerny,1914
- 5616. *Mimudea decrepitalis* (Herrich-Schäffer,[1848])** (Pyralidae) Synonym(s): *decrepitalis* Herrich-Schäffer,[1848]
- 5617. *Mimudea elutalis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *elutalis* [Denis & Schiffermüller],1775; *albidalis* Hübner,1796 Larval foodplant(s): *Ranunculus* (Ranunculaceae), *Fragaria*, *Rubus fruticosus* (Rosaceae), *Rumex* (Polygonaceae), *Plantago* (Plantaginaceae), *Artemisia*, *Carduus*, *Centaurea*, *Cirsium* (Asteraceae) (Huemer,1988).
- 5618. *Mimudea lutealis* (Hübner,[1809])** (Pyralidae) Synonym(s): *lutealis* Hübner,[1809]; *pascualis* Lienig & Zeller,1846; *aetialis* Stephens,1850; *aetialis* Guenée,1854
- 5619. *Mimudea nebulalis* (Hübner,1796)** (Pyralidae) Synonym(s): *nebulalis* Hübner,1796; *squalidalis* Hübner,[1809]; *pratialis* Zeller,1841 Larval foodplant(s): *Geranium* (Geraniaceae), *Campanula* (Campanulaceae), *Bellis*, *Taraxacum* (Asteraceae) (Parenti,2000).
- 5620. *Miyakea expansa* (Butler,1881)** (Pyralidae) Synonym(s): *expansa* Butler,1881; *raddeella* Caradja,1910
- 5621. *Mutuuraia terrealis* (Treitschke,1829)** (Pyralidae) Synonym(s): *terrealis* Treitschke,1829
- 5622. *Myelois* (s.str.) *circumvoluta* (Fourcroy,1785)** (Pyralidae) Synonym(s): *circumvoluta* Fourcroy,1785; *circumvolutella* Villers,1789; *cribrella* Hübner,1796; *carhdui* Haworth,1811; *medullalis* Hübner,[1825]; *pallium* Vallot,1829; *gilvescentella* Fuchs,1903; *britannicella* Amsel,1951; *impunctata* Hartig,1952; *nigrapeza* Hartig,1952 Larval foodplant(s): *Carduus*, *Cirsium*, *Arctium* (Asteraceae) (Parenti,2000).
- 5623. *Myrlaea marmorata* (Alpheraky,1877)** (Pyralidae) Synonym(s): *marmorata* Alpheraky,1877
- 5624. *Nascia cilialis* (Hübner,1796)** (Pyralidae) Synonym(s): *cilialis* Hübner,1796
- 5625. *Nascia cilialis christophi* Munroe & Mutuura,1968** (Pyralidae) Synonym(s): *christophi* Munroe & Mutuura,1968
- 5626. *Nascia cilialis cilialis* (Hübner,1796)** (Pyralidae) Synonym(s): *cilialis* Hübner,1796
- 5627. *Neopediasia mixtalis* (Walker,1863)** (Pyralidae) Synonym(s): *mixtalis* Walker,1863; *atrisquamalis* Hampson,1900; *columbinellus* South,1901; *trimarginipunctus* Filipjev,1927.

- 5628. *Nephoterix angustella* (Hübner,1796)** (Pyralidae) Synonym(s): *angustella* Hübner,1796; *angusta* Haworth,1811; *gracilalis* Hübner,[1825].
- 5629. *Nephoterix gregella* Eversmann,1844** (Pyralidae) Synonym(s): *gregella* Eversmann,1844
- 5630. *Nomophila noctuella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *noctuella* [Denis & Schiffermüller],1775 Larval foodplant(s): Polygonum (Polygonaceae), Medicago, Trifolium (Fabaceae), Vaccinium (Ericaceae), Poa, Triticum (Poaceae) (Parenti,2000).
- 5631. *Nyctegretis lineana* (Scopoli,1786)** (Pyralidae) Synonym(s): *lineana* Scopoli,1786; *achatinella* Hübner,[1824]. Larval foodplant(s): Sedum (Crassulaceae), Cytisus, Ononis, Trifolium (Fabaceae), Artemisia, Gnaphalium (Asteraceae) (Parenti,2000).
- 5632. *Nyctegretis triangulella* Ragonot,1901** (Pyralidae) Synonym(s): *triangulella* Ragonot,1901; *griseella* Caradja,1910; *impossibilella* Roesler,1969.
- 5633. *Nymphula interruptalis* (Pryer,1877)** (Pyralidae) Synonym(s): *interruptalis* Pryer,1877
- 5634. *Nymphula nitidulata* (Hufnagel,1767)** (Pyralidae) Synonym(s): *nitidulata* Hufnagel,1767; *stagnata* Donovan,1806; *stagnalis* Guenée,1854; *corculina* Butler,1879; *distinctalis* Ragonot,1894 Larval foodplant(s): Nuphar lutea (Nymphaeaceae), Sparganium (Sparganiaceae) (Parenti,2000).
- 5635. *Nymphula orientalis* Filipjev,1934** (Pyralidae) Synonym(s): *orientalis* Filipjev,1934
- 5636. *Nymphula turbata* (Butler,1881)** (Pyralidae) Synonym(s): *turbata* Butler,1881; *floralis* Leech,1889; *sultschana* Ragonot,1894
- 5637. *Nymphula ussuriensis* Rebel,1910** (Pyralidae) Synonym(s): *ussuriensis* Rebel,1910; *munakatae* Matsumura,1920
- 5638. *Nymphula vittalis* (Bremer,1864)** (Pyralidae) Synonym(s): *vittalis* Bremer,1864; *regularis* Pryer,1877
- 5639. *Oncocera semirubella* (Scopoli,1763)** (Pyralidae) Synonym(s): *semirubella* Scopoli,1763; *rosella* Goeze,1783 nec Sc.,1763; *purpurella* Thunberg,1788; *sanguinella* Hübner,1796; *sanguinea* Haworth,1811; *nigrella* Caradja,1916 Larval foodplant(s): Hippocrepis, Lotus, Medicago, Ononis, Trifolium (Fabaceae) (Parenti,2000).
- 5640. *Oncocera semirubella semirubella* (Scopoli,1763)** (Pyralidae) Synonym(s): *semirubella* Scopoli,1763; *rosella* Goeze,1783 nec Sc.,1763; *purpurella* Thunberg,1788; *sanguinella* Hübner,1796; *sanguinea* Haworth,1811; *nigrella* Caradja,1916
- 5641. *Opsitotys fuscalis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *fuscalis* [Denis & Schiffermüller],1775 Larval foodplant(s): Urtica (Urticaceae), Lathyrus (Fabaceae), Melampyrum, Pedicularis, Rhinanthus (Scrophulariaceae); Solidago (Asteraceae) (Parenti,2000).
- 5642. *Ortholepis betulae* (Goeze,1778)** (Pyralidae) Synonym(s): *betulae* Goeze,1778
- 5643. *Ortholepis vacciniella* (Lienig & Zeller,1847)** (Pyralidae) Synonym(s): *vacciniella* Lienig & Zeller,1847 Larval foodplant(s): Betula nana (Betulaceae), Vaccinium (Ericaceae) (Parenti,2000).
- 5644. *Orthopygia glaucinalis* (Linnaeus,1758)** (Pyralidae) Synonym(s): *glaucinalis* Linnaeus,1758 Larval foodplant(s): decaying vegetable matter (Parenti,2000).
- 5645. *Ostrinia furnacalis* (Guenée,1854)** (Pyralidae) Synonym(s): *furnacalis* Guenée,1854; *damoalis* Walker,1859; *salentialis* Snellen,1880; *kodzukalis* Matsumura,1897; *polygoni* Dyar,1905; *vastatrix* Schultze,1908
- 5646. *Ostrinia kasmirica* (Moore,1888)** (Pyralidae) Synonym(s): *kasmirica* Moore,1888
- 5647. *Ostrinia kasmirica eurasiatica* Mutuura & Munroe,1970** (Pyralidae) Synonym(s): *eurasiatica* Mutuura & Munroe,1970
- 5648. *Ostrinia kurentzovi* Mutuura & Munroe,1970** (Pyralidae) Synonym(s): *kurentzovi* Mutuura & Munroe,1970

- 5649. *Ostrinia latipennis* (W.Warren,1892)** (Pyralidae) Synonym(s): *latipennis* W.Warren,1892; *appendiculata* Filipjev,1927; *albula* Mutuura,1954.
- 5650. *Ostrinia nubilalis* (Hübner,1796)** (Pyralidae) Synonym(s): *nubilalis* Hübner,1796; *silacealis* Hübner,1796. Larval foodplant(s): *Zea* (Poaceae), *Lycopersicon*, *Capsicum* (Solanaceae), *Humulus*, *Cannabis* (Cannabaceae), *Phaseolus* (Fabaceae) (Parenti,2000).
- 5651. *Ostrinia nubilalis nubilalis* (Hübner,1796)** (Pyralidae) Synonym(s): *nubilalis* Hübner,1796; *silacealis* Hübner,1796.
- 5652. *Ostrinia orientalis* Mutuura & Munroe,1970** (Pyralidae) Synonym(s): *orientalis* Mutuura & Munroe,1970
- 5653. *Ostrinia orientalis kurilensis* Mutuura & Munroe,1970** (Pyralidae) Synonym(s): *kurilensis* Mutuura & Munroe,1970
- 5654. *Ostrinia orientalis ussuriensis* Mutuura & Munroe,1970** (Pyralidae) Synonym(s): *ussuriensis* Mutuura & Munroe,1970
- 5655. *Ostrinia palustralis* (Hübner,1796)** (Pyralidae) Synonym(s): *palustralis* Hübner,1796; *carneola* Esper,1796. Larval foodplant(s): *Rumex aquaticus*, *R. hydrolaphatum* (Polygonaceae) (Parenti,2000).
- 5656. *Ostrinia palustralis baikalensis* Mutuura & Munroe,1970** (Pyralidae) Synonym(s): *baikalensis* Mutuura & Munroe,1970
- 5657. *Ostrinia palustralis eversmanni* (Caradja,1916)** (Pyralidae) Synonym(s): *eversmanni* Caradja,1916
- 5658. *Ostrinia palustralis raddealis* Mutuura & Munroe,1970** (Pyralidae) Synonym(s): *amuralis* Caradja,1916 nec Rebel,1907; *raddealis* Mutuura & Munroe,1970
- 5659. *Ostrinia peregrinalis* (Eversmann,1852)** (Pyralidae) Synonym(s): *peregrinalis* Eversmann,1852; *limitalis* Christoph,1881
- 5660. *Ostrinia quadripunctalis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *quadripunctalis* [Denis & Schiffermüller],1775
- 5661. *Ostrinia scapulalis* (Walker,1859)** (Pyralidae) Synonym(s): *scapulalis* Walker,1859
- 5662. *Ostrinia scapulalis perpasifica* Mutuura & Munroe,1970** (Pyralidae) Synonym(s): *perpasifica* Mutuura & Munroe,1970
- 5663. *Ostrinia zaguliaevi* Mutuura & Munroe,1970** (Pyralidae) Synonym(s): *zaguliaevi* Mutuura & Munroe,1970
- 5664. *Ostrinia zaguliaevi zaguliaevi* Mutuura & Munroe,1970** (Pyralidae) Synonym(s): *zaguliaevi* Mutuura & Munroe,1970
- 5665. *Ostrinia zealis* (Guenée,1854)** (Pyralidae) Synonym(s): *zealis* Guenée,1854
- 5666. *Ostrinia zealis varialis* (Bremer,1864)** (Pyralidae) Synonym(s): *varialis* Bremer,1864
- 5667. *Oxybia transversella* (Duponchel,1836)** (Pyralidae) Synonym(s): *transversella* Duponchel,1836; *bituminella* Millière,1870; *panorminatella* Caradja,1928. Larval foodplant(s): *Psoralea bituminosa* (Fabaceae) (Millière,1870; Parenti,2000).
- 5668. *Palmitia massilialis* (Duponchel,1832)** (Pyralidae) Synonym(s): *massilialis* Duponchel,1832; *taurica* Rebel,1910.
- 5669. *Palpita nigropunctalis* (Bremer,1864)** (Pyralidae) Synonym(s): *nigropunctalis* Bremer,1864
- 5670. *Panstegia aerealis* (Hübner,1793)** (Pyralidae) Synonym(s): *aerealis* Hübner,1793; *unicolor* Rebel,1917. Larval foodplant(s): *Thymus* (Lamiaceae), *Scrophularia* (Scrophulariaceae), *Artemisia*, *Gnaphalium*, *Helichrysum* (Asteraceae) (Parenti,2000).
- 5671. *Panstegia aerealis aerealis* (Hübner,1793)** (Pyralidae) Synonym(s): *aerealis* Hübner,1793; *unicolor* Rebel,1917.
- 5672. *Panstegia limbopunctalis* (Herrich-Schäffer,[1849])** (Pyralidae) Synonym(s): *limbopunctalis* Herrich-Schäffer,[1849]

- 5673. *Paracorsia repandalis* ([Denis & Schiffermüller],1775)** (Pyralidae)
Synonym(s): *repandalis* [Denis & Schiffermüller],1775
- 5674. *Paranephopterix adelphella* (Fischer v. Röslerstamm,[1836])** (Pyralidae) Synonym(s): *adelphella* Fischer v. Röslerstamm,[1836]; *barteli* Caradja,1910.
- 5675. *Paranephopterix barteli* (Caradja,1910)** (Pyralidae) Synonym(s): *barteli* Caradja,1910
- 5676. *Parapoynx nivalis* ([Denis & Schiffermüller],1775)** (Pyralidae)
Synonym(s): *nivalis* [Denis & Schiffermüller],1775; *candidata* Fabricius,1787; *nivealis* Hübner,1796
- 5677. *Parapoynx stratiotatum* (Linnaeus,1758)** (Pyralidae) Synonym(s): *stratiotata* Linnaeus,1758; *paludata* Fabricius,1794; *amanica* Osthelder,1935 Larval foodplant(s): Elodea, Potamogeton, Ceratophyllum, Stratiotes, Alisma, Callitriche, Nymphaea.
- 5678. *Paratalanta cultralis* (Staudinger,1867)** (Pyralidae) Synonym(s): *cultralis* Staudinger,1867
- 5679. *Paratalanta hyalinalis* (Hübner,1796)** (Pyralidae) Synonym(s): *hyalinalis* Hübner,1796 Larval foodplant(s): *Urtica* (Urticaceae), *Filipendula ulmaria* (Rosaceae), *Verbascum* (Scrophulariaceae), *Centaurea* (Asteraceae) (Huemer,1988).
- 5680. *Paratalanta pandalis* (Hübner,[1825])** (Pyralidae) Synonym(s): *pandalis* Hübner,[1825] Larval foodplant(s): *Teucrium scordonia*, *Origanum vulgare* (Lamiaceae), *Solidago virgaurea* (Asteraceae) (Beirne,1954).
- 5681. *Paratalanta ussuralis* (Bremer,1864)** (Pyralidae) Synonym(s): *ussuralis* Bremer,1864
- 5682. *Pediasia altaica* (Staudinger,1899)** (Pyralidae) Synonym(s): *altaica* Staudinger,1899
- 5683. *Pediasia aridella* (Thunberg,1788)** (Pyralidae) Synonym(s): *aridella* Thunberg,1788; *salinellus* Tutt,1887. Larval foodplant(s): *Puccinellia maritima* (Poaceae) (Parenti,2000).
- 5684. *Pediasia aridella aridella* (Thunberg,1788)** (Pyralidae) Synonym(s): *aridella* Thunberg,1788; *salinellus* Tutt,1887.
- 5685. *Pediasia aridella caradjaella* (Rebel,1907)** (Pyralidae) Synonym(s): *caradjaella* Rebel,1907; *nepos* Rothschild,1911; *monotonus* Filipjev,1927; *ludovicellus* Marion,1952.
- 5686. *Pediasia contaminella* (Hübner,1796)** (Pyralidae) Synonym(s): *contaminella* Hübner,1796; *squalidalis* Hübner,[1825]; *cantiellus* Tutt,1886. Larval foodplant(s): *Festuca ovina*, *Poa* (Poaceae) (Parenti,2000).
- 5687. *Pediasia epineura* (Meyrick,1883)** (Pyralidae) Synonym(s): *ramosellus* Zeller,1863 nec Doubl.,1843; *epineurus* Meyrick,1883.
- 5688. *Pediasia fascelinella* (Hübner,[1813])** (Pyralidae) Synonym(s): *fascelinella* Hübner,[1813]; *treitschkeella* Sodoffsky,1830 Larval foodplant(s): *Aira*, *Corynephorus*, *Deschampsia*, *Elymus* (Poaceae) (Parenti,2000).
- 5689. *Pediasia huebneri* Bleszynski,1954** (Pyralidae) Synonym(s): *huebneri* Bleszynski,1954
- 5690. *Pediasia jucundella* (Herrich-Schäffer,[1847])** (Pyralidae) Synonym(s): *jucundellus* Herrich-Schäffer,[1847]; *festivellus* Herrich-Schäffer,[1847]; *saisanella* Bleszynski,1954; *adamczewskii* Bleszynski,1954; *sareptella* Bleszynski,1954.
- 5691. *Pediasia kuldjaensis* (Caradja,1916)** (Pyralidae) Synonym(s): *#uniformellus* Caradja,1910; *kuldjaensis* Caradja,1916; *soffneri* Bleszynski,1954.
- 5692. *Pediasia kuldjaensis kuldjaensis* (Caradja,1916)** (Pyralidae)
Synonym(s): *#uniformellus* Caradja,1910; *kuldjaensis* Caradja,1916; *soffneri* Bleszynski,1954.
- 5693. *Pediasia ledereri* Bleszynski,1954** (Pyralidae) Synonym(s): *ledereri* Bleszynski,1954
- 5694. *Pediasia luteella* ([Denis & Schiffermüller],1775)** (Pyralidae)
Synonym(s): *luteella* [Denis & Schiffermüller],1775; *exoletella* [Denis & Schiffermüller],1775; *exoletella* Hübner,1796; *ochrella* Hübner,1796; *kindermannii* Zeller,1863; *uhryki* Rothschild,1911.

- 5695. *Pediasia matricella* (Treitschke,1832)** (Pyalidae) **Synonym(s):** *matricella* Treitschke,1832; *obscura* Caradja,1931
- 5696. *Pediasia matricella matricella* (Treitschke,1832)** (Pyalidae) **Synonym(s):** *matricella* Treitschke,1832; *obscura* Caradja,1931
- 5697. *Pediasia persella* (Toll,1947)** (Pyalidae) **Synonym(s):** *persella* Toll,1947
- 5698. *Pediasia pudibundella* (Herrich-Schäffer,[1852])** (Pyalidae) **Synonym(s):** *pudibundellus* (Herrich-Schäffer,[1852])
- 5699. *Pediasia radicivitta* (Filipjev,1927)** (Pyalidae) **Synonym(s):** *radicivitta* Filipjev,1927
- 5700. *Pediasia sajanella* (Caradja,1925)** (Pyalidae) **Synonym(s):** *sajanella* Caradja,1925
- 5701. *Pediasia steppicolella* (Zerny,1914)** (Pyalidae) **Synonym(s):** *steppicolellus* Zerny,1914
- 5702. *Pediasia subepineura* Bleszynski,1954** (Pyalidae) **Synonym(s):** *subepineura* Bleszynski,1954
- 5703. *Pediasia truncatella* (Zetterstedt,1839)** (Pyalidae) **Synonym(s):** *truncatellus* Zetterstedt,1839; *lienigiellus* Zeller,1843; *abtrusellus* Walker,1863; *rufinalis* Walker,1865.
- 5704. *Pediasia zellerella* (Staudinger,1899)** (Pyalidae) **Synonym(s):** *zellerella* (Staudinger,1899)
- 5705. *Pempelia alpigenella* (Duponchel,1836)** (Pyalidae) **Synonym(s):** *alpigenella* Duponchel,1836; *wagnerella* Freyer,1845
- 5706. *Pempelia formosa* (Haworth,[1811])** (Pyalidae) **Synonym(s):** *formosa* Haworth,[1811]; *perfluella* Zincken,1818; *dibaphiella* Geyer,[1836]; *dubiella* Duponchel,1836; *formosella* Doubleday,1859. Larval foodplant(s): *Betula* (Betulaceae), *Ulmus minor* (Ulmaceae), *Calluna*, *Vaccinium* (Ericaceae) (Parenti,2000).
- 5707. *Pempelia geminella* (Eversmann,1844)** (Pyalidae) **Synonym(s):** *geminella* Eversmann,1844
- 5708. *Pempelia genistella* (Duponchel,1836)** (Pyalidae) **Synonym(s):** *genistella* Duponchel,1836; *albariella* Zeller,1839.
- 5709. *Pempelia morosalis* (Saalmüller,1880)** (Pyalidae) **Synonym(s):** *morosalis* Saalmüller,1880
- 5710. *Pempelia obductella* Zeller,1839** (Pyalidae) **Synonym(s):** *obductella* Zeller,1839
- 5711. *Pempeliella aurorella* (Christoph,1867)** (Pyalidae) **Synonym(s):** *aurorella* Christoph,1867
- 5712. *Pempeliella dilutella* ([Denis & Schiffermüller],1775)** (Pyalidae) **Synonym(s):** *dilutella* [Denis & Schiffermüller],1775; *magna* Amsel,1953
- 5713. *Pempeliella ornatella* ([Denis & Schiffermüller],1775)** (Pyalidae) **Synonym(s):** *ornatella* [Denis & Schiffermüller],1775; *gigantella* Amsel,1932; *aixella* Lucas,1938. Larval foodplant(s): *Thymus serpyllum* (Lamiaceae) (Parenti,2000).
- 5714. *Pempeliella ornatella ornatella* ([Denis & Schiffermüller],1775)** (Pyalidae) **Synonym(s):** *ornatella* [Denis & Schiffermüller],1775; *gigantella* Amsel,1932; *aixella* Lucas,1938.
- 5715. *Perinephela lancealis* ([Denis & Schiffermüller],1775)** (Pyalidae) **Synonym(s):** *lancealis* [Denis & Schiffermüller],1775; *glabralis* Fabricius,1794; *palustrata* Fabricius,1794; *longalis* Haworth,1811 Larval foodplant(s): *Sium* (Apiaceae), *Stachys* (Lamiaceae), *Eupatorium cannabinum*, *Senecio* (Asteraceae) (Parenti,2000).
- 5716. *Perinephela lancealis bergmanni* Munroe & Mutuura,1968** (Pyalidae) **Synonym(s):** *bergmanni* Munroe & Mutuura,1968
- 5717. *Perinephela lancealis lancealis* ([Denis & Schiffermüller],1775)** (Pyalidae) **Synonym(s):** *lancealis* [Denis & Schiffermüller],1775
- 5718. *Phlyctaenia coronata* (Hufnagel,1767)** (Pyalidae) **Synonym(s):** *coronata* Hufnagel,1767; *sambucalis* [Denis & Schiffermüller],1775; *aureomaculata* Goeze,1781; *sambuci* Retzius,1783; *sambucata* Fabricius,1787. Larval foodplant(s): *Fraxinus*, *Ligustrum*,

- Syringa (Oleaceae), Convolvulus (Convolvulaceae), Sambucus (Caprifoliaceae) (Parenti,2000).
- 5719. Phlyctaenia perlucidalis (Hübner,[1809])** (Pyralidae) Synonym(s): *perlucidalis* Hübner,[1809]
- 5720. Phlyctaenia stachydalis (Germar,1821)** (Pyralidae) Synonym(s): *stachydalis* Germar,1821
- 5721. Phycita poteriella (Zeller,1846)** (Pyralidae) Synonym(s): *poteriella* Zeller,1846
- 5722. Phycita roborella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *#roborella* [Denis & Schiffermüller],1775; *spissicella* Fabricius,1777; *spissicornis* Fabricius,1798; *roboralis* Hübner,[1825]. Larval foodplant(s): Quercus robur (Fagaceae), Malus, Pyrus, Prunus (Rosaceae), Ribes (Saxifragaceae) ([Denis & Schiffermüller],1775; Huemer,1988).
- 5723. Phycitodes albatella (Ragonot,1887)** (Pyralidae) Synonym(s): *albatella* Ragonot,1887
- 5724. Phycitodes albatella ussuriella (Roesler,1965)** (Pyralidae) Synonym(s): *ussuriella* Roesler,1965
- 5725. Phycitodes binaevella (Hübner,[1813])** (Pyralidae) Synonym(s): *binaevella* Hübner,[1813].
- 5726. Phycitodes binaevella binaevella (Hübner,[1813])** (Pyralidae) Synonym(s): *binaevella* Hübner,[1813].
- 5727. Phycitodes binaevella unitella (Staudinger,1879)** (Pyralidae) Synonym(s): *unitella* Staudinger,1879; *ciliciella* Caradja,1910; *penguinella* Zerny,1934.
- 5728. Phycitodes carlinella (Heinemann,1865)** (Pyralidae) Synonym(s): *carlinella* Heinemann,1865; *cretacella* Rössler,1866; *maritima* Tengström,1870; *senecionis* Vaughan,1870; *caniusella* Ragonot,1901
- 5729. Phycitodes carlinella carlinella (Heinemann,1865)** (Pyralidae) Synonym(s): *carlinella* Heinemann,1865; *cretacella* Rössler,1866; *maritima* Tengström,1870; *senecionis* Vaughan,1870; *caniusella* Ragonot,1901
- 5730. Phycitodes crassipunctella (Caradja,1928)** (Pyralidae) Synonym(s): *crassipunctella* Caradja,1928
- 5731. Phycitodes inquinatella inquinatella (Ragonot,1887)** (Pyralidae) Synonym(s): *inquinatella* Ragonot,1887
- 5732. Phycitodes lacteella (Rothschild,1915)** (Pyralidae) Synonym(s): *lacteella* Rothschild,1915; *viettella* Roesler,1965.
- 5733. Phycitodes lacteella delattini (Roesler,1965)** (Pyralidae) Synonym(s): *delattini* Roesler,1965
- 5734. Phycitodes saxicola (Vaughan,1870)** (Pyralidae) Synonym(s): *saxicola* Vaughan,1870 Larval foodplant(s): Anthemis, Senecio (Asteraceae) (Parenti,2000).
- 5735. Phycitodes saxicola subbinaevella (Ragonot,1888)** (Pyralidae) Synonym(s): *subbinaevella* Ragonot,1888; *comeella* Amsel,1961.
- 5736. Phycitodes subolivacella (Ragonot,1901)** (Pyralidae) Synonym(s): *subolivacella* Ragonot,1901
- 5737. Phycitodes triangulella (Ragonot,1901)** (Pyralidae) Synonym(s): *triangulella* Ragonot,1901
- 5738. Pima boisduvaliella (Guenée,1845)** (Pyralidae) Synonym(s): *boisduvaliella* Guenée,1845 Larval foodplant(s): Anthyllis, Astragalus, Lathyrus, Lotus, Ononis (Fabaceae) (Parenti,2000).
- 5739. Platytes alpinella (Hübner,[1813])** (Pyralidae) Synonym(s): *alpinella* Hübner,[1813]; *alpicolalis* Hübner,[1825] Larval foodplant(s): Barbula (Bryaceae) (Parenti,2000).
- 5740. Platytes cerussella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *cerussella* [Denis & Schiffermüller],1775; *quadrella* [Denis & Schiffermüller],1775;

- barbella* Hübner,1796; *auriferella* Hübner,1796; *pygmaeus* Stephens,1834. Larval foodplant(s):
Aira, Festuca (Poaceae) (Parenti,2000).
- 5741. *Platytes ornatella* (Leech,1889) (Pyralidae)** Synonym(s): *ornatella*
Leech,1889; *acaudatula* Filipjev,1927.
- 5742. *Platytes strigatalis* (Hampson,1900) (Pyralidae)** Synonym(s): *strigatalis*
Hampson,1900
- 5743. *Pleuroptya ruralis* (Scopoli,1763) (Pyralidae)** Synonym(s): *ruralis*
Scopoli,1763; *iridialis* Hübner,[1825]; *perpendicularis* Duponchel,1833; *conchalis* Werneburg,1864; *dubia*
Hampson,1891 Larval foodplant(s): Humulus (Cannabinaceae), Urtica
(Urticaceae), Ribes (Saxifragaceae), Filipendula ulmaria, Prunus spinosa
(Rosaceae), Atriplex, Chenopodium (Chenopodiaceae) (Huemer,1988).
- 5744. *Plodia interpunctella* (Hübner,[1813]) (Pyralidae)** Synonym(s):
interpunctella Hübner,[1813]; *interpunctalis* Hübner,[1825]; *zeae* Fitch,1856; *castaneella* Reutti,1898;
latercula Hampson,1901; *glycinivora* Matsumura,1917; *glycinivorella* Matsumura,1932. Larval
foodplant(s): stored cereals, cereals products, dried fruits (Parenti,2000).
- 5745. *Polopeustis altensis* (Wocke,1862) (Pyralidae)** Synonym(s): *altensis*
Wocke,1862
- 5746. *Proceratia fulvostrigella* (Eversmann,1844) (Pyralidae)** Synonym(s):
fulvostrigella Eversmann,1844; *fronticornella* Herrich-Schäffer,1860.
- 5747. *Psammotis orientalis* Munroe & Mutuura,1968 (Pyralidae)**
Synonym(s): *orientalis* Munroe & Mutuura,1968
- 5748. *Psammotis pulveralis* (Hübner,1796) (Pyralidae)** Synonym(s): *pulveralis*
Hübner,1796 Larval foodplant(s): Mentha aquatica (Lamiaceae) (Beirne,1954).
- 5749. *Pseudocadra cuprotaeniella* (Christoph,1881) (Pyralidae)** Synonym(s):
cuprotaeniella Christoph,1881
- 5750. *Pseudocatharylla inclaralis* (Walker,1863) (Pyralidae)** Synonym(s):
inclaralis Walker,1863; *brachypterellus* Walker,1866; *flavoflabellus* Caradja,1925; *albivena* Okano,1960.
- 5751. *Pseudocatharylla simplex* (Zeller,1877) (Pyralidae)** Synonym(s): *simplex*
Zeller,1877; *immaturellus* Christoph,1881.
- 5752. *Pseudophycita deformella* (Möschler,1866) (Pyralidae)** Synonym(s):
deformella Möschler,1866
- 5753. *Psorosa dahliella* (Treitschke,1832) (Pyralidae)** Synonym(s): *dahliella*
Treitschke,1832; *bivitella* Duponchel,1836.
- 5754. *Psorosa nucleolella* (Möschler,1866) (Pyralidae)** Synonym(s): *nucleolella*
Möschler,1866; *clarella* Caradja,1910; *#luteostrigella* Caradja,1910; *mediterraneella* Amsel,1953.
- 5755. *Pterothrixidia caucasiella* (Ragonot,1888) (Pyralidae)** Synonym(s):
caucasiella Ragonot,1888
- 5756. *Pterothrixidia contectella* (Zeller,1848) (Pyralidae)** Synonym(s):
contectella Zeller,1848
- 5757. *Pterothrixidia impurella* (Duponchel,1836) (Pyralidae)** Synonym(s):
impurella Duponchel,1836
- 5758. *Pterothrixidia rufella* (Duponchel,1836) (Pyralidae)** Synonym(s): *rufella*
Duponchel,1836; *squalidella* Eversmann,1842; *luridatella* Zeller,1848; *infuscatella* Herrich-Schäffer,1849;
tauricella Wocke,1871; *corsicella* Ragonot,1893.
- 5759. *Pyla fusca* (Haworth,[1811]) (Pyralidae)** Synonym(s): *fusca* Haworth,[1811]
- 5760. *Pyralis farinalis* (Linnaeus,1758) (Pyralidae)** Synonym(s): *farinalis*
Linnaeus,1758; *erecta* Fourcroy,1785; *farinatus* Haworth,1810; *domesticalis* Zeller,1847; *fraterna*
Butler,1879; *meridionalis* Schmidt,1934; *orientalis* Amsel,1961 nec Fabr.,1794. Larval foodplant(s):
stored cereals, hay, dried fruit (Parenti,2000).
- 5761. *Pyralis lienigialis* (Zeller,1843) (Pyralidae)** Synonym(s): *lienigialis* Zeller,1843
Larval foodplant(s): hay, stored cereals (Parenti,2000).
- 5762. *Pyralis perversalis* Herrich-Schäffer,1849 (Pyralidae)** Synonym(s):
perversalis Herrich-Schäffer,1849; *transcaspica* Rebel,1903; *#transcaspia* Speidel,1996.
- 5763. *Pyralis regalis* [Denis & Schiffermüller],1775 (Pyralidae)** Synonym(s):
regalis [Denis & Schiffermüller],1775 Larval foodplant(s): Salix (Salicaceae), Quercus
(Fagaceae), Rosa (Rosaceae) (Parenti,2000).

- 5764. *Pyrausta (Haematia) castalis* Treitschke,1829** (Pyralidae) Synonym(s): *castalis* Treitschke,1829
- 5765. *Pyrausta (Haematia) cingulata* (Linnaeus,1758)** (Pyralidae) Synonym(s): *cingulata* Linnaeus,1758; *aethiopata* Scopoli,1763; *cingulalis* [Denis & Schiffermüller],1775; *eremitica* Fourcroy,1785; *vittalis* La Harpe,1864; *apenninalis* Costantini,1923 Larval foodplant(s): *Mentha*, *Origanum*, *Salvia*, *Thymus serpyllum* (Lamiaceae) (Parenti,2000).
- 5766. *Pyrausta (Haematia) despicata* (Scopoli,1763)** (Pyralidae) Synonym(s): *despicata* Scopoli,1763; *cespitalis* [Denis & Schiffermüller],1775. Larval foodplant(s): *Salvia* (Lamiaceae), *Plantago major*, *P. lanceolata* (Plantaginaceae), *Gnaphalium* (Asteraceae) (Beirne,1954; Wiltshire,1957; Parenti,2000).
- 5767. *Pyrausta (Haematia) sanguinalis* (Linnaeus,1767)** (Pyralidae) Synonym(s): *sanguinalis* Linnaeus,1767; *crentalis* Scriba,1770; *haematalis* Hübner,[1819]
- 5768. *Pyrausta (s.str.) aurata* (Scopoli,1763)** (Pyralidae) Synonym(s): *aurata* Scopoli,1763; *punicealis* [Denis & Schiffermüller],1775; *nepoldalis* Lederer,1863 Larval foodplant(s): *Mentha*, *Origanum vulgare*, *Salvia*, *Thymus* (Lamiaceae), *Plantago* (Plantaginaceae) (Parenti,2000).
- 5769. *Pyrausta (s.str.) coracinalis* Leraut,1982** (Pyralidae) Synonym(s): *coracinalis* Leraut,1982 Larval foodplant(s): *Salvia pratensis*, *Satureja* (Lamiaceae) (Parenti,2000).
- 5770. *Pyrausta (s.str.) falcatalis* (Guenée,1854)** (Pyralidae) Synonym(s): *falcatalis* Guenée,1854; *coecilius* Walker,1859; *flegialis* Walker,1859; *noraxalis* Walker,1859; *ocellusalis* Walker,1859; *palopealis* Walker,1859; *probalis* Walker,1859; *catenalis* Walker,[1866]; *concatenalis* Walker,[1866]; *juncturalis* Walker,[1866]; *tauricalis* Caradja,1917
- 5771. *Pyrausta (s.str.) nigrata* (Scopoli,1763)** (Pyralidae) Synonym(s): *nigrata* Scopoli,1763; *podaella* Fabricius,1781; *funigera* Fourcroy,1785; *anguinalis* Hübner,1796; *fascialis* Schrank,1802 nec Hbn.,1796 Larval foodplant(s): *Galium* (Rubiaceae), *Mentha*, *Origanum vulgare*, *Salvia*, *Thymus serpyllum* (Lamiaceae) (Beirne,1954; Parenti,2000).
- 5772. *Pyrausta (s.str.) obfuscata* (Scopoli,1763)** (Pyralidae) Synonym(s): *obfuscata* Scopoli,1763; *fuscorubella* Goetze,1783; *bimaculosa* Fourcroy,1785; *rubralis* Villers,1789; *pygmeal* Duponchel,1833; *fucatalis* Treitschke,1835; *atrosanguinalis* Eversmann,1842 Larval foodplant(s): *Calamintha sylvatica*, *Satureja* (Lamiaceae), *Conyza*, *Inula* (Asteraceae) (Parenti,2000).
- 5773. *Pyrausta (s.str.) ostrinalis* (Hübner,1796)** (Pyralidae) Synonym(s): *ostrinalis* Hübner,1796; *moestalis* Duponchel,1833; *purialis* La Harpe,1864 Larval foodplant(s): *Mentha*, *Nepeta*, *Origanum*, *Thymus* (Lamiaceae), *Plantago* (Plantaginaceae) (Parenti,2000).
- 5774. *Pyrausta (s.str.) porphyralis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *porphyralis* [Denis & Schiffermüller],1775
- 5775. *Pyrausta (s.str.) purpuralis* (Linnaeus,1758)** (Pyralidae) Synonym(s): *purpuralis* Linnaeus,1758; *inflammata* Scopoli,1763; *purpuraria* Latreille,[1803]; *confundalis* Zetterstedt,1839; *chermesinalis* Guenée,1854; *melanalis* Caradja,1916 Larval foodplant(s): *Mentha arvensis*, *Nepeta*, *Origanum*, *Prunella*, *Thymus serpyllum* (Lamiaceae), *Plantago* (Plantaginaceae) (Beirne,1954; Parenti,2000).
- 5776. *Pyrausta (s.str.) tithonialis* (Zeller,1872)** (Pyralidae) Synonym(s): *tithonialis* Zeller,1872; *dotalis* Christoph,1881.
- 5777. *Raphimetopus incarnatella* (Ragonot,1887)** (Pyralidae) Synonym(s): *incarnatella* Ragonot,1887
- 5778. *Raphimetopus nitidicostella* (Ragonot,1887)** (Pyralidae) Synonym(s): *nitidicostella* Ragonot,1887
- 5779. *Ratasa alienalis* (Eversmann,1844)** (Pyralidae) Synonym(s): *noctualis* Eversmann,1852 nec Hübner,1796; *alienalis* Eversmann,1844.

- 5780. Reskovitsia alborivulalis (Eversmann,1843)** (Pyralidae) Synonym(s): *alborivulalis* Eversmann,1843
- 5781. Salebriopsis albicilla (Herrich-Schäffer,1849)** (Pyralidae) Synonym(s): *albicilla* Herrich-Schäffer,1849
- 5782. Salinaria diffusella (Christoph,1872)** (Pyralidae) Synonym(s): *diffusella* Christoph,1872
- 5783. Saluria maculivittella Ragonot,1887** (Pyralidae) Synonym(s): *maculivittella* Ragonot,1887; *armeniella* Ragonot,1888.
- 5784. Schoenobius forficellus (Thunberg,1794)** (Pyralidae) Synonym(s): *forficella* Thunberg,1794; *consortellus* Hübner,1796; *lanceolellus* Hübner,1810; *consorta* Haworth,1811; *hirtus* Haworth,1811; *lanceolalis* Hübner,[1825] Larval foodplant(s): *Glyceria fluitans* (Poaceae), *Carex* (Cyperaceae) (Parenti,2000).
- 5785. Schoenobius gigantellus ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *gigantella* [Denis & Schiffermüller],1775
- 5786. Schoenobius niloticus Zeller,1867** (Pyralidae) Synonym(s): *niloticus* Zeller,1867
- 5787. Sciota (Clasperopsis) fumella (Eversmann,1844)** (Pyralidae) Synonym(s): *fumella* Eversmann,1844
- 5788. Sciota (Clasperopsis) lucipetella (Jalava,1978)** (Pyralidae) Synonym(s): *lucipetella* Jalava,1978
- 5789. Sciota (s.str.) ferruginella (Zerny,1914)** (Pyralidae) Synonym(s): *ferruginella* Zerny,1914
- 5790. Sciota (s.str.) imperialella (Ragonot,1887)** (Pyralidae) Synonym(s): *imperialella* Ragonot,1887
- 5791. Sciota (s.str.) rhenella (Zincken,1818)** (Pyralidae) Synonym(s): *rhenella* Zincken,1818
- 5792. Sciota (s.str.) rhenella rhenella (Zincken,1818)** (Pyralidae) Synonym(s): *rhenella* Zincken,1818
- 5793. Scirpophaga praelata (Scopoli,1763)** (Pyralidae) Synonym(s): *praelata* Scopoli,1763; *dubia* Rossi,1790; *latidactyla* Hübner,1790; *phantasmatalis* Hübner,[1825]; *alba* Hübner,[1828]; *#grisea* Guenée,1845; *#cinerea* Zeller,1863; *limnochares* Common,1960. Larval foodplant(s): *Juncus* (Juncaceae), *Scirpus* (Cyperaceae) (Parenti,2000).
- 5794. Scirpophaga xanthopygata Schawerda,1922** (Pyralidae) Synonym(s): *xanthopygata* Schawerda,1922
- 5795. Sclerocona acutella (Eversmann,1842)** (Pyralidae) Synonym(s): *acutella* Eversmann,1842; *acutalis* Guenée,1854; *tincticostellus* Walker,1863; *sinensellus* Walker,1863 Larval foodplant(s): *Phragmites australis* (Poaceae) (Parenti,2000).
- 5796. Scoparia ambigualis (Treitschke,1829)** (Pyralidae) Synonym(s): *ambigualis* Treitschke,1829; *erralis* Guenée,1854; *atomalis* Stainton,1855; *asphodeliella* La Harpe,1855; *aestiva* Speyer,1867; *#taeniatella* Teich,1889; *#crossi* Bankes,1909
- 5797. Scoparia ambigualis ambigualis (Treitschke,1829)** (Pyralidae) Synonym(s): *ambigualis* Treitschke,1829; *erralis* Guenée,1854; *atomalis* Stainton,1855; *asphodeliella* La Harpe,1855; *aestiva* Speyer,1867; *#taeniatella* Teich,1889; *#crossi* Bankes,1909
- 5798. Scoparia ancipitella (Laharpe,1855)** (Pyralidae) Synonym(s): *ancipitella* Laharpe,1855; *ulmella* Knaggs,1867; *conspicualis* Hodgkinson,1881
- 5799. Scoparia basistrigalis Knaggs,1866** (Pyralidae) Synonym(s): *basistrigalis* Knaggs,1866; *signella* Teich,1889; *bifascialis* Turati,1923
- 5800. Scoparia basistrigalis basistrigalis Knaggs,1866** (Pyralidae) Synonym(s): *basistrigalis* Knaggs,1866; *signella* Teich,1889; *bifascialis* Turati,1923
- 5801. Scoparia conicella (Laharpe,1863)** (Pyralidae) Synonym(s): *conicella* Laharpe,1863
- 5802. Scoparia ichinosawana Matsumura,1925** (Pyralidae) Synonym(s): *ichinosawana* Matsumura,1925
- 5803. Scoparia ingrattella (Zeller,1846)** (Pyralidae) Synonym(s): ? *majalis* Scopoli,1763; *ingrattella* Zeller,1846; *ingrattalis* Herrich-Schäffer,1853; *sibirica* Lederer,1853; *octavianella* Mann,1859; *catalonica* Leraut,1982

- 5804. *Scoparia luteolaris* (Scopoli,1772) (Pyralidae)** Synonym(s): *luteolaris* Scopoli,1772; *ochrealis* [Denis & Schiffermüller],1775; *simplicella* Laharpe,1861; *cremealis* Zerny,1934.
- 5805. *Scoparia luteolaris luteolaris* (Scopoli,1772) (Pyralidae)** Synonym(s): *luteolaris* Scopoli,1772; *ochrealis* [Denis & Schiffermüller],1775; *simplicella* Laharpe,1861; *cremealis* Zerny,1934.
- 5806. *Scoparia mandschurica* Christoph,1881 (Pyralidae)** Synonym(s): *mandschurica* Christoph,1881
- 5807. *Scoparia pyralella* ([Denis & Schiffermüller],1775) (Pyralidae)** Synonym(s): *pyralella* [Denis & Schiffermüller],1775; *arundinata* Thunberg,1792; *dubitalis* Hübner,1796; *dubita* Haworth,1811; *pyralea* Haworth,1811; *dubitellus* Zincken,1817; *tristrigella* Stephens,1834; *pyralalis* Guenée,1854; *purbeckensis* Bankes,1889; *australis* Müller-Rutz,1920; *vesubiella* Marion,1976
- 5808. *Scoparia sachalinensis* Matsumura,1925 (Pyralidae)** Synonym(s): *sachalinensis* Matsumura,1925
- 5809. *Scoparia subfusca* Haworth,[1811] (Pyralidae)** Synonym(s): *subfusca* Haworth,[1811]; *graecella* Stainton,1849; *subfuscalis* Guenée,1854; *scotica* White,1872; *cembrae* auct. nec Haworth,1811; *cembralis* auct. nec Gn.,1854; *#sugfusca* Leraut,1984
- 5810. *Scoparia subfusca subfusca* Haworth,[1811] (Pyralidae)** Synonym(s): *subfusca* Haworth,[1811]; *graecella* Stainton,1849; *subfuscalis* Guenée,1854; *scotica* White,1872; *cembrae* auct. nec Haworth,1811; *cembralis* auct. nec Gn.,1854; *#sugfusca* Leraut,1984
- 5811. *Scoparia x-signata* Filipjev,1927 (Pyralidae)** Synonym(s): *x-signata* Filipjev,1927
- 5812. *Seeboldia korgosella* Ragonot,1887 (Pyralidae)** Synonym(s): *korgosella* Ragonot,1887; *uralskella* Caradja,1910.
- 5813. *Seeboldia korgosella korgosella* Ragonot,1887 (Pyralidae)** Synonym(s): *korgosella* Ragonot,1887; *uralskella* Caradja,1910.
- 5814. *Selagia argyrella* ([Denis & Schiffermüller],1775) (Pyralidae)** Synonym(s): *argyrella* [Denis & Schiffermüller],1775; *janthinella* Hübner,[1813]. Larval foodplant(s): *Potentilla* ((Rosaceae), *Helianthemum* (Cistaceae), *Calluna* (Ericaceae) (Parenti,2000).
- 5815. *Selagia argyrella argyrella* ([Denis & Schiffermüller],1775) (Pyralidae)** Synonym(s): *argyrella* [Denis & Schiffermüller],1775; *janthinella* Hübner,[1813].
- 5816. *Selagia spadicella* (Hübner,1796) (Pyralidae)** Synonym(s): *spadicella* Hübner,1796
- 5817. *Selagia uralensis* Rebel,1910 (Pyralidae)** Synonym(s): *uralensis* Rebel,1910
- 5818. *Selagia zernyi* Toll,1942 (Pyralidae)** Synonym(s): *zernyi* Toll,1942
- 5819. *Serrulacera serraticornella* (Zeller,1839) (Pyralidae)** Synonym(s): *serraticornella* Zeller,1839; *gregella* Eversmann,1844.
- 5820. *Sitochroa palealis* ([Denis & Schiffermüller],1775) (Pyralidae)** Synonym(s): ? *flaveolata* Hufnagel,1767; *palealis* [Denis & Schiffermüller],1775; *stigmatalis* Villers,1789; *selenalis* Hübner,[1819] Larval foodplant(s): *Daucus carota*, *Heracleum*, *Peucedanum*, *Seseli* (Apiaceae) (Parenti,2000).
- 5821. *Sitochroa verticalis* (Linnaeus,1758) (Pyralidae)** Synonym(s): *verticalis* Linnaeus,1758; *inversa* Fourcroy,1785; *cinctalis* Treitschke,1829 Larval foodplant(s): *Urtica* (Urticaceae), *Rumex*, *Atriplex* (Polygonaceae), *Cytisus* (Fabaceae), *Teucrium* (Lamiaceae), *Cirsium* (Asteraceae) (Parenti,2000).
- 5822. *Staudingeria* (s.str.) *aspilatella* (Ragonot,1887) (Pyralidae)** Synonym(s): *aspilatella* Ragonot,1887; *simplicella* Chrétien,1910; *calligonella* Dumont,1926.
- 5823. *Staudingeria* (s.str.) *deserticola* (Staudinger,1870) (Pyralidae)** Synonym(s): *deserticola* Staudinger,1870
- 5824. *Staudingeria* (s.str.) *morbosella* (Staudinger,1879) (Pyralidae)** Synonym(s): *morbosella* Staudinger,1879; *inderskyella* Caradja,1910; *cinnamomella* Rothschild,1915.
- 5825. *Stenia charonialis* (Walker,[1866]) (Pyralidae)** Synonym(s): *charonialis* Walker,[1866]
- 5826. *Stericta haraldusalis* (Walker,1850) (Pyralidae)** Synonym(s): *haraldusalis* Walker,1850

- 5827. *Synaphe antennalis* (Fabricius,1794)** (Pyralidae) **Synonym(s):** *antennalis* Fabricius,1794; *connectalis* Hübner,1796
- 5828. *Synaphe bombycalis* ([Denis & Schiffermüller],1775)** (Pyralidae) **Synonym(s):** *bombycalis* [Denis & Schiffermüller],1775; *almanica* Rebel,1917.
- 5829. *Synaphe bombycalis eversmanni* (Obraztsov,1952)** (Pyralidae) **Synonym(s):** *eversmanni* Obraztsov,1952
- 5830. *Synaphe punctalis* (Fabricius,1775)** (Pyralidae) **Synonym(s):** *punctalis* Fabricius,1775; *angustalis* [Denis & Schiffermüller],1775. **Larval foodplant(s):** *Hypnum cupressiforme* (Hypnaceae) (Mosses) (Parenti,2000).
- 5831. *Talis chamylella* Staudinger,[1900]** (Pyralidae) **Synonym(s):** *chamylella* Staudinger,[1900]
- 5832. *Talis menetriesi* Hampson,1900** (Pyralidae) **Synonym(s):** *menetriesi* Hampson,1900
- 5833. *Talis pulcherrima* Staudinger,1870** (Pyralidae) **Synonym(s):** *pulcherrimus* Staudinger,1870; *plenostria* Filipjev,1925.
- 5834. *Talis quercella* ([Denis & Schiffermüller],1775)** (Pyralidae) **Synonym(s):** *#quercella* [Denis & Schiffermüller],1775; *noctuella* Hübner,1796; *neglectella* Hübner,[1824]. **Larval foodplant(s):** Poaceae (Blezynski,1965).
- 5835. *Talis quercella quercella* ([Denis & Schiffermüller],1775)** (Pyralidae) **Synonym(s):** *#quercella* [Denis & Schiffermüller],1775; *noctuella* Hübner,1796; *neglectella* Hübner,[1824].
- 5836. *Talis wockei* Filipjev,1929** (Pyralidae) **Synonym(s):** *wockeii* Filipjev,1929; *#taiskanensis* Caradja,1938; *kansualis* Caradja,1935.
- 5837. *Thisanotia chrysonuchella* (Scopoli,1763)** (Pyralidae) **Synonym(s):** *chrysonuchella* Scopoli,1763; *gramella* Fabricius,1781; *campella* Hübner,1793; *dilutior* Alpheraky,1877. **Larval foodplant(s):** *Festuca ovina*, *Poa* (Poaceae) (Parenti,2000).
- 5838. *Thisanotia chrysonuchella chrysonuchella* (Scopoli,1763)** (Pyralidae) **Synonym(s):** *chrysonuchella* Scopoli,1763; *gramella* Fabricius,1781; *campella* Hübner,1793; *dilutior* Alpheraky,1877.
- 5839. *Thopeutis galleriellus* (Ragonot,1892)** (Pyralidae) **Synonym(s):** *galleriellus* Ragonot,1892; *canicostalis* Hampson,1896; *unicolor* De Joannis,1910; *submedianalis* Hampson,1919; *buxtoni* Rotschild,1921; *chretienellus* Dumont,1930; *maculalis* Predota,1934; *hederalis* Amsel,1935.
- 5840. *Thospia trifasciella* (Ragonot,1887)** (Pyralidae) **Synonym(s):** *trifasciella* Ragonot,1887; *alborivulella* Ragonot,1888.
- 5841. *Titanio normalis* (Hübner,1796)** (Pyralidae) **Synonym(s):** *normalis* Hübner,1796; *ancyrensis* Hofmann,[1898].
- 5842. *Titanio venustalis originalis* (Herrich-Schäffer,1860)** (Pyralidae) **Synonym(s):** *originalis* Herrich-Schäffer,1860
- 5843. *Trachycera advenella* (Zincken,1818)** (Pyralidae) **Synonym(s):** *advenella* Zincken,1818; *rhenella* Stephens,1834; *consociella* Duponchel,1836; *recurvella* Guenée,1845 **Larval foodplant(s):** *Crataegus*, *Prunus spinosa*, *Sorbus aria*, *S. aucuparia* (Rosaceae) (Huemer,1988).
- 5844. *Trachycera curvella* (Ragonot,1893)** (Pyralidae) **Synonym(s):** *curvella* Ragonot,1893
- 5845. *Trachycera dulcella* (Zeller,1848)** (Pyralidae) **Synonym(s):** *dulcella* Zeller,1848
- 5846. *Trachycera dulcella dulcella* (Zeller,1848)** (Pyralidae) **Synonym(s):** *dulcella* Zeller,1848
- 5847. *Trachycera injunctella* (Christoph,1881)** (Pyralidae) **Synonym(s):** *injunctella* Christoph,1881; *yuennanella* Caradja,1937
- 5848. *Trachycera legatea* (Haworth,[1811])** (Pyralidae) **Synonym(s):** *legatea* Haworth,[1811]; *legatella* Hübner,1796 nec [Den. & Schiff.],1775; *legatalis* Hübner,[1825]
- 5849. *Trachycera marmorea* (Haworth,[1811])** (Pyralidae) **Synonym(s):** *marmorea* Haworth,[1811]; *epelydella* Zeller,1839; *marmorella* Doubleday,1859 **Larval foodplant(s):** *Prunus spinosa*, ? *Sorbus*, ? *Crataegus* (Rosaceae) (Huemer,1988).

- 5850. *Trachycera suavella* (Zincken,1818)** (Pyralidae) **Synonym(s):** *suavella* Zincken,1818; *fascia* Stephens,1829; *porphyrea* Stephens,1834; *supposita* Heinrich,1940 **Larval foodplant(s):** *Crataegus*, *Prunus spinosa*, *Sorbus* (Rosaceae) (Huemer,1988).
- 5851. *Tragonitis cristella* (Hübner,1796)** (Pyralidae) **Synonym(s):** *cristella* Hübner,1796; *cristalis* Hübner,[1825].
- 5852. *Udea accolalis* (Zeller,1867)** (Pyralidae) **Synonym(s):** *accolalis* Zeller,1867
- 5853. *Udea austriacalis* (Herrich-Schäffer,1851)** (Pyralidae) **Synonym(s):** *austriacalis* Herrich-Schäffer,1851; *donzelalis* Guenée,1854; *sororalis* Heyden,1860; *nitidalis* Heinemann,1865
- 5854. *Udea austriacalis altaica* (Zerny,1914)** (Pyralidae) **Synonym(s):** *altaica* Zerny,1914
- 5855. *Udea austriacalis plumbalis* (Zerny,1914)** (Pyralidae) **Synonym(s):** *plumbalis* Zerny,1914
- 5856. *Udea costalis* (Eversmann,1852)** (Pyralidae) **Synonym(s):** *costalis* Eversmann,1852
- 5857. *Udea ferrugalis* (Hübner,1796)** (Pyralidae) **Synonym(s):** *ferruginalis* Rossi,1794; *ferrugalis* Hübner,1796; *#ferrugalis* Hübner,1796; *martialis* Guenée,1854; *hypatialis* Walker,1859; *testacea* Butler,1879 **Larval foodplant(s):** *Fragaria vesca* (Rosaceae); *Lycopus*, *Mentha*, *Stachys* (Lamiaceae); *Verbascum* (Scrophulariaceae); *Calendula*, *Eupatorium*, *Aster*, *Centaurea*, *Cirsium*, *Arctium* (Asteraceae) (Wiltshire,1957; Huemer,1988; Parenti,2000).
- 5858. *Udea fulvalis* (Hübner,[1809])** (Pyralidae) **Synonym(s):** *fulvalis* Hübner,[1809]; *pronoidalis* Staudinger,1879
- 5859. *Udea hamalis* (Thunberg,1788)** (Pyralidae) **Synonym(s):** *hamalis* Thunberg,1788; *nyctemeralis* Hübner,[1809]
- 5860. *Udea inquinatalis* (Lienig & Zeller,1846)** (Pyralidae) **Synonym(s):** *inquinatalis* Lienig & Zeller,1846; *glacialis* Packard,1867; *albinalis* Della Beffa,1942
- 5861. *Udea olivalis* ([Denis & Schiffermüller],1775)** (Pyralidae) **Synonym(s):** *olivalis* [Denis & Schiffermüller],1775; *umbralis* Hübner,1796 **Larval foodplant(s):** *Actaea* (Ranunculaceae), *Humulus* (Cannabaceae), *Urtica* (Urticaceae), *Fragaria*, *Geum*, *Rubus idaeus* (Rosaceae); *Stachys*, *Lamium* (Lamiaceae), *Sambucus*, *Lonicera* (Caprifoliaceae), *Chelidonium* (Papaveraceae), *Lychnis* (Caryophyllaceae), *Myosotis* (Boraginaceae), *Veronica* (Scrophulariaceae), *Chenopodium* (Chenopodiaceae), *Petasites*, *Senecio*, *Tussilago* (Asteraceae) (Huemer,1988).
- 5862. *Udea prunalis* ([Denis & Schiffermüller],1775)** (Pyralidae) **Synonym(s):** *#prunalis* [Denis & Schiffermüller],1775; *nivealis* Fabricius,1781; *ferruginalis* Villers,1789 *nec* Fabr.,1781 **Larval foodplant(s):** *Actaea*, *Anemone*, *Aquilegia*, *Ranunculus* (Ranunculaceae), *Quercus* (Fagaceae), *Betula* (Betulaceae), *Corylus* (Corylaceae), *Ulmus* (Ulmaceae), *Humulus* (Cannabinaceae), *Ribes* (Saxifragaceae), *Fragaria*, *Geum urbanum*, *Aruncus dioicus*, *Prunus padus*, *P. spinosa*, *Pyrus*, *Rosa*, *Rubus*, *Sorbus aucuparia* (Rosaceae), *Urtica* (Urticaceae), *Acer* (Aceraceae), *Hedera* (Araliaceae), *Aegopodium* (Apiaceae), *Tilia* (Tiliaceae), *Vaccinium* (Ericaceae), *Pyrola* (Pyrolaceae), *Lychnis* (Caryophyllaceae), *Veronica* (Scrophulariaceae), *Lonicera*, *Viburnum* (Caprifoliaceae), *Fraxinus* (Oleaceae), *Plantago* (Plantaginaceae), *Ballota*, *Glechoma*, *Lamium*, *Stachys*, *Teucrium* (Lamiaceae), *Tussilago* (Asteraceae), *Lactuca* (Cichoriaceae) ([Denis & Schiffermüller],1775; Huemer,1988)
- 5863. *Uresiphita polygonalis* ([Denis & Schiffermüller],1775)** (Pyralidae) **Synonym(s):** *polygonalis* [Denis & Schiffermüller],1775; *#limbalis* [Denis & Schiffermüller],1775; *gibbata* Fabricius,1794; *orientalis* Fabricius,1794; *diversalis* Hübner,1796; *rusticalis* Hübner,1796; *aversalis* Guenée,1854; *consanguinalis* Guenée,1854; *teriadalis* Guenée,1854; *deprivalis* Walker,1859; *virescens* Butler,1881; *ochrocrossa* Clarke,1971 **Larval foodplant(s):** *Cytisus*, *Genista*, *Lygos*, *Phaseolus*, *Spartium*, *Ulex* (Fabaceae) (Parenti,2000).

- 5864. Vietteia terstrigella (Christoph,1877)** (Pyrilidae) Synonym(s): *terstrigella Christoph,1877*
- 5865. Vitula biviella (Zeller,1848)** (Pyrilidae) Synonym(s): *biviella Zeller,1848*
- 5866. Witlesia pallida (Curtis,1827)** (Pyrilidae) Synonym(s): *pallida Curtis,1827*
- 5867. Xanthocrambus argentarius (Staudinger,1867)** (Pyrilidae)
Synonym(s): *argentarius Staudinger,1867*
- 5868. Xanthocrambus lucellus (Herrich-Schäffer,[1848])** (Pyrilidae)
Synonym(s): *lucellus Herrich-Schäffer,[1848]; #atrax Galvagni,1909; magna Caradja,1926*
- 5869. Xanthocrambus saxonellus (Zincken,1821)** (Pyrilidae) Synonym(s): *saxonellus Zincken,1821; chrysellus Treitschke,1832; carentellus Christoph,1888*
- 5870. Zonora concatenalis (Lederer,1858)** (Pyrilidae) Synonym(s): *concatenalis Lederer,1858*
- 5871. Zophodia grossulariella (Hübner,[1809])** (Pyrilidae) Synonym(s): *convolutella Hübner,1796 nec [Denis & Schiffermüller],1775; grossulariella Hübner,[1809]; rectella Guenée,1845.*
- 5872. Hamearis lucina (Linnaeus,1758)** (Riodinidae) Synonym(s): *lucina Linnaeus,1758* Larval foodplant(s): *Primula vulgaris, P. auriculata.*
- 5873. Hamearis lucina lucina (Linnaeus,1758)** (Riodinidae) Synonym(s): *lucina Linnaeus,1758*
- 5874. Roeslerstammia erxlebella (Fabricius,1787)** (Roeslerstammiidae)
Synonym(s): *erxlebella Fabricius,1787*
- 5875. Roeslerstammia pronubella ([Denis & Schiffermüller],1775)** (Roeslerstammiidae) Synonym(s): *pronubella [Denis & Schiffermüller],1775*
- 5876. Aglia tau (Linnaeus,1758)** (Saturniidae) Synonym(s): *tau Linnaeus,1758; cerretanica Rougeot,1965; spaniolissima Gomez-Bustillo & Gomez de Aizpurua,1980; eumense Gomez-Bustillo & Fernandez Vidal,1980*
- 5877. Saturnia (Heraea) pavonia (Linnaeus,1758)** (Saturniidae) Synonym(s): *pavonia Linnaeus,1758; pavoniella Scopoli,1763; carpini Denis & Schiffermüller,1775; pavunculus Retzius,1783*
- 5878. Saturnia (Neoris) shadulla (Moore,1872)** (Saturniidae) Synonym(s): *shadulla Moore,1872; svenihedini M.Hering,1936; alatauica O.Bang-Haas,1937* Larval foodplant(s): *Spiraea, Pyrus (Rosaceae), Fraxinus (Oleaceae) (Pittaway,2000).*
- 5879. Saturnia (Neoris) shadulla shadulla (Moore,1872)** (Saturniidae)
Synonym(s): *shadulla Moore,1872; svenihedini M.Hering,1936; alatauica O.Bang-Haas,1937* Larval foodplant(s): *Spiraea, Pyrus (Rosaceae), Fraxinus (Oleaceae) (Pittaway,2000).*
- 5880. Saturnia (Rinaca) boisduvali Eversmann,1846** (Saturniidae)
Synonym(s): *boisduvali Eversmann,1846; chinensis Rebel,[1926]; meridionalis Bouvier,1936; meridionalis Mell,1939 nec Bouv.,1936; kansuensis Mell,1939; intermediula Bryk,1948*
- 5881. Saturnia (Rinaca) boisduvali fallax Jordan,1913** (Saturniidae)
Synonym(s): *fallax Jordan,1913*
- 5882. Aphantopus hyperantus (Linnaeus,1758)** (Satyridae) Synonym(s): *hyperantus Linnaeus,1758; arete Müller,1764; vidua Müller,1764; tristan Retzius,1783; sajanus O.Bang-Haas,1906.* Larval foodplant(s): *Brachypodium sylvaticum, B. pinnatum Phleum pratense, Dactylis glomerata, Festuca rubra, Bromus erectus, B. hordaceus, Cynosurus cristatus, Poa pratensis, P. nemoralis, Carex hirta, C. strigosa, C. ? sylvatica, C. brizoides, C. panicea, Agrostis capillaris, Milium effusum, Elymus repens, Holcus mollis, H. lanatus, Deschampsia cespitosa, Molinia caerulea, Arrhenatherum elatius, Calamagrostis epigejos (Tolman,1997).*
- 5883. Aphantopus hyperantus hyperantus (Linnaeus,1758)** (Satyridae)
Synonym(s): *hyperantus Linnaeus,1758; arete Müller,1764; vidua Müller,1764; tristan Retzius,1783; sajanus O.Bang-Haas,1906.*
- 5884. Arethusana arethusana ([Denis & Schiffermüller],1775)** (Satyridae)
Synonym(s): *arethusana [Denis & Schiffermüller],1775; erythia Hübner,1805; pontica Heyne,[1895];*

- sultana* Wagner,1929; *hakkarica* Koçak,1975 (sensu Hesselbarth et al.,1995: 917). Larval foodplant(s): *Festuca*, *Bromus erectus*, *Dactylis*, *Poa* (Eckstein, 1913).
- 5885. *Arethusana arethusa arethusa* ([Denis & Schiffermüller],1775)** (Satyridae) Synonym(s): *arethusa* [Denis & Schiffermüller],1775; *erythia* Hübner,1805; *pontica* Heyne,[1895]; *sultana* Wagner,1929; *hakkarica* Koçak,1975 (sensu Hesselbarth et al.,1995: 917).
- 5886. *Arethusana arethusa heptapotamica* (Stauder,1924)** (Satyridae) Synonym(s): *heptapotamica* Stauder,1924
- 5887. *Boeberia parmenio* (Boeber,1809)** (Satyridae) Synonym(s): *parmenio* Boeber,1809; *alpina* Elwes,1899.
- 5888. *Boeberia parmenio parmenio* (Boeber,1809)** (Satyridae) Synonym(s): *parmenio* Boeber,1809; *alpina* Elwes,1899.
- 5889. *Brintesia circe* (Fabricius,1775)** (Satyridae) Synonym(s): *circe* Fabricius,1775; *proserpina* Denis & Schiffermüller,1775; *maga* Fruhstorfer,1909; *venefica* Fruhstorfer,1909; *gabala* Gaillard,1959; *maladetta* Varin,1962. Larval foodplant(s): *Festuca ovina*, *Bromus erectus*, *Anthoxanthum odoratum* (Koçak, ; Tolman,1997).
- 5890. *Brintesia circe circe* (Fabricius,1775)** (Satyridae) Synonym(s): *circe* Fabricius,1775; *proserpina* Denis & Schiffermüller,1775; *maga* Fruhstorfer,1909; *venefica* Fruhstorfer,1909; *gabala* Gaillard,1959; *maladetta* Varin,1962.
- 5891. *Chazara* (*Neochazara*) *anthe* (Hoffmannsegg,1804)** (Satyridae) Synonym(s): *anthe* Hoffmannsegg,1804; *persephone* Hübner,1805; *anthe* Ochsenheimer,1807.
- 5892. *Chazara* (*Neochazara*) *anthe anthe* (Hoffmannsegg,1804)** (Satyridae) Synonym(s): *anthe* Hoffmannsegg,1804; *persephone* Hübner,1805; *anthe* Ochsenheimer,1807.
- 5893. *Chazara* (*Neochazara*) *heydenreichi* (Lederer,1853)** (Satyridae) Synonym(s): *heydenreichi* Lederer,1853; *karasagina* Holik,1949.
- 5894. *Chazara* (s.str.) *briseis* (Linnaeus,1764)** (Satyridae) Synonym(s): *briseis* Linnaeus,1764; *daedale* Bergsträßer,1780; *bataia* Fruhstorfer,1909; *interjecta* Verity,1916; *variabilis* Varin,1958; *pictonica* Varin,1958. Larval foodplant(s): *Sesleria*, *Festuca*, *Stipa*, *Poa* (Eckstein, 1913); *Bromus erectus*, *Festuca ovina* (Tolman, 1997).
- 5895. *Chazara* (s.str.) *briseis ianthe* (Pallas,1771)** (Satyridae) Synonym(s): *ianthe* Pallas,1771; *meridionalis* sensu auct. nec Stgr.,1886.
- 5896. *Chazara* (s.str.) *briseis pirata* (Esper,[1789])** (Satyridae) Synonym(s): *pirata* Esper,[1789]; *meridionalis* Staudinger,1886; *magna* Staudinger,[1894]; *#uniocellata* Strand,1909; *armena* Jachontov,1912; *fergana* sensu Hofmann,1898; *latiusalba* Verity,1937; *hyperleuca* Verity,1937; *falkneri* Gross & Ebert,1975.
- 5897. *Coenonympha* (s.str.) *amaryllis* (Stoll,[1782])** (Satyridae) Synonym(s): *amaryllis* Stoll,[1782]; *xinjiangensis* Chou & Huang
- 5898. *Coenonympha* (s.str.) *amaryllis amaryllis* (Stoll,[1782])** (Satyridae) Synonym(s): *amaryllis* Stoll,[1782]; *xinjiangensis* Chou & Huang
- 5899. *Coenonympha* (s.str.) *amaryllis borisovi* Korshunov & Ivonine,1996** (Satyridae) Synonym(s): *borisovi* Korshunov & Ivonine,1996
- 5900. *Coenonympha* (s.str.) *arcania* (Linnaeus,1761)** (Satyridae) Synonym(s): *arcania* Linnaeus,1761; *amyntas* Poda,1761; *cephalus* Fourcroy,1785; *naidion* Borkhausen,1788; *huebneri* Oberthür,1910; *saleviana* Fruhstorfer,1910; *trumpans* Fruhstorfer,1910; *caucasica* Jachontov,1914; *fulvosatura* Verity,1935. Larval foodplant(s): *Poa pratensis*, *Melica ciliata*, *Holcus lanatus* (Tolman,1997).
- 5901. *Coenonympha* (s.str.) *arcania arcania* (Linnaeus,1761)** (Satyridae) Synonym(s): *arcania* Linnaeus,1761; *amyntas* Poda,1761; *cephalus* Fourcroy,1785; *naidion* Borkhausen,1788; *huebneri* Oberthür,1910; *saleviana* Fruhstorfer,1910; *trumpans* Fruhstorfer,1910; *caucasica* Jachontov,1914; *fulvosatura* Verity,1935.
- 5902. *Coenonympha* (s.str.) *glycerion* (Borkhausen,1788)** (Satyridae) Synonym(s): *iphis* [Denis & Schiffermüller],1775 nec Dru.,1773; *amyntas* auctorum; *glycerion* Borkhausen,1788; *hero* Fabricius,1793 nec Linnaeus,1761; *manto* Schrank,1801; *mandane* Kirby,1862; *tiphonides* Staudinger,1901. Larval foodplant(s): *Brachypodium sylvaticum*, *Cynosurus cristatus*, *Briza media*, *Melica ciliata*, *Bromus erectus*, *B. hordeaceus* (Tolman,1997).

- 5903. Coenonympha (s.str.) glycerion alta Sheljuzhko,1937** (Satyridae)
Synonym(s): *alta* Sheljuzhko,1937
- 5904. Coenonympha (s.str.) glycerion glycerion (Borkhausen,1788)**
(Satyridae) Synonym(s): *iphis* [Denis & Schiffermüller],1775 nec Dru.,1773; *amyntas auctorum*; *glycerion* Borkhausen,1788; *hero* Fabricius,1793 nec Linnaeus,1761; *manto* Schrank,1801; *mandane* Kirby,1862; *tiphonides* Staudinger,1901.
- 5905. Coenonympha (s.str.) glycerion iphicles Staudinger,1892** (Satyridae)
Synonym(s): *iphicles* Staudinger,1892; *heroides* Christoph,1893
- 5906. Coenonympha (s.str.) hero (Linnaeus,1761)** (Satyridae) Synonym(s):
hero Linnaeus,1761; *sabaeus* Fabricius,1775. Larval foodplant(s): *Leymus arenarius*,
Hordeum marinum, *Hordelymus europaeus* (Tolman,1997).
- 5907. Coenonympha (s.str.) hero hero (Linnaeus,1761)** (Satyridae)
Synonym(s): *hero* Linnaeus,1761; *sabaeus* Fabricius,1775.
- 5908. Coenonympha (s.str.) hero perseis Lederer,1853** (Satyridae)
Synonym(s): *perseis* Lederer,1853; *sibirica* Fuchs,1899.
- 5909. Coenonympha (s.str.) leander (Fabricius,1787)** (Satyridae)
Synonym(s): *#leander* Esper,[1784]; *leander* Fabricius,1787 Larval foodplant(s):
Brachypodium sylvaticum, *Festuca ovina* (Tolman,1997).
- 5910. Coenonympha (s.str.) leander leander (Fabricius,1787)** (Satyridae)
Synonym(s): *#leander* Esper,[1784]; *leander* Fabricius,1787
- 5911. Coenonympha (s.str.) oedippus (Fabricius,1787)** (Satyridae)
Synonym(s): *oedippus* Fabricius,1787; *oedippe* Borkhausen,1789; *burdigalensis* Pionneau,1937;
herbuloti Varin,1952; *sebrica* Varin,1952; *aquitana* Varin,1952; *rhodanica* Varin,1964; *senonica*
Varin,1966.
- 5912. Coenonympha (s.str.) oedippus amurensis Heyne,[1894]** (Satyridae)
Synonym(s): *amurensis* Heyne,[1894]
- 5913. Coenonympha (s.str.) oedippus annulifer Butler,1877** (Satyridae)
Synonym(s): *annulifer* Butler,1877; *amurensis* Heyne,[1894]; *miris* Heyne,[1894].
- 5914. Coenonympha (s.str.) oedippus oedippus (Fabricius,1787)**
(Satyridae) Synonym(s): *oedippus* Fabricius,1787; *oedippe* Borkhausen,1789; *burdigalensis*
Pionneau,1937; *herbuloti* Varin,1952; *sebrica* Varin,1952; *aquitana* Varin,1952; *rhodanica* Varin,1964;
senonica Varin,1966.
- 5915. Coenonympha (s.str.) pamphilus (Linnaeus,1758)** (Satyridae)
Synonym(s): *pamphilus* Linnaeus,1758; *menalcas* Poda,1761; *nephele* Hufnagel,1766; *marginata*
Heyne,1894; *orantia* Fruhstorfer,1908; *scota* Verity,1911; *infrarasa* Verity,1926; *juldusica* Verity,1926;
asiaemontium Verity,1926; *euxina* Verity,1926; *posteuxina* Verity,1926; *londonii* Verity,1926; *neolyllus* De
Lattin,1950 Larval foodplant(s): *Festuca ovina*, *F. rubra*, *Poa annua*,
Anthoxanthum odoratum, *Cynosurus cristatus*, *Dactylis glomerata*, *Nardus stricta*
(Tolman, 1997).
- 5916. Coenonympha (s.str.) pamphilus pamphilus (Linnaeus,1758)**
(Satyridae) Synonym(s): *pamphilus* Linnaeus,1758; *menalcas* Poda,1761; *nephele* Hufnagel,1766;
marginata Heyne,1894; *orantia* Fruhstorfer,1908; *scota* Verity,1911; *infrarasa* Verity,1926; *juldusica*
Verity,1926; *asiaemontium* Verity,1926; *euxina* Verity,1926; *posteuxina* Verity,1926; *londonii* Verity,1926;
neolyllus De Lattin,1950
- 5917. Coenonympha (s.str.) tullia (Müller,1764)** (Satyridae) Synonym(s): *tullia*
Müller,1764; *isis* Thunberg & Becklin,1791. *Rhynchospora alba*, *Eriophorum vaginatum*,
E. angustifolia, *Carex rostrata* (Tolman, 1997).
- 5918. Coenonympha (s.str.) tullia chatiparae Sheljuzhko,1937** (Satyridae)
Synonym(s): *chatiparae* Sheljuzhko,1937
- 5919. Coenonympha (s.str.) tullia fridolini Kuznetsov,1941** (Satyridae)
Synonym(s): *fridolini* Kuznetsov,1941; *minimus* Sedych,1977.
- 5920. Coenonympha (s.str.) tullia subcaeca Heyne,[1895]** (Satyridae)
Synonym(s): *subcaeca* Heyne,[1895]; *elwesi* Davenport,1941

- 5921. *Coenonympha* (s.str.) *tullia* *tiphon* (Rottemburg,1775) (Satyridae)**
Synonym(s): *tiphon* Rottemburg,1775
- 5922. *Coenonympha* (s.str.) *tullia* *viluiensis* Ménétériés,1859 (Satyridae)**
Synonym(s): *viluiensis* Ménétériés,1859; *grisescens* Christoph,1893.
- 5923. *Crebeta* *deidamia* (Eversmann,1851) (Satyridae)** Synonym(s): *deidamia* Eversmann,1851
- 5924. *Crebeta* *deidamia* *deidamia* (Eversmann,1851) (Satyridae)** Synonym(s): *deidamia* Eversmann,1851.
- 5925. *Erebia* *aethiops* (Esper,[1777]) (Satyridae)** Synonym(s): *aethiops* Esper,[1777]; *ligea* Poda,1761 nec Linnaeus,1758; *medea* Denis & Schiff.,1775; *blandina* Fabricius,1787; *media* Hübner,1799; *caledonia* Verity,1911; *altivaga* Fruhstorfer,1917; *sapaudia* Fruhstorfer,1917; *peneplana* Berger,1936. Larval foodplant(s): *Molinia caerulea*, *Sesleria caerulea*, *Carex sempervirens*, *Bromus erectus*, *Brachypodium pinnatum*, *Calamagrostis epigejos*, *Dactylis glomerata*, *Festuca ovina*, *Luzula nivea*, *Poa trivialis*, *Anthoxanthum odoratum*, *Briza media* (Tolman,1997).
- 5926. *Erebia* *aethiops* *aethiops* (Esper,[1777]) (Satyridae)** Synonym(s): *aethiops* Esper,[1777]; *ligea* Poda,1761 nec Linnaeus,1758; *medea* Denis & Schiff.,1775; *blandina* Fabricius,1787; *media* Hübner,1799; *caledonia* Verity,1911; *altivaga* Fruhstorfer,1917; *sapaudia* Fruhstorfer,1917; *peneplana* Berger,1936.
- 5927. *Erebia* *aethiops* *melusina* Herrich-Schäffer,[1847] (Satyridae)**
Synonym(s): *melusina* Herrich-Schäffer,[1847]
- 5928. *Erebia* *aethiops* *uralensis* Goltz,1930 (Satyridae)** Synonym(s): *uralensis* Goltz,1930
- 5929. *Erebia* *ajanensis* Ménétériés,1857 (Satyridae)** Synonym(s): *ajanensis* Ménétériés,1857.
- 5930. *Erebia* *ajanensis* *ajanensis* Ménétériés,1857 (Satyridae)** Synonym(s): *ajanensis* Ménétériés,1857.
- 5931. *Erebia* *ajanensis* *arsenjevi* Kurentsov,1950 (Satyridae)** Synonym(s): *arsenjevi* Kurentsov,1950
- 5932. *Erebia* *ajanensis* *kosterini* Gorbunov, Korshunov & Dubatolov,1995 (Satyridae)** Synonym(s): *kosterini* Gorbunov, Korshunov & Dubatolov,1995
- 5933. *Erebia* *anyuica* Kurenzov,1966 (Satyridae)** Synonym(s): *anyuica* Kurenzov,1966
- 5934. *Erebia* *anyuica* *anyuica* Kurenzov,1966 (Satyridae)** Synonym(s): *anyuica* Kurenzov,1966
- 5935. *Erebia* *brimo* (Boeber,1809) (Satyridae)** Synonym(s): *maurisius* sensu Lukhtanov & Lukhtanov,1994 nec Esper,[1803]; *brimo* Boeber,1809.
- 5936. *Erebia* *brimo* *brimo* (Boeber,1809) (Satyridae)** Synonym(s): *maurisius* sensu Lukhtanov & Lukhtanov,1994 nec Esper,[1803]; *brimo* Boeber,1809.
- 5937. *Erebia* *brimo* *elwesi* Staudinger,1901 (Satyridae)** Synonym(s): *elwesi* Staudinger,1901
- 5938. *Erebia* *callias* Edwards,1871 (Satyridae)** Synonym(s): *callias* Edwards,1871
- 5939. *Erebia* *callias* *altajana* Staudinger,1901 (Satyridae)** Synonym(s): *altajana* Staudinger,1901
- 5940. *Erebia* *cyclopius* (Eversmann,1844) (Satyridae)** Synonym(s): *cyclopius* Eversmann,1844
- 5941. *Erebia* *cyclopius* *cyclopius* (Eversmann,1844) (Satyridae)** Synonym(s): *cyclopius* Eversmann,1844
- 5942. *Erebia* *dabanensis* Erschoff,1871 (Satyridae)** Synonym(s): *dabanensis* Erschoff,1871; *tundra* Staudinger,1887.
- 5943. *Erebia* *dabanensis* *dabanensis* Erschoff,1871 (Satyridae)** Synonym(s): *dabanensis* Erschoff,1871; *tundra* Staudinger,1887.
- 5944. *Erebia* *dabanensis* *olshvangi* Gorbunov,1995 (Satyridae)** Synonym(s): *olshvangi* Gorbunov,1995
- 5945. *Erebia* *disa* (Thunberg,1791) (Satyridae)** Synonym(s): *disa* Thunberg,1791
- 5946. *Erebia* *disa* *disa* (Thunberg,1791) (Satyridae)** Synonym(s): *disa* Thunberg,1791

- 5947. *Erebia discoidalis* (Kirby,1837)** (Satyridae) Synonym(s): *discoidalis* Kirby,1837
- 5948. *Erebia discoidalis lena* Christoph,1889** (Satyridae) Synonym(s): *lena* Christoph,1889
- 5949. *Erebia edda* Ménéttriés,1851** (Satyridae) Synonym(s): *edda* Ménéttriés,1851
- 5950. *Erebia edda edda* Ménéttriés,1851** (Satyridae) Synonym(s): *edda* Ménéttriés,1851
- 5951. *Erebia embla* (Thunberg,1791)** (Satyridae) Synonym(s): *embla* Thunberg,1791
Larval foodplant(s): ? Carex, ? Deschampsia (Tolman,1997).
- 5952. *Erebia embla dissimulata* B.C.S.Warren,1931** (Satyridae) Synonym(s): *dissimulata* B.C.S.Warren,1931
- 5953. *Erebia embla embla* (Thunberg,1791)** (Satyridae) Synonym(s): *embla* Thunberg,1791
- 5954. *Erebia embla succulenta* Alpheraky,1897** (Satyridae) Synonym(s): *succulenta* Alpheraky,1897
- 5955. *Erebia erinna* Staudinger,1894** (Satyridae) Synonym(s): *erinna* Staudinger,1894
- 5956. *Erebia erinna erinna* Staudinger,1894** (Satyridae) Synonym(s): *erinna* Staudinger,1894
- 5957. *Erebia euryale* (Esper,[1805])** (Satyridae) Synonym(s): *euryale* Esper,[1805]; *philomela* sensu Hübner,[1805]; *adyte* Hübner,1822, *isarica* Heyne,[1895]; *tramelana* Reverdin,1918.
- 5958. *Erebia euryale arctica* Poppius,1906** (Satyridae) Synonym(s): *arctica* Poppius,1906; *boreomontanum* Sedykh,1977.
- 5959. *Erebia euryale euryale* (Esper,[1805])** (Satyridae) Synonym(s): *euryale* Esper,[1805]; *philomela* sensu Hübner,[1805]; *adyte* Hübner,1822, *isarica* Heyne,[1895]; *tramelana* Reverdin,1918.
- 5960. *Erebia euryale euryaloides* Tengström,1869** (Satyridae) Synonym(s): *euryaloides* Tengström,1869; *uralensis* Goltz,1930.
- 5961. *Erebia euryale flaveoides* Korshunov & Tatarinov,1996** (Satyridae)
Synonym(s): *flaveoides* Korshunov & Tatarinov,1996
- 5962. *Erebia euryale iremelica* Korshunov,1995** (Satyridae) Synonym(s): *iremelica* Korshunov,1995
- 5963. *Erebia fasciata* Butler,1868** (Satyridae) Synonym(s): *fasciata* Butler,1868
- 5964. *Erebia fasciata fasciata* Butler,1868** (Satyridae) Synonym(s): *fasciata* Butler,1868
- 5965. *Erebia fasciata semo* Groum-Grshimailo,1899** (Satyridae) Synonym(s): *semo* Groum-Grshimailo,1899
- 5966. *Erebia fletcheri* Elwes,1899** (Satyridae) Synonym(s): *fletcheri* Elwes,1899
- 5967. *Erebia fletcheri chorymensis* Korshunov,1995** (Satyridae) Synonym(s): *chorymensis* Korshunov,1995
- 5968. *Erebia fletcheri fletcheri* Elwes,1899** (Satyridae) Synonym(s): *fletcheri* Elwes,1899
- 5969. *Erebia graucasica* Jachontov,1909** (Satyridae) Synonym(s): *graucasica* Jachontov,1909; *caucasica* Korshunov, Antonova & Kotshetova,1984.
- 5970. *Erebia graucasica graucasica* Jachontov,1909** (Satyridae) Synonym(s): *graucasica* Jachontov,1909; *caucasica* Korshunov, Antonova & Kotshetova,1984.
- 5971. *Erebia iranica sheljuzhkoi* B.C.S.Warren,1935** (Satyridae) Synonym(s): *sheljuzhkoi* B.C.S.Warren,1935
- 5972. *Erebia jennisieiensis* Trybom,1877** (Satyridae) Synonym(s): *jennisieiensis* Trybom,1877; *velox* Herz,1898; *minima* Goltz,1930; *fasciola* B.C.S.Warren,1931.
- 5973. *Erebia jennisieiensis jennisieiensis* Trybom,1877** (Satyridae)
Synonym(s): *jennisieiensis* Trybom,1877; *velox* Herz,1898; *minima* Goltz,1930; *fasciola* B.C.S.Warren,1931.
- 5974. *Erebia kefersteinii* (Eversmann,1851)** (Satyridae) Synonym(s): *kefersteinii* Eversmann,1851
- 5975. *Erebia kefersteinii kefersteinii* (Eversmann,1851)** (Satyridae)
Synonym(s): *kefersteinii* Eversmann,1851

- 5976. *Erebia kindermanni* Staudinger,1881** (Satyridae) Synonym(s): *kindermanni* Staudinger,1881
- 5977. *Erebia kindermanni kindermanni* Staudinger,1881** (Satyridae) Synonym(s): *kindermanni* Staudinger,1881
- 5978. *Erebia ligea* (Linnaeus,1758)** (Satyridae) Synonym(s): *ligea* Linnaeus,1758; *alexis* Retzius,1783 *nec* Poda,1761; *permagna* Fruhstorfer,1909; *carthusianorum* Fruhstorfer,1909. Larval foodplant(s): *Carex sylvatica*, *C. strigosa* (Tolman,1997).
- 5979. *Erebia ligea eumonia* Ménétériés,1858** (Satyridae) Synonym(s): *eumonia* Ménétériés,1858; *takanonis* Doi,1919; *koreana* Matsumura,1928; *#hakutozana* Matsumura,1928; *kamtschadalis* Goltz,1932.
- 5980. *Erebia ligea kamensis* Krulikowsky,1909** (Satyridae) Synonym(s): *kamensis* Krulikowsky,1909
- 5981. *Erebia ligea ligea* (Linnaeus,1758)** (Satyridae) Synonym(s): *ligea* Linnaeus,1758; *alexis* Retzius,1783 *nec* Poda,1761; *permagna* Fruhstorfer,1909.
- 5982. *Erebia mackinleyensis* Gunder,1932** (Satyridae) Synonym(s): *mackinleyensis* Gunder,1932
- 5983. *Erebia mackinleyensis ola* Korshunov,1995** (Satyridae) Synonym(s): *ola* Korshunov,1995
- 5984. *Erebia manto* ([Denis & Schiffermüller],1775)** (Satyridae) Synonym(s): *manto* [Denis & Schiffermüller],1775; *erina* Fabricius,1787; *pyrrha* sensu Fabricius,1787, *atratus* Esper,1793; *maccabaeus* Herbst,1796.
- 5985. *Erebia manto manto* ([Denis & Schiffermüller],1775)** (Satyridae) Synonym(s): *manto* [Denis & Schiffermüller],1775; *erina* Fabricius,1787; *pyrrha* sensu Fabricius,1787, *atratus* Esper,1793; *maccabaeus* Herbst,1796.
- 5986. *Erebia medusa* ([Denis & Schiffermüller],1775)** (Satyridae) Synonym(s): *medusa* [Denis & Schiffermüller],1775 Larval foodplant(s): *Festuca ovina*, *F. rubra*, *Bromus erectus*, *Milium effusum* (Tolman,1997).
- 5987. *Erebia medusa chatiparae* Sheljuzhko,1937** (Satyridae) Synonym(s): *chatiparae* Sheljuzhko,1937
- 5988. *Erebia medusa medusa* ([Denis & Schiffermüller],1775)** (Satyridae) Synonym(s): *medusa* [Denis & Schiffermüller],1775
- 5989. *Erebia medusa transiens* Heyne,[1895]** (Satyridae) Synonym(s): *transiens* Heyne,[1895]
- 5990. *Erebia neriene* (Boeber,1809)** (Satyridae) Synonym(s): *neriene* Boeber,1809; *sedakovii* Eversmann,1847; *sajanensis* B.C.S.Warren,1931.
- 5991. *Erebia neriene neriene* (Boeber,1809)** (Satyridae) Synonym(s): *neriene* Boeber,1809; *sedakovii* Eversmann,1847; *sajanensis* B.C.S.Warren,1931.
- 5992. *Erebia niponica* Janson,1877** (Satyridae) Synonym(s): *niponica* Janson,1877
- 5993. *Erebia niponica chosensis* Matsumura,1928** (Satyridae) Synonym(s): *chosensis* Matsumura,1928; *#hypertelica* Bryk,1946
- 5994. *Erebia occulta* Roos & Kimmich,1983** (Satyridae) Synonym(s): *occulta* Roos & Kimmich,1983; *phellea* Philip & Troubridge,1983
- 5995. *Erebia occulta occulta* Roos & Kimmich,1983** (Satyridae) Synonym(s): *occulta* Roos & Kimmich,1983; *phellea* Philip & Troubridge,1983
- 5996. *Erebia occulta sokhondinka* Dubatolov & Zintshenko,1995** (Satyridae) Synonym(s): *sokhondinka* Dubatolov & Zintshenko,1995
- 5997. *Erebia pandrose* (Borkhausen,1788)** (Satyridae) Synonym(s): *castor* Esper,1781 *nec* Cramer,1775; *pandrose* Borkhausen,1788; *zilia* Borkhausen,1789; *baucis* Schrank,1801; *hungarus* Latreille,1803; *asiorientalis* Goltz,1937. Larval foodplant(s): *Festuca*, *Poa*, *Sesleria* (Tolman,1997).
- 5998. *Erebia pandrose lappona* (Thunberg & Becklin,1791)** (Satyridae) Synonym(s): *lappona* Thunberg & Becklin,1791
- 5999. *Erebia pandrose pandrose* (Borkhausen,1788)** (Satyridae) Synonym(s): *castor* Esper,1781 *nec* Cramer,1775; *pandrose* Borkhausen,1788; *zilia* Borkhausen,1789; *baucis* Schrank,1801; *hungarus* Latreille,1803; *asiorientalis* Goltz,1937.

- 6000. *Erebia pandrose yernikensis* Korshunov,1995** (Satyridae) Synonym(s): *yernikensis* Korshunov,1995
- 6001. *Erebia pawlowskyi* Ménéttriés,1858** (Satyridae) Synonym(s): *pawlowskyi* Ménéttriés,1858
- 6002. *Erebia pawlowskyi pawlowskyi* Ménéttriés,1858** (Satyridae) Synonym(s): *pawlowskyi* Ménéttriés,1858
- 6003. *Erebia pawlowskyi sajana* Staudinger,1894** (Satyridae) Synonym(s): *sajana* Staudinger,1894
- 6004. *Erebia polaris* Staudinger,1861** (Satyridae) Synonym(s): *polaris* Staudinger,1861 Larval foodplant(s): *Festuca ovina* (Tolman,1997).
- 6005. *Erebia polaris polaris* Staudinger,1861** (Satyridae) Synonym(s): *polaris* Staudinger,1861
- 6006. *Erebia polaris uralensis* Staudinger,1861** (Satyridae) Synonym(s): *uralensis* Staudinger,1861
- 6007. *Erebia pronoe* (Esper,[1780])** (Satyridae) Synonym(s): *arachne* [Denis & Schiffermüller],1775 nec Cr.,1775; *pyrrha* [Denis & Schiffermüller],1775 nec Linnaeus,1758; *pronoe* Esper,[1780]; *psathura* Fruhstorfer,1920.
- 6008. *Erebia pronoe pronoe* (Esper,[1780])** (Satyridae) Synonym(s): *arachne* [Denis & Schiffermüller],1775 nec Cr.,1775; *pyrrha* [Denis & Schiffermüller],1775 nec Linnaeus,1758; *pronoe* Esper,[1780]; *psathura* Fruhstorfer,1920.
- 6009. *Erebia rossii* (Curtis,1834)** (Satyridae) Synonym(s): *rossii* Curtis,1834
- 6010. *Erebia rossii ero* Bremer,1861** (Satyridae) Synonym(s): *ero* Bremer,1861
- 6011. *Erebia rossii rossii* (Curtis,1834)** (Satyridae) Synonym(s): *rossii* Curtis,1834
- 6012. *Erebia rossii subarctica* Korshunov,1996** (Satyridae) Synonym(s): *subarctica* Korshunov,1996
- 6013. *Erebia stubbendorffii* Ménéttriés,1846** (Satyridae) Synonym(s): *stubbendorffii* Ménéttriés,1846; *connexa* B.C.S.Warren,1930.
- 6014. *Erebia stubbendorffii stubbendorffii* Ménéttriés,1846** (Satyridae) Synonym(s): *stubbendorffii* Ménéttriés,1846; *connexa* B.C.S.Warren,1930.
- 6015. *Erebia theano* (Tauscher,1806)** (Satyridae) Synonym(s): *theano* Tauscher,1806
- 6016. *Erebia theano approximata* B.C.S.Warren,1936** (Satyridae) Synonym(s): *#approximata* B.C.S.Warren,1930; *approximata* B.C.S.Warren,1936.
- 6017. *Erebia theano shoria* Korshunov & Ivonin,1995** (Satyridae) Synonym(s): *shoria* Korshunov & Ivonin,1995
- 6018. *Erebia theano theano* (Tauscher,1806)** (Satyridae) Synonym(s): *theano* Tauscher,1806
- 6019. *Erebia theano tshungunovi* Korshunov & Ivonin,1995** (Satyridae) Synonym(s): *tshungunovi* Korshunov & Ivonin,1995
- 6020. *Erebia wanga* Bremer,1864** (Satyridae) Synonym(s): *wanga* Bremer,1864
- 6021. *Erebia wanga wanga* Bremer,1864** (Satyridae) Synonym(s): *wanga* Bremer,1864
- 6022. *Esperarge (s.str.) clymene* (Fabricius,1787)** (Satyridae) Synonym(s): *#climene* Esper,[1783]; *clymene* Fabricius,1787; *boroeas* Latreille,1803; *synclimene* Hübner,[1819].
- 6023. *Esperarge (s.str.) clymene clymene* (Fabricius,1787)** (Satyridae) Synonym(s): *#climene* Esper,[1783]; *clymene* Fabricius,1787; *boroeas* Latreille,1803; *synclimene* Hübner,[1819].
- 6024. *Hipparchia (Neohipparchia) statilinus* (Hufnagel,1766)** (Satyridae) Synonym(s): *statilinus* Hufnagel,1766; *fauna* Sulzer,1776 nec Drury,1773; *allionia* Fabricius,1781; *actaea* sensu Villers,1789; *arachne* Esper,1789 nec Denis & Schiff.,1775; *allionii* Hübner,1826, etc. Larval foodplant(s): *Bromus erectus*, *B. sterilis*, *Bothriochola ischaemum*, *Stipa pennata*, *Lygaeum spartum* (Tolman,1997).
- 6025. *Hipparchia (Neohipparchia) statilinus statilinus* (Hufnagel,1766)** (Satyridae) Synonym(s): *statilinus* Hufnagel,1766; *fauna* Sulzer,1776 nec Drury,1773; *allionia* Fabricius,1781; *actaea* sensu Villers,1789; *arachne* Esper,1789 nec Denis & Schiff.,1775; *allionii* Hübner,1826, etc.

- 6026. Hipparchia (Parahipparchia) semele (Linnaeus,1758) (Satyridae)**
Synonym(s): *semele* Linnaeus,1758; *danae* Hufnagel,1766; *vulgaris* Zeller,1847; *anopenopterus* Lambrichs,1875; *diffusa* Butler,1880; *scota* Verity,1911; *tristis* Wahlgren,1913; *angliae* Verity,1924; *anglorum* Verity,1924; *thyone* Thompson,1944; *clarensis* Lattin,1952, etc. Larval foodplant(s): *Festuca ovina*, *Koeleria pyramidata*, *Agrostis curtisii*, *Phleum phleoides*, *Ammophila arenaria*, *Deschampsia cespitosa*, *Vulpia myuros*, *Aira praecox*, *Elymus repens*, *Bromus erectus*, *Briza media*, *Sesleria albicans*, *Lolium perenne* (Tolman,1997).
- 6027. Hipparchia (Parahipparchia) semele semele (Linnaeus,1758) (Satyridae)** Synonym(s): *semele* Linnaeus,1758; *danae* Hufnagel,1766; *vulgaris* Zeller,1847; *anopenopterus* Lambrichs,1875; *diffusa* Butler,1880; *teres* Fruhst.,1908; *subcinericea* Ribbe,1909; *scota* Verity,1911; *tristis* Wahlgren,1913; *polydorus* Stauder,1922; *angliae* Verity,1924, etc.
- 6028. Hipparchia (Parahipparchia) volgensis (Mazochin-Porshnjakov,1952) (Satyridae)** Synonym(s): *volgensis* Mazochin-Porshnjakov,1952
- 6029. Hipparchia (Parahipparchia) volgensis volgensis (Mazochin-Porshnjakov,1952) (Satyridae)** Synonym(s): *volgensis* Mazochin-Porshnjakov,1952
- 6030. Hipparchia (s.str.) alcyone ([Denis & Schiffermüller],1775) (Satyridae)** Synonym(s): *alcyone* [Denis & Schiffermüller],1775; *jurtina* Hufnagel,1766 *nec* Linnaeus,1758; *hermione* Linnaeus,1767 *nec* Linnaeus,1764; *aelia* Hoffmannsegg,1804; *odilo* Fruhstorfer,1908; *sogdiana* Fruhstorfer,1910; *caeca* Hannemann,1931, #*faronica* Varin,1963. Larval foodplant(s): *Brachypodium sylvaticum*, *B. pinnatum*, *Festuca ovina* (Tolman,1997).
- 6031. Hipparchia (s.str.) alcyone alcyone ([Denis & Schiffermüller],1775) (Satyridae)** Synonym(s): *alcyone* [Denis & Schiffermüller],1775; *jurtina* Hufnagel,1766 *nec* Linnaeus,1758; *hermione* Linnaeus,1767 *nec* Linnaeus,1764; *aelia* Hoffmannsegg,1804; *odilo* Fruhstorfer,1908; *sogdiana* Fruhstorfer,1910; *caeca* Hannemann,1931, #*faronica* Varin,1963.
- 6032. Hipparchia (s.str.) autonoe (Esper,[1783]) (Satyridae)** Synonym(s): *autonoe* Esper,[1783]; *sibirica* Staudinger,1861; *extrema* Alpheraky,1889; *chinensis* Seok,1937. *Poa* (Gorbunov & Korshunov, 1995).
- 6033. Hipparchia (s.str.) autonoe autonoe (Esper,[1783]) (Satyridae)** Synonym(s): *autonoe* Esper,[1783]; *sibirica* Staudinger,1861; *extrema* Alpheraky,1889; *chinensis* Seok,1937.
- 6034. Hipparchia (s.str.) fagi (Scopoli,1763) (Satyridae)** Synonym(s): *fagi* Scopoli,1763; *hermione* Linnaeus,1764; *silene* Fourcroy,1785; *orphnia* Fruhstorfer,1908; *sigurdriifa* Fruhstorfer,1908; *aturia* Fruhstorfer,1910; *albifera* Fruhstorfer,1910; *alcyoniformis* Verity,1911; *sicula* Schwingenschuß,1942; *fuixiensis* Varin,1963. Larval foodplant(s): *Bromus erectus*, *Festuca rubra*, *Brachypodium pinnatum* (Tolman,1997).
- 6035. Hipparchia (s.str.) fagi fagi (Scopoli,1763) (Satyridae)** Synonym(s): *fagi* Scopoli,1763; *hermione* Linnaeus,1764; *silene* Fourcroy,1785; *orphnia* Fruhstorfer,1908; *sigurdriifa* Fruhstorfer,1908; *aturia* Fruhstorfer,1910; *albifera* Fruhstorfer,1910; *alcyoniformis* Verity,1911; *sicula* Schwingenschuß,1942; *fuixiensis* Varin,1963.
- 6036. Hipparchia (s.str.) fagi tetrica (Fruhstorfer,1907) (Satyridae)** Synonym(s): *tetrica* Fruhstorfer,1907
- 6037. Hyponephele (s.str. (Ereminephele)) huebneri Koçak,1980 (Satyridae)** Synonym(s): *narica* Hübner,[1813] *nec* Fabr.,1793; *huebneri* Koçak,1980
- 6038. Hyponephele (s.str. (Tengrinephele)) cadusina (Staudinger,1881) (Satyridae)** Synonym(s): *cadusina* Staudinger,1881
- 6039. Hyponephele (s.str. (Tengrinephele)) cadusina gurkini Korshunov,1995 (Satyridae)** Synonym(s): *gurkini* Korshunov,1995
- 6040. Hyponephele (s.str.) catamelas (Staudinger,1886) (Satyridae)** Synonym(s): *catamelas* Staudinger,1886
- 6041. Hyponephele (s.str.) catamelas catamelas (Staudinger,1886) (Satyridae)** Synonym(s): *catamelas* Staudinger,1886

- 6042. Hyponephele (s.str.) catamelas rufodiffusus Korb,2000** (Satyridae)
Synonym(s): *rufodiffusus* Korb,2000
- 6043. Hyponephele (s.str.) lupina (Costa,[1836])** (Satyridae) Synonym(s):
lupina Costa,[1836]
- 6044. Hyponephele (s.str.) lupina lupina (Costa,[1836])** (Satyridae)
Synonym(s): *lupina* Costa,[1836]
- 6045. Hyponephele (s.str.) lycaon (Rottemburg,1775)** (Satyridae)
Synonym(s): *lycaon* Rottemburg,1775; *#lycaon* Kuhn,1774; *eudora* Esper,1778; *janirula* Esper,1800.
Larval foodplant(s): *Festuca ovina*, *F. rubra*, *Bromus erectus*, *Stipa pennata* (Tolman, 1997).
- 6046. Hyponephele (s.str.) lycaon alpherakyi (Sheljuzhko,1937)** (Satyridae)
Synonym(s): *alpherakyi* Sheljuzhko,1937
- 6047. Hyponephele (s.str.) lycaon jakovlevi Korolev,2001** (Satyridae)
Synonym(s): *jakovlevi* Korolev,2001
- 6048. Hyponephele (s.str.) lycaon lycaon (Rottemburg,1775)** (Satyridae)
Synonym(s): *lycaon* Rottemburg,1775; *#lycaon* Kuhn,1774; *eudora* Esper,1778; *janirula* Esper,1800.
- 6049. Hyponephele (s.str.) pasimelas (Staudinger,1886)** (Satyridae)
Synonym(s): *pasimelas* Staudinger,1886; *#parimelas* Rühl,[1894].
- 6050. Hyponephele (s.str.) pasimelas monochromus Korb,2000** (Satyridae) Synonym(s): *monochromus* Korb,2000
- 6051. Hyponephele (s.str.) pasimelas pasimelas (Staudinger,1886)** (Satyridae) Synonym(s): *pasimelas* Staudinger,1886; *#parimelas* Rühl,[1894].
- 6052. Kirinia (Melike) roxelana (Cramer,[1777])** (Satyridae) Synonym(s):
roxelana Cramer,[1777]; *#anatolica* Koçak,1989
- 6053. Kirinia (Melike) roxelana roxelana (Cramer,[1777])** (Satyridae)
Synonym(s): *roxelana* Cramer,[1777]; *#anatolica* Koçak,1989
- 6054. Kirinia (s.str.) epaminondas (Staudinger,1887)** (Satyridae)
Synonym(s): *epaminondas* Staudinger,1887
- 6055. Kirinia (s.str.) epaminondas epaminondas (Staudinger,1887)** (Satyridae) Synonym(s): *epaminondas* Staudinger,1887
- 6056. Kirinia (s.str.) epimenides (Ménétriés,1859)** (Satyridae) Synonym(s):
epimenides Ménétriés,1859
- 6057. Kirinia (s.str.) epimenides epimenides (Ménétriés,1859)** (Satyridae)
Synonym(s): *epimenides* Ménétriés,1859
- 6058. Lasiommata maera (Linnaeus,1758)** (Satyridae) Synonym(s): *maera* Linnaeus,1758; *pandion* Poda,1761; *hiera* Fab.,1777; *maja* Fuchs,1873; *monotonia* Schilde,1885; *crimea* Bang-Haas,1907; *atabryris* Fruhstorfer,1909. Larval foodplant(s): *Festuca ovina*, *F. rubra*, *Holcus mollis*, *Luzula luzuloides*, *Agrostis capillaris*, *Hordeum murinum*, *Nardus stricta*, *Calamagrostis epigejos*, *C. arundinacea*, *C. varia*, *Glyceria fluitans*, *Deschampsia flexuosa* (Tolman, 1997).
- 6059. Lasiommata maera jachontovi (Sheljuzhko,1937)** (Satyridae)
Synonym(s): *jachontovi* Sheljuzhko,1937; *#strandii* Sheljuzhko,1937.
- 6060. Lasiommata maera maera (Linnaeus,1758)** (Satyridae) Synonym(s):
maera Linnaeus,1758; *pandion* Poda,1761; *hiera* Fab.,1777; *maja* Fuchs,1873; *monotonia* Schilde,1885; *crimea* Bang-Haas,1907; *atabryris* Fruhstorfer,1909.
- 6061. Lasiommata megera (Linnaeus,1767)** (Satyridae) Synonym(s): *megera* Linnaeus,1767; *caledonia* Verity,1911; *alticola* Verity,1911; *pseudoadrasta* Stauder,1922; *infrapallens* Verity,1922; *ocellator* Verity,1923; *pallidedepulverata* Verity,1923. Larval foodplant(s): *Dactylis glomerata*, *Agrostis tenuis*, *A. gigantea*, *A. capillaris*, *Deschampsia flexuosa*, *Holcus lanatus*, *Festuca ovina*, *Brachypodium sylvaticum*, *B. pinnatum* (Tolman,1997).

- 6062. Lasiommata megera megera (Linnaeus,1767)** (Satyridae) Synonym(s): *megera* Linnaeus,1767; *caledonia* Verity,1911; *alticola* Verity,1911; *pseudoadrasta* Stauder,1922; *infrapallens* Verity,1922; *ocellator* Verity,1923; *pallidedepulverata* Verity,1923.
- 6063. Lasiommata petropolitana (Fabricius,1787)** (Satyridae) Synonym(s): *petropolitana* Fabricius,1787; *ominata* Krulikovsky,1903; *calidia* Fruhstorfer,1908; *parvalpestris* Verity,1929. Larval foodplant(s): *Calamagrostis epigejos*, *Festuca ovina*, *Poa*, *Dactylis glomerata* (Eckstein, 1913; Tolman,1997).
- 6064. Lasiommata petropolitana petropolitana (Fabricius,1787)** (Satyridae) Synonym(s): *petropolitana* Fabricius,1787; *ominata* Krulikovsky,1903; *calidia* Fruhstorfer,1908; *parvalpestris* Verity,1929.
- 6065. Lethe diana (Butler,1866)** (Satyridae) Synonym(s): *diana* Butler,1866
- 6066. Lethe maackii (Bremer,1861)** (Satyridae) Synonym(s): *maackii* Bremer,1861
- 6067. Lethe maackii maackii (Bremer,1861)** (Satyridae) Synonym(s): *maackii* Bremer,1861
- 6068. Lethe marginalis (Motschulsky,1860)** (Satyridae) Synonym(s): *marginalis* Motschulsky,1860
- 6069. Lethe marginalis marginalis (Motschulsky,1860)** (Satyridae) Synonym(s): *marginalis* Motschulsky,1860
- 6070. Lopinga achine (Scopoli,1763)** (Satyridae) Synonym(s): *achine* Scopoli,1763; *deianira* Linnaeus,1764; *mendelensis* Lowe,1904. Larval foodplant(s): *Brachypodium sylvaticum*, *B. pinnatum*, *Carex*, *Lolium perenne*, *L. temulentum*, *Poa annua* (Blaschke,1914; Tolman,1997).
- 6071. Lopinga achine achine (Scopoli,1763)** (Satyridae) Synonym(s): *achine* Scopoli,1763; *deianira* Linnaeus,1764; *mendelensis* Lowe,1904. Larval foodplant(s): *Brachypodium sylvaticum*, *B. pinnatum*, *Carex*, *Lolium perenne*, *L. temulentum*, *Poa annua* (Blaschke,1914; Tolman,1997).
- 6072. Maniola (s.str.) jurtina (Linnaeus,1758)** (Satyridae) Synonym(s): *jurtina* Linnaeus,1758; *janira* Linnaeus,1758; *lemur* Schrank,1801. Larval foodplant(s): *Poa pratensis*, *Lolium pratensis*, *Festuca rubra*, *F. arundinacea*, *Agrostis stolonifera*, *A. canina*, *Bromus erectus*, *Brachypodium pinnatum*, *Holcus lanatus*, *Avenula pubescens*, *Alopecurus pratensis* *Anthoxanthum odoratum* (Tolman,1997).
- 6073. Maniola (s.str.) jurtina jurtina (Linnaeus,1758)** (Satyridae) Synonym(s): *jurtina* Linnaeus,1758; *janira* Linnaeus,1758; *lemur* Schrank,1801.
- 6074. Melanargia (Parce) epimede Staudinger,1887** (Satyridae) Synonym(s): *epimede* Ménétries,1859
- 6075. Melanargia (Parce) epimede epimede Staudinger,1887** (Satyridae) Synonym(s): *epimede* Ménétries,1859
- 6076. Melanargia (Parce) halimede (Ménétries,1859)** (Satyridae) Synonym(s): *halimede* Ménétries,1859
- 6077. Melanargia (Parce) halimede halimede (Ménétries,1859)** (Satyridae) Synonym(s): *halimede* Ménétries,1859
- 6078. Melanargia (Parce) russiae (Esper,[1784])** (Satyridae) Synonym(s): *russiae* Esper,[1784]; *suwarovius* Herbst,1796; *clotho* Hübner,[1800]. Larval foodplant(s): *Stipa pennata*, *Aegilops geniculata*, *Brachypodium pinnatum*, *B. sylvaticum* (Tolman, 1997).
- 6079. Melanargia (Parce) russiae russiae (Esper,[1784])** (Satyridae) Synonym(s): *russiae* Esper,[1784]; *suwarovius* Herbst,1796; *clotho* Hübner,[1800].
- 6080. Melanargia (s.str.) galathea (Linnaeus,1758)** (Satyridae) Synonym(s): *galathea* Linnaeus,1758; *leucomelas* Esper,1783; *leucomelanos* Fourcroy,1785; *galene* Ochsenheimer,1807; *bitorensis* Guillemot,1858; *pygmaea* Fruhstorfer,1916; *malmediensis* Derenne,1926; *xanthonica* Varin,1948. Larval foodplant(s): *Brachypodium pinnatum*, *B. sylvaticum*, *Bromus erectus*, *Poa trivialis*, *Phleum pratense*, *Agrostis capillaris*, *Dactylis glomerata*, *Molinia caerulea*, *Avena pubescens*, *Festuca rubra* (Tolman,1997).

- 6081. *Melanargia (s.str.) galathea galathea* (Linnaeus,1758) (Satyridae)**
Synonym(s): *galathea* Linnaeus,1758; *leucomelas* Esper,1783; *leucomelanos* Fourcroy,1785; *galene* Ochsenheimer,1807; *bitorensis* Guillemot,1858; *pygmaea* Fruhstorfer,1916; *malmediensis* Derenne,1926; *xanthonica* Varin,1948.
- 6082. *Melanargia (s.str.) galathea njurdzhan* Sheljuzhko,1937 (Satyridae)**
Synonym(s): *njurdzhan* Sheljuzhko,1937
- 6083. *Minois dryas dryas* (Scopoli,1763) (Satyridae)** Synonym(s): *dryas* Scopoli,1763; *drymeia* Fruhstorfer,1908; *spiripontis* Gaillard,1959; *bucica* Varin,1961; *annae* Douma-Petridou & Koufsaftikis,1988.
- 6084. *Minois dryas bipunctatus* (Motschulsky,1860) (Satyridae)** Synonym(s): *bipunctatus* Motschulsky,1860
- 6085. *Minois dryas dryas* (Scopoli,1763) (Satyridae)** Synonym(s): *dryas* Scopoli,1763; *drymeia* Fruhstorfer,1908; *spiripontis* Gaillard,1959; *bucica* Varin,1961; *annae* Douma-Petridou & Koufsaftikis,1988.
- 6086. *Minois dryas septentrionalis* (Wnukowsky,1929) (Satyridae)**
Synonym(s): *septentrionalis* Wnukowsky,1929; *sibirica* Staudinger,1871 nec Stgr.,1861
- 6087. *Neope goschkewitschii* (Ménétriés,1857) (Satyridae)** Synonym(s): *goschkewitschii* Ménétriés,1857; *japonica* Butler,1867; *moorei* Butler,1867.
- 6088. *Neope goschkewitschii goschkewitschii* (Ménétriés,1857) (Satyridae)**
Synonym(s): *goschkewitschii* Ménétriés,1857; *japonica* Butler,1867; *moorei* Butler,1867.
- 6089. *Neope niphonica* Butler,1881 (Satyridae)** Synonym(s): *niphonica* Butler,1881
- 6090. *Neope niphonica niphonica* Butler,1881 (Satyridae)** Synonym(s): *niphonica* Butler,1881
- 6091. *Ninguta schrenckii* (Ménétriés,1859) (Satyridae)** Synonym(s): *schrenckii* Ménétriés,1859
- 6092. *Ninguta schrenckii schrenckii* (Ménétriés,1859) (Satyridae)**
Synonym(s): *schrenckii* Ménétriés,1859
- 6093. *Oeneis actaeoides* Lukhtanov,1989 (Satyridae)** Synonym(s): *actaeoides* Lukhtanov,1989
- 6094. *Oeneis actaeoides actaeoides* Lukhtanov,1989 (Satyridae)** Synonym(s): *actaeoides* Lukhtanov,1989
- 6095. *Oeneis aktashi* Lukhtanov,1984 (Satyridae)** Synonym(s): *aktashi* Lukhtanov,1984
- 6096. *Oeneis aktashi aktashi* Lukhtanov,1984 (Satyridae)** Synonym(s): *aktashi* Lukhtanov,1984
- 6097. *Oeneis aktashi ona* Korshunov,1996 (Satyridae)** Synonym(s): *ona* Korshunov,1996
- 6098. *Oeneis aktashi sarala* Korshunov,1988 (Satyridae)** Synonym(s): *sarala* Korshunov,1988
- 6099. *Oeneis ammon* Elwes,1899 (Satyridae)** Synonym(s): *ammon* Elwes,1899
- 6100. *Oeneis ammon ammon* Elwes,1899 (Satyridae)** Synonym(s): *ammon* Elwes,1899
- 6101. *Oeneis ammon arasaguna* Austaut,1911 (Satyridae)** Synonym(s): *arasaguna* Austaut,1911
- 6102. *Oeneis ammon hangaica* Kurentsov,1970 (Satyridae)** Synonym(s): *hangaica* Kurentsov,1970
- 6103. *Oeneis ammon tatarinovi* Korb,1998 (Satyridae)** Synonym(s): *tatarinovi* Korb,1998
- 6104. *Oeneis ammosovi* Dubatolov & Korshunov,1988 (Satyridae)**
Synonym(s): *amosovi* Dubatolov & Korshunov,1988
- 6105. *Oeneis ammosovi ammosovi* Dubatolov & Korshunov,1988 (Satyridae)** Synonym(s): *amosovi* Dubatolov & Korshunov,1988
- 6106. *Oeneis anna* Austaut,1911 (Satyridae)** Synonym(s): *anna* Austaut,1911
- 6107. *Oeneis anna anna* Austaut,1911 (Satyridae)** Synonym(s): *anna* Austaut,1911
- 6108. *Oeneis anna dzhulukuli* Korshunov,1998 (Satyridae)** Synonym(s): *dzhulukuli* Korshunov,1998

- 6109. Oeneis bore (Schneider,1792)** (Satyridae) Synonym(s): *bore* Schneider,1792; *bootes* Boisduval,1832 Larval foodplant(s): *Festuca ovina* (Tolman,1997).
- 6110. Oeneis bore bore (Schneider,1792)** (Satyridae) Synonym(s): *bore* Schneider,1792; *bootes* Boisduval,1832
- 6111. Oeneis bore mackinliensis dos Passos,1949** (Satyridae) Synonym(s): *mackinliensis* dos Passos,1949
- 6112. Oeneis brunhilda A.Bang-Haas,1912** (Satyridae) Synonym(s): *brunhilda* A.Bang-Haas,1912
- 6113. Oeneis brunhilda brunhilda Bang-Haas,1912** (Satyridae) Synonym(s): *brunhilda* A.Bang-Haas,1912
- 6114. Oeneis chione Austaut,1911** (Satyridae) Synonym(s): *chione* Austaut,1911
- 6115. Oeneis chione chione Austaut,1911** (Satyridae) Synonym(s): *chione* Austaut,1911
- 6116. Oeneis chione tshukota Korshunov,1998** (Satyridae) Synonym(s): *tshukota* Korshunov,1998
- 6117. Oeneis diluta Lukhtanov,1994** (Satyridae) Synonym(s): *diluta* Lukhtanov,1994
- 6118. Oeneis diluta diluta Lukhtanov,1994** (Satyridae) Synonym(s): *diluta* Lukhtanov,1994
- 6119. Oeneis elwesi Staudinger,1901** (Satyridae) Synonym(s): *elwesi* Staudinger,1901
- 6120. Oeneis elwesi elwesi Staudinger,1901** (Satyridae) Synonym(s): *elwesi* Staudinger,1901
- 6121. Oeneis elwesi ulugchemi Korshunov,1995** (Satyridae) Synonym(s): *ulugchemi* Korshunov,1995
- 6122. Oeneis hora Groum-Grshimailo,1888** (Satyridae) Synonym(s): *hora* Groum-Grshimailo,1888; *elsa* Austaut,1895; *verdanda* Staudinger,1897; *vanda* Austaut,1900; *germana* Austaut,1908; *tristis* Bang-Haas,1909.
- 6123. Oeneis hora hora Groum-Grshimailo,1888** (Satyridae) Synonym(s): *hora* Groum-Grshimailo,1888; *elsa* Austaut,1895; *verdanda* Staudinger,1897; *vanda* Austaut,1900; *germana* Austaut,1908; *tristis* Bang-Haas,1909.
- 6124. Oeneis jakutski Korshunov,1998** (Satyridae) Synonym(s): *jakutski* Korshunov,1998
- 6125. Oeneis jakutski jakutski Korshunov,1998** (Satyridae) Synonym(s): *jakutski* Korshunov,1998
- 6126. Oeneis jutta (Hübner,[1806])** (Satyridae) Synonym(s): *jutta* Hübner,[1806]
- 6127. Oeneis jutta akoene Belik & Yakovlev,1998** (Satyridae) Synonym(s): *akoene* Belik & Yakovlev,1998
- 6128. Oeneis jutta jutta (Hübner,[1806])** (Satyridae) Synonym(s): *jutta* Hübner,[1806]
- 6129. Oeneis jutta lukhtanovi Korshunov,2000** (Satyridae) Synonym(s): *lukhtanovi* Korshunov,2000
- 6130. Oeneis magna Graeser,1888** (Satyridae) Synonym(s): *magna* Graeser,1888; *transbaicalica* Kurentsov,1970; *mongolica* Kurentsov,1970; *kurentsovi* Murayama,1973; *judini* Korshunov,1988 (cf. Tusov,1997: 239).
- 6131. Oeneis magna dubia Elwes,1899** (Satyridae) Synonym(s): *dubia* Elwes,1899; *staudingeri* Austaut,1909.
- 6132. Oeneis magna magadanica Kurentzov,1970** (Satyridae) Synonym(s): *magadanica* Kurentzov,1970
- 6133. Oeneis magna magna Graeser,1888** (Satyridae) Synonym(s): *magna* Graeser,1888; *transbaicalica* Kurentsov,1970; *mongolica* Kurentsov,1970; *kurentsovi* Murayama,1973; *judini* Korshunov,1988 (cf. Tusov,1997: 239).
- 6134. Oeneis magna pupavkini Korshunov,1995** (Satyridae) Synonym(s): *pupavkini* Korshunov,1995
- 6135. Oeneis melissa (Fabricius,1775)** (Satyridae) Synonym(s): *melissa* Fabricius,1775; *semidea* sensu auct.
- 6136. Oeneis melissa karae Kuznesov,1925** (Satyridae) Synonym(s): *karae* Kuznesov,1925

- 6137. *Oeneis melissa orientalis* Kurentsov,1970** (Satyridae) Synonym(s): *orientalis* Kurentsov,1970
- 6138. *Oeneis melissa tunga* Staudinger,[1895]** (Satyridae) Synonym(s): *tunga* Staudinger,[1895]
- 6139. *Oeneis mongolica* Oberthür,1879** (Satyridae) Synonym(s): *mongolica* Oberthür,1879
- 6140. *Oeneis mongolica mongolica* Oberthür,1879** (Satyridae) Synonym(s): *mongolica* Oberthür,1879
- 6141. *Oeneis mulla* Staudinger,1881** (Satyridae) Synonym(s): *mulla* Staudinger,1881
- 6142. *Oeneis mulla mulla* Staudinger,1881** (Satyridae) Synonym(s): *mulla* Staudinger,1881
- 6143. *Oeneis nanna* (Ménétriés,1859)** (Satyridae) Synonym(s): *nanna* Ménétriés,1859; *hulda* Staudinger,1887.
- 6144. *Oeneis nanna nanna* (Ménétriés,1859)** (Satyridae) Synonym(s): *nanna* Ménétriés,1859; *hulda* Staudinger,1887.
- 6145. *Oeneis norna* (Thunberg,1791)** (Satyridae) Synonym(s): *norna* Thunberg,1791; *dembowskyi* Sedykh,1974; *falkovitchi* Sedykh,1974; *kusnetzovi* Sedykh,1974; *koslowskyi* Sedykh,1974; *solopovi* Sedykh,1974. Larval foodplant(s): *Phleum pratense*, *Poa alpina*, *Carex* sp., *Nardus* sp. (Tolman, 1997).
- 6146. *Oeneis norna altaica* Elwes,1899** (Satyridae) Synonym(s): *altaica* Elwes,1899; *tundra* A.Bang-Haas,1912.
- 6147. *Oeneis norna norna* (Thunberg,1791)** (Satyridae) Synonym(s): *norna* Thunberg,1791; *dembowskyi* Sedykh,1974; *falkovitchi* Sedykh,1974; *kusnetzovi* Sedykh,1974; *koslowskyi* Sedykh,1974; *solopovi* Sedykh,1974.
- 6148. *Oeneis oene* (Boisduval,1832)** (Satyridae) Synonym(s): *oene* Boisduval,1832
- 6149. *Oeneis oene oene* (Boisduval,1832)** (Satyridae) Synonym(s): *oene* Boisduval,1832
- 6150. *Oeneis pansa* Christoph,1893** (Satyridae) Synonym(s): *pansa* Christoph,1893
- 6151. *Oeneis pansa pansa* Christoph,1893** (Satyridae) Synonym(s): *pansa* Christoph,1893
- 6152. *Oeneis patrushevae* Korshunov,1985** (Satyridae) Synonym(s): *patrushevae* Korshunov,1985
- 6153. *Oeneis patrushevae patrushevae* Korshunov,1985** (Satyridae) Synonym(s): *patrushevae* Korshunov,1985
- 6154. *Oeneis polixenes* (Fabricius,1775)** (Satyridae) Synonym(s): *polixenes* Fabricius,1775
- 6155. *Oeneis polixenes antonovae* Lukhtanov,1989** (Satyridae) Synonym(s): *antonovae* Lukhtanov,1989
- 6156. *Oeneis polixenes paior* Lukhtanov,1989** (Satyridae) Synonym(s): *paior* Lukhtanov,1989
- 6157. *Oeneis pseudosculda* Korshunov,1977** (Satyridae) Synonym(s): *pseudosculda* Korshunov,1977
- 6158. *Oeneis pseudosculda pseudosculda* Korshunov,1977** (Satyridae) Synonym(s): *pseudosculda* Korshunov,1977
- 6159. *Oeneis sapozhnikov* Korshunov,1982** (Satyridae) Synonym(s): *sapozhnikov* Korshunov,1982
- 6160. *Oeneis sapozhnikov sapozhnikov* Korshunov,1982** (Satyridae) Synonym(s): *sapozhnikov* Korshunov,1982
- 6161. *Oeneis sculda* (Eversmann,1851)** (Satyridae) Synonym(s): *sculda* Eversmann,1851
- 6162. *Oeneis sculda sculda* (Eversmann,1851)** (Satyridae) Synonym(s): *sculda* Eversmann,1851
- 6163. *Oeneis sculda vadimi* Korshunov,1995** (Satyridae) Synonym(s): *vadimi* Korshunov,1995
- 6164. *Oeneis simulans* Tusov,1996** (Satyridae) Synonym(s): *simulans* Tusov,1996
- 6165. *Oeneis simulans simulans* Tusov,1996** (Satyridae) Synonym(s): *simulans* Tusov,1996

- 6166. Oeneis tarpeia (Pallas,1771)** (Satyridae) Synonym(s): *tarpeia* Pallas,1771; *celimene* Cramer,[1782]; *vacuna* Groum-Grshimailo,1891.
- 6167. Oeneis tarpeia grossi Eitschberger & Lukhtanov,1994** (Satyridae) Synonym(s): *grossi* Eitschberger & Lukhtanov,1994
- 6168. Oeneis tarpeia rozhdestvenskyi Korb & Yakovlev,1997** (Satyridae) Synonym(s): *rozhdestvenskyi* Korb & Yakovlev,1997
- 6169. Oeneis tarpeia tarpeia (Pallas,1771)** (Satyridae) Synonym(s): *tarpeia* Pallas,1771; *celimene* Cramer,[1782]; *vacuna* Groum-Grshimailo,1891.
- 6170. Oeneis tarpeia ukokana Korb,1998** (Satyridae) Synonym(s): *ukokana* Korb,1998
- 6171. Oeneis tschukotkensis Kurentsov,1970** (Satyridae) Synonym(s): *tschukotkensis* Kurentsov,1970
- 6172. Oeneis tschukotkensis tschukotkensis Kurentsov,1970** (Satyridae) Synonym(s): *tschukotkensis* Kurentsov,1970
- 6173. Oeneis urda (Eversmann,1847)** (Satyridae) Synonym(s): *urda* Eversmann,1847
- 6174. Oeneis urda trybomi Bryk,1946** (Satyridae) Synonym(s): *trybomi* Bryk,1946; *#trymbomi* Forster,1965.
- 6175. Oeneis urda urda (Eversmann,1847)** (Satyridae) Synonym(s): *urda* Eversmann,1847
- 6176. Pararge aegeria (Linnaeus,1758)** (Satyridae) Synonym(s): *aegeria* Linnaeus,1758; *meone* Cramer,1782; *egeria* Ochsenheimer,1807; *sardoa* Verity,1908. Larval foodplant(s): *Brachypodium sylvaticum*, *B. pinnatum*, *Holcus lanatus*, *Cynodon dactylon*, *Agrostis gigantea*, *Dactylis glomerata*, *Elymus repens* (Tolman,1997).
- 6177. Pararge aegeria tircis (Godart,1821)** (Satyridae) Synonym(s): *tircis* Godart,1821; *egerides* Staudinger,1871; *camoena* Fruhstorfer,1908; *elegantia* Fruhstorfer,1909; *occidentalis* Lempke,1957.
- 6178. Proterebia afra (Fabricius,1787)** (Satyridae) Synonym(s): *afra* Fabricius,1787 Larval foodplant(s): *Festuca ovina* (Poaceae) (Tolman,1997).
- 6179. Proterebia afra afra (Fabricius,1787)** (Satyridae) Synonym(s): *afra* Fabricius,1787
- 6180. Proterebia afra bardines (Fruhstorfer,1918)** (Satyridae) Synonym(s): *bardines* Fruhstorfer,1918
- 6181. Pseudochazara (s.str.) alpina (Staudinger,[1878])** (Satyridae) Synonym(s): *alpina* Staudinger,[1878]
- 6182. Pseudochazara (s.str.) alpina alpina (Staudinger,[1878])** (Satyridae) Synonym(s): *alpina* Staudinger,[1878]
- 6183. Pseudochazara (s.str.) daghestana (Holik,1955)** (Satyridae) Synonym(s): *daghestana* Holik,1955
- 6184. Pseudochazara (s.str.) daghestana daghestana (Holik,1955)** (Satyridae) Synonym(s): *daghestana* Holik,1955
- 6185. Pseudochazara (s.str.) guriensis (Staudinger,[1878])** (Satyridae) Synonym(s): *guriensis* Staudinger,[1878]
- 6186. Pseudochazara (s.str.) guriensis guriensis (Staudinger,[1878])** (Satyridae) Synonym(s): *guriensis* Staudinger,[1878]
- 6187. Pseudochazara (s.str.) guriensis rjabovi (Sheljuzhko,1935)** (Satyridae) Synonym(s): *rjabovi* Sheljuzhko,1935
- 6188. Pseudochazara (s.str.) guriensis tschetverikovi (Sheljuzhko,1935)** (Satyridae) Synonym(s): *tschetverikovi* Sheljuzhko,1935
- 6189. Pseudochazara (s.str.) mercuria (Staudinger,1887)** (Satyridae) Synonym(s): *mercurius* Staudinger,1887 Larval foodplant(s): *Festuca ovina* (Poaceae) (Tolman,1997).
- 6190. Pseudochazara (s.str.) mercuria doerriesi (O.Bang-Haas,1933)** (Satyridae) Synonym(s): *doerriesi* O.Bang-Haas,1933

- 6191. Pseudochazara (s.str.) mercuria esperi Koçak,1981** (Satyridae)
Synonym(s): *#agave* Esper,[1783] [nonbinominal]; *hippolyte* Esper,[1784] nec *hyppolite* Dru.,1782 [*Pseudacraea*]; *alcyone* Fabricius,1787 nec Den. & Schiff.,1775; *agave* Borkhausen,1788 nec Cr.,1775; *esper* Koçak,1981.
- 6192. Pseudochazara (s.str.) mercuria pallida (Staudinger,1901)** (Satyridae) Synonym(s): *pallida* Staudinger,1901
- 6193. Pseudochazara (s.str.) nukatli Bogdanov,2000** (Satyridae)
Synonym(s): *nukatli* Bogdanov,2000
- 6194. Pseudochazara (s.str.) nukatli nukatli Bogdanov,2000** (Satyridae)
Synonym(s): *nukatli* Bogdanov,2000
- 6195. Pyronia tithonus (Linnaeus,1771)** (Satyridae) Synonym(s): *tithonus* Linnaeus,1771; *tiphon* Kühn,1774; *pilosellae* Fabricius,1775; *herse* Denis & Schiffermüller,1775; *phaedra* Esper,1776; *amaryllis* Fourcroy,1785 nec Cramer,1782; *tithone* Hübner,1819; *britanniae* Verity,1914; *bajocassensis* Moulton,1938; *armoricanus* Moulton,1938 Larval foodplant(s): *Phleum pratense*, *Poa annua*, *P. nemoralis*, *P. trivialis*, *P. pratensis*, *Elymus repens*, *Agrostis capillaris*, *A. canina*, *Festuca ovina*, *F. rubra*, *F. pratensis*, *Lolium perenne*, *Dactylis glomerata*, *Milium effusum* (Poaceae) (Tolman,1997).
- 6196. Satyrus (Asatyrus (s.str.)) ferulus (Fabricius,1793)** (Satyridae)
Synonym(s): *proserpina* Cyrillo,1787 nec Denis & Schiff.,1775; *cordula* Fabricius,1793; *ferula* Fabricius,1793; *cyrillus* Herbst,1796; *hyppolite* Herbst,1796 nec Dru.,1782; *orsiera* De Prunner,1798; *bryce* Hübner,[1800]. Larval foodplant(s): *Festuca ovina* (Poaceae) (Tolman, 1997).
- 6197. Satyrus (Asatyrus (s.str.)) ferulus altaicus Groum-Grshimailo,1893** (Satyridae) Synonym(s): *altaicus* Groum-Grshimailo,1893
- 6198. Satyrus (Asatyrus (s.str.)) ferulus ferulus (Fabricius,1793)** (Satyridae) Synonym(s): *proserpina* Cyrillo,1787 nec Denis & Schiff.,1775; *cordula* Fabricius,1793; *ferula* Fabricius,1793; *cyrillus* Herbst,1796; *hyppolite* Herbst,1796 nec Dru.,1782; *orsiera* De Prunner,1798; *bryce* Hübner,[1800].
- 6199. Satyrus (Asatyrus (s.str.)) ferulus medvedevi Korshunov,1996** (Satyridae) Synonym(s): *medvedevi* Korshunov,1996
- 6200. Satyrus (Asatyrus (s.str.)) ferulus sergeevi Dubatolov & Streltsov,1999** (Satyridae) Synonym(s): *sergeevi* Dubatolov & Streltsov,1999
- 6201. Satyrus (Asatyrus (s.str.)) ferulus virbius Herrich-Schäffer,1843** (Satyridae) Synonym(s): *virbius* Herrich-Schäffer,1843
- 6202. Satyrus (s.str.(s.str.)) actaeus (Esper,[1781])** (Satyridae) Synonym(s): *actaeus* Esper,[1781]; *gavina* Fruhstorfer,1925; *brigitii* Hartig,1936; *engramelleae* Varin,1965
- 6203. Triphysa dohrnii Zeller,1850** (Satyridae) Synonym(s): *dohrnii* Zeller,1850
- 6204. Triphysa dohrnii dohrnii Zeller,1850** (Satyridae) Synonym(s): *dohrnii* Zeller,1850
- 6205. Triphysa dohrnii tscherskii Groum-Grshimailo,1899** (Satyridae)
Synonym(s): *tscherskii* Groum-Grshimailo,1899
- 6206. Triphysa nervosa Motschulsky,1866** (Satyridae) Synonym(s): *nervosa* Motschulsky,1866; *albovenosa* Erschoff,1885.
- 6207. Triphysa nervosa nervosa Motschulsky,1866** (Satyridae) Synonym(s): *nervosa* Motschulsky,1866; *albovenosa* Erschoff,1885.
- 6208. Triphysa nervosa sacha Korshunov,1996** (Satyridae) Synonym(s): *sacha* Korshunov,1996
- 6209. Triphysa phryne (Pallas,1771)** (Satyridae) Synonym(s): *phryne* Pallas,1771
- 6210. Triphysa phryne phryne (Pallas,1771)** (Satyridae) Synonym(s): *phryne* Pallas,1771
- 6211. Ypthima amphithea Ménétériés,1859** (Satyridae) Synonym(s): *amphithea* Ménétériés,1859
- 6212. Ypthima amphithea amphithea Ménétériés,1859** (Satyridae)
Synonym(s): *amphithea* Ménétériés,1859
- 6213. Ypthima argus Butler,1866** (Satyridae) Synonym(s): *argus* Butler,1866

- 6214. *Ypthima argus hyampeia* Fruhstorfer,1911** (Satyridae) Synonym(s): *hyampeia* Fruhstorfer,1911
- 6215. *Zophoessa callipteris* (Butler,1877)** (Satyridae) Synonym(s): *callipteris* Butler,1877
- 6216. *Zophoessa callipteris callipteris* (Butler,1877)** (Satyridae) Synonym(s): *callipteris* Butler,1877
- 6217. *Schreckensteinia festaliella* (Hübner,[1819])** (Schreckensteiniidae) Synonym(s): *festaliella* Hübner,[1819]
- 6218. *Parascythris muelleri* (Mann,1871)** (Scythridae) Synonym(s): *muelleri* Mann,1871; *tolli* Rebel,1938; *unicolorata* Osthelder,1951 Larval foodplant(s): *Thymus* (Lamiaceae) (Bengtsson,1997).
- 6219. *Scythris* (aerariella-gr.) *anomaloptera* (Staudinger,1880)** (Scythridae) Synonym(s): *anomaloptera* Staudinger,1880; *ulluoai* Agenjo,1969
- 6220. *Scythris* (aerariella-gr.) *flaviventrella* (Herrich-Schäffer,1855)** (Scythridae) Synonym(s): *flaviventrella* Herrich-Schäffer,1855 Larval foodplant(s): *Astragalus onobrychis*, *Vicia* (Fabaceae); *Helianthemum apenninum* (Cistaceae) (Meess,1910; et seq.).
- 6221. *Scythris* (bagdadiella-gr.) *bagdadiella* Amsel,1949** (Scythridae) Synonym(s): *bagdadiella* Amsel,1949 Larval foodplant(s): *Tamarix* (Tamaricaceae) (Wiltshire,1957).
- 6222. *Scythris* (cicadella-gr.) *cicadella* (Zeller,1839)** (Scythridae) Synonym(s): *cicadella* Zeller,1839 Larval foodplant(s): *Gypsophyla fastigiata*, *Scleranthus annuus*, *S. communis*, *S. perennis*, *Spergula vernalis* (Caryophyllaceae); *Jasione montana* (Campanulaceae); *Polytrichum commune* (Polytrichaceae); *Rumex acetosella* (Polygonaceae) (Meess,1910; et seq.).
- 6223. *Scythris* (elegantella-gr.) *limbella* (Fabricius,1775)** (Scythridae) Synonym(s): *limbella* Fabricius,1775; *variella* [Denis & Schiffermüller],1775; *quadriguttella* Thunberg,1794; *chenopodiella* Hübner,[1813]; *obscura* Staudinger,1880. Larval foodplant(s): *Chenopodium* (Chenopodiaceae) (Hübner,[1813]; Mann,1862).
- 6224. *Scythris* (empetrella-gr.) *gozmanyi* Passerin d'Entrèves,1986** (Scythridae) Synonym(s): *gozmanyi* Passerin d'Entrèves,1986
- 6225. *Scythris* (fuscoaenea-gr.) *fuscoaenea* (Haworth,1828)** (Scythridae) Synonym(s): *fuscoaenea* Haworth,1828; *unitella* Costa,1836; *schneideri* Zeller,1855 Larval foodplant(s): *Helianthemum nummularium*, *H. vulgare* (Cistaceae) (Rössler,1881; et seq.).
- 6226. *Scythris* (fuscopterella-gr.) *fuscopterella* Bengtsson,1977** (Scythridae) Synonym(s): *fuscopterella* Bengtsson,1977 Larval foodplant(s): *Epilobium angustifolium*, *E. latifolium* (Onagraceae) (Bengtsson,1997).
- 6227. *Scythris* (inertella-gr.) *inertella* (Zeller,1855)** (Scythridae) Synonym(s): *inertella* Zeller,1855; *tangerensis* Stainton,1782; *gurdella* Christoph,1877; *orbidella* Chrétien,1901; *marionella* Walsingham,1907; *praeclava* Meyrick,1913; *hassenella* Chrétien,1915; *semialbicostella* Turati,1927 Larval foodplant(s): *Atriplex halymus*, *Salsola vermiculata* (Chenopodiaceae) (Chrétien,1901; et seq.).
- 6228. *Scythris* (knochella-gr.) *setiella* (Zeller,1870)** (Scythridae) Synonym(s): *setiella* Zeller,1870
- 6229. *Scythris* (laminella-gr.) *braschiella* (Hofmann,1897)** (Scythridae) Synonym(s): *braschiella* Hofmann,1897 Larval foodplant(s): *Armeria maritima*, *Limonium* (Plumbaginaceae) (Hofmann,1897; et seq.).
- 6230. *Scythris* (laminella-gr.) *laminella* ([Denis & Schiffermüller],1775)** (Scythridae) Synonym(s): *laminella* [Denis & Schiffermüller],1775; *psychidella* Heydenreich,1851 nec Zell.,1839; *cinfectella* Bruand,1859; *succisae* Rössler,1866; *schutzei* Fuchs,1901; *disqueella* Fuchs,1903 Larval foodplant(s): *Hieracium pilocella* (Meess,1910).

- 6231. Scythris (obscurella-gr.) amphonycella (Geyer,[1836])** (Scythridae)
Synonym(s): *amphonycella* Geyer,[1836]; *viridatella* Herrich-Schäffer,1855 Larval foodplant(s): *Helianthemum* (Cistaceae); *Lotus* (Fabaceae) (Bengtsson,1997).
- 6232. Scythris (obscurella-gr.) cuspidella ([Denis & Schiffermüller],1775)** (Scythridae) Synonym(s): *cuspidella* [Denis & Schiffermüller],1775; *bifariella* Hübner,[1813]; *lampyrella* Constant,1865; *ochrolitella* Staudinger,1871; *flavilaterella* Fuchs,1886; *immaculata* Fuchs,1895; *#unicolor* Müller-Rutz,1920 Larval foodplant(s): *Helianthemum nummularium*, *H. vulgare* (Cistaceae); *Saxifraga granulata* (Saxifragaceae); *Thymus* (Lamiaceae) (Müller-Rutz,1914; et seq.).
- 6233. Scythris (obscurella-gr.) obscurella (Scopoli,1763)** (Scythridae)
Synonym(s): *obscurella* Scopoli,1763; *esperella* Hübner,[1799] *nec* Fabr.,1787; *extensella* Hübner,[1825]
- 6234. Scythris (palustris-gr.) palustris (Zeller,1855)** (Scythridae)
Synonym(s): *palustris* Zeller,1855; *mattiacella* Rössler,1866
- 6235. Scythris (pascuella-gr.) bifissella (Hofmann,1889)** (Scythridae)
Synonym(s): *bifissella* Hofmann,1889 Larval foodplant(s): *Achillea millefolium*, *Helichrysum arenarium*, *Hieracium pilosella* (Asteraceae); *Agrimonia* (Rosaceae); *Asperula tinctoria* (Rubiaceae); *Astragalus arenarius*, *Trifolium arvense* (Fabaceae); *Calluna vulgaris* (Ericaceae); *Dianthus deltoides*, *Gypsophyla fastigiata*, *Silene otites* (Caryophyllaceae); *Euphorbia* (Euphorbiaceae); *Festuca*, *Koeleria glauca* (Poaceae); *Rumex acetosella* (Polygonaceae); *Sedum* (Crassulaceae); *Thymus serpyllum* (Lamiaceae) (Petty,1925 et seq.).
- 6236. Scythris (pascuella-gr.) pudorinella (Möschler,1866)** (Scythridae)
Synonym(s): *pudorinella* Möschler,1866
- 6237. Scythris (pascuella-gr.) satyrella (Staudinger,1880)** (Scythridae)
Synonym(s): *satyrella* Staudinger,1880; *matronella* Staudinger,1880; *vitilella* Christoph,1885
- 6238. Scythris (pascuella-gr.) subaerariella (Stainton,1867)** (Scythridae)
Synonym(s): *subaerariella* Stainton,1867 Larval foodplant(s): *Helianthemum* (Cistaceae); *Hieracium* (Asteraceae) (Stainton,1867; et seq.).
- 6239. Scythris (picaepennis-gr.) disparella (Tengström,1848)** (Scythridae)
Synonym(s): *disparella* Tengström,1848
- 6240. Scythris (picaepennis-gr.) picaepennis (Haworth,[1828])** (Scythridae) Synonym(s): *picaepennis* Haworth,[1828] Larval foodplant(s): *Lotus* (Fabaceae), *Thymus vulgaris* (Lamiaceae); *Helianthemum*, *Succisa*, *Plantago major* (Plantaginaceae) (Schütze,1931; et seq.).
- 6241. Scythris (podoliensis-gr.) podoliensis Rebel,1938** (Scythridae)
Synonym(s): *podoliensis* Rebel,1938
- 6242. Scythris (productella-gr.) productella (Zeller,1839)** (Scythridae)
Synonym(s): *productella* Zeller,1839; *psychidella* Zeller,1839
- 6243. Scythris (punctivittella-gr.) emichi (Anker,1870)** (Scythridae)
Synonym(s): *emichi* Anker,1870 Larval foodplant(s): *Gypsophyla fastigiata* (Caryophyllaceae) (Jäckh,1978; et seq.).
- 6244. Scythris (scopolella-gr.) apicalis (Zeller,1847)** (Scythridae)
Synonym(s): *apicalis* Zeller,1847; *unipunctella* Rebel,1901.
- 6245. Scythris (scopolella-gr.) flabella (Mann,1861)** (Scythridae) Synonym(s): *flabella* Mann,1861; *aurella* Caradja,1920
- 6246. Scythris (seliniella-gr.) clavella (Zeller,1855)** (Scythridae) Synonym(s): *clavella* Zeller,1855; *mediella* Caradja,1920 Larval foodplant(s): *Brachythecium albicans* (Brachytheciaceae), *Ceratodon purpureus* (Ditricaceae); *Gypsophila fastigiata* (Caryophyllaceae); *Helianthemum nummularium* (Cistaceae); *Hypnum cupressiforme* (Hypnaceae); *Polytrichum juniperinum* (Polytrichaceae); *Rumex*

acetosella (Polygonaceae); *Teucrium chamaedris* (Lamiaceae) (Bengtsson,1997; et seq.).

6247. *Scythris* (seliniella-gr.) *seliniella* (Zeller,1839) (Scythridae)
Synonym(s): *seliniella* Zeller,1839 Larval foodplant(s): *Artemisia* (Asteraceae); *Cerastium brachypetalum*, *Gypsophyla fastigiata* (Caryophyllaceae); *Cytisus*, *Genista sagittalis*, *Lotus corniculatus* (Fabaceae); *Helianthemum vulgare* (Cistaceae); *Homalothecium lutescens* (Brachytheciaceae); *Peucedanum oreoselinum* (Apiaceae) (Zeller,1868; et seq.).

6248. *Scythris* (seliniella-gr.) *subseliniella* (Heinemann,1876) (Scythridae)
Synonym(s): *subseliniella* Heinemann,1876

6249. *Scythris* (sinensis-gr.) *sinensis* (R.Felder & Rogenhofer,1875) (Scythridae) Synonym(s): *sinensis* R.Felder & Rogenhofer,1875; *apiciguttella* Christoph,1882; *pyrrhopyga* Filipjev,1924; *penthaxantha* Meyrick,1929; *kibarae* Matsumura,1931; *mitakeana* Matsumura,1931 Larval foodplant(s): *Chenopodium album* (Chenopodiaceae) (Bengtsson,1997).

6250. *Scythris* (sinensis-gr.) *sinensis* (R.Felder & Rogenhofer,1875) (Scythridae) Synonym(s): *sinensis* R.Felder & Rogenhofer,1875

6251. *Scythris* (tributella-gr.) *tributella* (Zeller,1847) (Scythridae)
Synonym(s): *tributella* Zeller,1847; *terrenella* Zeller,1847; *parvella* Herrich-Schäffer,1855; *denigratella* Herrich-Schäffer,1855; *serella* Constant,1885; *karnyella* Rebel,1918; *monotinctella* Turati,1924; *bulbosella* Lhomme,1949; *igaloensis* Amsel,1951 Larval foodplant(s): *Coronilla varia* (Fabaceae) (Schütze,1931).

6252. *Scythris acipenserella* K.Nupponen & T.Nupponen,2000 (Scythridae)
Synonym(s): *acipenserella* K.Nupponen & T.Nupponen,2000

6253. *Scythris aegrella* Nupponen & Junnilainen,2000 (Scythridae)
Synonym(s): *aegrella* Nupponen & Junnilainen,2000

6254. *Scythris albisaxella* K.Nupponen & T.Nupponen,2000 (Scythridae)
Synonym(s): *albisaxella* K.Nupponen & T.Nupponen,2000

6255. *Scythris albosuffusella* K.Nupponen,2007 (Scythridae) Synonym(s): *albosuffusella* K.Nupponen,2007

6256. *Scythris apotomella* K.Nupponen,2007 (Scythridae) Synonym(s): *apotomella* K.Nupponen,2007

6257. *Scythris arenicola* Nupponen,2005 (Scythridae) Synonym(s): *arenicola* Nupponen,2005

6258. *Scythris arkaimensis* Bengtsson,2000 (Scythridae) Synonym(s): *arkaimensis* Bengtsson,2000

6259. *Scythris barguzinensis* Bengtsson & Liska,1996 (Scythridae)
Synonym(s): *barguzinensis* Bengtsson & Liska,1996; *karinupponeni* Bengtsson,2000 Larval foodplant(s): *Empetrum nigrum* (Empetraceae) (Bengtsson & Liska,1996).

6260. *Scythris brunneofasciatella* K.Nupponen & T.Nupponen,2000 (Scythridae) Synonym(s): *brunneofasciatella* K.Nupponen & T.Nupponen,2000

6261. *Scythris buraetica* K.Nupponen,2007 (Scythridae) Synonym(s): *buraetica* K.Nupponen,2007

6262. *Scythris capitalis* (Erschoff,1874) (Scythridae) Synonym(s): *capitalis* Erschoff,1874

6263. *Scythris cassiterella* (Snellen,1884) (Scythridae) Synonym(s): *cassiterella* Snellen,1884; *baikalensis* Bengtsson & Liska,1996 Larval foodplant(s): *Thymus* (Lamiaceae) (Bengtsson & Liska,1996).

6264. *Scythris cervella* K.Nupponen & T.Nupponen,2001 (Scythridae)
Synonym(s): *cervella* K.Nupponen & T.Nupponen,2001 Larval foodplant(s): *Artemisia* (Asteraceae) (Nupponen & Nupponen,2001).

6265. *Scythris complexa* Sinev,2001 (Scythridae) Synonym(s): *complexa* Sinev,2001

- 6266. *Scythris cretacella* K.Nupponen & T.Nupponen,2000** (Scythridae)
Synonym(s): *cretacella* K.Nupponen & T.Nupponen,2000 Larval foodplant(s): *Artemisia austriaca* (Asteraceae) (K.Nupponen & T.Nupponen,2000).
- 6267. *Scythris dahurica* Sinev,2001** (Scythridae) Synonym(s): *dahurica* Sinev,2001
- 6268. *Scythris eevae* K.Nupponen,2007** (Scythridae) Synonym(s): *eevae* K.Nupponen,2007
- 6269. *Scythris elenae* K.Nupponen & T.Nupponen,2000** (Scythridae)
Synonym(s): *elenae* K.Nupponen & T.Nupponen,2000 Larval foodplant(s): *Artemisia austriaca* (Asteraceae) (K.Nupponen & T.Nupponen,2000).
- 6270. *Scythris erinacella* Nupponen,2003** (Scythridae) Synonym(s): *erinacella* Nupponen,2003
- 6271. *Scythris eversmanni* K.Nupponen & T.Nupponen,2000** (Scythridae)
Synonym(s): *eversmanni* K.Nupponen & T.Nupponen,2000
- 6272. *Scythris felixi* Bengtsson & Sutter,1996** (Scythridae) Synonym(s): *felixi* Bengtsson & Sutter,1996
- 6273. *Scythris fissurella* Bengtsson,1997** (Scythridae) Synonym(s): *fissurella* Bengtsson,1997
- 6274. *Scythris fuscoarella* Bengtsson & Liska,1996** (Scythridae)
Synonym(s): *fuscoarella* Bengtsson & Liska,1996
- 6275. *Scythris gorbunovi* Nupponen,2003** (Scythridae) Synonym(s): *gorbunovi* Nupponen,2003
- 6276. *Scythris hamardabanica* K.Nupponen,2003** (Scythridae) Synonym(s): *hamardabanica* K.Nupponen,2003
- 6277. *Scythris hamatella* K.Nupponen & T.Nupponen,2001** (Scythridae)
Synonym(s): *hamatella* K.Nupponen & T.Nupponen,2001 Larval foodplant(s): *Artemisia* (Asteraceae) (Nupponen & Nupponen,2001).
- 6278. *Scythris heikkii* K.Nupponen,2007** (Scythridae) Synonym(s): *heikkii* K.Nupponen,2007
- 6279. *Scythris hemicycliella* K.Nupponen,2005** (Scythridae) Synonym(s): *hemicycliella* K.Nupponen,2005
- 6280. *Scythris immaculatella* (Chambers,1875)** (Scythridae) Synonym(s): *immaculatella* Chambers,1875; *pacifica* McDunnough,1927; *kostjuki* Sinev,2001
- 6281. *Scythris incospicuenta* Sinev,2001** (Scythridae) Synonym(s): *incospicuenta* Sinev,2001
- 6282. *Scythris jakutica* Sinev,2001** (Scythridae) Synonym(s): *jakutica* Sinev,2001
- 6283. *Scythris jalavai* Sinev,1993** (Scythridae) Synonym(s): *jalavai* Sinev,1993
- 6284. *Scythris kullbergi* Bengtsson,1997** (Scythridae) Synonym(s): *kullbergi* Bengtsson,1997 Larval foodplant(s): *Nanophyton* (Chenopodiaceae) (Bengtsson,1997).
- 6285. *Scythris kyzylensis* Bengtsson,1997** (Scythridae) Synonym(s): *kyzylensis* Bengtsson,1997 Larval foodplant(s): *Caragana* (Fabaceae); *Nanophyton* (Chenopodiaceae) (Bengtsson,1997).
- 6286. *Scythris mikkolai* Sinev,1993** (Scythridae) Synonym(s): *mikkolai* Sinev,1993
- 6287. *Scythris nigradorsella* K.Nupponen,2007** (Scythridae) Synonym(s): *nigradorsella* K.Nupponen,2007
- 6288. *Scythris orientella* Sinev,2001** (Scythridae) Synonym(s): *orientella* Sinev,2001
- 6289. *Scythris perlucidella* K.Nupponen & T.Nupponen,2000** (Scythridae)
Synonym(s): *perlucidella* K.Nupponen & T.Nupponen,2000; *zolutuhini* Sachkov,2000
- 6290. *Scythris remexella* K.Nupponen & T.Nupponen,2000** (Scythridae)
Synonym(s): *remexella* K.Nupponen & T.Nupponen,2000; *verae* Sachkov,2000
- 6291. *Scythris sinevi* Nupponen,2003** (Scythridae) Synonym(s): *sinevi* Nupponen,2003

- 6292. *Scythris sublamina* K.Nupponen & T.Nupponen,2000** (Scythridae)
Synonym(s): *sublamina* K.Nupponen & T.Nupponen,2000; *mediovolgensis* Sachkov,2000;
xerostepella Sachkov,2000
- 6293. *Scythris ustjuzhanini* Sachkov & Sinev,2001** (Scythridae) Synonym(s):
ustjuzhanini Sachkov & Sinev,2001
- 6294. *Scythris vernusella* Jäckh,1978** (Scythridae) Synonym(s): *vernusella*
Jäckh,1978 Larval foodplant(s): *Paronychia argentea* (Caryophyllaceae)
(Jäckh,1978).
- 6295. *Bembecia albanensis* (Rebel,1918)** (Sesiidae) Synonym(s): *albanensis*
Rebel,1918; *corcyrensis* Rebel,1918; *kalavrytana* Sheljuzhko,1924 Larval foodplant(s): *Ononis*
spinosa, *O. arvensis*, *Psoralea bituminosa*, *Hedysarum coronarium* (Fabaceae)
(Spatenka et al.,1996).
- 6296. *Bembecia bohatschi* (Püngeler,1904)** (Sesiidae) Synonym(s): *bohatschi*
Püngeler,1904
- 6297. *Bembecia daghestanica* Gorbunov,1991** (Sesiidae) Synonym(s):
daghestanica Gorbunov,1991
- 6298. *Bembecia ichneumoniformis* ([Denis & Schiffermüller],1775)**
(Sesiidae) Synonym(s): *ichneumoniformis* [Denis & Schiffermüller],1775; *rhagioniformis*
Hübner,[1806]; *ophioniformis* Hübner,[1813]; *systrophaeformis* Hübner,[1813]; *palpina* Dalman,1816;
statuiformis Freyer,1836; *cryptiformis* Walker,1856; *albanica* Rebel,1910 Larval foodplant(s):
Lotus, *Anthyllis vulneraria*, *Dorycnium pentaphyllum*, *Hippocrepis* (Fabaceae),
Tetragonolobus maritimus (Spatenka et al.,1996).
- 6299. *Bembecia megillaeformis* (Hübner,[1813])** (Sesiidae) Synonym(s):
megillaeformis Hübner,[1813]; *megilliformis* Staudinger,1856 Larval foodplant(s): *Genista*
tinctoria, *Cytisus hirsutus*, *C. rocumbens*, *Colutea arborescens*, *Astragalus*
glycyphyllos (Fabaceae) (Spatenka et al.,1996).
- 6300. *Bembecia puella* Lastuvka,1989** (Sesiidae) Synonym(s): *puella* Lastuvka,1989
Larval foodplant(s): *Astragalus glycyphyllos*, *A. odoratus*, *A. sigmoideus*
(Fabaceae) (Spatenka et al.,1996).
- 6301. *Bembecia sareptana* (Bartel,1912)** (Sesiidae) Synonym(s): *sareptana*
Bartel,1912 Larval foodplant(s): *Alhagi camelorum* ? (Fabaceae) (Spatenka et
al.,1996).
- 6302. *Bembecia scopigera* (Scopoli,1763)** (Sesiidae) Synonym(s): *scopigera*
Scopoli,1763; *communis* Le Cerf,1920 Larval foodplant(s): *Onobrychis viciifolia*, *O.*
tournefortii [Korunga] (Fabaceae) (Spatenka et al.,1996).
- 6303. *Bembecia uroceriformis* (Treitschke,1834)** (Sesiidae) Synonym(s):
uroceriformis Treitschke,1834; *mamertina* Zeller,1847; *monedulaeformis* Rambur,1866; *athaliaeformis*
Boisduval,[1875]; *armoricana* Oberthür,1907; *atlantica* Le Cerf,1920; *nigricornis* Mariani,1937 Larval
foodplant(s): *Cytisus procumbens*, *C. hirsutus*, *Ulex europaeus*, *U. nanus*,
Coronilla emerus (Fabaceae) (Spatenka et al.,1996).
- 6304. *Chamaesphacia alysoniformis* (Herrich-Schäffer,1846)** (Sesiidae)
Synonym(s): *alysoniformis* Herrich-Schäffer,1846 Larval foodplant(s): *Mentha*
longifolia (Lamiaceae) (Spatenka et al.,1996).
- 6305. *Chamaesphacia annellata* (Zeller,1847)** (Sesiidae) Synonym(s): *annellata*
Zeller,1847; *ceriaeformis* Lederer,1853 nec Luc.,1849; *muscinaeformis* Walker,1856; *ceriiformis*
Staudinger,1856; *clermonti* Le Cerf,1914 Larval foodplant(s): *Ballota nigra* (Spatenka et
al.,1996).
- 6306. *Chamaesphacia astatifomis* (Herrich-Schäffer,1846)** (Sesiidae)
Synonym(s): *astatifomis* Herrich-Schäffer,1846 Larval foodplant(s): *Euphorbia esula*,
E. salicifolia (Spatenka et al.,1996).
- 6307. *Chamaesphacia bibioniformis* (Esper,[1800])** (Sesiidae) Synonym(s):
bibioniformis Esper,[1800]; *tengyraeformis* Boisduval,1840; *tengiriformis* Rambur,1866; *myrsinites*

- Pinker, 1954.* Larval foodplant(s): *Euphorbia seguieriana*, *E. serrata*, *E. nicaeensis*, *E. macroclada* (Spatenka et al., 1996).
- 6308. *Chamaesphecia chalciformis* (Esper, [1804])** (Sesiidae) Synonym(s): *chalciformis* Esper, [1804] Larval foodplant(s): *Origanum vulgare* (Spatenka et al., 1996).
- 6309. *Chamaesphecia colpiformis* (Staudinger, 1856)** (Sesiidae) Synonym(s): *colpiformis* Staudinger, 1856 Larval foodplant(s): *Salvia nemorosa* (Spatenka et al., 1996).
- 6310. *Chamaesphecia crassicornis* Bartel, 1913** (Sesiidae) Synonym(s): *crassicornis* Bartel, 1913 Larval foodplant(s): *Euphorbia virgata* (Spatenka et al., 1996).
- 6311. *Chamaesphecia dumonti* Le Cerf, 1922** (Sesiidae) Synonym(s): *dumonti* Le Cerf, 1922; *similis* Lastuvka, 1983 Larval foodplant(s): *Stachys recta*, *S. germanica*, *S. atherocalyx* (Spatenka et al., 1996).
- 6312. *Chamaesphecia empiformis* (Esper, [1783])** (Sesiidae) Synonym(s): *empiformis* Esper, [1783]; *bombyciformis* Fourcroy, 1785; *empinaeformis* Walker, 1856 Larval foodplant(s): *Euphorbia cyparissias* (Spatenka et al., 1996).
- 6313. *Chamaesphecia euceraeformis* (Ochsenheimer, 1816)** (Sesiidae) Synonym(s): *euceraeformis* Ochsenheimer, 1816; *stelidiformis* Freyer, 1836; *#misoleptiformis* Herrich-Schäffer, 1846; *unicincta* Herrich-Schäffer, 1851; *herrichii* Staudinger, 1856; *euceriiformis* Staudinger, 1856 Larval foodplant(s): *Euphorbia polychroma* (Spatenka et al., 1996).
- 6314. *Chamaesphecia leucopsiformis* (Esper, 1800)** (Sesiidae) Synonym(s): *leucopsiformis* Esper, 1800; *foenusaeformis* Heydenreich, 1851; *leucopsidiformis* Lederer, 1853 Larval foodplant(s): *Euphorbia cyparissias* (Spatenka, et al., 1996).
- 6315. *Chamaesphecia masariformis* (Ochsenheimer, 1808)** (Sesiidae) Synonym(s): *masariformis* Ochsenheimer, 1808; *banchiformis* Hübner, [1813]; *allantiformis* Eversmann, 1844 *nec* Newm., 1832; *loewii* Zeller, 1847; *brandti* Le Cerf, 1937; *djakonovi* Popescu-Gorj & Capuse, 1966 Larval foodplant(s): *Verbascum thapsus*, *V. lychnitis*, *Scrophularia canina* (Spatenka, et al., 1996).
- 6316. *Chamaesphecia nigrifrons* (Le Cerf, 1911)** (Sesiidae) Synonym(s): *nigrifrons* Le Cerf, 1911; *sevenari* Liphay, 1961; *#schmidti* Liphay, 1961 Larval foodplant(s): *Hypericum perforatum* (Spatenka et al., 1996).
- 6317. *Chamaesphecia oxybeliformis* (Herrich-Schäffer, 1846)** (Sesiidae) Synonym(s): *oxybeliformis* Herrich-Schäffer, 1846 Larval foodplant(s): *Marrubium peregrinum*, *M. vulgare* (Spatenka et al., 1996).
- 6318. *Chamaesphecia palustris* Kautz, 1927** (Sesiidae) Synonym(s): *palustris* Kautz, 1927 Larval foodplant(s): *Euphorbia palustris*, *E. lucida* (Spatenka et al., 1996).
- 6319. *Chamaesphecia schmidtiformis* (Freyer, 1836)** (Sesiidae) Synonym(s): *schmidtiformis* Freyer, 1836 Larval foodplant(s): *Salvia sclarea*, *Salvia syriaca* (Spatenka et al., 1996).
- 6320. *Chamaesphecia tenthrediniformis* ([Denis & Schiffermüller], 1775)** (Sesiidae) Synonym(s): *tenthrediniformis* [Denis & Schiffermüller], 1775; *taediiformis* Freyer, 1836 Larval foodplant(s): *Euphorbia esula*, *E. salicifolia*, *E. virgata* (Spatenka et al., 1996).
- 6321. *Diphaspasia altaica* Gorbunov, 1991** (Sesiidae) Synonym(s): *altaica* Gorbunov, 1991
- 6322. *Diphaspasia rhodocnemis* Gorbunov, 1991** (Sesiidae) Synonym(s): *rhodocnemis* Gorbunov, 1991
- 6323. *Paranthrene tabaniformis* (Rottentburg, 1775)** (Sesiidae) Synonym(s): *tabaniformis* Rottentburg, 1775; *asiliformis* [Denis & Schiffermüller], 1775 *nec* Rott., 1775; *sesia* Gmelin, 1789; *rhingiaeformis* Hübner, 1790; *crabroniformis* Laspeyres, 1801 *nec* Fabr., 1793; *tricincta* Harris, 1839; *serratiformis* Freyer, 1842; *rhingiiformis* Staudinger, 1856; *denotata* Edwards, 1882; *flammans*

- Hampson, 1893* Larval foodplant(s): *Populus*, *Salix*, *Hippophae rhamnoides*, *Loranthus europaeus*, *Betula alba* (Spatenka, et al., 1996).
- 6324. Pennisetia hylaeiformis (Laspeyres, 1801)** (Sesiidae) Synonym(s): *hylaeiformis* Laspeyres, 1801; *anomala* Dehne, 1850. Larval foodplant(s): *Rubus idaeus*, *R. boissieri*, *R. afzeliana* (Spatenka, et al., 1996).
- 6325. Pyropteron minianiformis (Freyer, 1843)** (Sesiidae) Synonym(s): *minianiformis* Freyer, 1843 Larval foodplant(s): *Rumex palustris*, *R. acetosa* (Spatenka et al., 1996).
- 6326. Pyropteron triannuliformis (Freyer, 1845)** (Sesiidae) Synonym(s): *meriaeformis* Assmann, 1845 nec Bsd., 1840; *triannuliformis* Freyer, 1845; *braconiformis* Herrich-Schäffer, 1846; *philanthiformis* Lederer, 1853 nec Lasp., 1801; *armeniaca* Bartel, 1906; *balcanica* Zukowsky, 1929; *ljiljanae* Tosevski, 1986; *pungeleri* K. Spatenka, 1987 Larval foodplant(s): *Rumex acetosella*, *R. acetosa*, *R. crispus*, *R. palustris*, *R. conglomeratus*, *Geranium sanguineum*, *Acetosella*, *Acetosa* (Spatenka et al., 1996).
- 6327. Sesia apiformis (Clerck, 1759)** (Sesiidae) Synonym(s): *#apiformis* Clerck, 1759; *crabroniformis* [Denis & Schiffermüller], 1775; *sireciformis* Esper, 1782; *tenebrioniformis* Esper, 1782; *vespa* Retzius, 1783 Larval foodplant(s): *Populus*, *Salix* (Mann, 1862; Spatenka, et al., 1996).
- 6328. Sesia bembeciformis (Hübner, [1806])** (Sesiidae) Synonym(s): *bembeciformis* Hübner, [1806]; *crabroniformis* Lewin, 1797 nec [Denis & Schiff.], 1775; *dasypodiformis* Walker, 1856; *montelii* Lofquist, 1922 Larval foodplant(s): *Salix carpea*, *S. aurita*, *S. cinerea*, *S. alba* (Spatenka, et al., 1996).
- 6329. Sesia melanocephala Dalman, 1816** (Sesiidae) Synonym(s): *melanocephala* Dalman, 1816; *laphriaeformis* Hübner, [1825]; *laphriiformis* Staudinger, 1856 Larval foodplant(s): *Populus tremula* (Spatenka, et al., 1996).
- 6330. Sesia pimplaeformis Oberthür, 1872** (Sesiidae) Synonym(s): *pimplaeformis* Oberthür, 1872 Larval foodplant(s): *Populus euphratica*, *Salix* (Wiltshire, 1957; Spatenka, et al., 1996).
- 6331. Synansphecchia affinis (Staudinger, 1856)** (Sesiidae) Synonym(s): *affinis* Staudinger, 1856 Larval foodplant(s): *Helianthemum*, *Fumana procumbens*, *Erodium arborescens* (Blaschke, 1914; Spatenka et al., 1996).
- 6332. Synansphecchia cirgisa (Bartel, 1912)** (Sesiidae) Synonym(s): *cirgisa* Bartel, 1912 Larval foodplant(s): *Limonium gmelini*? (Spatenka et al., 1996).
- 6333. Synansphecchia leucomelaena (Zeller, 1847)** (Sesiidae) Synonym(s): *leucomelaena* Zeller, 1847 Larval foodplant(s): *Poterium sanguisorba* (Spatenka et al., 1996).
- 6334. Synansphecchia muscaeformis (Esper, [1783])** (Sesiidae) Synonym(s): *muscaeformis* Esper, [1783] Larval foodplant(s): *Armeria maritima*, *A. vulgaris* (Spatenka et al., 1996).
- 6335. Synanthedon andrenaeformis (Laspeyres, 1801)** (Sesiidae) Synonym(s): *andrenaeformis* Laspeyres, 1801; *atlantiforme* Newman, 1832; *andraeniformis* Westwood, 1843; *andreniformis* Staudinger, 1856 Larval foodplant(s): *Viburnum lantana*, *V. opulus* (Spatenka, et al., 1996).
- 6336. Synanthedon cephiiformis (Ochsenheimer, 1808)** (Sesiidae) Synonym(s): *cephiiformis* Ochsenheimer, 1808; *laspeyres* Heppner & Duckworth, 1981 Larval foodplant(s): *Abies alba* (Spatenka, et al., 1996).
- 6337. Synanthedon conopiformis (Esper, [1782])** (Sesiidae) Synonym(s): *conopiformis* Esper, [1782]; *syrphiformis* Hübner, 1796; *nomadaeformis* Laspeyres, 1801 Larval foodplant(s): *Quercus* (Spatenka et al., 1996).
- 6338. Synanthedon culiciformis (Linnaeus, 1758)** (Sesiidae) Synonym(s): *culiciformis* Linnaeus, 1758; *culex* Retzius, 1783; *americana* Beutenmüller, 1896 Larval foodplant(s): *Betula*, *Alnus viridis*, *A. glutinosa*, *Populus* (Spatenka et al., 1996).

- 6339. *Synanthedon flaviventris* (Staudinger,1883)** (Sesiidae) Synonym(s): *flaviventris* Staudinger,1883 Larval foodplant(s): *Salix caprea*, *S. cinerea*, *S. aurita*, *S. fragilis* (Spatenka et al.,1996).
- 6340. *Synanthedon formicaeformis* (Esper,[1783])** (Sesiidae) Synonym(s): *formicaeformis* Esper,[1783]; *formiciformis* Staudinger,1856 Larval foodplant(s): *Salix caprea*, *S. alba*, *S. rubra* (Spatenka et al.,1996).
- 6341. *Synanthedon herzi* K.Spatenka & Gorbunov,1992** (Sesiidae) Synonym(s): *herzi* K.Spatenka & Gorbunov,1992
- 6342. *Synanthedon martjanovi* Sheljuzhko,1918** (Sesiidae) Synonym(s): *martjanovi* Sheljuzhko,1918 Larval foodplant(s): *Populus tremula* (Salicaceae) (Spatenka et al.,1996).
- 6343. *Synanthedon mesiaeformis* (Herrich-Schäffer,1846)** (Sesiidae) Synonym(s): *mesiaeformis* Herrich-Schäffer,1846; *mesiiformis* Staudinger,1856 Larval foodplant(s): *Alnus glutinosa* (Spatenka et al.,1996).
- 6344. *Synanthedon myopaeformis* (Borkhausen,1789)** (Sesiidae) Synonym(s): *myopaeformis* Borkhausen,1789; *mutillaeformis* Laspeyres,1801; *luctuosa* Lederer,1853; *myopiiformis* Staudinger,1856; *elegans* Lederer,1861. Larval foodplant(s): *Malus*, *Crataegus*, *Sorbus*, *Mespilus germanica*, *Pyrus*, *Prunus*, *Cerasus*, *Padus*, *Hippophae rhamnoides* (Spatenka et al.,1996).
- 6345. *Synanthedon polaris* (Staudinger,1877)** (Sesiidae) Synonym(s): *polaris* Staudinger,1877 Larval foodplant(s): *Salix lapponum*, *S. helvetica*, *S. glauca*, *S. phylicifolia*, *S. caprea*, *S. breviserrata*, *S. glaucosericea* (Spatenka et al.,1996).
- 6346. *Synanthedon scoliaeformis* (Borkhausen,1789)** (Sesiidae) Synonym(s): *scoliaeformis* Borkhausen,1789; *thynniformis* Laspeyres,1801; *emphytiformis* Herrich-Schäffer,1846; *scoliiformis* Staudinger,1856; *deserta* Staudinger,1887; *danieli* Capuse,1973
- 6347. *Synanthedon soffneri* Spatenka,1983** (Sesiidae) Synonym(s): *soffneri* Spatenka,1983 Larval foodplant(s): *Lonicera nigra*, *L. xylosteum*, *L. tatarica* (Spatenka et al.,1996).
- 6348. *Synanthedon spheciformis* ([Denis & Schiffermüller],1775)** (Sesiidae) Synonym(s): *spheciformis* [Denis & Schiffermüller],1775; *sphegiformis* Fabricius,1787 Larval foodplant(s): *Alnus*, *Betula* (Spatenka et al.,1996).
- 6349. *Synanthedon stomoxiformis* (Hübner,1790)** (Sesiidae) Synonym(s): *stomoxiformis* Hübner,1790; *culiciformis* Scopoli,1763 nec Linn.,1758; *stomoxyiformis* Hübner,1796; *amasina* Staudinger,1878. Larval foodplant(s): *Rhamnus cathartica*, *Frangula alnus*, *Mespilus germanica*? (Spatenka et al.,1996).
- 6350. *Synanthedon tipuliformis* (Clerck,1759)** (Sesiidae) Synonym(s): *#salmachus* Linnaeus,1758 (suppressed); *tipuliformis* Clerck,1759; *tipula* Retzius,1783; *ophioniformis* Hübner,[1813] Larval foodplant(s): *Ribes rubrum*, *R. nigrum*, *Euonymus europaea* (Spatenka et al.,1996).
- 6351. *Synanthedon uralensis* (Bartel,1906)** (Sesiidae) Synonym(s): *uralensis* Bartel,1906 Larval foodplant(s): *Artemisia* ? (Spatenka et al.,1996).
- 6352. *Synanthedon vespiformis* (Linnaeus,1761)** (Sesiidae) Synonym(s): *vespiformis* Linnaeus,1761; *asiliformis* Rottemburg,1775; *oestriformis* Rottemburg,1775; *cynipiformis* Esper,1783; *chrysorrhoea* Donovan,1795 Larval foodplant(s): *Quercus*, *Fagus silvatica*, *Castanea sativa*, *Salix alba*, *Populus tremula*, *Abies alba*, *Juniperus communis*, *Ulmus*, *Betula*, *Malus*, *Cerasus*, *Prunus*, *Juglans regia*, *Aesculus* (Spatenka et al.,1996).
- 6353. *Tinthia brosiiformis* (Hübner,[1813])** (Sesiidae) Synonym(s): *brosiiformis* Hübner,[1813] Larval foodplant(s): *Convolvulus arvensis* (Spatenka, et al.,1996).
- 6354. *Tinthia myrmosaeformis* (Herrich-Schäffer,1846)** (Sesiidae) Synonym(s): *myrmosaeformis* Herrich-Schäffer,1846; *#lucida* Lederer,1853; *myrmosiformis*

- Staudinger,1856.* Larval foodplant(s): *Potentilla recta*, *P. obscura* (Spatenka, et al.,1996).
- 6355. Weismanniola agdistiformis (Staudinger,1866)** (Sesiidae) Synonym(s): *agdistiformis Staudinger,1866*
- 6356. Acherontia atropos (Linnaeus,1758)** (Sphingidae) Synonym(s): *atropos Linnaeus,1758; solani Oken,1815; sculda Kirby,1877.* Larval foodplant(s): Solanaceae, Verbenaceae, Ligustrum, Olea, Fraxinus, Beta, Nerium, Buddleia (Pittaway,1983).
- 6357. Acherontia atropos atropos (Linnaeus,1758)** (Sphingidae) Synonym(s): *atropos Linnaeus,1758; solani Oken,1815; sculda Kirby,1877.*
- 6358. Agrius convolvuli (Linnaeus,1758)** (Sphingidae) Synonym(s): *convolvuli Linnaeus,1758; abandonna Fabricius,1798; pseudofasciatus Koch,1865; pseudoconvolvuli Schaufuss,1870; orientalis Butler,1876; distans Butler,1876; batatae Christ,1882; nigricans Cannaviello,1900; ichangensis Tutt,1904; javanensis Tutt,1904; tahitiensis Tutt,1904; indica Skell,1913; marshallensis Clark,1922; aksuensis O.Bang-Haas,1927* Larval foodplant(s): leaf of *Arachis hypogaea* [peanut], *Phaseolus* (Fabaceae), *Ipomoea batatas* [sweet potato], *I. aquatica* [water spinach] (Convolvulaceae), *Bridelia ovata* [ma ka] (Euphorbiaceae) (Bell & Scott,1937; Lewvanich,2001).
- 6359. Ampelophaga rubiginosa Bremer & Grey,[1852]** (Sphingidae) Synonym(s): *rubiginosa Bremer & Grey,[1852]* Larval foodplant(s): *Vitis*, *Ampelopsis*, *Parthenocissus* (Vitaceae), *Hydrangea* (Saxifragaceae) (Inoue et al.,1997).
- 6360. Ampelophaga rubiginosa rubiginosa Bremer & Grey,[1852]** (Sphingidae) Synonym(s): *rubiginosa Bremer & Grey,[1852]* Larval foodplant(s): *Vitis*, *Ampelopsis*, *Parthenocissus* (Vitaceae), *Hydrangea* (Saxifragaceae) (Inoue et al.,1997).
- 6361. Callambulyx tatarinovii (Bremer & Grey,1853)** (Sphingidae) Synonym(s): *tatarinovii Bremer & Grey,1853*
- 6362. Callambulyx tatarinovii tatarinovii (Bremer & Grey,1853)** (Sphingidae) Synonym(s): *tatarinovii Bremer & Grey,1853*
- 6363. Daphnis nerii (Linnaeus,1758)** (Sphingidae) Synonym(s): *nerii Linnaeus,1758; infernelutea Saalmüller,1884; #confluens Closs,1912; #nigra Schmidt,1914; bipartita Gehlen,1934.* Larval foodplant(s): *Nerium oleander*, *Holarrhena*, *Ervatamia*, *Vinca*, *Adenium obesum* [desert rose], *Tabernaemontana rostrata*, *Gardinia*, *Jasminum*, *Ligustrum*, *Rauvolfia caffra* [at Medike by J. Underhay], *Cetaranthus roseus*, *Plumeria rubra* [frangipani] (Apocyanaceae), *Ludwigia adscendens* [phaeng phuai] (Onagraceae), *Ziziphus mauritiana* [jujube] (Rhamnaceae) (Lederer,1865; Pittaway,1983; Inoue et al.,1997; Lewvanich,2001).
- 6364. Deilephila elpenor (Linnaeus,1758)** (Sphingidae) Synonym(s): *elpenor Linnaeus,1758* Larval foodplant(s): *Impatiens* (Balsaminaceae), *Arisaema*, *Amorphophallus* (Araceae) (Bell & Scott,1937).
- 6365. Deilephila porcellus (Linnaeus,1758)** (Sphingidae) Synonym(s): *porcellus Linnaeus,1758* Larval foodplant(s): *Galium* (Lederer,1865).
- 6366. Deilephila porcellus porca (O.Bang-Haas,1927)** (Sphingidae) Synonym(s): *porca O.Bang-Haas,1927*
- 6367. Deilephila porcellus porcellus (Linnaeus,1758)** (Sphingidae) Synonym(s): *porcellus Linnaeus,1758*
- 6368. Deilephila suellus Staudinger,1878** (Sphingidae) Synonym(s): *suellus Staudinger,1878; kruschi O.Bang-Haas,1938.*
- 6369. Deilephila suellus suellus Staudinger,1878** (Sphingidae) Synonym(s): *suellus Staudinger,1878; kruschi O.Bang-Haas,1938.*
- 6370. Hemaris (Cochrania) croatica (Esper,[1779])** (Sphingidae) Synonym(s): *croatica Esper,[1779]; sesia Hübner,[1806]; #obscurata Closs,1911; #rangnowi Closs,1911.* Larval foodplant(s): *Scabiosa* (at Amasya) (Dipsacaceae) (Staudinger,1878), *Asperula*, *Cephalaria* (Pittaway,1983).

- 6371. Hemaris (Eitschbergera) radians (Walker,1856) (Sphingidae)**
Synonym(s): *radians* Walker,1856; *mandarina* Butler,1875; *#mandarnia* Jordan,1911
- 6372. Hemaris (Eitschbergera) saldaitisi Eitschberger, Danner & Surholt,1998 (Sphingidae)** Synonym(s): *saldaitisi* Eitschberger, Danner & Surholt,1998; *#saldaitisi* Eitschberger, Danner & Surholt,1998 RU Tv
- 6373. Hemaris (Eitschbergera) tityus (Linnaeus,1758) (Sphingidae)**
Synonym(s): *tityus* Linnaeus,1758; *bombyliiformis* Linnaeus,1758; *knautiae* Zeller,1869; *scabiosae* Zeller,1869; *alaiana* Rothschild & Jordan,1903; *karaugomica* Wojtusiak & Niesiolowski,1946; *#tityrus* De Freina,1983; *saldaitisi* Eitschberger, Danner & Surholt,1998 Larval foodplant(s): *Scabiosa*, *Galium*, *Lonicera*, *Succisa*, *Dipsacus*, *Lychnis* (Zeller,1839; Pittaway,1983).
- 6374. Hemaris (Jilinga) beresowskii (Alpheraky,1897) (Sphingidae)**
Synonym(s): *beresowskii* Alpheraky,1897
- 6375. Hemaris (Jilinga) staudingeri Leech,1900 (Sphingidae)** Synonym(s): *staudingeri* Leech,1900
- 6376. Hemaris (Jilinga) staudingeri ottonis (Rothschild & Jordan,1903) (Sphingidae)** Synonym(s): *ottonis* Rothschild & Jordan,1903
- 6377. Hemaris (s.str.) fuciformis (Linnaeus,1758) (Sphingidae)** Synonym(s): *fuciformis* Linnaeus,1758; *variegata* Allioni,1766; *musca* Retzius,1783; *bombyliiformis* sensu Ochsenheimer,1808; *milesiformis* Treitschke,1834; *caprifolii* Zeller,1869; *lonicerae* Zeller,1869; *robusta* Alpheraky,1882; *simillima* Moore,1888; *ganssuensis* Grum-Grshimailo,1891; *heynei* Bartel,1898; Larval foodplant(s): *Cephalaria procera* (de Freina,1979).
- 6378. Hippotion celerio (Linnaeus,1758) (Sphingidae)** Synonym(s): *celerio* Linnaeus,1758; *tisiphone* Linnaeus,1758; *inquilinus* Harris,1780; *phoenix* Oken,1815; *ocys* Hübner,[1819]; *albolineatus* Montrousier,1864 Larval foodplant(s): *Vitis*, *Parthenocissus* (Vitaceae), *Galium* (Rubiaceae), *Fuchsia*, *Impatiens* (Balsaminaceae), *Convolvulus* (Convolvulaceae), *Rumex* (Polygonaceae), *Caladium* (Araceae) (Bell & Scott,1937, et seq.).
- 6379. Hyles euphorbiae (Linnaeus,1758) (Sphingidae)** Synonym(s): *euphorbiae* Linnaeus,1758; *esulae* Hufnagel,1766; *vandalusica* Ribbe,1910; *etrusca* Verity,1911; *sinensis* Closs,1917; *rothschildi* Stauder,1928; *dolomiticola* Stauder,1930; *filipjevi* O.Bang-Haas,1936; *lucida* Derzhavets,1980. Larval foodplant(s): *Euphorbia myrsinites*, *E. ? paralias* (Staudinger,1879; de Freina,1979).
- 6380. Hyles euphorbiae euphorbiae (Linnaeus,1758) (Sphingidae)**
Synonym(s): *euphorbiae* Linnaeus,1758; *esulae* Hufnagel,1766; *vandalusica* Ribbe,1910; *etrusca* Verity,1911; *sinensis* Closs,1917; *rothschildi* Stauder,1928; *dolomiticola* Stauder,1930; *filipjevi* O.Bang-Haas,1936; *lucida* Derzhavets,1980.
- 6381. Hyles gallii (Rottemburg,1775) (Sphingidae)** Synonym(s): *gallii* Rottemburg,1775; *intermedia* Kirby,1837; *oxybaphi* Clemens,1859; *gallii* Kirby,1892; *sachaliensis* Matsumura,1929; *nepalensis* Daniel,1961; *tibetanica* Eichler,1971.
- 6382. Hyles gallii gallii (Rottemburg,1775) (Sphingidae)** Synonym(s): *gallii* Rottemburg,1775; *intermedia* Kirby,1837; *oxybaphi* Clemens,1859; *gallii* Kirby,1892; *sachaliensis* Matsumura,1929; *nepalensis* Daniel,1961; *tibetanica* Eichler,1971.
- 6383. Hyles hippophaes (Esper,[1789]) (Sphingidae)** Synonym(s): *hippophaes* Esper,[1789]; *teriolensis* Dannehl,1929; *kiortsii* Koutsaftikis,1974; *#hippophaeas* De Freina,1981
- 6384. Hyles hippophaes bienerti (Staudinger,1874) (Sphingidae)**
Synonym(s): *bienerti* Staudinger,1874; *caucasica* Denso,1913; *caucasica* Clark,1922; *ornatus* Gehlen,1930; *transcaucasica* Gehlen,1932; *shugnana*, *bucharana* Sheljuzhko,1933; *anatolica* Rebel,1933; *malatianus* Gehlen,1934; *baltistana* O.Bang-Haas,1939.
- 6385. Hyles hippophaes hippophaes (Esper,[1789]) (Sphingidae)**
Synonym(s): *hippophaes* Esper,[1789]; *teriolensis* Dannehl,1929; *kiortsii* Koutsaftikis,1974; *#hippophaeas* De Freina,1981
- 6386. Hyles livornica (Esper,[1780]) (Sphingidae)** Synonym(s): *livornica* Esper,[1780]; *koechlini* Fuessly,1781; *tatsienluica* Oberthür,1916; *saharae* Gehlen,1932; *malgassica* Denso,1944; *tatsienluica* Oberthür,1944; *renneri* Eitschberger, Danner & Surholt,1998. Larval foodplant(s): *Rumex*, *Polygonum*, *Vitis*, *Fuchsia*, *Platago*, *Zygophyllum*

- 6387. Hyles livornica livornica (Esper,[1780])** (Sphingidae) Synonym(s): *livornica* Esper,[1780]; *koechlini* Fuessly,1781; *tatsienluica* Oberthür,1916; *saharae* Gehlen,1932; *malgassica* Denso,1944; *tatsienluica* Oberthür,1944; *renneri* Eitschberger, Danner & Surholt,1998. Larval foodplant(s): Rumex, Polygonum, Vitis, Fuchsia, Platago, Zygophyllum
- 6388. Hyles vespertilio (Esper,[1780])** (Sphingidae) Synonym(s): *vespertilio* Esper,[1780]. Larval foodplant(s): Oenothera, Galium, Epilobium dodonaei (=Chamaenerion angustissimum) (Pittaway,2004).
- 6389. Hyles vespertilio vespertilio (Esper,[1780])** (Sphingidae) Synonym(s): *vespertilio* Esper,[1780]. Larval foodplant(s): Oenothera, Galium, Epilobium dodonaei (=Chamaenerion angustissimum) (Pittaway,2004).
- 6390. Hyles zygophylli (Ochsenheimer,1808)** (Sphingidae) Synonym(s): *zygophylli* Ochsenheimer,1808; *jaxartis* Frorreich,1938; *xanthoxyli* Derzhavets,1977; *kirgisa* Eitschberger & Lukhtanov,1996. Larval foodplant(s): Zygophyllum fabago, Eremurus (Ochsenheimer,1808; Pittaway,1983).
- 6391. Hyles zygophylli zygophylli (Ochsenheimer,1808)** (Sphingidae) Synonym(s): *zygophylli* Ochsenheimer,1808; *jaxartis* Frorreich,1938; *xantho* Derzhavets,1977; *kirgisa* Eitschberger & Lukhtanov,1996. Larval foodplant(s): Zygophyllum fabago, Eremurus (Ochsenheimer,1808; Pittaway,1983).
- 6392. Laothoe amurensis (Staudinger,1892)** (Sphingidae) Synonym(s): *tremulae* Boisduval,[1829] nec Bkh.,1793; *amurensis* Staudinger,1892; *#rosacea* Staudinger,1892; *baltica* Viidalepp,1979. Larval foodplant(s): Populus tremula, etc. (Pittaway,1983).
- 6393. Laothoe amurensis amurensis (Staudinger,1892)** (Sphingidae) Synonym(s): *tremulae* Boisduval,[1829] nec Bkh.,1793; *amurensis* Staudinger,1892; *#rosacea* Staudinger,1892; *baltica* Viidalepp,1979.
- 6394. Laothoe populi (Linnaeus,1758)** (Sphingidae) Synonym(s): *populi* Linnaeus,1758; *tremulae* Borkhausen,1793; *palustris* Holle,1865; *salicis* Holle,1865; *roseotincta* Reuter,1893; *borkhauseni* Bartel,1900; *lappona* Rangnow,1935. Larval foodplant(s): Populus, Salix, Fraxinus, Quercus (Linnaeus,1758; Pittaway,1983).
- 6395. Laothoe populi populi (Linnaeus,1758)** (Sphingidae) Synonym(s): *populi* Linnaeus,1758; *tremulae* Borkhausen,1793; *palustris* Holle,1865; *salicis* Holle,1865; *roseotincta* Reuter,1893; *borkhauseni* Bartel,1900; *lappona* Rangnow,1935.
- 6396. Macroglossum stellatarum (Linnaeus,1758)** (Sphingidae) Synonym(s): *stellatarum* Linnaeus,1758; *nigra* Cosmovici,1892.
- 6397. Macroglossum stellatarum stellatarum (Linnaeus,1758)** (Sphingidae) Synonym(s): *stellatarum* Linnaeus,1758; *nigra* Cosmovici,1892.
- 6398. Marumba quercus ([Denis & Schiffermüller],1775)** (Sphingidae) Synonym(s): *quercus* [Denis & Schiffermüller],1775; *denisii* Fuessly,1779; *#brunnescens* Rebel,1910; *#canescens*, *pallescens* Closs,1922; *mesopotamica* O.Bang-Haas,1938; *schirasi* O.Bang-Haas,1938; *#pallida* Vilarrubia,1973. Larval foodplant(s): Quercus (Staudinger,1878; Pittaway,1983).
- 6399. Marumba quercus quercus ([Denis & Schiffermüller],1775)** (Sphingidae) Synonym(s): *quercus* [Denis & Schiffermüller],1775; *denisii* Fuessly,1779; *#brunnescens* Rebel,1910; *#canescens*, *pallescens* Closs,1922; *mesopotamica* O.Bang-Haas,1938; *schirasi* O.Bang-Haas,1938; *#pallida* Vilarrubia,1973. Larval foodplant(s): Quercus (Staudinger,1878; Pittaway,1983).
- 6400. Marumba sperchius (Ménétriés,1857)** (Sphingidae) Synonym(s): *sperchius* Ménétriés,1857; *ussuriensis* O.Bang-Haas,1927; *coreanus* O.Bang-Haas,1938; *koreaesperechius* Bryk,1946. Larval foodplant(s): Castanea, Castanopsis, Quercus (Fagaceae), Juglans (Juglandaceae), Eriobotrya (Rosaceae) (Inoue et al.,1997).
- 6401. Marumba sperchius sperchius (Ménétriés,1857)** (Sphingidae) Synonym(s): *sperchius* Ménétriés,1857
- 6402. Mimas tiliae (Linnaeus,1758)** (Sphingidae) Synonym(s): *tiliae* Linnaeus,1758. Larval foodplant(s): Tilia, Ulmus, Alnus, Prunus, Betula, Acer, Quercus (Pittaway,1983).

- 6403. Phyllosphingia dissimilis (Bremer,1861)** (Sphingidae) Synonym(s): *dissimilis* Bremer,1861 Larval foodplant(s): Juglans (Juglandaceae) (Inoue et al.,1997).
- 6404. Phyllosphingia dissimilis dissimilis (Bremer,1861)** (Sphingidae) Synonym(s): *dissimilis* Bremer,1861; *sinensis* Jordan,1911; *hoenei* Clark,1937; *jordani* Bryk,1946
- 6405. Proserpinus proserpinus (Pallas,1772)** (Sphingidae) Synonym(s): *proserpinus* Pallas,1772; *oenotherae* [Denis & Schiffermüller],1775; *schiffermilleri* Fuessly,1779; *francofurtana* Fabricius,1781; *aenotheroides* Butler,[1876], *maxima* Grum-Grshimailo,1887; *japetus* Grum-Grshimailo,1890; *gigas* Oberthür,1922. Larval foodplant(s): Epilobium, Oenothera (Onagraceae) (Pittaway,1983).
- 6406. Proserpinus proserpinus proserpinus (Pallas,1772)** (Sphingidae) Synonym(s): *proserpinus* Pallas,1772; *oenotherae* [Denis & Schiffermüller],1775; *schiffermilleri* Fuessly,1779; *francofurtana* Fabricius,1781; *aenotheroides* Butler,[1876], *maxima* Grum-Grshimailo,1887; *japetus* Grum-Grshimailo,1890; *gigas* Oberthür,1922. Larval foodplant(s): Epilobium, Oenothera (Onagraceae) (Pittaway,1983).
- 6407. Rethera komarovi (Christoph,1885)** (Sphingidae) Synonym(s): *komarovi* Christoph,1885; *#kamarowi* Wagner,1931; *rjabovi* O.Bang-Haas,1934; *#albocingulata* O.Bang-Haas,1934; *#roseocingulata* O.Bang-Haas,1937
- 6408. Rethera komarovi komarovi (Christoph,1885)** (Sphingidae) Synonym(s): *komarovi* Christoph,1885; *#kamarowi* Wagner,1931; *rjabovi* O.Bang-Haas,1934; *#albocingulata* O.Bang-Haas,1934; *#roseocingulata* O.Bang-Haas,1937
- 6409. Smerinthus caecus Ménéttriés,1857** (Sphingidae) Synonym(s): *caecus* Ménéttriés,1857
- 6410. Smerinthus ocellatus (Linnaeus,1758)** (Sphingidae) Synonym(s): *ocellatus* Linnaeus,1758 Larval foodplant(s): Salix, Malus, Populus, Alnus, Prunus, Ligustrum (Pittaway,1983).
- 6411. Smerinthus ocellatus ocellatus (Linnaeus,1758)** (Sphingidae) Synonym(s): *ocellatus* Linnaeus,1758 Larval foodplant(s): Salix, Malus, Populus, Alnus, Prunus, Ligustrum (Pittaway,1983).
- 6412. Smerinthus planus Walker,1856** (Sphingidae) Synonym(s): *planus* Walker,1856; *argus* Ménéttriés,1857; *alticola* Clark,1922
- 6413. Smerinthus planus planus Walker,1856** (Sphingidae) Synonym(s): *planus* Walker,1856; *argus* Ménéttriés,1857; *alticola* Clark,1922
- 6414. Sphecodina caudata (Bremer & Grey,[1852])** (Sphingidae) Synonym(s): *caudata* Bremer & Grey,[1852] Larval foodplant(s): Vitis (Vitaceae) (Inoue et al.,1997).
- 6415. Sphecodina caudata caudata (Bremer & Grey,[1852])** (Sphingidae) Synonym(s): *caudata* Bremer & Grey,[1852]
- 6416. Sphingonaepiopsis gorgoniades (Hübner,[1819])** (Sphingidae) Synonym(s): *gorgon* Esper,[1804] *nec* Cr.,1777; *gorgoniades* Hübner,[1819]; *chloroptera* von Mentzer,1974. Larval foodplant(s): Galium verum (Rubiaceae) (Boisduval,1875; Bartel,1899; et seq.).
- 6417. Sphingonaepiopsis gorgoniades gorgoniades (Hübner,[1819])** (Sphingidae) Synonym(s): *gorgon* Esper,[1804] *nec* Cr.,1777; *gorgoniades* Hübner,[1819]; *chloroptera* von Mentzer,1974.
- 6418. Sphinx ligustri Linnaeus,1758** (Sphingidae) Synonym(s): *ligustri* Linnaeus,1758; *spiraeeae* Esper,1800; *amurensis* Oberthür,1886; *nisseni* Rothschild & Jordan,1903; *fraxini* Dannehl,1925; *chischimensis* Matsumura,1929; *weryi* Rungs,1977; *zolutuhini* Eitschberger & Lukhtanov,1996; *eichleri* Eitschberger, Danner & Surholt,1998 Larval foodplant(s): Ligustrum, Syringa, Fraxinus, Spiraea (Mann,1862; Pittaway,1983).
- 6419. Sphinx ligustri ligustri Linnaeus,1758** (Sphingidae) Synonym(s): *ligustri* Linnaeus,1758; *spiraeeae* Esper,1800; *amurensis* Oberthür,1886; *nisseni* Rothschild & Jordan,1903; *fraxini* Dannehl,1925; *chischimensis* Matsumura,1929; *weryi* Rungs,1977; *zolutuhini* Eitschberger & Lukhtanov,1996; *eichleri* Eitschberger, Danner & Surholt,1998 larva probably on Fraxinus (Pittaway,1983).

- 6420. *Sphinx pinastri* Linnaeus,1758** (Sphingidae) Synonym(s): *pinastri* Linnaeus,1758; *asiaticus* Butler,1875; *saniptri* Strecker,1876; *cenisius* Jordan,1931; *medialis* Jordan,1931; *euxinus* Derzhavets,1979; *selon De Freina & Witt*,1987. Larval foodplant(s): *Pinus*, *Picea*, *Larix*, *Cedrus* (Pittaway,1983).
- 6421. *Sphinx pinastri pinastri* Linnaeus,1758** (Sphingidae) Synonym(s): *pinastri* Linnaeus,1758; *asiaticus* Butler,1875; *saniptri* Strecker,1876; *cenisius* Jordan,1931; *medialis* Jordan,1931; *euxinus* Derzhavets,1979; *selon De Freina & Witt*,1987.
- 6422. *Theretra alecto* (Linnaeus,1758)** (Sphingidae) Synonym(s): *alecto* Linnaeus,1758; *cretica* Boisduval,1827; *freyeri* Kirby,1892; *transcaspica* O.Bang-Haas,1927; *intermissa* Gehlen,1941. Larval foodplant(s): *Dillenia indica* (Dilleniaceae), *Saurauia nepalensis* (Actinidiaceae), *Vitis* (Vitaceae), *Leea* (Leeaceae), *Psychotria*, *Rubia cordifolia* (Rubiaceae) (Bell & Scott,1937).
- 6423. *Theretra alecto alecto* (Linnaeus,1758)** (Sphingidae) Synonym(s): *alecto* Linnaeus,1758; *cretica* Boisduval,1827; *freyeri* Kirby,1892; *transcaspica* O.Bang-Haas,1927; *intermissa* Gehlen,1941. Larval foodplant(s): *Dillenia indica* (Dilleniaceae), *Saurauia nepalensis* (Actinidiaceae), *Vitis* (Vitaceae), *Leea* (Leeaceae), *Psychotria*, *Rubia cordifolia* (Rubiaceae) (Bell & Scott,1937).
- 6424. *Stathmopoda pedella* (Linnaeus,1761)** (Stathmopodidae) Synonym(s): *pedella* Linnaeus,1761; *alucitella* [Denis & Schiffermüller],1775; *cylindrella* Fabricius,1777; *angustipennella* Hübner,[1796]; *cylindricus* Fabricius,1798; *fastuosella* Costa,1834. Larval foodplant(s): *Alnus incana*, *A.glutinosa* (Betulaceae) (Riedl,1969).
- 6425. *Thaumatopoea* (Traumatocampa) *pinivora* Treitschke,1834** (Thaumatopoeidae) Synonym(s): *pinivora* Treitschke,1834 Larval foodplant(s): *Pinus sylvestris*, *Pinus nigra* ? (Pinaceae) (de Freina,1999).
- 6426. *Thaumatopoea* (Traumatocampa) *pityocampa* ([Denis & Schiffermüller],1775)** (Thaumatopoeidae) Synonym(s): *#pityocampa* [Denis & Schiffermüller],1775; *ceballosi* Agenjo,1941 Larval foodplant(s): *Pinus sylvestris*, *P. laricio*, *P. pinea*, *P. halepensis*, *P. pinaster*, *P. nigra*, *P. maritima*, *Picea* ([Denis & Schiffermüller],1775; Schmimitschek,1953; De Freina,1983; Doğanlar & Doğanlar,2005).
- 6427. *Thaumatopoea* (s.str.) *processionea* (Linnaeus,1758)** (Thaumatopoeidae) Synonym(s): *processionea* Linnaeus,1758; *pseudosolitaria* Daniel,1951. Larval foodplant(s): *Quercus* (De Freina,1983).
- 6428. *Achyla flavicornis* (Linnaeus,1758)** (Thyatiridae) Synonym(s): *flavicornis* Linnaeus,1758; *cinerea* Hufnagel,1766; *sulphureomaculata* Retzius,1783; *arcuata* Fourcroy,1785; *luteicornis* Haworth,1809
- 6429. *Cymatophorima diluta* ([Denis & Schiffermüller],1775)** (Thyatiridae) Synonym(s): *diluta* [Denis & Schiffermüller],1775; *fasciculosa* Borkhausen,1790; *bistrigata* Borkhausen,1790; *hartwegi* Reisser,1927
- 6430. *Habrosyne dieckmanni* Graeser,1888** (Thyatiridae) Synonym(s): *dieckmanni* Graeser,1888
- 6431. *Habrosyne pyritoides* (Hufnagel,1766)** (Thyatiridae) Synonym(s): *pyritoides* Hufnagel,1766; *derasa* Linnaeus,1767; *gloriosa* Boisduval,1852; *intermedia* Bremer,1864
- 6432. *Ochropacha duplaris* (Linnaeus,1761)** (Thyatiridae) Synonym(s): *duplaris* Linnaeus,1761; *bicolorata* Hufnagel,1766; *bipuncta* Borkhausen,1792; *binotata* Fabricius,1793
- 6433. *Parapsestis argenteopicta* (Oberthür,1879)** (Thyatiridae) Synonym(s): *argenteopicta* Oberthür,1879
- 6434. *Polyplocia nigrofascicula* Graeser,1888** (Thyatiridae) Synonym(s): *nigrofascicula* Graeser,1888; *nigrofasciata* W.Warren,1912
- 6435. *Polyplocia ridens* (Fabricius,1787)** (Thyatiridae) Synonym(s): *ridens* Fabricius,1787; *nitens* Villers,1789; *xanthoceros* Borkhausen,1792; *chrysoceras* Beckwith,1794
- 6436. *Tethea albicostata* (Bremer,1861)** (Thyatiridae) Synonym(s): *albicostata* Bremer,1861
- 6437. *Tethea albuncula* (Eversmann,1851)** (Thyatiridae) Synonym(s): *albuncula* Eversmann,1851

- 6438. *Tethea ampliata* (Butler,1878)** (Thyatiridae) Synonym(s): *ampliata* Butler,1878; *angustimedia* W.Warren,1912; *suffusa* W.Warren,1912
- 6439. *Tethea intensa* (Butler,1881)** (Thyatiridae) Synonym(s): *octogesima* Butler,1878 nec Hbn.,1786; *intensa* Butler,1881; *angustata* Staudinger,1887
- 6440. *Tethea ocularis* (Linnaeus,1767)** (Thyatiridae) Synonym(s): *ocularis* Linnaeus,1767; *octogena* Esper,1788 Larval foodplant(s): *Salix* (Wiltshire,1957).
- 6441. *Tethea ocularis ocularis* (Linnaeus,1767)** (Thyatiridae) Synonym(s): *ocularis* Linnaeus,1767; *octogena* Esper,1788
- 6442. *Tethea ocularis sareptensis* (Spuler,1908)** (Thyatiridae) Synonym(s): *sareptensis* Spuler,1908; *caucasica* Werny,[1967]
- 6443. *Tethea or* ([Denis & Schiffermüller],1775)** (Thyatiridae) Synonym(s): #or [Denis & Schiffermüller],1775; *gammagraecum* Retzius,1783; *consobrina* Borkhausen,1790; *gemina* Beckwith,1794 nec Vill.,1789; *terrosa* Graeser,1888; *graelica* Kane,1894; *fasciata* Spuler,1908; *obscura* Spuler,1908; *marginata* Warnecke,1911 Larval foodplant(s): *Populus nigra* ([Denis & Schiffermüller],1775 et seq.).
- 6444. *Tethea tankrei* (Graeser,1888)** (Thyatiridae) Synonym(s): *tankrei* Graeser,1888
- 6445. *Tethea trifolium* (Alpheraky,1895)** (Thyatiridae) Synonym(s): *trifolium* Alpheraky,1895
- 6446. *Tetheella fluctuosa* (Hübner,[1803])** (Thyatiridae) Synonym(s): *fluctuosa* Hübner,[1803]
- 6447. *Thyatira batis* (Linnaeus,1758)** (Thyatiridae) Synonym(s): *batis* Linnaeus,1758; *indecorata* Turner,1926; *albopunctata* Spuler,1908; *confluens* Marschner,1908; *derosea* Maurer,1909; *conflua* Rebel,1910 Larval foodplant(s): *Rubus* (Rosaceae) (Yunus & Ho,1980).
- 6448. *Thyatira trimaculata* Bremer,1861** (Thyatiridae) Synonym(s): *trimaculata* Bremer,1861; *albomaculata* Leech,1890; *chinensis* Leech,1890
- 6449. *Rhodoneura guttata* Christoph,1880** (Thyridae) Synonym(s): *guttata* Christoph,1880; *lucidulina* Poujade,1894
- 6450. *Striglina scitaria* (Walker,1862)** (Thyridae) Synonym(s): *scitaria* Walker,1862; *pyriniata* Walker,1862; *navigatorium* R.Felder & Rogenhofer,1875; *lineola* Guenée,1877; *thermesioides* Snellen,1877; *cancellata* Christoph,1880; *vialis* Moore,1883; *superior* Butler,1887; *strigosa* Moore,1888; *strigipennis* Moore,1888; *henrici* Snellen,1890 Larval foodplant(s): leaf of *Quisqualis conferta* [Rangoon creeper] (Combretaceae), *Derris elliptica* [tuba root] (Fabaceae), *Phitecellobium dulce* [Manila tamarind] (Fabaceae), *Lagerstroemia speciosa* [queen's crape myrtle] (Lythraceae) (Lewvanich,2001).
- 6451. *Thyris fenestrella* (Scopoli,1763)** (Thyridae) Synonym(s): *fenestrella* Scopoli,1763; *fenestrina* [Denis & Schiffermüller],1775; *marica* Cyrillo,1792; *pyralidiformis* Hübner,1796; *fenestrata* Schrank,1801; *nevadae* Oberthür,1888; *nigra* A.Bang-Haas,1910.
- 6452. "*Lecithocera*" *luridella* Christoph,1882** (Tineidae) Synonym(s): *luridella* Christoph,1882
- 6453. *Agnathosia mendicella* ([Denis & Schiffermüller],1775)** (Tineidae) Synonym(s): *mendicella* [Denis & Schiffermüller],1775
- 6454. *Archinemapogon schromicus* Zagulyaev,1964** (Tineidae) Synonym(s): *schromicus* Zagulyaev,1964
- 6455. *Archinemapogon ussuriensis* Zagulyaev,1962** (Tineidae) Synonym(s): *ussuriensis* Zagulyaev,1962
- 6456. *Archinemapogon yildizae* Koçak,1981** (Tineidae) Synonym(s): *laterella* Thunberg,1794 nec [Denis & Schiff.],1775; *arcuatella* Stainton,1854 nec Schrank,1802; *yildizae* Koçak,1981.
- 6457. *Ateliotum cypellias* (Meyrick,1937)** (Tineidae) Synonym(s): *cypellias* Meyrick,1937
- 6458. *Ateliotum hungaricellum* Zeller,1839** (Tineidae) Synonym(s): *hungaricellum* Zeller,1839.
- 6459. *Cephimallota angusticostella* (Zeller,1839)** (Tineidae) Synonym(s): *angusticostella* Zeller,1839; *libanotica* G.Petersen,1959; *hasarorum* Zagulyaev,1965
- 6460. *Cephimallota crassiflavella* (Bruand,1851)** (Tineidae) Synonym(s): *crassiflavella* Bruand,1851; *simplicella* Zeller,1852.

- 6461. Cephimallota praetoriella (Christoph,1872)** (Tineidae) Synonym(s): *praetoriella* Christoph,1872; *uralskella* Caradja,1920.
- 6462. Cephimallota tunesiella (Zagulyaev,1966)** (Tineidae) Synonym(s): *tunesiella* Zagulyaev,1966
- 6463. Cephitinea colonella (Erschoff,1874)** (Tineidae) Synonym(s): *colonella* Erschoff,1874
- 6464. Ceratuncus danubiellus (Mann,1866)** (Tineidae) Synonym(s): *danubiellus* Mann,1866
- 6465. Ceratuncus dzhungaricus Zagulyaev,1971** (Tineidae) Synonym(s): *dzhungaricus* Zagulyaev,1971
- 6466. Elatobia fuliginosella (Lienig & Zeller,1846)** (Tineidae) Synonym(s): *fuliginosella* Lienig & Zeller,1846
- 6467. Eudarcia holtzi (Rebel,1902)** (Tineidae) Synonym(s): *holtzi* Rebel,1902
- 6468. Euplocamus anthracinalis (Scopoli,1763)** (Tineidae) Synonym(s): *anthracinalis* Scopoli,1763; *anthracinella* [Denis & Schiffermüller],1775; *fuesslinella* Sulzer,1776; *guttella* Fabricius,1781; *anthracina* Borkhausen,1793; *fuesslinaria* Esper,[1801]; *guttatus* Latreille,1809; *amanalis* Osthelder,1935.
- 6469. Fermocelina liguriella (Millière,1879)** (Tineidae) Synonym(s): *inquinatella* Zeller,1852 nec [Den. & Schiff.],1775; *liguriella* Millière,1879.
- 6470. Haplotinea ditella (Pierce & Diakonoff,1938)** (Tineidae) Synonym(s): *ditella* Pierce & Diakonoff,1938
- 6471. Haplotinea insectella (Fabricius,1794)** (Tineidae) Synonym(s): *insectella* Fabricius,1794; *misella* Zeller,1839.
- 6472. Hapsifera barbata (Christoph,1882)** (Tineidae) Synonym(s): *barbata* Christoph,1882; *cinereella* Caradja,1926
- 6473. Infurcitinea albicomella (Stainton,1851)** (Tineidae) Synonym(s): *albicomella* Stainton,1851; *albicapilla* Zeller,1852; *luridella* Jäckh,1959; *raetica* Zagulyaev,1974.
- 6474. Infurcitinea argentimaculella (Stainton,1849)** (Tineidae) Synonym(s): *argentimaculella* Stainton,1849
- 6475. Infurcitinea ignicomella (Heydenreich,1851)** (Tineidae) Synonym(s): *ignicomella* Heydenreich,1851; *flavicapilla* Zeller,1852.
- 6476. Infurcitinea karadaghica Zagulyaev,1979** (Tineidae) Synonym(s): *karadaghica* Zagulyaev,1979
- 6477. Infurcitinea raddei G.Petersen,1958** (Tineidae) Synonym(s): *raddei* G.Petersen,1958
- 6478. Infurcitinea roesslerella (Heyden,1865)** (Tineidae) Synonym(s): *roesslerella* Heyden,1865; *alpicella* G.Petersen,1962.
- 6479. Infurcitinea rumelicella (Rebel,1903)** (Tineidae) Synonym(s): *rumelicella* Rebel,1903
- 6480. Infurcitinea tauridella G.Petersen,1968** (Tineidae) Synonym(s): *tauridella* G.Petersen,1968; *juliae* Satschkov,1995.
- 6481. Lichenotinea pustulatella (Zeller,1852)** (Tineidae) Synonym(s): *pustulatella* Zeller,1852
- 6482. Monopis christophi G.Petersen,1957** (Tineidae) Synonym(s): *christophi* G.Petersen,1957
- 6483. Monopis crocicapitella (Clemens,1859)** (Tineidae) Synonym(s): *crocicapitella* Clemens,1859; *amandatella* Walker,1863; *hyalinella* Staudinger,1870; *lombardica* Hering,1889; *heringi* Richardson,1893; *ptilophaga* Enderlein,1909; *prometopias* Gye,1913; *ceconii* Turati,1919; *dobrogica* Georgescu,1964
- 6484. Monopis fenestratella (Heyden,1863)** (Tineidae) Synonym(s): *fenestratella* Heyden,1863
- 6485. Monopis imella (Hübner,[1813])** (Tineidae) Synonym(s): *imella* Hübner,[1813]; *nitidella* Zagulyaev,1960.
- 6486. Monopis laevigella ([Denis & Schiffermüller],1775)** (Tineidae) Synonym(s): *laevigella* [Denis & Schiffermüller],1775; *rusticella* Hübner,1796; *rustica* Haworth,[1828]; *saturella* Haworth,[1828].
- 6487. Monopis monachella (Hübner,1796)** (Tineidae) Synonym(s): *monachella* Hübner,1796

- 6488. Monopis obviella ([Denis & Schiffermüller],1775)** (Tineidae)
Synonym(s): *obviella* [Denis & Schiffermüller],1775; *ferruginella* Hübner,[1813] nec Thunberg,1788; *splendella* Hübner,[1813] nec [Denis & Schiffermüller],1775.
- 6489. Monopis pallidella Zagulyaev,1955** (Tineidae) Synonym(s): *pallidella* Zagulyaev,1955
- 6490. Monopis spilotella (Tengström,1848)** (Tineidae) Synonym(s): *spilotella* Tengström,1848
- 6491. Monopis weaverella (Scott,1858)** (Tineidae) Synonym(s): *weaverella* Scott,1858
- 6492. Montescardia kurensovi (Zagulyaev,1966)** (Tineidae) Synonym(s): *kurensovi* Zagulyaev,1966
- 6493. Montescardia tessulatellus (Lienig & Zeller,1846)** (Tineidae)
Synonym(s): *tessulatellus* Lienig & Zeller,1846 Larval foodplant(s): pore-fungi and dead wood of *Picea*, *Fagus* (Petersen,1969).
- 6494. Morophaga (bucephala-gr.) bucephala (Snellen,1884)** (Tineidae)
Synonym(s): *bucephala* Snellen,1884; *chomatias* Meyrick,1910; *rotundata* Matsumura,1931
- 6495. Morophaga (choragella-gr.) choragella ([Denis & Schiffermüller],1775)** (Tineidae) Synonym(s): *choragella* [Denis & Schiffermüller],1775; *boleti* Fabricius,1777; *fungella* Thunberg,1794; *mediella* Hübner,1796
- 6496. Morophaga (morella-gr.) morella (Duponchel,1838)** (Tineidae)
Synonym(s): *morella* Duponchel,1838; *#fungicolella* Dumont,1930
- 6497. Morophagoides ussuriensis (Caradja,1920)** (Tineidae) Synonym(s): *ussuriensis* Caradja,1920
- 6498. Myrmecozela (Flavida) lutosella (Eversmann,1844)** (Tineidae)
Synonym(s): *lutosella* Eversmann,1844
- 6499. Myrmecozela (Flavida) rjabovi Zagulyaev,1968** (Tineidae) Synonym(s): *rjabovi* Zagulyaev,1968
- 6500. Myrmecozela (s.str.) ochraceella (Tengström,1848)** (Tineidae)
Synonym(s): *ochraceella* Tengström,1848
- 6501. Myrmecozela (s.str.) samurensis Zagulyaev,1997** (Tineidae)
Synonym(s): *samurensis* Zagulyaev,1997
- 6502. Nemapogon caucasica Zagulyaev,1964** (Tineidae) Synonym(s): *caucasica* Zagulyaev,1964
- 6503. Nemapogon clematella (Fabricius,1781)** (Tineidae) Synonym(s): *? niveella* Fabricius,1777; *clematella* Fabricius,1781; *repandella* Hübner,[1799]; *clematea* Haworth,1828; *auritinctella* Wallengren,1852
- 6504. Nemapogon cloacella (Haworth,[1828])** (Tineidae) Synonym(s): *cloacella* Haworth,[1828]; *infirmella* Herrich-Schäffer,1851.
- 6505. Nemapogon fungivorella (Benander,1939)** (Tineidae) Synonym(s): *fungivorella* Benander,1939
- 6506. Nemapogon granella (Linnaeus,1758)** (Tineidae) Synonym(s): *granella* Linnaeus,1758; *domesticella* Scopoli,1763; *fenestrella* Scopoli,1763 (*praeocc.*); *nebulosella* Fourcroy,1785; *tesserella* Fabricius,1794; *costotristrigella* Chambers,1873; *marmorella* Chambers,1873; *fuscocomaculella* Chambers,1875; *mancuniella* Hodgkinson,1880; *nigroatomella* Dietz,1905; *fuscicomella* Wörz,1958
- 6507. Nemapogon gravosaella G.Petersen,1957** (Tineidae) Synonym(s): *gravosaellus* G.Petersen,1957; *signatellus* G.Petersen,1960; *borshomi* Zagulyaev,1964.
- 6508. Nemapogon hungarica Gozmany,1960** (Tineidae) Synonym(s): *hungaricus* Gozmany,1960; *pliginskii* Zagulyaev,1963.
- 6509. Nemapogon inconditella (Lucas,1956)** (Tineidae) Synonym(s): *inconditella* Lucas,1956; *buckwelli* Lucas,1956; *heydeni* G.Petersen,1957; *hispanellus* Gozmany,1960; *thomasi* Capușe,1975.
- 6510. Nemapogon nigralbella (Zeller,1839)** (Tineidae) Synonym(s): *nigralbella* Zeller,1839
- 6511. Nemapogon picarella (Clerck,1759)** (Tineidae) Synonym(s): *picarella* Clerck,1759; *rigaella* Sodoffsky,1830; *acerella* Treitschke,1832; *riganella* Zeller,1839
- 6512. Nemapogon quercicolella (Zeller,1852)** (Tineidae) Synonym(s): *quercicolellus* Zeller,1852

- 6513. Nemapogon ruricolella (Stainton,1859)** (Tineidae) Synonym(s): *ruricolella* Stainton,1859; *cochylidella* Stainton,1854.
- 6514. Nemapogon variatella (Clemens,1859)** (Tineidae) Synonym(s): *variata* Clemens,1859; *personella* Pierce & Metcalf,1934; *secalella* Zacher,1938; *infimella* Corbet,1943.
- 6515. Nemapogon wolffiella Karsholt & Nielsen,1976** (Tineidae) Synonym(s): *albipunctellus* Haworth,[1828] nec [Denis & Schiff.],1775; *wolffiella* Karsholt & Nielsen,1976.
- 6516. Nemaxera betulinea (Paykull,1785)** (Tineidae) Synonym(s): *betulinella* Paykull,1785; *betulea* Haworth,1828; *corticella* Curtis,1834; *emortuella* Zeller,1839
- 6517. Neurothaumasia ankerella (Mann,1867)** (Tineidae) Synonym(s): *ankerella* Mann,1867; *burdigalensis* Le Marchand,1934; *tirsella* Amsel,1951.
- 6518. Niditinea fuscella (Linnaeus,1758)** (Tineidae) Synonym(s): *fuscella* Linnaeus,1758; *spretella* [Denis & Schiffermüller],1775; *crinitella* Schrank,1802; *fuscipunctella* Haworth,[1828]; *nubilipennella* Clemens,1859; *abligatella* Walker,1863; *eurinella* Zaguljaev,1952; *distans* Gozmany,1959.
- 6519. Niditinea piercella (Bentick,1935)** (Tineidae) Synonym(s): *piercella* Bentick,1935
- 6520. Niditinea striolella (Matsumura,1931)** (Tineidae) Synonym(s): *striolella* Matsumura,1931
- 6521. Niditinea truncicolella (Tengström,1848)** (Tineidae) Synonym(s): *truncicolella* Tengström,1848
- 6522. Opogona isorthota Meyrick,1925** (Tineidae) Synonym(s): *isorthota* Meyrick,1925
- 6523. Pararhodobates syriacus (Lederer,1857)** (Tineidae) Synonym(s): *syriacus* Lederer,1857
- 6524. Psychoides verhuella Bruand,1853** (Tineidae) Synonym(s): *verhuella* Bruand,1853
- 6525. Reisserita relicinella (Zeller,1839)** (Tineidae) Synonym(s): *relicinella* Zeller,1839
- 6526. Scardia amurensis Zagulyaev,1965** (Tineidae) Synonym(s): *amurensis* Zagulyaev,1965
- 6527. Scardia boletella (Fabricius,1794)** (Tineidae) Synonym(s): *boletella* Fabricius,1794; *boleti* Fabricius,1798; *polypori* Esper,[1804]; *relicta* Kozhantschikov,1923 Larval foodplant(s): *Fomes*, *Ganoderma*, *Polyporus* (Zagulyaev,1973).
- 6528. Stenoptinea cyaneimarmorella (Millière,1854)** (Tineidae) Synonym(s): *cyaneimarmorella* Millière,1854
- 6529. Tenaga nigripunctella (Haworth,[1828])** (Tineidae) Synonym(s): *nigripunctella* Haworth,[1828]
- 6530. Tenaga rhenania (G.Petersen,1962)** (Tineidae) Synonym(s): *rhenania* G.Petersen,1962
- 6531. Tinea bothniella Svensson,1953** (Tineidae) Synonym(s): *bothniella* Svensson,1953
- 6532. Tinea columbieriella Wocke,1877** (Tineidae) Synonym(s): *columbieriella* Wocke,1877
- 6533. Tinea dubiella Stainton,1859** (Tineidae) Synonym(s): *dubiella* Stainton,1857; *turicensis* Müller-Rutz,1920; *tenerifi* Zaguljaev,1960; *bispinella* Zaguljaev,1960
- 6534. Tinea nonimella (Zagulyaev,1955)** (Tineidae) Synonym(s): *nonimella* Zagulyaev,1955
- 6535. Tinea pallescentella Stainton,1851** (Tineidae) Synonym(s): *pallescentella* Stainton,1851
- 6536. Tinea pellionella Linnaeus,1758** (Tineidae) Synonym(s): *pellionella* Linnaeus,1758; *zoolegella* Scopoli,1763; *albella* Costa,[1836] nec Thunberg,1788; *demiurga* Meyrick,1920; *gerasimovi* Zaguljaev,1978.
- 6537. Tinea semifulvella Haworth,[1828]** (Tineidae) Synonym(s): *semifulvella* Haworth,[1828]
- 6538. Tinea steueri G.Petersen,1966** (Tineidae) Synonym(s): *steueri* G.Petersen,1966
- 6539. Tinea svenssoni Opheim,1965** (Tineidae) Synonym(s): *svenssoni* Opheim,1965

- 6540. *Tinea translucens* Meyrick,1917** (Tineidae) Synonym(s): *translucens* Meyrick,1917; *metonella* Pierce & Metcalfe,1934; *leonhardi* G.Petersen,1957; *margaritacea* Gozmany,1967; *forficata* Gozmany,1968.
- 6541. *Tinea trinitella* Thunberg,1794** (Tineidae) Synonym(s): *trinitella* Thunberg,1794; *ganomella* Treitschke,1833; *lappella* auct.
- 6542. *Tineola bisselliella* (Hummel,1823)** (Tineidae) Synonym(s): *flavifrontella* Thunberg,1794 nec [Denis & Schiff.],1775; *bisselliella* Hummel,1823; *crinella* Sodoffsky,1830; *destructor* Stephens,1834; *lanariella* Clemens,1859; *furciferella* Zagulyaev,1954.
- 6543. *Triaxomasia caprimulgella* (Stainton,1851)** (Tineidae) Synonym(s): *caprimulgella* Stainton,1851
- 6544. *Triaxomera fulvimitrella* (Sodoffsky,1830)** (Tineidae) Synonym(s): *fulvimitrella* Sodoffsky,1830
- 6545. *Triaxomera parasitella* (Hübner,1796)** (Tineidae) Synonym(s): *parasitella* Hübner,1796
- 6546. *Trichophaga bipartitella* (Ragonot,1892)** (Tineidae) Synonym(s): *abruptella* Wollaston,1858 (praeocc.); *bipartitella* Ragonot,1892; *desertella* Mabilie,1907; *amina* Meyrick,1925
- 6547. *Trichophaga scandinaviella* Zagulyaev,1960** (Tineidae) Synonym(s): *scandinaviella* Zagulyaev,1960
- 6548. *Trichophaga tapetzella* (Linnaeus,1758)** (Tineidae) Synonym(s): *tapetzella* Linnaeus,1758; *pulchella* Fabricius,1794; *pulchana* Fabricius,1798; *#tapezana* Fabricius,1798; *#tapetiella* Zeller,1839; *palaestrica* Butler,1877
- 6549. *Wegneria panchalcella* (Staudinger,1871)** (Tineidae) Synonym(s): *panchalcella* Staudinger,1871
- 6550. *Coptotriche angusticollella* (Duponchel,1843)** (Tischeriidae) Synonym(s): *angusticollella* Duponchel,1843; *aurifrontella* Ragonot,1874.
- 6551. *Coptotriche gaunacella* (Duponchel,1843)** (Tischeriidae) Synonym(s): *gaunacella* Duponchel,1843
- 6552. *Coptotriche heinemanni* (Wocke,1871)** (Tischeriidae) Synonym(s): *heinemanni* Wocke,1871
- 6553. *Coptotriche marginea* (Haworth,[1828])** (Tischeriidae) Synonym(s): *marginea* Haworth,[1828] Larval foodplant(s): *Rubus* (Rosaceae) (Prins,1984).
- 6554. *Tischeria decidua* Wocke,1876** (Tischeriidae) Synonym(s): *decidua* Wocke,1876 larva mines leaves of *Quercus*, *Castanea* (Fagaceae).
- 6555. *Tischeria dodonaea* Stainton,1858** (Tischeriidae) Synonym(s): *dodonaea* Stainton,1858 Larval foodplant(s): *Quercus ithaburensis* (Sternlicht,1968).
- 6556. *Tischeria ekebladella* (Bjerkander,1795)** (Tischeriidae) Synonym(s): *ekebladella* Bjerkander,1795; *complanella* Hübner,[1817]. Larval foodplant(s): *Quercus ithaburensis*, *Q. calliprinos*, *Q. boissieri*, *Castanea sativa* (Fagaceae) (Sternlicht,1968).
- 6557. "*Penthina*" *fraudulentana* Kennel,1901** (Tortricidae) Synonym(s): *fraudulentana* Kennel,1901
- 6558. *Abrepagoge osmangazii* (Koçak,1986)** (Tortricidae) Synonym(s): *treitschkeana* Treitschke,1835 nec Fröh.,1828; *osmangazii* Koçak,1986; *cesa* Kemal & Koçak,2004; *#osmangazii* Brown,2005
- 6559. *Acleris abietana* (Hübner,1822)** (Tortricidae) Synonym(s): ? *abietana* Villers,1789; *abietana* Hübner,1822; *confixana* Hübner,[1822]; *opacana* Geyer,[1833]; *erebana* Guenée,1845; *lutiplaga* Rebel,1901; *nigricana* Hauder,1913; *mitterbergiana* Hauder,1914 Larval foodplant(s): *Abies alba*, *Pinus*, *Picea excelsa* (Pinaceae) (Razowski,2001).
- 6560. *Acleris affinatana* (Snellen,1883)** (Tortricidae) Synonym(s): *affinatana* Snellen,1883; *pryerana* Walsingham,1900
- 6561. *Acleris albiscopulana* (Christoph,1881)** (Tortricidae) Synonym(s): *albiscopulana* Christoph,1881
- 6562. *Acleris amurensis* (Caradja,1928)** (Tortricidae) Synonym(s): *amurensis* Caradja,1928
- 6563. *Acleris askoldana* (Christoph,1881)** (Tortricidae) Synonym(s): *askoldana* Christoph,1881; *#askoldana* Obratzsov,1956

- 6564. *Acleris aurichalcana* (Bremer,1865)** (Tortricidae) Synonym(s): *aurichalcana* Bremer,1865; *auristellana* Caradja,1916; *isschikii* Matsumura,1931
- 6565. *Acleris caerulescens* (Walsingham,1900)** (Tortricidae) Synonym(s): *caerulescens* Walsingham,1900; *staudingeri* Kennel,1901
- 6566. *Acleris comariana* (Lienig & Zeller,1846)** (Tortricidae) Synonym(s): *comariana* Lienig & Zeller,1846; *proteana* Herrich-Schäffer,1851; *potentillana* Wilkinson,1859. Larval foodplant(s): *Comarum palustre*, *Potentilla*, *Fragaria* (Rosaceae), *Rhododendron* (Ericaceae), *Salix* (Salicaceae) (Zeller,1846; Razowski,2001).
- 6567. *Acleris conchyloides* (Walsingham,1900)** (Tortricidae) Synonym(s): *conchyloides* Walsingham,1900; *arquata* Kennel,1901
- 6568. *Acleris crataegi* (Kuznetsov,1964)** (Tortricidae) Synonym(s): *crataegi* Kuznetsov,1964
- 6569. *Acleris cribellata* (Falkovitsh,1965)** (Tortricidae) Synonym(s): *cribellata* Falkovitsh,1965
- 6570. *Acleris cristana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *cristana* [Denis & Schiffermüller],1775; *rossiana* Fabricius,1794; *desfontainana* Fabricius,1794; *profanana* Fabricius,1794; *ephippana* Donovan,1794; *sericana* Hübner,[1799]; *spadiceana* Haworth,1811; *ruficostana* Curtis,1824; *brunneana* Stephens,1834; *vittana* Stephens,1834; *consimilana* Stephens,1834; *albovittana* Stephens,1834; *lefeburiانا* Duponchel,1835; *lichenana* Curtis,1835; *semiustana* Curtis,1835; *sequana* Curtis,1835; *subcristalana* Curtis,1835; *insulana* Curtis,1835; *bentleyana* Curtis,1835; *alboflammana* Curtis,1835; *chantana* Curtis,1835; *ruficristana* Johnson,1842; *gumpinana* Johnson,1842; *unicolorana* Desvignes,1845; *curtisana* Desvignes,1845. Larval foodplant(s): *Carpinus betulus* (Corylaceae), *Ulmus campestris* (Ulmaceae), *Rosa*, *Crataegus*, *Malus*, *Prunus spinosa*, *Pyrus* (Rosaceae), *Salix caprea* (Salicaceae) (Razowski,2001).
- 6571. *Acleris delicatana* (Christoph,1881)** (Tortricidae) Synonym(s): *delicatana* Christoph,1881
- 6572. *Acleris emargana* (Fabricius,1775)** (Tortricidae) Synonym(s): *emargana* Fabricius,1775; *caudana* Fabricius,1775; *scabrana* Fabricius,1781; *excavana* Donovan,1794; *effractana* Hübner,[1799]. Larval foodplant(s): *Populus*, *Salix caprea*, *S. purpurea* (Salicaceae); *Corylus* (Corylaceae); *Alnus*, *Betula alba* (Betulaceae) (Razowski,2001).
- 6573. *Acleris enitescens* (Meyrick,1912)** (Tortricidae) Synonym(s): *enitescens* Meyrick,1912
- 6574. *Acleris expressa* (Filipjev,1931)** (Tortricidae) Synonym(s): *expressa* Filipjev,1931
- 6575. *Acleris exsucana* (Kennel,1901)** (Tortricidae) Synonym(s): *exsucana* Kennel,1901
- 6576. *Acleris ferrugana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *ferrugana* [Denis & Schiffermüller],1775; *rufana* Hübner,[1799] *nec* [Den. & Schiff.],1775; *tripunctulana* Haworth,1811; *bifidana* Haworth,1811; *brachiana* Freyer,1833; *rubidana* Herrich-Schäffer,1851; *selasana* Herrich-Schäffer,1851; *lithargyrana* Herrich-Schäffer,1851; *fissurana* Pierce & Metcalfe,1915. Larval foodplant(s): *Quercus*, *Fagus* (Fagaceae), *Salix caprea* (Salicaceae) (Razowski,2001).
- 6577. *Acleris filipjevi* Obratzov,1956** (Tortricidae) Synonym(s): *grisea* Filipjev,1931 *nec* Müller-Ru.,1924; *filipjevi* Obratzov,1956
- 6578. *Acleris fimbriana* (Thunberg,1791)** (Tortricidae) Synonym(s): *fimbriana* Thunberg,1791; *pulverana* Herrich-Schäffer,1851; *lubricana* Mann,1867; *crocopepla* Meyrick,1922; *tephromorpha* Meyrick,1930. Larval foodplant(s): *Prunus spinosa*, *Spirea*, *Cerasus*, *Amygdalus nana*, *Prunus persica*, *Malus domestica* (Rosaceae), *Vaccinium uliginosum* (Vacciniaceae), *Betula nana* (Betulaceae) (Razowski,2001).
- 6579. *Acleris fuscotogata* (Walsingham,1900)** (Tortricidae) Synonym(s): *fuscotogata* Walsingham,1900; *pretiosana* Kennel,1901
- 6580. *Acleris hastiana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *hastiana* Linnaeus,1758; *coronana* Thunberg,1784; *borana* Fabricius,1787; *liberana* Fabricius,1787; *byringerana* Hübner,1793; *blomiana* Thunberg,1797; *stickmanniana* Thunberg,1797; *radiana* Hübner,[1799]; *albistriana* Haworth,1811; *eximiana* Haworth,1811; *aquilana* Hübner,[1813]; *divisana* Hübner,[1813]; *combustana* Hübner,[1813]; *autumnana* Hübner,[1817]; *bollingerana* Hübner,[1825]; *veterana*

- Hübner*,[1825]; *leprosana* Frölich,1828; *mayrana* Geyer,[1833]; *ramostriana* Stephens,1834; *centrovittana* Stephens,1834; *subcristana* Stephens,1834; *obsoletana* Stephens,1834; *leacheana* Curtis,1835; *leucophaeana* Humpreys & Westwood,1845; *basilineana* Peyerimhoff,1863. Larval foodplant(s): *Salix*, *Populus* (Salicaceae), *Rhamnus frangula* (Rhamnaceae) (Razowski,2001).
- 6581. *Acleris hippophaeana* (Heyden,1865)** (Tortricidae) Synonym(s): *hippophaeana* Heyden,1865 Larval foodplant(s): *Hippophae rhamnoides* (Eleagnaceae) (Heyden,1865).
- 6582. *Acleris hispidana* (Christoph,1881)** (Tortricidae) Synonym(s): *hispidana* Christoph,1881
- 6583. *Acleris hyemana* (Haworth,1811)** (Tortricidae) Synonym(s): *hyemana* Haworth,1811; *mixtana* Hübner,[1813]; *provinciana* Peyerimhoff,1872. Larval foodplant(s): *Calluna vulgaris*, *Erica* (Ericaceae) (Razowski,2001).
- 6584. *Acleris implexana* (Walker,1863)** (Tortricidae) Synonym(s): *implexana* Walker,1863
- 6585. *Acleris indignana* (Christoph,1881)** (Tortricidae) Synonym(s): *indignana* Christoph,1881
- 6586. *Acleris issikii* Oku,1956** (Tortricidae) Synonym(s): *issikii* Oku,1956
- 6587. *Acleris kochiella* (Goeze,1783)** (Tortricidae) Synonym(s): *kochiella* Goeze,1783; *ternatella* Fourcroy,1785; *boscana* Fabricius,1794; *cerusana* Hübner,[1799]; *ulmana* Duponchel,1836; *parisiana* Guenée,1845. Larval foodplant(s): *Ulmus campestris* (Ulmaceae) (Razowski,2001).
- 6588. *Acleris lacordairana* (Duponchel,1836)** (Tortricidae) Synonym(s): *lacordairana* Duponchel,1836; *obtusana* Eversmann,1844; *dissonana* Herrich-Schäffer,1851; *roxana* Razowski & Yasuda,1964. Larval foodplant(s): *Ulmus* (Ulmaceae), *Salix* (Salicaceae) (Razowski,2001).
- 6589. *Acleris laterana* (Fabricius,1794)** (Tortricidae) Synonym(s): *laterana* Fabricius,1794; *abildgaardana* Fabricius,1794; *latifasciana* Haworth,1811; *comparana* Hübner,[1825]; *labeculana* Freyer,1833; *costimaculana* Stephens,1834; *dormoyana* Duponchel,1835; *erebana* Guenée,1845; *perplexana* Barrett,1881. Symphytum officinale (Boraginaceae), *Vaccinium myrtillus* (Vacciniaceae), *Spiraea*, *Sorbus*, *Crataegus*, *Rubus*, *Prunus*, *Rosa* (Rosaceae), *Populus*, *Salix* (Salicaceae) (Razowski,2001).
- 6590. *Acleris lipsiana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *lipsiana* [Denis & Schiffermüller],1775; *sudoriana* Hübner,[1823]. Larval foodplant(s): *Vaccinium myrtillus*, *V. vitis-idea* (Vacciniaceae), *Malus sylvestris*, *Pyrus* (Rosaceae), *Betula* (Betulaceae) (Razowski,2001).
- 6591. *Acleris literana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *literana* Linnaeus,1758; *squamana* Fabricius,1775; *aspersana* [Denis & Schiffermüller],1775; *romanana* Fabricius,1787; *squamulana* Hübner,1793; *irrorana* Hübner,[1799]; *tricolorana* Haworth,1811; *abjectana* Hübner,[1825]; *aerugana* Hübner,[1825]; *fulvomixtana* Stephens,1834; *suavana* Herrich-Schäffer,1851. Larval foodplant(s): *Quercus robur*, *Q. pedunculata* (Fagaceae), *Betula* (Betulaceae), *Acer* (Aceraceae) (Razowski,2001).
- 6592. *Acleris logiana* (Clerck,1759)** (Tortricidae) Synonym(s): *logiana* Clerck,1759; *treueriana* Denis & Schiffermüller,1775; *niveana* Fabricius,1787; *mulzeriana* Hübner,[1825]; *scotana* Stephens,1852; *placidana* Robinson,1869; *tresignana* Robinson,1869. Larval foodplant(s): *Betula* (Betulaceae) (Razowski,2001).
- 6593. *Acleris longipalpana* (Snellen,1883)** (Tortricidae) Synonym(s): *longipalpana* Snellen,1883; *electrina* Razowski & Yasuda,1964
- 6594. *Acleris lorquiniana* (Duponchel,1835)** (Tortricidae) Synonym(s): *lorquiniana* Duponchel,1835; *uliginosana* Humpreys & Westwood,1845; *atrosignana* Herrich-Schäffer,1851. Larval foodplant(s): *Lythrum salicaria* (Lythraceae) (Razowski,2001).
- 6595. *Acleris maccana* (Treitschke,1835)** (Tortricidae) Synonym(s): *maccana* Treitschke,1835; *marmorana* Curtis,1835; *leporinana* Zetterstedt,1839; *torquana* Zetterstedt,1839; *basalticola* Staudinger,1857; *fishiana* Fernald,1902 Larval foodplant(s): *Vaccinium*

- myrtillus, V. uliginosum (Vacciniaceae), Ledum palustre (Ericaceae), Myrica gale (Myricaceae) (Razowski,2001).
- 6596. *Acleris napaea* (Meyrick,1912)** (Tortricidae) Synonym(s): *napaea* Meyrick,1912; *sheljuzhkoii* Obraztsov,1943; *heringi* Razowski,1958 Larval foodplant(s): *Salix* (Razowski,1963); ? *Populus nigra*, ? *Populus euphratica* (Razowski,1984).
- 6597. *Acleris nigrilineana* (Kawabe,1963)** (Tortricidae) Synonym(s): *nigrilineana* Kawabe,1963; *vikeniana* Opheim,1968 Larval foodplant(s): *Abies*, *Picea*, *Abies sachaliensis* (Pinaceae) (Razowski,2001).
- 6598. *Acleris nigriradix* (Filipjev,1931)** (Tortricidae) Synonym(s): *nigriradix* Filipjev,1931
- 6599. *Acleris notana* (Donovan,1806)** (Tortricidae) Synonym(s): *tripunctana* Hübner,1799 nec [Denis & Schiff.],1775; *notana* Donovan,1806. Larval foodplant(s): *Betula*, *Alnus* (Betulaceae), *Fagus* (Fagaceae), *Populus* (Salicaceae), *Rubus*, *Pyrus* (Rosaceae) (Razowski,2001).
- 6600. *Acleris obtusana* (Eversmann,1844)** (Tortricidae) Synonym(s): *obtusana* Eversmann,1844
- 6601. *Acleris paradiseana* (Walsingham,1900)** (Tortricidae) Synonym(s): *paradiseana* Walsingham,1900
- 6602. *Acleris perfundana* Kuznetsov,1962** (Tortricidae) Synonym(s): *perfundana* Kuznetsov,1962; *nigropunctana* Kuznetsov,1962
- 6603. *Acleris permutana* (Duponchel,1836)** (Tortricidae) Synonym(s): *permutana* Duponchel,1836; *permutatana* Herrich-Schäffer,1851. Larval foodplant(s): *Rosa spinosissima*, *Prunus spinosa* (Rosaceae) (Razowski,2001).
- 6604. *Acleris platynotana* (Walsingham,1900)** (Tortricidae) Synonym(s): *platynotana* Walsingham,1900; *ocydroma* Meyrick,1935
- 6605. *Acleris pulchella* Kawabe,1963** (Tortricidae) Synonym(s): *pulchella* Kawabe,1963
- 6606. *Acleris pulchella mundana* Kuznetsov,1979** (Tortricidae) Synonym(s): *mundana* Kuznetsov,1979
- 6607. *Acleris quercinana* (Zeller,1849)** (Tortricidae) Synonym(s): *quercinana* Zeller,1849; ? *mucidana* Peyerimhoff,1874 Larval foodplant(s): *Quercus* (Fagaceae), *Pyrus* (Rosaceae) (Zeller,1849; Razowski,2001).
- 6608. *Acleris rhombana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *rhombana* [Denis & Schiffermüller],1775; *reticulata* Ström,1783; *centrana* Fabricius,1794; *contaminana* Hübner,[1799]; *ciliana* Hübner,[1799]; *obscurana* Donovan,1806 nec Schr.,1802; *dimidiana* Frölich,1828. Larval foodplant(s): *Quercus* (Fagaceae), *Corylus avellana* (Corylaceae), *Crataegus*, *Prunus*, *Pyrus*, *Rosa*, *Sorbus aucuparia* (Rosaceae) (Razowski,2001).
- 6609. *Acleris roscidana* (Hübner,[1799])** (Tortricidae) Synonym(s): *roscidana* Hübner,[1799]; *nebulana* Hübner,[1799] Larval foodplant(s): *Populus tremula* (Salicaceae) (Razowski,2001).
- 6610. *Acleris rufana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *rufana* [Denis & Schiffermüller],1775; *apiciana* Hübner,1793; *bistriana* Haworth,1811; *bistriana* Haworth,1811; *similana* Curtis,1824; *lucidana* Treitschke,1830; *densana* Freyer,1833; *albicostana* Stephens,1834; *crassana* Duponchel,1843; *rubellana* Müller-Rutz,1920 Larval foodplant(s): *Myrica gale* (Myricaceae), *Populus alba*, *P.canescens*, *Salix caprea* (Salicaceae), *Rubus idaeus*, *R.fruticosus*, *Filipendula ulmaria* (Rosaceae), *Viburnum* (Caprifoliaceae) (Razowski,2001).
- 6611. *Acleris salicicola* Kuznetsov,1970** (Tortricidae) Synonym(s): *salicicola* Kuznetsov,1970
- 6612. *Acleris scabrana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *scabrana* [Denis & Schiffermüller],1775; *elevana* Fabricius,1787; *psorana* Frölich,1828. Larval foodplant(s): *Salix*, *Populus* (Salicaceae) (Razowski,2001).

- 6613. *Acleris schalleriana* (Linnaeus,1761)** (Tortricidae) **Synonym(s):** *schalleriana* Linnaeus,1761; *hirundana* Thunberg,1791; *tristana* Hübner,[1799]; *castaneana* Haworth,1811; *plumbosana* Haworth,1811; *falsana* Hübner,[1825]; *germarana* Frölich,1828; *trigonana* Stephens,1834; *semirhombana* Curtis,1835; *violaceana* Guenée,1845; *erutana* Herrich-Schäffer,1851. **Larval foodplant(s):** *Viburnum lantana*, *V. opulus* (Caprifoliaceae), *Azalea* (Razowski,2001).
- 6614. *Acleris shepherdana* (Stephens,1852)** (Tortricidae) **Synonym(s):** *shepherdana* Stephens,1852 **Larval foodplant(s):** *Spirea ulmaria*, *Sanguisorba officinalis*, *Ulmaria*, *Alchemilla* (Rosaceae) (Razowski,2001).
- 6615. *Acleris similis* (Filipjev,1931)** (Tortricidae) **Synonym(s):** *similis* Filipjev,1931
- 6616. *Acleris sparsana* ([Denis & Schiffermüller],1775)** (Tortricidae) **Synonym(s):** *sparsana* [Denis & Schiffermüller],1775; *sponsana* Fabricius,1787; *halliana* Thunberg,1791; *roborana* Fabricius,1794; *favillaceana* Hübner,[1799]; *reticulana* Haworth,1811; *fagana* Curtis,1835; *longepartitana* Bruand,1850; *malivorana* Ragonot,1875; *pyrivorana* Ragonot,1875. **Larval foodplant(s):** *Acer campestre* (Aceraceae), *Fagus sylvatica*, *Quercus* (Fagaceae), *Carpinus betulus*, *Betula* (Betulaceae), *Salix* (Salicaceae), *Vaccinium uliginosum* (Vacciniaceae), *Sorbus* (Rosaceae) (Razowski,2001).
- 6617. *Acleris strigifera* (Filipjev,1931)** (Tortricidae) **Synonym(s):** *strigifera* Filipjev,1931
- 6618. *Acleris submaccana* (Filipjev,1962)** (Tortricidae) **Synonym(s):** *submaccana* Filipjev,1962; *simplex* Razowski & Yasuda,1964
- 6619. *Acleris ulmicola* (Meyrick,1930)** (Tortricidae) **Synonym(s):** *ulmicola* Meyrick,1930
- 6620. *Acleris umbrana* (Hübner,[1799])** (Tortricidae) **Synonym(s):** *umbrana* Hübner,[1799] **Larval foodplant(s):** *Alnus glutinosa* (Betulaceae), *Salix caprea* (Salicaceae), *Sorbus aucuparia*, *Prunus spinosa*, *Padus avium*, *Crataegus* (Rosaceae), *Cornus sanguinea* (Cornaceae), *Carpinus* (Corylaceae) (Razowski,2001).
- 6621. *Acleris undulana* (Walsingham,1900)** (Tortricidae) **Synonym(s):** *undulana* Walsingham,1900; *coprana* Walsingham,1900; *aphorista* Meyrick,1923; *subcoprana* Obraztsov,1956
- 6622. *Acleris uniformis* (Filipjev,1931)** (Tortricidae) **Synonym(s):** *uniformis* Filipjev,1931
- 6623. *Acleris variegana* ([Denis & Schiffermüller],1775)** (Tortricidae) **Synonym(s):** *variegana* [Denis & Schiffermüller],1775; *asperana* Fabricius,1777; *osbeckiana* Thunberg,1784; *nyctemerana* Hübner,[1817]; *blandiana* Charpentier,1821; *blandana* Hübner,[1825]; *cirrana* Curtis,1835; *albana* Humpreys & Westwood,1845; *insignana* Herrich-Schäffer, 1851. **Larval foodplant(s):** *Crataegus*, *Malus*, *Pyrus communis*, *Prunus spinosa*, *P. avium*, *Rosa*, *Poterium*, *Cotoneaster*, *Potentilla fruticosa*, *Sanguisorba*, *Amygdalus* (Rosaceae), *Corylus* (Corylaceae), *Ulmus* (Ulmaceae), *Vaccinium myrtillus* (Vacciniaceae), *Colutea* (Fabaceae) (Razowski,2001).
- 6624. *Adoxophyes orana* (Fischer v. Röslerstamm,1834)** (Tortricidae) **Synonym(s):** *reticulana* Hübner,[1819] (*praeocc.*); *orana* Fischer v. Röslerstamm,1834; *tripsiana* Eversmann,1844; *fasciata* Walsingham,1900; *minor* Shiraki,1913; *sutschana* Caradja,1926; *beijingensis* Zhou, Qiu & Fu,1997
- 6625. *Aethes amurensis* Razowski,1964** (Tortricidae) **Synonym(s):** *amurensis* Razowski,1964
- 6626. *Aethes bilbaensis* (Rössler,1877)** (Tortricidae) **Synonym(s):** *bilbaensis* Rössler,1877; *loxopteroides* Walsingham,1903; *mediterranea* Rebel,1906; *reclusa* Meyrick,1923. **Larval foodplant(s):** *Crithmum maritimum*, *Carum verticillatum* (Apiaceae) (Swatschek,1958; Razowski,2001).
- 6627. *Aethes caucasica* (Amsel,1959)** (Tortricidae) **Synonym(s):** *caucasica* Amsel,1959; *elsana* Razowski,1961; *#caucasia* Brown,2005.
- 6628. *Aethes citreoflava* Kuznetsov,1966** (Tortricidae) **Synonym(s):** *citreoflava* Kuznetsov,1966

- 6629. *Aethes cnicana* (Westwood,1854)** (Tortricidae) **Synonym(s):** *cnicana* Westwood,1854; *arcticana* Brandt,1937 **Larval foodplant(s):** *Carduus*, *Cirsium oleraceum*, *C. vulgare* (Asteraceae) (Razowski,2001).
- 6630. *Aethes decens* Razowski,1970** (Tortricidae) **Synonym(s):** *decens* Razowski,1970
- 6631. *Aethes decimana* ([Denis & Schiffermüller],1775)** (Tortricidae) **Synonym(s):** *decimana* [Denis & Schiffermüller],1775 **Larval foodplant(s):** *Centaurea montana* (Asteraceae) (Razowski,2001).
- 6632. *Aethes deutschiana* (Zetterstedt,1839)** (Tortricidae) **Synonym(s):** *deutschiana* Zetterstedt,1839; *lutulentana* Herrich-Schäffer,1856; *chalcana* Packard,1866. **Larval foodplant(s):** *Bartsia* (Scrophulariaceae) (Razowski,2001).
- 6633. *Aethes dilucidana* (Stephens,1852)** (Tortricidae) **Synonym(s):** *dilucidana* Stephens,1852 **Larval foodplant(s):** *Peucedanum sativum*, *Pastinaca sativa*, *Heracleum sphondylium* (Apiaceae) (Kennel,1913).
- 6634. *Aethes eryngiella* (Vallot,1829)** (Tortricidae) **Synonym(s):** *eryngiella* Vallot,1829; *flagellana* Duponchel,1836; *helveticana* Heyden,1865; *eryngiana* Heyden,1865; *sardoa* Amsel,1952. **Larval foodplant(s):** *Eryngium campestre* (Apiaceae) (Vallot,1829).
- 6635. *Aethes francillana* (Fabricius,1794)** (Tortricidae) **Synonym(s):** *francillana* Fabricius,1794; *francillonana* Humprey & Westwood,1845; *ferulae* Müller-Rutz,1920. **Larval foodplant(s):** *Eryngium campestre*, *Daucus*, *Pastinaca*, *Peucedanum*, *Angelica sylvestris*, *Plaeoselinum meoides*, *Crithmum maritimum*, *Astydamia canariensis*, *Ferula communis* (Apiaceae) (Razowski,2001).
- 6636. *Aethes hartmanniana* (Clerck,1759)** (Tortricidae) **Synonym(s):** *lyonetella* Linnaeus,1758; *#hartmanniana* Clerck,1759; *wiedemannella* Müller,1764; *baumanniana* [Denis & Schiffermüller],1775; *allioniana* De Villers,1789; *avellana* Hübner,1822; *subbaumanniana* Wilkinson,1859; *murciana* Caradja,1916; *excelsior* Schawerda,1920. **Larval foodplant(s):** *Scabiosa ochroleuca*, *Knautia*, *Succisa* (Dipsacaceae) (Swatschek,1958).
- 6637. *Aethes kindermanniana* (Treitschke,1830)** (Tortricidae) **Synonym(s):** *kindermanniana* Treitschke,1830 **Larval foodplant(s):** *Artemisia campestris*, *Chrysanthemum*, *Tanacetum corymbosum* (Asteraceae) (Razowski,2001).
- 6638. *Aethes margaritana* (Haworth,[1811])** (Tortricidae) **Synonym(s):** *margaritana* Haworth,[1811]; *dipoltella* Hübner,[1813]. **Larval foodplant(s):** *Tanacetum*, *Matricaria*, *Chamomilla*, *Achillea* (Asteraceae) (Swatschek,1958).
- 6639. *Aethes margaritifera* Falkovitsh,1963** (Tortricidae) **Synonym(s):** *margaritifera* Falkovitsh,1963
- 6640. *Aethes mesomelana* (Walker,1863)** (Tortricidae) **Synonym(s):** *mesomelana* Walker,1863
- 6641. *Aethes moribundana* (Staudinger,1859)** (Tortricidae) **Synonym(s):** *moribundana* Staudinger,1859; *respirantana* Staudinger,1879; *dispersana* Kennel,1899; *dilutana* Kennel,1899; *helvolana* Kennel,1900; *lanceolata* Filipjev,1924.
- 6642. *Aethes nefandana* (Kennel,1899)** (Tortricidae) **Synonym(s):** *nefandana* Kennel,1899; *diacrisiana* Rebel,1903; *chersonana* Obratsov,1937. **Larval foodplant(s):** *Eryngium* ? (Apiaceae) (Razowski,2001).
- 6643. *Aethes rectilineana* (Caradja,1939)** (Tortricidae) **Synonym(s):** *rectilineana* Caradja,1939; *bradleyi* Razowski,1962.
- 6644. *Aethes rubigana* (Treitschke,1830)** (Tortricidae) **Synonym(s):** *rubigana* Treitschke,1830; *arcticana* Brandt,1937. **Larval foodplant(s):** *Arctium lappa*, *Cirsium oleraceum* (Asteraceae) (Swatschek,1958).
- 6645. *Aethes rutilana* (Hübner,[1817])** (Tortricidae) **Synonym(s):** *rutilana* Hübner,[1817]; *purpurella* Coq,1801 [nomen oblitum!]; *roridana* Mann,1867. **Larval foodplant(s):** *Juniperus communis* (Cupressaceae) (Swatschek,1958).
- 6646. *Aethes sanguinana* (Treitschke,1830)** (Tortricidae) **Synonym(s):** *sanguinana* Treitschke,1830; *#sanguinea* Humpreys & Westwood,1845; *#sanguinella* Bradley, Tremewan

- & Smith,1973 Larval foodplant(s): *Eryngium campestre* (Apiaceae) (Swatschek,1958).
- 6647. *Aethes scalana* (Zerny,1927)** (Tortricidae) Synonym(s): *scalana* Zerny,1927; *pacata* Falkovitsh,1963
- 6648. *Aethes smeathmanniana* (Fabricius,1781)** (Tortricidae) Synonym(s): *smeathmanniana* Fabricius,1781; *fabriciana* Hübner,[1799]; *biviana* Duponchel,1842; *stachydana* Herrich-Schäffer,1851; *scissana* Walker,1863. Larval foodplant(s): *Achillea millefolium*, *Anthemis cotula*, *Centaurea nigra* (Asteraceae), *Lactuca sativa* (Cichoriaceae) (Swatschek,1958).
- 6649. *Aethes tesserana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *tesserana* [Denis & Schiffermüller],1775; *aleella* Sulzer,1776; *heiserana* Fabricius,1787; *groendaliana* Thunberg,1791. Larval foodplant(s): *Crepis*, *Picris hieracioides*, *Hieracium*, *Conyza* (Asteraceae) (Swatschek,1958).
- 6650. *Aethes tornella* (Walsingham,1898)** (Tortricidae) Synonym(s): *tornella* Walsingham,1898
- 6651. *Aethes triangulana* (Treitschke,1835)** (Tortricidae) Synonym(s): *triangulana* Treitschke,1835; *kuhlweiniana* Fischer v. Rösslerstamm,[1836]; *tergana* Eversmann,1844. Larval foodplant(s): *Veronica longifolia* (Lamiaceae) (Razowski,1970).
- 6652. *Aethes williana* (Brahm,1791)** (Tortricidae) Synonym(s): *williana* Brahm,1791; *cembrana* Hübner,[1825]; *zephyrana* Treitschke,1830; *dubrisana* Curtis,1834; *marmoratana* Curtis,1834; *luteolana* Stephens,1834; *virginana* Guenée,1845; *loriculana* Guenée,1849; *costignata* Filipjev,1926. larvae are pest on *Daucus carota* (Apiaceae); other foodplants: *Helichrysum arenarium*, *H.stoechas*, *Gnaphalium* (Asteraceae), *Eryngium campestre*, *E. maritimum*, *Ferula communis* (Apiaceae) (Razowski,2001).
- 6653. *Agapeta hamana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *hamana* Linnaeus,1758; *trigonana* [Denis & Schiffermüller],1775; *citrinella* Fourcroy,1785; *cruciana* Fabricius,1787; *diversana* Hübner,1793 Larval foodplant(s): *Ononis repens*, *Trifolium* (Fabaceae), *Cirsium arvense* (Asteraceae), (Razowski,1970,2001).
- 6654. *Agapeta zoegana* (Linnaeus,1767)** (Tortricidae) Synonym(s): *zoegana* Linnaeus,1767; *cincta* Fourcroy,1785; *flavella* Villers,1789; *ferrugana* Haworth,[1811] nec [Denis & Schiff.],1775; *#zaegana* Staudinger,1879 Larval foodplant(s): *Scabiosa columbaria* (Dipsacaceae), *Centaurea panniculata*, *C. nigra*, *C. jacea*, *Jurinea linearifolia* (Asteraceae) (Razowski,2001).
- 6655. *Aleimma loeflingianum* (Linnaeus,1758)** (Tortricidae) Synonym(s): *loeflingiana* Linnaeus,1758; *mixtana* Fabricius,1794; *plumbana* Hübner,[1799]; *ectypana* Hübner,[1800]; *plumbeolana* Haworth,1811 Larval foodplant(s): *Quercus petraea*, *Q. pubescens* (Fagaceae).
- 6656. *Amphicoecia adamana* (Kennel,1919)** (Tortricidae) Synonym(s): *adamana* Kennel,1919
- 6657. *Ancylis achatana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *achatana* [Denis & Schiffermüller],1775; *inarmorana* Hübner,[1799]; *steveni* Portchinskij,1888
- 6658. *Ancylis apicella* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *apicella* [Denis & Schiffermüller],1775; *leeana* Fabricius,1777; *plumbana* Fabricius,1787; *siculana* Hübner,[1799]; *alpina* Weber,1936
- 6659. *Ancylis badiana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *badiana* [Denis & Schiffermüller],1775; *lundana* Fabricius,1777.
- 6660. *Ancylis comptana* (Frölich,1828)** (Tortricidae) Synonym(s): *comptana* Frölich,1828; *conflexana* Walker,1863; *pulchellana* Clemens,1864; *lamiana* Clemens,1864; *fragariae* Walsh & Riley,1869; *floridana* Zeller,1875; *amblygona* Zeller,1875; *cometana* Walsingham,1879; *sculpta* Meyrick,1922
- 6661. *Ancylis diminutana* (Haworth,[1811])** (Tortricidae) Synonym(s): *diminutana* Haworth,[1811]
- 6662. *Ancylis geminana* (Donovan,1806)** (Tortricidae) Synonym(s): *geminana* Donovan,1806; *cuspidana* Treitschke,1830; *biarcuana* Stephens,1834; *crenana* Duponchel,1835;

- subarcuana* Douglas,1847; *fluctigerana* Herrich-Schäffer,[1851]; *inornatana* Herrich-Schäffer,[1851]; *diminuatana* Kearfott,1905
- 6663. Ancyliis kenneli Kuznetsov,1962** (Tortricidae) Synonym(s): *kenneli* Kuznetsov,1962
- 6664. Ancyliis laetana (Fabricius,1775)** (Tortricidae) Synonym(s): *laetana* Fabricius,1775; *#lactana* Fabricius,1781; *harpana* Hübner,[1799].
- 6665. Ancyliis loktini Kuznetsov,1969** (Tortricidae) Synonym(s): *loktini* Kuznetsov,1969
- 6666. Ancyliis minimana (Caradja,1916)** (Tortricidae) Synonym(s): *minimana* Caradja,1916; *#minima* Popescu-Gorj,1992
- 6667. Ancyliis mitterbacheriana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *mitterbacheriana* [Denis & Schiffermüller],1775; *subuncana* Haworth,1811
- 6668. Ancyliis myrtilana (Treitschke,1830)** (Tortricidae) Synonym(s): *myrtilana* Treitschke,1830; *bidentana* Strand,1901
- 6669. Ancyliis nemorana Kuznetsov,1969** (Tortricidae) Synonym(s): *nemorana* Kuznetsov,1969
- 6670. Ancyliis obtusana (Haworth,[1811])** (Tortricidae) Synonym(s): *obtusana* Haworth,[1811]; *consobrinana* Curtis,1831; *distortana* Guenée,1845; *segmentana* Herrich-Schäffer,1851
- 6671. Ancyliis paludana (Barrett,1871)** (Tortricidae) Synonym(s): *paludana* Barrett,1871; *rhusana* Fuchs,1903.
- 6672. Ancyliis partitana (Christoph,1882)** (Tortricidae) Synonym(s): *partitana* Christoph,1882
- 6673. Ancyliis repandana Kennel,1901** (Tortricidae) Synonym(s): *repandana* Kennel,1901
- 6674. Ancyliis selenana (Guenée,1845)** (Tortricidae) Synonym(s): *selenana* Guenée,1845; *curvana* Zeller,1849
- 6675. Ancyliis subacurana (Douglas,1847)** (Tortricidae) Synonym(s): *subacurana* Douglas,1847
- 6676. Ancyliis tineana (Hübner,[1799])** (Tortricidae) Synonym(s): *tineana* Hübner,[1799]
- 6677. Ancyliis transientana Filipjev,1926** (Tortricidae) Synonym(s): *transientana* Filipjev,1926
- 6678. Ancyliis uncella ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *uncella* [Denis & Schiffermüller],1775; *uncana* Hübner,[1799]; *subuncana* Krulikowsky,1907
- 6679. Ancyliis unculana (Haworth,[1811])** (Tortricidae) Synonym(s): *unculana* Haworth,[1811]; *derasana* Hübner,[1813].
- 6680. Ancyliis unguicella (Linnaeus,1758)** (Tortricidae) Synonym(s): *unguicella* Linnaeus,1758; *unguicana* Fabricius,1775; *falcana* Hübner,[1799]; *vappana* Hübner,[1817]; *plagosana* Clemens,1864; *cuenkana* Caradja,1916; *#albida* Orstadius,1932; *#unicolor* Orstadius,1932
- 6681. Ancyliis upupana (Treitschke,1835)** (Tortricidae) Synonym(s): *upupana* Treitschke,1835; *castaneana* Peyerimhoff,1863
- 6682. Aphelia (Anaphelia) aglossana (Kennel,1899)** (Tortricidae) Synonym(s): *aglossana* Kennel,1899; *accuratana* Kennel,1901; *continentana* Rebel,1916; *iliensis* Rebel,1916; *scutellana* Obraztsov,1943.
- 6683. Aphelia (Zelothereses) aglossana (Kennel,1899)** (Tortricidae) Synonym(s): *aglossana* Kennel,1899; *accuratana* Kennel,1901; *continentana* Rebel,1916; *iliensis* Rebel,1916; *scutellana* Obraztsov,1943
- 6684. Aphelia (Zelothereses) albociliana (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *albociliana* Herrich-Schäffer,1851
- 6685. Aphelia (Zelothereses) caucasica Kostyuk,1975** (Tortricidae) Synonym(s): *caucasica* Kostyuk,1975
- 6686. Aphelia (Zelothereses) disjuncta (Filipjev,1924)** (Tortricidae) Synonym(s): *disjuncta* Filipjev,1924
- 6687. Aphelia (Zelothereses) euxina (Djakonov,1929)** (Tortricidae) Synonym(s): *euxina* Djakonov,1929; *regisborissi* Drenowski,1931

- 6688. *Aphelia (Zelotherses) imperfectana* (Lederer,1858)** (Tortricidae)
Synonym(s): *imperfectana* Lederer,1858; *ineffecta* Obraztsov,1968.
- 6689. *Aphelia (Zelotherses) paleana* (Hübner,1793)** (Tortricidae)
Synonym(s): *paleana* Hübner,1793; *flavana* Hübner,[1799] nec Hübner,[1799]; *icterana* Fröhlich,1828; *intermediana* Herrich-Schäffer,1856 nec Heyd.,1851; *raebeli* Toll,1951 Larval foodplant(s):
Anemone, *Ranunculus* (Ranunculaceae), *Scabiosa* (Dipsacaceae), *Filipendula* (Rosaceae), *Carduus*, *Centaurea*, *Cirsium* (Asteraceae), *Plantago* (Plantaginaceae), *Vaccinium* (Vacciniaceae), *Phleum* (Poaceae), *Quercus* (Fagaceae) (Razowski,2001).
- 6690. *Aphelia (Zelotherses) stigmatana* (Eversmann,1844)** (Tortricidae)
Synonym(s): *stigmatana* Eversmann,1844
- 6691. *Aphelia (Zelotherses) tschetverikovi* Danilevsky,1963** (Tortricidae)
Synonym(s): *tschetverikovi* Danilevsky,1963
- 6692. *Aphelia (Zelotherses) unitana* (Hübner,[1799])** (Tortricidae)
Synonym(s): *unitana* Hübner,[1799]; *fumatana* Toll,1951; *pseudoviburniana* Toll,1951; *carpathica* Toll,1951; *fischeri* Toll,1951 Larval foodplant(s): *Angelica* (Apiaceae), *Allium* (Liliaceae) (Bradley,1973).
- 6693. *Aphelia* (s.str.) *viburniana* (Fabricius,1787)** (Tortricidae) Synonym(s):
#viburnana [Denis & Schiffermüller],1775; *viburniana* Fabricius,1787 Larval foodplant(s):
Vaccinium, *Ledum* (Ericaceae), *Larix*, *Picea*, *Pinus* (Pinaceae), *Salix* (Salicaceae), *Myrica* (Myricaceae), *Sanguisorba* (Rosaceae), *Coronilla* (Fabaceae), *Viburnum* (Caprifoliaceae), *Alisma* (Alismataceae), *Artemisia* (Asteraceae) (Razowski,2001).
- 6694. *Aphelia inumbratana* (Christoph,1881)** (Tortricidae) Synonym(s):
inumbratana Christoph,1881
- 6695. *Apotomis betuletana* (Haworth,1811)** (Tortricidae) Synonym(s): *betuletana* Haworth,1811; *leucomelana* Guenée,1845 Larval foodplant(s): *Betula* (Haworth,1811).
- 6696. *Apotomis capreana* (Hübner,[1817])** (Tortricidae) Synonym(s): *capreana* Hübner,[1817]; *sapporensis* Matsumura,1931 Larval foodplant(s): *Salix caprea*, *Populus* (Salicaceae) (Razowski,1983).
- 6697. *Apotomis demissana* (Kennel,1900)** (Tortricidae) Synonym(s): *demissana* Kennel,1900
- 6698. *Apotomis fraterculana* Krogerus,1946** (Tortricidae) Synonym(s):
fraterculana Krogerus,1946
- 6699. *Apotomis frigidana* (Packard,1867)** (Tortricidae) Synonym(s): *frigidana* Packard,1867; *moeschleri* Kennel,1901
- 6700. *Apotomis infida* (Heinrich,1926)** (Tortricidae) Synonym(s): *infida* Heinrich,1926 Larval foodplant(s): *Salix* (Salicaceae) (Razowski,1983).
- 6701. *Apotomis inundana* ([Denis & Schiffermüller],1775)** (Tortricidae)
Synonym(s): *inundana* [Denis & Schiffermüller],1775 Larval foodplant(s): *Populus tremula* (Hannemann,1961).
- 6702. *Apotomis kazarmana* Falkovitsh,1966** (Tortricidae) Synonym(s):
kazarmana Falkovitsh,1966
- 6703. *Apotomis lemniscatana* (Kennel,1901)** (Tortricidae) Synonym(s):
lemniscatana Kennel,1901
- 6704. *Apotomis lineana* ([Denis & Schiffermüller],1775)** (Tortricidae)
Synonym(s): *hartmanniana* Linnaeus,1761 nec Cl.,1759; *lineana* [Denis & Schiffermüller],1775; *scriptana* Hübner,1799; *treitschkeana* Fröhlich,1828; *mienshani* Caradja,1939 Larval foodplant(s): *Salix alba*, *S. fragilis* (Salicaceae) (Razowski,1983).
- 6705. *Apotomis lutosana* (Kennel,1901)** (Tortricidae) Synonym(s): *lutosana* Kennel,1901
- 6706. *Apotomis monotona* (Kuznetsov,1962)** (Tortricidae) Synonym(s):
monotona Kuznetsov,1962

- 6707. Apotomis sauciana (Frölich,1828)** (Tortricidae) **Synonym(s):** *sauciana* Frölich,1828; *grevillana* Curtis,1835; *boreana* Krogerus,1946 **Larval foodplant(s):** *Vaccinium myrtillus*, *Sorbus aucuparia* (Razowski,1983).
- 6708. Apotomis semifasciana (Haworth,[1811])** (Tortricidae) **Synonym(s):** *semifasciana* Haworth,[1811]; *acutana* Treitschke,1835; *elutana* Duponchel,1836 **Larval foodplant(s):** *Salix* (Salicaceae) (Razowski,1983).
- 6709. Apotomis sororculana (Zetterstedt,1839)** (Tortricidae) **Synonym(s):** *sororculana* Zetterstedt,1839; *praelongana* Guenée,1845
- 6710. Apotomis stagnana Kuznetsov,1962** (Tortricidae) **Synonym(s):** *stagnana* Kuznetsov,1962
- 6711. Apotomis turbidana (Hübner,[1825])** (Tortricidae) **Synonym(s):** *corticana* Hübner,1799 *nec* Denis & Schiff.,1775; *turbidana* Hübner,[1825]; *pictana* Frölich,1828 **Larval foodplant(s):** *Salix*, *Populus* (Salicaceae), *Betula* (Hannemann,1961).
- 6712. Apotomis vaccinii Kuznetsov,1969** (Tortricidae) **Synonym(s):** *vaccinii* Kuznetsov,1969
- 6713. Apotomis vigena Falkovitsh,1966** (Tortricidae) **Synonym(s):** *vigena* Falkovitsh,1966
- 6714. Archips betulanus (Hübner,1787)** (Tortricidae) **Synonym(s):** *betulanus* Hübner,1787; *decretana* Treitschke,1835 **Larval foodplant(s):** *Betula* (Betulaceae), *Corylus* (Corylaceae), *Myrica gale*, *Vaccinium myrtillus* (Vacciniaceae) (Hübner,1787; Razowski,2001).
- 6715. Archips crataeganus (Hübner,[1799])** (Tortricidae) **Synonym(s):** *crataegana* Hübner,[1799]; *roborana* Hübner,[1799] **Larval foodplant(s):** *Ulmus* (Ulmaceae), *Tilia* (Tiliaceae), *Salix* (Salicaceae), *Betula* (Betulaceae), *Crataegus*, *Pyrus*, *Prunus* (Rosaceae), *Populus* (Salicaceae), *Quercus* (Fagaceae) (Razowski,2001).
- 6716. Archips oporanus (Linnaeus,1758)** (Tortricidae) **Synonym(s):** *oporanus* Linnaeus,1758; *piceana* Linnaeus,1758; *hermanniana* [Denis & Schiffermüller],1775; *dissimilana* Bentley,1845; *similis* Butler,1879; *impervia* Meyrick,1929; *bathyglypta* Meyrick,1932 **Larval foodplant(s):** *Pinus sylvestris*, *Abies alba*, *Picea*, *Larix* (Pinaceae), *Juniperus* (Cupressaceae) (Razowski,2001).
- 6717. Archips podanus (Scopoli,1763)** (Tortricidae) **Synonym(s):** *podana* Scopoli,1763; *fulvana* [Denis & Schiffermüller],1775; *pyrastrana* Hübner,[1799]; *congenerana* Hübner,[1824]; *sauberiana* Sorhagen,1882; *vulpeculana* Fuchs,1903; *meridana* Kozlov & Esartia,1991 **Larval foodplant(s):** *Corylus* (Corylaceae), *Fagus* (Fagaceae), *Malus*, *Pyrus*, *Rosa* (Rosaceae), *Ribes* (Grossulariaceae), *Vaccinium* (Vacciniaceae), *Trifolium* (Fabaceae), *Picea* (Pinaceae) (Razowski,2001).
- 6718. Archips pulchra (Butler,1879)** (Tortricidae) **Synonym(s):** *pulchra* Butler,1879; *pulcher* Razowski,1977 **Larval foodplant(s):** *Abies sachalinensis*, *A. homolepis*, *A. firma*, *Picea abies* (Pinaceae), *Taxus cuspidata* (Taxaceae) (Jinbo,2006).
- 6719. Archips rosanus (Linnaeus,1758)** (Tortricidae) **Synonym(s):** *rosana* Linnaeus,1758; *avellana* Linnaeus,1758; *ameriana* Linnaeus,1758; *laevigana* [Denis & Schiffermüller],1775; *oxycanthana* Hübner,[1799]; *acerana* Hübner,[1799]; *nebulana* Stephens,1834 **Larval foodplant(s):** *Malus*, *Pyrus*, *Crataegus* (Rosaceae), *Ligustrum* (Oleaceae) (Razowski,2001).
- 6720. Archips viola Falkovitsh,1965** (Tortricidae) **Synonym(s):** *viola* Falkovitsh,1965; *purpuratus* Kawabe,1965
- 6721. Archips xylosteanus (Linnaeus,1758)** (Tortricidae) **Synonym(s):** *xylosteana* Linnaeus,1758; *obliquana* Fabricius,1781; *westriniana* Thunberg,1784; *densata* Fourcroy,1785; *densana* Villers,1789; *characterana* Hübner,1793; *hybnerana* Fabricius,1794; *pallens* Kennel,1901 **Larval foodplant(s):** *Quercus* (Fagaceae), *Acer* (Aceraceae), *Betula* (Betulaceae), *Lonicera* (Caprifoliaceae), *Pyrus*, *Malus*, *Crataegus* (Rosaceae) (Razowski,2001).
- 6722. Archips xylosteanus xylosteanus (Linnaeus,1758)** (Tortricidae) **Synonym(s):** *xylosteana* Linnaeus,1758; *obliquana* Fabricius,1781; *westriniana* Thunberg,1784;

- densata* Fourcroy,1785; *densana* Villers,1789; *characterana* Hübner,1793; *hybnerana* Fabricius,1794; *pallens* Kennel,1901
- 6723. *Argyrotaenia ljugiana* (Thunberg,1797)** (Tortricidae) Synonym(s): *ljugiana* Thunberg,1797; *sylvana* Hübner,[1799]; *pulchellana* Haworth,1811; *cognatana* Stephens,1852; *fuscociliana* Stephens,1852; *lepidana* Herrich-Schäffer,1854; *micantana* Lucas,1937. Larval foodplant(s): *Myrica* gale (Myricaceae), *Calluna*, *Erica* (Ericaceae), *Vaccinium* (Vacciniaceae), *Betula* (Betulaceae), *Malus*, *Prunus* (Rosaceae), *Abies*, *Picea*, *Larix* (Pinaceae) (Razowski,2001).
- 6724. *Asketria cervinana* (Caradja,1916)** (Tortricidae) Synonym(s): *cervinana* Caradja,1916
- 6725. *Aterpia chalybeia* Falkovitsh,1966** (Tortricidae) Synonym(s): *chalybeia* Falkovitsh,1966
- 6726. *Aterpia circumfluxana* (Christoph,1881)** (Tortricidae) Synonym(s): *circumfluxana* Christoph,1881
- 6727. *Aterpia corticana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *corticana* [Denis & Schiffermüller],1775; *charpenteriana* Hübner,[1823]
- 6728. *Aterpia flavens* Falkovitsh,1966** (Tortricidae) Synonym(s): *flavens* Falkovitsh,1966
- 6729. *Aterpia flavipunctana* (Christoph,1882)** (Tortricidae) Synonym(s): *flavipunctana* Christoph,1882
- 6730. *Aterpia sieversiana* (Nolcken,1870)** (Tortricidae) Synonym(s): *sieversiana* Nolcken,1870
- 6731. *Bactra* (s.str.) *baetrana* (Kennel,1901)** (Tortricidae) Synonym(s): *baetrana* Kennel,1901; *cyperana* Amsel,1951; *mediterranea* Agenjo,1952.
- 6732. *Bactra* (s.str.) *furfurana* (Haworth,[1811])** (Tortricidae) Synonym(s): *furfurana* Haworth,[1811]; *gozmaniana* Toll,1958
- 6733. *Bactra* (s.str.) *lancealana* (Hübner,[1799])** (Tortricidae) Synonym(s): *lancealana* Hübner,[1799]; *#lanceolana* Hübner,[1822]; *egestana* Haworth,1811; *plagana* Haworth,1811; *dibeliana* Hübner,[1819]; *rufana* Stephens,1834; *nigrovittana* Stephens,1852
- 6734. *Bactra* (s.str.) *robustana* (Christoph,1872)** (Tortricidae) Synonym(s): *robustana* Christoph,1872; *griseana* A.M.Djakonov,1929; *grisea* A.M.Djakonov,1929; *scirpicolana* Pierce,1935
- 6735. *Barbara herrichiana* Obratzov,1960** (Tortricidae) Synonym(s): *herrichiana* Obratzov,1960
- 6736. *Capricornia boisduvaliana* (Duponchel,1836)** (Tortricidae) Synonym(s): *boisduvaliana* Duponchel,1836
- 6737. *Capua vulgana* (Frölich,1828)** (Tortricidae) Synonym(s): *rusticana* Hübner,[1799] *nec* Hbn.,[1799]; *favillaceana* Hübner,[1817] *nec* Hbn.,[1799]; *vulgana* Frölich,1828; *ochraceana* Stephens,1834; *terreana* Treitschke,1835; *porcana* Zetterstedt,1839; *stramineana* Zetterstedt,1839 Larval foodplant(s): *Vaccinium* (Vacciniaceae), *Quercus* (Fagaceae), *Ulmus* (Ulmaceae), *Betula*, *Alnus* (Betulaceae), *Sorbus*, *Rubus* (Rosaceae) (Razowski,2001).
- 6738. *Celypha anatoliana* (Caradja,1916)** (Tortricidae) Synonym(s): *anatoliana* Caradja,1916
- 6739. *Celypha aurofasciana* (Haworth,[1811])** (Tortricidae) Synonym(s): *aurofasciana* Haworth,[1811]; *venustana* Frölich,1828; *dormoyana* Duponchel,1835; *grapholitana* Guenée,1845; *implicana* Offmann,1850; *paleana* Caradja,1916 Larval foodplant(s): *Quercus* (Fagaceae); *Malus*, *Prunus* (Rosaceae); *Betula* (Betulaceae) (Razowski,1983).
- 6740. *Celypha capreolana* (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *capreolana* Herrich-Schäffer,1851 Larval foodplant(s): *Hieracium* (Razowski,1983).
- 6741. *Celypha cespitana* (Hübner,[1817])** (Tortricidae) Synonym(s): ? *umbriana* Scopoli,1763; *cespitana* Hübner,[1817]; *gramineana* Curtis,1831; *poana* Zeller,1875 Larval foodplant(s): *Calluna* (Ericaceae); *Thymus* (Lamiaceae); *Trifolium* (Fabaceae), *Fragaria*, *Sarothamnus*, *Rosa* (Rosaceae), *Limonium*, *Armeria* (Razowski,1983; 2003).

- 6742. *Celypha flavipalpana* (Herrich-Schäffer,[1851])** (Tortricidae)
Synonym(s): *flavipalpana* Herrich-Schäffer,[1851]; *lobocasis* Meyrick,1936
- 6743. *Celypha hydrangeana* (Kuznetsov,1969)** (Tortricidae) Synonym(s):
hydrangeana Kuznetsov,1969
- 6744. *Celypha kurilensis* (Oku,1965)** (Tortricidae) Synonym(s): *kurilensis* Oku,1965
- 6745. *Celypha rivulana* (Scopoli,1763)** (Tortricidae) Synonym(s): *rivulana* Scopoli,1763; *rivellana* Fabricius,1775; *fasciella* Goeze,1783; *undulatella* Fourcroy,1785; *conchana* Hübner,[1799] Larval foodplant(s): *Genista*, *Lotus*, *Medicago* (Fabaceae), *Orchis*, *Plantago*, *Scabiosa* (Dipsacaceae), *Fragaria*, *Ribes*, *Rubus*, *Vaccinium myrtillus*, *V. uliginosum*, *Geum*, *Betula* (Betulaceae) (Razowski,1983, 2003).
- 6746. *Celypha rosaceana* (Schläger,1848)** (Tortricidae) Synonym(s): *purpurana* Haworth,1811 nec Thunb.,1784; *rosaceana* Schläger,1848.
- 6747. *Celypha rufana* (Scopoli,1763)** (Tortricidae) Synonym(s): *rufana* Scopoli,1763; *rosetana* Hübner,[1799]; *arenana* Laharpe,1858 Larval foodplant(s): *Achillea*, *Chrysanthemum leucanthemum*, *Artemisia vulgaris*, *Sonchus arvensis* (Asteraceae) (Razowski,1983).
- 6748. *Celypha rurestrana* (Duponchel,1843)** (Tortricidae) Synonym(s): *rurestrana* Duponchel,1843; *lucivagana* Lienig & Zeller,1846; *#rupestrana* Staudinger,1879; *kemnerana* Benander,1943. Larval foodplant(s): *Hieracium umbellatum*, *Sonchus* (Asteraceae); *Vaccinium* (Ericaceae) (Razowski,1983).
- 6749. *Celypha striana* ([Denis & Schiffermüller],1775)** (Tortricidae)
Synonym(s): *striana* [Denis & Schiffermüller],1775; *rusticana* Hübner,[1799]; *biliturana* Donovan,1806; *fasciolana* Hübner,[1817]. Larval foodplant(s): *Plantago lanceolata* (Plataginaceae); *Taraxacum officinale* (Asteraceae) (Razowski,1983).
- 6750. *Celypha tiedemanniana* (Zeller,1845)** (Tortricidae) Synonym(s):
tiedemanniana Zeller,1845 Larval foodplant(s): *Equisetum* (Razowski,1983).
- 6751. *Celypha woodiana* (Barrett,1882)** (Tortricidae) Synonym(s): *woodiana* Barrett,1882 Larval foodplant(s): *Viscum album* (Loranthaceae) (Razowski,1983).
- 6752. *Ceratoxanthia argentomixtana* (Staudinger,1870)** (Tortricidae)
Synonym(s): *argentomixtana* Staudinger,1870
- 6753. *Ceratoxanthia externana* (Eversmann,1844)** (Tortricidae) Synonym(s):
externana Eversmann,1844
- 6754. *Choristoneura albaniana* (Walker,1863)** (Tortricidae) Synonym(s):
albaniana Walker,1863; *lapponana* Tengström,1869; *arctiana* Möschler,1874; *kukankana* Kearfott,1907
- 6755. *Choristoneura diversana* (Hübner,[1817])** (Tortricidae) Synonym(s):
diversana Hübner,[1817]; *viduana* Frölich,1828; *transitana* Guenée,1845; *alfredana* Duponchel,1846
Larval foodplant(s): *Betula*, *Alnus* (Betulaceae), *Populus* (Salicaceae), *Pyrus*, *Prunus*, *Alchemilla* (Rosaceae), *Trifolium* (Fabaceae) (Razowski,2001).
- 6756. *Choristoneura hebenstreitella* (Müller,1764)** (Tortricidae) Synonym(s):
hebenstreitella Müller,1764; *pyrana* Villers,1789; *sorbiana* Hübner,[1799] Larval foodplant(s):
Quercus (Fagaceae), *Betula* (Betulaceae), *Corylus* (Corylaceae), *Sorbus* (Rosaceae), *Myrica* (Myricaceae), *Vaccinium* (Vacciniaceae) (Razowski,2001).
- 6757. *Choristoneura irina* Dubatolov & Syachina,2007** (Tortricidae)
Synonym(s): *irina* Dubatolov & Syachina,2007
- 6758. *Choristoneura luticostana* (Christoph,1888)** (Tortricidae) Synonym(s):
luticostana Christoph,1888; *gigantana* Kennel,1899.
- 6759. *Choristoneura murinana* (Hübner,[1799])** (Tortricidae) Synonym(s):
murinana Hübner,[1799]; *caprimulgana* Koch,1859; *besseri* Nowicki,1860; *histrionana* Ratzeburg,1868 nec Fröl.,1828; *immaculana* Wachtl,1882 Larval foodplant(s): *Abies alba*, *Abies cilicica* (Pinaceae) (Razowski,2001; Sarıkaya & Avcı,2002).
- 6760. *Clavigesta sylvestrana* (Curtis,1850)** (Tortricidae) Synonym(s): *sylvestrana* Curtis,1850
- 6761. *Clepsia aerosana* (Lederer,1853)** (Tortricidae) Synonym(s): *aerosana* Lederer,1853

- 6762. *Clepsis altitudinarius* (Filipjev,1962)** (Tortricidae) Synonym(s): *altitudinarius* Filipjev,1962
- 6763. *Clepsis chishimana* Oku,1965** (Tortricidae) Synonym(s): *chishimana* Oku,1965; *jinboi* Kawabe,1965
- 6764. *Clepsis consimilana* (Hübner,[1817])** (Tortricidae) Synonym(s): *consimilana* Hübner,[1817]; *unifasciana* Duponchel,1843; *productana* Zeller,1847; *obliterana* Herrich-Schäffer,1851; *peregrinana* Stephens,1852; *eatoniana* Ragonot,1881; *semiana* Chrétien,1915; *acclivana* Zerny,1933; *placida* Diakonoff,1948
- 6765. *Clepsis crispinana* (Kennel,1919)** (Tortricidae) Synonym(s): *crispinana* Kennel,1919
- 6766. *Clepsis danilevskyi* Kostjuk,1973** (Tortricidae) Synonym(s): *danilevskyi* Kostjuk,1973; *firthana* Matsumura,1986
- 6767. *Clepsis mehli* (Opheim,1964)** (Tortricidae) Synonym(s): *mehli* Opheim,1964
- 6768. *Clepsis moeschleriana* (Wocke,1862)** (Tortricidae) Synonym(s): *moeschleriana* Wocke,1862; *algidana* Möschler,1862; *gelidana* Möschler,1862; *altaiensis* Kostyuk,1975.
- 6769. *Clepsis neglectana* (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *neglectana* Herrich-Schäffer,1851; *flavana* Duponchel,1834 nec Hüb.,[1799]; *betulifolia* Lederer,1859; *striolana* Ragonot,1879; *xylotoma* Meyrick,1891; *severana* Kennel,1901; *delibatana* Rothschild,1912; *dorana* Kennel,1919; *acclivana* Zerny,1933.
- 6770. *Clepsis pallidana* (Fabricius,1776)** (Tortricidae) Synonym(s): *pallidana* Fabricius,1776; *strigana* Hübner,[1799]; *stramineana* Herrich-Schäffer,[1851]; *quinquemaculana* Bremer,1864; *cesareana* Joannis,1891; *districta* Meyrick,1920. Larval foodplant(s): *Jasione montana* (Campanulaceae) (Razowski,2001).
- 6771. *Clepsis phaeana* (Rebel,1916)** (Tortricidae) Synonym(s): *phaeana* Rebel,1916
- 6772. *Clepsis praeclarana* (Kennel,1899)** (Tortricidae) Synonym(s): *praeclarana* Kennel,1899; *fucosana* Kennel,1901; *vittata* Obraztsov,1968.
- 6773. *Clepsis rogana* (Guenée,1845)** (Tortricidae) Synonym(s): *rogana* Guenée,1845; *lusana* Herrich-Schäffer,1851; *dohrniana* Herrich-Schäffer,1856 Larval foodplant(s): *Vaccinium* (Vacciniaceae), *Luzula* (Juncaceae), *Veratrum album* (Liliaceae) (Razowski,2001).
- 6774. *Clepsis rurinana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *rurinana* Linnaeus,1758; *modeerinana* Linnaeus,1761; *angulosa* Fourcroy,1785; *semialbana* Guenée,1845; *idana* Kennel,1919; *liotoma* Meyrick,1935. Larval foodplant(s): *Urtica* (Urticaceae), *Chelidonium* (Papaveraceae), *Convolvulus* (Convolvulaceae), *Euphorbia* (Euphorbiaceae), *Rumex* (Polygonaceae), *Aconitum* (Ranunculaceae), *Lilium* (Liliaceae), *Anthriscus* (Apiaceae), *Aster* (Asteraceae), *Rosa* (Rosaceae), *Lonicera xylostium* (Caprifoliaceae), *Acer* (Aceraceae), *Quercus* (Fagaceae) (Razowski,2001).
- 6775. *Clepsis sarthana* (Ragonot,1894)** (Tortricidae) Synonym(s): *sarthana* Ragonot,1894
- 6776. *Clepsis senecionana* (Hübner,[1819])** (Tortricidae) Synonym(s): *rusticana* Hübner,[1799] (*praeocc.*); *senecionana* Hübner,[1819]; *helvolana* Fröhlich,1828; *stramineana* Zetterstedt,1839; *porcana* Zetterstedt,1839; *pulverana* Eversmann,1844; *culmana* Peyerimhoff,1864. Larval foodplant(s): *Myrica* (Myricaceae), *Vaccinium myrtillus* (Vacciniaceae), *Lotus*, *Onobrychis* (Fabaceae), *Polygonatum* (Polygonaceae), *Potentilla* (Rosaceae), *Convallaria* (Liliaceae), *Picea*, *Pinus*, *Larix* (Pinaceae) (Razowski,2001).
- 6777. *Clepsis spectrana* (Treitschke,1830)** (Tortricidae) Synonym(s): *spectrana* Treitschke,1830; *vinculana* Treitschke,1830; *laticornana* Stainton,1857; *liverana* Mansbridge,1914; *intermedia* Mansbridge,1914 Larval foodplant(s): *Scirpus lacustris* (Cyperaceae), *Comarum palustre*, *Spirea ulmaria* (Rosaceae), *Glyceria spectabilis* (Poaceae), *Cicuta* (Apiaceae), *Epilobium hirsutum* (Oenotheraceae), *Iris pseudacorus* (Iridaceae) (Razowski,2001).
- 6778. *Clepsis tannuolana* Kostyuk,1973** (Tortricidae) Synonym(s): *tannuolana* Kostyuk,1973

- 6779. *Clepsis yakutica* (Koçak,1986)** (Tortricidae) Synonym(s): *plumbeolana* Bremer,1865 nec Hw.,1811; *yakutica* Koçak,1986
- 6780. *Cnephasia (Cnephasiella) incertana* (Treitschke,1835)** (Tortricidae) Synonym(s): *incertana* Treitschke,1835; *subjectana* Guenée,1845; *minorana* Herrich-Schäffer,1851; *barbarana* Walsingham,1900; *kurdistanana* Amsel,1955; *atticana* Razowski,1958 Larval foodplant(s): Chrysanthemum, Plantago (Plantaginaceae), Rumex (Polygonaceae), Ranunculus (Ranunculaceae), Trifolium, Pisum, Ononis, Medicago, Lotus (Fabaceae), Saxifraga (Saxifragaceae), Primula (Primulaceae), Petasites (Asteraceae), Malus (Rosaceae), Larix, Pseudotsuga (Pinaceae) (Razowski,2001).
- 6781. *Cnephasia (s.str.) alticola* Kuznetsov,1966** (Tortricidae) Synonym(s): *alticola* Kuznetsov,1966
- 6782. *Cnephasia (s.str.) alticolana* (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *alticolana* Herrich-Schäffer,1851; *branderiana* Franz,1953; *nemesii* Stanoiu & Nemes,1974 Larval foodplant(s): Plantago (Plantaginaceae), Primula (Primulaceae), Rumex (Polygonaceae), Taraxacum (Asteraceae), Salix (Salicaceae) (Razowski,2001).
- 6783. *Cnephasia (s.str.) asseclana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *asseclana* [Denis & Schiffermüller],1775; *interjectana* Haworth,1811; *virgaureana* Treitschke,1835; *oleraceana* Gibson,1916 Larval foodplant(s): Chrysanthemum (Asteraceae), Ranunculus (Ranunculaceae), Rumex (Polygonaceae), Plantago (Plantaginaceae), Lathyrus (Fabaceae) (Razowski,2001).
- 6784. *Cnephasia (s.str.) chrysanthæana* (Duponchel,1843)** (Tortricidae) Synonym(s): *chrysanthæana* Duponchel,1843; *cinæreana* Chrétien,1892; *#cinæreana* Meyrick,1912 Larval foodplant(s): Lathyrus (Fabaceae), Scabiosa (Dipsacaceae), Artemisia, Chrysanthemum, Cirsium, Carlina, Centaurea, taraxacum (Asteraceae), Pulmonaria (Boraginaceae), Eryngium (Apiaceae) (Razowski,2001).
- 6785. *Cnephasia (s.str.) communana* (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *communana* Herrich-Schäffer,[1851] Larval foodplant(s): Plantago (Plantaginaceae), Rumex (Polygonaceae), Chrysanthemum (Asteraceae), Lotus (Fabaceae) (Razowski,2001).
- 6786. *Cnephasia (s.str.) genitalana* Pierce & Metcalfe,1922** (Tortricidae) Synonym(s): *genitalana* Pierce & Metcalfe,1922 Larval foodplant(s): Senecio, Chrysanthemum, Hieracium (Asteraceae), Teucrium (Lamiaceae), Ranunculus (Ranunculaceae) (Razowski,2001).
- 6787. *Cnephasia (s.str.) grandis* (Osthelder,1938)** (Tortricidae) Synonym(s): *grandis* Osthelder,1938
- 6788. *Cnephasia (s.str.) heinemanni* Obraztsov,1957** (Tortricidae) Synonym(s): *monochromana* Heinemann,1863 (praeocc.); *heinemanni* Obraztsov,1957; *minima* Razowski,1959
- 6789. *Cnephasia (s.str.) helenica* Obraztsov,1950** (Tortricidae) Synonym(s): *helenica* Obraztsov,1950; *hellenica* Obraztsov,1956
- 6790. *Cnephasia (s.str.) heringi* Razowski,1958** (Tortricidae) Synonym(s): *heringi* Razowski,1958
- 6791. *Cnephasia (s.str.) longana* (Haworth,[1811])** (Tortricidae) Synonym(s): *longana* Haworth,[1811]; *egenana* Haworth,[1811]; *expallidana* Haworth,[1811]; *ictericana* Haworth,[1811]; *lutosana* Hübner,[1813]; *capillana* Guenée,1845; *stratana* Zeller,1847; *loeviana* Zeller,1847; *luridalbana* Herrich-Schäffer,1851; *insolatana* Herrich-Schäffer,1851; *gratana* Laharpe,1860; *#ongana* Meyrick,1912; *cadizensis* Razowski,1959 Larval foodplant(s): Chrysanthemum, Anthemis, Aster (Asteraceae), Ranunculus (Ranunculaceae), Lychnis (Silenaceae), Convolvulus arvensis (Convolvulaceae) (Razowski,2001).
- 6792. *Cnephasia (s.str.) orientana* (Alpheraky,1877)** (Tortricidae) Synonym(s): *orientana* Alpheraky,1877

- 6793. *Cnephasia* (s.str.) *pasiuana* (Hübner,[1799])** (Tortricidae) Synonym(s): *pasiuana* Hübner,[1799]; *obsoletana* Stephens,1835; *pumicana* Zeller,1847; *#pasivana* Staudinger,1879; *crassifasciana* Joannis,1920; *linophagana* Rebel,1939; *pyrophagana* Rebel,1939; *cleuana* Réal,1952; *pseudotypica* Réal,1952; *algerana* Réal,1953; *blezynskii* Toll,1953; *hagiosana* Razowski,1959 Larval foodplant(s): Chrysanthemum, Achillea, Aster, Cirsium, Artemisia, Anthemis (Asteraceae), Poaceae (Razowski,2001).
- 6794. *Cnephasia* (s.str.) *sedana* (Constant,1884)** (Tortricidae) Synonym(s): *sedana* Constant,1884; *marcidana* Kennel,1901; *valderiana* Turati & Verity,1912; *alaicana* Caradja,1916; *agathana* Kennel,1919; *obscurana* Osthelder,1938; *oricasis* Meyrick,1932; *amseli* Razowski,1957; *pirizanica* Razowski,1965 Larval foodplant(s): Euphorbia (Euphorbiaceae), Sedum, Sempervivum (Crassulaceae), Primula (Primulaceae), Adenostyles, Centaurea, Cirsium (Asteraceae), Trifolium (Fabaceae), Valeriana (Valerianaceae), Astrantia (Apiaceae) (Razowski,2001).
- 6795. *Cnephasia* (s.str.) *stephensiana* (Doubleday,1849)** (Tortricidae) Synonym(s): *stephensiana* Doubleday,1849 Larval foodplant(s): Chrysanthemum, Centaurea, Taraxacum, Inula, Hieracium (Asteraceae), Rumex (Polygonaceae), Plantago (Plantaginaceae), Vicia (Fabaceae) (Razowski,2001).
- 6796. *Cnephasia* (s.str.) *stephensiana stephensiana* (Doubleday,1849)** (Tortricidae) Synonym(s): *stephensiana* Doubleday,1849; *hispanica* Obraztsov,1950
- 6797. *Cnephasia* (s.str.) *stephensiana stolidana* (Walker,1863)** (Tortricidae) Synonym(s): *stolidana* Walker,1863; *cinereipalpna* Razowski,1958; *kurentsovi* Filipjev,1962
- 6798. *Cnephasia* (s.str.) *tianshanica* Filipjev,1934** (Tortricidae) Synonym(s): *tianshanica* Filipjev,1934; *osthelderi* Obraztsov,1950; *sareptana* Razowski,1959; *alatauana* Razowski,1961.
- 6799. *Cnephasia* (s.str.) *zelleri* (Christoph,1877)** (Tortricidae) Synonym(s): *zelleri* Christoph,1877
- 6800. *Cochylidia* *heydeniana* (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *heydeniana* Herrich-Schäffer,[1851]; *pudorana* Staudinger,1859; *erigenana* Walsingham,1891; *sabulicola* Walsingham,1900; *almana* Kennel,1919; *obraztsovi* Amsel,1951; *amseli* Obraztsov,1956. Larval foodplant(s): Erigeron acre, Solidago virgaurea (Asteraceae) (Razowski,2001).
- 6801. *Cochylidia* *implicitana* (Wocke,1856)** (Tortricidae) Synonym(s): *implicitana* Wocke,1856; *coercitana* Staudinger,1859; *noctulatana* Agenjo,1952. Larval foodplant(s): Matricaria, Artemisia, Anthemis, Solidago, Chrysanthemum, Aster, Alchemilla, Chrysocoma, Gnaphalium, Helichrysum, Tanacetum (Asteraceae) (Razowski,1970,2001).
- 6802. *Cochylidia* *moguntiana* (Rössler,1864)** (Tortricidae) Synonym(s): *moguntiana* Rössler,1864; *griseolana* W.Petersen,1924; *trafvenfelti* Benander,1949. Larval foodplant(s): Artemisia campestris (Asteraceae) (Razowski,2001).
- 6803. *Cochylidia* *richteriana* (Fischer v. Röslerstamm,1837)** (Tortricidae) Synonym(s): *richteriana* Fischer v. Röslerstamm,1837; *olindiana* Snellen,1883; *ineptana* Kennel,1900; *xanthodryas* Meyrick,1936. Larval foodplant(s): Artemisia campestris, Achillea millefolium (Asteraceae) (Razowski,2001).
- 6804. *Cochylidia* *rupicola* (Curtis,1834)** (Tortricidae) Synonym(s): *rupicola* Curtis,1834; *marginana* Stephens,1834; *humidana* Herrich-Schäffer,1851 Larval foodplant(s): Eupatorium cannabinum (Asteraceae), Lycopus europaeus (Lamiaceae), Chrysocoma linosyris (Razowski,2001).
- 6805. *Cochylidia* *subroseana* (Haworth,[1811])** (Tortricidae) Synonym(s): *subroseana* Haworth,[1811]; *flammeolana* Tengström,1848; *phaleratana* Herrich-Schäffer,1851; *#derosana* Razowski,1960; *#roseotincta* Razowski,1960; *roseotincta* Razowski,1970. Larval foodplant(s): Solidago, Artemisia (Asteraceae) (Razowski,2001).
- 6806. *Cochylimorpha* *alternana* (Stephens,1834)** (Tortricidae) Synonym(s): *alternana* Stephens,1834; *#gigantana* Doubleday,1849; *moscovana* Kennel,1913; *cinnamomella* Turati &

- C.G.Krüger,1936.* Larval foodplant(s): *Centaurea scabiosa* (Asteraceae) (Kennel,1913; Razowski,2001).
- 6807. *Cochylimorpha asiana* (Kennel,1899)** (Tortricidae) Synonym(s): *asiana* Kennel,1899; *taganrogana* Kennel,1900; *mirabilana* Turati,1934.
- 6808. *Cochylimorpha blandana* (Eversmann,1844)** (Tortricidae) Synonym(s): *blandana* Eversmann,1844; *punctulatana* Kennel,1900.
- 6809. *Cochylimorpha clathrana* (Staudinger,1871)** (Tortricidae) Synonym(s): *clathrana* Staudinger,1871
- 6810. *Cochylimorpha clathratana* (Staudinger,1880)** (Tortricidae) Synonym(s): *clathratana* Staudinger,1880
- 6811. *Cochylimorpha cultana* (Lederer,1855)** (Tortricidae) Synonym(s): *cultana* Lederer,1855; *pontana* Staudinger,1859; *extensana* Staudinger,1859; *lambessana* Baker,1888; *oedemana* Constant,1893; *bigenerana* Kennel,1900; *assalana* Chrétien,1915; *albidana* Caradja,1916; *symmerista* Meyrick,1935. Larval foodplant(s): *Artemisia campestris* (Razowski,1970).
- 6812. *Cochylimorpha declivana* (Kennel,1900)** (Tortricidae) Synonym(s): *declivana* Kennel,1900
- 6813. *Cochylimorpha despectana* (Kennel,1899)** (Tortricidae) Synonym(s): *despectana* Kennel,1899; *uncinatana* Kennel,1900.
- 6814. *Cochylimorpha diana* (Kennel,1899)** (Tortricidae) Synonym(s): *diana* Kennel,1899; *iraniana* Razowski,1963.
- 6815. *Cochylimorpha discolorana* Kennel,1899** (Tortricidae) Synonym(s): *discolorana* Kennel,1899; *dichroina* Danilevsky,1962; *#sarobica* Razowski,1964
- 6816. *Cochylimorpha discopunctana* (Eversmann,1844)** (Tortricidae) Synonym(s): *discopunctana* Eversmann,1844; *incretana* Lederer,1857; *coagulana* Christoph,1872; *punctiferana* Ragonot,1881.
- 6817. *Cochylimorpha elongana* (Fischer v. Röslerstamm,1839)** (Tortricidae) Synonym(s): *elongana* Fischer v. Röslerstamm,1839; *impurana* Mann,1855; *favillana* Staudinger,1859; *tetricana* Mann,1864 Larval foodplant(s): *Artemisia campestris*, *Helichrysum*, *Achillea millefolium* (Asteraceae) (Razowski,1970,2001).
- 6818. *Cochylimorpha fucatana* (Snellen,1883)** (Tortricidae) Synonym(s): *fucatana* Snellen,1883
- 6819. *Cochylimorpha fuscimacula* (Falkovitsh,1963)** (Tortricidae) Synonym(s): *fuscimacula* Falkovitsh,1963
- 6820. *Cochylimorpha halophilana* (Christoph,1882)** (Tortricidae) Synonym(s): *halophilana* Christoph,1882
- 6821. *Cochylimorpha hedemanniana* (Snellen,1883)** (Tortricidae) Synonym(s): *hedemanniana* Snellen,1883; *rectifascia* Filipjev,1924.
- 6822. *Cochylimorpha hilarana* (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *hilarana* Herrich-Schäffer,[1851]; *rheticana* LaHarpe,1864; *dilutana* Caradja,1916. Larval foodplant(s): *Artemisia campestris* (Asteraceae) (Swatschek,1958).
- 6823. *Cochylimorpha jaculana* (Snellen,1883)** (Tortricidae) Synonym(s): *jaculana* Snellen,1883
- 6824. *Cochylimorpha meridiana* (Staudinger,1859)** (Tortricidae) Synonym(s): *meridiana* Staudinger,1859; *claviculana* Mann,1863; *frauenfeldi* Mann,1871; *naeviferana* Kennel,1899; *priscillana* Kennel,1919.
- 6825. *Cochylimorpha nodulana* (Möschler,1862)** (Tortricidae) Synonym(s): *nodulana* Möschler,1862
- 6826. *Cochylimorpha nomadana* (Erschoff,1874)** (Tortricidae) Synonym(s): *nomadana* Erschoff,1874
- 6827. *Cochylimorpha obliquana* (Eversmann,1844)** (Tortricidae) Synonym(s): *obliquana* Eversmann,1844; *coenosana* Mann,1867. Larval foodplant(s): *Artemisia maritima*, *A.stepposa*, *A.santonium* (Asteraceae) (Kasy,1958; Razowski,2001).

- 6828. *Cochylimorpha pallens* (Kuznetsov,1966)** (Tortricidae) Synonym(s): *pallens* Kuznetsov,1966
- 6829. *Cochylimorpha perfusana* (Guenée,1845)** (Tortricidae) Synonym(s): *perfusana* Guenée,1845; *callosana* Herrich-Schäffer,1851. Larval foodplant(s): *Centaurea stoebe*, *C. triumfetti* (Asteraceae) (Razowski,1970,2001).
- 6830. *Cochylimorpha perturbatana* (Kennel,1900)** (Tortricidae) Synonym(s): *perturbatana* Kennel,1900; *herminiana* Kennel,1919.
- 6831. *Cochylimorpha pyramidana* (Staudinger,1871)** (Tortricidae) Synonym(s): *pyramidana* Staudinger,1871
- 6832. *Cochylimorpha straminea* (Haworth,[1811])** (Tortricidae) Synonym(s): *straminea* Haworth,[1811]; *tischerana* Treitschke,1830; *sudana* Duponchel,1836; *substraminea* Ragonot,1895; *scabiosa* Kennel,1900; *lentiginosana* Kennel,1900; *ramessana* Rebel,1912; *numidana* Turati,1924; *glaisana* Lucas,1942; *pallens* Lucas,1954. Larval foodplant(s): *Scabiosa* (Dipsacaceae), *Artemisia*, *Centaurea* (Asteraceae) (Swatschek,1958; Razowski,2001).
- 6833. *Cochylimorpha triangulifera* (Kuznetsov,1966)** (Tortricidae) Synonym(s): *triangulifera* Kuznetsov,1966
- 6834. *Cochylimorpha woliana* (Schleich,1868)** (Tortricidae) Synonym(s): *woliana* Schleich,1868; *lorana* Fuchs,1897. Larval foodplant(s): *Artemisia absinthium* (Asteraceae) (Razowski,2001).
- 6835. *Cochylis atricapitana* (Stephens,1852)** (Tortricidae) Synonym(s): *atricapitana* Stephens,1852 Larval foodplant(s): *Senecio jacobea*, *Hypericum*, *Hieracium* (Asteraceae) (Razowski,2001).
- 6836. *Cochylis defessana* Mann,1861** (Tortricidae) Synonym(s): *defessana* Mann,1861; *centaureana* Staudinger,1879. Larval foodplant(s): *Centaurea divergens* at Amasia (Staudinger,1879).
- 6837. *Cochylis dubitana* (Hübner,[1799])** (Tortricidae) Synonym(s): *dubitana* Hübner,[1799]; *ambigua* Frölich,1828; *baseirufana* Bruand,1850; *albidana* Walker,1866. Larval foodplant(s): *Senecio*, *Crepis*, *Picris*, *Carduus nutans*, *C. acanthoides*, *Hieracium*, *Solidago*, *Cirsium lanceolatum* (Asteraceae) (Razowski,2001).
- 6838. *Cochylis epilinana* Duponchel,1842** (Tortricidae) Synonym(s): *epilinana* Duponchel,1842; *carpophilana* Staudinger,1859. Larval foodplant(s): *Linum usitatissimum*, *L. catharticum*, *L. campanullatum* (Linaceae), *Solidago* (Asteraceae), *Cephalaria leucantha* (Dipsacaceae) (Razowski,2001).
- 6839. *Cochylis flaviciliana* (Westwood,1854)** (Tortricidae) Synonym(s): *flaviciliana* Westwood,1854 Larval foodplant(s): *Scabiosa*, *Knautia* (Dipsacaceae) (Razowski,2001).
- 6840. *Cochylis hybridella* (Hübner,[1813])** (Tortricidae) Synonym(s): *hybridella* Hübner,[1813]; *dissolutana* Herrich-Schäffer,[1847]; *carduana* Zeller,1847; *clarana* Caradja,1916. Larval foodplant(s): *Picris hieracioides*, *Crepis* (Asteraceae) (Razowski,2001).
- 6841. *Cochylis nana* (Haworth,[1811])** (Tortricidae) Synonym(s): *nana* Haworth,[1811]; *carneana* Guenée,1845; *cruentana* Guenée,1845; *pallidana* Herrich-Schäffer,1851 nec Zell.,1847; *ochreoalbana* Walker,1863; *albidana* Walker,1866; *altocorsicana* Petry,1904; *winniana* Kearfott,1905 Larval foodplant(s): *Betula nana* (Betulaceae) (Razowski,2001).
- 6842. *Cochylis pallidana* Zeller,1847** (Tortricidae) Synonym(s): *pallidana* Zeller,1847
- 6843. *Cochylis pallidana pallidana* Zeller,1847** (Tortricidae) Synonym(s): *pallidana* Zeller,1847
- 6844. *Cochylis posterana* Zeller,1847** (Tortricidae) Synonym(s): *posterana* Zeller,1847; *nubivagana* Zerny,1935 Larval foodplant(s): *Carduus nutans*, *Centaurea jacea*, *Cirsium lanceolatum* (Asteraceae) (Razowski,2001).
- 6845. *Cochylis roseana* (Haworth,[1811])** (Tortricidae) Synonym(s): *roseana* Haworth,[1811]; *rubellana* Hübner,[1823]; *dipsaceana* Duponchel,1843; *undulatana* Kennel,1899.

- Larval foodplant(s): *Solidago* (Asteraceae), *Dipsacus sylvestris* (Dipsacaceae), *Antirrhinum* (Scrophulariaceae) (Razowski,1970).
- 6846. *Cochylis salebrana* Mann,1862** (Tortricidae) Synonym(s): *salebrana* Mann,1862; *millierana* Peyerimhoff,1877.
- 6847. *Commophila aeneana* (Hübner,[1800])** (Tortricidae) Synonym(s): *aeneana* Hübner,[1800] Larval foodplant(s): *Picris hieracioides*, *Senecio paludosus*, *S. jacobaea* (Asteraceae) (Razowski,2001).
- 6848. *Crociosema plebejana* Zeller,1847** (Tortricidae) Synonym(s): *plebejana* Zeller,1847; *altheana* Mann,1855; *lavaterana* Millièrè,1863; *peregrinana* Möschler,1866; *obscura* Wollaston,1879; *blackburnii* Butler,1881; *signatana* Walsingham,1894; *ptiladelpha* Meyrick,1917; *insulana* Aurivillius,1922; *synneurota* Meyrick,1926; *tornocycla* Turner,1946; *charmera* Turner,1946. Larval foodplant(s): *Lavathera*, *Althaea*, *Malva*, *Hibiscus* (Malvaceae); *Crataegus* (Rosaceae); *Zea mays* (Poaceae); *Gossypium*
- 6849. *Croesia askoldana* (Christoph,1881)** (Tortricidae) Synonym(s): *askoldana* Christoph,1881
- 6850. *Croesia aurichalcana* (Bremer,1864)** (Tortricidae) Synonym(s): *aurichalcana* Bremer,1864; *auristellana* Caradja,1916; *#issiki* Matsumura,1931
- 6851. *Croesia bergmanniana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *bergmanniana* Linnaeus,1758; *rosana* Hübner,1822. Larval foodplant(s): *Rosa canina* (Rosaceae), *Rhamnus cathartica* (Rhamnaceae) (Razowski,2001).
- 6852. *Croesia bicolor* Kuznetsov,1964** (Tortricidae) Synonym(s): *bicolor* Kuznetsov,1964
- 6853. *Croesia conchyloides* (Walsingham,1900)** (Tortricidae) Synonym(s): *conchyloides* Walsingham,1900; *arquatana* Kennel,1901
- 6854. *Croesia crataegi* (Kuznetsov,1964)** (Tortricidae) Synonym(s): *crataegi* Kuznetsov,1964
- 6855. *Croesia forsskaleana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *forsskaleana* Linnaeus,1758; *forskaliana* Haworth,1811. Larval foodplant(s): *Acer campestre*, *A. pseudoplatanus* (Aceraceae), *Rosa* (Rosaceae) (Parenti,2000; Razowski,2001).
- 6856. *Croesia holmiana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *holmiana* Linnaeus,1758; *stellata* Fourcroy,1785; *stellatella* Villers,1789. Larval foodplant(s): *Pyrus malus*, *Crataegus*, *Prunus*, *Rosa* (Rosaceae) (Linnaeus,1758; Razowski,2001).
- 6857. *Croesia indignana* (Christoph,1881)** (Tortricidae) Synonym(s): *indignana* Christoph,1881
- 6858. *Croesia leechi* (Walsingham,1900)** (Tortricidae) Synonym(s): *leechi* Walsingham,1900; *sumptuosana* Caradja,1939
- 6859. *Croesia phalera* Kuznetsov,1964** (Tortricidae) Synonym(s): *phalera* Kuznetsov,1964
- 6860. *Croesia stibiana* (Snellen,1883)** (Tortricidae) Synonym(s): *stibiana* Snellen,1883
- 6861. *Croesia tigricolor* (Walsingham,1900)** (Tortricidae) Synonym(s): *tigricolor* Walsingham,1900
- 6862. *Cryptocochylis conjunctana* (Mann,1864)** (Tortricidae) Synonym(s): *conjunctana* Mann,1864; *grapholitana* Kennel,1913. Larval foodplant(s): *Achillea nobilis* (Asteraceae) (Razowski,2001).
- 6863. *Cydia amplana* (Hübner,[1799])** (Tortricidae) Synonym(s): *amplana* Hübner,[1799]; *molybdana* Constant,1884
- 6864. *Cydia andabatana* (Wolff,1957)** (Tortricidae) Synonym(s): *andabatana* Wolff,1957
- 6865. *Cydia astragalana* (Staudinger,1871)** (Tortricidae) Synonym(s): *astragalana* Staudinger,1871
- 6866. *Cydia aureolana* (Tengström,1848)** (Tortricidae) Synonym(s): *aureolana* Tengström,1848; *phacana* Wocke,1864 Larval foodplant(s): *Astragalu firigidis* (Fabaceae) (Hannemann,1961).

- 6867. *Cydia auroscriptana* (Caradja,1916)** (Tortricidae) Synonym(s): *auroscriptana* Caradja,1916
- 6868. *Cydia caecana* (Schläger,1847)** (Tortricidae) Synonym(s): *caecana* Schläger,1847; *obcaecana* Ragonot,1876
- 6869. *Cydia cognatana* (Barrett,1874)** (Tortricidae) Synonym(s): *cognatana* Barrett,1874
- 6870. *Cydia compositella* (Fabricius,1775)** (Tortricidae) Synonym(s): *compositella* Fabricius,1775; *quadrella* Goeze,1783; *quadratella* Fourcroy,1785; *composana* Fabricius,1798; *gundiana* Hübner,[1799]; *compositana* Haworth,1802; *simillimana* Toll,1953
- 6871. *Cydia coniferana* (Saxesen,1840)** (Tortricidae) Synonym(s): *coniferana* Saxesen,1840; ? *ericicolana* Bruand,1850; *separatana* Herrich-Schäffer,1851
- 6872. *Cydia cornucopiae* (Tengström,1869)** (Tortricidae) Synonym(s): *cornucopiae* Tengström,1869
- 6873. *Cydia corollana* (Hübner,[1823])** (Tortricidae) Synonym(s): *corollana* Hübner,[1823]
- 6874. *Cydia cosmophorana* (Treitschke,1835)** (Tortricidae) Synonym(s): *obscurana* Frölich,1828 nec Schr.,1802; *cosmophorana* Treitschke,1835; *geminana* Zetterstedt,1839
- 6875. *Cydia cotoneastri* (Danilevsky,1968)** (Tortricidae) Synonym(s): *cotoneastri* Danilevsky,1968
- 6876. *Cydia delineana* (Walker,1863)** (Tortricidae) Synonym(s): *delineana* Walker,1863; *apicatana* Walker,1863; *sinana* Felder,1874; *tetragrammana* Staudinger,1879; *mundana* Christoph,1881; *terstrigana* Ragonot,1894; *quadristrana* Walsingham,1900.
- 6877. *Cydia difficilana* (Walsingham,1900)** (Tortricidae) Synonym(s): *difficilana* Walsingham,1900; *difficilana* Kennel,1901 Larval foodplant(s): *Ulex europaeus* (Fabaceae) (ex Patocka, Razowski,2003).
- 6878. *Cydia dimorpha* (Komai,1979)** (Tortricidae) Synonym(s): *dimorpha* Komai,1979
- 6879. *Cydia duplicana* (Zetterstedt,1839)** (Tortricidae) Synonym(s): ?*dahlia* Frölich,1828; *duplicana* Zetterstedt,1839; #*interruptana* Herrich-Schäffer,1848; *interruptana* Herrich-Schäffer,1851 Larval foodplant(s): *Pinus* (Pinaceae), *Abies*, *Picea excelsa*, *Juniperus* (Razowski,2003).
- 6880. *Cydia duplicana duplicana* (Zetterstedt,1839)** (Tortricidae) Synonym(s): ?*dahlia* Frölich,1828; *duplicana* Zetterstedt,1839; #*interruptana* Herrich-Schäffer,1848; *interruptana* Herrich-Schäffer,1851
- 6881. *Cydia duplicana graeca* (Staudinger,1871)** (Tortricidae) Synonym(s): *graeca* Staudinger,1871
- 6882. *Cydia exquisitana* (Rebel,1889)** (Tortricidae) Synonym(s): *exquisitana* Rebel,1889
- 6883. *Cydia fimana* (Snellen,1883)** (Tortricidae) Synonym(s): *fimana* Snellen,1883
- 6884. *Cydia fissana* (Frölich,1828)** (Tortricidae) Synonym(s): *fissana* Frölich,1828; *divisana* Duponchel,1836; *diffusana* Herrich-Schäffer,1851 Larval foodplant(s): *Vicia cracca* (Fabaceae) (Corley et al.,2007).
- 6885. *Cydia funebrana* (Treitschke,1835)** (Tortricidae) Synonym(s): *funebrana* Treitschke,1835; *cerasana* Kozhantschikov,1953
- 6886. *Cydia gemmiferana* (Treitschke,1835)** (Tortricidae) Synonym(s): *gemmiferana* Treitschke,1835; *olbienana* Guenée,1845
- 6887. *Cydia geniculana* (La Harpe,1858)** (Tortricidae) Synonym(s): *geniculana* La Harpe,1858; *discretana* Wocke,1861; Larval foodplant(s): *Humulus lupulus* (Razowski,2003).
- 6888. *Cydia glycyrrhizana* (Kuznetsov,1962)** (Tortricidae) Synonym(s): *glycyrrhizana* Kuznetsov,1962
- 6889. *Cydia illutana* (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *illutana* Herrich-Schäffer,1851; *ibzeliana* Karpinski,1962
- 6890. *Cydia indivisa* (Danilevsky,1963)** (Tortricidae) Synonym(s): *indivisa* Danilevsky,1963
- 6891. *Cydia inopinata* (Heinrich,1928)** (Tortricidae) Synonym(s): *inopinata* Heinrich,1928; *prunifoliae* Kozhantschikov,1953

- 6892. *Cydia inquinatana* (Hübner,[1799])** (Tortricidae) Synonym(s): *inquinatana* Hübner,[1799]
- 6893. *Cydia internana* (Guenée,1845)** (Tortricidae) Synonym(s): *internana* Guenée,1845; *erectana* Barrett,1875; *tristana* Toll,1953
- 6894. *Cydia intexta* (Kuznetsov,1962)** (Tortricidae) Synonym(s): *intexta* Kuznetsov,1962
- 6895. *Cydia janthinana* (Duponchel,1843)** (Tortricidae) Synonym(s): *janthinana* Duponchel,1843; *incisana* Herrich-Schäffer,1851
- 6896. *Cydia jungiella* (Linnaeus,1761)** (Tortricidae) Synonym(s): *#jungiella* Clerck,1759; *jungiella* Linnaeus,1761; *perlepidana* Haworth,[1811]; *jungiana* Fröhlich,1828; *schränkiana* Fröhlich,1828; *albisecondella* Bruand,1850.
- 6897. *Cydia kurilana* (Kuznetsov,1976)** (Tortricidae) Synonym(s): *kurilana* Kuznetsov,1976
- 6898. *Cydia larseni* (Rebel,1903)** (Tortricidae) Synonym(s): *larseni* Rebel,1903
- 6899. *Cydia leguminana* (Lienig & Zeller,1846)** (Tortricidae) Synonym(s): *leguminana* Lienig & Zeller,1846
- 6900. *Cydia leucogrammana* (Hofmann,1898)** (Tortricidae) Synonym(s): *leucogrammana* Hofmann,1898 Larval foodplant(s): *Peganum harmala* (Razowski,2003).
- 6901. *Cydia lobarzewskii* (Nowicki,1860)** (Tortricidae) Synonym(s): *lobarzewskii* Nowicki,1860; *prunivorana* Ragonot,1879
- 6902. *Cydia lunulana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *lunulana* [Denis & Schiffermüller],1775; *mederleana* Fröhlich,1828
- 6903. *Cydia maackiana* (Danilevsky,1963)** (Tortricidae) Synonym(s): *maackiana* Danilevsky,1963
- 6904. *Cydia medicaginis* (Kuznetsov,1962)** (Tortricidae) Synonym(s): *medicaginis* Kuznetsov,1962 Larval foodplant(s): *Medicago caerulea* (Fabaceae) (Danilevsky & Kuznetsov,1968).
- 6905. *Cydia milleniana* (Adamczewski,1967)** (Tortricidae) Synonym(s): *zebeana* auct.; *milleniana* Adamczewski,1967; *deciduana* Steuer,1969
- 6906. *Cydia nebritana* (Treitschke,1830)** (Tortricidae) Synonym(s): *nebritana* Treitschke,1830 Larval foodplant(s): *Colutea arborescens*, *Pisum* (Fabaceae) (Razowski,2003).
- 6907. *Cydia nigricana* (Fabricius,1794)** (Tortricidae) Synonym(s): *#rusticella* Clerck,1759; *nigricana* Fabricius,1794; *proximana* Haworth,1811; *pisana* Guenée,1845; *ratifera* Meyrick,1912; *novimundi* Heinrich,1920
- 6908. *Cydia nigrostriana* (Snellen,1883)** (Tortricidae) Synonym(s): *nigrostriana* Snellen,1883
- 6909. *Cydia nigrostriana* (Snellen,1883)** (Tortricidae) Synonym(s): *nigrostriana* Snellen,1883
- 6910. *Cydia orobana* (Treitschke,1830)** (Tortricidae) Synonym(s): *orobana* Treitschke,1830; *strandiana* Fuhcs,1901; *persicana* Osthelder,1938
- 6911. *Cydia oxytropidis* (Martini,1912)** (Tortricidae) Synonym(s): *oxytropidis* Martini,1912
- 6912. *Cydia pactolana* (Zeller,1840)** (Tortricidae) Synonym(s): *pactolana* Zeller,1840; *pinetana* Schläger,1847
- 6913. *Cydia pallifrontana* (Lienig & Zeller,1846)** (Tortricidae) Synonym(s): *? elegantana* Fröhlich,1828; *pallifrontana* Lienig & Zeller,1846; *filana* Herrich-Schäffer,1851
- 6914. *Cydia patens* (Kuznetsov,1971)** (Tortricidae) Synonym(s): *patens* Kuznetsov,1971
- 6915. *Cydia perelegans* (Kuznetsov,1962)** (Tortricidae) Synonym(s): *perelegans* Kuznetsov,1962
- 6916. *Cydia phalacris* (Meyrick,1912)** (Tortricidae) Synonym(s): *phalacris* Meyrick,1912; *elongata* Kuznetsov,1962
- 6917. *Cydia pomonella* (Linnaeus,1758)** (Tortricidae) Synonym(s): *pomonella* Linnaeus,1758; *pomona* Fabricius,1775; *pomonana* [Denis & Schiffermüller],1775; *nitens* Fourcroy,1785; *aeneana* Villers,1789; *putaminana* Staudinger,1859

- 6918. *Cydia pyrivora* Danilevsky,1947** (Tortricidae) Synonym(s): *pyrivora* Danilevsky,1947; *dannehli* Obraztsov,1950
- 6919. *Cydia scintillana* (Christoph,1882)** (Tortricidae) Synonym(s): *scintillana* Christoph,1882; *elegantana* Kuznetsov,1968 nec Fröh.,1828
- 6920. *Cydia semicinctana* (Kennel,1901)** (Tortricidae) Synonym(s): *semicinctana* Kennel,1901
- 6921. *Cydia semifusca* (Kuznetsov,1968)** (Tortricidae) Synonym(s): *semifusca* Kuznetsov,1968
- 6922. *Cydia servillana* (Duponchel,1836)** (Tortricidae) Synonym(s): *servillana* Duponchel,1836; *putaminana* Staudinger,1859
- 6923. *Cydia strobilella* (Linnaeus,1758)** (Tortricidae) Synonym(s): *strobilella* Linnaeus,1758; *strobilana* Hübner,[1799]; *kollarana* Treitschke,1829
- 6924. *Cydia succedana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *succedana* [Denis & Schiffermüller],1775; *asseclana* Hübner,[1800] nec [Den. & Schiff.],1775; *griseana* Osthelder,1938 Larval foodplant(s): *Ulex europaeus*, *Genista*, *Sarothamnus*, *Lotus*, *Cytisus* (Fabaceae) (Razowski,2003).
- 6925. *Cydia tenebrosana* (Duponchel,1843)** (Tortricidae) Synonym(s): *tenebrosana* Duponchel,1843; *roseticolana* Zeller,1849
- 6926. *Cydia triangulella* (Goeze,1783)** (Tortricidae) Synonym(s): *triangulella* Goeze,1783; *bicolorata* Fourcroy,1785; *splendana* Hübner,[1799]; *#glandella* Schrank,1802; *reaumurana* Heyden,1860
- 6927. *Cydia ulicetana* (Haworth,[1811])** (Tortricidae) Synonym(s): *ulicetana* Haworth,[1811]; *consequana* Zeller,1847; *micaceana* Constant,1865.
- 6928. *Cydia zebeana* (Ratzeburg,1840)** (Tortricidae) Synonym(s): *zebeana* Ratzeburg,1840
- 6929. *Cymolomia hartigiana* (Saxesen,1840)** (Tortricidae) Synonym(s): *hartigiana* Saxesen,1840; *faillana* Fuchs,1903
- 6930. *Cymolomia taigana* Falkovitsh,1966** (Tortricidae) Synonym(s): *taigana* Falkovitsh,1966
- 6931. *Diceratura ostrinana* (Guenée,1845)** (Tortricidae) Synonym(s): *ostrinana* Guenée,1845; *purpuratana* Herrich-Schäffer,[1851]. Larval foodplant(s): *Chondrilla juncea* (Cichoriaceae), *Dipsacaceae* (Dipsacaceae) (Razowski,2001).
- 6932. *Diceratura rhodograpt* Djakonov,1929** (Tortricidae) Synonym(s): *rhodograpt* Djakonov,1929
- 6933. *Diceratura roseofasciana* (Mann,1855)** (Tortricidae) Synonym(s): *roseofasciana* Mann,1855; *aequana* Caradja,1916; *keredjana* Razowski,1963.
- 6934. *Dichelia histrionana* (Frölich,1828)** (Tortricidae) Synonym(s): *pinana* [Denis & Schiffermüller],1775; *histrionana* Frölich,1828; *stygiانا* Rebel,1929 Larval foodplant(s): *Abies*, *Picea excelsa* (Pinaceae) (Razowski,2001).
- 6935. *Dichrorampha acuminatana* (Lienig & Zeller,1846)** (Tortricidae) Synonym(s): *acuminatana* Lienig & Zeller,1846; *cochylana* Peyerimhoff,1863; *graminana* Peyerimhoff,1870 Larval foodplant(s): *Chrysanthemum leucanthemum*, *C. vulgare* (Asteraceae) (Razowski,2003).
- 6936. *Dichrorampha aeratana* (Pierce & Metcalfe,1915)** (Tortricidae) Synonym(s): *aeratana* Pierce & Metcalfe,1915; *torrana* Pierce & Metcalfe,1922
- 6937. *Dichrorampha agilana* (Tengström,1848)** (Tortricidae) Synonym(s): *agilana* Tengström,1848
- 6938. *Dichrorampha albimacula* (Danilevsky,1948)** (Tortricidae) Synonym(s): *albimacula* Danilevsky,1948
- 6939. *Dichrorampha alpinana* (Treitschke,1830)** (Tortricidae) Synonym(s): *alpinana* Treitschke,1830; *quaestionana* Zeller,1878
- 6940. *Dichrorampha altaica* Danilevsky,1968** (Tortricidae) Synonym(s): *altaica* Danilevsky,1968

- 6941. *Dichrorampha cacaleana* (Herrich-Schäffer,1851)** (Tortricidae)
Synonym(s): *cacaleana* Herrich-Schäffer,1851; *sheljzuhkoi* Obratzov,1949 Larval foodplant(s): *Senecio glabra*, *Senecio tourneforti* (Asteraceae) (Razowski,2003).
- 6942. *Dichrorampha cancellatana* Kennel,1901** (Tortricidae) Synonym(s): *cancellatana* Kennel,1901
- 6943. *Dichrorampha caucasica* (Danilevsky,1948)** (Tortricidae) Synonym(s): *caucasica* Danilevsky,1948
- 6944. *Dichrorampha cinerascens* (Danilevsky,1948)** (Tortricidae)
Synonym(s): *cinerascens* Danilevsky,1948
- 6945. *Dichrorampha consortana* (Stephens,1852)** (Tortricidae) Synonym(s): *jackiana* Schläger,1848; *consortana* Stephens,1852; *balticana* Strand,1917; *alticolana* Müller-Rutz,1934; *minorana* Osthelder,1939
- 6946. *Dichrorampha danilevskyi* Obratzov,1958** (Tortricidae) Synonym(s): *immaculata* Danilevsky,1948 nec McDunn.,1946; *danilevskyi* Obratzov,1958
- 6947. *Dichrorampha eximia* (Danilevsky,1948)** (Tortricidae) Synonym(s): *eximia* Danilevsky,1948; *obraztsovi* Amsel,1959 Larval foodplant(s): *Achillea* (Asteraceae) (Razowski,2003).
- 6948. *Dichrorampha flavidorsana* Knaggs,1867** (Tortricidae) Synonym(s): *flavidorsana* Knaggs,1867
- 6949. *Dichrorampha fusca* (Danilevsky,1948)** (Tortricidae) Synonym(s): *fusca* Danilevsky,1948
- 6950. *Dichrorampha gracilis* (Danilevsky,1948)** (Tortricidae) Synonym(s): *gracilis* Danilevsky,1948
- 6951. *Dichrorampha gruneriana* (Herrich-Schäffer,1851)** (Tortricidae)
Synonym(s): *gruneriana* Herrich-Schäffer,1851
- 6952. *Dichrorampha heegerana* (Duponchel,1843)** (Tortricidae) Synonym(s): *heegerana* Duponchel,1843
- 6953. *Dichrorampha immaculata* (Danilevsky,1948)** (Tortricidae)
Synonym(s): *immaculata* Danilevsky,1948
- 6954. *Dichrorampha incognitana* (Kremky & Maslowski,1933)** (Tortricidae)
Synonym(s): *incognitana* Kremky & Maslowski,1933; *zermattana* Weber,1945
- 6955. *Dichrorampha incursana* (Herrich-Schäffer,1851)** (Tortricidae)
Synonym(s): *incursana* Herrich-Schäffer,1851 Larval foodplant(s): Asteraceae (Razowski,2003).
- 6956. *Dichrorampha infuscata* (Danilevsky,1960)** (Tortricidae) Synonym(s): *infuscata* Danilevsky,1960
- 6957. *Dichrorampha insperata* (Danilevsky,1960)** (Tortricidae) Synonym(s): *insperata* Danilevsky,1960
- 6958. *Dichrorampha interponana* (Danilevsky,1960)** (Tortricidae)
Synonym(s): *interponana* Danilevsky,1960
- 6959. *Dichrorampha klimeschiana* Toll,1955** (Tortricidae) Synonym(s): *klimeschiana* Toll,1955
- 6960. *Dichrorampha larsana* (Danilevsky,1960)** (Tortricidae) Synonym(s): *larsana* Danilevsky,1960
- 6961. *Dichrorampha latiflavana* Caradja,1916** (Tortricidae) Synonym(s): *latiflavana* Caradja,1916
- 6962. *Dichrorampha montanana* (Duponchel,1843)** (Tortricidae)
Synonym(s): *montanana* Duponchel,1843; *alpestrana* Zeller,1843; *tanaceti* Stainton,1857; *monticolana* Heinemann,1863; *herbosana* Barrett,1872; *blasiana* Kennel,1919; *modestana* Müller-Rutz,1922; *olivacea* Müller-Rutz,1934
- 6963. *Dichrorampha nigrobrunneana* (Toll,1942)** (Tortricidae) Synonym(s): *nigrobrunneana* Toll,1942; *fusca* Danilevsky,1948
- 6964. *Dichrorampha obscuratana* (Wolff,1955)** (Tortricidae) Synonym(s): *obscuratana* Wolff,1955

- 6965. *Dichrorampha petiverella* (Linnaeus,1758)** (Tortricidae) Synonym(s): *petiverella* Linnaeus,1758; *albinella* Linnaeus,1758; *dorsana* Fabricius,1775; *jacquiniana* [Denis & Schiffermüller],1775; *petiverana* Haworth,1809; *stelliferana* Curtis,1831; *gigantana* Staudinger,1879
- 6966. *Dichrorampha plumbagana* (Treitschke,1830)** (Tortricidae) Synonym(s): *plumbagana* Treitschke,1830; *salicetana* Prittwitz,1844; *subsequana* Wocke,1871
- 6967. *Dichrorampha plumbana* (Scopoli,1763)** (Tortricidae) Synonym(s): *plumbana* Scopoli,1763; *saturnana* Guenée,1845; *ulicana* Guenée,1845; *blepharana* Herrich-Schäffer,1851; *rejectana* La Harpe,1858; *resplendana* Heinemann,1863
- 6968. *Dichrorampha podoliensis* (Toll,1942)** (Tortricidae) Synonym(s): *podoliensis* Toll,1942
- 6969. *Dichrorampha proxima* (Danilevsky,1948)** (Tortricidae) Synonym(s): *proxima* Danilevsky,1948
- 6970. *Dichrorampha rjabovi* (Danilevsky,1948)** (Tortricidae) Synonym(s): *rjabovi* Danilevsky,1948
- 6971. *Dichrorampha sedatana* Busck,1906** (Tortricidae) Synonym(s): *sedatana* Busck,1906; *dana* Kearfott,1907; *aequorea* Meyrick,1912 Larval foodplant(s): *Chrysanthemum leucanthemum*, *C. vulgare*, *Tanacetum* (Asteraceae) (Danilevsky & Kuznetsov,1968; et seq.).
- 6972. *Dichrorampha senectana* Guenée,1845** (Tortricidae) Synonym(s): *senectana* Guenée,1845; *pseudocinerosana* Obraztsov,1958
- 6973. *Dichrorampha sequana* (Hübner,[1799])** (Tortricidae) Synonym(s): *sequana* Hübner,[1799] Larval foodplant(s): *Achillea millefolium*, *Chrysanthemum leucanthemum*, *Tanacetum* (Asteraceae) (Razowski,2003).
- 6974. *Dichrorampha sheljuzhkoii* (Obraztsov,1949)** (Tortricidae) Synonym(s): *sheljuzhkoii* Obraztsov,1949
- 6975. *Dichrorampha simpliciana* (Haworth,1811)** (Tortricidae) Synonym(s): *simpliciana* Haworth,1811; *caliginosana* Treitschke,1835; *artemisiae* Bentley,1844; *heuseriana* Obraztsov,1953 Larval foodplant(s): *Artemisia vulgaris* (Asteraceae) (Razowski,2003).
- 6976. *Dichrorampha sylvicolana* (Heinemann,1863)** (Tortricidae) Synonym(s): *sylvicolana* Heinemann,1863; *pseudoalpestrana* Danilevsky,1948
- 6977. *Dichrorampha tshetverikovi* (Danilevsky,1960)** (Tortricidae) Synonym(s): *tshetverikovi* Danilevsky,1960
- 6978. *Dichrorampha unicolor* (Danilevsky,1948)** (Tortricidae) Synonym(s): *unicolor* Danilevsky,1948
- 6979. *Dichrorampha uralensis* (Danilevsky,1948)** (Tortricidae) Synonym(s): *uralensis* Danilevsky,1948
- 6980. *Dichrorampha vancouverana* McDunnough,1935** (Tortricidae) Synonym(s): *politana* auct.; *vancouverana* McDunnough,1935; *gueneana* Obraztsov,1953
- 6981. *Doloploca punctulana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *punctulana* [Denis & Schiffermüller],1775; *schlemmerella* Hübner,1793; *punctulella* Treitschke,1832 larv on *Fraxinus*, *Ligustrum vulgare* (Oleaceae), *Lonicera* (Caprifoliaceae), *Berberis* (Berberidaceae) (Razowski,2001).
- 6982. *Eana (Eutrachia) goiiana* (Linnaeus,1761)** (Tortricidae) Synonym(s): *#argentana* Clerck,1759; *goiiana* Linnaeus,1761; *govana* Fabricius,1775; *argyria* Retzius,1783; *gerningiana* Villers,1789; *margaritalis* Hübner,1790; *magnana* Hübner,[1813]; *georgiella* Hulst,1887 Larval foodplant(s): *Poaceae*, *Salix* (Salicaceae), *Picea* (Pinaceae), *Moosen* (Razowski,2001).
- 6983. *Eana (Eutrachia) osseana* (Scopoli,1763)** (Tortricidae) Synonym(s): *osseana* Scopoli,1763; *angulella* Thunberg,1788; *quadripunctana* Haworth,1811; *pratana* Hübner,[1813]; *cantiana* Curtis,1826; *boreana* Zetterstedt,[1839]; *sulphurana* Guenée,1845; *vosgesiana* Peyerimhoff,1863; *stelviana* Millière,1874; *biformana* Réal,1953; *alpicola* Real,1953; *pratana* Real,1953 nec Hbn.,1813; *borreoni* Real,1953
- 6984. *Eana (Subeana) canescana* (Guenée,1845)** (Tortricidae) Synonym(s): *canescana* Guenée,1845; *styriacana* Herrich-Schäffer,1851; *candidana* La Harpe,1858; *monochromana*

- Lederer,1859; rielana Réal,1951* Larval foodplant(s): *Saponaria officinalis* (Silenaceae), *Hippocrepis comosa* (Fabaceae) (Razowski,2001).
- 6985. Eana (s.str.) andreana (Kennel,1919)** (Tortricidae) Synonym(s): *andreana* Kennel,1919; *?kuldjaensis* Razowski,1959.
- 6986. Eana (s.str.) incanana (Stephens,1852)** (Tortricidae) Synonym(s): *incanana* Stephens,1852; *sinuana* Stephens,1852; *infusana* Réal,1953 Larval foodplant(s): *Chrysanthemum* (Asteraceae), *Endymion leucanthemum*, *Ornithogalum nutans*, *Scilla* (Liliaceae), *Vaccinium* (Vacciniaceae), *Salix* (Salicaceae) (Razowski,2001).
- 6987. Eana (s.str.) penziana (Thunberg,1791)** (Tortricidae) Synonym(s): *penziana* Thunberg,1791; *bellana* Curtis,1826; *diurneana* Guenée,1845; *alpestris* Réal,1953 Larval foodplant(s): *Sempervivum* (Crassulaceae), *Euphrasia* (Scrophulariaceae), *Saxifraga* (Saxifragaceae), *Lotus* (Fabaceae), *Festuca ovina* (Poaceae) (Razowski,2001).
- 6988. Eana (s.str.) vetulana (Christoph,1881)** (Tortricidae) Synonym(s): *vetulana* Christoph,1881
- 6989. Enarmonia flammeata Kuznetsov,1971** (Tortricidae) Synonym(s): *flammeata* Kuznetsov,1971
- 6990. Enarmonia formosana (Scopoli,1763)** (Tortricidae) Synonym(s): *formosana* Scopoli,1763; *woeberiana* [Denis & Schiffermüller],1775; *scriptana* Thunberg,1784; *ornatana* Hübner,[1799].
- 6991. Enarmonia minuscula Kuznetsov,1981** (Tortricidae) Synonym(s): *minuscula* Kuznetsov,1981
- 6992. Enarmonodes aino Kuznetsov,1968** (Tortricidae) Synonym(s): *aino* Kuznetsov,1968
- 6993. Enarmonodes kunashirica Kuznetsov,1969** (Tortricidae) Synonym(s): *kunashirica* Kuznetsov,1969
- 6994. Enarmonodes recreantana (Kennel,1900)** (Tortricidae) Synonym(s): *recreantana* Kennel,1900
- 6995. Endothenia atrata (Caradja,1926)** (Tortricidae) Synonym(s): *atrata* Caradja,1926
- 6996. Endothenia ericetana (Humphreys & Westwood,1845)** (Tortricidae) Synonym(s): *ericetana* Humphreys & Westwood,1845; *trifoliana* Herrich-Schäffer,[1851]. Larval foodplant(s): *Erica* (Ericaceae); *Mentha arvensis*, *Stachys palustris* (Lamiaceae), *Picris* (Asteraceae) (Humphreys & Westwood,1845; Razowski,2001).
- 6997. Endothenia furvida Falkovitsh,1970** (Tortricidae) Synonym(s): *furvida* Falkovitsh,1970
- 6998. Endothenia gentianaeana (Hübner,[1799])** (Tortricidae) Synonym(s): *? bidella* Fourcroy,1785; *gentianaeana* Hübner,[1799]; *gentianana* Hübner,[1825]; *oblongana* Haworth,[1811]; *sellana* Frölich,1828; *desertana* Staudinger,1879; *adelana* Rebel,1892.
- 6999. Endothenia hebesana (Walker,1863)** (Tortricidae) Synonym(s): *hebesana* Walker,1863; *inexpertana* Walker,1863; *fullerea* Riley,1870; *daeckiana* Kearfott,1907; *adustana* Krogerus,1947
- 7000. Endothenia ingrata Falkovitsh,1970** (Tortricidae) Synonym(s): *ingrata* Falkovitsh,1970
- 7001. Endothenia lapideana (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *lapideana* Herrich-Schäffer,[1851]; *digitaliana* Mühlig,1863 Larval foodplant(s): *Digitalis grandiflora* (Scrophulariaceae) (Razowski,2001).
- 7002. Endothenia limata Falkovitsh,1962** (Tortricidae) Synonym(s): *limata* Falkovitsh,1962
- 7003. Endothenia marginana (Haworth,[1811])** (Tortricidae) Synonym(s): *marginana* Haworth,[1811] Larval foodplant(s): *Betonica officinalis*, *Galeopsis* (Lamiaceae), *Pedicularis sylvatica*, *Alectorlophus minor* (Scrophulariaceae) (Razowski,2001).
- 7004. Endothenia nigricostana (Haworth,[1811])** (Tortricidae) Synonym(s): *nigricostana* Haworth,[1811]; *squalidana* Herrich-Schäffer,[1851]; *remyana* Herrich-Schäffer,[1851];

- illepidana* Kennel,1901. Larval foodplant(s): *Stachys silvatica*, *S. palustris*, *Lamium* (Lamiaceae) (Razowski,2001).
- 7005. *Endothenia quadrimaculana* (Haworth,1811) (Tortricidae)** Synonym(s): *quadrimaculana* Haworth,1811; *antiguana* Hübner,[1813]; *obesana* Peyerimhoff,1863 Larval foodplant(s): *Euphorbia amygdaloides* (Euphorbiaceae); *Stachys arvensis*, *S. palustris*, *Mentha spicata* (Lamiaceae); *Symphytum officinale* (Boraginaceae) (Razowski,2001).
- 7006. *Endothenia remigera* Falkovitsh,1970 (Tortricidae)** Synonym(s): *remigera* Falkovitsh,1970
- 7007. *Endothenia ustulana* (Haworth,1811) (Tortricidae)** Synonym(s): *ustulana* Haworth,1811; *carbonana* Doubleday,1849; *violana* Peyerimhoff,1863 Larval foodplant(s): *Ajuga reptans* (Lamiaceae) (Razowski,2001).
- 7008. *Endothenia villosula* Falkovitsh,1966 (Tortricidae)** Synonym(s): *villosula* Falkovitsh,1966
- 7009. *Epagoge grotiana* (Fabricius,1781) (Tortricidae)** Synonym(s): *grotiana* Fabricius,1781; *flavana* Hübner,[1799]; *ochreana* Hübner,[1799]; *artificana* Herrich-Schäffer,1851; *amasiana* Caradja,1916. Larval foodplant(s): *Quercus* (Fagaceae), *Crataegus*, *Rubus*, *Rosa* (Rosaceae), *Vaccinium* (Vacciniaceae) (Razowski,2001).
- 7010. *Epibactra sareptana* (Herrich-Schäffer,1861) (Tortricidae)** Synonym(s): *sareptana* Herrich-Schäffer,1861; *verecundana* Caradja,1916.
- 7011. *Epiblema costipunctana* (Haworth,[1811]) (Tortricidae)** Synonym(s): *costipunctana* Haworth,[1811]; *argyrana* Stephens,1829; *trigeminana* Stephens,1834; *poecilana* Guenée,1845; *ravulana* Herrich-Schäffer,1851
- 7012. *Epiblema foenellum* (Linnaeus,1758) (Tortricidae)** Synonym(s): *foenella* Linnaeus,1758; *hohenwartiana* Scopoli,1772; *scopoliana* [Denis & Schiffermüller],1775; *pflugiana* Fabricius,1787; *tibialana* Hübner,[1793]; *interrogationana* Donovan,1793; *clavigerana* Walker,1863; *sinicana* Walker,1863 Larval foodplant(s): *Artemisia argyi*, *A.vulgaris* (Asteraceae), *Phragmites communis* (Poaceae) (Kawabe,1989; Kuznetsov,2001).
- 7013. *Epiblema foenellum foenellum* (Linnaeus,1758) (Tortricidae)** Synonym(s): *foenella* Linnaeus,1758; *hohenwartiana* Scopoli,1772; *scopoliana* [Denis & Schiffermüller],1775; *pflugiana* Fabricius,1787; *tibialana* Hübner,[1793]; *interrogationana* Donovan,1793; *clavigerana* Walker,1863; *sinicana* Walker,1863 Larval foodplant(s): *Artemisia argyi*, *A.vulgaris* (Asteraceae), *Phragmites communis* (Poaceae) (Kawabe,1989; Kuznetsov,2001).
- 7014. *Epiblema fuchsiana* (Rössler,1877) (Tortricidae)** Synonym(s): *fuchsiana* Rössler,1877
- 7015. *Epiblema gammana* (Mann,1866) (Tortricidae)** Synonym(s): *gammana* Mann,1866
- 7016. *Epiblema grandaevana* (Lienig & Zeller,1846) (Tortricidae)** Synonym(s): *cana* Scopoli,1763; *grandaevana* Lienig & Zeller,1846; *tussilaginana* Herrich-Schäffer,1851; *laetulana* Krulikowsky,1909; *baligrodana* Toll,1958; *petastis* Toll,1958
- 7017. *Epiblema graphana* (Treitschke,1835) (Tortricidae)** Synonym(s): *graphana* Treitschke,1835; *pierretana* Duponchel,1836
- 7018. *Epiblema hepaticana* (Treitschke,1835) (Tortricidae)** Synonym(s): *hepaticana* Treitschke,1835; *senecionana* Staudinger,1871; *tristana* Hauder,1918
- 7019. *Epiblema junctana* (Herrich-Schäffer,1856) (Tortricidae)** Synonym(s): *junctana* Herrich-Schäffer,1856; *jaspidana* Christoph,1872; *maculiferana* Kennel,1900
- 7020. *Epiblema scutulana* ([Denis & Schiffermüller],1775) (Tortricidae)** Synonym(s): *scutulana* [Denis & Schiffermüller],1775; *luctuosana* Duponchel,1836; *novana* Guenée,1845; *alsaticana* Peyerimhoff,1872
- 7021. *Epiblema similana* ([Denis & Schiffermüller],1775) (Tortricidae)** Synonym(s): *similana* [Denis & Schiffermüller],1775; *fluidana* [Denis & Schiffermüller],1775
- 7022. *Epiblema simploniana* (Duponchel,1835) (Tortricidae)** Synonym(s): *simploniana* Duponchel,1835; *sublimana* Herrich-Schäffer,1851; *pictana* La Harpe,1858; *arctica* Miller,1985

- 7023. *Epiblema sticticana* (Fabricius,1794)** (Tortricidae) **Synonym(s):** *sticticana* Fabricius,1794; *farfarae* Fletcher,1938.
- 7024. *Epiblema turbidana* (Treitschke,1835)** (Tortricidae) **Synonym(s):** *turbidana* Treitschke,1835; *zelleriana* Schläger,1848
- 7025. *Epinotia abbreviana* (Fabricius,1794)** (Tortricidae) **Synonym(s):** *abbreviana* Fabricius,1794; *trimaculana* Donovan,1806; *ulmariana* Duponchel,[1843]; *excruciana* Stephens,1852
- 7026. *Epinotia albiguttata* (Oku,1974)** (Tortricidae) **Synonym(s):** *albiguttata* Oku,1974; *albimaculata* Kuznetsov,1976
- 7027. *Epinotia aquila* Kuznetsov,1968** (Tortricidae) **Synonym(s):** *aquila* Kuznetsov,1968
- 7028. *Epinotia autonoma* Falkovitsh,1965** (Tortricidae) **Synonym(s):** *autonoma* Falkovitsh,1965; *tamaensis* Kawabe,1974
- 7029. *Epinotia bilunana* (Haworth,[1811])** (Tortricidae) **Synonym(s):** *bilunana* Haworth,[1811]; *cretaceana* Frölich,1828
- 7030. *Epinotia brunnichiana* (Linnaeus,1767)** (Tortricidae) **Synonym(s):** *brunnichiana* Linnaeus,1767; *sinuana* [Denis & Schiffermüller],1775; *rhenana* Thunberg & Becklin,1791
- 7031. *Epinotia caprana* (Fabricius,1798)** (Tortricidae) **Synonym(s):** *caprana* Fabricius,1798; *piceana* Haworth,1811 *nec* Hbn.,1799; *semifuscana* Stephens,1834; *melaleucana* Duponchel,1836
- 7032. *Epinotia contrariana* (Christoph,1881)** (Tortricidae) **Synonym(s):** *contrariana* Christoph,1881 **Larval foodplant(s):** *Astilbe microphylla* (Saxifragaceae) (Kawabe,1982).
- 7033. *Epinotia crenana* (Hübner,[1817])** (Tortricidae) **Synonym(s):** *crenana* Hübner,[1817]
- 7034. *Epinotia cruciana* (Linnaeus,1761)** (Tortricidae) **Synonym(s):** *cruciana* Linnaeus,1761; *gyllenhahliana* Thunberg,1784; *augustana* Hübner,[1813]; *viminana* Guenée,1845; *alticolana* Stephens,1852 **Larval foodplant(s):** *Salix* (Salicaceae) (Kawabe,1982).
- 7035. *Epinotia dalmatana* (Rebel,1891)** (Tortricidae) **Synonym(s):** *dalmatana* Rebel,1891; *psychrodora* Meyrick,1936; *mesopotamica* Obraztsov,1952; *obraztsovi* Agenjo,1967
- 7036. *Epinotia demarniana* (Fischer v. Röslerstamm,1840)** (Tortricidae) **Synonym(s):** *demarniana* Fischer v. Röslerstamm,1840
- 7037. *Epinotia exquisitana* (Christoph,1881)** (Tortricidae) **Synonym(s):** *exquisitana* Christoph,1881; *pica* Walsingham,1900 **Larval foodplant(s):** *Sorbus commixta*, *S.alnifolia* (Rosaceae) (Kawabe,1982).
- 7038. *Epinotia festivana* (Hübner,[1799])** (Tortricidae) **Synonym(s):** *festivana* Hübner,[1799]
- 7039. *Epinotia fraternana* (Haworth,[1811])** (Tortricidae) **Synonym(s):** *fraternana* Haworth,[1811]; *proximana* Herrich-Schäffer,1851; *distinctana* Wilkinson,1859; *concretana* Peyerimhoff,1863
- 7040. *Epinotia gimmerthaliana* (Lienig & Zeller,1846)** (Tortricidae) **Synonym(s):** *gimmerthaliana* Lienig & Zeller,1846
- 7041. *Epinotia granitana* (Herrich-Schäffer,1851)** (Tortricidae) **Synonym(s):** *granitana* Herrich-Schäffer,1851
- 7042. *Epinotia immundana* (Fischer v. Röslerstamm,1839)** (Tortricidae) **Synonym(s):** *immundana* Fischer v. Röslerstamm,1839
- 7043. *Epinotia indecorana* (Zetterstedt,1839)** (Tortricidae) **Synonym(s):** *indecorana* Zetterstedt,1839
- 7044. *Epinotia kochiana* Herrich-Schäffer,[1851]** (Tortricidae) **Synonym(s):** *kochiana* Herrich-Schäffer,[1851]
- 7045. *Epinotia maculana* (Fabricius,1775)** (Tortricidae) **Synonym(s):** *maculana* Fabricius,1775; *ophthalmicana* Hübner,[1799]
- 7046. *Epinotia majorana* (Caradja,1916)** (Tortricidae) **Synonym(s):** *majorana* Caradja,1916; *leucantha* Meyrick,1931 **Larval foodplant(s):** *Heracleum moellendorffii* (Apiaceae) (Issiki,1057).

- 7047. *Epinotia mercuriana* (Frölich,1828)** (Tortricidae) Synonym(s): *mercuriana* Frölich,1828; *monticolana* Duponchel,[1843]
- 7048. *Epinotia nanana* (Treitschke,1835)** (Tortricidae) Synonym(s): *nanana* Treitschke,1835; *immetallana* Peyerimhoff,1863
- 7049. *Epinotia nemorivaga* (Tengström,1848)** (Tortricidae) Synonym(s): *nemorivaga* Tengström,1848; *rhododendrana* Herrich-Schäffer,1851; *finitimana* Doubleday,1859
- 7050. *Epinotia nigricana* (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *nigricana* Herrich-Schäffer,[1851]; *suasana* Peyerimhoff,1863
- 7051. *Epinotia nisella* (Clerck,1759)** (Tortricidae) Synonym(s): *nisella* Clerck,1759; *boeberana* Fabricius,1787; *pavonana* Donovan,1804; *cuspidana* Haworth,1811; *rhombifasciana* Haworth,1811; *stictana* Haworth,1811; *cinerea* Haworth,1811; *nisana* Guenée,1845
- 7052. *Epinotia pentagonana* Kennel,1901** (Tortricidae) Synonym(s): *pentagonana* Kennel,1901; *maculosa* Kuznetsov,1966 Larval foodplant(s): *Celtis* (Ulmaceae) (Kawabe,1982).
- 7053. *Epinotia piceae* (Issiki,1961)** (Tortricidae) Synonym(s): *piceae* Issiki,1961 Larval foodplant(s): *Abies mariesii*, *A.sachalinensis*, *Picea* (Oku,1968).
- 7054. *Epinotia pinicola* Kuznetsov,1969** (Tortricidae) Synonym(s): *pinicola* Kuznetsov,1969 Larval foodplant(s): *Pinus pumila* (Pinaceae) (Suzuki & Komai,1984).
- 7055. *Epinotia pusillana* (Peyerimhoff,1863)** (Tortricidae) Synonym(s): *pusillana* Peyerimhoff,1863
- 7056. *Epinotia pygmaeana* (Hübner,[1799])** (Tortricidae) Synonym(s): *pygmaeana* Hübner,[1799]; *huebneri* Koçak,1980.
- 7057. *Epinotia ramella* (Linnaeus,1758)** (Tortricidae) Synonym(s): *ramella* Linnaeus,1758; *paykulliana* Fabricius,1787; *sesquilunana* Haworth,1811; *ramama* Frölich,1828; *costana* Duponchel,1836
- 7058. *Epinotia rasdolnyana* (Christoph,1882)** (Tortricidae) Synonym(s): *rasdolnyana* Christoph,1882 Larval foodplant(s): *Acer* (Aceraceae) (Kawabe,1982).
- 7059. *Epinotia rubiginosana* (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *rubiginosana* Herrich-Schäffer,1851; *bouchardana* Stainton,1859; *incognatana* Peyerimhoff,1863 Larval foodplant(s): *Pinus koraiensis*, *P.densiflora*, *P.strobus* (Pinaceae) (Oku,1968).
- 7060. *Epinotia rubiginosana koraiensis* Falkovitsh,1965** (Tortricidae) Synonym(s): *koraiensis* Falkovitsh,1965 Larval foodplant(s): *Pinus koraiensis*, *P.densiflora*, *P.strobus* (Pinaceae) (Oku,1968).
- 7061. *Epinotia rubricana* Kuznetsov,1968** (Tortricidae) Synonym(s): *rubricana* Kuznetsov,1968 Larval foodplant(s): *Alnus japonica* (Betulaceae) (Kawabe,1982).
- 7062. *Epinotia signatana* (Douglas,1845)** (Tortricidae) Synonym(s): *signatana* Douglas,1845; *padana* Lienig & Zeller,1846; *kroesmanniana* Heinemann,1863 Larval foodplant(s): *Prunus spinosa*, *Padus avium*, *P. asiatica*, *P.ssiori*, *Cerasus*, *Malus sylvestris*, *Crataegus* (Rosaceae) (Kuznetsov,2001).
- 7063. *Epinotia solandriana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *solandriana* Linnaeus,1758; *trapezana* Fabricius,1787; *semimaculana* Hübner,1793; *parmatana* Hübner,[1817]; *semilunana* Frölich,1828
- 7064. *Epinotia sordidana* (Hübner,[1824])** (Tortricidae) Synonym(s): *sordidana* Hübner,[1824]; *stabilana* Stephens,1852
- 7065. *Epinotia subocellana* (Donovan,[1806])** (Tortricidae) Synonym(s): *subocellana* Donovan,[1806]; *arctica* Strand,1911 Larval foodplant(s): *Salix carpea*, *S. cinerea*, *S. aurita* (Salicaceae) (Bradley et al.,1979).
- 7066. *Epinotia subsequana* (Haworth,[1811])** (Tortricidae) Synonym(s): *subsequana* Haworth,[1811]; *abiegana* Duponchel,[1843]
- 7067. *Epinotia subuculana* (Rebel,1903)** (Tortricidae) Synonym(s): *subuculana* Rebel,1903

- 7068. *Epinotia tedella* (Clerck,1759)** (Tortricidae) **Synonym(s):** *tedella* Clerck,1759; *comitana* [Denis & Schiffermüller],1775; *hercyniana* Uslar,1798; *piceana* Hübner,[1799]; *taedana* Doubleday,1859; *finitimana* Doubleday,1859
- 7069. *Epinotia tenerana* ([Denis & Schiffermüller],1775)** (Tortricidae) **Synonym(s):** *tenerana* [Denis & Schiffermüller],1775; *retusana* Haworth,1811; *oblitana* Duponchel,1842
- 7070. *Epinotia tetraquetra* (Haworth,1811)** (Tortricidae) **Synonym(s):** *tetraquetra* Haworth,1811; *triquetra* Haworth,1811; *angulana* Haworth,1811; *frutetana* Hübner,[1824]
- 7071. *Epinotia thapsiana* (Zeller,1847)** (Tortricidae) **Synonym(s):** *thapsiana* Zeller,1847 **Larval foodplant(s):** *Laserpitium gallicum*, *Foeniculum officinale*, *Thapsia villosa*, *Ferula communis*, *Ligusticum pyrenaicum*, *Crithmum maritimum* (Apiaceae) (Hannemann,1961).
- 7072. *Epinotia trigonella* (Linnaeus,1758)** (Tortricidae) **Synonym(s):** *trigonella* Linnaeus,1758; *stroemiana* Fabricius,1781; *similana* Hübner,1793; *bimaculana* Donovan,1808; *indecorana* Zetterstedt,1839
- 7073. *Epinotia ulmi* Kuznetsov,1966** (Tortricidae) **Synonym(s):** *ulmi* Kuznetsov,1966 **Larval foodplant(s):** *Ulmus davidiana*, *U. laciniata* (Ulmaceae) (Kuznetsov,1966; Kawabe,1982).
- 7074. *Epinotia ulmicola* Kuznetsov,1966** (Tortricidae) **Synonym(s):** *ulmicola* Kuznetsov,1966 **Larval foodplant(s):** *Zelkova serrata*, *Ulmus davidiana* var. *japonica*, *U. laciniata* (Ulmaceae) (Kawabe,1982).
- 7075. *Epinotia unisignana* Kuznetsov,1966** (Tortricidae) **Synonym(s):** *unisignana* Kuznetsov,1966
- 7076. *Eriopsela falkovitshi* Kostyuk,1979** (Tortricidae) **Synonym(s):** *falkovitshi* Kostyuk,1979
- 7077. *Eriopsela mongunana* Kostyuk,1973** (Tortricidae) **Synonym(s):** *mongunana* Kostyuk,1973
- 7078. *Eriopsela quadrana* (Hübner,[1813])** (Tortricidae) **Synonym(s):** *quadrana* Hübner,[1813]; *strigulosana* Zetterstedt,1839; *abiskoana* Caradja,1916; *roseni* Obratzsov,1952; *bavarica* Obratzsov,1952
- 7079. *Eriopsela rosinana* (Kennel,1918)** (Tortricidae) **Synonym(s):** *rosinana* Kennel,1918
- 7080. *Eucoenogenes teliferana* (Christoph,1882)** (Tortricidae) **Synonym(s):** *teliferana* Christoph,1882
- 7081. *Eucosma abacana* (Erschoff,1877)** (Tortricidae) **Synonym(s):** *abacana* Erschoff,1877
- 7082. *Eucosma aemulana* (Schläger,1849)** (Tortricidae) **Synonym(s):** *aemulana* Schläger,1849; *laticrana* Herrich-Schäffer,1851
- 7083. *Eucosma agnatana* (Christoph,1872)** (Tortricidae) **Synonym(s):** *agnatana* Christoph,1872
- 7084. *Eucosma apocrypha* Falkovitsh,1964** (Tortricidae) **Synonym(s):** *apocrypha* Falkovitsh,1964
- 7085. *Eucosma aspidiscana* (Hübner,[1817])** (Tortricidae) **Synonym(s):** *aspidiscana* Hübner,[1817]
- 7086. *Eucosma balatonana* (Osthelder,1937)** (Tortricidae) **Synonym(s):** *balatonana* Osthelder,1937
- 7087. *Eucosma brigittana* (Kennel,1919)** (Tortricidae) **Synonym(s):** *brigittana* Kennel,1919
- 7088. *Eucosma caliacrana* (Caradja,1931)** (Tortricidae) **Synonym(s):** *luciana* Kennel,1919 (praeocc.); *caliacrana* Caradja,1931; *nessebarana* Soffner,1962; *galactica* Obratzsov,1968
- 7089. *Eucosma campoliliana* ([Denis & Schiffermüller],1775)** (Tortricidae) **Synonym(s):** *campoliliana* [Denis & Schiffermüller],1775
- 7090. *Eucosma cana* (Haworth,1811)** (Tortricidae) **Synonym(s):** *marmorana* Fabricius,1798; *cana* Haworth,1811; *monetulana* Hübner,[1817]; *carduana* Guenée,1845; *subvittana* Staudinger,1892.
- 7091. *Eucosma certana* Kuznetsov,1967** (Tortricidae) **Synonym(s):** *certana* Kuznetsov,1967

- 7092. Eucosma clarescens Kuznetsov,1964** (Tortricidae) Synonym(s): *clarescens* Kuznetsov,1964
- 7093. Eucosma coagulana (Kennel,1901)** (Tortricidae) Synonym(s): *coagulana* Kennel,1901
- 7094. Eucosma confunda Kuznetsov,1966** (Tortricidae) Synonym(s): *confunda* Kuznetsov,1966
- 7095. Eucosma conterminana (Guenée,1845)** (Tortricidae) Synonym(s): *conterminana* Guenée,1845
- 7096. Eucosma cumulana (Guenée,1845)** (Tortricidae) Synonym(s): *cumulana* Guenée,1845; *obscurana* Caradja,1916 nec *Fabricius*,1798; *caradjai* Obratzov,1968.
- 7097. Eucosma disjectana (Kennel,1921)** (Tortricidae) Synonym(s): *disjectana* Kennel,1921
- 7098. Eucosma explicatana (Kennel,1901)** (Tortricidae) Synonym(s): *explicatana* Kennel,1901
- 7099. Eucosma fervidana (Zeller,1847)** (Tortricidae) Synonym(s): *fervidana* Zeller,1847
- 7100. Eucosma flavispeculana Kuznetsov,1964** (Tortricidae) Synonym(s): *flavispeculana* Kuznetsov,1964
- 7101. Eucosma fulvana (Stephens,1834)** (Tortricidae) Synonym(s): *#fulvana* Stephens,1829; *fulvana* Stephens,1834
- 7102. Eucosma fuscida Kuznetsov,1966** (Tortricidae) Synonym(s): *fuscida* Kuznetsov,1966
- 7103. Eucosma glebana (Snellen,1883)** (Tortricidae) Synonym(s): *glebana* Snellen,1883; *sinensis* Walsingham,1900
- 7104. Eucosma gorodkovi Kuznetsov,1979** (Tortricidae) Synonym(s): *gorodkovi* Kuznetsov,1979
- 7105. Eucosma guentheri (Tengström,1869)** (Tortricidae) Synonym(s): *guentheri* Tengström,1869
- 7106. Eucosma hohenwartiana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *cervana* Scopoli,1763; *hohenwartiana* [Denis & Schiffermüller],1775; *pupillana* Hübner,[1799]; *scopoliana* Haworth,[1811]; *strigana* Curtis,1831; *decipiana* Laharpe,1858
- 7107. Eucosma ignotana (Caradja,1916)** (Tortricidae) Synonym(s): *ignotana* Caradja,1916
- 7108. Eucosma intermediana (Kennel,1900)** (Tortricidae) Synonym(s): *intermediana* Kennel,1900
- 7109. Eucosma jaceana (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *jaceana* Herrich-Schäffer,1851
- 7110. Eucosma krygeri (Rebel,1937)** (Tortricidae) Synonym(s): *krygeri* Rebel,1937
- 7111. Eucosma lacteana (Treitschke,1835)** (Tortricidae) Synonym(s): *lacteana* Treitschke,1835
- 7112. Eucosma lignana (Snellen,1883)** (Tortricidae) Synonym(s): *lignana* Snellen,1883; *malitiosana* Kennel,1901; *elongata* Filipjev,1924.
- 7113. Eucosma lyrana (Snellen,1883)** (Tortricidae) Synonym(s): *lyrana* Snellen,1883
- 7114. Eucosma messingiana (Fischer v. Röslerstamm,1837)** (Tortricidae) Synonym(s): *messingiana* Fischer v. Röslerstamm,1837
- 7115. Eucosma metzneriana (Treitschke,1830)** (Tortricidae) Synonym(s): *metzneriana* Treitschke,1830
- 7116. Eucosma monstatana (Rebel,1906)** (Tortricidae) Synonym(s): *monstatana* Rebel,1906
- 7117. Eucosma obumbratana (Lienig & Zeller,1846)** (Tortricidae) Synonym(s): *obumbratana* Lienig & Zeller,1846
- 7118. Eucosma odotatana (Kennel,1901)** (Tortricidae) Synonym(s): *odotatana* Kennel,1901
- 7119. Eucosma paetulana (Kennel,1901)** (Tortricidae) Synonym(s): *paetulana* Kennel,1901
- 7120. Eucosma pupillana (Clerck,1759)** (Tortricidae) Synonym(s): *pupillana* Clerck,1759

- 7121. *Eucosma scorzonerana* (Benander,1942)** (Tortricidae) Synonym(s): *scorzonerana* Benander,1942
- 7122. *Eucosma suomiana* (Hoffmann,1893)** (Tortricidae) Synonym(s): *suomiana* Hoffmann,1893
- 7123. *Eucosma sybillana* (Kennel,1919)** (Tortricidae) Synonym(s): *sybillana* Kennel,1919
- 7124. *Eucosma tetraplana* (Möschler,1866)** (Tortricidae) Synonym(s): *tetraplana* Möschler,1866
- 7125. *Eucosma tundrana* (Kennel,1900)** (Tortricidae) Synonym(s): *tundrana* Kennel,1900
- 7126. *Eucosma victoriana* (Kennel,1919)** (Tortricidae) Synonym(s): *victoriana* Kennel,1919
- 7127. *Eucosma wimmerana* (Treitschke,1835)** (Tortricidae) Synonym(s): *wimmerana* Treitschke,1835; *incana* Lienig & Zeller,1846; *maritima* Walker,1863; *gracilis* Filipjev,1924
- 7128. *Eucosmomorpha albersana* (Hübner,[1813])** (Tortricidae) Synonym(s): *albersana* Hübner,[1813]; *ussuriana* Caradja,1916.
- 7129. *Eucosmomorpha multicolor* Kuznetsov,1964** (Tortricidae) Synonym(s): *multicolor* Kuznetsov,1964; *#multicola* Park & Ahn,1987
- 7130. *Eudemis* (s.str.) *porphyra* (Hübner,[1799])** (Tortricidae) Synonym(s): *porphyra* Hübner,[1799]; *pomedaxana* Pierce & Metcalfe,1915
- 7131. *Eudemis* (s.str.) *profundana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *profundana* [Denis & Schiffermüller],1775; *triangulella* Goeze,1783; *nebulana* Donovan,1806; *aethiopiana* Haworth,1811; *wellesiana* Hübner,[1813]; *alphonsiana* Duponchel,1834; *#obscurata* Gibeaux & Luquet,1998; *#satans* Gibeaux & Luquet,1998
- 7132. *Eugnosta dives* (Butler,1878)** (Tortricidae) Synonym(s): *metaphaeala* Walker,1863; *dives* Butler,1878
- 7133. *Eugnosta fenestrana* Razowski,1964** (Tortricidae) Synonym(s): *fenestrana* Razowski,1964
- 7134. *Eugnosta hydrargyrana* (Eversmann,1842)** (Tortricidae) Synonym(s): *hydrargyrana* Eversmann,1842 Larval foodplant(s): *Jurinea cyanoides* (Asteraceae) (Razowski,2001).
- 7135. *Eugnosta hydrargyrana hydrargyrana* (Eversmann,1842)** (Tortricidae) Synonym(s): *hydrargyrana* Eversmann,1842
- 7136. *Eugnosta hydrargyrana parreyssiana* (Duponchel,1843)** (Tortricidae) Synonym(s): *parreyssiana* Duponchel,1843; *insequana* Eversmann,1844; *mercuriana* Guenée,1845; *anargyrana* Ragonot,1894.
- 7137. *Eugnosta lathoniana* (Hübner,[1800])** (Tortricidae) Synonym(s): *lathoniana* Hübner,[1800] Larval foodplant(s): *Carduus?* (Asteraceae) (Razowski,2001).
- 7138. *Eugnosta magnificana* (Rebel,1914)** (Tortricidae) Synonym(s): *margaritana* Hübner,[1813] nec Haw.,[1811]; *? norvichiana* Hübner,[1817] [nomina dubia!]; *magnificana* Rebel,1914.
- 7139. *Eugnosta plusiana* (Kennel,1899)** (Tortricidae) Synonym(s): *plusiana* Kennel,1899; *#clarana* Obratzov,1943
- 7140. *Eugnosta ussuriiana* (Caradja,1926)** (Tortricidae) Synonym(s): *ussuriiana* Caradja,1926; *cosmolitha* Meyrick,1931.
- 7141. *Eupoecilia ambiguella* (Hübner,1796)** (Tortricidae) Synonym(s): *ambiguella* Hübner,1796; *omphaciella* Faure-Bignet de Simonest,1801; *roserana* Frölich,1828; *turbinaris* Meyrick,1928 Larval foodplant(s): *Vitis*. Other foodplants are *Hedera helix* (Araliaceae), *Cornus mas* (Cornaceae), *Syringa persica*, *Ligustrum vulgare* (Oleaceae), *Viburnum*, *Acer campestre* (Aceraceae), *Rhamnus frangula*, *Ligustrum*, *Symphoricarpos racemosus* (sensu auct.).
- 7142. *Eupoecilia angustana* (Hübner,[1799])** (Tortricidae) Synonym(s): *angustana* Hübner,[1799]; *fasciella* Donovan,1808 nec Goeze,1783; *cruentana* Herrich-Schäffer,[1851]. Larval foodplant(s): *Thymus*, *Origanum* (Lamiaceae), *Solidago*, *Achillea* (Asteraceae), *Plantago* (Plantaginaceae), *Calluna* (Ericaceae) (Razowski,2001).

- 7143. *Eupoecilia cebrana* (Hübner,[1813])** (Tortricidae) Synonym(s): *cebrana* Hübner,[1813]. Larval foodplant(s): *Helichrysum* (Asteraceae) (Swatschek,1958).
- 7144. *Eupoecilia citrinana* Razowski,1960** (Tortricidae) Synonym(s): *citrinana* Razowski,1960
- 7145. *Eupoecilia sanguisorbana* (Herrich-Schäffer,1856)** (Tortricidae) Synonym(s): *sanguisorbana* Herrich-Schäffer,1856 Larval foodplant(s): *Sanguisorba officinalis* (Rosaceae) (Herrich-Schäffer,1856; Razowski,2001).
- 7146. *Exapate congelatella* (Clerck,1759)** (Tortricidae) Synonym(s): *congelatella* Clerck,1759 Larval foodplant(s): *Ligustrum* (Oleaceae), *Rhamnus* (Rhamnaceae), *Quercus* (Fagaceae), *Vaccinium* (Vacciniaceae), *Crataegus*, *Malus* (Rosaceae), *Berberis* (Berberidaceae), *Salix* (Salicaceae) (Razowski,2001).
- 7147. *Falseuncaria degreyana* (McLachlan,1869)** (Tortricidae) Synonym(s): *degreyana* McLachlan,1869; *alaiana* Caradja,1916; *roseotincta* Filipjev,1924 Larval foodplant(s): *Plantago* (Plantaginaceae), *Linaria*, *Antirrhinum* (Scrophulariaceae) (Razowski,2001).
- 7148. *Falseuncaria ruficiliana* (Haworth,[1811])** (Tortricidae) Synonym(s): *ciliella* Hübner,[1796] nec [Denis & Schiff.],1775; *ruficiliana* Haworth,[1811]; *coniana* Fuchs,1903; *tectana* Fuchs,1903. Larval foodplant(s): *Primula veris*, *P. farinosa* (Primulaceae), *Linaria vulgaris*, *Antirrhinum* (Scrophulariaceae), *Inula officinalis*, *Aster linosyris*, *Bellis perennis* (Asteraceae), *Gentiana verna* (Gentianaceae) (Razowski,2001).
- 7149. *Fulcrifera affectana* (Kennel,1901)** (Tortricidae) Synonym(s): *affectana* Kennel,1901
- 7150. *Fulcrifera orientis* (Kuznetsov,1966)** (Tortricidae) Synonym(s): *orientis* Kuznetsov,1966
- 7151. *Fulvoclysia albertii* Razowski,1983** (Tortricidae) Synonym(s): *albertii* Razowski,1983
- 7152. *Gibberifera simplana* (Fischer v. Röslerstamm,1836)** (Tortricidae) Synonym(s): *simplana* Fischer v. Röslerstamm,1836 Larval foodplant(s): *Populus tremula* (Salicaceae) (Kawabe,1989).
- 7153. *Gnorismoneura orientis* (Filipjev,1962)** (Tortricidae) Synonym(s): *orientis* Filipjev,1962
- 7154. *Gravarmata margarotana* (Heinemann,1863)** (Tortricidae) Synonym(s): *margarotana* Heinemann,1863; *amethystana* Peyerimhoff,1872; *retiferana* Wocke,1879
- 7155. *Gravarmata osmana* Obratzov,1952** (Tortricidae) Synonym(s): *osmana* Obratzov,1952
- 7156. *Gynnidomorpha luridana* (Gregson,1870)** (Tortricidae) Synonym(s): *luridana* Gregson,1870 Larval foodplant(s): *Matricaria recutita* (Asteraceae) (Razowski,2001).
- 7157. *Gynnidomorpha minimana* (Caradja,1916)** (Tortricidae) Synonym(s): *minimana* Caradja,1916; *walsinghamana* Meyrick,1928. Larval foodplant(s): *Pedicularis palustris* (Razowski,1970).
- 7158. *Gynnidomorpha permixtana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *permixtana* [Denis & Schiffermüller],1775; *antennana* Frölich,1828; *mussehliana* Treitschke,1835; *dymotana* Treitschke,1835. Larval foodplant(s): *Alectrolophus*, *Pedicularis* (Scrophulariaceae), *Gentiana lutea* (Gentianaceae), *Solidago virgaurea* (Asteraceae), *Alisma plantago -aquatica* (Alismataceae), *Butomus* (Butomaceae) (Razowski,2001).
- 7159. *Gynnidomorpha rubricana* (Peyerimhoff,1877)** (Tortricidae) Synonym(s): *rubricana* Peyerimhoff,1877
- 7160. *Gynnidomorpha vectisana* (Humphreys & Westwood,1845)** (Tortricidae) Synonym(s): *vectisana* Humphreys & Westwood,1845; *griseana* Haworth,[1811]; *geyeriana* Herrich-Schäffer,1851; *grisea* Durrant & Joannis,1922. Larval foodplant(s):

- Plantago maritima (Plantaginaceae), Salicornia (Chenopodiaceae), Triglochin palustre (Juncaginaceae) (Razowski,2001).
- 7161. Gypsonoma aceriana (Duponchel,1843)** (Tortricidae) Synonym(s): *aceriana* Duponchel,1843; *belgiensis* Dufrane,1945
- 7162. Gypsonoma attrita Falkovitsh,1965** (Tortricidae) Synonym(s): *attrita* Falkovitsh,1965
- 7163. Gypsonoma bifasciata Kuznetsov,1966** (Tortricidae) Synonym(s): *bifasciata* Kuznetsov,1966
- 7164. Gypsonoma dealbana (Frölich,1828)** (Tortricidae) Synonym(s): *dealbana* Frölich,1828; *alnetana* Guenée,1845
- 7165. Gypsonoma minutana (Hübner,[1799])** (Tortricidae) Synonym(s): *minutana* Hübner,[1799]; *vermiculana* Duponchel,1836
- 7166. Gypsonoma monotonica Kuznetsov,1991** (Tortricidae) Synonym(s): *monotonica* Kuznetsov,1991
- 7167. Gypsonoma mutabilana Kuznetsov,1985** (Tortricidae) Synonym(s): *mutabilana* Kuznetsov,1985
- 7168. Gypsonoma nitidulana (Lienig & Zeller,1846)** (Tortricidae) Synonym(s): *nitidulana* Lienig & Zeller,1846; *#ericetana* Lienig & Zeller,1846
- 7169. Gypsonoma obratzovi Amsel,1959** (Tortricidae) Synonym(s): *obratzovi* Amsel,1959
- 7170. Gypsonoma oppressana (Treitschke,1835)** (Tortricidae) Synonym(s): *oppressana* Treitschke,1835; *cnephasiana* Obratzov,1943
- 7171. Gypsonoma parryana (Curtis,1835)** (Tortricidae) Synonym(s): *parryana* Curtis,1835; *arcticana* Kuznetsov,1979
- 7172. Gypsonoma sociana (Haworth,[1811])** (Tortricidae) Synonym(s): *sociana* Haworth,[1811]; *neglectana* Duponchel,1844
- 7173. Hedya dimidiana (Clerck,1759)** (Tortricidae) Synonym(s): *#dimidiana* Clerck,1759; *schreberiana* Linnaeus,1761 Larval foodplant(s): *Padus avium* (Kuznetsov,1979).
- 7174. Hedya nubiferana (Haworth,[1811])** (Tortricidae) Synonym(s): *dimidioalba* Retzius,1783; *variegana* Hübner,[1799] *nec* [Denis & Schiff.],1775; *nubiferana* Haworth,[1811] Larval foodplant(s): *Crataegus*, *Rosa* (Rosaceae), *Betula*, *Alnus*, *Salix* (Salicaceae), *Quercus* (Fagaceae) (Razowski & Wjackowski,1959).
- 7175. Hedya ochroleucana (Frölich,1828)** (Tortricidae) Synonym(s): *ochroleucana* Frölich,1828; *nimbatana* Clemens,1860; *contrariana* Walker,1863; *consanguinana* Walsingham,1879 Larval foodplant(s): *Rosa*, *Malus* (Razowski,1983).
- 7176. Hedya pruniana (Hübner,[1799])** (Tortricidae) Synonym(s): *pruniana* Hübner,[1799]; *pruneticolana* Zeller,1849 Larval foodplant(s): *Crataegus*, *Corylus avellana* (Kuznetsov,1979).
- 7177. Hedya roseomaculana (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *roseomaculana* Herrich-Schäffer,1851; *lienigiana* Heinemann,1863 Larval foodplant(s): *Pirola secunda* (Razowski,1983).
- 7178. Hedya salicella (Linnaeus,1758)** (Tortricidae) Synonym(s): *salicella* Linnaeus,1758; *salicana* [Denis & Schiffermüller],1775 Larval foodplant(s): *Salix caprea*, *Populus tremula*, *P. nigra* (Salicaceae) (Linnaeus,1758 et seq.).
- 7179. Hysterophora maculosana (Haworth,[1811])** (Tortricidae) Synonym(s): *maculosana* Haworth,[1811]; *purgatana* Treitschke,1835; *porculana* Mann,1862. Larval foodplant(s): *Scilla festalis* (Liliaceae), *Endymion non-scriptus*, *Chondrilla juncea* (Cichoriaceae) (Dufrane,1942).
- 7180. Isotrias hybridana (Hübner,[1817])** (Tortricidae) Synonym(s): *cingulana* Scopoli,1772; *hybridana* Hübner,[1817]; *puellana* Frölich,1828; *pedemontana* Staudinger,1871; *fingalana* Millière,1884; *castiliana* Ragonot,1894
- 7181. Kenneliola fagiglandana (Zeller,1841)** (Tortricidae) Synonym(s): *grossana* Haworth,[1811] *nec* Thunb.,1791; *fagiglandana* Zeller,1841.

- 7182. Lathronympha strigana (Fabricius,1775)** (Tortricidae) Synonym(s): *strigana* Fabricius,1775; *politana* [Denis & Schiffermüller],1775; *hypericana* Hübner,[1799]. Larval foodplant(s): *Hypericum perforatum*, *H. hirsutum* (Hypericaceae) (Bradley et al.,1979).
- 7183. Lepteucosma huebneriana (Koçak,1980)** (Tortricidae) Synonym(s): *ustulana* Hübner,[1813] nec Haw.,[1811]; *huebneriana* Koçak,1980 Larval foodplant(s): *Rubus fruticosus*, *R. crataegifolius*, *R.sachalinensis* (Rosaceae), *Lycium chinense* (Solanaceae) (Park,1983; Kuznetsov,2001).
- 7184. Lobesia (s.str.) abscissana (Doubleday,1849)** (Tortricidae) Synonym(s): *abscissana* Doubleday,1849; *pullana* Kennel,1900.
- 7185. Lobesia (s.str.) artemisiana (Zeller,1847)** (Tortricidae) Synonym(s): *artemisiana* Zeller,1847; *trifasciana* Herrich-Schäffer,1851; *amaryllana* Millière,1876 Larval foodplant(s): *Artemisia* (Zeller,1847).
- 7186. Lobesia (s.str.) bicinctana (Duponchel,1844)** (Tortricidae) Synonym(s): *bicinctana* Duponchel,1844; *lugdunana* Guenée,1845
- 7187. Lobesia (s.str.) crimea Falkovitsh,1970** (Tortricidae) Synonym(s): *crimea* Falkovitsh,1970
- 7188. Lobesia (s.str.) indusiana (Zeller,1847)** (Tortricidae) Synonym(s): *indusiana* Zeller,1847; *staticeana* Millière,1869; *cognata* Obraztsov,1949.
- 7189. Lobesia (s.str.) reliquana (Hübner,[1825])** (Tortricidae) Synonym(s): *reliquana* Hübner,[1825]; *leucoptera* Frölich,1828; *fischerana* Treitschke,1835.
- 7190. Lobesia (s.str.) subherculeana (Filipjev,1925)** (Tortricidae) Synonym(s): *subherculeana* Filipjev,1925
- 7191. Lobesia (s.str.) vitisana (Jacquin,1788)** (Tortricidae) Synonym(s): *#botrana* [Denis & Schiffermüller],1775; *vitisana* Jacquin,1788; *rosmarinana* Milliere,1865.
- 7192. Lobesia coccophaga Falkovitsh,1970** (Tortricidae) Synonym(s): *coccophaga* Falkovitsh,1970
- 7193. Lobesia duplicata Falkovitsh,1970** (Tortricidae) Synonym(s): *duplicata* Falkovitsh,1970
- 7194. Lobesia subherculeana (Filipjev,1924)** (Tortricidae) Synonym(s): *subherculeana* Filipjev,1924
- 7195. Lobesiodes euphorbiana (Freyer,1842)** (Tortricidae) Synonym(s): *euphorbiana* Freyer,1842 Larval foodplant(s): *Euphorbia* (Freyer,1842).
- 7196. Lobesiodes occidentis Falkovitsh,1970** (Tortricidae) Synonym(s): *occidentis* Falkovitsh,1970
- 7197. Lozotaenia djakonovi Danilevsky,1963** (Tortricidae) Synonym(s): *djakonovi* Danilevsky,1963
- 7198. Lozotaenia forsterana (Fabricius,1781)** (Tortricidae) Synonym(s): *forsterana* Fabricius,1781; *retucilana* Frölich,1828; *adiunctana* Treitschke,1830; *sineana* Freyer,1833; *luteolana* Humpreys & Westwood,1845; *argyllaceana* Zetterstedt,1839; *immaculana* Strand,1900; *fagi* Constantini,1923 Larval foodplant(s): *Ledum* (Ericaceae), *Vaccinium* (Vacciniaceae), *Stachys* (Lamiaceae), *Hedera* (Araliaceae), *Lonicera* (Caprifoliaceae), *Ribes* (Grossulariaceae), *Larix*, *Picea*, *Abies* (Pinaceae) (Razowski,2001).
- 7199. Lozotaeniodes formosana (Geyer,1830)** (Tortricidae) Synonym(s): *formosana* Geyer,1830
- 7200. Matsumuraeses capax Razowski & Yasuda,1975** (Tortricidae) Synonym(s): *capax* Razowski & Yasuda,1975
- 7201. Matsumuraeses phaseoli (Matsumura,1900)** (Tortricidae) Synonym(s): *phaseoli* Matsumura,1900; *elutana* Kennel,1900
- 7202. Matsumuraeses ussuriensis (Caradja,1916)** (Tortricidae) Synonym(s): *ussuriensis* Caradja,1916; *monstruosana* Kuznetsov,1962
- 7203. Metacosma impolitana Kuznetsov,1985** (Tortricidae) Synonym(s): *impolitana* Kuznetsov,1985

- 7204. Metendothenia atropunctana (Zetterstedt,1839)** (Tortricidae)
Synonym(s): *atropunctana* Zetterstedt,1839; *ochromelana* Guenée,1845 Larval foodplant(s):
Betula (Betulaceae), Salix (Salicaceae), Tilia (Tiliaceae), Fagus (Fagaceae), Alnus,
Crataegus (Rosaceae) (Razowski,1983).
- 7205. Mimarsinania petulantana (Kennel,1901)** (Tortricidae) Synonym(s):
petulantana Kennel,1901
- 7206. Neosphaleroptera nubilana (Hübner,[1799])** (Tortricidae) Synonym(s):
? *alniana* [Denis & Schiffermüller],1775; *nubilana* Hübner,[1799]; *glareana* Schrank,1802; *perfusca*
Haworth,1811; *conradii* Portshinkij,1888 Larval foodplant(s): Crataegus, Prunus, Pyrus
(Rosaceae) (Razowski,2001).
- 7207. Notocelia aquana (Hübner,[1799])** (Tortricidae) Synonym(s): *#roborana*
[Denis & Schiffermüller],1775; *aquana* Hübner,[1799].
- 7208. Notocelia circumfluxana (Christoph,1881)** (Tortricidae) Synonym(s):
circumfluxana Christoph,1881
- 7209. Notocelia cynosbatella (Linnaeus,1758)** (Tortricidae) Synonym(s):
cynosbatella Linnaeus,1758; *cynosbana* Fabricius,1775; *tripunctana* [Denis & Schiffermüller],1775;
#cynobatella Razowski,1966; *damascena* Tuleskov & Nikolova,1967.
- 7210. Notocelia incarnatana (Hübner,[1800])** (Tortricidae) Synonym(s):
incarnatana Hübner,[1800]; *amoenana* Hübner,[1817]. Larval foodplant(s): Rosa canina
(Rosaceae) (Kuznetsov,1994).
- 7211. Notocelia nimia Falkovitsh,1965** (Tortricidae) Synonym(s): *nimia*
Falkovitsh,1965
- 7212. Notocelia rosaecolana (Doubleday,1850)** (Tortricidae) Synonym(s):
rosaecolana Doubleday,1850; *rosae* Matsumura,1917
- 7213. Notocelia tetragonana (Stephens,1834)** (Tortricidae) Synonym(s):
tetragonana Stephens,1834 Larval foodplant(s): Rosa, Rubus (Rosaceae)
(Kuznetsov,1994).
- 7214. Notocelia trimaculana (Haworth,[1811])** (Tortricidae) Synonym(s):
trimaculana Haworth,[1811]; *suffusana* Duponchel,1843. Larval foodplant(s): Crataegus,
Prunus spinosa, Pyrus (Rosaceae) (Razowski,2003).
- 7215. Notocelia uddmanniana (Linnaeus,1758)** (Tortricidae) Synonym(s):
uddmanniana Linnaeus,1758; *rubiana* Scopoli,1763; *achatana* Hübner,[1799] Larval foodplant(s):
Rubus fruticosus, R. caesius (Rosaceae); Fragaria (Kuznetsov,1994).
- 7216. Olethreutes (Argyroploce) aquilonana (Karvonen,1932)** (Tortricidae)
Synonym(s): *aquilonana* Karvonen,1932; *helvomaculana* Kostyuk,1975; *kononenkoi* Kuznetsov,1991
- 7217. Olethreutes (Argyroploce) arbutella (Linnaeus,1758)** (Tortricidae)
Synonym(s): *arbutella* Linnaeus,1758; *arbutana* Hübner,[1813] Larval foodplant(s):
Vaccinium vitis-idaea, V. uliginosum, Arcostaphylos uva-ursi (Razowski,1983).
- 7218. Olethreutes (Argyroploce) bipunctana (Fabricius,1794)** (Tortricidae)
Synonym(s): *bipunctana* Fabricius,1794 Larval foodplant(s): Vaccinium myrtillus,
V. vitis-idaea (Ericaceae) (Razowski,1983).
- 7219. Olethreutes (Argyroploce) camillana (Kennel,1918)** (Tortricidae)
Synonym(s): *camillana* Kennel,1918
- 7220. Olethreutes (Argyroploce) concretana (Wocke,1862)** (Tortricidae)
Synonym(s): *concretana* Wocke,1862
- 7221. Olethreutes (Argyroploce) delitana (Staudinger,1879)** (Tortricidae)
Synonym(s): *delitana* Staudinger,1879; *laurentiana* Kennel,1919; *flava* Kennel,1919.
- 7222. Olethreutes (Argyroploce) dissolutana (Stange,1866)** (Tortricidae)
Synonym(s): *dissolutana* Stange,1866
- 7223. Olethreutes (Argyroploce) hyperboreana Karvonen,1932**
(Tortricidae) Synonym(s): *hyperboreana* Karvonen,1932
- 7224. Olethreutes (Argyroploce) inquietana (Walker,1863)** (Tortricidae)
Synonym(s): *inquietana* Walker,1863

- 7225. Olethreutes (Argyroplöce) lacunana ([Denis & Schiffermüller],1775)** (Tortricidae) **Synonym(s):** *lacunana* [Denis & Schiffermüller],1775; *herbana* Guenée,1845 **Larval foodplant(s):** *Mentha*, *Chrysanthemum*, *Fragaria*, *Urtica*, *Salix*, *Betula*, *Larix* (Razowski,1983).
- 7226. Olethreutes (Argyroplöce) lediana (Linnaeus,1758)** (Tortricidae) **Synonym(s):** *lediana* Linnaeus,1758; *westwoodana* Zetterstedt,1839; *lienigiana* Zeller,1846; *szmyti* Toll,1957 **Larval foodplant(s):** *Ledum palustre* (Linnaeus,1758).
- 7227. Olethreutes (Argyroplöce) metallicana (Hübner,[1799])** (Tortricidae) **Synonym(s):** *metallicana* Hübner,[1799]; *metallana* Frölich,1828 **Larval foodplant(s):** *Vaccinium myrtillus* (Razowski,1983).
- 7228. Olethreutes (Argyroplöce) micana ([Denis & Schiffermüller],1775)** (Tortricidae) **Synonym(s):** *micana* [Denis & Schiffermüller],1775; *olivana* Treitschke,1830; *bistrigana* Stephens,1834; *haworthiana* Stephens,1834
- 7229. Olethreutes (Argyroplöce) mygindiana ([Denis & Schiffermüller],1775)** (Tortricidae) **Synonym(s):** *mygindiana* [Denis & Schiffermüller],1775; *fulvipunctana* Haworth,1811; *flammeana* Frölich,1828 **Larval foodplant(s):** *Vaccinium vitis-idaea*, *V. uliginosum*, *Arctostaphylos uva-ursi*, *Myrica gale* (Razowski,1983).
- 7230. Olethreutes (Argyroplöce) palustrana (Lienig & Zeller,1846)** (Tortricidae) **Synonym(s):** *palustrana* Lienig & Zeller,1846; *disertana* Herrich-Schäffer,1848
- 7231. Olethreutes (Argyroplöce) schaefferana (Herrich-Schäffer,1851)** (Tortricidae) **Synonym(s):** *schaefferana* Herrich-Schäffer,1851
- 7232. Olethreutes (Argyroplöce) schulziana (Fabricius,1777)** (Tortricidae) **Synonym(s):** *schulziana* Fabricius,1777; *pinetana* Hübner,[1799]; *bentleiana* Donovan,1801; *zinkenana* Frölich,1828; *daleana* Doubleday,1859 **Larval foodplant(s):** *Vaccinium uliginosum*, *Calluna vulgaris* (Ericaceae) (Razowski,1983).
- 7233. Olethreutes (Argyroplöce) stibiana (Guenée,1845)** (Tortricidae) **Synonym(s):** *stibiana* Guenée,1845; *sibirana* Caradja,1916; *fluviana* Kennel,1919. **Larval foodplant(s):** *Rubus*, *Prunus spinosa* (Rosaceae), *Vaccinium* (Ericaceae) (Razowski,1983).
- 7234. Olethreutes (Argyroplöce) turfósana (Herrich-Schäffer,1851)** (Tortricidae) **Synonym(s):** *turfósana* Herrich-Schäffer,1851
- 7235. Olethreutes (s.str.) agatha Falkovitsh,1966** (Tortricidae) **Synonym(s):** *agatha* Falkovitsh,1966
- 7236. Olethreutes (s.str.) arcuana (Linnaeus,1761)** (Tortricidae) **Synonym(s):** *#arcuella* Clerck,1759; *arcuana* Linnaeus,1761; *lambergiana* Scopoli,1763.
- 7237. Olethreutes (s.str.) cacuminana (Kennel,1901)** (Tortricidae) **Synonym(s):** *cacuminana* Kennel,1901; *gordiana* Kennel,1919
- 7238. Olethreutes (s.str.) captiosana (Falkovitsh,1960)** (Tortricidae) **Synonym(s):** *captiosana* Falkovitsh,1960
- 7239. Olethreutes (s.str.) dalecarliana (Guenée,1845)** (Tortricidae) **Synonym(s):** *dalecarliana* Guenée,1845; *pyrolana* Wocke,1857 **Larval foodplant(s):** *Ledum palustre*, *Pirola secunda*, *P. rotundifolia* (Razowski,1983).
- 7240. Olethreutes (s.str.) dolosana (Kennel,1901)** (Tortricidae) **Synonym(s):** *dolosana* Kennel,1901
- 7241. Olethreutes (s.str.) doubledayana (Barrett,1872)** (Tortricidae) **Synonym(s):** *doubledayana* Barrett,1872
- 7242. Olethreutes (s.str.) electana (Kennel,1901)** (Tortricidae) **Synonym(s):** *electana* Kennel,1901
- 7243. Olethreutes (s.str.) examinatus Falkovitsh,1966** (Tortricidae) **Synonym(s):** *examinatus* Falkovitsh,1966

- 7244. *Olethreutes* (s.str.) *exilis* Falkovitsh,1966** (Tortricidae) Synonym(s): *exilis* Falkovitsh,1966
- 7245. *Olethreutes* (s.str.) *irina* Falkovitsh,1966** (Tortricidae) Synonym(s): *irina* Falkovitsh,1966
- 7246. *Olethreutes* (s.str.) *madagana* (Falkovitsh,1965)** (Tortricidae) Synonym(s): *madagana* Falkovitsh,1965
- 7247. *Olethreutes* (s.str.) *moderata* Falkovitsh,1962** (Tortricidae) Synonym(s): *moderata* Falkovitsh,1962
- 7248. *Olethreutes* (s.str.) *nigricrista* Kuznetsov,1976** (Tortricidae) Synonym(s): *nigricrista* Kuznetsov,1976
- 7249. *Olethreutes* (s.str.) *obsoletana* (Zetterstedt,1839)** (Tortricidae) Synonym(s): *obsoletana* Zetterstedt,1839; *nebulosana* Zetterstedt,1839; *schoenerrhana* Guenée,1845; *sudetana* Standfuss,1846; *irriguana* Herrich-Schäffer,1856
- 7250. *Olethreutes* (s.str.) *praeterminata* (Caradja,1933)** (Tortricidae) Synonym(s): *praeterminata* Caradja,1933
- 7251. *Olethreutes* (s.str.) *siderana* (Treitschke,1835)** (Tortricidae) Synonym(s): *siderana* Treitschke,1835; *notata* Walsingham,1900 Larval foodplant(s): *Spiraea* (Razowski,1983).
- 7252. *Olethreutes* (s.str.) *subtilana* (Falkovitsh,1959)** (Tortricidae) Synonym(s): *subtilana* Falkovitsh,1959
- 7253. *Olethreutes* (s.str.) *tephrea* Falkovitsh,1966** (Tortricidae) Synonym(s): *tephrea* Falkovitsh,1966
- 7254. *Olethreutes* (s.str.) *transversana* (Christoph,1881)** (Tortricidae) Synonym(s): *transversana* Christoph,1881
- 7255. *Olethreutes* (s.str.) *umbrosana* (Freyer,1842)** (Tortricidae) Synonym(s): *umbrosana* Freyer,1842 Larval foodplant(s): *Mentha* (Lamiaceae) (Razowski,1983).
- 7256. *Olindia* *schumacherana* (Fabricius,1787)** (Tortricidae) Synonym(s): *schumacherana* Fabricius,1787; *ulmana* Hübner,[1823]; *areolana* Hübner,[1823]; *obscurana* Burmann,1949; *cruciana* Burmann,1949.
- 7257. *Orthotaenia* *secunda* Falkovitsh,1962** (Tortricidae) Synonym(s): *secunda* Falkovitsh,1962
- 7258. *Orthotaenia* *undulana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *undulana* [Denis & Schiffermüller],1775; *urticana* Hübner,1796; *campestrana* Zeller,1875; *dilutifusca* Walsingham,1879 Larval foodplant(s): *Lonicera*, *Vaccinium*, *Betula*, *Salix*, *Acer*, *Urtica*, *Pinus*, *Juniperus* (Razowski,1983).
- 7259. *Oxypteron* *impar* Staudinger,1871** (Tortricidae) Synonym(s): *impar* Staudinger,1871
- 7260. *Oxypteron* *palmoni* (Amsel,1940)** (Tortricidae) Synonym(s): *palmoni* Amsel,1940
- 7261. *Oxypteron* *wertheimsteini* (Rebel,1913)** (Tortricidae) Synonym(s): *wertheimsteini* Rebel,1913; *vertheimsteini* Obraztsov,1935; *amseli* Razowski,1957 Larval foodplant(s): *Chondrilla juncea* (Cichoriaceae) (Razowski,2001).
- 7262. *Pammene* *aceris* Kuznetsov,1968** (Tortricidae) Synonym(s): *aceris* Kuznetsov,1968
- 7263. *Pammene* *agnotana* Rebel,1914** (Tortricidae) Synonym(s): *vernana* Snellen,1882; *agnotana* Rebel,1914; *snellana* Benthick,1947
- 7264. *Pammene* *ainorum* Kuznetsov,1968** (Tortricidae) Synonym(s): *ainorum* Kuznetsov,1968
- 7265. *Pammene* *albuginana* (Guenée,1845)** (Tortricidae) Synonym(s): *albuginana* Guenée,1845; *reisseri* Rebel,1937
- 7266. *Pammene* *amygdalana* (Duponchel,1842)** (Tortricidae) Synonym(s): *amygdalana* Duponchel,1842
- 7267. *Pammene* *argyrana* (Hübner,[1799])** (Tortricidae) Synonym(s): *argyrana* Hübner,[1799]; *atromargana* Haworth,[1811]; *melaleucana* Frölich,1828; *argentimicana* Bruand,1850;;

- vernana* Knaggs,1867 larva in galls of hymenopterans (Andricus, Biorhiza, Cynips) on oaks (*Quercus robur*) (Fagaceae) (Danilewsky & Kuznetsov,1968).
- 7268. *Pammene aurana* (Fabricius,1775) (Tortricidae)** **Synonym(s):** *aurana* Fabricius,1775; *mediana* [Denis & Schifferrmüller],1775; *fulvella* Fabricius,1794; *bimaculella* Thunberg,1794; *fulvana* Fabricius,1798; *aurantiana* Kollar,1832; *#cuprea* Obratzov,1959; *#obscurana* Obratzov,1959
- 7269. *Pammene aurita* Razowski,1992 (Tortricidae)** **Synonym(s):** *aurantiana* Staudinger,1871 nec Stgr.,1870; *aurita* Razowski,1992
- 7270. *Pammene blockiana* (Herrich-Schäffer,[1851]) (Tortricidae)** **Synonym(s):** ? *blockiella* Rossi,1794; *blockiana* Herrich-Schäffer,[1851]; *cupressana* Zerny,1927 **Larval foodplant(s):** *Cupressus* ? (Zerny,1927).
- 7271. *Pammene christophana* (Möschler,1862) (Tortricidae)** **Synonym(s):** *christophana* Möschler,1862
- 7272. *Pammene clanculana* (Tengström,1869) (Tortricidae)** **Synonym(s):** *clanculana* Tengström,1869
- 7273. *Pammene cytisana* (Zeller,1847) (Tortricidae)** **Synonym(s):** *cytisana* Zeller,1847
- 7274. *Pammene exscribana* Kuznetsov,1986 (Tortricidae)** **Synonym(s):** *exscribana* Kuznetsov,1986
- 7275. *Pammene fasciana* (Linnaeus,1761) (Tortricidae)** **Synonym(s):** *fasciana* Linnaeus,1761; *trinotata* Frölich,1828; *juliana* Curtis,1836; *nimbana* Herrich-Schäffer,1851; *herrichiana* Heinemann,1854
- 7276. *Pammene flavicellula* Kuznetsov,1971 (Tortricidae)** **Synonym(s):** *flavicellula* Kuznetsov,1971
- 7277. *Pammene gallicana* (Guenée,1845) (Tortricidae)** **Synonym(s):** *gallicana* Guenée,1845; *rufillana* Doubleday,1850; *pudicana* Herrich-Schäffer,1851; *implicatana* Christoph,1881; *#alberici* Dufrane,1944
- 7278. *Pammene gallicolana* (Lienig & Zeller,1846) (Tortricidae)** **Synonym(s):** *gallicolana* Lienig & Zeller,1846 larva in dry hymenopteran galls on *Quercus* (Fagaceae) (Danilewsky & Kuznetsov,1968).
- 7279. *Pammene germmana* (Hübner,[1799]) (Tortricidae)** **Synonym(s):** *germmana* Hübner,[1799]; *stagnana* Hübner,[1799]; *atropurpurana* Haworth,[1811]; *germarana* Hübner,[1825]; *puncticostana* Stephens,1834; *immaculana* Guenée,1845; *fulvifrontana* Zeller,1849 **Larval foodplant(s):** *Prunus domestica*, *Crataegus* (Rosaceae); *Quercus* (Fagaceae) (Bradley et al.,1979; et seq.).
- 7280. *Pammene griseomaculana* Kuznetsov,1960 (Tortricidae)** **Synonym(s):** *griseomaculana* Kuznetsov,1960
- 7281. *Pammene grunini* Kuznetsov,1960 (Tortricidae)** **Synonym(s):** *grunini* Kuznetsov,1960
- 7282. *Pammene ignorata* Kuznetsov,1968 (Tortricidae)** **Synonym(s):** *ignorata* Kuznetsov,1968
- 7283. *Pammene insolentana* Kuznetsov,1964 (Tortricidae)** **Synonym(s):** *insolentana* Kuznetsov,1964
- 7284. *Pammene instructana* Kuznetsov,1964 (Tortricidae)** **Synonym(s):** *instructana* Kuznetsov,1964
- 7285. *Pammene insulana* (Guenée,1845) (Tortricidae)** **Synonym(s):** *insulana* Guenée,1845; *motacillana* Zeller,1847; *stragulana* Tengström,1848; *ovulana* Tengström,1848.
- 7286. *Pammene japonica* Kuznetsov,1968 (Tortricidae)** **Synonym(s):** *japonica* Kuznetsov,1968
- 7287. *Pammene juniperana* (Millière,1858) (Tortricidae)** **Synonym(s):** *juniperana* Millière,1858; *tergorana* Frölich,1828; *thuriferana* Cleu,1926
- 7288. *Pammene luedersiana* (Sorhagen,1885) (Tortricidae)** **Synonym(s):** *luedersiana* Sorhagen,1885 **Larval foodplant(s):** *Myrica gale* (Razowski,2003).
- 7289. *Pammene mariana* (Zerny,1920) (Tortricidae)** **Synonym(s):** *mariana* Zerny,1920; *pontica* Obratzov,1960 **Larval foodplant(s):** *Juniperus oxycedrus*, *J. foetidissima* (Razowski,2003).
- 7290. *Pammene monotincta* Kuznetsov,1976 (Tortricidae)** **Synonym(s):** *monotincta* Kuznetsov,1976

- 7291. *Pammene nemorosa* Kuznetsov,1968** (Tortricidae) Synonym(s): *nemorosa* Kuznetsov,1968
- 7292. *Pammene obscurana* (Stephens,1834)** (Tortricidae) Synonym(s): *obscurana* Stephens,1834; *tomiana* Zeller,1868
- 7293. *Pammene ochsenheimeriana* (Lienig & Zeller,1846)** (Tortricidae) Synonym(s): *?panzerana* Frölich,1828; *ochsenheimeriana* Lienig & Zeller,1846; *loxiana* Herrich-Schäffer,1851; *luctiferana* Herrich-Schäffer,1851 Larval foodplant(s): *Pinus*, *Abies*, *Picea* (Pinaceae) (Patocka,1960 et seq.).
- 7294. *Pammene orientana* Kuznetsov,1960** (Tortricidae) Synonym(s): *orientana* Kuznetsov,1960
- 7295. *Pammene populana* (Fabricius,1787)** (Tortricidae) Synonym(s): *populana* Fabricius,1787; *ephippana* Hübner,[1817]; *sticticana* Frölich,1828
- 7296. *Pammene regiana* (Zeller,1849)** (Tortricidae) Synonym(s): *regiana* Zeller,1849 Larval foodplant(s): *Acer pseudoplatanus*, *A. platanoides*, *A. campestre* (Razowski,2003).
- 7297. *Pammene rhediella* (Linnaeus,1761)** (Tortricidae) Synonym(s): *#rhediella* Clerck,1759; *rhediella* Linnaeus,1761; *daldorfana* Fabricius,1787; *dimidiana* Donovan,[1804]; *rhediana* Hübner,[1825]; *parvulana* Frölich,1828
- 7298. *Pammene seminotata* Filipjev,1926** (Tortricidae) Synonym(s): *seminotata* Filipjev,1926
- 7299. *Pammene shicotanica* Kuznetsov,1968** (Tortricidae) Synonym(s): *shicotanica* Kuznetsov,1968
- 7300. *Pammene spiniana* (Duponchel,1843)** (Tortricidae) Synonym(s): *spiniana* Duponchel,1843; *trigonana* Stephens,1829; *trigonana* Stephens,1834; *spinetorum* Herrich-Schäffer,1851 Larval foodplant(s): *Prunus spinosa*, *Crataegus* (Rosaceae); *Viburnum*, *Sorbus* (Razowski,2003).
- 7301. *Pammene splendidulana* (Guenée,1845)** (Tortricidae) Synonym(s): *strobilana* Haworth,1811; *splendidulana* Guenée,1845; *plumbatana* Lienig & Zeller,1846; *suberana* Constant,1895 Larval foodplant(s): *Quercus robur* (Fagaceae) (Razowski,2003).
- 7302. *Pammene subsalvana* Kuznetsov,1960** (Tortricidae) Synonym(s): *subsalvana* Kuznetsov,1960
- 7303. *Pammene suspectana* (Lienig & Zeller,1846)** (Tortricidae) Synonym(s): *suspectana* Lienig & Zeller,1846; *fraxinana* Peyerimhoff,1872 larva under bark of *Fraxinus excelsior* (Oleaceae) (Corley et al.,2007).
- 7304. *Pammene tauriana* Kuznetsov,1960** (Tortricidae) Synonym(s): *tauriana* Kuznetsov,1960
- 7305. *Pammene trauniana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *trauniana* [Denis & Schiffermüller],1775; *floricolana* Frölich,1828; *notata* Westwood,1845; *conjugana* Zeller,1849
- 7306. *Pandemis cerasana* (Hübner,1786)** (Tortricidae) Synonym(s): *cerasana* Hübner,1786; *ribeana* Hübner,[1799]; *grossulariana* Stephens,1834 Larval foodplant(s): *Corylus avellana*, *Fagus*, *Quercus* (Fagaceae); *Fraxinus* (Oleaceae); *Acer*, *Ulmus* (Ulmaceae); *Salix* (Salicaceae); *Betula* (Betulaceae); *Tilia* (Tiliaceae); *Malus*, *Pyrus* (Rosaceae); *Larix*, *Pinus* (Pinaceae) (Bovey,1966).
- 7307. *Pandemis chondrillana* (Herrich-Schäffer,1860)** (Tortricidae) Synonym(s): *chondrillana* Herrich-Schäffer,1860; *praecloratana* Kennel,1901; *laurana* Kennel,1919; *elsana* Kennel,1919; *eulogiana* Kennel,1919; *#unicolor* Obratzsov,1943.
- 7308. *Pandemis cinnamomeana* (Treitschke,1830)** (Tortricidae) Synonym(s): *croceana* Hübner,[1799]; *croceana* Frölich,1828 (*praeocc.*); *cinnamomeana* Treitschke,1830; *basana* Zerny,1935 Larval foodplant(s): *Larix*, *Abies* (Pinaceae), *Quercus* (Fagaceae), *Betula* (Betulaceae), *Pyrus* (Rosaceae), *Vaccinium* (Vacciniaceae) (Razowski,2001).
- 7309. *Pandemis corylana* (Fabricius,1794)** (Tortricidae) Synonym(s): *avellana* Poda,1761 (*praeocc.*); *corylana* Fabricius,1794; *textana* Hübner,[1799] Larval foodplant(s):

- Betula (Betulaceae), Corylus avellana (Corylaceae), Fagus, Quercus (Fagaceae), Fraxinus (Oleaceae), Pinus, Larix (Pinaceae) (Razowski,2001).
- 7310. Pandemis dumetana (Treitschke,1835)** (Tortricidae) Synonym(s): *dumetana* Treitschke,1835; *gravana* Caradja,1932 Larval foodplant(s): Urtica (Urticaceae), Chenopodium (Chenopodiaceae), Valeriana (Valerianaceae), Lonicera (Caprifoliaceae), Rubus (Rosaceae), Quercus (Fagaceae), Origanum, Mentha (Lamiaceae), Fragaria, Sanguisorba (Rosaceae) (Razowski,2001).
- 7311. Pandemis heparana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *heparana* [Denis & Schiffermüller],1775
- 7312. Pandemis ignescana (Kuznetsov,1976)** (Tortricidae) Synonym(s): *ignescana* Kuznetsov,1976
- 7313. Paracroesia abievora (Issiki,1961)** (Tortricidae) Synonym(s): *abievora* Issiki,1961; *pusilla* Kuznetsov,1973
- 7314. Paramesia gnomana (Clerck,1759)** (Tortricidae) Synonym(s): *#gnomana* Clerck,1759; *costana* [Denis & Schiffermüller],1775; *livoniana* Sodoffsky,1829; *diffusana* Kennel,1899; *montedorea* Wehrli,1925; *schawerdae* Rebel,1926; *aetnana* Zerny,1943. Larval foodplant(s): Quercus (Fagaceae), Vaccinium myrtillus (Vacciniaceae), Stachys (Lamiaceae), Iris (Iridaceae), Plantago (Plantaginaceae), Taraxacum (Asteraceae), Poaceae (Razowski,2001).
- 7315. Paratorna catenuella (Christoph,1882)** (Tortricidae) Synonym(s): *catenuella* Christoph,1882; *seriepuncta* Filipjev,1962
- 7316. Paratorna cuprescens Falkovitsh,1965** (Tortricidae) Synonym(s): *cuprescens* Falkovitsh,1965
- 7317. Pelatea klugiana (Freyer,[1834])** (Tortricidae) Synonym(s): *klugiana* Freyer,[1834]
- 7318. Pelochrista apheliana (Kennel,1901)** (Tortricidae) Synonym(s): *apheliana* Kennel,1901; *corneliana* Kennel,1919.
- 7319. Pelochrista arabescana (Eversmann,1844)** (Tortricidae) Synonym(s): *arabescana* Eversmann,1844
- 7320. Pelochrista caecimaculana (Hübner,[1799])** (Tortricidae) Synonym(s): *caecimaculana* Hübner,[1799]; *kollariana* Herrich-Schäffer,[1851]
- 7321. Pelochrista caementana (Christoph,1872)** (Tortricidae) Synonym(s): *caementana* Christoph,1872
- 7322. Pelochrista dagestana Obratzov,1949** (Tortricidae) Synonym(s): *dagestana* Obratzov,1949; *pinxana* Kuznetsov,1976
- 7323. Pelochrista danilevskyi Kostyuk,1975** (Tortricidae) Synonym(s): *danilevskyi* Kostyuk,1975
- 7324. Pelochrista decolorana (Freyer,1842)** (Tortricidae) Synonym(s): *decolorana* Freyer,1842
- 7325. Pelochrista huebneriana (Lienig & Zeller,1846)** (Tortricidae) Synonym(s): *huebneriana* Lienig & Zeller,1846; *chanana* Staudinger,[1900]
- 7326. Pelochrista idotatana (Kennel,1901)** (Tortricidae) Synonym(s): *idotatana* Kennel,1901; *#idodatana* Kennel,1921
- 7327. Pelochrista infidana (Hübner,[1824])** (Tortricidae) Synonym(s): *infidana* Hübner,[1824]; *bulgarica* Soffner,1967
- 7328. Pelochrista jodocana (Kennel,1919)** (Tortricidae) Synonym(s): *jodocana* Kennel,1919
- 7329. Pelochrista kuznetsovi Kostyuk,1975** (Tortricidae) Synonym(s): *kuznetsovi* Kostyuk,1975
- 7330. Pelochrista labyrinthicana (Christoph,1872)** (Tortricidae) Synonym(s): *labyrinthicana* Christoph,1872
- 7331. Pelochrista latericana (Rebel,1919)** (Tortricidae) Synonym(s): *#croatica* Rebel,1893; *latericana* Rebel,1919
- 7332. Pelochrista lineolana Kuznetsov,1964** (Tortricidae) Synonym(s): *lineolana* Kuznetsov,1964

- 7333. *Pelochrista maculiferana* (Kennel,1900)** (Tortricidae) Synonym(s): *maculiferana* Kennel,1900
- 7334. *Pelochrista metria* Falkovitsh,1964** (Tortricidae) Synonym(s): *metria* Falkovitsh,1964
- 7335. *Pelochrista modicana* (Zeller,1847)** (Tortricidae) Synonym(s): *modicana* Zeller,1847; *definitana* Kennel,1901; *hinnebergiana* Fuchs,1902; *modestana* Herrich-Schäffer,[1851]
- 7336. *Pelochrista mollitana* (Zeller,1847)** (Tortricidae) Synonym(s): *mollitana* Zeller,1847; *trisignana* Nolcken,1870; *commodestana* Rössler,1877; *modestana* Seebold,1879 *nec* H.-S.,[1851]
- 7337. *Pelochrista muhabbet* Koçak,2006** (Tortricidae) Synonym(s): *chanana* Kennel,1901 *nec* Stgr.,[1900]; *muhabbet* Koçak,2006
- 7338. *Pelochrista obscura* Kuznetsov,1978** (Tortricidae) Synonym(s): *obscura* Kuznetsov,1978
- 7339. *Pelochrista ornamentana* (Rebel,1916)** (Tortricidae) Synonym(s): *ornamentana* Rebel,1916
- 7340. *Pelochrista ornata* Kuznetsov,1967** (Tortricidae) Synonym(s): *ornata* Kuznetsov,1967
- 7341. *Pelochrista tholera* Falkovitsh,1964** (Tortricidae) Synonym(s): *tholera* Falkovitsh,1964
- 7342. *Pelochrista umbraculana* (Eversmann,1844)** (Tortricidae) Synonym(s): *umbraculana* Eversmann,1844; *subterminana* Erschoff,1871; *inignana* Kennel,1901
- 7343. *Periclepsis cinctana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *cinctana* [Denis & Schiffermüller],1775; *ceretana* Fabricius,1787; *albidana* Hübner,[1799] Larval foodplant(s): *Artemisia* (Asteraceae), *Anthyllis*, *Genista*, *Sarothamnus* (Fabaceae) (Razowski,2001).
- 7344. *Peridaedala japonica* Oku,1979** (Tortricidae) Synonym(s): *japonica* Oku,1979; *optabilana* Kuznetsov,1979
- 7345. *Phalonidia acutana* (Kennel,1913)** (Tortricidae) Synonym(s): *acutana* Kennel,1913 Larval foodplant(s): ? *Inula ensifolia* (Asteraceae) (Razowski,2001).
- 7346. *Phalonidia affinitana* (Douglas,1846)** (Tortricidae) Synonym(s): *affinitana* Douglas,1846; *cancellana* Zeller,1847; *inulana* Constant,1884; *littorana* Galvagni,1906. Larval foodplant(s): *Aster tripolium* (Asteraceae) (Kasy,1959).
- 7347. *Phalonidia affinitana tauriana* (Kennel,1899)** (Tortricidae) Synonym(s): *tauriana* Kennel,1899
- 7348. *Phalonidia albipalpana* (Zeller,1847)** (Tortricidae) Synonym(s): *albipalpana* Zeller,1847 Larval foodplant(s): *Limonium sinuatum* (Plumbaginaceae) (Razowski,2001).
- 7349. *Phalonidia aliena* Kuznetsov,1966** (Tortricidae) Synonym(s): *aliena* Kuznetsov,1966
- 7350. *Phalonidia chlorolitha* (Meyrick,1931)** (Tortricidae) Synonym(s): *chlorolitha* Meyrick,1931; *azyga* Meyrick,1935.
- 7351. *Phalonidia contractana* (Zeller,1847)** (Tortricidae) Synonym(s): *contractana* Zeller,1847; *manifestana* Kennel,1900; *exaequata* Meyrick,1923; *thermoconis* Meyrick,1925. Larval foodplant(s): *Artemisia*, *Anthemis*, *Cichorium*, *Inula viscosa*, *I. graveolens* (Asteraceae), *Lactuca* (Cichoriaceae) (Kennel,1913; Bovey,1966, Razowski,2001).
- 7352. *Phalonidia curvistrigana* (Stainton,1859)** (Tortricidae) Synonym(s): *curvistrigana* Stainton,1859 Larval foodplant(s): *Solidago virgaurea* (Asteraceae), *Prenanthes purpurea*, *Mycelis* (*Lactuca*) *muralis* (Cichoriaceae) (Razowski,1970,2001).
- 7353. *Phalonidia dysodona* (Caradja,1916)** (Tortricidae) Synonym(s): *dysodona* Caradja,1916
- 7354. *Phalonidia fraterna* Razowski,1970** (Tortricidae) Synonym(s): *fraterna* Razowski,1970
- 7355. *Phalonidia fulvimixta* (Filipjev,1940)** (Tortricidae) Synonym(s): *fulvimixta* Filipjev,1940

- 7356. *Phalonidia gilvicomana* (Zeller,1847)** (Tortricidae) Synonym(s): *gilvicomana* Zeller,1847; *flaviscapulana* Herrich-Schäffer,1851; *gratiosana* Laharpe,1858. Larval foodplant(s): *Lapsana communis*, *Prenanthes purpurea*, *Mycelis muralis* (Cichoriaceae), *Solidago* (Asteraceae), *Chenopodium* (Chenopodiaceae) (Razowski,1970,2001).
- 7357. *Phalonidia latifasciana* Razowski,1970** (Tortricidae) Synonym(s): *latifasciana* Razowski,1970
- 7358. *Phalonidia lydiae* (Filipjev,1940)** (Tortricidae) Synonym(s): *lydiae* Filipjev,1940
- 7359. *Phalonidia manniana* (Fischer v. Röslerstamm,1839)** (Tortricidae) Synonym(s): *manniana* Fischer v. Röslerstamm,1839; *notulana* Zeller,1847; *udana* Guenée,1845; *tolli* Razowski,1960. Larval foodplant(s): *Mentha piperita*, *M. aquatica*, *M. longifolia*, *Lycopus* (Lamiaceae), *Alisma plantago* (Alismataceae), *Butomus* (Butomaceae), *Inula* (Asteraceae) (Razowski,1970,2001).
- 7360. *Phalonidia silvestris* Kuznetsov,1966** (Tortricidae) Synonym(s): *silvestris* Kuznetsov,1966
- 7361. *Phalonidia zygota* Razowski,1964** (Tortricidae) Synonym(s): *zygota* Razowski,1964
- 7362. *Phaneta pauperana* (Duponchel,1843)** (Tortricidae) Synonym(s): *pauperana* Duponchel,1843
- 7363. *Philedone gerningana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *gerningana* [Denis & Schiffermüller],1775; *pectinana* Hübner,[1799]. Larval foodplant(s): *Lotus* (Fabaceae), *Plantago* (Plantaginaceae), *Scabiosa* (Dipsacaceae), *Peucedanum* (Apiaceae), *Potentilla* (Rosaceae), *Vaccinium* (Vacciniaceae) (Razowski,2001).
- 7364. *Philedonides lunana* (Thunberg,1784)** (Tortricidae) Synonym(s): *lunana* Thunberg,1784; *prodromana* Hübner,[1816]; *walkerana* Curtis,1828; *rungsi* Lucas,1954 Larval foodplant(s): *Potentilla* (Rosaceae), *Aster* (Asteraceae), *Daucus* (Apiaceae), *Valeriana* (Valerianaceae), *Mentha* (Lamiaceae), *Calluna*, *Erica*, *Myrica* (Ericaceae), *Vaccinium* (Vacciniaceae), *Picea*, *Pinus* (Pinaceae) (Razowski,2001).
- 7365. *Phtheochroa chalcantha* (Meyrick,1912)** (Tortricidae) Synonym(s): *chalcantha* Meyrick,1912
- 7366. *Phtheochroa exasperantana* (Christoph,1872)** (Tortricidae) Synonym(s): *exasperantana* Christoph,1872
- 7367. *Phtheochroa farinosana* (Herrich-Schäffer,1856)** (Tortricidae) Synonym(s): *farinosana* Herrich-Schäffer,1856
- 7368. *Phtheochroa fulvicinctana* (Constant,1893)** (Tortricidae) Synonym(s): *fulvicinctana* Constant,1893 Larval foodplant(s): *Limonium vulgare* (Swatschek,1958).
- 7369. *Phtheochroa inopiana* (Haworth,1811)** (Tortricidae) Synonym(s): *inopiana* Haworth,1811; *centrana* Herrich-Schäffer,1851; *obscurana* Kennel,1913; *pallidana* Caradja,1916. Larval foodplant(s): *Artemisia campestris*, *Eupatorium cannabinum* (Asteraceae) (Razowski,1970,2001).
- 7370. *Phtheochroa kenneli* (Obraztsov,1944)** (Tortricidae) Synonym(s): *kenneli* Obraztsov,1944
- 7371. *Phtheochroa krulikowskii* (Obraztsov,1944)** (Tortricidae) Synonym(s): *krulikowskii* Obraztsov,1944; *kazachstanica* Danilevsky,1962. Larval foodplant(s): *Nanophyton caspicum* (Razowski,1970).
- 7372. *Phtheochroa pistrinana* (Erschoff,1877)** (Tortricidae) Synonym(s): *pistrinana* Erschoff,1877; *coreana* Walsingham,1900; *albiscutellum* Walsingham,1900; *heptapotamica* Obraztsov,1944.

- 7373. Phtheochroa pulvillana (Herrich-Schäffer,1851)** (Tortricidae)
Synonym(s): *pulvillana* Herrich-Schäffer,1851 Larval foodplant(s): *Asparagus officinalis* (Liliaceae) (Kennel,1913).
- 7374. Phtheochroa retextana (Erschoff,1874)** (Tortricidae) Synonym(s): *retextana* Erschoff,1874
- 7375. Phtheochroa schreibersiana (Frölich,1828)** (Tortricidae) Synonym(s): *schreibersiana* Frölich,1828 Larval foodplant(s): *Ulmus campestris* (Ulmaceae), *Populus* (Salicaceae), *Prunus* (Rosaceae) (Sorhagen,1882; Klimesch ex Razowski,1970; Razowski,2001).
- 7376. Phtheochroa sodaliana (Haworth,1811)** (Tortricidae) Synonym(s): *sodaliana* Haworth,1811; *amandana* Herrich-Schäffer,1851. Larval foodplant(s): *Rhamnus cathartica*, *Frangula alnus* (Rhamnaceae) (Kennel,1913).
- 7377. Phtheochroa thiana Staudinger,[1900]** (Tortricidae) Synonym(s): *thiana* Staudinger,[1900]; *dilectana* Kennel,1900.
- 7378. Phtheochroa vulneratana (Zetterstedt,1839)** (Tortricidae) Synonym(s): *vulneratana* Zetterstedt,1839; *exsulana* Lederer,1855; *nipponica* Matsumura,1931; *meincki* Amsel,1932.
- 7379. Piniphila bifasciana (Haworth,1811)** (Tortricidae) Synonym(s): *bifasciana* Haworth,1811; *daleana* Haworth,1811; *bicinctana* Tengström,1848; *decrepitana* Herrich-Schäffer,1851; *silphana* Millière,1874 Larval foodplant(s): *Pinus maritimus*, *P. nigra* (Pinaceae); *Vaccinium myrtillus*, *V. vitis-idaea*, *Rhododendron* (Ericaceae), *Pyrola secunda* (Pyrolaceae) (Kennel,1921).
- 7380. Pristerognatha fuligana ([Denis & Schiffermüller],1775)** (Tortricidae)
Synonym(s): *fuligana* [Denis & Schiffermüller],1775 Larval foodplant(s): *Impatiens noli-tangere* (Razowski,1983).
- 7381. Pristerognatha penthinana (Guenée,1845)** (Tortricidae) Synonym(s): *penthinana* Guenée,1845; *postrema* Lienig & Zeller,1846 Larval foodplant(s): *Impatiens noli-tangere* (Razowski,1983).
- 7382. Propiromorpha rhodophana (Herrich-Schäffer,[1851])** (Tortricidae)
Synonym(s): *rhodophana* Herrich-Schäffer,[1851] Larval foodplant(s): *Clematis integrifolia* (Ranunculaceae) (Razowski,2001).
- 7383. Pseudacroclita luteispecula (Kuznetsov,1979)** (Tortricidae)
Synonym(s): *luteispecula* Kuznetsov,1979
- 7384. Pseudargyrotoza conwagana (Fabricius,1775)** (Tortricidae)
Synonym(s): *montana* Scopoli,1763; *conwagana* Fabricius,1775; *hofmannseggana* Hübner,[1799]; *spixiana* Frölich,1828; *subaurantiana* Stephens,1834; *graphitana* Eversmann,1844; *#conwajana* Staudinger,1879. Larval foodplant(s): *Ligustrum*, *Syringa*, *Fraxinus* (Oleaceae), *Berberis* (Berberidaceae) (Razowski,2001).
- 7385. Pseudeulia asinana (Hübner,[1799])** (Tortricidae) Synonym(s): *asinana* Hübner,[1799] Larval foodplant(s): *Laurus nobilis* (Lauraceae), *Pyrus* (Rosaceae) (Razowski,2001).
- 7386. Pseudococcyx mughiana (Zeller,1868)** (Tortricidae) Synonym(s): *mughiana* Zeller,1868
- 7387. Pseudococcyx posticana (Zetterstedt,1839)** (Tortricidae) Synonym(s): *posticana* Zetterstedt,1839; *fulvimitrana* Heinemann,1863
- 7388. Pseudococcyx tessulatana (Staudinger,1871)** (Tortricidae) Synonym(s): *tessulatana* Staudinger,1871
- 7389. Pseudococcyx turionella (Linnaeus,1758)** (Tortricidae) Synonym(s): *turionella* Linnaeus,1758; *turionana* Haworth,1811
- 7390. Pseudohedya cincinna Falkovitsh,1962** (Tortricidae) Synonym(s): *cincinna* Falkovitsh,1962
- 7391. Pseudohedya gradana (Christoph,1881)** (Tortricidae) Synonym(s): *gradana* Christoph,1881
- 7392. Pseudohermenias abietana (Fabricius,1787)** (Tortricidae) Synonym(s): *abietana* Fabricius,1787

- 7393. Pseudosciaphila branderiana (Linnaeus,1758)** (Tortricidae)
Synonym(s): *branderiana* Linnaeus,1758; *fuscana* Linnaeus,1758; *wahlbomiana* Linnaeus,1758; *asinana* Clerck,1759; *grossana* Thunberg,1791; *achariana* Thunberg,1797; *maurana* Hübner,[1799]; *sajana* Caradja,1938 Larval foodplant(s): *Populus tremula* (Razowski,1983).
- 7394. Ptycholoma erschoffi (Christoph,1877)** (Tortricidae) Synonym(s): *erschoffi* Christoph,1877
- 7395. Ptycholoma lecheana (Linnaeus,1758)** (Tortricidae) Synonym(s): *lecheana* Linnaeus,1758; *obsoletana* Stephens,1834 Larval foodplant(s): *Quercus* (Fagaceae), *Acer* (Aceraceae), *Populus* (Salicaceae), *Abies*, *Larix* (Pinaceae) (Razowski,2001).
- 7396. Ptycholomoides aeriferanus (Herrich-Schäffer,1851)** (Tortricidae)
Synonym(s): *aeriferana* Herrich-Schäffer,1851 Larval foodplant(s): *Larix* (Pinaceae) (Razowski,2001).
- 7397. Retinia coeruleostriana (Caradja,1939)** (Tortricidae) Synonym(s): *coeruleostriana* Caradja,1939; *gemmeata* Kuznetsov,1970; *splendida* Oku & Satoh,1971
- 7398. Retinia immanitana (Kuznetsov,1969)** (Tortricidae) Synonym(s): *immanitana* Kuznetsov,1969
- 7399. Retinia impropria (Meyrick,1932)** (Tortricidae) Synonym(s): *perangustana* Snellen,1883 (praeocc.); *impropria* Meyrick,1932; *zonovae* Florow,1951
- 7400. Retinia lemniscata (Kuznetsov,1973)** (Tortricidae) Synonym(s): *lemniscata* Kuznetsov,1973
- 7401. Retinia monopunctata (Oku,1968)** (Tortricidae) Synonym(s): *monopunctata* Oku,1968; *pini* Kuznetsov,1969
- 7402. Retinia resinella (Linnaeus,1758)** (Tortricidae) Synonym(s): *resinella* Linnaeus,1758; *resinana* Fabricius,1775; *resinea* Haworth,[1811].
- 7403. Rhopobota myrtillana (Humphreys & Westwood,1845)** (Tortricidae)
Synonym(s): *myrtillana* Humphreys & Westwood,1845; *vacciniana* Lienig & Zeller,1846; *latifasciana* Peyerimhoff,1863. Larval foodplant(s): *Vaccinium* (Lienig & Zeller,1846).
- 7404. Rhopobota naevana (Hübner,[1817])** (Tortricidae) Synonym(s): *unipunctana* Haworth,1811 (praeocc.); *naevana* Hübner,[1817]; *geminana* Stephens,1852; *luctiferana* Walker,1863; *vacciniana* Packard,1869 (praeocc.); *ilicifoliana* Kearfott,1907; *microrrhyncha* Meyrick,1931; *malivorella* Matsumura,1931 Larval foodplant(s): *Prunus*, *Pyrus*, *Malus*, *Sorbus*, *Crataegus* (Rosaceae), *Ilex* (Aquifoliaceae), *Vaccinium* (Ericaceae) (Kawabe,1989).
- 7405. Rhopobota stagnana ([Denis & Schiffermüller],1775)** (Tortricidae)
Synonym(s): *stagnana* [Denis & Schiffermüller],1775; *fractifasciana* Haworth,[1811]; *cuphana* Duponchel,1843; *berolinensis* Amsel,1932
- 7406. Rhopobota ustomaculana (Curtis,1831)** (Tortricidae) Synonym(s): *ustomaculana* Curtis,1831; *ilexi* Kuznetsov,1967
- 7407. Rhyacionia buoliana ([Denis & Schiffermüller],1775)** (Tortricidae)
Synonym(s): *buoliana* [Denis & Schiffermüller],1775; *herbstella* Goeze,1783; *thurificana* Lederer,1855; *#bouoliana* Kalchberg,1897 Larval foodplant(s): *Pinus sylvestris*, *P.radiata*, *P.maritima*, *P.muricata*, *P.jeffreyi*, *P.densiflora*, *P.virgiana*, *P.brutia*, *P.nigra*, *P.pinea*, *P.halepensis* (Seven et al.,2005).
- 7408. Rhyacionia duplana (Hübner,[1813])** (Tortricidae) Synonym(s): *? piceella* Brahm,1791; *duplana* Hübner,[1813]; *coruscana* Frölich,1828
- 7409. Rhyacionia piniana (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *piniana* Herrich-Schäffer,1851
- 7410. Rhyacionia pinicolana (Doubleday,1849)** (Tortricidae) Synonym(s): *pinicolana* Doubleday,1849; *cocinnana* Lederer,1859 Larval foodplant(s): *Pinus sylvestris* (Seven et al.,2005).
- 7411. Rhyacionia pinivorana (Lienig & Zeller,1846)** (Tortricidae) Synonym(s): *pinivorana* Lienig & Zeller,1846; *albionana* Doubleday,1850; *pudendana* Herrich-Schäffer,1851; *rhaeticana* Thomann,1914; *hafneri* Rebel,1937 Larval foodplant(s): *Pinus sylvestris* (Seven et al.,2005).
- 7412. Rudisociaria expeditana (Snellen,1833)** (Tortricidae) Synonym(s): *expeditana* Snellen,1833

- 7413. *Saliciphaga acharis* (Butler,1879)** (Tortricidae) Synonym(s): *acharis* Butler,1879
- 7414. *Salsolicola stshetkini* Kuznetsov,1960** (Tortricidae) Synonym(s): *stshetkini* Kuznetsov,1960
- 7415. *Selania leplastriana* (Curtis,1831)** (Tortricidae) Synonym(s): *leplastriana* Curtis,1831; *gueriniana* Duponchel,1836; *maderae* Wollaston,1858; *vana* Kennel,1901; *malcolmia* Walsingham,1903; *decoratana* Chrétien,1915; *extinctana* Chrétien,1915 Larval foodplant(s): *Brassica oleracea*, *Malcolmia littorea*, *Alisum maritimum*, *Moricandia suffruticosa* (Brassicaceae) (Razowski,2003).
- 7416. *Selenodes karelica* (Tengström,1875)** (Tortricidae) Synonym(s): *textana* Frölich,1828 nec Hbn.,1828; *karelica* Tengström,1875; *norvegicana* Schöyen,1887 Larval foodplant(s): *Knautia arvensis* (Razowski,1983).
- 7417. *Sparganothis rubicundana* (Herrich-Schäffer,1856)** (Tortricidae) Synonym(s): *rubicundana* Herrich-Schäffer,1856
- 7418. *Spatalistis bifasciana* (Hübner,1787)** (Tortricidae) Synonym(s): *bifasciana* Hübner,1787; *audouinana* Duponchel,1836; *apicalis* Humphreys & Westwood,1845 Larval foodplant(s): *Vaccinium myrtillus*, *V. uliginosum* (Vacciniaceae); *Rhamnus catharica* (Rhamnaceae); *Cornus mas* (Cornaceae); *Ligustrum vulgare* (Oleaceae) (Razowski,2001).
- 7419. *Spatalistis christophana* (Walsingham,1900)** (Tortricidae) Synonym(s): *christophana* Walsingham,1900; *exuberans* Walsingham,1900; *joannisi* Walsingham,1900
- 7420. *Spilonota laricana* (Heinemann,1863)** (Tortricidae) Synonym(s): *laricana* Heinemann,1863
- 7421. *Spilonota ocellana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *ocellana* [Denis & Schiffermüller],1775; *luscana* Fabricius,1794; *comitana* Hübner,[1799]; *pyrifoliana* Clemens,1860; *occulana* Harris,1862; *zellerana* Borgmann,1895; *centralasiae* Obratzsov,1949
- 7422. *Spilonota semirufana* (Christoph,1882)** (Tortricidae) Synonym(s): *semirufana* Christoph,1882; *ochrea* Kuznetsov,1966
- 7423. *Statherotmantis peregrina* (Falkovitsh,1966)** (Tortricidae) Synonym(s): *peregrina* Falkovitsh,1966
- 7424. *Statherotmantis pictana* (Kuznetsov,1969)** (Tortricidae) Synonym(s): *pictana* Kuznetsov,1969
- 7425. *Statherotmantis shicotana* (Kuznetsov,1969)** (Tortricidae) Synonym(s): *shicotana* Kuznetsov,1969
- 7426. *Strophedra nitidana* (Fabricius,1794)** (Tortricidae) Synonym(s): *nitidana* Fabricius,1794; *redimitana* Guenée,1845; *flexana* Zeller,1849; *vigeliana* Herrich-Schäffer,1853.
- 7427. *Strophedra weirana* (Douglas,1850)** (Tortricidae) Synonym(s): *weirana* Douglas,1850
- 7428. *Syndemis musculana* (Hübner,[1799])** (Tortricidae) Synonym(s): *musculana* Hübner,[1799]; *musculinana* Kennel,1899; *nipponensis* Yasuda,1975. Larval foodplant(s): *Rubus* (Rosaceae), *Betula* (Betulaceae), *Quercus* (Fagaceae), *Picea*, *Pinus* (Pinaceae) (Razowski,2001).
- 7429. *Thiodia citrana* (Hübner,[1799])** (Tortricidae) Synonym(s): *citrana* Hübner,[1799]; *libanicolana* Obratzsov,1964.
- 7430. *Thiodia lerneana* Treitschke,1835** (Tortricidae) Synonym(s): *lerneana* Treitschke,1835
- 7431. *Thiodia placidana* (Staudinger,1871)** (Tortricidae) Synonym(s): *placidana* Staudinger,1871
- 7432. *Thiodia sulphurana* (Christoph,1888)** (Tortricidae) Synonym(s): *sulphurana* Christoph,1888
- 7433. *Thiodia torridana* (Lederer,1859)** (Tortricidae) Synonym(s): *torridana* Lederer,1859
- 7434. *Thiodia trochilana* (Frölich,1828)** (Tortricidae) Synonym(s): *trochilana* Frölich,1828; *delitana* Fischer v. Rösslerstamm,[1839]
- 7435. *Tia enervana* (Erschoff,1877)** (Tortricidae) Synonym(s): *enervana* Erschoff,1877

- 7436. Tortricodes alternella ([Denis & Schiffermüller],1775)** (Tortricidae)
Synonym(s): *alternella* [Denis & Schiffermüller],1775 Larval foodplant(s): *Quercus* (Fagaceae), *Carpinus*, *Corylus* (Corylaceae), *Betula* (Betulaceae), *Salix* (Salicaceae), *Crataegus*, *Prunus* (Rosaceae) (Razowski,2001).
- 7437. Tortrix sinapina (Butler,1899)** (Tortricidae) Synonym(s): *sinapina* Butler,1899; *kawabei* Razowski,1966
- 7438. Tortrix viridana (Linnaeus,1758)** (Tortricidae) Synonym(s): *viridana* Linnaeus,1758; *suttneriana* [Denis & Schiffermüller],1775; *flavipes* Fourcroy,1785; *flavana* Zincken,1821 nec Hübn.,[1799]; *coeruleana* Sorhagen,1881. Larval foodplant(s): *Quercus pedunculata*, *Q. sessilifolia* (Fagaceae), *Urtica*, *Vaccinium* (Vacciniaceae) (Razowski,2001).
- 7439. Tosirips perpulchranus (Kennel,1901)** (Tortricidae) Synonym(s): *perpulchranus* Kennel,1901
- 7440. Xerocnephasia rigana (Sodoffsky,1829)** (Tortricidae) Synonym(s): *rigana* Sodoffsky,1829; *horridana* Frölich,1830; *modestana* Treitschke,1830; *monticolana* Frey,1880 Larval foodplant(s): *Clematis*, *Pulsatilla*, *Anemone* (Ranunculaceae) (Razowski,2001).
- 7441. Zeiraphera argutana (Christoph,1881)** (Tortricidae) Synonym(s): *argutana* Christoph,1881; *subcorticana* Snellen,1883; *imprimata* Caradja,1916; *lavata* Caradja,1916
- 7442. Zeiraphera atra Falkovitsh,1965** (Tortricidae) Synonym(s): *atra* Falkovitsh,1965
- 7443. Zeiraphera corpulentana (Kennel,1901)** (Tortricidae) Synonym(s): *corpulentana* Kennel,1901
- 7444. Zeiraphera funesta Filipjev,1931** (Tortricidae) Synonym(s): *funesta* Filipjev,1931
- 7445. Zeiraphera griseana (Hübner,[1799])** (Tortricidae) Synonym(s): *griseana* Hübner,[1799]; *diniana* Guenée,1845; *occultana* Douglas,1846; *pinicolana* Lienig & Zeller,1846; *desertana* Caradja,1916
- 7446. Zeiraphera isertana (Fabricius,1794)** (Tortricidae) Synonym(s): *isertana* Fabricius,1794; *communana* Fabricius,1794; *cuiviana* Fabricius,1794; *adustana* Hübner,[1813]; *corticana* Hübner,[1813]; *kuhlweiniana* Hübner,[1825]; *licheana* Treitschke,1829; *nigricans* Sorhagen,1882; *steiniana* Sorhagen,1882; *wautersi* Dufrane,1945
- 7447. Zeiraphera ratzeburgiana (Saxesen,1840)** (Tortricidae) Synonym(s): *ratzeburgiana* Saxesen,1840; *abietisana* Freyer,1842; *errana* Guenée,1845; *bimaculana* Schläger,1848; *binotana* Wocke,1861; *paludiphila* Toll,1957
- 7448. Zeiraphera rufimitrana (Herrich-Schäffer,[1851])** (Tortricidae)
Synonym(s): *#rufimitrana* Herrich-Schäffer,1847; *rufimitrana* Herrich-Schäffer,[1851]
- 7449. Zeiraphera virinea Falkovitsh,1965** (Tortricidae) Synonym(s): *virinea* Falkovitsh,1965
- 7450. Dysaethria erasaria (Christoph,1881)** (Uraniidae) Synonym(s): *erasaria* Christoph,1881; *schidacina* Butler,1881; *pallidistriata* W.Warren,1899 Larval foodplant(s): *Viburnum* (Caprifoliaceae) (Holloway,1998).
- 7451. Wockia asperipunctella (Bruand,1851)** (Urodidae) Synonym(s): *asperipunctella* Bruand,1851
- 7452. Letogenes festalis Meyrick,1930** (Xyloryctidae) Synonym(s): *festalis* Meyrick,1930
- 7453. Acrolepia autumnitella Curtis,1838** (Yponomeutidae) Synonym(s): *autumnitella* Curtis,1838; *pygmeana* Haworth,1811 nec Hübn.,1799; *lefebviella* Duponchel,1838; *heleniella* Zeller,1839; *dulcamarella* Bruand,1856; *submontana* Osthelder,1951
- 7454. Acrolepiopsis assectella (Zeller,1839)** (Yponomeutidae) Synonym(s): *assectella* Zeller,1839; *vigiliella* Duponchel,1843; *porella* Raspail,1855 Larval foodplant(s): *Allium cepa* (Schütze,1931).
- 7455. Acrolepiopsis betulella (Curtis,1850)** (Yponomeutidae) Synonym(s): *betulella* Curtis,1850; *unicolor* Wocke,1884; *ursinella* Weber,1945
- 7456. Acrolepiopsis caucasica Zagulyaev,1980** (Yponomeutidae) Synonym(s): *caucasica* Zagulyaev,1980

- 7457. Acrolepiopsis tauricella (Staudinger,1871) (Yponomeutidae)**
Synonym(s): *tauricella* Staudinger,1871
- 7458. Argyresthia (Blastotere) bergiella (Ratzeburg,1840) (Yponomeutidae)**
Synonym(s): *bergiella* Ratzeburg,1840; *certella* Zeller,1847
- 7459. Argyresthia (Blastotere) dilectella Zeller,1847 (Yponomeutidae)**
Synonym(s): *dilectella* Zeller,1847
- 7460. Argyresthia (Blastotere) glabratella (Zeller,1847) (Yponomeutidae)**
Synonym(s): *glabratella* Zeller,1847; *oleaginella* Standfuss,1851
- 7461. Argyresthia (Blastotere) illuminatella Zeller,1839 (Yponomeutidae)**
Synonym(s): *illuminatella* Zeller,1839
- 7462. Argyresthia (Blastotere) laevigatella (Heydenreich,1851) (Yponomeutidae)** Synonym(s): *laevigatella* Heydenreich,1851; *atmoriella* Bankes,1856; *atmorella* Tutt,1896
- 7463. Argyresthia (Blastotere) praecocella Zeller,1839 (Yponomeutidae)**
Synonym(s): *praecocella* Zeller,1839
- 7464. Argyresthia (s.str.) abdominalis Zeller,1839 (Yponomeutidae)**
Synonym(s): *abdominalis* Zeller,1839; *abdominella* Duponchel,[1845]; *inauratella* Tengström,1848; *abdominella* Herrich-Schäffer,1855; *helvetica* Heinemann,[1876]
- 7465. Argyresthia (s.str.) albistria (Haworth,1828) (Yponomeutidae)**
Synonym(s): *albistria* Haworth,1828; *fagetella* Zeller,1839; *albistriella* Bruand,1850; *tarnis* Réal,1990
- 7466. Argyresthia (s.str.) aurulentella Stainton,1849 (Yponomeutidae)**
Synonym(s): *aurulentella* Stainton,1849
- 7467. Argyresthia (s.str.) bonnetella (Linnaeus,1758) (Yponomeutidae)**
Synonym(s): *bonnetella* Linnaeus,1758; *tetrapodella* Linnaeus,1767; *ossea* Haworth,1828; *denudatella* Zeller,1847; *purpurascens* Stainton,1849; *osseella* Bruand,1850
- 7468. Argyresthia (s.str.) brockeella (Hübner,[1813]) (Yponomeutidae)**
Synonym(s): *brockeella* Hübner,[1813]; *iwella* Haworth,1828; *aurivittella* Haworth,1828; *fulguralis* Matsumura,1931
- 7469. Argyresthia (s.str.) conjugella Zeller,1839 (Yponomeutidae)**
Synonym(s): *conjugella* Zeller,1839; ? *aerariella* Stainton,1871
- 7470. Argyresthia (s.str.) curvella (Linnaeus,1761) (Yponomeutidae)**
Synonym(s): *curvella* Linnaeus,1761; *nitidella* Denis & Schiffermüller,[1775]; *arcella* Fabricius,1777; *curva* Haworth,1828; *sparsella* sensu Zell.,1839
- 7471. Argyresthia (s.str.) fundella (Fischer v. Röslerstamm,1835) (Yponomeutidae)** Synonym(s): *fundella* Fischer v. Röslerstamm,1835
- 7472. Argyresthia (s.str.) glaucinella Zeller,1839 (Yponomeutidae)**
Synonym(s): *glaucinella* Zeller,1839; *dzieduszyckii* Nowicki,1860 Larval foodplant(s): *Quercus* (Fagaceae); *Aesculus hippocastanum*, *Betula* (Betulaceae).
- 7473. Argyresthia (s.str.) goedartella (Linnaeus,1758) (Yponomeutidae)**
Synonym(s): *goedartella* Linnaeus,1758; *semiargentella* Donovan,1793; *literella* Haworth,1828
- 7474. Argyresthia (s.str.) ivella (Haworth,1828) (Yponomeutidae)**
Synonym(s): *ivella* Haworth,1828; *andereggiella* Duponchel,[1840]; *kuwayamella* Matsumura,1931
- 7475. Argyresthia (s.str.) pruniella (Clerck,1759) (Yponomeutidae)**
Synonym(s): #*pruniella* Clerck,1759; *comella* Scopoli,1763; *ephippella* Fabricius,1777; *ephippium* Fabricius,1798; *pruni* Haworth,[1828]; #*ephippiella* Staudinger,1879.
- 7476. Argyresthia (s.str.) pulchella Lienig & Zeller,1846 (Yponomeutidae)**
Synonym(s): *pulchella* Lienig & Zeller,1846
- 7477. Argyresthia (s.str.) pygmaeella ([Denis & Schiffermüller],1775) (Yponomeutidae)** Synonym(s): *pygmaeella* [Denis & Schiffermüller],1775; *rudolphella* Esper,1791; *semifasciella* Stephens,1834; *alpina* Müller-Rutz,1920
- 7478. Argyresthia (s.str.) retinella Zeller,1839 (Yponomeutidae)** Synonym(s): ? *ocellea* Stephens,1834; *retinella* Zeller,1839; *albicornis* Caradja,1920

- 7479. *Argyresthia* (s.str.) *semifusca* (Haworth,1828)** (Yponomeutidae)
Synonym(s): *semifusca* Haworth,1828; *semipurpurella* Stephens,1834; *spiniella* Zeller,1839;
semifuscella Herrich-Schäffer,1855
- 7480. *Argyresthia* (s.str.) *semitestacella* (Curtis,1833)** (Yponomeutidae)
Synonym(s): *semitestacella* Curtis,1833
- 7481. *Argyresthia* (s.str.) *sorbiella* (Treitschke,1833)** (Yponomeutidae)
Synonym(s): *esperella* Villers,1789 nec Goez.,1783; *sorbiella* Treitschke,1833
- 7482. *Argyresthia* (s.str.) *spinosella* Stainton,1849** (Yponomeutidae)
Synonym(s): *mendica* auct.; *spinosella* Stainton,1849.
- 7483. *Cedestis* *gysseleniella* Zeller,1839** (Yponomeutidae) Synonym(s):
gysseleniella Zeller,1839; *gysseleniella* Duponchel,1840; *fuscilineella* Bruand,1850 Larval
foodplant(s): *Pinus montana*, *P. sylvestris* (Pinaceae) (Schütze,1931).
- 7484. *Cedestis* *subfasciella* (Stephens,1834)** (Yponomeutidae) Synonym(s):
subfasciella Stephens,1834; *farinatella* Zeller,1839.
- 7485. *Digitivalva* (*Inuliphila*) *orientella* (Klimesch,1956)** (Yponomeutidae)
Synonym(s): *orientella* Klimesch,1956
- 7486. *Digitivalva* *falkneri* Amsel,1974** (Yponomeutidae) Synonym(s): *falkneri*
Amsel,1974
- 7487. *Digitivalva* *reticulella* (Hübner,1796)** (Yponomeutidae) Synonym(s):
reticulella Hübner,1796; *cariosella* Treitschke,1835. Larval foodplant(s): the flower of
Gnaphalium luteoalbum, *G. sylvaticum* (Gaedike,1975).
- 7488. *Digitivalva* *valeriella* (Snellen,1878)** (Yponomeutidae) Synonym(s):
valeriella Snellen,1878
- 7489. *Eidophasia* *messingiella* (Fischer v. Röslerstamm,1840)**
(Yponomeutidae) Synonym(s): *messingiella* Fischer v. Röslerstamm,1840; *transversella*
Stephens,1841; *mullerella* Rougemont,1903
- 7490. *Eidophasia* *syenitella* (Heydenreich,1851)** (Yponomeutidae)
Synonym(s): *syenitella* Heydenreich,1851
- 7491. *Euhypnometeuta* *stannella* (Thunberg,1794)** (Yponomeutidae)
Synonym(s): *stannella* Thunberg,1794; *rufimitrellus* Zeller,1844
- 7492. *Euhypnometeutoides* *albithoracellus* Gaj,1954** (Yponomeutidae)
Synonym(s): *rufella* Tengström,1848 nec Panz.,1804; *albithoracellus* Gaj,1954
- 7493. *Euhypnometeutoides* *ribesiella* (Joannis,1900)** (Yponomeutidae)
Synonym(s): *ribesiella* Joannis,1900
- 7494. *Ochsenheimeria* *capella* Möschler,1860** (Yponomeutidae) Synonym(s):
capella Möschler,1860
- 7495. *Ochsenheimeria* *taurella* ([Denis & Schiffermüller],1775)**
(Yponomeutidae) Synonym(s): *taurella* [Denis & Schiffermüller],1775; *mediopectinellus*
Haworth,1828; *birdella* Curtis,1831; *trifasciata* Wocke,1871; *hederarum* Millière,1874; *talhouki* Amsel,1947;
baurella Zagulyaev,1966 Larval foodplant(s): *Alopecurus pratensis*, *Poa trivialis*,
Secale cereale, *Avena sativa*, *Hordeum vulgare*, *Triticum aestivum*, *Bromus*,
Triticum, *Agropyrum*, *Phleum* (Poaceae) (Réal,1966; Zagulyaev, 1971, 1988).
- 7496. *Ochsenheimeria* *urella* Fischer v. Röslerstamm,1842**
(Yponomeutidae) Synonym(s): *urella* Fischer v. Röslerstamm,1842; *bisontella* Lienig &
Zeller,1846; *hirculella* Tengström,1848; *scabrosella* Tengström,1848; *porphyrella* Tengström,1848;
distinctella Zagulyaev,1972 Larval foodplant(s): *Secale*, *Triticum*, *Hordeum*,
Agropyrum, *Bromus*, *Dactylis*, *Melica* (Poaceae) (Zagulyaev,1988).
- 7497. *Ochsenheimeria* *vacculella* Fischer v. Röslerstamm,1842**
(Yponomeutidae) Synonym(s): *vacculella* Fischer v. Röslerstamm,1842; *chenopodiella*
Stainton,1849; *danilevskii* Zagulyaev,1972 Larval foodplant(s): *Secale*, *Triticum*,
Hordeum, *Agropyrum*, *Bromus*, *Festuca*, *Roegneria*, *Phleum*, *Lolium*, *Poa*
(Poaceae) (Zagulyaev,1988).

- 7498. Ocnerostoma friesei Svensson,1966** (Yponomeutidae) Synonym(s): *friesei* Svensson,1966
- 7499. Ocnerostoma piniariella Zeller,1847** (Yponomeutidae) Synonym(s): *piniariella* Zeller,1847; *copiosella* Frey,1856 Larval foodplant(s): Pinus (Schütze,1931).
- 7500. Paraswammerdamia albicapitella (Scharfenberg,1805)** (Yponomeutidae) Synonym(s): *albicapitella* Scharfenberg,1805; *spiniella* Hübner,[1808]; *caesiella* Hübner,[1813] nec Hbn.,1796
- 7501. Paraswammerdamia conspersella (Tengström,1848)** (Yponomeutidae) Synonym(s): *conspersella* Tengström,1848
- 7502. Paraswammerdamia lapponica (W.Petersen,1932)** (Yponomeutidae) Synonym(s): *lapponica* W.Petersen,1932
- 7503. Paraswammerdamia lutarea (Haworth,[1828])** (Yponomeutidae) Synonym(s): *lutarea* Haworth,[1828]
- 7504. Paraswammerdamia ornichella Friese,1960** (Yponomeutidae) Synonym(s): *ornichella* Friese,1960
- 7505. Plutella (Anadetia) porrectella (Linnaeus,1758)** (Yponomeutidae) Synonym(s): *porrectella* Linnaeus,1758; *hesperidis* Retzius,1783; *julianella* Olivier,1789; *hesperidella* Hübner,1796; *vittatus* Fabricius,1798 Larval foodplant(s): Brassicaceae (Zagulyaev,1981).
- 7506. Plutella (s.str.) haasi Staudinger,1883** (Yponomeutidae) Synonym(s): *haasi* Staudinger,1883
- 7507. Plutella (s.str.) hyperboreella Strand,1902** (Yponomeutidae) Synonym(s): *hyperboreella* Strand,1902
- 7508. Plutella (s.str.) mariae Rebel,1923** (Yponomeutidae) Synonym(s): *mariae* Rebel,1923
- 7509. Plutella (s.str.) polaris Zeller,1880** (Yponomeutidae) Synonym(s): *polaris* Zeller,1880
- 7510. Plutella (s.str.) xylostella (Linnaeus,1758)** (Yponomeutidae) Synonym(s): *xylostella* Linnaeus,1758; *cinerea* Fourcroy,1785 nec Hufn.,1766; *xylostei* Fabricius,1798; *maculipennis* Curtis,1832; *niveella* Zeller,1839; *cruciferarum* Zeller,1843; *brassicella* Fitch,1856; *limbipennella* Clemens,1860; *mollipedella* Clemens,1860; *cicerella* Rondani,1876; *dubiosella* Beutenmüller,1889; *albovenosa* Walsingham,1897; *megapterella* Bentinck,1943 Larval foodplant(s): Brassica (Brassicaceae) (Staudinger,1879).
- 7511. Prays fraxinella (Bjerkander,1784)** (Yponomeutidae) Synonym(s): *fraxinella* Bjerkander,1784; *curtisella* Donovan,1793; *circulella* Fabricius,1794; *coenobitella* Hübner,[1813]; *curtisii* Haworth,1828; *hortulella* Stephens,1828
- 7512. Prays oleae (Bernard,1788)** (Yponomeutidae) Synonym(s): *oleae* Bernard,1788; *oleellus* Fabricius,1794; *oliviella* Boyer,1837; *adspersella* Heydenreich,1851; *adspersigriseella* Bruand,1859
- 7513. Pseudoswammerdamia combinella (Hübner,1786)** (Yponomeutidae) Synonym(s): *combinella* Hübner,1786
- 7514. Rhigognostis annulatella (Curtis,1832)** (Yponomeutidae) Synonym(s): *annulatella* Curtis,1832; *immaculicornella* Guenée,1845
- 7515. Rhigognostis hufnagelii (Zeller,1839)** (Yponomeutidae) Synonym(s): *hufnagelii* Zeller,1839; *hufnageliella* Duponchel,[1845]
- 7516. Rhigognostis senilella (Zetterstedt,[1839])** (Yponomeutidae) Synonym(s): *senilella* Zetterstedt,[1839]; *dalella* Stainton,1849; *marmarosella* Wocke,1850
- 7517. Scythropia crataegella (Linnaeus,1767)** (Yponomeutidae) Synonym(s): *crataegella* Linnaeus,1767
- 7518. Swammerdamia caesiella (Hübner,1796)** (Yponomeutidae) Synonym(s): *caesiella* Hübner,1796; *heroldella* Hübner,[1825]; *caesia* Haworth,1828; *nubeculella* Tengström,1848; *griseocapitella* Stainton,1851
- 7519. Swammerdamia passerella (Zetterstedt,1839)** (Yponomeutidae) Synonym(s): *passerella* Zetterstedt,1839

- 7520. *Swammerdamia pyrella* (Villers,1789)** (Yponomeutidae) Synonym(s): *pelicariapyri* Retzius,1783; *pyrella* Villers,1789; *cerasiella* Hübner,[1813]; *sapporensis* Matsumura,1931
- 7521. *Yponomeuta cognagellus* (Hübner,[1813])** (Yponomeutidae) Synonym(s): *cognagella* Hübner,[1813] Larval foodplant(s): *Evonymus eorupeus*, E. *verrucosus* (Celastraceae) (Staudinger,1879; Friese,1960 et seq.).
- 7522. *Yponomeuta evonymellus* (Linnaeus,1758)** (Yponomeutidae) Synonym(s): *evonymella* Linnaeus,1758; *padi* Zeller,1846
- 7523. *Yponomeuta irrorellus* (Hübner,1796)** (Yponomeutidae) Synonym(s): *irrorellus* Hübner,1796; *irrorea* Haworth,1828; *huebneri* Koçak,1982.
- 7524. *Yponomeuta malinellus* Zeller,1838** (Yponomeutidae) Synonym(s): *malinellus* Zeller,1838
- 7525. *Yponomeuta padellus* (Linnaeus,1758)** (Yponomeutidae) Synonym(s): *padella* Linnaeus,1758; *evonymella* Scopoli,1763 nec Linn.,1758; *malinella* Zeller,1838; *variabilis* Zeller,1844; *diffuellus* Heinemann,1870.
- 7526. *Yponomeuta plumbellus* ([Denis & Schiffermüller],1775)** (Yponomeutidae) Synonym(s): *plumbellus* [Denis & Schiffermüller],1775; *nigrifimbriatus* Christoph,1882
- 7527. *Yponomeuta rorrellus* (Hübner,1796)** (Yponomeutidae) Synonym(s): *rorrella* Hübner,1796; *helicella* Freyer,1827; *rorea* Haworth,1828.
- 7528. *Yponomeuta vigintipunctatus* (Retzius,1783)** (Yponomeutidae) Synonym(s): *vigintipunctata* Retzius,1783; *sedella* Treitschke,1832; *vigintipunctella* Doubleday,1859; *apicalis* Matsumura,1931; *elementaris* Meyrick,1931.
- 7529. *Ypsolopha affinitella* (Staudinger,1892)** (Yponomeutidae) Synonym(s): *affinitella* Staudinger,1892
- 7530. *Ypsolopha albiramella* (Mann,1861)** (Yponomeutidae) Synonym(s): *albiramella* Mann,1861 Larval foodplant(s): *Ephedra* (Staudinger,1879).
- 7531. *Ypsolopha alpella* ([Denis & Schiffermüller],1775)** (Yponomeutidae) Synonym(s): *alpella* [Denis & Schiffermüller],1775; *alpinus* Fabricius,1798
- 7532. *Ypsolopha asperella* (Linnaeus,1761)** (Yponomeutidae) Synonym(s): *asperella* Linnaeus,1761; *clairvillella* Fabricius,1798; *falcateella* Donovan,1801 Larval foodplant(s): Rosaceae (Zagulyaev,1981).
- 7533. *Ypsolopha chazariella* (Mann,1866)** (Yponomeutidae) Synonym(s): *chazariella* Mann,1866
- 7534. *Ypsolopha coriacella* (Herrich-Schäffer,1855)** (Yponomeutidae) Synonym(s): *coriacella* Herrich-Schäffer,1855
- 7535. *Ypsolopha dentella* (Fabricius,1775)** (Yponomeutidae) Synonym(s): *dentella* Fabricius,1775; *harpella* [Denis & Schiffermüller],1775; *caprifolii* Retzius,1783; *dentatus* Fabricius,1798; *pallescentella* Staudinger,1892 Larval foodplant(s): *Lonicera* (Zagulyaev,1981).
- 7536. *Ypsolopha falcella* ([Denis & Schiffermüller],1775)** (Yponomeutidae) Synonym(s): *falcella* [Denis & Schiffermüller],1775; *schellenbergella* Fabricius,1798; *harnatus* Fabricius,1798; *falcatus* Fabricius,1798
- 7537. *Ypsolopha horridella* (Treitschke,1835)** (Yponomeutidae) Synonym(s): *horridella* Treitschke,1835
- 7538. *Ypsolopha instabilella* (Mann,1866)** (Yponomeutidae) Synonym(s): *instabilella* Mann,1866 Larval foodplant(s): *Ephedra* (Zagulyaev,1981).
- 7539. *Ypsolopha leuconotella* (Snellen,1884)** (Yponomeutidae) Synonym(s): *leuconotella* Snellen,1884
- 7540. *Ypsolopha lucella* (Fabricius,1775)** (Yponomeutidae) Synonym(s): *lucella* Fabricius,1775; *antennella* [Denis & Schiffermüller],1775; *retusana* Thunberg,1784; *mucronella* Hübner,1796 nec Sc.,1763; *lucorum* Fabricius,1798
- 7541. *Ypsolopha mucronella* (Scopoli,1763)** (Yponomeutidae) Synonym(s): *mucronella* Scopoli,1763; *caudella* Linnaeus,1767; *panzerella* Donovan,1794; *cultrella* Hübner,1796; *acinacidella* Hübner,1796; *mucronatus* Fabricius,1798; *helwigella* Fabricius,1798; *acinacidea* Haworth,1828 Larval foodplant(s): *Euonymus* (Zagulyaev,1981).

- 7542. Ypsolopha nebulella (Staudinger,1871)** (Yponomeutidae) Synonym(s): *nebulella* Staudinger,1871
- 7543. Ypsolopha nemorella (Linnaeus,1758)** (Yponomeutidae) Synonym(s): *nemorella* Linnaeus,1758; *nemorum* Fabricius,1798; *hamella* Hübner,[1805] Larval foodplant(s): *Lonicera* (Caprifoliaceae) (Linnaeus,1758).
- 7544. Ypsolopha parenthesella (Linnaeus,1761)** (Yponomeutidae) Synonym(s): *parenthesella* Linnaeus,1761; *costella* Fabricius,1775; *genistella* [Denis & Schiffermüller],1775; *ochrella* Hübner,1793; *maculella* Fabricius,1794; *costatus* Fabricius,1798; *maculatus* Fabricius,1798; *ochroleucus* Haworth,1828; *ermineus* Haworth,1828; *ustulatus* Haworth,1828; *takamukui* Matsumura,1931
- 7545. Ypsolopha persicella (Fabricius,1787)** (Yponomeutidae) Synonym(s): *persicella* Fabricius,1787; *sulphurella* Hübner,1793; *#persicellume* Noack,1960. Larval foodplant(s): *Rosaceae* (Zagulyaev,1981).
- 7546. Ypsolopha sarmaticella (Rebel,1917)** (Yponomeutidae) Synonym(s): *sarmaticella* Rebel,1917
- 7547. Ypsolopha satellitella (Staudinger,1871)** (Yponomeutidae) Synonym(s): *satellitella* Staudinger,1871
- 7548. Ypsolopha scabrella (Linnaeus,1761)** (Yponomeutidae) Synonym(s): *scabrella* Linnaeus,1761; *bifissella* [Denis & Schiffermüller],1775; *pterodactylella* Hübner,1793
- 7549. Ypsolopha sculpturella (Herrich-Schäffer,[1854])** (Yponomeutidae) Synonym(s): *sculpturella* Herrich-Schäffer,[1854] Larval foodplant(s): *Ephedra* (Staudinger,1879).
- 7550. Ypsolopha semitessella (Mann,1861)** (Yponomeutidae) Synonym(s): *semitessella* Mann,1861 Larval foodplant(s): *Ephedra* (Staudinger,1879).
- 7551. Ypsolopha sequella (Clerck,1759)** (Yponomeutidae) Synonym(s): *#sequella* Clerk,1759; *nyctemerella* [Denis & Schiffermüller],1775; *nyctemerus* Fabricius,1798; *leucophaea* Zeler,1839
- 7552. Ypsolopha sylvella (Linnaeus,1767)** (Yponomeutidae) Synonym(s): *sylvella* Linnaeus,1767; *bifasciatus* Haworth,1828
- 7553. Ypsolopha trichonella (Mann,1861)** (Yponomeutidae) Synonym(s): *trichonella* Mann,1861
- 7554. Ypsolopha ustella (Clerck,1759)** (Yponomeutidae) Synonym(s): *#ustella* Clerk,1759; *ciliella* [Denis & Schiffermüller],1775; *radiatella* Donovan,1794 *nec* Fourc.,1785; *variella* Hübner,1796 *nec* [Den. & Schiff.],1775; *fissella* Hübner,1796; *cornutus* Fabricius,1798; *unguiculatus* Fabricius,1798; *parallela* Panzer,1799; *byssinella* Hübner,[1813]; *quinquepunctatus* Haworth,1828; *lutosus* Haworth,1828; *flaviciliatus* Haworth,1828; *varians* Haworth,1828; *fissus* Haworth,1828; *radiatus* Haworth,1828; *fulvella* Duponchel,1839
- 7555. Ypsolopha vittella (Linnaeus,1758)** (Yponomeutidae) Synonym(s): *vittella* Linnaeus,1758; *sisymbrella* Denis & Schiffermüller,[1775]; *lanceolata* Fabricius,1777; *lancea* Borkhausen,1792; *dorsella* Fabricius,1794; *dorsatus* Fabricius,1798; *#vitellum* Noack,1960.
- 7556. Adscita (s.str.) albanica (Naufock,1926)** (Zygaenidae) Synonym(s): *albanica* Naufock,1926 Larval foodplant(s): *Geranium sanguineum*, *Erodium*, *Helianthemum*, *Rumex* (Naumann et al.,1999).
- 7557. Adscita (s.str.) geryon (Hübner,[1813])** (Zygaenidae) Synonym(s): *geryon* Hübner,[1813] Larval foodplant(s): *Helianthemum* (Asteraceae); *Geranium* (Geraniaceae) (Hering,1964; Naumann et al.,1999).
- 7558. Adscita (s.str.) obscura (Zeller,1847)** (Zygaenidae) Synonym(s): *obscura* Zeller,1847; *anceps* Staudinger,1862. Larval foodplant(s): *Helianthemum* (Asteraceae) (Naumann et al.,1999).
- 7559. Adscita (s.str.) statices (Linnaeus,1758)** (Zygaenidae) Synonym(s): *statices* Linnaeus,1758; *turcosa* Retzius,1783; *stuticus* Fourcroy,1785; *micans* Freyer,1833; *extensa* Alberti,1937; *anomala* Verity,1946; *lutrinensis* Heuser,1960; *heuseri* Reichl,1964 Larval foodplant(s): *Rumex acetosa*, *R. acetosella* (Hering,1964; Naumann et al.,1999).
- 7560. Artona maerens (Staudinger,1887)** (Zygaenidae) Synonym(s): *maerens* Staudinger,1887
- 7561. Balataea cyclops (Staudinger,1887)** (Zygaenidae) Synonym(s): *cyclops* Staudinger,1887

- 7562. Balataea gracilis (Walker,1864)** (Zygaenidae) **Synonym(s):** *gracilis* Walker,1864; *tomarena* Bryk,1942
- 7563. Balataea octomaculata (Bremer,1861)** (Zygaenidae) **Synonym(s):** *octomaculata* Bremer,1861; *aegerioides* Walker,1864
- 7564. Clelea fusca (Leech,1887)** (Zygaenidae) **Synonym(s):** *fusca* Leech,1887; *microphaea* Hampson,1919; *syriaca* Hampson,1919; *maerens* Matsumura,1925 *nec* Stgr.,1887; *sachalinensis* Matsumura,1927
- 7565. Clelea impellucida (Graeser,1888)** (Zygaenidae) **Synonym(s):** *impellucida* Graeser,1888
- 7566. Elcysma westwoodii (Vollenhoven,1863)** (Zygaenidae) **Synonym(s):** *westwoodii* Vollenhoven,1863; *translucida* Butler,1881
- 7567. Elcysma westwoodii caudata (Bremer,1864)** (Zygaenidae) **Synonym(s):** *caudata* Bremer,1864
- 7568. Illiberis (Primilliberis) rotundata Jordan,1907** (Zygaenidae) **Synonym(s):** *rotundata* Jordan,1907
- 7569. Illiberis distinctus Kardakoff,1928** (Zygaenidae) **Synonym(s):** *distinctus* Kardakoff,1928
- 7570. Illiberis hyalina (Staudinger,1887)** (Zygaenidae) **Synonym(s):** *hyalina* Staudinger,1887; *consimilis* Leech,1898; *hyaliana* Matsumura,1927
- 7571. Illiberis psychina (Oberthür,1880)** (Zygaenidae) **Synonym(s):** *psychina* Oberthür,1880
- 7572. Illiberis tenuis (Butler,1877)** (Zygaenidae) **Synonym(s):** *tenuis* Butler,1877
- 7573. Illiberis ulmivora Graeser,1888** (Zygaenidae) **Synonym(s):** *ulmivora* Graeser,1888
- 7574. Illiberis ussuriensis Alberti,1951** (Zygaenidae) **Synonym(s):** *ussuriensis* Alberti,1951
- 7575. Jordanita (Lucasiterna) subsolana (Staudinger,1862)** (Zygaenidae) **Synonym(s):** *subsolana* Staudinger,1862 **Larval foodplant(s):** *Carduncellus monspeliensis*, *Carlina vulgaris*, *Centaurea*, *Cirsium eriophorum*, *Echinops sphaerocephalus* (Asteraceae) (Hering,1964; Naumann et al.,1999).
- 7576. Jordanita (Roccia) budensis (Speyer & Speyer,1858)** (Zygaenidae) **Synonym(s):** *budensis* Speyer & Speyer,1858 **Larval foodplant(s):** *Centaurea paniculata*, *C. triumfetti*, *Achillea setacea* (Asteraceae) (Hering,1964; Naumann, et al.,1999).
- 7577. Jordanita (Roccia) paupera (Christoph,1887)** (Zygaenidae) **Synonym(s):** *paupera* Christoph,1887; *mollis* Grum-Grshimailo,1893; *hamifera* Jordan,1909; *tamerlana* Alberti,1937; *minor* Alberti,1937 **Larval foodplant(s):** *Artemisia* (Asteraceae) (Naumann et al.,1999).
- 7578. Jordanita (Roccia) volgensis (Möschler,1862)** (Zygaenidae) **Synonym(s):** *volgensis* Möschler,1862
- 7579. Jordanita (Roccia) volgensis volgensis (Möschler,1862)** (Zygaenidae) **Synonym(s):** *volgensis* Möschler,1862
- 7580. Jordanita (Tremewania) notata (Zeller,1847)** (Zygaenidae) **Synonym(s):** *notata* Zeller,1847 **Larval foodplant(s):** *Centaurea stoebe*, *C.scabiosa*, *C.jacea*, *Cirsium*, *Inula* (Asteraceae); *Scabiosa* (Dipsacaceae); *Globularia* (Globulariaceae) (Hering,1964, Naumann et al.,1999).
- 7581. Jordanita (s.str.) chloros (Hübner,[1813])** (Zygaenidae) **Synonym(s):** *chloros* Hübner,[1813]; *sepium* Boisduval,1834. **Larval foodplant(s):** *Globularia* (Globulariaceae); *Centaurea paniculata*, *C. stoebe*, *C. maculosa*, *C. scabiosa*, *C. jacea*, *C. triumfetti*, *Carduus uncinatus*, *C.arabicus*, *C.salonitana*, *Jurinea sordida*, *Stachelina uniflosculosa* (Asteraceae) (Hering,1964; Naumann et al.,1999).
- 7582. Jordanita (s.str.) chloros chloros (Hübner,[1813])** (Zygaenidae) **Synonym(s):** *chloros* Hübner,[1813]; *sepium* Boisduval,1834. **Larval foodplant(s):** *Centaurea paniculata*, *C. stoebe*, *C. maculosa*, *C. scabiosa*, *C. jacea*, *C. triumfetti*,

- Carduus uncinatus*, *C.arabicus*, *C.salonitana*, *Jurinea sordida* (Asteraceae) (Naumann et al.,1999).
- 7583. *Jordanita* (s.str.) *globulariae* (Hübner,1793)** (Zygaenidae) Synonym(s): *globulariae* Hübner,1793 Larval foodplant(s): *Centaurea*, *Cirsium tuberosum* (Asteraceae); *Globularia* (Globulariaceae); *Scabiosa* (Dipsacaceae) (Hübner,1793; Hering,1964; Naumann et al.,1999).
- 7584. *Jordanita* (s.str.) *graeca* (Jordan,1907)** (Zygaenidae) Synonym(s): *graeca* Jordan,1907; *sultana* Alberti,1937 Larval foodplant(s): *Centaurea solstitialis*, *C. salonitana*, *Centaurea melitensis*, *Cirsium creticum*, *Carduus arabicus*, *C.uncinatus*, *Jurinea sordida*, *Xeranthemum annuum* (Asteraceae) (Hering,1964; Naumann et al.,1999).
- 7585. *Jordanita* (s.str.) *graeca graeca* (Jordan,1907)** (Zygaenidae) Synonym(s): *graeca* Jordan,1907; *sultana* Alberti,1937 Larval foodplant(s): *Centaurea melitensis*, *Cirsium creticum* (Asteraceae) (Naumann et al.,1999).
- 7586. *Rhagades* (s.str.) *pruni* ([Denis & Schiffermüller],1775)** (Zygaenidae) Synonym(s): *#pruni* [Denis & Schiffermüller],1775 Larval foodplant(s): *Prunus spinosa*, *P.mahaleb*, *P.stepposa* (Rosaceae); *Calluna vulgaris* (Ericaceae); *Helianthemum nummularium* (Asteraceae) ([Denis & Schiffermüller],1775; Spuler,1910; Naumann et al.,1999).
- 7587. *Theresimima* *ampellophaga* (Bayle-Barelle,1808)** (Zygaenidae) Synonym(s): *ampellophaga* Bayle-Barelle,1808; *#ampelophaga* Staudinger,1878. Larval foodplant(s): *Vitis vinifera* (Vitaceae) (Bayle-Barelle,1808).
- 7588. *Zygaena* (Agrumenia) *armena* Eversmann,1851** (Zygaenidae) Synonym(s): *armena* Eversmann,1851; *kadenii* Lederer,1864
- 7589. *Zygaena* (Agrumenia) *armena dombaiensis* Alberti,1954** (Zygaenidae) Synonym(s): *dombaiensis* Alberti,1954
- 7590. *Zygaena* (Agrumenia) *carniolica* (Scopoli,1763)** (Zygaenidae) Synonym(s): *carniolica* Scopoli,1763; *nigra* Dziurzynski,1909; *transiensnigra* Dziurzynski,1909
- 7591. *Zygaena* (Agrumenia) *carniolica alta* Reiss,1921** (Zygaenidae) Synonym(s): *alta* Reiss,1921
- 7592. *Zygaena* (Agrumenia) *carniolica euxina* Holik & Sheljuzhko,1956** (Zygaenidae) Synonym(s): *euxina* Holik & Sheljuzhko,1956
- 7593. *Zygaena* (Agrumenia) *carniolica lesgina* Holik & Sheljuzhko,1956** (Zygaenidae) Synonym(s): *lesgina* Holik & Sheljuzhko,1956
- 7594. *Zygaena* (Agrumenia) *carniolica tuapsica* Reiss,1941** (Zygaenidae) Synonym(s): *tuapsica* Reiss,1941
- 7595. *Zygaena* (Agrumenia) *carniolica zhicharevi* Holik & Sheljuzhko,1956** (Zygaenidae) Synonym(s): *zhicharevi* Holik & Sheljuzhko,1956
- 7596. *Zygaena* (Agrumenia) *exulans* Reiner & Hohenwarth,1792** (Zygaenidae) Synonym(s): *exulans* Reiner & Hohenwarth,1792
- 7597. *Zygaena* (Agrumenia) *fraxini* Ménétriés,1832** (Zygaenidae) Synonym(s): *fraxini* Ménétriés,1832; *scovitzii* Ménétriés,1832; *cingulata* Sheljuzhko,1958 Larval foodplant(s): *Fraxinus* (Oleaceae) (Ménétriés,1832).
- 7598. *Zygaena* (Agrumenia) *fraxini perdita* Staudinger,1887** (Zygaenidae) Synonym(s): *perdita* Staudinger,1887
- 7599. *Zygaena* (Agrumenia) *loti* ([Denis & Schiffermüller],1775)** (Zygaenidae) Synonym(s): *loti* [Denis & Schiffermüller],1775; *fulvia* Fabricius,1777
- 7600. *Zygaena* (Agrumenia) *loti karatshaica* Sheljuzhko,1936** (Zygaenidae) Synonym(s): *karatshaica* Sheljuzhko,1936
- 7601. *Zygaena* (Agrumenia) *loti narzhanica* Sheljuzhko,1936** (Zygaenidae) Synonym(s): *narzhanica* Sheljuzhko,1936

- 7602. *Zygaena (Agrumenia) optima* H.Reiss,1939** (Zygaenidae) Synonym(s): *nobilis* H.Reiss,1933 *nec Navas*,1924; *optima* H.Reiss,1939.
- 7603. *Zygaena (Agrumenia) sedi* Fabricius,1787** (Zygaenidae) Synonym(s): *sedi* Fabricius,1787
- 7604. *Zygaena (Agrumenia) sedi* sedi Fabricius,1787** (Zygaenidae) Synonym(s): *sedi* Fabricius,1787
- 7605. *Zygaena (Mesembrynus) alpherakyi* Sheljuzhko,1936** (Zygaenidae) Synonym(s): *alpherakyi* Sheljuzhko,1936
- 7606. *Zygaena (Mesembrynus) alpherakyi alpherakyi* Sheljuzhko,1936** (Zygaenidae) Synonym(s): *alpherakyi* Sheljuzhko,1936
- 7607. *Zygaena (Mesembrynus) alpherakyi ossetica* Holik,1939** (Zygaenidae) Synonym(s): *ossetica* Holik,1939
- 7608. *Zygaena (Mesembrynus) brizae* (Esper,1800)** (Zygaenidae) Synonym(s): *brizae* Esper,1800
- 7609. *Zygaena (Mesembrynus) centaureae* Fischer v. Waldheim,1832** (Zygaenidae) Synonym(s): *centaureae* Fischer v. Waldheim,1832; *mannerheimi* Chardiny,1836; *#evandrus Heydenreich*,1851
- 7610. *Zygaena (Mesembrynus) centaureae centaureae* Fischer v. Waldheim,1832** (Zygaenidae) Synonym(s): *centaureae* Fischer v. Waldheim,1832; *mannerheimi* Chardiny,1836; *#evandrus Heydenreich*,1851
- 7611. *Zygaena (Mesembrynus) cynarae* (Esper,[1789])** (Zygaenidae) Synonym(s): *cynarae* Esper,[1789]; *genistae* Herrich-Schäffer,1846 Larval foodplant(s): *Peucedanum* (Apiaceae) (Naumann & Naumann,1980).
- 7612. *Zygaena (Mesembrynus) cynarae baschkirica* Holik,1939** (Zygaenidae) Synonym(s): *baschkirica* Holik,1939
- 7613. *Zygaena (Mesembrynus) cynarae centrorossica* Holik & Sheljuzhko,1955** (Zygaenidae) Synonym(s): *centrorossica* Holik & Sheljuzhko,1955
- 7614. *Zygaena (Mesembrynus) cynarae pinskensis* Burgeff,1914** (Zygaenidae) Synonym(s): *pinskensis* Burgeff,1914
- 7615. *Zygaena (Mesembrynus) cynarae samarensis* Holik,1939** (Zygaenidae) Synonym(s): *samarensis* Holik,1939
- 7616. *Zygaena (Mesembrynus) cynarae transuralica* Holik & Sheljuzhko,1955** (Zygaenidae) Synonym(s): *transuralica* Holik & Sheljuzhko,1955
- 7617. *Zygaena (Mesembrynus) cynarae uralensis* Herrich-Schäffer,1846** (Zygaenidae) Synonym(s): *uralensis* Herrich-Schäffer,1846
- 7618. *Zygaena (Mesembrynus) laeta* (Hübner,1790)** (Zygaenidae) Synonym(s): *laeta* Hübner,1790
- 7619. *Zygaena (Mesembrynus) minos* ([Denis & Schiffermüller],1775)** (Zygaenidae) Synonym(s): *minos* [Denis & Schiffermüller],1775. Larval foodplant(s): *Eryngium* (Apiaceae) (Naumann & Naumann, 1980,1985).
- 7620. *Zygaena (Mesembrynus) minos dagestana* Sheljuzhko,1936** (Zygaenidae) Synonym(s): *dagestana* Sheljuzhko,1936
- 7621. *Zygaena (Mesembrynus) minos sareptensis* Rebel,1901** (Zygaenidae) Synonym(s): *sareptensis* Rebel,1901
- 7622. *Zygaena (Mesembrynus) punctum* Ochsenheimer,1808** (Zygaenidae) Synonym(s): *punctum* Ochsenheimer,1808
- 7623. *Zygaena (Mesembrynus) punctum dystrepta* Fischer-Waldheim,1832** (Zygaenidae) Synonym(s): *dystrepta* Fischer-Waldheim,1832
- 7624. *Zygaena (Mesembrynus) purpuralis* (Brünnich,1763)** (Zygaenidae) Synonym(s): *purpuralis* Brünnich,1763; *pythia* Fabricius,1777; *scabiosae* Scheven,1777; *pilosellae* Esper,1780; *pluto* Ochsenheimer,1808; *pasiphae* Meigen,[1829]; *tatvanica* Reiss & Reiss,1973. Larval foodplant(s): *Thymus* (Lamiaceae) (Naumann & Naumann, 1980,1985).

- 7625. Zygaena (Mesembrynus) purpuralis alagirica Holik & Sheljuzhko, 1953** (Zygaenidae) Synonym(s): *alagirica* Holik & Sheljuzhko, 1953
- 7626. Zygaena (Mesembrynus) purpuralis chatiparae Sheljuzhko, 1936** (Zygaenidae) Synonym(s): *chatiparae* Sheljuzhko, 1936
- 7627. Zygaena (Mesembrynus) purpuralis chatiparae Sheljuzhko, 1936** (Zygaenidae) Synonym(s): *chatiparae* Sheljuzhko, 1936
- 7628. Zygaena (Mesembrynus) purpuralis dagestana Sheljuzhko, 1936** (Zygaenidae) Synonym(s): *dagestana* Sheljuzhko, 1936
- 7629. Zygaena (Mesembrynus) purpuralis kislovosdskana Sheljuzhko, 1936** (Zygaenidae) Synonym(s): *kislovosdskana* Sheljuzhko, 1936
- 7630. Zygaena (Mesembrynus) purpuralis strandiana Sheljuzhko, 1936** (Zygaenidae) Synonym(s): *strandiana* Sheljuzhko, 1936
- 7631. Zygaena (Mesembrynus) purpuralis strandiana Sheljuzhko, 1936** (Zygaenidae) Synonym(s): *strandiana* Sheljuzhko, 1936
- 7632. Zygaena (s.str.) angelicae Ochsenheimer, 1808** (Zygaenidae) Synonym(s): *angelicae* Ochsenheimer, 1808
- 7633. Zygaena (s.str.) dorycnii Ochsenheimer, 1808** (Zygaenidae) Synonym(s): *dorycnii* Ochsenheimer, 1808 Larval foodplant(s): *Dorycnium* (Fabaceae) (Ochsenheimer, 1808; et seq.).
- 7634. Zygaena (s.str.) dorycnii dorycnii Ochsenheimer, 1808** (Zygaenidae) Synonym(s): *dorycnii* Ochsenheimer, 1808
- 7635. Zygaena (s.str.) dorycnii kubana Holik & Sheljuzhko, 1958** (Zygaenidae) Synonym(s): *kubana* Holik & Sheljuzhko, 1958
- 7636. Zygaena (s.str.) dorycnii teberdensis H. Reiss, 1936** (Zygaenidae) Synonym(s): *teberdensis* H. Reiss, 1936
- 7637. Zygaena (s.str.) ephialtes (Linnaeus, 1767)** (Zygaenidae) Synonym(s): *ephialtes* Linnaeus, 1767; *scheveni* Oberthür, 1910; *esperii* Oberthür, 1910; *unipunctata* Vorbrodt, 1913; *valesiaca* Burgeff, 1914; *herrichschaefferi* Burgeff, 1914
- 7638. Zygaena (s.str.) ephialtes medusa (Pallas, 1771)** (Zygaenidae) Synonym(s): *medusa* Pallas, 1771
- 7639. Zygaena (s.str.) ephialtes tambovensis Holik & Sheljuzhko, 1953** (Zygaenidae) Synonym(s): *tambovensis* Holik & Sheljuzhko, 1953
- 7640. Zygaena (s.str.) exulans (Hohenwarth, 1792)** (Zygaenidae) Synonym(s): *exulans* Hohenwarth, 1792; *altaretensis* Le Charles, 1942; *alpigena* Le Charles, 1942; *#nivicola* Le Charles, 1942; *bourgognei* Le Charles, 1942; *stenostigma* Dujardin, 1956
- 7641. Zygaena (s.str.) filipendulae (Linnaeus, 1758)** (Zygaenidae) Synonym(s): *filipendulae* Linnaeus, 1758; *aries* Retzius, 1783 Larval foodplant(s): *Spiraea*, *Filipendula* (Rosaceae) (Linnaeus, 1758).
- 7642. Zygaena (s.str.) filipendulae ciscaucasica Sheljuzhko, 1936** (Zygaenidae) Synonym(s): *ciscaucasica* Sheljuzhko, 1936
- 7643. Zygaena (s.str.) filipendulae wojtusiaki Holik, 1939** (Zygaenidae) Synonym(s): *wojtusiaki* Holik, 1939
- 7644. Zygaena (s.str.) lonicerae (Scheven, 1777)** (Zygaenidae) Synonym(s): *lonicerae* Scheven, 1777; *graminis* Villers, 1789; *rechei* Dujardin, 1965; *microdoxa* Dujardin, 1965
- 7645. Zygaena (s.str.) lonicerae centricaucasica Holik, 1939** (Zygaenidae) Synonym(s): *centricaucasica* Holik, 1939
- 7646. Zygaena (s.str.) lonicerae kindermanni Oberthür, 1910** (Zygaenidae) Synonym(s): *kindermanni* Oberthür, 1910
- 7647. Zygaena (s.str.) lonicerae kubanensis Holik & Sheljuzhko, 1958** (Zygaenidae) Synonym(s): *kubanensis* Holik & Sheljuzhko, 1958
- 7648. Zygaena (s.str.) lonicerae uzjana Holik, 1939** (Zygaenidae) Synonym(s): *uzjana* Holik, 1939

- 7649. Zygaena (s.str.) mana Kirby,1892** (Zygaenidae) Synonym(s): *erebus* Staudinger,1867 nec Meig.,1830; *mana* Kirby,1892; *erebaea* Burgeff,1926
- 7650. Zygaena (s.str.) mana tarkiensis Holik & Sheljuzhko,1955** (Zygaenidae) Synonym(s): *tarkiensis* Holik & Sheljuzhko,1955
- 7651. Zygaena (s.str.) nevadensis Rambur,1858** (Zygaenidae) Synonym(s): *nevadensis* Rambur,1858
- 7652. Zygaena (s.str.) osterodensis H.Reiss,1921** (Zygaenidae) Synonym(s): *osterodensis* H.Reiss,1921
- 7653. Zygaena (s.str.) osterodensis altaica Holik & Sheljuzhko,1955** (Zygaenidae) Synonym(s): *altaica* Holik & Sheljuzhko,1955
- 7654. Zygaena (s.str.) osterodensis asiatica Burgeff,1926** (Zygaenidae) Synonym(s): *asiatica* Burgeff,1926
- 7655. Zygaena (s.str.) osterodensis filipjevi Holik,1939** (Zygaenidae) Synonym(s): *filipjevi* Holik,1939
- 7656. Zygaena (s.str.) osterodensis saratovensisa Holik & Sheljuzhko,1955** (Zygaenidae) Synonym(s): *saratovensisa* Holik & Sheljuzhko,1955
- 7657. Zygaena (s.str.) osterodensis sibirica Holik & Sheljuzhko,1955** (Zygaenidae) Synonym(s): *sibirica* Holik & Sheljuzhko,1955
- 7658. Zygaena (s.str.) teberdica H.Reiss,1939** (Zygaenidae) Synonym(s): *teberdica* H.Reiss,1939
- 7659. Zygaena (s.str.) trifolii (Esper,1783)** (Zygaenidae) Synonym(s): *trifolii* Esper,1783; *pratorum* Villers,1789; *vogesiaca* Przegendza,1932; *carueli* Le Charles,1960
- 7660. Zygaena (s.str.) viciae ([Denis & Schiffermüller],1775)** (Zygaenidae) Synonym(s): *viciae* [Denis & Schiffermüller],1775; *meliloti* Esper,1789; *buglossi* Boisduval,1829
Larval foodplant(s): *Vicia*, *Lathyrus pratensis*, *Trifolium*, *Lotus corniculatus* (Fabaceae) ([Denis & Schiffermüller],1775; et seq.).
- 7661. Zygaena (s.str.) viciae dahurica Boisduval,1834** (Zygaenidae) Synonym(s): *dahurica* Boisduval,1834
- 7662. Zygaena (s.str.) viciae digorica Holik,1939** (Zygaenidae) Synonym(s): *viciae digorica* Holik,1939
- 7663. Zygaena (s.str.) viciae lesghierica Holik,1943** (Zygaenidae) Synonym(s): *lesghierica* Holik,1943
- 7664. Zygaena (s.str.) viciae occidosibirica Holik & Sheljuzhko,1957** (Zygaenidae) Synonym(s): *occidosibirica* Holik & Sheljuzhko,1957
- 7665. Zygaena (s.str.) viciae schneideri H.Reiss,1932** (Zygaenidae) Synonym(s): *schneideri* H.Reiss,1932
- 7666. Zygaena (s.str.) viciae tarkiana Holik & Sheljuzhko,1957** (Zygaenidae) Synonym(s): *tarkiana* Holik & Sheljuzhko,1957
- 7667. Zygaena (s.str.) viciae teberdina Holik & Sheljuzhko,1957** (Zygaenidae) Synonym(s): *teberdina* Holik & Sheljuzhko,1957
- 7668. Zygaena (s.str.) viciae tindiensis Holik,1943** (Zygaenidae) Synonym(s): *tindiensis* Holik,1943

Priamus & Priamus Supplement

ISSN 1015-8243

Priamus is the first international serial publication of the Centre for Entomological Studies Ankara (CESA), established in 1981. It appears in volumes at irregular intervals. It includes shorter original articles of the research workers of the Centre, regarding taxonomy, nomenclature, morphology, bibliography, check-list, catalogue of Insects, especially Lepidoptera, as well as papers on faunistic, ecological and distributional researches. The publication languages are Turkish, English, German and Uighurian.

Priamus Supplement is the first international, electronical publication of the Centre for Entomological Studies Ankara (CESA), established in 2006 in accordance with the Publications Rules of the ICZN. It appears at irregular intervals as PDF format and announced in the internet site of the CESA. It includes larger original articles and theses of the research workers of the Centre, regarding taxonomy, nomenclature, morphology, bibliography, check-list, catalogue of Insects, especially Lepidoptera, as well as papers on faunistic, ecological and distributional researches. The publication languages are Turkish, English, German and Uighurian.

Centre for Entomological Studies Ankara

(A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/>

Scientific Serials: Priamus & Supplement (ISSN 1015-8243)³, Miscellaneous Papers (ISSN 1015-8235)⁴, Memoirs (ISSN-8227)⁵ DVD Films⁶, Iconographia Insectorum⁷ Cesa Publications on African Lepidoptera (series)⁸, Cesa News [online]⁹, Cesa Books¹⁰

Owners / Sahipleri - Editors / Yayıncılar: Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor Assistant: Asst. Prof. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey).

Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Asst. Prof. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Asst. Prof. Dr. Selma Seven (Gazi University, Turkey), General Entomology: Assoc. Prof. Dr. Paitoon Leksawasdi (Chiang Mai University, Faculty of Science, Thailand); Homoptera: Dr. Emine Demir (Turkey). Orthoptera: Dr. Piotr Naskrecki (Connecticut University, U.S.A.), Asst. Prof. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Asst. Prof. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Asst. Prof. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat). Coleoptera /

³ <http://www.cesa-tr.org/Pri.htm> - pdf available after corresponding

⁴ <http://www.cesa-tr.org/Miscell.htm> - pdf available after corresponding

⁵ <http://www.cesa-tr.org/Memoirs.htm> -

⁶ <http://www.cesa-tr.org/CDF.htm>

⁷ <http://www.cesa-tr.org/Icon.htm>

⁸ http://www.metafro.be/Members/Cesa/internet_sayfas305/base_view - pdf available

⁹ <http://www.cesa-tr.org/Cesanews.htm>

¹⁰ <http://www.cesa-tr.org/Cesabooks.htm>

Chrysomelidae: Assoc. Prof. M.S.Mohammedsaid (Malaysia). - Plant taxonomy, flora and vegetation:
Prof. Dr. Mecit Vural (Gazi University, Turkey).

ALL RIGHTS RESERVED

Correspondences should be addressed to: Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen-Edebiyat Fakültesi,
Biyoloji Bölümü, Kampus, Van / Turkey. - e-mail: cesa_tr@yahoo.com.tr

All serials are recorded regularly by the Zoological Record, Biosis, Garforth House, 54 Micklegate, York, North Yorkshire. fax (01904)
612793 - DCS@york.biosis.org

The printed copies of Priamus Supplement are found in the following major Libraries in the World:
*Natural History Museum, London, England - California Academy of Sciences, San Francisco, U.S.A. - Library
of Transvaal Museum, Pretoria, South Africa - Bibliothek, Entomologischen Museum Dr. Ulf Eitschberger,
Germany - Deutsche Entomologische Institut, Eberswalde, Germany-*



Dosya adı: Pri14
Dizin: D:
Şablon: C:\Documents and Settings\standart\Application
Data\Microsoft\Templates\Normal.dot
Başlık: Russia 5951 species
Konu:
Yazar: standart
Anahtar Sözcük:
Açıklamalar:
Oluşturma Tarihi: 13.08.2008 18:56:00
Düzeltilme Sayısı: 10
Son Kayıt: 13.08.2008 20:05:00
Son Kaydeden: standart
Düzenleme Süresi: 41 Dakika
Son Yazdırma Tarihi: 13.08.2008 20:05:00
En Son Tüm Yazdırmada
Sayfa Sayısı: 466
Sözcük Sayısı: 240.749(yaklaşık)
Karakter Sayısı: 1.372.271(yaklaşık)